

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For January 11, 2022

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on December 14, 2021 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0260580 PCN: P040327 Project No.: P040327
DBE Goal Percent: 0.00% PCN: P040519 Project No.: P040519
Approx. Length (miles): 30.0300 Description: REHABILITATION - AIKEN COUNTY
CO(S): Aiken
Completion Date: 6/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	925.000	SY
UNCLASSIFIED EXCAVATION	970.000	CY
BORROW EXCAVATION	5,382.000	CY
EXCAVATION FOR SHOULDER PAVING	589.248	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	589.248	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	136,020.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,760.000	TON
MAINTENANCE STONE	17.000	TON
HMA SHOULDER WIDENING COURSE	2,800.747	TON
LIQUID ASPHALT BINDER PG64-22	2,821.796	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,460.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	240.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	41,630.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	22,675.000	SY
MILLED-IN RUMBLE STRIP	29.240	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	26,904.083	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	12,798.310	TON
DRIVEWAY PAVING-SURFACE TYPE D	2,383.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	7,224.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	790.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	214,140.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	332.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	3,163.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	8.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	9,160.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	167,930.000	LF



Call No.: 010

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,282.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	527,280.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	664.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,278.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	23,340.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	408,110.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	360.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	360.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	14.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,012.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,130.000	LF
SAWCUT FOR LOOP DETECTOR	710.000	LF
ADJUST DROP INLET ADJUST D. I.	13.000	EA
DETECTABLE WARNING MATERIAL	462.500	SF
PEDESTRIAN RAMP CONSTRUCTION	925.000	SY
SURFACE APPLIED DETECTABLE WARNING	230.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	100.000	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	60.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	225.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	27.479	ACRE



Call No.: 020 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1191631 PCN: P027884 Project No.: P027884

DBE Goal Percent: 6.50%

Approx. Length (miles): 0.1460

Description: ENHANCEMENT - GAFFNEY T-BRIDGE

CO(S): Cherokee

Completion Date: 6/30/2023

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	400.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	730.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	290.000	SY
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
SITE EXCAVATION	1.000	LS
HOT MIX ASPHALT BASE COURSE - TYPE A	64.000	TON
LIQUID ASPHALT BINDER PG64-22	4.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	16.000	TON
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	110.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	96.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	50.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,784.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	25.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	24.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	18.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	70.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,530.000	LF
CONC. FOR STRUCTURES - CLASS 4000	450.000	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	44,741.000	LB
CONCRETE SIDEWALK(4" UNIFORM)	45.000	SY
DETECTABLE WARNING MATERIAL	22.500	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
PREMASH THRIEBEAM BRIDGE CONN TBBC3	1.000	EA
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
120" CHAIN LINK FENCE	210.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	0.140	ACRE
SILT FENCE	180.000	LF
REPAIR CLEAN AND PAINT EXISTING RAILINGS	1.000	LS



Call No.: 030 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1259260	PCN: P040205	Project No.: P040205
DBE Goal Percent: 0.00%	PCN: P040206	Project No.: P040206
	PCN: P040207	Project No.: P040207
	PCN: P040509	Project No.: P040509

Approx. Length (miles): 10.3700 Description: RECONSTRUCTION/REHABILITATION - CHESTER COUNTY
CO(S): Chester

Completion Date: 11/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	75.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	60.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	21.000	CY
UNCLASSIFIED EXCAVATION	748.000	CY
BORROW EXCAVATION	1,111.000	CY
EXCAVATION FOR SHOULDER PAVING	224.920	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	224.920	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD A	59,858.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	46,418.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,499.000	TON
MAINTENANCE STONE	350.000	TON
HMA SHOULDER WIDENING COURSE	1,624.480	TON
LIQUID ASPHALT BINDER PG64-22	1,597.701	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,245.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	520.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	39,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	3,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	38,810.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	18,115.000	SY
MILLED-IN RUMBLE STRIP	9.220	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	4,662.944	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,911.904	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,038.800	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	6,031.947	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,904.750	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	46,418.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,240.000	SF



Call No.: 030

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	70.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	8,733.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	315,318.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,260.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,694.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	58.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	40.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	14.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,022.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	364,662.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,400.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	484.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,095.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	98,043.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	984.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	35.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,170.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	29.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	20.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,181.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	107,912.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	367.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	189.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	190.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,042.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	90.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,610.000	LF
SAWCUT FOR LOOP DETECTOR	1,720.000	LF
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
18" SMOOTH WALL PIPE	50.000	LF
ADJUST CATCH BASIN	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	60.000	LF
DETECTABLE WARNING MATERIAL	37.500	SF
CONCRETE MEDIAN	96.000	SY
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.790	ACRE



Call No.: 040 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1659930	PCN: P040411	Project No.: P040411
DBE Goal Percent: 0.00%	PCN: P040412	Project No.: P040412
	PCN: P040413	Project No.: P040413

Approx. Length (miles):28.3700 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Darlington DARLINGTON CO.

Completion Date: 6/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,395.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	250.000	LF
BORROW EXCAVATION	5,462.000	CY
EXCAVATION FOR SHOULDER PAVING	1,105.632	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,105.632	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	199,081.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,973.000	TON
MAINTENANCE STONE	91.000	TON
HMA SHOULDER WIDENING COURSE	5,528.160	TON
LIQUID ASPHALT BINDER PG64-22	2,708.800	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,400.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	40,541.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,400.000	SY
MILLED-IN RUMBLE STRIP	51.360	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,605.893	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	25,339.527	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	570.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,625.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,625.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	15,870.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	869,295.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	6,360.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,730.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	18.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA



Call No.: 040

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
HANDICAP SYMBOL - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	96,150.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	384,000.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	330.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	180.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	30.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	90.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,290.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	289,765.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,120.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	910.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	33,835.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	126,215.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	170.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	179.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,227.000	EA
REMOVAL OF PAVEMENT MARKINGS	187,887.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	180.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	955.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	160.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,000.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,060.000	LF
SAWCUT FOR LOOP DETECTOR	3,000.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	13.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	1.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	4.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	50.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	100.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	100.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	475.000	SY
DETECTABLE WARNING MATERIAL	325.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	270.000	SY
PEDESTRIAN RAMP CONSTRUCTION	650.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	17.375	ACRE



Call No.: 050 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1755080 PCN: P039285 Project No.: P039285
DBE Goal Percent: 0.00%
Approx. Length (miles): 0.1100 Description: SAFETY IMPROVEMENTS - S-55 (DILLON CO)
CO(S): Dillon
Completion Date: 8/31/2022 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	14.000	CY
UNCLASSIFIED EXCAVATION	126.000	CY
FINE GRADING	574.000	SY
FLOWABLE FILL	10.000	CY
MAINTENANCE STONE	33.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	97.000	TON
LIQUID ASPHALT BINDER PG64-22	17.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	50.000	SY
MILLED-IN RUMBLE STRIP	0.082	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	51.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	161.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	300.000	SF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	2,168.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,168.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	960.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	2,336.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	4.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	14.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	18.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,084.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	7.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	9.000	EA
18" SMOOTH WALL PIPE	276.000	LF
24" SMOOTH WALL PIPE	108.000	LF
CATCH BASIN -TYPE 16	2.000	EA
DROP INLET (24" X 36")	2.000	EA



Call No.: 050

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	513.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	125.000	SY
RIP-RAP (CLASS B)	22.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	27.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	11.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.248	ACRE
TEMPORARY COVER	0.124	ACRE
SELECT MATERIAL	75.000	CY
COMPOST	7.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	0.750	ACRE
FERTILIZER (NITROGEN)	25.000	LB
FERTILIZER (PHOSPHORIC ACID)	25.000	LB
FERTILIZER (POTASH)	25.000	LB
AGRICULTURAL GRANULAR LIME	496.000	LB
MOWING	0.744	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.496	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	28.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	28.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	20.000	LF
SILT FENCE	1,099.000	LF
CLEANING SILT BASINS	4.000	CY
CLEANING INLET STRUCTURE FILTERS	8.000	EA
INLET STRUCTURE FILTER - TYPE D1	2.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	2.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 060 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2059220	PCN: P040213	Project No.: P040213
DBE Goal Percent: 0.00%	PCN: P040214	Project No.: P040214
	PCN: P040485	Project No.: P040485

Approx. Length (miles):6.4100 Description: RECONSTRUCTION/REHABILITATION - FAIRFIELD CO
CO(S): Fairfield

Completion Date: 9/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	325.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	390.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	90.000	CY
UNCLASSIFIED EXCAVATION	2,734.000	CY
BORROW EXCAVATION	554.000	CY
STATION GRADING	3.690	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	11,832.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	61,750.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,483.000	TON
MAINTENANCE STONE	382.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	4,123.294	TON
LIQUID ASPHALT BINDER PG64-22	816.341	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	250.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,140.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	9,947.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,800.000	SY
MILLED-IN RUMBLE STRIP	9.960	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,371.390	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	2,204.519	TON
DRIVEWAY PAVING-SURFACE TYPE C	366.625	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	73,582.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,833.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	144.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,621.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	162,046.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,800.000	LF



Call No.: 060

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	200.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,050.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	835.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	170,910.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,420.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,226.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	54,070.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	450.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	200.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	72.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	565.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	835.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	60,062.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	8.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	382.000	EA
REMOVAL OF ALL PAVEMENT MARKINGS	2.300	LM
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	700.000	LF
SAWCUT FOR LOOP DETECTOR	250.000	LF
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN - TYPE 9(TOP ONLY)	5.000	EA
ADJUST CATCH BASIN	7.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	1.000	EA
CONCRETE CURB (9" X 15")	500.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	75.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	240.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	75.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	112.000	SY
DETECTABLE WARNING MATERIAL	162.500	SF
CONCRETE MEDIAN	540.000	SY
PEDESTRIAN RAMP CONSTRUCTION	325.000	SY
SURFACE APPLIED DETECTABLE WARNING	12.500	SF
BITUMINOUS CURB	1,800.000	LF
RIP-RAP (CLASS A)	30.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	25.000	SY



Call No.: 060

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,951.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
PREMASH THRIE WITH BASE PL 3.125 SPACING	100.000	LF
MGS3CS GR COMPRESSED SHOULDER	1,000.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH THRIE STRONG POST GUARDRAIL	100.000	LF
PREMASH W-BEAM TIGHT CURVED SYSTEM	12.500	LF
PREMASH TYPE T TL3 LEADING 50'	17.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.310	ACRE
SILT FENCE	300.000	LF
REPLACE/REPAIR SILT FENCE	100.000	LF
CLEANING SILT BASINS	4.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	100.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	10.000	TON



Call No.: 070 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2358730	PCN: P040241	Project No.: P040241
DBE Goal Percent: 0.00%	PCN: P040243	Project No.: P040243
Approx. Length (miles): 16.9900	Description: RECONSTRUCTION/REHABILITATION - GREENVILLE CO	
CO(S): Greenville		
Completion Date: 9/30/2023	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
BORROW EXCAVATION	2,122.000	CY
EXCAVATION FOR SHOULDER PAVING	501.600	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	501.600	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	88,057.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,522.000	TON
MAINTENANCE STONE	484.790	TON
HMA SHOULDER WIDENING COURSE	3,312.320	TON
LIQUID ASPHALT BINDER PG64-22	3,529.175	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	43,479.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	347,525.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	867.000	SY
MILLED-IN RUMBLE STRIP	18.960	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	56,015.092	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,145.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	3,595.100	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,024.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	97,300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	278,481.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	8,288.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,233.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	44.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	16.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	22,620.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,018,448.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,950.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	24,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	112,048.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	4,144.000	LF



Call No.: 070

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	85.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,994.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	22.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,380.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	229,002.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,238.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	496.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,623.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,680.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	30,160.000	LF
FURNISH & INSTALL FLUSH MOUNTED WIRELESS SENSOR	63.000	EA
SAWCUT FOR LOOP DETECTOR	10,960.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	24.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	8.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	650.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	80.000	LF
PREMASH TYPE T TL3 LEADING 50'	13.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.288	ACRE



Call No.: 080 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2359920	PCN: P040244	Project No.: P040244
DBE Goal Percent: 0.00%	PCN: P040245	Project No.: P040245
Approx. Length (miles): 16.9900	Description: RECONSTRUCTION/REHABILITATION - GREENVILLE CO	
CO(S): Greenville		
Completion Date: 7/31/2023	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
UNCLASSIFIED EXCAVATION	352.000	CY
BORROW EXCAVATION	3,398.000	CY
EXCAVATION FOR SHOULDER PAVING	100.320	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	100.320	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	225,754.000	SY
CEMENT MODIFIED RECYCLED BASE (14" UNIFORM)	3,894.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	9,188.000	TON
MAINTENANCE STONE	457.750	TON
HMA SHOULDER WIDENING COURSE	668.800	TON
LIQUID ASPHALT BINDER PG64-22	2,745.163	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	10,775.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	15,365.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	13,035.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	25,830.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	3,894.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,206.000	SY
MILLED-IN RUMBLE STRIP	0.400	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	32,619.789	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,958.601	TON
DRIVEWAY PAVING-SURFACE TYPE C	3,657.225	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,474.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	9,210.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	456,521.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,376.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,878.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	78.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	11.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA



Call No.: 080

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	6,280.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	932,480.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	360.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,020.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	30.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	780.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,110.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	181,320.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	688.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	47.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,247.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	36.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	1.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,400.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	183,939.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	142.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	38.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,365.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,260.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	22,620.000	LF
SAWCUT FOR LOOP DETECTOR	8,220.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	18.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	6.000	EA
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,600.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	4,829.000	LF
PREMASH TYPE T TL3 LEADING 50'	36.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.473	ACRE



Call No.: 090 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2649341 PCN: P037611 Project No.: P037611
DBE Goal Percent: 15.00%
Approx. Length (miles): 0.0940 Description: ENHANCEMENT - HORRY COUNTY
CO(S): Horry
Completion Date: 10/31/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	770.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	20.000	CY
SITE EXCAVATION	1.000	LS
FINE GRADING	1,320.000	SY
FLOWABLE FILL	8.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE B	170.000	TON
LIQUID ASPHALT BINDER PG64-22	24.200	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,610.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	52.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	220.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	248.000	SF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4" PERM. YEL.	22.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	180.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	322.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	88.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	744.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	180.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	568.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	322.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	88.000	LF
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	744.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	30.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	70.000	LF
ROADWAY AND AREA LIGHTING	1.000	LS
18" SMOOTH WALL PIPE	240.000	LF



Call No.: 090

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
30" SMOOTH WALL PIPE	200.000	LF
CATCH BASIN -TYPE 16	5.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	1.000	EA
CONCRETE CURB (TRANSITION)	6.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,017.000	LF
CONCRETE DRAINAGE TROUGH WITH GALV.METAL COVER	8.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	700.000	SY
IMPRINTED CONCRETE SIDEWALK(4" UNIFORM)	90.000	SY
DETECTABLE WARNING MATERIAL	125.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	32.000	SY
PEDESTRIAN RAMP CONSTRUCTION	250.000	SY
RIP-RAP (CLASS B)	72.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	75.000	SY
PERMANENT COVER	0.410	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.125	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	25.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	25.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	72.000	LF
SILT FENCE	620.000	LF
CLEANING INLET STRUCTURE FILTERS	5.000	EA
STABILIZED CONSTRUCTION ENTRANCE	275.000	SY
TRASH RECEPTACLE (OUTSIDE)	6.000	EA



Call No.: 100 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3260760	PCN: P040344	Project No.: P040344
DBE Goal Percent: 0.00%	PCN: P040351	Project No.: P040351
Approx. Length (miles): 12.5200	Description: RECONSTRUCTION/REHABILITATION - LEXINGTON CO	
CO(S): Lexington		
Completion Date: 5/31/2023	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,067.000	SY
UNCLASSIFIED EXCAVATION	259.000	CY
BORROW EXCAVATION	2,395.000	CY
EXCAVATION FOR SHOULDER PAVING	662.748	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	662.748	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	84,660.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,752.000	TON
MAINTENANCE STONE	28.500	TON
HMA SHOULDER WIDENING COURSE	2,771.520	TON
LIQUID ASPHALT BINDER PG64-22	2,090.276	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,750.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	120,050.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,000.000	SY
MILLED-IN RUMBLE STRIP	22.040	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	11,539.093	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	22,240.934	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	35.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,637.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,218.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	22,630.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	474,940.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,700.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,250.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	51.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	27.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	85,220.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	319,320.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	500.000	LF



Call No.: 100

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,770.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	119,110.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	900.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,175.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	17.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,990.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	99,020.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	220.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	55.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,120.000	EA
PLASTIC CURBING WITH DUAL POST	260.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	170.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,230.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	50.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,280.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	50.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,920.000	LF
SAWCUT FOR LOOP DETECTOR	1,270.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	10.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	10.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	120.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	70.000	SY
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	200.000	LF
MT3 LEADING END TREATMENT TL3	10.000	EA
MGS3CS GR COMPRESSED SHOULDER	500.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.532	ACRE



Call No.: 110 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3559940	PCN: P040414	Project No.: P040414
DBE Goal Percent: 0.00%	PCN: P040415	Project No.: P040415
	PCN: P040416	Project No.: P040416

Approx. Length (miles): 16.0800 Description: RECONSTRUCTION/REHABILITATION - MARLBORO CO

Completion Date: 11/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	450.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	25.000	LF
BORROW EXCAVATION	3,216.000	CY
EXCAVATION FOR SHOULDER PAVING	1,280.928	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,280.928	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	55,294.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,771.000	TON
MAINTENANCE STONE	65.500	TON
HMA SHOULDER WIDENING COURSE	7,991.940	TON
LIQUID ASPHALT BINDER PG64-22	2,755.542	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	2,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	121,940.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,250.000	SY
MILLED-IN RUMBLE STRIP	31.800	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	14,368.934	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,498.934	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	11,452.047	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	380.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	560.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,184.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	38,370.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	422,820.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	1,770.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,710.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	54.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA



Call No.: 110

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	33,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	224,760.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	65.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	260.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	260.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	12,790.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	140,940.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	590.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	25.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,570.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	18.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	11,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	74,920.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	683.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	651.000	EA
REMOVAL OF PAVEMENT MARKINGS	31,580.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	120.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	660.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	660.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	700.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,960.000	LF
SAWCUT FOR LOOP DETECTOR	1,330.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	25.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	250.000	SY
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.935	ACRE



Call No.: 120 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3849601 PCN: P030267 Project No.: P030267
DBE Goal Percent: 15.00%
Approx. Length (miles): 0.9920 Description: CORRIDOR IMPROVEMENT - US 21/US 178
CO(S): Orangeburg (ORANGEBURG CO)
Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,030.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	610.000	CY
UNCLASSIFIED EXCAVATION	5,390.000	CY
BORROW EXCAVATION	5,500.000	CY
GRADED AGGREGATE BASE COURSE (4" UNIFORM)	3,190.000	SY
MAINTENANCE STONE	330.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	40.000	TON
PRIME COAT	870.000	GAL
LIQUID ASPHALT BINDER PG64-22	220.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	34,880.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,840.000	TON
IMPRINTED ASPHALT WITH SURFACE COATING	680.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	576.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	5,640.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	40.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	120.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	3,940.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,080.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	50.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	12.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	24.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,390.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,820.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	60.000	LF



Call No.: 120

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,970.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	540.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	25.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	12.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	20.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	400.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	125.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	3.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	260.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	89.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	189.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	20.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	507.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	40.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 001	1.000	LS
LIGHT STANDARD FOUNDATION	23.000	EA
SINGLE DECORATIVE LIGHT POLE WITH SINGLE LIGHT	23.000	EA
SGL.LT.STD.40'HT.AL.POLE 4'SGL.ARM-GROUND MNT.W/FOUNDATION	18.000	EA
SGL.LT.STD.40'HT.AL.POLE 12'TRUSS AL.BRACK.ARM-GR.W/FOUND.	5.000	EA
12' TRUSS ALUMINUM BRACKET ARM (MOUNTED ON STRAIN/MAST POLE)	3.000	EA
FURNISH & INSTALL 1.0" GALVANIZED RIGID CONDUIT	190.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	370.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	150.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	2,446.000	LF
1" SCHEDULE 80 HDPE CONDUIT	8,330.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	1,387.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	1,360.000	LF
NO. 8 COPPER WIRE, 1 CONDUCTOR, 600V,TYPE RHH,RHW,USE	27,830.000	LF
NO. 12 COPPER WIRE, 1 CONDUCTOR, 600V,TYPE RHH,RHW,USE	5,020.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,170.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	5,180.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	5,970.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,400.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	8,876.000	LF
SAWCUT FOR LOOP DETECTOR	3,774.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	3.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	48.000	EA
17"X30"X28"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	29.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	14.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	6.000	EA



Call No.: 120

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	26.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	20.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	20.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	32.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	32.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	3.000	EA
INSTALL STREET LIGHT LUMINAIRE	49.000	EA
POWDERCOATING PER MAST ARM OVER GALVANIZED	12.000	EA
DECORATIVE OPTION PER MAST ARM	12.000	EA
LUMINAIRE OPTION FOR MAST ARM - TO ACCOUNT FOR TALLER POLE	3.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	12.000	EA
DESIGN, DETAIL & CONSTR REINF CONCRETE BOX CULVERT - NO(____) 003	1.000	EA
STEEL HANDRAIL	200.000	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL	3,515.000	CY
MECH.STABILIZED EARTH RETAINING WALL(BLOCK FACING) ROADWAY	8,501.000	SF
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) R	2,312.000	SF
COPING FOR MSE RETAINING WALL(ROADWAY)	1,443.000	LF
15" SMOOTH WALL PIPE	48.000	LF
18" SMOOTH WALL PIPE	548.000	LF
24" SMOOTH WALL PIPE	20.000	LF
30" SMOOTH WALL PIPE	36.000	LF
CLEANING EXISTING PIPE	500.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	5.000	EA
DROP INLET (24" X 36")	2.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	7.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 24"	1.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	1.000	EA
JUNCTION BOX - CONVERT CB T-16	1.000	EA
BEVELING OF PIPE END	2.000	EA
CONCRETE CURB (9" X 15")	4,390.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	800.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	6,100.000	SY
DETECTABLE WARNING MATERIAL	337.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,290.000	SY
CONCRETE MEDIAN	770.000	SY
PEDESTRIAN RAMP CONSTRUCTION	700.000	SY
RIP-RAP (CLASS C)	400.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	600.000	SY
48"-CHAIN LINK FENCE	1,210.000	LF



Call No.: 120

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
ORNAMENTAL STEEL PICKET FENCE - 48"	3,910.000	LF
TEMPORARY BARRIER FENCE	5,000.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	19.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.700	ACRE
TEMPORARY COVER	1.350	ACRE
SELECT MATERIAL	1,200.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	4.764	ACRE
FERTILIZER (NITROGEN)	270.000	LB
FERTILIZER (PHOSPHORIC ACID)	270.000	LB
FERTILIZER (POTASH)	270.000	LB
AGRICULTURAL GRANULAR LIME	5,400.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	8.100	ACRE
LANDSCAPING ITEM NO. 001	38.000	EA
LANDSCAPING ITEM NO. 001	38.000	EA
LANDSCAPING ITEM NO. 002	12.000	EA
LANDSCAPING ITEM NO. 003	32.000	EA
LANDSCAPING ITEM NO. 003	32.000	EA
LANDSCAPING ITEM NO. 004	51.000	EA
LANDSCAPING ITEM NO. 004	51.000	EA
LANDSCAPING ITEM NO. 005	669.000	EA
LANDSCAPING ITEM NO. 005	669.000	EA
LANDSCAPING ITEM NO. 006	628.000	EA
LANDSCAPING ITEM NO. 006	628.000	EA
LANDSCAPING ITEM NO. 007	181.000	EA
LANDSCAPING ITEM NO. 007	181.000	EA
LANDSCAPING ITEM NO. 008	148.000	EA
LANDSCAPING ITEM NO. 008	148.000	EA
LANDSCAPING ITEM NO. 009	74.000	EA
LANDSCAPING ITEM NO. 009	74.000	EA
LANDSCAPING ITEM NO. 010	37,499.000	EA
LANDSCAPING ITEM NO. 010	37,499.000	EA
LANDSCAPING ITEM NO. 011	49,283.000	EA
LANDSCAPING ITEM NO. 011	49,283.000	EA
LANDSCAPING ITEM NO. 012	2,583.000	EA
LANDSCAPING ITEM NO. 013	310.000	EA



Call No.: 120

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 5

Description	Quantity	Units
LANDSCAPING ITEM NO. 013	310.000	EA
LANDSCAPING ITEM NO. 014	879.000	EA
LANDSCAPING ITEM NO. 014	879.000	EA
LANDSCAPING ITEM NO. 015	1,379.000	EA
LANDSCAPING ITEM NO. 015	1.379	EA
LANDSCAPING ITEM NO. 12	2,583.000	EA
IRRIGATION SYSTEM COMPLETE	1.000	LS
SODDING	5.600	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	4.404	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	3.151	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.185	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	430.000	LF
SILT FENCE	9,180.000	LF
REPLACE/REPAIR SILT FENCE	920.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	2,300.000	LF
INLET STRUCTURE FILTER - TYPE B	5.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
RECONSTRUCTION OF GUARD SHACK	1.000	LS
NON-PREFABRICATED STAIRS	1.000	LS



Call No.: 130 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3860440	PCN: P040308	Project No.: P040308
DBE Goal Percent: 0.00%	PCN: P040482	Project No.: P040482
Approx. Length (miles):25.3100	Description: RECONSTRUCTION/REHABILITATION -	
CO(S): Orangeburg	ORANGEBURG CO	
Completion Date: 5/31/2023	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	885.000	SY
UNCLASSIFIED EXCAVATION	274.000	CY
BORROW EXCAVATION	4,986.800	CY
EXCAVATION FOR SHOULDER PAVING	909.216	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	909.216	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	38,580.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,350.000	TON
MAINTENANCE STONE	23.550	TON
HMA SHOULDER WIDENING COURSE	4,546.080	TON
LIQUID ASPHALT BINDER PG64-22	2,441.839	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,300.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	55.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	6,020.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	10,120.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	22,400.000	SY
MILLED-IN RUMBLE STRIP	28.120	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	6,342.853	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,227.758	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	19,146.454	TON
DRIVEWAY PAVING-SURFACE TYPE D	2,553.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,604.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	716.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	179,360.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	915.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	2,967.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	6.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	5.000	EA



Call No.: 130

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	9,490.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	149,150.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,086.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	343,500.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,830.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,932.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	5.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	18,980.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	298,300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,040.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,040.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	12.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,715.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	80.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,290.000	LF
SAWCUT FOR LOOP DETECTOR	1,430.000	LF
ADJUST DROP INLET ADJUST D. I.	12.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	60.000	SY
DETECTABLE WARNING MATERIAL	482.500	SF
PEDESTRIAN RAMP CONSTRUCTION	825.000	SY
SURFACE APPLIED DETECTABLE WARNING	90.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	5,815.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	400.000	LF
MT3 LEADING END TREATMENT TL3	18.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	452.000	LF
MGS3CS GR COMPRESSED SHOULDER	4,475.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	150.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	180.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	12.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	8.000	EA
PREMASH TYPE T TL3 LEADING 50'	12.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	24.183	ACRE

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

12/6/2021

Call No.: 140 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4056982 PCN: P029873 Project No.: P029873
 DBE Goal Percent: 8.00%
 Approx. Length (miles): 0.7580 Description: ENHANCEMENT - S-3054 RICHLAND CO.
 CO(S): Richland
 Completion Date: 6/30/2024 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 002	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	5,000.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,950.000	SY
SITE EXCAVATION	1.000	LS
PERMANENT SHORING WALL	660.000	LF
FINE GRADING	19,700.000	SY
MAINTENANCE STONE	170.000	TON
LIQUID ASPHALT BINDER PG64-22	98.580	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	15,520.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,860.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	1,560.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	760.000	SF
STANDARD TRAFFIC CONE - WITH RETROREFLECTIVE TAPE/COLLAR	170.000	EA
BARRICADE - TYPE 3	348.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	300.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	660.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	5,800.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	7,500.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,140.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	120.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,510.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	52.000	EA



Call No.: 140

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	10.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	18.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	74.000	EA
PAINT - SHARROW SYMBOL - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	120.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	12,400.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	330.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	8,400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,750.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	5,870.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,455.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
DROP INLET-SPECIAL	30.000	EA
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,660.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	15,100.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	37.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	26.000	EA
SHARROW W/ARROW - PREFORMED THERMO - 60MIL	1.000	EA
REMOVAL OF PAVEMENT MARKINGS	12,000.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	300.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	117.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	21.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	6.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	563.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 012	1.000	LS
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	975.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,240.000	LF
FURNISH & INSTALL 3" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	2,290.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,910.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,145.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,700.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	3,600.000	LF
FURNISH & INSTALL FIBER OPTIC MODEM	4.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
30"X48"X24"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	25.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	19.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 013	4.000	EA
FURNISH & INSTALL SOLAR POWERED FLASHER ASSEM - DUAL BEACON	4.000	EA



Call No.: 140

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 011	34.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	30.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	30.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	30.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
INTEGRATION	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	15.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	4.000	EA
POWDERCOATING PER MAST ARM OVER BASE	15.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 001	1.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	13.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	19.000	EA
CONC. FOR STRUCTURES - CLASS 4000(ROADWAY)	2.000	CY
PERMANENT CONCRETE BOLLARD	4.000	EA
REINF. STEEL FOR STRUCTURES (ROADWAY)	850.000	LB
18" SMOOTH WALL PIPE	2,432.000	LF
CLEANING EXISTING PIPE	1,300.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 16	21.000	EA
CATCH BASIN - TYPE 16 - SPECIAL	1.000	EA
CATCH BASIN -TYPE 17	1.000	EA
DROP INLET (24" X 36")	4.000	EA
60" X 60" JUNCTION BOX	15.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	14.000	EA
ACCESSIBLE DRAINAGE GRATE FOR ADA	2.000	EA
CONCRETE CURB (TRANSITION)	96.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	5,375.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	7,850.000	SY
DETECTABLE WARNING MATERIAL	1,120.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,120.000	SY
PEDESTRIAN RAMP CONSTRUCTION	635.000	SY
46SS REINFORCED BARRIER WALL	340.000	LF
TEMPORARY BARRIER FENCE	360.000	LF
SELECT MATERIAL	250.000	CY
LANDSCAPING ITEM NO. 002	7.000	EA
LANDSCAPING ITEM NO. 003	4.000	EA
LANDSCAPING ITEM NO. 004	8.000	EA
LANDSCAPING ITEM NO. 005	13.000	EA
LANDSCAPING ITEM NO. 006	10.000	EA
LANDSCAPING ITEM NO. 007	4.000	EA



Call No.: 140

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
LANDSCAPING ITEM NO. 008	4.000	EA
LANDSCAPING ITEM NO. 009	7.000	EA
LANDSCAPING ITEM NO. 010	6.000	EA
LANDSCAPING ITEM NO. 011	4.000	EA
LANDSCAPING ITEM NO. 012	6.000	EA
LANDSCAPING ITEM NO. 013	21.000	EA
LANDSCAPING ITEM NO. 014	32.000	EA
LANDSCAPING ITEM NO. 015	114.000	EA
LANDSCAPING ITEM NO. 016	144.000	EA
LANDSCAPING ITEM NO. 017	209.000	EA
LANDSCAPING ITEM NO. 018	343.000	EA
LANDSCAPING ITEM NO. 019	93.000	EA
LANDSCAPING ITEM NO. 020	142.000	EA
LANDSCAPING ITEM NO. 021	68.000	EA
LANDSCAPING ITEM NO. 022	80.000	EA
LANDSCAPING ITEM NO. 023	247.000	EA
LANDSCAPING ITEM NO. 024	26.000	EA
LANDSCAPING ITEM NO. 024	26.000	EA
LANDSCAPING ITEM NO. 025	71.000	EA
LANDSCAPING ITEM NO. 026	36.000	EA
LANDSCAPING ITEM NO. 027	41.000	EA
LANDSCAPING ITEM NO. 028	3,604.000	EA
LANDSCAPING ITEM NO. 029	2,386.000	EA
LANDSCAPING ITEM NO. 030	3,559.000	EA
LANDSCAPING ITEM NO. 031	948.000	EA
DOUBLE-SHREDDED HARDWOOD MULCH	175.000	SF
ROOT BARRIER	336.000	LF
IRRIGATION SYSTEM COMPLETE	1.000	LS
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	200.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	200.000	LF
SILT FENCE	300.000	LF
CLEANING INLET STRUCTURE FILTERS	150.000	EA
INLET STRUCTURE FILTER - TYPE B	30.000	EA
STABILIZED CONSTRUCTION ENTRANCE	110.000	SY
BRICK PAVERS (INCLUDE THE BASE AND SAND)	5,600.000	SF
PRECAST SEATWALL	525.000	LF
PRECAST CONCRETE BENCH (TYPE 1)	9.000	EA
PRECAST CONCRETE BENCH (TYPE 2)	9.000	EA
PRECAST CONCRETE BENCH (TYPE 3)	16.000	EA
PRECAST CONCRETE STAIR	82.000	EA
COMMUNICATION DUCT BANK	1.000	LS
DOMINION DUCT BANK	1.000	LS



Call No.: 140

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 5

Description	Quantity	Units
SITE ELECTRICAL AND LIGHTING - COMPLETE	1.000	LS
TEMPORARY BOLLARD	2.000	EA
BICYCLE PARKING RACK	12.000	EA

Engineering Department		APPROVED CONTRACTORS LIST						
Last Revised 7/19/2021		MAIN LINE TAPS AND METER INSTALLATION						
Company Name	Contact	Contact Numbers	Tap Size	Meter Size	Asbestos Certified	Proof of Insurance	Address	
Armstrong Contractors, LLC.	Michael Armstrong	803-730-5955 803-788-1190 Ext. 14 (office)	none	2'-8"	No	6/8/21-6/8/22	PO Box 291053, Columbia, SC 29229 Email: Mike@armstrongcontractors.com	
Babcock Construction, LLC.	Jackson Babcock	803-600-6861	3/4"-12"	3/4"-10"	No	1/01/21-1/01/22	1122 Three Dog Road, Chapin SC 29036 Email: babcockconst@bellsouth.net	
Carolina Tap & Bore, Inc.	Richard Young	803-600-5363 803-739-7056 803-791-1407	3/4"-20"	3/4"-10"	Yes	3/01/21-03/01/22	2410 Morningside Dr, W Cola 29169 Email: ryoung@carolinatapandbore.com fax	
Conder Construction	John W. Conder, II	(803) 438-8221 (803) 934-6880	3/4" - 16"	3/4" - 20"	No	6/23/20-6/23/22	waitconder@yahoo.com; Conder Construction <dianec.conder@gmail.com>	
Corley Construction	Todd Corley	803-513-1269	none	4"-10"	No	6/23/20-6/23/22	366 Firetower Rd., Irmo, SC 29063 Email: corleyconst88915@bellsouth.net	
C.R. Jackson, Inc.	Sean Walker	803-917-0207 803-750-6070 803-750-1356 (Fax)	3/4"-12"	3/4"-8"	No	8/1/20-8/1/22	PO Box 8023 Columbia, SC 29202 swalker@crjackson.com thawkings@crjackson.com	
Derrick Plumbing, Inc.	Billy Derrick	803-359-2827 803-532-3301	1-1/2"-16"	3/4"-10"	No	6/1/21-6/1/22	2226 Ridge Rd, Leesville 29070 Email: billy@derrickplumbing.com	
FRC Construction, LLC.	Frankie Thomas	803-518-4287	3/4"-8"	3/4"-8"	No	04/20/21-10/22/22	107 Wagon Wheel Court, Pelion SC 29123 Email: rebeccasoodycat@aol.com	
GH Smith Construction, Inc.	Jerry H. Smith	803-622-5139	up to 24"	3/4"-8"	Yes	7/01/21-7/1/22	430 Shuler Ct., Columbia, SC 29212 Email: ghsmitthconst@aol.com	
Hammerhead Utilities	Bill Head Jason Prouse	803-960-3046 803-201-4816	3/4"-8"	3/4"-8"	Yes	5/10/21-5/10/22	P. O. Box 9614, Columbia, SC 29290 bill@hhulic.com Email: jason@hhulic.com	
LAD Construction, LLC	Brad Sox	803-739-4483 803-309-3922	all	3/4"-10"	No	9/1/20-9/1/21	PO Box 1129 Swansea SC 29160 Email: bsox@ladconstructionllc.com	
Lake Murray Utility Co., Inc.	Jennings Parker	803-732-7849 (Office) 803-730-7652 (Cell)	3/4"-20"	3/4"-8"	No	4/29/21-4/29/22	PO Box 1089, Chapin 29036 chenjgotee@bellsouth.net	
McClam & Associates	Wayne Bye Wende Grimes	803-513-6065 803-345-9194	3/4"-24"	3/4"-10"	Yes	6/30/21-6/30/22	1316 Washington St., Columbia 29201 Email: rom@mcclam.net/wgrimes@mcclam.net	
North American Pipeline Management	Brandon Leipprandt	678-820-3991 Ext. 140 404- 606-9944 (Cell) 678-820-3993 (Fax)	3/4" to 12"	5/8" to 12"	Yes	1/1/21-1/1/22	62 Hamby Road SE Marietta, GA 30067 Email: brandon.leipprandt@napmnc.com	
Owens Fisher Construction Co.	Charlie Meetze	803-951-3927 (Office) 803-513-3429 (Cell)	1.5" - 12"	3/4" - 6"	No	7/11/21-7/11/22	303 McLee Rd., Lexington SC 29073 Email: charlie@owens-fisher.com	
Shady Grove Construction	Erica Richardson	803-600-6452 (Elica) 513-4592 (Tim) 803-781-2516 781-0392 (Fax)	3/4"-12"	3/4"-10"	Yes	10/31/20-10/31/21	1079 W. Shady Grove Rd, Irmo 29063 Erikasc2@aol.com/Email:TKRideal2@aol.com	
Stutts & Williams LLC	Joey Williams	803-814-3753	3/4" to 12"	5/8"-12"	Yes	1/1/21-1/1/22	PO Box 2046, Lexington SC 29071 Email: joey@stuttswilliams.com	



Call No.: 150 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5260190	PCN: P039883	Project No.: P039883
DBE Goal Percent: 0.00%	PCN: P039885	Project No.: P039885
	PCN: P039886	Project No.: P039886
	PCN: P040167	Project No.: P040167
	PCN: P040169	Project No.: P040169
	PCN: P040170	Project No.: P040170

Approx. Length (miles): 30.2600 Description: RECONSTRUCTION/REHABILITATION - GREENWOOD/LAURENS CO
CO(S): Greenwood Laurens
Completion Date: 10/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	7.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	450.000	SY
BORROW EXCAVATION	10,043.000	CY
EXCAVATION FOR SHOULDER PAVING	246.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	246.000	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	1,360.000	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	50,680.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	234,625.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	57,710.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	11,166.000	TON
MAINTENANCE STONE	219.570	TON
HMA SHOULDER WIDENING COURSE	578.453	TON
LIQUID ASPHALT BINDER PG64-22	2,650.744	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,847.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	160.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	25.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	20,430.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	24,104.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,775.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	20,846.000	SY
MILLED-IN RUMBLE STRIP	51.120	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	40,178.504	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,440.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	7,152.000	SF



Call No.: 150

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	9,090.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,214,863.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	916.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	7,736.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	23.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	26,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,245,363.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	300.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,359.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	309,514.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	320.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,082.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,600.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	321,319.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	56.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,074.000	EA
CATCH BASIN - TYPE 18 (TOP ONLY)	2.000	EA
ADJUST MANHOLE	3.000	EA
DETECTABLE WARNING MATERIAL	225.000	SF
PEDESTRIAN RAMP CONSTRUCTION	450.000	SY
SURFACE APPLIED DETECTABLE WARNING	180.000	SF
MT3 LEADING END TREATMENT TL3	66.000	EA
MGS3 GR STANDARD SHOULDER	3,212.500	LF
MGS3CS GR COMPRESSED SHOULDER	2,725.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	862.500	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	27.597	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	50.000	LF
SILT FENCE	3,600.000	LF
REPLACE/REPAIR SILT FENCE	360.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	900.000	LF



Call No.: 160 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5260220	PCN: P039879	Project No.: P039879
DBE Goal Percent: 0.00%	PCN: P039880	Project No.: P039880
	PCN: P039895	Project No.: P039895
	PCN: P040177	Project No.: P040177
	PCN: P040178	Project No.: P040178
	PCN: P040179	Project No.: P040179
	PCN: P040442	Project No.: P040442

Approx. Length (miles): 15.7200 Description: RECONSTRUCTION/REHABILITATION -
 CO(S): Edgefield Saluda EDGEFIELD/SALUDA CO
 Completion Date: 8/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	6.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
BORROW EXCAVATION	5,671.000	CY
EXCAVATION FOR SHOULDER PAVING	130.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	130.000	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	300.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	66,547.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	127,026.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	7,322.000	TON
MAINTENANCE STONE	138.050	TON
HMA SHOULDER WIDENING COURSE	572.587	TON
LIQUID ASPHALT BINDER PG64-22	1,384.162	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	775.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,165.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	265.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	1,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	5,170.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	2,535.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	1,850.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	17,185.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,680.000	SY
MILLED-IN RUMBLE STRIP	18.040	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,004.053	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,074.053	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	16,808.602	TON



Call No.: 160

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
DRIVEWAY PAVING-SURFACE TYPE B	94.500	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,064.625	TON
DRIVEWAY PAVING-SURFACE TYPE D	87.500	TON
ASPHALT SURFACE TREATMENT (TRIPLE TREATMENT) TYPE 2	19,225.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,568.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,646.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	566,755.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,972.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	24,240.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	564,655.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	705.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	151,285.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	968.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,060.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	153,500.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	949.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	17.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	350.000	LF
SAWCUT FOR LOOP DETECTOR	110.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
ADJUST MANHOLE	4.000	EA
ADJUST DROP INLET ADJUST D. I.	5.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	5.000	SY
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	675.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	5,800.000	LF
MT3 LEADING END TREATMENT TL3	36.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	150.000	LF
MGS3 GR STANDARD SHOULDER	2,850.000	LF
MGS3CS GR COMPRESSED SHOULDER	100.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	125.000	LF
PREMASH TYPE T TL3 LEADING 50'	19.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	15.233	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	40.000	LF
SILT FENCE	5,070.000	LF
REPLACE/REPAIR SILT FENCE	515.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,275.000	LF



Call No.: 170 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5260860	PCN: P039874	Project No.: P039874
DBE Goal Percent: 0.00%	PCN: P039877	Project No.: P039877
	PCN: P040157	Project No.: P040157
	PCN: P040158	Project No.: P040158
	PCN: P040438	Project No.: P040438

Approx. Length (miles): 14.9600 Description: RECONSTRUCTION/REHABILITATION - DISTRICT 2
CO(S): Abbeville Anderson
Completion Date: 7/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	5.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,050.000	SY
BORROW EXCAVATION	4,146.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	392.000	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	18,760.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	109,415.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,305.000	TON
MAINTENANCE STONE	227.550	TON
LIQUID ASPHALT BINDER PG64-22	1,834.909	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,725.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,305.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	5,975.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	7,954.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	27,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	27,825.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	68,883.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,096.000	SY
MILLED-IN RUMBLE STRIP	4.540	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	6,612.907	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	15,133.467	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	9,265.024	TON
DRIVEWAY PAVING-SURFACE TYPE B	473.125	TON
DRIVEWAY PAVING-SURFACE TYPE C	461.252	TON
DRIVEWAY PAVING-SURFACE TYPE D	17.500	TON
ASPHALT SURFACE TREATMENT (TRIPLE TREATMENT) TYPE 2	13,378.000	SY



Call No.: 170

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	7,370.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	22,470.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	428,743.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	10,428.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	8,113.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	165.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	51.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	30.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	24.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	16,900.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	545,602.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,139.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	109,766.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,408.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,569.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	52.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	17.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	9.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,670.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	159,859.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	349.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	145.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,278.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO. PROFILE	10,455.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	578.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	13,868.000	LF
SAWCUT FOR LOOP DETECTOR	4,559.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	16.000	EA
CATCH BASIN -TYPE 16	1.000	EA
ADJUST CATCH BASIN	1.000	EA
ADJUST MANHOLE	5.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
DETECTABLE WARNING MATERIAL	525.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,050.000	SY
SURFACE APPLIED DETECTABLE WARNING	170.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,325.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	512.500	LF
MT3 LEADING END TREATMENT TL3	20.000	EA
RESETM MGS3 GR STANDARD SHOULDER	750.000	LF
MGS3CS GR COMPRESSED SHOULDER	2,950.000	LF
PREMASH TYPE T TL3 LEADING 50'	19.000	EA



Call No.: 170

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.689	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	360.000	LF
SILT FENCE	5,730.000	LF
REPLACE/REPAIR SILT FENCE	585.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,440.000	LF



Call No.: 180 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5660370	PCN: P040393	Project No.: P040393
DBE Goal Percent: 0.00%	PCN: P040714	Project No.: P040714
Approx. Length (miles): 14.3500	Description: RECONSTRUCTION/REHABILITATION - CHARLESTON/DORCHESTER CO	
CO(S): Charleston Dorchester		
Completion Date: 11/30/2023	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,048.000	SY
BORROW EXCAVATION	9,621.500	CY
EXCAVATION FOR SHOULDER PAVING	2,147.900	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	2,147.900	STA
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,589.030	TON
MAINTENANCE STONE	70.000	TON
LIQUID ASPHALT BINDER PG64-22	2,469.097	TON
LIQUID ASPHALT FOAMED	4,449.280	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	247,227.523	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,822.000	SY
MILLED-IN RUMBLE STRIP	41.560	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	43,913.326	TON
DRIVEWAY PAVING-SURFACE TYPE C	855.000	TON
COLD IN-PLACE RECYCLING -6"UNIFORM	115,920.170	SY
COLD IN-PLACE RECYCLING -8"UNIFORM	314,330.483	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,797.000	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	168.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	26,105.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	532.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	70,277.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	85,834.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	56.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	100.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	33.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	25.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	10,230.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	115,940.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	78,315.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,596.000	LF



Call No.: 180

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	210,831.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	257,502.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	300.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	99.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	99.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	75.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	51.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	30,690.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	347,820.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,548.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	15.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	29.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,304.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	285.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,034.000	EA
CONCRETE MEDIAN	1,009.000	SY
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	20.151	ACRE



Call No.: 190 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5660410	PCN: P040594	Project No.: P040594
DBE Goal Percent: 0.00%	PCN: P040595	Project No.: P040595
	PCN: P040596	Project No.: P040596
	PCN: P040608	Project No.: P040608
	PCN: P040610	Project No.: P040610
	PCN: P040611	Project No.: P040611

Approx. Length (miles): 15.1000 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Beaufort Jasper BEAUFORT/JASPER CO
Completion Date: 6/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	19.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	802.560	SY
UNCLASSIFIED EXCAVATION	155.000	CY
BORROW EXCAVATION	6,133.500	CY
EXCAVATION FOR SHOULDER PAVING	80.300	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	80.300	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	3,332.500	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	59,372.230	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	108,694.907	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,588.860	TON
MAINTENANCE STONE	119.995	TON
HMA SHOULDER WIDENING COURSE	299.200	TON
LIQUID ASPHALT BINDER PG64-22	1,680.169	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,426.520	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	10,573.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	15,846.650	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	18,104.800	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	38,163.910	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	6,450.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	37,981.330	SY
MILLED-IN RUMBLE STRIP	19.420	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	20,553.420	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,246.325	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	746.630	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,792.875	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	792.000	TON



Call No.: 190

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,905.250	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	56.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	2,160.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	110,765.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	2,149.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	14.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,201.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	14.000	EA
WHITE SINGLE FISH HOOK ARROW PERM.PVMT.MARKING	4.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	16.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	9,340.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	82,615.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,164.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	394,821.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	7,041.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,782.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	64.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	58.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	33,720.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	277,377.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,082.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	117.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	60.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,187.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	300.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,500.000	LF
SAWCUT FOR LOOP DETECTOR	2,156.000	LF
ADJUST CATCH BASIN	1.000	EA
ADJUST DROP INLET ADJUST D. I.	5.000	EA
CONCRETE CURB AND GUTTER(1'-6") OGEE	50.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	298.120	SY
CONCRETE SIDEWALK(6" UNIFORM)	56.660	SY
DETECTABLE WARNING MATERIAL	170.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	36.670	SY
CONCRETE MEDIAN	111.110	SY
PEDESTRIAN RAMP CONSTRUCTION	300.000	SY
SURFACE APPLIED DETECTABLE WARNING	200.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	625.500	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	250.000	LF
PREMASH TYPE T TL3 LEADING 50'	10.000	EA



Call No.: 190

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	13.750	ACRE
SILT FENCE	1,727.000	LF



Call No.: 200 Letting Date: January 11, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5760520	PCN: P040491	Project No.: P040491
DBE Goal Percent: 0.00%	PCN: P040502	Project No.: P040502
Approx. Length (miles):6.4200	Description: RECONSTRUCTION/REHABILITATION - ALLENDALE/HAMPTON CO	
CO(S): Allendale Hampton		
Completion Date: 11/30/2022	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	335.000	SY
UNCLASSIFIED EXCAVATION	145.000	CY
BORROW EXCAVATION	996.000	CY
EXCAVATION FOR SHOULDER PAVING	465.696	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	465.696	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	12,750.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	450.000	TON
MAINTENANCE STONE	81.400	TON
HMA SHOULDER WIDENING COURSE	5,561.600	TON
LIQUID ASPHALT BINDER PG64-22	1,785.919	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	8,140.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	47,650.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	53,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 5.0"	17,450.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	32,580.000	SY
MILLED-IN RUMBLE STRIP	8.230	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	8,300.336	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,134.133	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,333.254	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	235.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	535.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	12,750.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,540.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	5,540.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	48,020.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	510.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	25.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	745.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	3.000	EA



Call No.: 200

Letting Date: January 11, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	4.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	4,040.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	50,380.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	14,100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	136,120.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,020.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,635.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	12,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	118,360.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,780.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	278.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	894.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	65.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,600.000	LF
SAWCUT FOR LOOP DETECTOR	500.000	LF
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	85.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	10.000	SY
DETECTABLE WARNING MATERIAL	162.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	90.000	SY
PEDESTRIAN RAMP CONSTRUCTION	325.000	SY
SURFACE APPLIED DETECTABLE WARNING	300.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.829	ACRE

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator