

SOUTH CAROLINA
DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
FOR
REGULAR HIGHWAY LETTING
February 13, 2018

Letting Location:
SCDOT Headquarters Building
Conference Room 332
955 Park Street
Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet. Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

The following items will be made available on January 16, 2018 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website
- Hardcopy plans/proposals & letting DVD via Engineering Publications
 - o Located in room 122 SCDOT Headquarters
 - o Phone (803)737-4533/ Fax (803)737-4530
 - o Cash, check, money order, VISA/MC accepted (Payable to SCDOT. No refunds)

Access the Construction Extranet for the following items:

- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates

Contractors are encouraged to utilize the Extranet Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password. See link for details http://www.scdot.org/doing/constructionletting_extranet.aspx.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

The SCDOT Standard Drawings are available for download at <http://www.scdot.org/doing/road.aspx> or for purchase by contacting: Engineering Publications at (803) 737-4533.

Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.



Call No.: 010

Page: 1

SC File NO(S): 1488500	PCN: P026922	Project No.: P026922	
Letting Date: February 13, 2018	CO(S): Clarendon	DBE Goal Percent:	10.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$22.00
Description: BRIDGE REPLACEMENT ON US 521 OVER DEEP CREEK		Cost of BridgePlans:	\$35.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.3320

Completion Date: 8/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	1,784.000	CY
BORROW EXCAVATION	9,812.000	CY
MUCK EXCAVATION	367.000	CY
GEOTEXTILE, SEPARATION	580.000	SY
GEOGRID STABILIZATION	552.000	SY
STONE BRIDGE LIFT MATERIAL	521.000	TON
GRANULAR BRIDGE LIFT MATERIAL	404.000	CY
EARTHQUAKE DRAINS	12,662.000	LF
FINE GRADING	2,990.000	SY
FLOWABLE FILL	200.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	932.000	TON
LIQUID ASPHALT BINDER PG64-22	131.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
MILLED-IN RUMBLE STRIP	0.660	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	771.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	978.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	10.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA



Call No.: 010

Page: 2

Description	Quantity	Units
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,500.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	220.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,750.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	22.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	684.000	LF
CONC. FOR STRUCTURES - CLASS 4000	369.400	CY
GROOVED SURFACE FINISH	605.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	94,255.000	LB
PRESTRESSED CONC. BEAM (TYPE II)	765.000	LF
CONCRETE BRIDGE BARRIER PARAPET	276.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	8.000	EA
PILE DRIVING SET-UP	26.000	EA
PREST. CONC. PILING (20"SQ.)	310.000	LF
PILE BUILD-UP PREPARATION (20"SQ)	4.000	EA
PREDRILLING FOR PREST. CONC. PILING (20"SQ.)	234.000	LF
PRESTRESSED INDEX PILING (20" SQUARE)	62.000	LF
PRESTRESSED PILE POINT (HP10X57)	252.000	LF
REINF. PILE TIPS (HP14 X 73)	14.000	EA
GALVANIZED STEEL H BEARING PILING (HP14 X 73)	663.000	LF
GALVANIZED STEEL H BEARING INDEX PILING (HP14 X 73)	114.000	LF
18" SMOOTH WALL PIPE	48.000	LF
24" SMOOTH WALL PIPE	24.000	LF
36" SMOOTH WALL PIPE	36.000	LF
BEVELING OF PIPE END	8.000	EA
BRIDGE APPROACH CONCRETE CURB AND GUTTER(1'-10")	40.000	LF
BITUMINOUS CURB	1,775.000	LF
ELASTOMERIC BEARING	36.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	104.000	TON
RIP-RAP (CLASS A)	69.000	TON
RIP-RAP (CLASS B)	744.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	1,521.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	1,637.500	LF
END TERMINAL - TYPE T	4.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
TEMPORARY BARRIER FENCE	2,000.000	LF
RESET CHAIN-LINK FENCE	250.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	16.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.650	ACRE
TEMPORARY COVER	1.825	ACRE



Call No.: 010

Page: 3

Description	Quantity	Units
COMPOST	98.000	CY
FERTILIZER (NITROGEN)	365.000	LB
FERTILIZER (PHOSPHORIC ACID)	365.000	LB
FERTILIZER (POTASH)	365.000	LB
AGRICULTURAL GRANULAR LIME	7,300.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	10.950	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	27.000	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	4.061	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	5.475	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	110.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	110.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	226.000	LF
SILT FENCE	1,600.000	LF
SILT BASINS	2,074.000	CY
CLEANING SILT BASINS	2,074.000	CY
INLET FILTER CLEANING	11.000	EA
DITCH CHECK	7.000	TON
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	14.000	SY
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 020

Page: 4

SC File NO(S): 2285140	PCN: P027171	Project No.: P027171	
Letting Date: February 13, 2018	CO(S): Georgetown	DBE Goal Percent:	7.50%
Letting Time: 02:00 PM		Cost of Road Plans:	\$30.00
Description: US-17A AND POWELL ROAD (S-22-24) INTERSECTION IMPROVEMENT		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.4110

Completion Date: 10/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,388.000	SY
UNCLASSIFIED EXCAVATION	3,961.000	CY
BORROW EXCAVATION	2,773.000	CY
MUCK EXCAVATION	500.000	CY
FINE GRADING	5,762.000	SY
MAINTENANCE STONE	243.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,865.000	TON
LIQUID ASPHALT BINDER PG64-22	265.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,054.000	SY
MILLED-IN RUMBLE STRIP	0.608	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,070.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,238.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	276.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	125.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	21,700.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	24,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	76.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	27.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	6.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	3.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	275.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	170.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	5,000.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	125.000	LF



Call No.: 020

Page: 5

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	7,400.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
29"X 45" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	100.000	LF
15" SMOOTH WALL PIPE	32.000	LF
18" SMOOTH WALL PIPE	236.000	LF
24" SMOOTH WALL PIPE	44.000	LF
30" SMOOTH WALL PIPE	238.000	LF
36" SMOOTH WALL PIPE	32.000	LF
MANHOLE	1.000	EA
48" X 48" JUNCTION BOX	1.000	EA
BEVELING OF PIPE END	26.000	EA
RIP-RAP (CLASS B)	405.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	527.000	SY
RESET FENCE	17.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	30.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.004	ACRE
TEMPORARY COVER	4.004	ACRE
COMPOST	108.000	CY
FERTILIZER (NITROGEN)	400.000	LB
FERTILIZER (PHOSPHORIC ACID)	400.000	LB
FERTILIZER (POTASH)	400.000	LB
AGRICULTURAL GRANULAR LIME	8,008.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	16.016	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	7.918	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.090	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	270.000	LF
SILT FENCE	4,500.000	LF
REPLACE/REPAIR SILT FENCE	1,125.000	LF
CLEANING SILT BASINS	183.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	450.000	LF
DITCH CHECK	8.000	TON
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	24.000	SY
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 030

Page: 6

SC File NO(S): 4015061	PCN: P032306	Project No.: P032306	
Letting Date: February 13, 2018	CO(S): Richland	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: RICHLAND COUNTY RESURFACING C PROG		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.5000

Completion Date: 9/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	120.000	SY
BORROW EXCAVATION	52.000	CY
MAINTENANCE STONE	22.500	TON
LIQUID ASPHALT BINDER PG64-22	45.206	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,600.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	650.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	4,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	851.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	717.560	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	336.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	24.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	226.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	128.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	720.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	24.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	113.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	108.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	360.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	41.000	EA
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
PERMANENT GRASSING FOR SMALL PROJECTS	0.185	ACRE



Call No.: 040

Page: 7

SC File NO(S): 4146270	PCN: P029411	Project No.: P029411	
Letting Date: February 13, 2018	CO(S): Saluda	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$24.00
Description: SPANN ROAD BRIDGE REPAIR		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.0300

Completion Date: 8/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	45.000	SY
REMOVAL OF EXIST. GUARDRAIL	150.000	LF
UNCLASSIFIED EXCAVATION	50.000	CY
BORROW EXCAVATION	100.000	CY
MUCK EXCAVATION	210.000	CY
GEOTEXTILE, SEPARATION	500.000	SY
FINE GRADING	96.000	SY
FLOWABLE FILL	5.000	CY
GRADED AGGREGATE BASE COURSE	317.000	TON
MAINTENANCE STONE	25.000	TON
LIQUID ASPHALT BINDER PG64-22	4.200	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	350.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	35.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	35.000	TON
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	6.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	26.000	LF
CONC. FOR STRUCTURES - CLASS 4000	120.000	CY
18" SMOOTH WALL PIPE	32.000	LF
CONCRETE FLUME	2.000	EA
ASPHALT CURB	20.000	LF
REHABILITATE EXISTING EXPANSION JOINT	4.000	EA
AGGREGATE UNDERDRAIN (AGGR.NO. 57)	50.000	CY
4" PERFORATED PIPE UNDERDRAIN	100.000	LF
RIP-RAP (CLASS A)	214.000	TON



Call No.: 040

Page: 8

Description	Quantity	Units
RIP-RAP (CLASS B)	1,700.000	TON
STEEL BEAM GUARDRAIL STEEL BEAM GR.	100.000	LF
ADDITIONAL LENGTH GUARDRAIL POST	75.000	LF
THRIE BEAM G.R.BRIDGE CONN.	2.000	EA
TEMPORARY BARRIER FENCE	100.000	LF
PERMANENT COVER	0.034	ACRE
TEMPORARY COVER	0.017	ACRE
COMPOST	10.000	CY
FERTILIZER (NITROGEN)	3.000	LB
FERTILIZER (PHOSPHORIC ACID)	3.000	LB
FERTILIZER (POTASH)	3.000	LB
AGRICULTURAL GRANULAR LIME	70.000	LB
SODDING	0.100	MSY
SILT FENCE	220.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY (10'DEPTH)	280.000	LF
STABILIZED CONSTRUCTION ENTRANCE	275.000	SY



Call No.: 050

Page: 9

SC File NO(S): 4287790	PCN: 0041116RD01	Project No.: SU42007	
Letting Date: February 13, 2018	CO(S): Spartanburg	DBE Goal Percent:	11.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$34.00
Description: IMPROVE INTERSECTIONS AT ZION HILL RD. AND FERNWOOD-CLIFTON-		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$24.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.6210

Completion Date: 11/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEMS	1.000	LS
UNCLASSIFIED EXCAVATION	5,236.000	CY
FINE GRADING	9,451.000	SY
FLOWABLE FILL	4.000	CY
MAINTENANCE STONE	85.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,182.000	TON
LIQUID ASPHALT BINDER PG64-22	288.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	300.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,700.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	652.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,138.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	550.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	440.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	120.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	5,750.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	135.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	48.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	200.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	8,402.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	120.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	5,750.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	135.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	24.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	48.000	LF



Call No.: 050

Page: 10

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	8,402.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	148.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	24.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	31.500	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	177.400	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	420.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 001	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	10.000	EA
18" SMOOTH WALL PIPE	1,764.000	LF
24" SMOOTH WALL PIPE	396.000	LF
36" SMOOTH WALL PIPE	120.000	LF
CATCH BASIN -TYPE 16	8.000	EA
DROP INLET (24" X 36")	5.000	EA
MANHOLE	4.000	EA
EXTRA DEPTH OF BOX	2.500	LF
CONCRETE CURB (9" X 15")	260.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,709.000	LF
CONCRETE CURB AND GUTTER (2'-0") OGEE	420.000	LF
CONCRETE MEDIAN	322.000	SY
RIP-RAP (CLASS B)	99.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	140.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	262.500	LF
END ANCHOR-TYPE B	1.000	EA
END TERMINAL - TYPE T	1.000	EA
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE	820.000	LF
12' WIDE - CHAIN LINK FENCE GATE (72"HT)	1.000	EA
RESET FENCE	519.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	46.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.260	ACRE
TEMPORARY COVER	1.630	ACRE
SEEDING - ERAGROSTIS CURVULA - WEEPING LOVEGRASS	0.414	MSY
FERTILIZER (NITROGEN)	326.000	LB
FERTILIZER (PHOSPHORIC ACID)	326.000	LB
FERTILIZER (POTASH)	326.000	LB



Call No.: 050

Page: 11

Description	Quantity	Units
AGRICULTURAL GRANULAR LIME	6,520.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	9.780	ACRE
DOUBLE-SHREDDED HARDWOOD MULCH	1,810.000	SF
MUHLENBERGIA CAPILLARIS (PINK MUHLY GRASS) #1 CONT.	50.000	EA
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.641	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.657	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	4.890	ACRE
HYDR.EROS.CONTRL.PROD.(HECP) - TYPE 1 AS TRACER UNDER TRM	0.681	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	40.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	40.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	307.000	LF
SILT FENCE	2,329.000	LF
REPLACE/REPAIR SILT FENCE	232.900	LF
SILT BASINS	412.000	CY
CLEANING SILT BASINS	464.375	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	582.500	LF
DITCH CHECK	50.000	TON
INLET STRUCTURE FILTER - TYPE B	4.000	EA
SEDIMENT DAM RIPRAP	15.000	TON
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	32.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
AGGREGATE DIAPHRAGM	2.250	CY
STORMWATER BASIN RISERS	1.000	LS



Call No.: 060

Page: 12

SC File NO(S): 4646890	PCN: P036784	Project No.: P036784	
Letting Date: February 13, 2018	CO(S): York	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: YORK COUNTY PENNIES FOR PROGRESS RESURFACING		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	9.7600

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	250.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	2.000	CY
REMOVAL OF EXIST. GUARDRAIL	625.000	LF
UNCLASSIFIED EXCAVATION	1,298.000	CY
BORROW EXCAVATION	3,522.000	CY
STATION GRADING	49.648	STA
EXCAVATION FOR SHOULDER PAVING	51.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	51.000	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 2	70,787.600	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,435.442	TON
MAINTENANCE STONE	1,475.000	TON
HMA SHOULDER WIDENING COURSE	366.080	TON
LIQUID ASPHALT BINDER PG64-22	1,271.155	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	3,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	4,224.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	13,425.000	SY
MILLED-IN RUMBLE STRIP	12.640	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,562.240	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	6,328.666	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	8,846.838	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	3,194.567	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,604.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,454.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	297,757.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,430.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,210.000	LF



Call No.: 060

Page: 13

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	78.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	57.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,670.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	300,225.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	278.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,178.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	101,854.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	885.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	30.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,246.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	30.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	22.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,530.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	98,595.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	90.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	6.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	814.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	110.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,298.000	LF
SAWCUT FOR LOOP DETECTOR	1,612.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)JHD	3.000	EA
15" SMOOTH WALL PIPE	72.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	12.000	SY
DETECTABLE WARNING MATERIAL	180.000	SF
CONCRETE MEDIAN	75.000	SY
PEDESTRIAN RAMP CONSTRUCTION	300.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	112.500	LF
END ANCHOR-TYPE B	1.000	EA
END TERMINAL - TYPE T	7.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
GUARDRAIL W-BEAM CURVED SYSTEM	25.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	12.257	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	300.000	LF
SILT FENCE	4,570.000	LF
REPLACE/REPAIR SILT FENCE	457.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	457.000	LF



Call No.: 070

Page: 14

SC File NO(S): 4646950	PCN: P036930	Project No.: P036930	
Letting Date: February 13, 2018	CO(S): York	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: PRESERVATION FDP, THIN OVERLAY		Cost of Bridge Plans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	1.1500

Completion Date: 7/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	100.000	CY
LIQUID ASPHALT BINDER PG64-22	77.058	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,000.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,185.500	TON
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	210.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	24,300.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	125.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	1.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	1.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	24,000.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	210.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	12,150.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	125.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	12,000.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	85.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	0.500	ACRE



Call No.: 080

Page: 15

SC File NO(S): 4647440	PCN: P036936	Project No.: P036936	
Letting Date: February 13, 2018	CO(S): York	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: 2018 YORK CTC RESURFACING		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	3.7300

Completion Date: 11/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	250.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	475.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	12.900	CY
UNCLASSIFIED EXCAVATION	2,579.000	CY
SITE EXCAVATION	1.000	LS
BORROW EXCAVATION	449.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 2	14,258.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	641.610	TON
MAINTENANCE STONE	335.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	4,265.360	TON
LIQUID ASPHALT BINDER PG64-22	475.568	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,025.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	9,657.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,408.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	4,840.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,383.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,520.316	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,113.967	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,612.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	542.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	27,900.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	720.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,301.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	64,990.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	256.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	9,300.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	560.000	LF



Call No.: 080

Page: 16

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	731.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	30,894.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	229.000	EA
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	450.000	LF
SAWCUT FOR LOOP DETECTOR	150.000	LF
CATCH BASIN - TYPE 9(TOP ONLY)	3.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	100.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	25.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	300.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	292.200	SY
DETECTABLE WARNING MATERIAL	160.000	SF
PEDESTRIAN RAMP CONSTRUCTION	275.000	SY
BITUMINOUS CURB	425.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	3.143	ACRE



Call No.: 090

Page: 17

SC File NO(S): 5446780	PCN: P036924	Project No.: P036924
	PCN: P036925	Project No.: P036925
Letting Date: February 13, 2018	CO(S): Cherokee	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM	Chesterfield	Cost of Road Plans: \$0.00
Description: DISTRICT 4 PAVEMENT MARKINGS - FAST DRY PAINT		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 211.2600

Completion Date: 11/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	8,478.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	884,819.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	6,263.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,846.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	133,367.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,443,616.000	LF



Call No.: 100

Page: 18

SC File NO(S): 5614330	PCN: P032296	Project No.: P032296
	PCN: P032301	Project No.: P032301
Letting Date: February 13, 2018	CO(S): Berkeley Dorchester	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: RESURFACING		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 12.2700

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,265.000	SY
UNCLASSIFIED EXCAVATION	602.000	CY
BORROW EXCAVATION	2,810.000	CY
EXCAVATION FOR SHOULDER PAVING	322.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	322.000	STA
MAINTENANCE STONE	175.450	TON
HMA SHOULDER WIDENING COURSE	1,589.280	TON
LIQUID ASPHALT BINDER PG64-22	1,377.254	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	10,810.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,235.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	12,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	11,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	30,232.000	SY
MILLED-IN RUMBLE STRIP	6.020	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,525.813	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	14,477.575	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,163.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	852.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	38,220.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,376.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	40.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	45.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,988.000	LF



Call No.: 100

Page: 19

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	9.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	6.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	4.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	2,750.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	96,180.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	220.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	320.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	102,710.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,858.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	40.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,205.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	10.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,500.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	230,020.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	440.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	11.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,035.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	250.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	17,600.000	LF
SAWCUT FOR LOOP DETECTOR	8,250.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	464.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	91.000	SY
DETECTABLE WARNING MATERIAL	325.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	45.000	SY
PEDESTRIAN RAMP CONSTRUCTION	650.000	SY
SURFACE APPLIED DETECTABLE WARNING	120.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	9.533	ACRE



Call No.: 110

Page: 20

SC File NO(S): 5614510	PCN: P032285	Project No.: P032285
	PCN: P032292	Project No.: P032292
Letting Date: February 13, 2018	CO(S): Beaufort Jasper	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: SHLD PAVING, FDP, MILLING, OVERLAY		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 7.1400

Completion Date: 5/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,345.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	220.000	LF
BORROW EXCAVATION	1,258.000	CY
EXCAVATION FOR SHOULDER PAVING	241.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	241.000	STA
MAINTENANCE STONE	94.050	TON
HMA SHOULDER WIDENING COURSE	1,198.560	TON
LIQUID ASPHALT BINDER PG64-22	680.400	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	7,350.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,055.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	20,885.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	13,740.000	SY
MILLED-IN RUMBLE STRIP	1.680	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,341.199	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,280.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	35,412.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	104.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	2,320.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	500.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,688.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	1,080.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	67,776.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	59,374.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	104.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,440.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	500.000	LF



Call No.: 110

Page: 21

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,302.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,160.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	109,408.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	557.000	EA
ADJUST CATCH BASIN	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") - SLOPING FACE	220.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	210.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	35.000	SY
DETECTABLE WARNING MATERIAL	550.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,100.000	SY
SURFACE APPLIED DETECTABLE WARNING	120.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	5.894	ACRE



Call No.: 120

Page: 22

SC File NO(S): 5747470	PCN: P030316	Project No.: P030316	
	PCN: P032502	Project No.: P032502	
	PCN: P036804	Project No.: P036804	
	PCN: P036903	Project No.: P036903	
Letting Date: February 13, 2018	CO(S): Aiken Barnwell	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: AIKEN BARNWELL CTC RESURFACING		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	9.6200

Completion Date: 11/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	500.000	SY
REMOVAL OF EXIST. GUARDRAIL	310.000	LF
BORROW EXCAVATION	1,129.000	CY
EXCAVATION FOR SHOULDER PAVING	248.250	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	248.250	STA
MAINTENANCE STONE	38.150	TON
HMA SHOULDER WIDENING COURSE	1,022.268	TON
LIQUID ASPHALT BINDER PG64-22	738.766	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	3,320.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	495.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	11,590.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	990.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	12,380.000	SY
MILLED-IN RUMBLE STRIP	3.882	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	828.123	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,180.455	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	6,237.039	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,092.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	254.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	25,600.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	550.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,208.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	9.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	1.000	EA



Call No.: 120

Page: 23

Description	Quantity	Units
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	550.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	40,865.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	174.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	41,460.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	550.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,320.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	9.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	1.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	980.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	57,600.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	120.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	9,750.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	28.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	586.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,400.000	LF
SAWCUT FOR LOOP DETECTOR	1,100.000	LF
DETECTABLE WARNING MATERIAL	250.000	SF
PEDESTRIAN RAMP CONSTRUCTION	500.000	SY
SURFACE APPLIED DETECTABLE WARNING	70.000	SF
STEEL BEAM GUARDRAIL STEEL BEAM GR.	375.000	LF
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
GUARDRAIL LEADING TYPE T TL3 (50')	6.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	4.238	ACRE

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

In addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS. Information concerning prequalification can be obtained at the Contracts Administration office, Room 334 in the Headquarters building, 955 Park Street, Columbia, SC, or by calling Jeff Elliott at (803)737-1253.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE. Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
2. BID BONDS HAND DELIVERED. Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Cost of plans may change, and the bidder should check with the SCDOT Engineering Publications office for the cost of plans when the plans are indicated to be available.

Prepared by L. Stuckey

Issued by:

J.Brian Parnell
Contract Administrator