

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For March 08, 2022

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on February 8, 2022 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0260720 PCN: P038615 Project No.: P038615
 DBE Goal Percent: 0.00% PCN: P040520 Project No.: P040520
 Approx. Length (miles): 15.1500 Description: REHABILITATION - AIKEN COUNTY
 CO(S): Aiken
 Completion Date: 6/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,600.000	SY
BORROW EXCAVATION	728.000	CY
EXCAVATION FOR SHOULDER PAVING	403.898	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	403.898	STA
MAINTENANCE STONE	8.600	TON
HMA SHOULDER WIDENING COURSE	1,987.307	TON
LIQUID ASPHALT BINDER PG64-22	2,755.348	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	860.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	423,375.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	31,930.000	SY
MILLED-IN RUMBLE STRIP	11.460	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	47,373.930	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	255.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	520.625	TON
TEMPORARY CONSTRUCTION SIGNS (BARRICADE MOUNTED)	100.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,060.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	28,205.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	91,325.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	160.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	8,441.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	120.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	65.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	4,854.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	124.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	71.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	14.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	2.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	4.000	EA
HANDICAP SYMBOL - PERM.PVMT MARKING	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	20,360.000	LF



Call No.: 010

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	130,750.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	5,225.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	56,312.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	202,650.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	320.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	16,882.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	240.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	9,478.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	128.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	75.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	14.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	40,720.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	259,080.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,925.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	10,450.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,556.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	70.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,460.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	405.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	39,200.000	LF
SAWCUT FOR LOOP DETECTOR	12,880.000	LF
ADJUST DROP INLET ADJUST D. I.	8.000	EA
DETECTABLE WARNING MATERIAL	800.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,600.000	SY
SURFACE APPLIED DETECTABLE WARNING	340.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	19,335.000	LF
MT3 LEADING END TREATMENT TL3	30.000	EA
MB TRAILING END TREATMENT	19.000	EA
MGS3 GR STANDARD SHOULDER	11,175.000	LF
MGS3CS GR COMPRESSED SHOULDER	6,400.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	7.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.207	ACRE



Call No.: 020 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0459000 PCN: P040156 Project No.: P040156
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 16.9000 Description: RECONSTRUCTION/REHABILITATION - ANDERSON CO
 CO(S): Anderson
 Completion Date: 9/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	6,244.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	74,080.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	166,340.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	9,299.000	TON
MAINTENANCE STONE	83.400	TON
LIQUID ASPHALT BINDER PG64-22	2,325.511	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	650.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	80.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	60.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	18,206.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,600.000	SY
MILLING - VARIABLE - 2' WIDTH	50.000	SY
MILLED-IN RUMBLE STRIP	30.960	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	7,162.280	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	9,715.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,502.280	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	15,974.200	TON
DRIVEWAY PAVING-SURFACE TYPE B	297.500	TON
DRIVEWAY PAVING-SURFACE TYPE C	588.126	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,456.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,558.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	608,800.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,200.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	820.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,876.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	36,630.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	622,905.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,450.000	LF



Call No.: 020

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	173,120.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	300.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	205.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	780.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	10,520.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	173,260.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	4.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,121.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	500.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	60.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	51.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,080.000	LF
SAWCUT FOR LOOP DETECTOR	340.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	1.000	EA
ADJUST MANHOLE	5.000	EA
SURFACE APPLIED DETECTABLE WARNING	100.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	3,200.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,000.000	LF
MT3 LEADING END TREATMENT TL3	50.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	600.000	LF
MGS3 GR STANDARD SHOULDER	1,512.500	LF
RESETM MGS3 GR STANDARD SHOULDER	200.000	LF
MGS3CS GR COMPRESSED SHOULDER	2,975.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	1,725.000	LF
PREMASH TYPE T TL3 LEADING 50'	60.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	15.909	ACRE
SILT FENCE	500.000	LF
REPLACE/REPAIR SILT FENCE	50.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	125.000	LF



Call No.: 030 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0761610 PCN: P040881 Project No.: P040881

DBE Goal Percent: 0.00%

Approx. Length (miles):5.3400 Description: RECONSTRUCTION - BEAUFORT COUNTY

CO(S): Beaufort

Completion Date: 11/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,068.000	CY
MAINTENANCE STONE	18.000	TON
LIQUID ASPHALT BINDER PG64-22	2,087.949	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 6.0"	117,168.699	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,000.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,006.870	TON
DRIVEWAY PAVING-SURFACE TYPE C	63.000	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	26,362.950	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,736.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	8,398.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	35,245.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	5,917.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	5,514.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	80.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	80.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	26,412.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	74.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	33,592.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	140,980.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	23,668.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	22,056.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	320.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	320.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	4.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	105,648.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	296.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	740.000	EA



Call No.: 030

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	70.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	700.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	8,395.000	LF
SAWCUT FOR LOOP DETECTOR	3,640.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	7.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.957	ACRE



Call No.: 040 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1159180	PCN: P040201	Project No.: P040201
DBE Goal Percent: 0.00%	PCN: P040202	Project No.: P040202
	PCN: P040203	Project No.: P040203

Approx. Length (miles): 11.5700 Description: RECONSTRUCTION/REHABILITATION - CHEROKEE CO

Completion Date: 6/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	75.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	75.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	14.000	CY
UNCLASSIFIED EXCAVATION	1,102.000	CY
BORROW EXCAVATION	1,591.000	CY
STATION GRADING	52.270	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	96,108.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	63,796.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,519.000	TON
MAINTENANCE STONE	253.200	TON
LIQUID ASPHALT BINDER PG64-22	1,630.660	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,285.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	15,005.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	13,805.000	SY
MILLED-IN RUMBLE STRIP	12.680	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	9,759.786	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	11,275.909	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,594.267	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,079.625	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	159,014.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,832.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,374.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	428,137.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,578.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	22.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,060.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	418,424.000	LF



Call No.: 040

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	775.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,329.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	122,423.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	120.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	723.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,060.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	111,346.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	709.000	EA
18" SMOOTH WALL PIPE	296.000	LF
ADJUST CATCH BASIN	2.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	18.000	SY
DETECTABLE WARNING MATERIAL	37.500	SF
CONCRETE MEDIAN	95.000	SY
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
RIP-RAP (CLASS A)	90.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	90.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,590.000	LF
MT3 LEADING END TREATMENT TL3	8.000	EA
MGS3CS GR COMPRESSED SHOULDER	1,000.000	LF
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.560	ACRE
SILT FENCE	2,600.000	LF
REPLACE/REPAIR SILT FENCE	800.000	LF
CLEANING SILT BASINS	20.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	800.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	35.000	TON



Call No.: 050 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1252450 PCN: P038282 Project No.: P038282
DBE Goal Percent: 10.00%
Approx. Length (miles): 0.3370 Description: BRIDGE REPLACEMENT - SC 901 (ROCKY CREEK)
CO(S): Chester
Completion Date: 9/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,384.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	7,057.000	CY
BORROW EXCAVATION	8,084.000	CY
FINE GRADING	4,955.000	SY
MAINTENANCE STONE	738.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,346.000	TON
LIQUID ASPHALT BINDER PG64-22	109.679	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	250.000	SY
MILLED-IN RUMBLE STRIP	0.265	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	449.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	355.000	TON
DRIVEWAY PAVING-SURFACE TYPE C NON-RESURFACING PROJECT	61.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,802.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	2,802.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,802.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,802.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	45.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	758.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	758.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	81.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	110.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,520.000	LF
CONC. FOR STRUCTURES - CLASS 4000	782.100	CY



Call No.: 050

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
COMPRESSION SEAL JOINT	83.400	LF
GROOVED SURFACE FINISH	1,599.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	214,300.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	4,400.000	LB
PRESTRESSED CONCRETE FLORIDA I-BEAM(45")	1,672.500	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL 001	742.000	LF
PILE DRIVING SET-UP	10.000	EA
REINF. PILE TIPS (HP14 X 89)	10.000	EA
STEEL H BEARING PILING (HP14 X 89)	240.000	LF
DRILLED SHAFT SET-UP	4.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 42" DIAMETER	36.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	52.000	LF
CONSTRUCTION CASING - 48" DIAMETER	60.000	LF
24" SMOOTH WALL PIPE	28.000	LF
36" SMOOTH WALL PIPE	116.000	LF
CLEANING EXISTING PIPE	100.000	LF
CATCH BASIN -TYPE 9	1.000	EA
CONCRETE COLLAR FOR UP TO 36" PIPE	2.000	EA
BEVELING OF PIPE END	3.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	76.000	LF
CONCRETE GUTTER-TYPE 1	155.000	LF
CONCRETE GUTTER-TYPE 3	105.000	LF
CONCRETE GUTTER-TYPE 5	1,285.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	144.000	LF
ELASTOMERIC BEARING	30.000	EA
CROSSHOLE SONIC LOGGING SETUP	4.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	150.000	TON
RIP-RAP (CLASS A)	147.000	TON
RIP-RAP (CLASS B)	213.000	TON
RIP-RAP (CLASS C)	1,220.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	629.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,002.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	662.500	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
NON-MOW STRIP UNDER GUARDRAIL	74.000	SY
TEMPORARY BARRIER FENCE	500.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	34.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.070	ACRE
TEMPORARY COVER	1.035	ACRE



Call No.: 050

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
FERTILIZER (NITROGEN)	207.000	LB
FERTILIZER (PHOSPHORIC ACID)	207.000	LB
FERTILIZER (POTASH)	207.000	LB
AGRICULTURAL GRANULAR LIME	4,140.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.210	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	27.800	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.092	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	3.742	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	2.400	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.810	ACRE
SILT FENCE	1,759.000	LF
REPLACE/REPAIR SILT FENCE	176.000	LF
CLEANING SILT BASINS	40.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	440.000	LF
CLEANING INLET STRUCTURE FILTERS	1.000	EA
INLET STRUCTURE FILTER - TYPE D2	1.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	49.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 060 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1
SC File NO(S): 1861380 PCN: P040972 Project No.: P040972
DBE Goal Percent: 0.00%
Approx. Length (miles):9.7100 Description: PRESERVATION - I-26 (DORCHESTER CO)
CO(S): Dorchester
Completion Date: 10/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	300.000	HR
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	12,800.000	SY
PORTLAND CEMENT CONCRETE (SPECIAL USE)	50.000	CY
DIAMOND GRINDING OF CONCRETE PAVEMENT	12,800.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	580.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,400.000	LF
6" BLACK BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,200.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	9,600.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	9,600.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	2,400.000	LF
6" BLACK BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	1,200.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	9,600.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	9,600.000	LF



Call No.: 070 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1951820 PCN: P028531 Project No.: P028531
DBE Goal Percent: 17.50%
Approx. Length (miles): 0.2620 Description: ENHANCEMENT - US 25 (EDGEFIELD CO)
CO(S): Edgefield
Completion Date: 11/30/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
SITE EXCAVATION	1.000	LS
FLOWABLE FILL	26.000	CY
MAINTENANCE STONE	50.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	256.000	SF
18" R. C. PIPE CUL. BEVELED END SECTN-CL 3	9.000	EA
24" R. C. PIPE CUL. BEVELED END SECTN-CL 3	2.000	EA
36" R. C. PIPE CUL. BEVELED END SECTN-CL 3	2.000	EA
18" SMOOTH WALL PIPE	428.000	LF
24" SMOOTH WALL PIPE	300.000	LF
36" SMOOTH WALL PIPE	60.000	LF
DROP INLET (24" X 24")	3.000	EA
DROP INLET (24" X 36")	1.000	EA
MANHOLE	2.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	683.000	SY
DETECTABLE WARNING MATERIAL	12.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	138.000	SY
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
RIP-RAP (CLASS B)	111.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	141.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	4.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.520	ACRE
TEMPORARY COVER	0.260	ACRE
FERTILIZER (NITROGEN)	52.000	LB
FERTILIZER (PHOSPHORIC ACID)	52.000	LB
FERTILIZER (POTASH)	52.000	LB
AGRICULTURAL GRANULAR LIME	1,040.000	LB



Call No.: 070

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
SELECTIVE WATERING	54,300.000	GAL
MOWING	1.600	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.889	MSY
SEDIMENT TUBES FOR DITCH CHECKS	100.000	LF
SILT FENCE	156.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 080 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1961460 PCN: P040966 Project No.: P040966
 DBE Goal Percent: 0.00% PCN: P040967 Project No.: P040967
 Approx. Length (miles):8.3200 Description: SAFETY IMPROVEMENTS - EDGEFIELD CO
 CO(S): Edgefield
 Completion Date: 11/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	2,210.000	CY
EXCAVATION FOR SHOULDER PAVING	1,111.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,111.000	STA
MAINTENANCE STONE	173.500	TON
HMA SHOULDER WIDENING COURSE	8,199.254	TON
LIQUID ASPHALT BINDER PG64-22	1,731.727	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	6,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	167,725.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	12,650.000	SY
MILLING - VARIABLE - 2' WIDTH	1,720.000	SY
MILLED-IN RUMBLE STRIP	23.520	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	22,135.080	TON
DRIVEWAY PAVING-SURFACE TYPE B	1,897.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,370.000	SF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	64,776.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	351,720.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,824.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	40.000	EA
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	28,520.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	338,460.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	6,880.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	16,194.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	87,930.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	706.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,130.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	84,615.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	139.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	375.000	EA



Call No.: 080

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	185.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	136.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,904.000	LF
SAWCUT FOR LOOP DETECTOR	908.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
42" CORRUGATED POLYETHYLENE (PE) PIPE CULVERT (TYPE S)	50.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.421	ACRE



Call No.: 090 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2659520 PCN: P040434 Project No.: P040434
 DBE Goal Percent: 0.00% PCN: P041082 Project No.: P041082
 Approx. Length (miles): 26.8300 Description: RECONSTRUCTION/REHABILITATION - HORRY
 CO(S): Horry CO

Completion Date: 11/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	4,430.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,450.000	LF
BORROW EXCAVATION	4,741.000	CY
EXCAVATION FOR SHOULDER PAVING	297.792	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	297.792	STA
MAINTENANCE STONE	299.000	TON
HMA SHOULDER WIDENING COURSE	1,488.960	TON
LIQUID ASPHALT BINDER PG64-22	5,552.218	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,400.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	28,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	813,085.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,175.000	SY
MILLED-IN RUMBLE STRIP	45.960	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	99,121.681	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	204.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	811.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,936.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	128,605.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	116,400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	178,329.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	248,535.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	41,520.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	35,970.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	384.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	219.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.) FAST DRY PAINT	93.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	39,930.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	425,964.000	LF
6" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	243,000.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	8,765.000	LF



Call No.: 090

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	770.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,595.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	1,595.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	42,535.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	38,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	59,443.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	82,845.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	13,840.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	15.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	11,990.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	128.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	73.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	31.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	13,310.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	141,988.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	81,000.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5,226.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	981.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,647.000	EA
REMOVAL OF PAVEMENT MARKINGS	126,637.000	LF
10' TRUSS ALUMINUM BRACKET ARM (MOUNTED ON STRAIN/MAST POLE)	14.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	930.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,350.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	2,140.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	5,550.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	35,340.000	LF
SAWCUT FOR LOOP DETECTOR	13,279.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)HD	44.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	23.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	44.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR STOP BAR DETECTION	11.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	22.000	EA
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	14,850.000	LF
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	49.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	11.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	450.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,000.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	550.000	SY
DETECTABLE WARNING MATERIAL	1,325.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,230.000	SY



Call No.: 090

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
PEDESTRIAN RAMP CONSTRUCTION	2,650.000	SY
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	17.007	ACRE



Call No.: 100 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2959310	PCN: P040215	Project No.: P040215
DBE Goal Percent: 0.00%	PCN: P040216	Project No.: P040216
	PCN: P040217	Project No.: P040217

Approx. Length (miles): 12.6500 Description: RECONSTRUCTION/REHABILITATION - LANCASTER CO

CO(S): Lancaster Completion Date: 9/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	547.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	395.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	550.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	6.700	CY
UNCLASSIFIED EXCAVATION	5,043.000	CY
ROCK EXCAVATION	300.000	CY
BORROW EXCAVATION	10,099.000	CY
STATION GRADING	89.820	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	546.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	49,484.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	70,102.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,589.000	TON
MAINTENANCE STONE	200.300	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	3,737.851	TON
LIQUID ASPHALT BINDER PG64-22	2,270.881	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,520.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	10,360.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	4,207.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	58,812.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.5"	10,560.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	2,275.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	23,795.000	SY
MILLED-IN RUMBLE STRIP	19.680	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	4,960.240	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	6,206.933	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,949.707	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	9,411.383	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,932.375	TON



Call No.: 100

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	119,586.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	200.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,889.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,338.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	464,604.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	320.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,640.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,349.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	48.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	26.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	730.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	463,185.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	210.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	108.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,317.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	21.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	113,952.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	8,608.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,160.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,005.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	22.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	11.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	450.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	280.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	121,778.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	7,300.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	33.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	956.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	73.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,100.000	LF
SAWCUT FOR LOOP DETECTOR	1,220.000	LF
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
18" SMOOTH WALL PIPE	176.000	LF
24" SMOOTH WALL PIPE	64.000	LF
CLEANING EXISTING PIPE	360.000	LF
CATCH BASIN - TYPE 17 (TOP ONLY)	2.000	EA
CATCH BASIN - TYPE 18 (TOP ONLY)	1.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	18.000	EA
CONCRETE CURB (9" X 15")	100.000	LF



Call No.: 100

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	350.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	34.000	SY
DETECTABLE WARNING MATERIAL	250.000	SF
PEDESTRIAN RAMP CONSTRUCTION	500.000	SY
BITUMINOUS CURB	150.000	LF
RIP-RAP (CLASS A)	60.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	75.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	9,379.500	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	412.500	LF
MT3 LEADING END TREATMENT TL3	20.000	EA
PREMASH THRIE WITH BASE PL 3.125 SPACING	870.000	LF
MGS3CS GR COMPRESSED SHOULDER	2,862.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	2.000	EA
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	3,575.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	200.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	1.000	EA
PREMASH W-BEAM TIGHT CURVED SYSTEM	150.000	LF
PREMASH TYPE T TL2 LEADING 25FT	1.000	EA
PREMASH TYPE T TL3 LEADING 50'	27.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.300	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 3	3.100	MSY
SILT FENCE	3,000.000	LF
REPLACE/REPAIR SILT FENCE	500.000	LF
CLEANING SILT BASINS	25.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,000.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	20.000	TON



Call No.: 110 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2959570 PCN: P038522 Project No.: P038522
DBE Goal Percent: 12.50%
Approx. Length (miles): 0.3940 Description: ENHANCEMENT - LANCASTER CO
CO(S): Lancaster
Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	429.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	1.000	CY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
SITE EXCAVATION	1.000	LS
PERMANENT SHEET PILING	180.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	168.000	SF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	40.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	20.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	40.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	20.000	LF
CONC. FOR STRUCTURES - CLASS 4000	9.200	CY
PERMANENT CONCRETE BOLLARD	3.000	EA
REINF. STEEL FOR STRUCTURES (BRIDGE)	1,800.000	LB
FLAT PLATE EXPANSION JOINT	20.000	LF
PILE DRIVING SET-UP	4.000	EA
REINF. PILE TIPS (HP12 X 53)	4.000	EA
STEEL H BEARING PILING (HP12 X 53)	94.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	922.000	SY
DETECTABLE WARNING MATERIAL	87.500	SF
CONCRETE FLUME	30.000	LF
PEDESTRIAN RAMP CONSTRUCTION	175.000	SY
4" PERFORATED PIPE UNDERDRAIN	29.000	LF
RIP-RAP (CLASS B)	93.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	109.400	SY
ORNAMENTAL STEEL PICKET FENCE - 42"	32.000	LF
TEMPORARY BARRIER FENCE	100.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.000	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	8.800	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 3	2.500	MSY



Call No.: 110

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	7.250	MSY
SILT FENCE	1,450.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	20.000	LF
PREFABRICATED STEEL PEDESTRIAN BRIDGE	1.000	LS



Call No.: 120 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3561110 PCN: P040472 Project No.: P040472

DBE Goal Percent: 6.00%

Approx. Length (miles):5.0070 Description: SAFETY IMPROVEMENT - S-18 (MARLBORO CO)

CO(S): Marlboro

Completion Date: 10/31/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED REMOVAL OF MARKED TREES	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	132.000	SY
UNCLASSIFIED EXCAVATION	132.000	CY
BORROW EXCAVATION	2,002.000	CY
EXCAVATION FOR SHOULDER PAVING	528.740	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	528.740	STA
MAINTENANCE STONE	58.750	TON
HMA SHOULDER WIDENING COURSE	3,965.000	TON
LIQUID ASPHALT BINDER PG64-22	541.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	5,874.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	577.780	SY
MILLED-IN RUMBLE STRIP	15.020	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,728.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	495.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	664.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	158,620.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	750.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	11,403.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	61,641.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,700.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	52,873.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	250.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,801.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	20,547.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	350.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
REFLECTIVE SIGN POST PANELS	100.000	LF
GUARDRAIL DELINEATOR - WHITE	36.000	EA



Call No.: 120

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
MT3 LEADING END TREATMENT TL3	12.000	EA
MGS3 GR STANDARD SHOULDER	895.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	4.860	ACRE
SILT FENCE	1,000.000	LF
REPLACE/REPAIR SILT FENCE	100.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	250.000	LF



Call No.: 130 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3660210	PCN: P039892	Project No.: P039892
DBE Goal Percent: 0.00%	PCN: P040174	Project No.: P040174
	PCN: P040175	Project No.: P040175
	PCN: P040176	Project No.: P040176

Approx. Length (miles): 19.2200 Description: RECONSTRUCTION/REHABILITATION - NEWBERRY CO
 CO(S): Newberry

Completion Date: 8/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	5.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	6,270.000	CY
EXCAVATION FOR SHOULDER PAVING	60.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	60.000	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	2,200.000	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	122,537.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	3,344.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	111,530.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	7,692.000	TON
MAINTENANCE STONE	116.100	TON
HMA SHOULDER WIDENING COURSE	182.013	TON
LIQUID ASPHALT BINDER PG64-22	2,198.335	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	430.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	470.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12" UNIF	160.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	9,420.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	7,860.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	39,225.000	SY
MILLED-IN RUMBLE STRIP	19.900	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,108.224	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,971.716	TON
DRIVEWAY PAVING-SURFACE TYPE B	246.750	TON
DRIVEWAY PAVING-SURFACE TYPE C	791.250	TON
FULL DEPTH CONCRETE PAVEMENT PATCH - 12"	1,750.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,776.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,962.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	699,135.000	LF
8" WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	825.000	LF



Call No.: 130

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,652.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	37,860.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	750,139.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	110.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,892.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	194,355.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	275.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,150.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,470.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	212,963.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	146.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,344.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	222.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,850.000	LF
SAWCUT FOR LOOP DETECTOR	1,560.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	3.000	EA
ADJUST MANHOLE	6.000	EA
SURFACE APPLIED DETECTABLE WARNING	640.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	600.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	3,625.000	LF
MT3 LEADING END TREATMENT TL3	24.000	EA
MGS3 GR STANDARD SHOULDER	1,225.000	LF
MGS3CS GR COMPRESSED SHOULDER	1,625.000	LF
PREMASH TYPE T TL3 LEADING 50'	12.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	17.362	ACRE
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF



Call No.: 140 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3758570	PCN: P039789	Project No.: P039789
DBE Goal Percent: 0.00%	PCN: P040233	Project No.: P040233
	PCN: P040234	Project No.: P040234
	PCN: P040309	Project No.: P040309

Approx. Length (miles): 17.9000 Description: RECONSTRUCTION/REHABILITATION/PRESER
CO(S): Oconee VATION (OCONEE CO)

Completion Date: 9/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	33.000	SY
BORROW EXCAVATION	3,212.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	495.000	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	51,773.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	217,380.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	10,352.000	TON
MAINTENANCE STONE	172.000	TON
LIQUID ASPHALT BINDER PG64-22	2,465.537	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,931.000	SY
MILLED-IN RUMBLE STRIP	23.780	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	25,225.866	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	15,418.933	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,694.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,312.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	960.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	630.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	223,452.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	202,752.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,294.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	31,540.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	669,434.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	282.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	282.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	480.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	210.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	102,010.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	67,584.000	LF



Call No.: 140

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	483.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,670.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	140,234.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	17.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	33.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,085.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	3,500.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	12,780.000	LF
PREMASH TYPE T TL3 LEADING 50'	70.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	15.573	ACRE



Call No.: 150 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3849602 PCN: P030267 Project No.: P030267
DBE Goal Percent: 15.00%
Approx. Length (miles): 0.9920 Description: CORRIDOR IMPROVEMENT - US 21/US 178
CO(S): Orangeburg (ORANGEBURG CO)
Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,030.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	610.000	CY
UNCLASSIFIED EXCAVATION	5,390.000	CY
BORROW EXCAVATION	5,500.000	CY
GRADED AGGREGATE BASE COURSE (4" UNIFORM)	3,190.000	SY
MAINTENANCE STONE	330.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	40.000	TON
PRIME COAT	870.000	GAL
LIQUID ASPHALT BINDER PG64-22	220.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	34,880.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,840.000	TON
IMPRINTED ASPHALT WITH SURFACE COATING	680.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	576.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	5,640.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	40.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	120.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	3,940.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,080.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	50.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	12.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	24.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,390.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,820.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	60.000	LF



Call No.: 150

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,970.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	540.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	25.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	12.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	20.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	400.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	125.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	3.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	260.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	89.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	189.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	20.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	507.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	40.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 001	1.000	LS
LIGHT STANDARD FOUNDATION	23.000	EA
SINGLE DECORATIVE LIGHT POLE WITH SINGLE LIGHT	23.000	EA
SGL.LT.STD.40'HT.AL.POLE 4'SGL.ARM-GROUND MNT.W/FOUNDATION	18.000	EA
SGL.LT.STD.40'HT.AL.POLE 12'TRUSS AL.BRACK.ARM-GR.W/FOUND.	5.000	EA
12' TRUSS ALUMINUM BRACKET ARM (MOUNTED ON STRAIN/MAST POLE)	3.000	EA
FURNISH & INSTALL 1.0" GALVANIZED RIGID CONDUIT	190.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	370.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,739.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	150.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	2,446.000	LF
1" SCHEDULE 80 HDPE CONDUIT	8,330.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	1,387.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	1,360.000	LF
NO. 8 COPPER WIRE, 1 CONDUCTOR, 600V,TYPE RHH,RHW,USE	27,830.000	LF
NO. 12 COPPER WIRE, 1 CONDUCTOR, 600V,TYPE RHH,RHW,USE	5,020.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,170.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	5,180.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	5,970.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,400.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	8,876.000	LF
SAWCUT FOR LOOP DETECTOR	3,774.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	3.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	48.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
17"X30"X28"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	29.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	14.000	EA



Call No.: 150

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	6.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	26.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	20.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	20.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	32.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	32.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	3.000	EA
INSTALL STREET LIGHT LUMINAIRE	49.000	EA
POWDERCOATING PER MAST ARM OVER GALVANIZED	12.000	EA
DECORATIVE OPTION PER MAST ARM	12.000	EA
LUMINAIRE OPTION FOR MAST ARM - TO ACCOUNT FOR TALLER POLE	3.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	12.000	EA
CONC. FOR STRUCTURES - CLASS 3000(ROADWAY)	2.000	CY
DESIGN, DETAIL & CONSTR REINF CONCRETE BOX CULVERT - NO(____) 003	1.000	EA
STEEL HANDRAIL	200.000	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL	3,515.000	CY
MECH.STABILIZED EARTH RETAINING WALL(BLOCK FACING) ROADWAY	8,501.000	SF
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) R	2,312.000	SF
COPING FOR MSE RETAINING WALL(ROADWAY)	1,443.000	LF
15" SMOOTH WALL PIPE	48.000	LF
18" SMOOTH WALL PIPE	548.000	LF
24" SMOOTH WALL PIPE	20.000	LF
30" SMOOTH WALL PIPE	36.000	LF
CLEANING EXISTING PIPE	500.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	5.000	EA
DROP INLET (24" X 36")	2.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	7.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 24"	1.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	1.000	EA
JUNCTION BOX - CONVERT CB T-16	1.000	EA
BEVELING OF PIPE END	2.000	EA
CONCRETE CURB (9" X 15")	4,390.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	800.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	6,100.000	SY
DETECTABLE WARNING MATERIAL	337.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,290.000	SY
CONCRETE MEDIAN	770.000	SY
PEDESTRIAN RAMP CONSTRUCTION	700.000	SY



Call No.: 150

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
RIP-RAP (CLASS C)	400.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	600.000	SY
48"-CHAIN LINK FENCE	1,210.000	LF
ORNAMENTAL STEEL PICKET FENCE - 48"	3,910.000	LF
TEMPORARY BARRIER FENCE	5,000.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	19.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.700	ACRE
TEMPORARY COVER	1.350	ACRE
SELECT MATERIAL	1,200.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	4.764	ACRE
FERTILIZER (NITROGEN)	270.000	LB
FERTILIZER (PHOSPHORIC ACID)	270.000	LB
FERTILIZER (POTASH)	270.000	LB
AGRICULTURAL GRANULAR LIME	5,400.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	8.100	ACRE
LANDSCAPING ITEM NO. 001	38.000	EA
LANDSCAPING ITEM NO. 002	12.000	EA
LANDSCAPING ITEM NO. 003	32.000	EA
LANDSCAPING ITEM NO. 004	51.000	EA
LANDSCAPING ITEM NO. 005	669.000	EA
LANDSCAPING ITEM NO. 006	628.000	EA
LANDSCAPING ITEM NO. 007	181.000	EA
LANDSCAPING ITEM NO. 008	148.000	EA
LANDSCAPING ITEM NO. 009	74.000	EA
LANDSCAPING ITEM NO. 010	37,499.000	EA
LANDSCAPING ITEM NO. 011	49,283.000	EA
LANDSCAPING ITEM NO. 012	2,583.000	EA
LANDSCAPING ITEM NO. 013	310.000	EA
LANDSCAPING ITEM NO. 014	879.000	EA
LANDSCAPING ITEM NO. 015	1,379.000	EA
IRRIGATION SYSTEM COMPLETE	1.000	LS
SODDING	5.600	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	4.404	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	3.151	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.185	ACRE



Call No.: 150

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 5

Description	Quantity	Units
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	430.000	LF
SILT FENCE	9,180.000	LF
REPLACE/REPAIR SILT FENCE	920.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	2,300.000	LF
INLET STRUCTURE FILTER - TYPE B	5.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
RECONSTRUCTION OF GUARD SHACK	1.000	LS
NON-PREFABRICATED STAIRS	1.000	LS



Call No.: 160 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3861200	PCN: P040597	Project No.: P040597
DBE Goal Percent: 0.00%	PCN: P040598	Project No.: P040598
Approx. Length (miles): 16.8500	Description: RECONSTRUCTION/REHABILITATION -	
CO(S): Orangeburg	ORANGEBURG CO	
Completion Date: 6/30/2023	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	732.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	835.000	LF
UNCLASSIFIED EXCAVATION	440.000	CY
BORROW EXCAVATION	2,459.000	CY
EXCAVATION FOR SHOULDER PAVING	460.804	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	460.804	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	50,930.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	53,935.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,500.000	TON
MAINTENANCE STONE	75.350	TON
HMA SHOULDER WIDENING COURSE	3,072.360	TON
LIQUID ASPHALT BINDER PG64-22	2,521.543	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,535.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	37,290.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	120,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	66,330.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	18,030.000	SY
MILLED-IN RUMBLE STRIP	18.430	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	8,288.866	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,139.449	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,351.917	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	624.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	658.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,520.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	3,552.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	137,665.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	40.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	2,085.000	LF



Call No.: 160

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	84.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	2,867.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	43.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	10.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	13.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	9.000	EA
HANDICAP SYMBOL - PERM.PVMT MARKING	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	11,330.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	106,855.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	130.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,449.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	381,325.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,330.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,885.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	74.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	20.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	18.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	20.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	31,160.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	273,545.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,295.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	550.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,100.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	310.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	102.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,689.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	45.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	610.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	16,210.000	LF
SAWCUT FOR LOOP DETECTOR	5,570.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	85.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	270.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	480.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	7.000	SY
DETECTABLE WARNING MATERIAL	362.500	SF
PEDESTRIAN RAMP CONSTRUCTION	725.000	SY
SURFACE APPLIED DETECTABLE WARNING	640.000	SF
RIP-RAP (CLASS B)	15.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	20.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,520.000	LF



Call No.: 160

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
PREMASH W-BEAM STRONG POST SYSTEM WSP3	300.000	LF
MT3 LEADING END TREATMENT TL3	10.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	550.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.590	ACRE



Call No.: 170 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4061250 PCN: P040388 Project No.: P040388
 DBE Goal Percent: 0.00% PCN: P040496 Project No.: P040496
 Approx. Length (miles): 19.3200 Description: REHABILITATION - RICHLAND COUNTY
 CO(S): Richland
 Completion Date: 6/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,931.000	SY
UNCLASSIFIED EXCAVATION	70.000	CY
BORROW EXCAVATION	3,000.000	CY
EXCAVATION FOR SHOULDER PAVING	1,225.050	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,225.050	STA
MAINTENANCE STONE	111.750	TON
HMA SHOULDER WIDENING COURSE	5,639.627	TON
LIQUID ASPHALT BINDER PG64-22	3,588.586	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	400.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	10,175.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	361,170.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,490.000	SY
MILLED-IN RUMBLE STRIP	24.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	9,231.360	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	33,944.586	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	14,071.890	TON
DRIVEWAY PAVING-SURFACE TYPE C	867.125	TON
FULL DEPTH CONCRETE PAVEMENT PATCH - 8"	245.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,728.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	66,500.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	900.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	534,800.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	43,050.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	28,210.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	2,000.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	12,710.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	134.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	36.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	68.000	EA



Call No.: 170

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	22.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	14.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	21.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	44,010.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	555,390.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	6,650.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	22,650.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	157,500.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	14,300.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	8,770.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	500.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	125.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,735.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	41.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	20.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	7.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	13,890.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	191,920.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	7.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	12.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,075.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	400.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,750.000	EA
PLASTIC CURBING WITH DUAL POST	40.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	850.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	6,150.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	250.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	6,400.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	250.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	19,600.000	LF
SAWCUT FOR LOOP DETECTOR	6,350.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	50.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	10.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	35.000	LF
DETECTABLE WARNING MATERIAL	1,362.500	SF
PEDESTRIAN RAMP CONSTRUCTION	2,725.000	SY
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	362.500	LF
MT3 LEADING END TREATMENT TL3	8.000	EA



Call No.: 170

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
MGS3 GR STANDARD SHOULDER	100.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.556	ACRE
MOWING	12.752	ACRE



Call No.: 180 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4285741 PCN: P027379 Project No.: P027379
DBE Goal Percent: 6.00%
Approx. Length (miles): 1.1720 Description: INTERCHANGE IMPROVEMENTS - I-85 AND SC
CO(S): Spartanburg 290
Completion Date: 6/30/2024 Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 68.4 (Period ending on December 31, 2021)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	138.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING DROP INLET	17.000	EA
REMOVAL & DISPOSAL OF EXISTING MANHOLE	1.000	EA
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 01	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	526.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	6,910.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	8,338.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	460.000	CY
REMOVAL OF EXIST. GUARDRAIL	675.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	7,030.000	CY
BORROW EXCAVATION	500.000	CY
MUCK EXCAVATION	1,380.000	CY
GEOGRID REINFORCEMENT (BIAXIAL)	330.000	SY
STRUCTURE EXCAVATION FOR RETAINING WALL	706.000	CY
STONE BRIDGE LIFT MATERIAL	330.000	TON
FINE GRADING	15,862.000	SY



Call No.: 180

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
FLOWABLE FILL	7.000	CY
MAINTENANCE STONE	250.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	6,080.000	TON
LIQUID ASPHALT BINDER PG64-22	560.000	TON
LIQUID ASPHALT BINDER PG76-22	610.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	38,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	12,500.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,950.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE A	10,070.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,150.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR	4.000	EA
TEMPORARY CONCRETE BARRIER	1,700.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	7.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	21,900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	31,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	8,900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	16.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,710.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,570.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	490.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	7,360.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	5,070.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	25.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,860.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	56.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	27.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	80.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	6,720.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,740.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	120.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	250.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL8"WH.CONTRAST BROKEN	470.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	880.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)WH.SING.ARROW	12.000	EA
PREF.FLEX.RETRO.PVMT.(T-1)PERM(60MIL)WH.WORD MESS."ONLY"	4.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM(60MIL)WH.COMB.ARROW	4.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	680.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,019.000	SF



Call No.: 180

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MEDIAN BARRIER	3.000	EA
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	44.000	EA
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	130.000	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	2,080.000	SF
ERECTION OF MULTIPANEL SIGNS ON WOODEN POSTS OR EXIST.I-BEAM	8.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	2,310.000	LF
BREAK-AWAY SIGN SUPPORTS	2,000.000	LB
REMOVAL OF I-BEAM SUPPORTS	8.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 001	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 002	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 003	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 004	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 005	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 006	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 001	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 002	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 003	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 004	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 005	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 006	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 007	1.000	EA
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 001	1.000	LS
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	2,600.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	7,119.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTALL 1" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	400.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	700.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	8,800.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	8,500.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	9,400.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	5,400.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,700.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	3,100.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	4.000	EA
INSTALL WIRELESS NETWORK COMMUNICATIONS LINK BETWEEN TWO SIGNALS (2 RADIOS)	5.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	42.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
FURNISH & INSTALL 40' WOOD POLE - CLASS II-CCA TREATED(0.60)	4.000	EA
FURNISH & INSTALL 3/8" BACK GUY FOR WOOD POLE	7.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	14.000	EA



Call No.: 180

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	1,020.000	LF
1/2" GALVANIZED STEEL CABLE	3,300.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	23.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 002	4.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	8.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 003	77.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	32.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	32.000	EA
VEHICLE TRAFFIC SIGNAL HEAD MOUNTING ASSEMBLY FOR POST TOP	2.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	87.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	8.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	15.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	22.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR STOP BAR DETECTION	6.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	6.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SETBACK DETECTION	4.000	EA
FURNISH & INSTALL RADAR FOR SPEED/VOLUME DETECTION INC 150' CABLE & MOUNTING HARDWARE	2.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SPEED/VOLUME DETECTION	2.000	EA
CONC. FOR STRUCTURES - CLASS 4000	246.500	CY
CONC. FOR STRUCTURES - CLASS 4000(RETAINING WALL)	127.000	CY
CONC. FOR STRUCTURES - CLASS 4000(ROADWAY)	251.600	CY
PARTIAL DEPTH PATCHING OF EXISTING DECK	50.000	SY
SPALL REPAIR	10.000	SF
COMPRESSION SEAL JOINT	58.600	LF
GROOVED SURFACE FINISH	416.800	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	41,565.000	LB
REINF. STEEL FOR STRUCTURES (RETAINING WALL)	25,100.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	88,339.000	LB
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL 001	1,233.500	LF
STRUCTURE DRAINAGE SYSTEM	1.000	LS
18" RC PIPE CUL.-CLASS IV	40.000	LF
18" SMOOTH WALL PIPE	2,256.000	LF
24" SMOOTH WALL PIPE	216.000	LF
CLEANING EXISTING PIPE	692.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	10.000	EA
CATCH BASIN -TYPE 16	20.000	EA



Call No.: 180

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 5

Description	Quantity	Units
MANHOLE	8.000	EA
EXTRA DEPTH OF BOX	12.000	LF
CONCRETE CURB (9" X 15")	500.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,430.000	LF
CONCRETE CURB AND GUTTER(1'-6") OGEE	170.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	4,420.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	2,410.000	SY
DETECTABLE WARNING MATERIAL	1,485.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	520.000	SY
CONCRETE MEDIAN	2,020.000	SY
CONCRETE DITCH PAVING	640.000	SY
PEDESTRIAN RAMP CONSTRUCTION	2,725.000	SY
SURFACE APPLIED DETECTABLE WARNING	210.000	SF
REHABILITATE EXISTING EXPANSION JOINT - COMPRESSION SEAL	2.000	EA
4" PERFORATED PIPE UNDERDRAIN WITH GEOTEXTILE	167.000	LF
RIP-RAP (CLASS B)	78.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	111.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	562.500	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
MB TRAILING END TREATMENT	3.000	EA
MGS3 GR STANDARD SHOULDER	537.500	LF
MGS2C GR BEHIND CURB	162.500	LF
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	6.000	EA
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
48"-CHAIN LINK FENCE	618.000	LF
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 01	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	38.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	13.000	ACRE
TEMPORARY COVER	8.000	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	21.000	ACRE
FERTILIZER (NITROGEN)	1,300.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,300.000	LB
FERTILIZER (POTASH)	1,300.000	LB
AGRICULTURAL GRANULAR LIME	26,000.000	LB
SELECTIVE WATERING	135,000.000	GAL
MOWING	42.000	ACRE
WATERPROOFING (SECOND METHOD)	86.000	SY
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	1.988	MSY



Call No.: 180

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 6

Description	Quantity	Units
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	300.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	170.000	LF
SILT FENCE	5,530.000	LF
REPLACE/REPAIR SILT FENCE	2,765.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	11,060.000	LF
INLET FILTER CLEANING	19.000	EA
DITCH CHECK	50.000	TON
CLEANING INLET STRUCTURE FILTERS	76.000	EA
INLET STRUCTURE FILTER - TYPE B	38.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
MILLING EXISTING ASPHALT PAVEMENT 14"	878.000	SY
FURNISH AND INSTALL 40' STEEL STRAIN POLE AND FOUNDATION	5.000	EA
F&I 17' BREAK-AWAY ALUMINUM PEDESTAL	2.000	EACH
LEAD AND ASBESTOS REPORT	1.000	LS
REMOVAL AND DISPOSAL OF LEAD	1.000	LS
REMOVAL AND DISPOSAL OF ASBESTOS	1.000	LS



Call No.: 190 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4361400	PCN: P040397	Project No.: P040397
DBE Goal Percent: 0.00%	PCN: P040399	Project No.: P040399
	PCN: P040449	Project No.: P040449

Approx. Length (miles): 20.8500 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Sumter SUMTER CO

Completion Date: 8/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	665.000	SY
UNCLASSIFIED EXCAVATION	135.000	CY
BORROW EXCAVATION	4,040.000	CY
EXCAVATION FOR SHOULDER PAVING	846.900	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	846.900	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	37,750.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	75,650.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	58,300.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,477.000	TON
MAINTENANCE STONE	109.000	TON
HMA SHOULDER WIDENING COURSE	3,826.240	TON
LIQUID ASPHALT BINDER PG64-22	3,368.932	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	750.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	8,650.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	1,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	26,260.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	135,220.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	16,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,700.000	SY
MILLED-IN RUMBLE STRIP	23.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	16,309.440	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	25,967.346	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	11,951.020	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	100.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,734.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,196.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	61,400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	724,600.000	LF



Call No.: 190

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,200.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,700.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,110.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	36.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	16.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	46,640.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	569,600.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	13,700.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	16,250.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	198,550.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	300.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,250.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	80.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,035.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	14.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	11,870.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	149,900.000	LF
8" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	100.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	740.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	340.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,345.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,000.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,725.000	LF
SAWCUT FOR LOOP DETECTOR	1,060.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	2.000	EA
ADJUST DROP INLET ADJUST D. I.	9.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	60.000	SY
DETECTABLE WARNING MATERIAL	87.500	SF
PEDESTRIAN RAMP CONSTRUCTION	175.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	350.000	LF
MT3 LEADING END TREATMENT TL3	7.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	19.584	ACRE



Call No.: 200 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4459190	PCN: P040218	Project No.: P040218
DBE Goal Percent: 0.00%	PCN: P040219	Project No.: P040219
	PCN: P040220	Project No.: P040220
Approx. Length (miles):9.3900	Description: RECONSTRUCTION/REHABILITATION - UNION	
CO(S): Union	CO	
Completion Date: 6/30/2023	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	180.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	12.500	CY
UNCLASSIFIED EXCAVATION	5,369.000	CY
BORROW EXCAVATION	1,360.000	CY
STATION GRADING	72.230	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	18,978.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	31,100.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	75,201.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,099.000	TON
MAINTENANCE STONE	218.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	7,560.081	TON
LIQUID ASPHALT BINDER PG64-22	1,560.722	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	490.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	380.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	75,190.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	11,030.000	SY
MILLED-IN RUMBLE STRIP	13.080	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	7,260.587	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,249.600	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,696.240	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,213.984	TON
DRIVEWAY PAVING-SURFACE TYPE C	841.650	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	125,279.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,417.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	80.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,121.000	LF



Call No.: 200

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	376,893.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	220.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,797.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,435.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	342,000.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,170.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	89,666.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	110.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	40.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	821.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,435.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	74,768.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	657.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	6.250	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	14.000	LF
CLEANING EXISTING PIPE	50.000	LF
CATCH BASIN -TYPE 9	1.000	EA
ADJUST CATCH BASIN	2.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	80.000	SY
RIP-RAP (CLASS A)	280.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	225.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	725.000	LF
MT3 LEADING END TREATMENT TL3	30.000	EA
PREMASH THRIE WITH BASE PL 3.125 SPACING	1,100.000	LF
MGS3CS GR COMPRESSED SHOULDER	3,925.500	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	2,775.000	LF
PREMASH W-TO-THRIE BRIDGE CONN WTBBC	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	12.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.590	ACRE
SILT FENCE	10,800.000	LF
REPLACE/REPAIR SILT FENCE	3,750.000	LF
CLEANING SILT BASINS	70.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	3,750.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	80.000	TON



Call No.: 210 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5459270	PCN: P040204	Project No.: P040204
DBE Goal Percent: 0.00%	PCN: P040221	Project No.: P040221
Approx. Length (miles):1.4700	Description: RECONSTRUCTION/REHABILITATION -	
CO(S): Chester York	CHESTER/YORK CO	
Completion Date: 11/30/2022	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	2,695.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	125.000	CY
UNCLASSIFIED EXCAVATION	9,016.000	CY
BORROW EXCAVATION	6.000	CY
LIQUID ASPHALT BINDER PG64-22	425.693	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	50.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	8,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	30,306.000	SY
MILLING EXISTING ASPHALT PAVEMENT 6.0"	27,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	48,400.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,760.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,470.080	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	360.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	113.000	TON
ROLLER COMPACTED CONCRETE PAVEMENT - 9" UNIFORM	46,295.000	SY
PORTLAND CEMENT CONCRETE (SPECIAL USE)	390.000	CY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	696.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	32.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	16,448.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	3,408.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,394.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	5,816.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,110.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	86.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	72.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	18.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	28.000	EA



Call No.: 210

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	8,167.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	59,850.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	674.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,837.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	902.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	766.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,564.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	16.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	806.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	25.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	23.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	7.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,625.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	17,950.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	234.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	260.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	355.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	260.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,858.000	LF
SAWCUT FOR LOOP DETECTOR	2,550.000	LF
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	5.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	7.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	4.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	2,500.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	260.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	360.000	SY
DETECTABLE WARNING MATERIAL	62.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	600.000	SY
CONCRETE MEDIAN	192.000	SY
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.020	ACRE



Call No.: 220 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5559490	PCN: P040314	Project No.: P040314
DBE Goal Percent: 0.00%	PCN: P040315	Project No.: P040315
	PCN: P040417	Project No.: P040417
	PCN: P040418	Project No.: P040418
	PCN: P040419	Project No.: P040419
	PCN: P040420	Project No.: P040420
	PCN: P040421	Project No.: P040421
	PCN: P040422	Project No.: P040422
	PCN: P040423	Project No.: P040423

Approx. Length (miles): 35.5500 Description: RECONSTRUCTION/REHABILITATION - DILLON CO.
CO(S): Dillon Marion
Completion Date: 11/30/2023 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	650.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	135.000	LF
BORROW EXCAVATION	6,889.600	CY
EXCAVATION FOR SHOULDER PAVING	102.432	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	102.432	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	491,305.203	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	14,390.740	TON
MAINTENANCE STONE	36.400	TON
HMA SHOULDER WIDENING COURSE	512.160	TON
LIQUID ASPHALT BINDER PG64-22	3,202.559	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,515.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,125.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,760.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	48,625.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,330.000	SY
MILLED-IN RUMBLE STRIP	65.720	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,679.094	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	37,459.581	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	190.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,650.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,568.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	18,930.000	LF



Call No.: 220

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,065,711.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,311.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	42.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	27.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	97,785.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	456,405.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,825.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	570.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	230.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	370.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,250.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,310.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	355,237.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,437.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	14.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	32,595.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	152,135.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	190.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	208.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	115.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,614.000	EA
REMOVAL OF PAVEMENT MARKINGS	31,214.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	80.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	150.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,616.000	LF
SAWCUT FOR LOOP DETECTOR	696.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JHD	4.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	110.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	25.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	300.000	SY
DETECTABLE WARNING MATERIAL	125.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	100.000	SY
PEDESTRIAN RAMP CONSTRUCTION	250.000	SY
SURFACE APPLIED DETECTABLE WARNING	12.500	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	21.950	ACRE



Call No.: 230 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5561300 PCN: P041038 Project No.: P041038

DBE Goal Percent: 0.00%

Approx. Length (miles): 1,000.

Description: PAVEMENT MARKINGS - DISTRICT 5

CO(S): DISTRICT5 0000

Completion Date: 9/30/2022

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	24,100.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	10,300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	77,900.000	EA



Call No.: 240 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5660390	PCN: P040391	Project No.: P040391
DBE Goal Percent: 0.00%	PCN: P040392	Project No.: P040392
	PCN: P040716	Project No.: P040716
	PCN: P040721	Project No.: P040721

Approx. Length (miles): 16.6500 Description: RECONSTRUCTION/REHABILITATION - CHARLESTON/DORCHESTER CO
CO(S): Charleston Dorchester Funding: ST
Completion Date: 7/31/2023

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	16.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,073.992	SY
UNCLASSIFIED EXCAVATION	215.000	CY
BORROW EXCAVATION	5,654.500	CY
EXCAVATION FOR SHOULDER PAVING	61.260	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	61.260	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	2,180.750	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	152,730.481	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,415.053	TON
MAINTENANCE STONE	143.890	TON
LIQUID ASPHALT BINDER PG64-22	1,697.348	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,235.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	13,154.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	49,926.558	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	4,319.070	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	42,449.461	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	8,296.910	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	18,729.110	SY
MILLED-IN RUMBLE STRIP	12.240	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	24,731.017	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,645.660	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	80.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,220.875	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	469.333	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,900.000	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	57.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	4,144.000	LF



Call No.: 240

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	144,744.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	10,000.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	2,112.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	19.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,203.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	44.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	25.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	7.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	25,394.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	115,326.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	12,432.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	434,232.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	30,000.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	6,380.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,609.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	132.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	60.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	75.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	21.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	42.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	37,752.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	384,408.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	770.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	14.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	20.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	191.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,397.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	640.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	9,720.000	LF
SAWCUT FOR LOOP DETECTOR	4,584.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
ADJUST CATCH BASIN	3.000	EA
ADJUST DROP INLET ADJUST D. I.	4.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	488.058	SY
CONCRETE SIDEWALK(6" UNIFORM)	216.944	SY
DETECTABLE WARNING MATERIAL	165.000	SF



Call No.: 240

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
CONCRETE MEDIAN	55.000	SY
PEDESTRIAN RAMP CONSTRUCTION	300.000	SY
SURFACE APPLIED DETECTABLE WARNING	112.500	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	321.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	100.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	25.000	LF
PREMASH RESET THRIE STRONG POST SYSTEM	100.000	LF
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.720	ACRE
SILT FENCE	600.000	LF



Call No.: 250 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5661310 PCN: P041039 Project No.: P041039

DBE Goal Percent: 0.00%

Approx. Length (miles):710.0000 Description: PAVEMENT MARKINGS - DISTRICT 6

CO(S): DISTRICT6

Completion Date: 9/30/2022

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	16,200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	7,300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	57,000.000	EA



Call No.: 260 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5760570 PCN: P040490 Project No.: P040490
 DBE Goal Percent: 0.00% PCN: P040499 Project No.: P040499
 Approx. Length (miles): 18.5700 Description: RECONSTRUCTION/REHABILITATION -
 CO(S): Bamberg Barnwell BAMBERG/BARNWELL CO
 Completion Date: 8/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
UNCLASSIFIED EXCAVATION	748.000	CY
BORROW EXCAVATION	3,630.000	CY
EXCAVATION FOR SHOULDER PAVING	1,178.496	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,178.496	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	38,275.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	84,150.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,910.000	TON
MAINTENANCE STONE	41.150	TON
HMA SHOULDER WIDENING COURSE	5,237.760	TON
LIQUID ASPHALT BINDER PG64-22	2,145.588	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	115.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	41,960.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,200.000	SY
MILLED-IN RUMBLE STRIP	35.980	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	18,842.160	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,320.077	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	700.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	395.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,516.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	570.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	191,310.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	90.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	680.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	17,590.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	97,040.000	LF



Call No.: 260

Letting Date: March 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,350.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	455,630.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	90.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,400.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	42,520.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	228,080.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	35.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,377.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	120.000	LF
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	4,140.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	575.000	LF
MT3 LEADING END TREATMENT TL3	24.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	110.000	LF
MGS3 GR STANDARD SHOULDER	1,687.500	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	20.000	EA
NON-MOW STRIP UNDER GUARDRAIL	1,520.000	SY
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	17.609	ACRE



Call No.: 270 Letting Date: March 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5761320 PCN: P041040 Project No.: P041040

DBE Goal Percent: 0.00%

Approx. Length (miles): 900.0000

Description: PAVEMENT MARKINGS - DISTRICT 7

CO(S): DISTRICT7

Completion Date: 9/30/2022

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	13,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	5,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	65,000.000	EA

60 Day Ads for the April 12, 2022 Highway Letting

Mandatory Pre Bid Conference - See Information Below



South Carolina Department of Transportation

1/31/2022

Call No.: 010 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1810411 PCN: 0023349X Project No.: CHMB010

DBE Goal Percent: 12.50%

Approx. Length (miles): Description: NEW LOCATION - BERLIN MYERS PARKWAY

CO(S): Dorchester

Completion Date: 9/30/2026

Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 72.5 (Period ending on December 31, 2021)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	38.000	EA
REMOVAL & DISPOSAL OF EXISTING MANHOLE	1.000	EA
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,710.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	17,390.000	SY
REMOVAL OF EXIST. GUARDRAIL	265.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	181,553.000	CY
BORROW EXCAVATION	793,521.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	1,272.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	14,461.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	4,082.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	538.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,791.000	LF
42" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	131.000	LF
48" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	435.000	LF
60" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	100.000	LF
72" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	53.000	LF
GEOTEXTILE, SEPARATION	394,635.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	16,003.000	SY



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
GEOGRID REINFORCEMENT (BIAXIAL)	1,551.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	23.000	EA
STRUCTURE EXCAVATION FOR CULVERTS	1,664.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	2,082.000	CY
WET & DRY EXCAVATION FOR BRIDGES	830.000	CY
TEMPORARY SHORING WALL	268.000	LF
PERMANENT SHEET PILING	5,320.000	SF
NO. 57 STONE FOR BACKFILL	13,097.000	TON
STONE BRIDGE LIFT MATERIAL	77,041.000	TON
EARTHQUAKE DRAINS	16,410.000	LF
FINE GRADING	203,113.000	SY
FLOWABLE FILL	100.500	CY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	17,682.560	SY
GRADED AGGREGATE BASE COURSE (10" UNIFORM)	162,127.480	SY
MAINTENANCE STONE	310.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	6,721.000	TON
LIQUID ASPHALT BINDER PG64-22	3,452.320	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,286.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	4,163.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	29,456.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,774.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,208.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
TEMPORARY CONCRETE BARRIER	4,316.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	384.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	2.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	1.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	1,075.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	240.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	342.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,240.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	15,570.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,171.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	294.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	130.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	88.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	68.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	12.000	EA



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,100.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	2,930.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	10,300.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT	50.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	14,250.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	19,896.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	6,745.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	294.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,238.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	88.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	68.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	38,609.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	715.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	100.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	610.000	EA
REMOVAL OF PAVEMENT MARKINGS	50.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	490.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	318.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	4,720.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,245.050	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	235.750	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	164.250	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	190.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	1,746.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	102.670	LF
BARRICADE - PERMANENT WITH TYPE III SHEETING	54.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,843.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	12,791.800	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	3,305.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	4,150.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	13,706.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	4,545.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	12,765.000	LF
SAWCUT FOR LOOP DETECTOR	4,445.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	5.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	54.000	EA
FURNISH & INSTALL - 35' WOOD POLE-CLASS II-CCA TR(0.60)	4.000	EA
FURNISH & INSTALL 3/8" BACK GUY FOR WOOD POLE	5.000	EA



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
F&I 13"X32' STEEL STRAIN POLE-POWDER COATED AND FOUNDATION	16.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,500.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	8.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	5.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	5.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	10.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	48.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	20.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	20.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	54.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	1.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	3.000	EA
CONC. FOR STRUCTURES - CLASS 4000	10,094.600	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	765.800	CY
CONC. FOR STRUCTURES - CLASS 4000DS FOR DRILL SHAFTS	47.500	CY
CONC. FOR STRUCTURES - CLASS 5000	532.200	CY
PRECAST CONCRETE PANEL	2,095.000	SF
COMPRESSION SEAL JOINT	162.000	LF
GROOVED SURFACE FINISH	9,618.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	338,375.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	2,688,738.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	198,242.000	LB
POST-TENSIONING FOR INTEGRAL CAPS	1.000	LS
TEMPORARY SUPPORT STRUCTURES	1.000	LS
CONCRETE BRIDGE BARRIER PARAPET	1,160.000	LF
CONCRETE BRIDGE RAILING WALL (3'6"HT)	2,096.700	LF
CONCRETE BRIDGE RAILING WALL	246.800	LF
STEEL HANDRAIL	267.600	LF
STRUCTURAL STEEL	1.000	LS
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	24.000	EA
PILE DRIVING SET-UP	347.000	EA
PREST. CONC. PILING (24"SQ.)	531.000	LF
PILE BUILD-UP PREPARATION (24"SQ)	4.000	EA
PRESTRESSED INDEX PILING (24" SQUARE)	69.000	LF
PRESTRESSED PILE POINT (HP12X53)	620.000	LF
STEEL H BEARING PILING (HP14 X 89)	9,194.000	LF
STEEL H BEARING INDEX PILING (HP14 X 89)	372.000	LF
STEEL H BEARING PILING (HP14 X 102)	4,262.000	LF
STEEL H BEARING INDEX PILING (HP14X 102)	93.000	LF



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 5

Description	Quantity	Units
DRILLED SHAFT SET-UP	37.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 30" DIAMETER	300.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 36" DIAMETER	230.000	LF
CONSTRUCTION CASING - 36" DIAMETER	230.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	1,164.000	LF
CONSTRUCTION CASING - 48" DIAMETER	504.000	LF
CONSTRUCTION CASING - 54" DIAMETER	90.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 60" DIAMETER	119.000	LF
CONSTRUCTION CASING - 60" DIAMETER	17.000	LF
DRILLED SHAFT AXIAL LOAD TEST 60"	1.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 78" DIAMETER	1,416.000	LF
CONSTRUCTION CASING - 78" DIAMETER	132.000	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL	29,265.000	CY
MECH. STAB.EARTH RETAINING WALL BACKFILL(STONE)	3,380.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) R	54,936.000	SF
COPING FOR MSE RETAINING WALL(ROADWAY)	4,235.000	LF
18" SMOOTH WALL PIPE	22,139.000	LF
24" SMOOTH WALL PIPE	4,950.000	LF
30" SMOOTH WALL PIPE	706.000	LF
36" SMOOTH WALL PIPE	1,939.000	LF
42" SMOOTH WALL PIPE	197.000	LF
48" SMOOTH WALL PIPE	435.000	LF
60" SMOOTH WALL PIPE	100.000	LF
72" SMOOTH WALL PIPE	53.000	LF
CLEANING EXISTING PIPE	100.000	LF
CATCH BASIN - TYPE 1 SPECIAL	5.000	EA
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN -TYPE 16	201.000	EA
CATCH BASIN -TYPE 17	70.000	EA
CATCH BASIN -TYPE 18	41.000	EA
DROP INLET (24" X 36")	11.000	EA
MANHOLE	22.000	EA
EXTRA DEPTH OF BOX	370.300	LF
ADJUST MANHOLE	3.000	EA
MANHOLE-CONVERT D.I. 24"X 36"	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	51,820.000	LF
CONCRETE CURB AND GUTTER(2'-0") SLOPING FACE	24,140.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	11,364.000	SY
CONCRETE SIDEWALK(6" UNIFORM) WITH INTEGRAL CUT-OFF WALL	24.700	SY
DETECTABLE WARNING MATERIAL	612.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	295.000	SY
CONCRETE MEDIAN	3,660.160	SY



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 6

Description	Quantity	Units
PEDESTRIAN RAMP CONSTRUCTION	351.000	SY
DECK JOINT STRIP SEAL	132.000	LF
ELASTOMERIC BEARING	14.000	EA
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	39.000	EA
CROSSHOLE SONIC LOGGING SETUP	37.000	EA
AGGREGATE UNDERDRAIN (AGGR.NO. 789)	230.000	CY
GEOTEXTILE FOR DRAINAGE FILTRATION (FABRIC PROTECTED)CLASS 1	4,550.000	SY
PLANTED MEDIAN SUBSURFACE DRAINAGE	14,676.000	SY
4" PERFORATED PIPE UNDERDRAIN	2,000.000	LF
RIP-RAP (CLASS A)	504.000	TON
RIP-RAP (CLASS B)	6,482.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	1,110.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	8,052.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	2,287.500	LF
MT3 LEADING END TREATMENT TL3	13.000	EA
MB TRAILING END TREATMENT	9.000	EA
MGS3 GR STANDARD SHOULDER	150.000	LF
MGS2C GR BEHIND CURB	17,212.500	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	2.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	27.000	EA
PREMASH W-BEAM TIGHT CURVED SYSTEM	89.000	LF
ORNAMENTAL STEEL PICKET FENCE - 42"	6,446.000	LF
TEMPORARY BARRIER FENCE	32,320.000	LF
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
RIGHT OF WAY REPORT	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	262.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	55.800	ACRE
TEMPORARY COVER	27.900	ACRE
FERTILIZER (NITROGEN)	5,580.000	LB
FERTILIZER (PHOSPHORIC ACID)	5,580.000	LB
FERTILIZER (POTASH)	5,580.000	LB
AGRICULTURAL GRANULAR LIME	111,600.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	167.400	ACRE
SODDING	4.378	MSY
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	38.600	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	4.378	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 3	0.124	MSY



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 7

Description	Quantity	Units
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	57.676	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	91.092	ACRE
HYDR.EROS.CONTRL.PROD.(HECP) - TYPE 1 AS TRACER UNDER TRM	10.254	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	3,064.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	3,064.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	8,952.000	LF
SILT FENCE	91,638.000	LF
REPLACE/REPAIR SILT FENCE	9,153.800	LF
SILT BASINS	7,162.000	CY
CLEANING SILT BASINS	7,548.500	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	22,884.500	LF
TEMPORARY DIVERSION DIKE	10,355.000	LF
CLEANING INLET STRUCTURE FILTERS	22.000	EA
INLET STRUCTURE FILTER - TYPE B	15.000	EA
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	2,113.000	SY
STABILIZED CONSTRUCTION ENTRANCE	2,200.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 8"	1,708.000	LF
STORMWATER BASIN RISERS	1.000	EA
CONCRETE ROADSIDE BARRIER (SPECIAL)	2,957.200	LF
DESIGN, CONSTRUCT, AND MAINTAIN MULTI-USE PATH DETOUR	1.000	LS
MOBILIZATION - MITIGATION	1.000	LS
BONDS AND INSURANCE - MITIGATION	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES - MITIGATION	1.000	LS
UTILITY STAKING - MITIGATION	1.000	LS
TRAFFIC CONTROL - MITIGATION	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY - MITIGATION	1.000	LS
UNCLASSIFIED EXCAVATION-MITIGATION	1,314.000	CY
GRADED AGGREGATE BASE COURSE (8" UNIFORM) - MITIGATION	2,091.000	SY
LIQUID ASPHALT BINDER PG64-22 - MITIGATION	12.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B - MITIGATION	210.000	TON
BARRICADE – TYPE 3 - MITIGATION	60.000	LF
TEMPORARY CONSTRUCTION SIGNS (BARRICADE MOUNTED) - MITIGATION	73.333	SF
RIP RAP (CLASS B) - MITIGATION	914.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP (CLASS 2) TYPE D - MITIGATION	1,216.000	SY
PERMANENT COVER - MITIGATION	13.460	ACRE
TEMPORARY COVER - MITIGATION	6.730	ACRE
FERTILIZER (NITROGEN) - MITIGATION	1,346.000	LB
FERTILIZER (PHOSPHORIC ACID) - MITIGATION	1,346.000	LB
FERTILIZER (POTASH) - MITIGATION	1,346.000	LB
AGRICULTURAL GRANULAR LIME- MITIGATION	26,920.000	LB
SELECTIVE WATERING- MITIGATION	135,750.000	GAL



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 8

Description	Quantity	Units
MOWING- MITIGATION	40.380	ACRE
TEMPORARY EROSION CONTROL BLANKET (CLASS A)- MITIGATION	14.558	MSY
SILT FENCE - MITIGATION	34,878.000	LF
REPLACE / REPAIR SILT FENCE - MITIGATION	3,487.800	LF
REMOVAL OF SILT RETAINED BY SILT FENCE- MITIGATION	8,719.500	LF
SEDIMENT REMOVAL FROM BODY OF WATER- MITIGATION	100.000	CY
STABILIZED CONSTRUCTION ENTRANCE- MITIGATION	717.000	SY
AS-BUILT SURVEY	1.000	LS
REMOVAL AND DISPOSAL OF EXISTING ASHPALT PAVEMENT- MITIGATION	2,162.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	13,000.000	HR
ON-THE-JOB TRAINEE (BRIDGE)	7,280.000	HR

SECTION 102: MANDATORY PRE-BID CONFERENCE:

The Contractor is advised that all Bidders on this project are required to attend a Pre-Bid Conference to be held at **SCDOT Charleston Construction Office, 1357 Remount Road, Suite 1, North Charleston, SC**. The Pre Bid Conference will be held on **March 8, 2022, at 10am**. Prime Contractors who do not attend this Pre Bid Conference will not be allowed to submit a Bid Proposal for this project. Only Prime Contractors will be allowed to attend and will be limited to two (2) attendees each for this meeting.



Call No.: 020 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5505981 PCN: P029700 Project No.: P029700

DBE Goal Percent: 9.00%

Approx. Length (miles):23.4590

Description: REHABILITATION - I-95

CO(S): Dillon Florence

Completion Date: 11/30/2024

Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 68.4 (Period ending on December 31, 2021)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
LAW ENFORCEMENT OFFICER	1,000.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING DROP INLET	2.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	32,971.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	10,778.000	SY
REMOVAL OF EXIST. GUARDRAIL	55,814.000	LF
REMOVAL & DISPOSAL OF EXISTING QUADRUPLE CULVERT(____)' X(____) 001	2.000	EA
UNCLASSIFIED EXCAVATION	40,072.000	CY
BORROW EXCAVATION	98,670.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	3,584.000	CY
GEOTEXTILE, SEPARATION	10,528.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	844.400	SY
GEOGRID STABILIZATION	10,528.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	4.000	EA
TEMPORARY SHORING WALL	796.500	LF
PERMANENT SHORING WALL	270.000	LF
STONE BRIDGE LIFT MATERIAL	3,950.000	TON
GRANULAR BRIDGE LIFT MATERIAL	2,237.000	CY
OVERHAUL	919.000	CYHM
FINE GRADING	43,353.000	SY
FLOWABLE FILL	90.000	CY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	40,256.000	SY
MAINTENANCE STONE	100.000	TON



Call No.: 020

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT BASE COURSE - TYPE A	27,308.000	TON
PRIME COAT	10,064.000	GAL
LIQUID ASPHALT BINDER PG64-22	8,735.000	TON
LIQUID ASPHALT BINDER PG76-22	3,071.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	21,555.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	26,752.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	12,053.000	SY
MILLED-IN RUMBLE STRIP	41.164	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	6,938.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	43,571.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	15,490.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	45,709.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE SMA	51,445.000	TON
MILLING EXISTING CONCRETE PAV.(VARIABLE)	47,320.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	5,000.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	608.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	338.000	SF
TEMPORARY SURFACE MOUNTED FLEXIBLE DELINEATOR POST (WITH YELLOW OR WHITE RETROREFLECTIVE SHEETING)	29.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH)	5.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 70MPH	13.000	EA
TEMPORARY CONCRETE BARRIER	32,000.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	106,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	462,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	462,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	3,520.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	125.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	20.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	12,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	1.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	1.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	2,000.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	29,400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	121,200.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	4,525.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	25.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	300.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	119,300.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	1,720.000	EA



Call No.: 020

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
REMOVAL OF PAVEMENT MARKINGS	11,000.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL8"WH.CONTRAST BROKEN	1,500.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	5,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	5,000.000	LF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	108.750	SF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	3,528.000	LF
CONC. FOR STRUCTURES - CLASS 4000	2,094.400	CY
CONCRETE,CLASS 4000 FOR FULL DEPTH PATCHING	11.400	CY
PARTIAL DEPTH PATCHING OF EXISTING DECK	200.000	SY
SPALL REPAIR	20.000	SF
GROOVED SURFACE FINISH	3,908.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	842,564.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	72,384.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	4,740.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL 002	1,728.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	8.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	8.000	EA
PILE DRIVING SET-UP	48.000	EA
STEEL H BEARING PILING (HP14 X 73)	2,431.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	229.000	LF
DRILLED SHAFT SET-UP	24.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	918.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 60" DIAMETER	858.000	LF
CONSTRUCTION CASING - 60" DIAMETER	858.000	LF
18" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	144.000	LF
18" SMOOTH WALL PIPE	24.000	LF
24" SMOOTH WALL PIPE	156.000	LF
DROP INLET TYPE 112	8.000	EA
COVERT DROP INLET TYPE 112 FROM CB-9	50.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	80.000	LF
CONCRETE FLUME	1,800.000	LF
BITUMINOUS CURB	3,000.000	LF
DECK JOINT STRIP SEAL	184.000	LF
ELASTOMERIC BEARING	120.000	EA
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	4.000	EA
CONCRETE OVERLAY (EPOXY) 001	6,587.000	SY
RESEAL DECK EXPANSION JOINT	1,878.500	LF
CROSSHOLE SONIC LOGGING SETUP	24.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	348.000	TON
RIP-RAP (CLASS A)	27.000	TON
RIP-RAP (CLASS B)	1,642.000	TON



Call No.: 020

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	1,819.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	1,650.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	39,487.500	LF
MT3 LEADING END TREATMENT TL3	32.000	EA
MB TRAILING END TREATMENT	25.000	EA
MGS3 GR STANDARD SHOULDER	8,862.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	6.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	26.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	15.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	8.000	EA
NON-MOW STRIP UNDER GUARDRAIL	30,810.000	SY
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
46SS REINFORCED BARRIER WALL	690.000	LF
56SS REINFORCED BARRIER WALL	430.000	LF
TEMPORARY BARRIER FENCE	4,000.000	LF
PERMANENT COVER	114.592	ACRE
TEMPORARY COVER	57.296	ACRE
COMPOST	3,081.000	CY
FERTILIZER (NITROGEN)	11,459.200	LB
FERTILIZER (PHOSPHORIC ACID)	11,459.200	LB
FERTILIZER (POTASH)	11,459.200	LB
AGRICULTURAL GRANULAR LIME	229,184.000	LB
SELECTIVE WATERING	543,000.000	GAL
MOWING	343.776	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	58.000	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	6.415	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	229.184	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	2,790.000	LF
SILT FENCE	226,400.000	LF
REPLACE/REPAIR SILT FENCE	22,640.000	LF
CLEANING SILT BASINS	311.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	56,600.000	LF
INLET FILTER CLEANING	52.000	EA
INLET STRUCTURE FILTER - TYPE D2	2.000	EA
STABILIZED CONSTRUCTION ENTRANCE	12,100.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	20.000	HR

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator