

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For March 09, 2021

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on February 9, 2021 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0258160	PCN: P039462	Project No.: P039462
DBE Goal Percent: 0.00%	PCN: P040146	Project No.: P040146
	PCN: P040147	Project No.: P040147

Approx. Length (miles):9.1900 **Description:** PRESERVATION - AIKEN COUNTY
CO(S): Aiken
Completion Date: 10/31/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	30.000	SY
BORROW EXCAVATION	532.000	CY
MAINTENANCE STONE	27.900	TON
LIQUID ASPHALT BINDER PG64-22	154.251	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,790.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,450.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,223.233	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	89,273.862	SY
DRIVEWAY PAVING-SURFACE TYPE D	150.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,844.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	154.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	68,470.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	75.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	391.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,060.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	58,280.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	154.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	73,570.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	150.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	742.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	6,120.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	116,560.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	659.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	30.000	SY
DETECTABLE WARNING MATERIAL	30.000	SF
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	160.000	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	2.000	EA



Call No.: 010

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.579	ACRE



Call No.: 020 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1057810	PCN: P039684	Project No.: P039684
DBE Goal Percent: 0.00%	PCN: P039685	Project No.: P039685
	PCN: P039687	Project No.: P039687

Approx. Length (miles): 16.3900 **Description:** REHABILITATION - CHARLESTON CO
CO(S): Charleston
Completion Date: 9/30/2022 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	8.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	767.230	SY
REMOVAL & DISPOSAL OF EXISTING CURB	90.000	LF
UNCLASSIFIED EXCAVATION	25.000	CY
BORROW EXCAVATION	3,563.600	CY
EXCAVATION FOR SHOULDER PAVING	382.220	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	382.220	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	625.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	38,433.328	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,345.170	TON
MAINTENANCE STONE	386.050	TON
LIQUID ASPHALT BINDER PG64-22	2,594.720	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	38,605.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	72,752.168	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	44,023.600	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	32,567.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.5"	110,703.500	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,600.000	SY
MILLED-IN RUMBLE STRIP	6.580	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	16,131.609	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	21,691.935	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,051.960	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,026.625	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	2,548.480	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,684.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	4,802.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	420.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	143,219.000	LF



Call No.: 020

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	4,762.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	2,021.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	3,037.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	39.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	32.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	4.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	15,120.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	86,897.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	10,604.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	840.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	428,193.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	9,776.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,184.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	8,349.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	87.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	28.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	73.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	10.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	9.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	17.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	42,610.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	249,197.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	735.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	11.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	16.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	233.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	216.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,402.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	650.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	135.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	830.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	260.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	12,720.000	LF
SAWCUT FOR LOOP DETECTOR	5,873.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	5.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") - SLOPING FACE	54.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	338.900	SY
CONCRETE SIDEWALK(6" UNIFORM)	75.720	SY
DETECTABLE WARNING MATERIAL	137.500	SF



Call No.: 020

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
CONCRETE DRIVEWAY(6" UNIFORM)	194.560	SY
PEDESTRIAN RAMP CONSTRUCTION	255.000	SY
SURFACE APPLIED DETECTABLE WARNING	270.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.116	ACRE



Call No.: 030 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1458280 PCN: P029894 Project No.: P029894
DBE Goal Percent: 0.00% PCN: P040225 Project No.: P040225
Approx. Length (miles):3.9400 Description: PRESERVATION - CLARENDON CO
CO(S): Clarendon
Completion Date: 9/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	188.000	CY
MAINTENANCE STONE	3.850	TON
LIQUID ASPHALT BINDER PG64-22	58.846	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	385.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	200.000	SY
MILLED-IN RUMBLE STRIP	6.000	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	877.200	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	49,580.000	SY
DRIVEWAY PAVING-SURFACE TYPE D	28.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	344.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	96.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	32,300.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	53.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	4,170.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	1,540.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	96.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	32,300.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	106.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	8,340.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	3,080.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	264.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	100.000	LF
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.912	ACRE



Call No.: 040 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3058380 PCN: P039757 Project No.: P039757

DBE Goal Percent: 0.00%

Approx. Length (miles):2.9400

Description: REHABILITATION - S-46 S-50 S-892

CO(S): Laurens

Completion Date: 10/31/2021

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,176.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	39,677.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,470.000	TON
MAINTENANCE STONE	1.200	TON
LIQUID ASPHALT BINDER PG64-22	220.653	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	120.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,090.000	SY
MILLED-IN RUMBLE STRIP	5.460	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,372.230	TON
DRIVEWAY PAVING-SURFACE TYPE C	173.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	776.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	494.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	109,660.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	852.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	3.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,460.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	115,440.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	136.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	28,840.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	244.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,470.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	30,940.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	206.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	34.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	726.000	LF



Call No.: 040

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
SAWCUT FOR LOOP DETECTOR	227.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	1.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.852	ACRE



Call No.: 050 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3858100	PCN: P039166	Project No.: P039166
DBE Goal Percent: 0.00%	PCN: P039509	Project No.: P039509
	PCN: P039746	Project No.: P039746
	PCN: P039747	Project No.: P039747

Approx. Length (miles):29.9700 **Description:** RECONSTRUCTION/REHABILITATION - ORANGEBURG CO
CO(S): Orangeburg

Completion Date: 9/30/2022 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	660.000	SY
UNCLASSIFIED EXCAVATION	1,460.000	CY
BORROW EXCAVATION	5,864.000	CY
EXCAVATION FOR SHOULDER PAVING	255.552	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	255.552	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	109,600.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	130,121.602	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	8,400.000	TON
MAINTENANCE STONE	44.650	TON
HMA SHOULDER WIDENING COURSE	1,545.280	TON
LIQUID ASPHALT BINDER PG64-22	3,091.964	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,345.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,130.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,584.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	24,230.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	179,480.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	39,900.000	SY
MILLED-IN RUMBLE STRIP	31.400	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,010.840	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	27,840.348	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	8,042.418	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	12,833.186	TON
DRIVEWAY PAVING-SURFACE TYPE D	3,120.000	TON
FULL DEPTH CONCRETE PAVEMENT PATCH - 8"	160.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,348.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	3,496.000	LF



Call No.: 050

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	196,696.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,762.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	40.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	3,024.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	19.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	11.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	21,450.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	136,316.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,246.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	541,042.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	7,850.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,884.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	600.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,310.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	29.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	11.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	58,800.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	327,922.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	7,300.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,400.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	50.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	190.000	LF
8"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT	180.000	LF
24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT	50.000	LF
WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT) EPOXY PAINT	2.000	EA
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	420.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	6,320.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	300.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	80.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	45.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	6,040.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	210.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,422.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	14.000	EA
REMOVAL OF PAVEMENT MARKINGS	890.000	LF
REMOVAL OF PAVEMENT MARKINGS	2.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	990.000	LF



Call No.: 050

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	11,060.000	LF
SAWCUT FOR LOOP DETECTOR	3,590.000	LF
ADJUST DROP INLET ADJUST D. I.	14.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	60.000	SY
DETECTABLE WARNING MATERIAL	430.000	SF
PEDESTRIAN RAMP CONSTRUCTION	600.000	SY
SURFACE APPLIED DETECTABLE WARNING	280.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	15.000	LF
PREMASH THRIE WITH BASE PL 6.25 SPACE	516.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	5,525.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	230.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH W-BEAM W BASE PL 6.25 SPA	100.000	LF
PREMASH TYPE T TL3 LEADING 50'	22.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	28.346	ACRE



Call No.: 060 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3887600 PCN: P028053 Project No.: P028053

DBE Goal Percent: 12.00%

Approx. Length (miles): 1.9300

Description: SHOULDER IMPROVEMENT - US 78

CO(S): Orangeburg

Completion Date: 11/30/2021

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
CLEARING & GRUBBING DITCHES	1.000	ACRE
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	4.600	SY
REMOVAL OF EXIST. GUARDRAIL	485.000	LF
CULVERT EXTENSION PREPARATION	1.000	EA
UNCLASSIFIED EXCAVATION	7,995.000	CY
BORROW EXCAVATION	400.000	CY
GEOTEXTILE, SEPARATION	33.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	47.000	CY
TEMPORARY SHORING WALL	30.000	LF
NO. 57 STONE FOR BACKFILL	33.000	TON
FINE GRADING	12,460.000	SY
FLOWABLE FILL	60.000	CY
MAINTENANCE STONE	350.000	TON
HMA SHOULDER WIDENING COURSE	3,670.000	TON
LIQUID ASPHALT BINDER PG64-22	450.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,200.000	SY
MILLED-IN RUMBLE STRIP	3.900	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,790.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	175.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	540.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	2.000	EA
TEMPORARY CONCRETE BARRIER	408.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	20,500.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	220.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	174.000	LF



Call No.: 060

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,350.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	11,900.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	20,500.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	220.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	174.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,350.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	11,900.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	272.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	250.000	SF
SQUARE TUBING POST 12 GAUGE - 2 1/4" X 2 1/4" X 8	392.000	LF
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	13.800	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	2,028.000	LB
12" RC PIPE CUL.-CLASS III	24.000	LF
15" RC PIPE CUL.-CLASS III	32.000	LF
18" RC PIPE CUL.-CLASS III	690.000	LF
24" RC PIPE CUL.-CLASS III	336.000	LF
30" RC PIPE CUL.-CLASS III	174.000	LF
ADJUST CATCH BASIN	1.000	EA
BEVELING OF PIPE END	24.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	40.000	SY
DETECTABLE WARNING MATERIAL	44.000	SF
PEDESTRIAN RAMP CONSTRUCTION	20.000	SY
RIP-RAP (CLASS B)	104.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	138.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	900.000	LF
MT3 LEADING END TREATMENT TL3	12.000	EA
MGS3 GR STANDARD SHOULDER	2,375.000	LF
MGS3CS GR COMPRESSED SHOULDER	500.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	360.000	LF
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
TEMPORARY BARRIER FENCE	1,000.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	6.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	18.364	ACRE
TEMPORARY COVER	9.170	ACRE
FERTILIZER (NITROGEN)	1,836.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,836.000	LB



Call No.: 060

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FERTILIZER (POTASH)	1,836.000	LB
AGRICULTURAL GRANULAR LIME	36,720.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	55.000	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	4.282	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.434	MSY
SEDIMENT TUBES FOR DITCH CHECKS	1,360.000	LF
SILT FENCE	8,320.000	LF
REPLACE/REPAIR SILT FENCE	832.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	2,080.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 070 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3955240 PCN: P039401 Project No.: P039401
DBE Goal Percent: 0.00% PCN: P039402 Project No.: P039402
PCN: P039422 Project No.: P039422
PCN: P040010 Project No.: P040010

Approx. Length (miles):6.1900 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Pickens PICKENS CO

Completion Date: 8/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, EXCAVATION, PAVING, etc.



Call No.: 070

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	69,179.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,410.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	63.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,221.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	13.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	360.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	70,454.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	712.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	202.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	420.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,540.000	LF
SAWCUT FOR LOOP DETECTOR	2,740.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	425.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	6,870.000	LF
PREMASH TYPE T TL3 LEADING 50'	17.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.644	ACRE



Call No.: 080 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4058350 **PCN:** P039564 **Project No.:** P039564
DBE Goal Percent: 0.00% **PCN:** P039771 **Project No.:** P039771
Approx. Length (miles):21.7200 **Description:** REHABILITATION - RICHLAND COUNTY
CO(S): Richland
Completion Date: 9/30/2022 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,582.500	SY
UNCLASSIFIED EXCAVATION	14.000	CY
BORROW EXCAVATION	3,106.000	CY
EXCAVATION FOR SHOULDER PAVING	1,146.570	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,146.570	STA
MAINTENANCE STONE	159.250	TON
HMA SHOULDER WIDENING COURSE	4,996.640	TON
LIQUID ASPHALT BINDER PG64-22	3,512.991	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,900.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	9,025.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	43,315.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	285,510.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	12,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,565.000	SY
MILLED-IN RUMBLE STRIP	20.960	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	12,995.839	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	30,647.492	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,047.550	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	7,134.980	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,980.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,465.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,480.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	23,100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	501,145.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,850.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	12,504.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	111.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	69.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	28,600.000	LF



Call No.: 080

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	408,615.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	725.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,550.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	195,350.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	950.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	15.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,828.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	37.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	23.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,500.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	117,450.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	205.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	155.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,871.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	30.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	14,510.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	430.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,680.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	15,200.000	LF
FLEXIBLE DELINEATOR POST, 4"X12", TYPE 4 SHEETING REFLECTOR	165.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	595.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,305.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	175.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	4,480.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	175.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	13,720.000	LF
SAWCUT FOR LOOP DETECTOR	4,445.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	35.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	7.000	EA
ADJUST CATCH BASIN	10.000	EA
ADJUST DROP INLET ADJUST D. I.	4.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	45.000	LF
CONCRETE CURB AND GUTTER(1'-6") OGEE	150.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	15.000	SY
DETECTABLE WARNING MATERIAL	749.900	SF
CONCRETE DRIVEWAY(6" UNIFORM)	25.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,500.000	SY



Call No.: 080

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	15.030	ACRE
MOWING	15.030	ACRE



Call No.: 090 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4214160 **PCN:** P027413 **Project No.:** P027413
DBE Goal Percent: 8.00% **PCN:** P030402 **Project No.:** P030402
Approx. Length (miles):2.0440 **Description:** BRIDGE REPLACEMENT - SC 85 (SOUTHERN R.R.) & S-995
CO(S): Spartanburg
Completion Date: 6/30/2023 **Funding:** FED

MINIMUM REQUIRED QUARTERLY CPS: 72.9 (Period ending on December 31, 2020)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	11,163.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE PAVEMENT(REHAB)	350.000	SY
REMOVAL & DISPOSAL OF CONCRETE MEDIAN BARRIER	155.000	LF
REMOVAL OF EXIST. GUARDRAIL	7,839.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	21,098.000	CY
BORROW EXCAVATION	180,182.000	CY
BORROW PIT SET-UP	1.000	LS
STRUCTURE EXCAVATION FOR RETAINING WALL	13,625.000	CY
FINE GRADING	51,191.000	SY
MAINTENANCE STONE	550.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	23,000.000	TON
LIQUID ASPHALT BINDER PG64-22	1,725.000	TON
LIQUID ASPHALT BINDER PG76-22	278.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	13,728.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,201.000	SY
MILLED-IN RUMBLE STRIP	2.470	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	10,896.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,561.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	75.000	TON



Call No.: 090

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE A	5,527.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,282.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	10.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	80.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,038.600	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	520.000	SF
DETOUR SIGNS	3,172.380	SF
BARRICADE - TYPE 3	240.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	4.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	2.000	EA
TEMPORARY CONCRETE BARRIER	5,100.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	4.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	19.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"WH.BROKEN	225.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"WH.SOLID PREF.	1,800.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"YEL.SOLID PREF.	1,800.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	11,165.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING SYMBOLS) (TRAFFIC CONTROL)	75.000	LF
REMOVAL OF PAVEMENT MARKINGS(HIGH PRESSURE WATER)(LINES)(TRAFFIC CONTROL)	585.000	SF
REMOVAL OF PAVEMENT MARKINGS(HIGH PRESSURE WATER)(ARROWS, WORDS, RR CROSSING SYMBOLS, TRIANGLE YIELD)(TRAFFIC CONTROL)	335.000	SF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	105.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	60.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,240.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	6,980.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	18,140.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	2,780.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	140.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	6,780.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	17,400.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	530.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,750.000	LF
12" WHITE BROKEN LINES-LANE DROP PATTERN-THERMOPLASTIC- 90 MIL.	1,080.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,230.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	12,945.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	275.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	1,190.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	160.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,950.000	LF



Call No.: 090

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	13,200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	225.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	25.000	EA
6" WHITE BROKEN LINES-(GAPS EXCLD)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,850.000	LF
6" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	12,600.000	LF
6" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS 002	12,600.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	230.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL12"WH.BROKEN	200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	1,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)12"WH.SOLID	200.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	313.320	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	9.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	110.750	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD OVERHEAD	4.000	EA
REMOVAL OF MOUNTING ASSEMBLY FOR FS.SIGN ON OVERHEAD SUPPORT	4.000	EA
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	5.000	EA
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	348.500	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	1,047.500	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	40.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	379.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	9.330	LF
BREAK-AWAY SIGN SUPPORTS	3,571.000	LB
REMOVAL OF I-BEAM SUPPORTS	14.000	EA
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	21.000	EA
DELINEATORS, DOUBLE, MONO., INCL. SUPPORTS	46.000	EA
DELINEATORS, DOUBLE, MONO, BRIDGE, WALL OR BARRIER MOUNTED	8.000	EA
DELINEATORS, FLEXIBLE, 4IN. X 4IN., BRIDGE, WALL OR BARRIER	144.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 001	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 002	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 003	1.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	120.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	3,232.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,950.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,965.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,296.000	LF
SAWCUT FOR LOOP DETECTOR	890.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
MOD. EXIST ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	7.000	EA
17"X30"X18"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	1.000	EA



Call No.: 090

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	580.000	LF
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 004	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 005	18.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	11.000	EA
REMOVE FOUNDATION OF STEEL STRAIN POLE - 18" BELOW GRADE	1.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
CONC. FOR STRUCTURES - CLASS 4000	4,083.800	CY
GROOVED SURFACE FINISH	5,971.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	645,469.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	38,675.000	LB
GALVANIZED REINF. STEEL FOR STRUCTURES (BRIDGE)	383,987.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	1,548.000	LF
PRESTRESSED CONCRETE BULB TEE BEAM(54"MOD.)	1,242.500	LF
PRESTRESSED CONCRETE BULB TEE BEAM(74" MODIFIED)	3,588.400	LF
CONCRETE BRIDGE BARRIER PARAPET	1,308.000	LF
CONCRETE BRIDGE MEDIAN BARRIER	449.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	12.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	8.000	EA
PILE DRIVING SET-UP	82.000	EA
REINF. PILE TIPS (HP14 X 73)	53.000	EA
REINF. PILE TIPS (HP14 X 89)	12.000	EA
PREDRILLING FOR STEEL PILE (HP14 X 89)	42.000	LF
STEEL H BEARING PILING (HP14 X 73)	5,052.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	196.000	LF
STEEL H BEARING PILING (HP14 X 89)	607.000	LF
DRILLED SHAFT SET-UP	18.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 42" DIAMETER	45.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	853.000	LF
CONSTRUCTION CASING - 48" DIAMETER	156.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	216.000	LF
CONSTRUCTION CASING - 54" DIAMETER	216.000	LF
BI-DIRECTIONAL STATIC LOAD TESTING OF DRILLED SHAFTS	1.000	EA
MECH. STAB.EARTH RETAINING WALL BACKFILL(STONE)	27,260.000	CY
MECHANICALLY STABILIZED EARTH WALL(ROADWAY)	14,000.000	SF
COPING FOR MSE RETAINING WALL(ROADWAY)	700.000	LF
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	23,653.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	1,132.000	LF
GEOMEMBRANE	5,235.000	SY



Call No.: 090

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
18" SMOOTH WALL PIPE	6,229.000	LF
24" SMOOTH WALL PIPE	89.000	LF
36" SMOOTH WALL PIPE	372.000	LF
60" SMOOTH WALL PIPE	146.000	LF
CLEANING EXISTING PIPE	100.000	LF
CATCH BASIN TYPE 25 SINGLE 4'X7' W IA SLAB	2.000	EA
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 9	2.000	EA
CATCH BASIN -TYPE 16	5.000	EA
DROP INLET (24" X 24")	7.000	EA
DROP INLET (24" X 36")	3.000	EA
DROP INLET TYPE 112	19.000	EA
MANHOLE	1.000	EA
24" X 24" JUNCTION BOX	5.000	EA
72" X 72" JUNCTION BOX	3.000	EA
PRECAST CONCRETE RISER - 48" DIAMETER	63.000	LF
PRECAST CONCRETE DRAINAGE BASE - 48"	6.000	EA
EXTRA DEPTH OF BOX	39.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	2.000	EA
BEVELING OF PIPE END	4.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	59.000	LF
CONCRETE GUTTER-TYPE 1	90.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,158.500	LF
CONCRETE MEDIAN	40.000	SY
BITUMINOUS CURB	800.000	LF
ELASTOMERIC BEARING	142.000	EA
CROSSHOLE SONIC LOGGING SETUP	18.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	1,461.000	TON
8" CORR. METAL PIPE SLOPE DRAIN (TEMPORARY)	64.000	LF
12" PIPE SLOPE DRAIN	50.000	LF
RIP-RAP (CLASS A)	339.000	TON
RIP-RAP (CLASS B)	2,037.000	TON
RIP-RAP (CLASS C)	14.000	TON
RIP-RAP (CLASS D)	17.000	TON
SLOPE PROTECTION-4" CONCRETE	470.000	SY
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	2,789.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	5,309.000	SY
MT3 LEADING END TREATMENT TL3	11.000	EA
PREMASH RESET W-BEAM BRIDGE CONN WBBC2	1.000	EACH
RESET MEDIAN CABLE BARRIER	3,000.000	LF
MB TRAILING END TREATMENT	6.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	100.000	LF



Call No.: 090

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 6

Description	Quantity	Units
MGS3 GR STANDARD SHOULDER	6,350.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH RESET TRAIL W-BEAM TYPE B 12.5'	1.000	EA
PREMASH RESET TYPE T TL3 LEADING 50'	1.000	EA
PREMASH RESET THRIEBEAM BRDG CONN TBBC3	1.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	13.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	2.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	3.000	EA
NON-MOW STRIP UNDER GUARDRAIL	3,462.000	SY
2' CRASH CUSHION 3A	3.000	EA
36SS REINFORCED BARRIER WALL	1,343.230	LF
36 VERTICAL FACE REINFORCED BARRIER WALL	370.000	LF
CONC BARR TRANSITION BETWEEN TWO SHAPES	40.000	LF
ADDITIONAL LENGTH OF POST	100.000	LF
TEMPORARY BARRIER FENCE	1,200.000	LF
RESET FENCE	470.000	LF
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	6.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	60.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	14.380	ACRE
TEMPORARY COVER	13.690	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	6.000	ACRE
FERTILIZER (NITROGEN)	1,438.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,438.000	LB
FERTILIZER (POTASH)	1,438.000	LB
AGRICULTURAL GRANULAR LIME	28,760.000	LB
SELECTIVE WATERING	190,050.000	GAL
MOWING	56.140	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	169.300	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 3	1.000	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	36.026	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.155	SY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	3.500	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	514.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	190.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	440.000	LF
SILT FENCE	7,924.000	LF
REPLACE/REPAIR SILT FENCE	793.000	LF
CLEANING SILT BASINS	107.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,982.000	LF
CLEANING INLET STRUCTURE FILTERS	122.000	EA
INLET STRUCTURE FILTER - TYPE D1	10.000	EA



Call No.: 090

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 7

Description	Quantity	Units
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	10.000	EA
INLET STRUCTURE FILTER - TYPE B	16.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 1)	1.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	5.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	89.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,650.000	SY
SUBSURFACE EXPLORATION	1.000	LS
ON-THE-JOB TRAINEE (BRIDGE)	2,600.000	HR



Call No.: 100 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5158120	PCN: P039512	Project No.: P039512
DBE Goal Percent: 0.00%	PCN: P039768	Project No.: P039768
	PCN: P039784	Project No.: P039784
	PCN: P039785	Project No.: P039785
	PCN: P040155	Project No.: P040155
	PCN: P040159	Project No.: P040159
	PCN: P040164	Project No.: P040164
	PCN: P040168	Project No.: P040168
	PCN: P040180	Project No.: P040180
	PCN: P040181	Project No.: P040181

Approx. Length (miles): 15.0400 **Description:** RECONSTRUCTION/REHABILITATION - SUMTER/LEE CO
CO(S): Lee Sumter
Completion Date: 9/30/2022 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	4,436.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	425.000	LF
BORROW EXCAVATION	3,064.000	CY
EXCAVATION FOR SHOULDER PAVING	704.456	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	704.456	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	99,495.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	3,675.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,532.000	TON
MAINTENANCE STONE	43.850	TON
HMA SHOULDER WIDENING COURSE	4,816.534	TON
LIQUID ASPHALT BINDER PG64-22	2,466.221	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	635.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	25,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	70,855.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	21,350.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,254.000	SY
MILLED-IN RUMBLE STRIP	25.480	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10,631.373	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,764.306	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	14,012.141	TON



Call No.: 100

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE D	750.000	TON
DRIVEWAY PAVING-SURFACE TYPE B	180.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,170.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,224.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	21,840.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	524,750.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	13,440.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,560.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	9.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	9.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	14.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	39,780.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	314,280.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,380.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	82,550.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,380.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	583.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,280.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	43,980.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	395.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	88.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,222.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	380.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	57,780.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	240.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)SC HYBRIDIZED POLYMER-20MIL 002	15.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	853.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	2.000	EA
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	4.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	3,350.000	LF



Call No.: 100

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	43,440.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	185.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	615.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	25.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,390.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	25.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,460.000	LF
SAWCUT FOR LOOP DETECTOR	1,535.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
ADJUST CATCH BASIN	6.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CONCRETE CURB (9" X 15")	300.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	75.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	50.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	100.000	SY
DETECTABLE WARNING MATERIAL	537.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	100.000	SY
CONCRETE DRIVEWAY(10" UNIFORM)	210.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,075.000	SY
SURFACE APPLIED DETECTABLE WARNING	175.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,535.000	LF
MT3 LEADING END TREATMENT TL3	10.000	EA
MB TRAILING END TREATMENT	6.000	EA
MGS3 GR STANDARD SHOULDER	1,100.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.908	ACRE



Call No.: 110 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5158200 PCN: P040094 Project No.: P040094

DBE Goal Percent: 0.00%

Approx. Length (miles): 750.0000

Description: RAISED PAVEMENT MARKERS - DISTRICT 1

CO(S): DISTRICT 1

Completion Date: 9/30/2021

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	17,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	10,400.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	60,000.000	EA



Call No.: 120 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5255950	PCN: P038640	Project No.: P038640
DBE Goal Percent: 0.00%	PCN: P038646	Project No.: P038646
	PCN: P038647	Project No.: P038647
	PCN: P038785	Project No.: P038785
	PCN: P039137	Project No.: P039137
	PCN: P039331	Project No.: P039331
	PCN: P039335	Project No.: P039335
	PCN: P039594	Project No.: P039594
	PCN: P039689	Project No.: P039689
	PCN: P039878	Project No.: P039878
	PCN: P039881	Project No.: P039881
	PCN: P039893	Project No.: P039893

Approx. Length (miles):27.9300

Description: RECONSTRUCTION - DISTRICT 2

CO(S): Edgefield Greenwood
McCormick Saluda

Completion Date: 7/31/2023

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	11.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	275.000	SY
BORROW EXCAVATION	10,595.000	CY
EXCAVATION FOR SHOULDER PAVING	482.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	482.000	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	16,265.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	88,512.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	210,760.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	13,009.000	TON
MAINTENANCE STONE	120.710	TON
HMA SHOULDER WIDENING COURSE	2,135.467	TON
LIQUID ASPHALT BINDER PG64-22	3,510.726	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	2,480.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,901.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	40.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	1,650.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	110,059.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	91,105.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,720.000	SY



Call No.: 120

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
MILLED-IN RUMBLE STRIP	39.700	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	11,317.973	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	31,073.827	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	18,426.984	TON
DRIVEWAY PAVING-SURFACE TYPE B	773.375	TON
DRIVEWAY PAVING-SURFACE TYPE C	658.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,242.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	13,348.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,330.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,008,436.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	90.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,472.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,567.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	26.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	45,460.000	LF
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	6,360.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,082,926.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	25,560.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,350.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,365.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,110.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	274,502.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	30.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,048.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,399.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	12,370.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,120.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	290,382.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	8,520.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	282.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	234.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,069.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	280.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,670.000	LF
SAWCUT FOR LOOP DETECTOR	1,480.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	4.000	EA
CATCH BASIN -TYPE 16	3.000	EA
ADJUST MANHOLE	2.000	EA
DETECTABLE WARNING MATERIAL	137.500	SF
PEDESTRIAN RAMP CONSTRUCTION	275.000	SY



Call No.: 120

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
SURFACE APPLIED DETECTABLE WARNING	170.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	2,275.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	937.500	LF
MT3 LEADING END TREATMENT TL3	40.000	EA
MGS3 GR STANDARD SHOULDER	1,425.000	LF
MGS3CS GR COMPRESSED SHOULDER	3,350.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	370.000	LF
PREMASH RESET THRIE STRONG POST SYSTEM	50.000	LF
PREMASH TYPE T TL3 LEADING 50'	26.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	111.871	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	780.000	LF
SILT FENCE	13,970.000	LF
REPLACE/REPAIR SILT FENCE	1,410.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	3,505.000	LF



Call No.: 130 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5456080	PCN: P039434	Project No.: P039434
DBE Goal Percent: 0.00%	PCN: P039436	Project No.: P039436
	PCN: P039440	Project No.: P039440
	PCN: P039442	Project No.: P039442
	PCN: P039978	Project No.: P039978
	PCN: P039984	Project No.: P039984

Approx. Length (miles): 14.4500 **Description:** RECONSTRUCTION/REHABILITATION - DISTRICT 4
CO(S): Chester Fairfield Union
Completion Date: 8/31/2022 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,950.000	SY
UNCLASSIFIED EXCAVATION	5,584.800	CY
BORROW EXCAVATION	4,923.000	CY
STATION GRADING	91.600	STA
GEOGRID REINFORCEMENT (UNIAXIAL)	2,269.000	SY
FINE GRADING	2,386.000	SY
FLOWABLE FILL	13.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	59,760.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	103,832.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,644.000	TON
MAINTENANCE STONE	790.500	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	10,213.561	TON
LIQUID ASPHALT BINDER PG64-22	2,368.312	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,070.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	460.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	2,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	47,176.000	SY
MILLING EXISTING ASPHALT PAVEMENT 6.0"	14,485.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,880.000	SY
MILLED-IN RUMBLE STRIP	21.790	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,914.904	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	10,041.387	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,832.129	TON



Call No.: 130

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE C	17,267.009	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,498.750	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	163,592.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,699.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,163.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	445,168.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,130.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,279.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	3.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	9.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,154.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	408,232.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	536.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	180.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,344.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	372.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	69,520.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	62,110.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	150.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,096.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,065.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,950.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	62,977.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	33,369.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	60.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	84.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	674.000	EA
12" SMOOTH WALL PIPE	45.000	LF
15" SMOOTH WALL PIPE	16.000	LF
18" SMOOTH WALL PIPE	56.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	2.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
CONCRETE MEDIAN	12.000	SY
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
RIP-RAP (CLASS A)	30.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	50.000	SY



Call No.: 130

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,550.000	LF
PREMASH TYPE T TL3 LEADING 50'	31.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.760	ACRE
SILT FENCE	800.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
CLEANING SILT BASINS	5.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	100.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	10.000	TON



Call No.: 140 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5556650	PCN: P039534	Project No.: P039534
DBE Goal Percent: 0.00%	PCN: P039535	Project No.: P039535
	PCN: P039537	Project No.: P039537
	PCN: P039538	Project No.: P039538
	PCN: P039540	Project No.: P039540
	PCN: P039996	Project No.: P039996

Approx. Length (miles):22.1500 **Description:** RECONSTRUCTION/REHABILITATION - DISTRICT 5
CO(S): Darlington Marlboro
Completion Date: 9/30/2022 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	6,885.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	3,200.000	LF
BORROW EXCAVATION	4,104.000	CY
EXCAVATION FOR SHOULDER PAVING	646.454	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	646.454	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	24,611.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	923.000	TON
MAINTENANCE STONE	191.850	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	69.000	TON
HMA SHOULDER WIDENING COURSE	3,233.240	TON
LIQUID ASPHALT BINDER PG64-22	2,978.914	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	12,920.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	7,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	6,148.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	188,224.258	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,095.000	SY
MILLED-IN RUMBLE STRIP	18.760	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10,602.827	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	23,589.600	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	14,154.436	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,101.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,683.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	7,268.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	47,640.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	353,754.000	LF



Call No.: 140

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,935.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	6,525.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	9,070.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	89.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	44.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	31.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	16.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	16,800.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	301,865.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,205.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	15,880.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	117,918.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,175.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,310.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	33.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	18.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	11.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,600.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	100,625.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	876.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	45.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,148.000	EA
REMOVAL OF PAVEMENT MARKINGS	21,952.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	470.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	10,146.000	LF
SAWCUT FOR LOOP DETECTOR	3,635.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	11.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	12.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	6.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	500.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	800.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	1,900.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,210.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	2,000.000	SY
DETECTABLE WARNING MATERIAL	912.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,850.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,825.000	SY
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	13.649	ACRE



Call No.: 150 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5556750	PCN: P039549	Project No.: P039549
DBE Goal Percent: 0.00%	PCN: P039551	Project No.: P039551
	PCN: P039552	Project No.: P039552
	PCN: P039554	Project No.: P039554
	PCN: P039999	Project No.: P039999
	PCN: P040001	Project No.: P040001

Approx. Length (miles):24.0600 **Description:** RECONSTRUCTION/REHABILITATION - DISTRICT 5
CO(S): Georgetown Williamsburg
Completion Date: 10/31/2022 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,275.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	500.000	LF
BORROW EXCAVATION	4,722.000	CY
EXCAVATION FOR SHOULDER PAVING	450.419	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	450.419	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	232,383.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	8,425.000	TON
MAINTENANCE STONE	109.700	TON
HMA SHOULDER WIDENING COURSE	4,298.240	TON
LIQUID ASPHALT BINDER PG64-22	2,702.486	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,370.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	4,600.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	1,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	102,022.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	13,940.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,440.000	SY
MILLED-IN RUMBLE STRIP	45.860	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,395.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	27,130.293	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	14,540.220	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	348.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,493.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,860.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	29,325.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	655,996.000	LF



Call No.: 150

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	420.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,480.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	9.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	18.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	114,290.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	405,315.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,680.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	780.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	780.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,380.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,435.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	157,947.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	74,194.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	140.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,485.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	11,245.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,450.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	85,290.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	51,205.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	413.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	385.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,262.000	EA
REMOVAL OF PAVEMENT MARKINGS	9,220.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	70.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,114.000	LF
SAWCUT FOR LOOP DETECTOR	472.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	2.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	28.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	8.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	500.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	450.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	200.000	SY
DETECTABLE WARNING MATERIAL	337.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	950.000	SY
PEDESTRIAN RAMP CONSTRUCTION	675.000	SY
PREMASH TYPE T TL3 LEADING 50'	13.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.751	ACRE



Call No.: 160 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5558240 PCN: P040098 Project No.: P040098
DBE Goal Percent: 0.00%
Approx. Length (miles): 1,000.
CO(S): DISTRICT5 0000 Description: RAISED PAVEMENT MARKINGS - DISTRICT 5
Completion Date: 9/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	24,100.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	10,300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	77,900.000	EA



Call No.: 170 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5658250 PCN: P040099 Project No.: P040099
DBE Goal Percent: 0.00%
Approx. Length (miles): 710.0000 Description: RAISED PAVEMENT MARKINGS - DISTRICT 6
CO(S): DISTRICT6
Completion Date: 9/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	16,200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	7,300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	57,000.000	EA



Call No.: 180 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5758040	PCN: P039300	Project No.: P039300
DBE Goal Percent: 0.00%	PCN: P039415	Project No.: P039415
	PCN: P039480	Project No.: P039480
	PCN: P039591	Project No.: P039591
	PCN: P039696	Project No.: P039696
	PCN: P039705	Project No.: P039705

Approx. Length (miles):25.3800 **Description:** REHABILITATION - BAMBERG/BARNWELL CO
CO(S): Bamberg Barnwell
Completion Date: 8/31/2022 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,351.000	SY
BORROW EXCAVATION	5,025.600	CY
EXCAVATION FOR SHOULDER PAVING	1,896.576	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,896.576	STA
MAINTENANCE STONE	108.600	TON
HMA SHOULDER WIDENING COURSE	15,123.974	TON
LIQUID ASPHALT BINDER PG64-22	3,623.615	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	3,400.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,480.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	2,515.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	12,280.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	450.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	118,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	95,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	18,520.000	SY
MILLING - VARIABLE - 2' WIDTH	1,065.000	SY
MILLED-IN RUMBLE STRIP	34.360	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,193.360	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	24,039.623	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	10,919.029	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,508.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,872.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	935.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	204,710.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	376.000	LF



Call No.: 180

Letting Date: March 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	22.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,926.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	1.000	EA
HANDICAP SYMBOL - PERM.PVMT MARKING	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	14,740.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	115,915.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,660.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	439,980.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	752.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,916.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	1.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	36,540.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	239,580.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,561.000	EA
ADJUST DROP INLET ADJUST D. I.	21.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	226.000	SY
DETECTABLE WARNING MATERIAL	855.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	75.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,050.000	SY
SURFACE APPLIED DETECTABLE WARNING	160.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	480.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	775.000	LF
PREMASH THRIE WITH BASE PL 6.25 SPACE	250.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	475.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	115.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	8.000	EA
PREMASH TYPE T TL3 LEADING 50'	16.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	24.353	ACRE



Call No.: 190 Letting Date: March 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5758260 PCN: P040100 Project No.: P040100
DBE Goal Percent: 0.00%
Approx. Length (miles):900.0000 Description: RAISED PAVEMENT MARKING - DISTRICT 7
CO(S): DISTRICT7
Completion Date: 9/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	13,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	5,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	65,000.000	EA

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator