

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For April 11, 2023

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on March 11, 2023 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.

This Project has a list of qualified contractors for the In Contract Utility - Section 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

3/2/2023

Call No.: 010 Letting Date: April 11, 2023 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3652370	PCN: P026857	Project No.: P026857
DBE Goal Percent: 7.00%	PCN: P030895	Project No.: P030895
	PCN: P030896	Project No.: P030896
	PCN: P030897	Project No.: P030897
	PCN: P030898	Project No.: P030898
	PCN: P037108	Project No.: IM88030
	PCN: P038562	Project No.: P038562
	PCN: P038568	Project No.: P038568
	PCN: P038569	Project No.: P038569
	PCN: P038570	Project No.: P038570

Approx. Length (miles): Description: BRIDGE JACKING/REHABILITATION -
CO(S): Newberry NEWBERRY CO

Completion Date: 9/30/2025 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	9.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 002	1.000	EA
SMALL PUBLIC SEWER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
OFF-DUTY LAW ENFORCEMENT OFFICER	6,240.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
SELECTED CLEARING & GRUBBING	0.082	ACRE
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	4,878.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,246.000	SY
REMOVAL OF EXIST. GUARDRAIL	33,219.000	LF
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	11,407.000	CY
ROCK EXCAVATION	6,700.000	CY
BORROW EXCAVATION	123,055.000	CY
BORROW PIT SET-UP	1.000	LS
GEOGRID STABILIZATION	75,917.670	SY



Call No.: 010

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
TEMPORARY SHORING WALL	160.000	LF
FINE GRADING	163,279.000	SY
FLOWABLE FILL	710.000	CY
MAINTENANCE STONE	963.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	7,216.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	4,330.000	TON
LIQUID ASPHALT BINDER PG64-22	14,721.000	TON
LIQUID ASPHALT BINDER PG76-22	2,757.600	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	5,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	5,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,802.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	103,967.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	10,193.000	SY
MILLING EXISTING ASPHALT PAVEMENT 5.0"	121,367.000	SY
MILLING EXISTING ASPHALT PAVEMENT 6.0"	407,556.000	SY
MILLING EXISTING ASPHALT PAVEMENT 14.0"	40,755.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	107,669.000	SY
MILLED-IN RUMBLE STRIP	41.060	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	70,327.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	16,529.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 12.5 MM	41,782.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE A	975.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,764.400	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,877.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	6,200.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	3,330.000	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	162,250.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,292.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	660.000	SF
DETOUR SIGNS	5,172.000	SF
BARRICADE - TYPE 3	732.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	4.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH)	23.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 70MPH	55.000	EA
TEMPORARY CONCRETE BARRIER	26,290.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	2.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	19.000	EA
TYPE B - FLASHING LIGHT	136.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	4,155.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	220.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	2,110.000	LF
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC) 6" WHITE BROKEN LINES	181,800.000	LF



Call No.: 010

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	40,040.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	42,070.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	13,260.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	13,680.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-6"WHITE SOLID LINE	705,600.000	LF
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC)-6" YELLOW SOLID LINES	700,200.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"WH.SOLID PREF.	1,680.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"YEL.SOLID PREF.	1,260.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)12"WHITE SOLID LINE	22,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	800.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)24"WHITE SOLID LINE	1,200.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	17,920.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-WHITE SINGLE ARROW	36.000	EA
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC)WHITE COMBINATION ARRWS	24.000	EA
PAVEMENT MARKINGS(TEMPORARY-THERMOPLASTIC)-WHITE WORD 'ONLY	18.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	3,460.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	4,200.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	270.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	2,100.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	800.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	30,945.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	33,200.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	120,180.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	4,100.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	25.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	975.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	21.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	44,900.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	119,280.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	30.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	450.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	1,768.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM. 60MIL 3" BLACK SOLID	53.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	105.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	420.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	420.000	LF
WORK ZONE ITS	1.000	LS



Call No.: 010

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
CONC. FOR STRUCTURES - CLASS 4000	429.400	CY
SPALL REPAIR	868.000	SF
EPOXY CRACK INJECTION	245.000	LF
GROOVED SURFACE FINISH	8,797.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	51,207.000	LB
STRUCTURAL STEEL	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
15" SMOOTH WALL PIPE	40.000	LF
18" SMOOTH WALL PIPE	1,934.000	LF
24" SMOOTH WALL PIPE	100.000	LF
36" SMOOTH WALL PIPE	8.000	LF
60" SMOOTH WALL PIPE	24.000	LF
72" SMOOTH WALL PIPE	12.000	LF
CLEANING EXISTING PIPE	2,000.000	LF
CATCH BASIN -TYPE 9	1.000	EA
DROP INLET TYPE 112	20.000	EA
36" X 36" JUNCTION BOX (TOP ONLY)	10.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	12.000	EA
CONCRETE COLLAR FOR UP TO 60" PIPE	1.000	EA
CONCRETE COLLAR FOR UP TO 72" PIPE	1.000	EA
ADJUST DROP INLET ADJUST D. I.	55.000	EA
BEVELING OF PIPE END	49.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	844.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	3,700.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	932.000	SY
CONCRETE DRIVEWAY(6" UNIFORM)	60.000	SY
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	62.500	SF
ELASTOMERIC BEARING	272.000	EA
MACHINE PREPARATION OF EXISTING SURFACE	8,862.000	SY
HYDRO-DEMOLITION OF EXISTING SURFACE	8,862.000	SY
BLAST CLEANING	8,959.000	SY
PARTIAL DEPTH REMOVAL OF UNSOUND CONCRETE	1,348.000	SY
VERY EARLY STRENGTH CONCRETE OVERLAY (LATEX)	479.800	CY
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	102.400	CY
REHABILITATE EXISTING EXPANSION JOINT - COMPRESSION SEAL	4.000	EA
RESEAL DECK EXPANSION JOINT	1,370.000	LF
JACKING BRIDGE	1.000	LS
8" PERFORATED PIPE UNDERDRAIN WITH GEOTEXTILE	1,000.000	LF
RIP-RAP (CLASS A)	1,104.000	TON
RIP-RAP (CLASS B)	1,480.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	2,935.000	SY



Call No.: 010

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	420.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	2,359.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	16,287.500	LF
MT3 LEADING END TREATMENT TL3	26.000	EA
PREMASH NEST THRIE 1.56 SPA CRITICAL OFFSET	6,175.000	LF
MEDIAN CABLE BARRIER	58,500.000	LF
MB TRAILING END TREATMENT	27.000	EA
MGS3 GR STANDARD SHOULDER	14,687.500	LF
MGS3CS GR COMPRESSED SHOULDER	450.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	18.000	EA
CABLE BARRIER END ANCHOR	63.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	36.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
PREMASH STEEL-BACKED TIMBER BRIDGE CONN	425.000	EA
NON-MOW STRIP UNDER GUARDRAIL	677.000	SY
SACRIFICIAL FLEXIBLE WARNING MARKER POST (FWMP) 48Y/Y	20.000	EA
PREMASH W-BEAM TIGHT CURVED SYSTEM	612.500	LF
PREMASH W-BEAM MEDIUM SHOP BENT SYSTEM	412.500	LF
PREMASH IMPACT ATTENUATOR IA CLASS D3	11.000	EA
PREMASH TYPE T TL3 LEADING 50'	40.000	EA
TEMPORARY BARRIER FENCE (ORANGE)	4,800.000	LF
RESET FENCE	1,194.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	69.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	94.292	ACRE
TEMPORARY COVER	152.274	ACRE
COMPOST	114,361.000	CY
FERTILIZER (NITROGEN)	9,427.700	LB
FERTILIZER (PHOSPHORIC ACID)	9,427.700	LB
FERTILIZER (POTASH)	9,427.700	LB
AGRICULTURAL GRANULAR LIME	188,519.000	LB
SELECTIVE WATERING	705,900.000	GAL
MOWING	282.876	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	152.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	1.510	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	8.458	MSY



Call No.: 010

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 6

Description	Quantity	Units
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	0.276	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	3.753	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	4.500	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	191.775	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	3.900	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	72.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	72.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	24,521.000	LF
SILT FENCE	85,566.000	LF
REPLACE/REPAIR SILT FENCE	8,303.000	LF
SILT BASINS	38,269.000	CY
CLEANING SILT BASINS	15,293.100	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	20,755.500	LF
INLET FILTER CLEANING	244.000	EA
INLET STRUCTURE FILTER - TYPE D1	200.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	100.000	EA
INLET STRUCTURE FILTER - TYPE B	1.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	2.000	EA
INLET STRUCTURE FILTER - TYPE D2	99.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	53.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	573.000	TON
STABILIZED CONSTRUCTION ENTRANCE	9,075.000	SY
REPLACE CONCRETE RAILING	25.000	LF
FIBER REINFORCED POLYMER FOR BEAM REPAIR	280.000	SF
ON-THE-JOB TRAINEE (ROADWAY)	19,240.000	HR

NEWBERRY COUNTY WATER AND SEWER AUTHORITY

LIST OF PREQUALIFIED CONTRACTORS FOR UTILITY RELOCATION

SCDOT PROPOSAL ID 3652370

- 1.) LAKE MURRAY UTILITY COMPANY, INC.
- 2.) TOM BRIGMAN CONTRACTORS, INC.
- 3.) MCLAM & ASSOCIATES, INC.



Call No.: 020 Letting Date: April 11, 2023 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0253880 PCN: P030229 Project No.: P030229

DBE Goal Percent: 11.50%

Approx. Length (miles): 0.3650 Description: INTERSECTION IMPROVEMENTS - SC 118/S-1303 (AIKEN CO)

CO(S): Aiken

Completion Date: 5/31/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	900.000	SY
REMOVAL OF EXIST. GUARDRAIL	255.000	LF
UNCLASSIFIED EXCAVATION	1,353.000	CY
BORROW EXCAVATION	2,400.000	CY
FINE GRADING	1,230.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	330.000	TON
LIQUID ASPHALT BINDER PG64-22	89.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,000.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	84.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	504.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	735.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	104.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	544.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	105.000	SF
BARRICADE - TYPE 3	72.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	7,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	10,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	14.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	14.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	20.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	926.000	LF



Call No.: 020

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,840.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	7.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,525.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	25.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	50.000	EA
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	23.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	3.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	122.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	635.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	35.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	86.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,770.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	895.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	577.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,940.000	LF
SAWCUT FOR LOOP DETECTOR	725.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	7.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	3.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	573.000	LF
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	9.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	1.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	11.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
24" SMOOTH WALL PIPE	48.000	LF
MANHOLE WITH STANDARD 4' X 4' BOX	1.000	EA
DISSIMILAR PIPE COUPLER	2.000	EA
BEVELING OF PIPE END	2.000	EA
RIP-RAP (CLASS B)	44.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	60.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	312.500	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	8.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.485	ACRE
TEMPORARY COVER	2.485	ACRE
FERTILIZER (NITROGEN)	248.500	LB
FERTILIZER (PHOSPHORIC ACID)	248.500	LB



Call No.: 020

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FERTILIZER (POTASH)	248.500	LB
AGRICULTURAL GRANULAR LIME	4,970.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	9.940	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	2.049	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.020	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	4.970	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	48.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	480.000	LF
SILT FENCE	2,333.000	LF
REPLACE/REPAIR SILT FENCE	234.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	583.000	LF
CLEANING INLET STRUCTURE FILTERS	3.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 030 Letting Date: April 11, 2023 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0857131 PCN: P039388 Project No.: P039388
DBE Goal Percent: 12.00%
Approx. Length (miles):0.1570 Description: INTERSECTION IMPROVEMENTS - US 176 (BERKELEY CO)
CO(S): Berkeley
Completion Date: 6/30/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, EXCAVATION, PAVEMENT, and MARKINGS with their respective quantities and units.



Call No.: 030

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,370.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	23.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	65.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	140.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	358.000	LF
REFLECTIVE SIGN POST PANELS	120.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 001	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	11.000	EA
18" SMOOTH WALL PIPE	388.000	LF
24" SMOOTH WALL PIPE	32.000	LF
30" SMOOTH WALL PIPE	276.000	LF
CATCH BASIN -TYPE 16	5.000	EA
DROP INLET (24" X 36")	1.000	EA
DROP INLET (24" X 36") WITH STANDARD 4' X 4' BOX	2.000	EA
BEVELING OF PIPE END	8.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	84.000	LF
CONCRETE CURB (9" X 15")	170.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,342.000	LF
CONCRETE MEDIAN	310.000	SY
RIP-RAP (CLASS B)	105.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	69.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	125.000	SY
MOVING ITEM NO. 002	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	13.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.500	ACRE
TEMPORARY COVER	3.000	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	4.500	ACRE
SEEDING - ERAGROSTIS CURVULA - WEEPING LOVEGRASS	0.182	MSY
FERTILIZER (NITROGEN)	150.000	LB
FERTILIZER (PHOSPHORIC ACID)	150.000	LB
FERTILIZER (POTASH)	150.000	LB
AGRICULTURAL GRANULAR LIME	3,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	9.000	ACRE
DOUBLE-SHREDDED HARDWOOD MULCH	531.000	SF
MUHLENBERGIA CAPILLARIS (PINK MUHLY GRASS) #1 CONT.	61.000	EA
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	80.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	80.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	216.000	LF
SILT FENCE	820.000	LF
INLET STRUCTURE FILTER - TYPE B	3.000	EA



Call No.: 030

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

This Project has a list of qualified contractors for the In Contract Utility - Section 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

3/2/2023

Call No.: 040 Letting Date: April 11, 2023 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2653341 PCN: P038513 Project No.: P038513
 DBE Goal Percent: 8.50%
 Approx. Length (miles): 0.9680 Description: INTERSECTION IMPROVEMENT - S-801/S-477
 CO(S): Horry
 Completion Date: 10/31/2024 Days Funding:

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 01	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 01	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 012	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 013	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 014	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 015	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 016	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 017	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	220.000	SY
UNCLASSIFIED EXCAVATION	6,885.000	CY
BORROW EXCAVATION	5,042.000	CY
MUCK EXCAVATION	2,215.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	821.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	224.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,052.000	LF



Call No.: 040

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
GEOTEXTILE, SEPARATION	280.000	SY
GEOGRID STABILIZATION	495.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	278.000	CY
TEMPORARY SHORING WALL	30.000	LF
STONE BRIDGE LIFT MATERIAL	1,017.000	TON
GRANULAR BRIDGE LIFT MATERIAL	437.000	CY
FINE GRADING	17,337.000	SY
FLOWABLE FILL	40.000	CY
MAINTENANCE STONE	800.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	4,549.000	TON
LIQUID ASPHALT BINDER PG64-22	741.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	7,029.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	8,746.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,884.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,054.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	4,199.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	948.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
DETOUR SIGNS	254.000	SF
BARRICADE - TYPE 3	84.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	2,640.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	240.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	37,350.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	51,700.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	430.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	40.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	28.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	104.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	400.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	10,200.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	250.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	22.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	22.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	19,300.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	80.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	130.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	48.000	SF



Call No.: 040

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	106.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	15.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	112.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	94.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	145.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL 4.0" SCHEDULE 80 PVC CONDUIT	4.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,267.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	920.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	979.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	591.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	5.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	6.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	14.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	8.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR STOP BAR DETECTION	2.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	4.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SETBACK DETECTION	2.000	EA
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	27.200	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	3,008.000	LB
18" SMOOTH WALL PIPE	1,824.000	LF
24" SMOOTH WALL PIPE	212.000	LF
36" SMOOTH WALL PIPE	1,072.000	LF
CATCH BASIN -TYPE 9	3.000	EA
CATCH BASIN -TYPE 16	23.000	EA
CATCH BASIN -TYPE 18	5.000	EA
DROP INLET (24" X 36")	12.000	EA



Call No.: 040

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
MANHOLE	2.000	EA
24" X 36" JUNCTION BOX	2.000	EA
JUNCTION BOX - CONVERT CB T-16	1.000	EA
JUNCTION BOX - CONVERT CB T-18	1.000	EA
BEVELING OF PIPE END	39.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,333.000	LF
CONCRETE DRIVEWAY(6" UNIFORM)	27.000	SY
9'X 6' P.C. BOX CULVERT {AASHTO M-273} FH < 2	98.000	LF
RIP-RAP (CLASS B)	905.000	TON
RIP-RAP (CLASS C)	146.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,028.000	SY
RESET FENCE	640.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	88.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	6.620	ACRE
TEMPORARY COVER	13.240	ACRE
COMPOST	178.000	CY
FERTILIZER (NITROGEN)	662.000	LB
FERTILIZER (PHOSPHORIC ACID)	662.000	LB
FERTILIZER (POTASH)	662.000	LB
AGRICULTURAL GRANULAR LIME	13,240.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	19.860	ACRE
SODDING - CENTIPEDE GRASS	0.500	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.120	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	13.240	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	13.240	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	336.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	366.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	935.000	LF
SILT FENCE	2,832.000	LF
REPLACE/REPAIR SILT FENCE	566.000	LF
CLEANING SILT BASINS	163.000	CY



Call No.: 040

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
REMOVAL OF SILT RETAINED BY SILT FENCE	708.000	LF
INLET FILTER CLEANING	62.000	EA
INLET STRUCTURE FILTER - TYPE D1	6.000	EA
INLET STRUCTURE FILTER - TYPE A	14.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	18.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

Tournament Blvd/McDowell Shortcut Intersection Improvement – P038513
GSWSA Approved Contractors List

R.H. Moore Company, Inc. P.O. Box 830 Murrells Inlet, SC 29576	Richardson & Richardson, Inc. P.O. Box 259 Conway, SC 29528	Lawrimore Construction, Inc. 6240 Cypress Swamp Rd Conway, SC 29527
	RWF Construction, LLC P.O. Box 69 Effingham, SC 29541	



Call No.: 050 Letting Date: April 11, 2023 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3064940 PCN: P041830 Project No.: P041830
DBE Goal Percent: 0.00%
Approx. Length (miles): 4.6900 Description: RESURFACE VARIOUS ROUTES 2022-23
CO(S): Laurens LAURENS CTC
Completion Date: 5/31/2024 Days Funding:

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	5.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
BORROW EXCAVATION	1,347.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	572.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	17,345.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	34,355.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,837.000	TON
MAINTENANCE STONE	26.600	TON
LIQUID ASPHALT BINDER PG64-22	420.269	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	660.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,960.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12" UNIF	40.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	2,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	10,485.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,100.000	SY
MILLED-IN RUMBLE STRIP	7.240	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,254.636	TON
DRIVEWAY PAVING-SURFACE TYPE C	416.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,870.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	920.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	119,770.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,838.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	119,770.000	LF
4" WHITE BROKEN LINES (GAPS EXCL.) THERMOPLASTIC- 90 MIL.	230.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	60,440.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	822.000	LF
4" YELLOW SOLID LINES (PVT. EDGE LINES) THERMO-90 MIL.	60,440.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	314.000	EA
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY



Call No.: 050

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
SURFACE APPLIED DETECTABLE WARNING	140.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.103	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	120.000	LF
SILT FENCE	1,200.000	LF
REPLACE/REPAIR SILT FENCE	120.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	300.000	LF



Call No.: 060 Letting Date: April 11, 2023 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4264950 PCN: P042240 Project No.: P042240
DBE Goal Percent: 0.00%
Approx. Length (miles): 11.2400 Description: REHABILITATION - SPARTANBURG COUNTY
CO(S): Spartanburg
Completion Date: 6/30/2024 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	167.000	SY
BORROW EXCAVATION	1,718.000	CY
EXCAVATION FOR SHOULDER PAVING	533.808	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	533.808	STA
MAINTENANCE STONE	571.000	TON
HMA SHOULDER WIDENING COURSE	3,558.720	TON
LIQUID ASPHALT BINDER PG64-22	1,467.190	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	22,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	70,025.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	94,153.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	13,340.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	10,851.645	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	9,271.467	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,846.200	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,308.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,020.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	175,002.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	9,460.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,718.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	66.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	32.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	14.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	11,840.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	433,112.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	542.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,118.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,700.000	LF



Call No.: 060

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	87,501.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	4,730.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,859.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	33.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	16.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	7.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,960.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	108,278.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	78.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	246.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,073.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,680.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	30,160.000	LF
FURNISH & INSTALL FLUSH MOUNTED WIRELESS SENSOR	6.000	EA
SAWCUT FOR LOOP DETECTOR	10,960.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	24.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	9.000	EA
DETECTABLE WARNING MATERIAL	37.500	SF
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	365.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,100.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	2,425.000	LF
PREMASH RESET TYPE T TL3 LEADING 50'	4.000	EA
PREMASH W-TO-THRIE BRIDGE CONN WTBBC	3.000	EA
PREMASH TYPE T TL3 LEADING 50'	22.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.851	ACRE



Call No.: 070 Letting Date: April 11, 2023 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4657160 PCN: P039374 Project No.: P039374
 DBE Goal Percent: 11.00%
 Approx. Length (miles):0.3670 Description: SAFETY IMPROVEMENTS- S-54/S-80 (YORK CO)
 CO(S): York
 Completion Date: 6/30/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEMS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	640.000	SY
UNCLASSIFIED EXCAVATION	2,313.000	CY
BORROW EXCAVATION	8,748.000	CY
FINE GRADING	2,375.000	SY
FLOWABLE FILL	9.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	790.000	TON
LIQUID ASPHALT BINDER PG64-22	188.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,100.000	SY
MILLED-IN RUMBLE STRIP	0.250	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	213.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,339.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	713.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	33.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	576.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	365.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	496.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	323.000	SF
DETOUR SIGNS	290.000	SF
BARRICADE - TYPE 3	132.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER TYPE B - FLASHING LIGHT	2.000	EA
16.000	EA	
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	9,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	9,000.000	LF



Call No.: 070

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	100.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	90.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	1,000.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,400.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,400.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	400.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	75.000	LF
WHITE WORD MESSAGE "MPH x SL" – 2 LINES – THERMO 125 MIL	4.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,400.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	70.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	193.200	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	326.000	LF
REFLECTIVE SIGN POST PANELS	190.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 001	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	9.000	EA
15" SMOOTH WALL PIPE	132.000	LF
18" SMOOTH WALL PIPE	96.000	LF
CLEANING EXISTING PIPE	60.000	LF
DROP INLET (24" X 36")	2.000	EA
BEVELING OF PIPE END	9.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	165.000	LF
CONCRETE CURB (9" X 15")	240.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,385.000	LF
CONCRETE MEDIAN	725.000	SY
4" PERFORATED PIPE UNDERDRAIN	225.000	LF
RIP-RAP (CLASS A)	60.000	TON
RIP-RAP (CLASS B)	150.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	250.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	210.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	750.000	LF
FLUME INLET AT GUARDRAIL (HANDWORK)	8.000	EA
NON-MOW STRIP UNDER GUARDRAIL	102.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	13.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.000	ACRE
TEMPORARY COVER	3.000	ACRE
SEEDING - ERAGROSTIS CURVULA - WEEPING LOVEGRASS	0.245	MSY
FERTILIZER (NITROGEN)	200.000	LB



Call No.: 070

Letting Date: April 11, 2023

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FERTILIZER (PHOSPHORIC ACID)	200.000	LB
FERTILIZER (POTASH)	200.000	LB
AGRICULTURAL GRANULAR LIME	4,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	10.000	ACRE
DOUBLE-SHREDDED HARDWOOD MULCH	2,209.000	SF
MUHLENBERGIA CAPILLARIS (PINK MUHLY GRASS) #1 CONT.	246.000	EA
TEMPORARY EROSION CONTROL BLANKET (ECB)	3.552	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	4.000	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	65.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	368.000	LF
SILT FENCE	500.000	LF
CLEANING SILT BASINS	80.000	CY
INLET FILTER CLEANING	6.000	EA
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	50.000	SY
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	10.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
WOODEN FENCE	100.000	LF

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator