

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For April 12, 2022

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on March 15, 2022 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.

Mandatory Pre Bid Conference - See Information Below



South Carolina Department of Transportation

3/7/2022

Call No.: 010 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1810411 PCN: 0023349X Project No.: CHMB010
DBE Goal Percent: 12.50%
Approx. Length (miles): Description: NEW LOCATION - BERLIN MYERS PARKWAY
CO(S): Dorchester
Completion Date: 9/30/2026 Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 72.5 (Period ending on December 31, 2021)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	38.000	EA
REMOVAL & DISPOSAL OF EXISTING MANHOLE	1.000	EA
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,710.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	17,390.000	SY
REMOVAL OF EXIST. GUARDRAIL	265.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	181,553.000	CY
BORROW EXCAVATION	793,521.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	1,272.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	14,461.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	4,082.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	538.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,791.000	LF
42" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	131.000	LF
48" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	435.000	LF
60" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	100.000	LF
72" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	53.000	LF
GEOTEXTILE, SEPARATION	394,635.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	16,003.000	SY



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
GEOGRID REINFORCEMENT (BIAXIAL)	1,551.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	23.000	EA
STRUCTURE EXCAVATION FOR CULVERTS	1,664.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	2,082.000	CY
WET & DRY EXCAVATION FOR BRIDGES	830.000	CY
TEMPORARY SHORING WALL	268.000	LF
PERMANENT SHEET PILING	5,320.000	SF
NO. 57 STONE FOR BACKFILL	13,097.000	TON
STONE BRIDGE LIFT MATERIAL	77,041.000	TON
EARTHQUAKE DRAINS	16,410.000	LF
FINE GRADING	203,113.000	SY
FLOWABLE FILL	100.500	CY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	17,682.560	SY
GRADED AGGREGATE BASE COURSE (10" UNIFORM)	162,127.480	SY
MAINTENANCE STONE	310.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	6,721.000	TON
LIQUID ASPHALT BINDER PG64-22	3,452.320	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,286.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	4,163.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	29,456.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,774.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,208.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
TEMPORARY CONCRETE BARRIER	4,316.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	384.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	2.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	1.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	1,075.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	240.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	342.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,240.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	15,570.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,171.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	294.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	130.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	88.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	68.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	12.000	EA



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,100.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	2,930.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	10,300.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT	50.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	14,250.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	19,896.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	6,745.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	294.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,238.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	88.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	68.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	38,609.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	715.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	100.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	610.000	EA
REMOVAL OF PAVEMENT MARKINGS	50.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	490.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	318.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	4,720.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,245.050	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	235.750	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	164.250	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	190.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	1,746.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	102.670	LF
BARRICADE - PERMANENT WITH TYPE III SHEETING	54.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,843.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	12,791.800	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	3,305.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	4,150.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	13,706.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	4,545.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	12,765.000	LF
SAWCUT FOR LOOP DETECTOR	4,445.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	5.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	54.000	EA
FURNISH & INSTALL - 35' WOOD POLE-CLASS II-CCA TR(0.60)	4.000	EA
FURNISH & INSTALL 3/8" BACK GUY FOR WOOD POLE	5.000	EA



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
F&I 13"X32' STEEL STRAIN POLE-POWDER COATED AND FOUNDATION	16.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,500.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	8.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	5.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	5.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	10.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	48.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	20.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	20.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	54.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	1.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	3.000	EA
CONC. FOR STRUCTURES - CLASS 4000	10,094.600	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	765.800	CY
CONC. FOR STRUCTURES - CLASS 4000DS FOR DRILL SHAFTS	47.500	CY
CONC. FOR STRUCTURES - CLASS 5000	532.200	CY
PRECAST CONCRETE PANEL	2,095.000	SF
COMPRESSION SEAL JOINT	162.000	LF
GROOVED SURFACE FINISH	9,618.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	338,375.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	2,688,738.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	198,242.000	LB
POST-TENSIONING FOR INTEGRAL CAPS	1.000	LS
TEMPORARY SUPPORT STRUCTURES	1.000	LS
CONCRETE BRIDGE BARRIER PARAPET	1,160.000	LF
CONCRETE BRIDGE RAILING WALL (3'6"HT)	2,096.700	LF
CONCRETE BRIDGE RAILING WALL	246.800	LF
STEEL HANDRAIL	267.600	LF
STRUCTURAL STEEL	1.000	LS
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	24.000	EA
PILE DRIVING SET-UP	347.000	EA
PREST. CONC. PILING (24"SQ.)	531.000	LF
PILE BUILD-UP PREPARATION (24"SQ)	4.000	EA
PRESTRESSED INDEX PILING (24" SQUARE)	69.000	LF
PRESTRESSED PILE POINT (HP12X53)	620.000	LF
STEEL H BEARING PILING (HP14 X 89)	9,194.000	LF
STEEL H BEARING INDEX PILING (HP14 X 89)	372.000	LF
STEEL H BEARING PILING (HP14 X 102)	4,262.000	LF
STEEL H BEARING INDEX PILING (HP14X 102)	93.000	LF



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 5

Description	Quantity	Units
DRILLED SHAFT SET-UP	37.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 30" DIAMETER	300.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 36" DIAMETER	230.000	LF
CONSTRUCTION CASING - 36" DIAMETER	230.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	1,164.000	LF
CONSTRUCTION CASING - 48" DIAMETER	504.000	LF
CONSTRUCTION CASING - 54" DIAMETER	90.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 60" DIAMETER	119.000	LF
CONSTRUCTION CASING - 60" DIAMETER	17.000	LF
DRILLED SHAFT AXIAL LOAD TEST 60"	1.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 78" DIAMETER	1,416.000	LF
CONSTRUCTION CASING - 78" DIAMETER	132.000	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL	29,265.000	CY
MECH. STAB.EARTH RETAINING WALL BACKFILL(STONE)	3,380.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) R	54,936.000	SF
COPING FOR MSE RETAINING WALL(ROADWAY)	4,235.000	LF
18" SMOOTH WALL PIPE	22,139.000	LF
24" SMOOTH WALL PIPE	4,950.000	LF
30" SMOOTH WALL PIPE	706.000	LF
36" SMOOTH WALL PIPE	1,939.000	LF
42" SMOOTH WALL PIPE	197.000	LF
48" SMOOTH WALL PIPE	435.000	LF
60" SMOOTH WALL PIPE	100.000	LF
72" SMOOTH WALL PIPE	53.000	LF
CLEANING EXISTING PIPE	100.000	LF
CATCH BASIN - TYPE 1 SPECIAL	5.000	EA
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN -TYPE 16	201.000	EA
CATCH BASIN -TYPE 17	70.000	EA
CATCH BASIN -TYPE 18	41.000	EA
DROP INLET (24" X 36")	11.000	EA
MANHOLE	22.000	EA
EXTRA DEPTH OF BOX	370.300	LF
ADJUST MANHOLE	3.000	EA
MANHOLE-CONVERT D.I. 24"X 36"	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	51,820.000	LF
CONCRETE CURB AND GUTTER(2'-0") SLOPING FACE	24,140.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	11,364.000	SY
CONCRETE SIDEWALK(6" UNIFORM) WITH INTEGRAL CUT-OFF WALL	24.700	SY
DETECTABLE WARNING MATERIAL	612.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	295.000	SY
CONCRETE MEDIAN	3,660.160	SY



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 6

Description	Quantity	Units
PEDESTRIAN RAMP CONSTRUCTION	351.000	SY
DECK JOINT STRIP SEAL	132.000	LF
ELASTOMERIC BEARING	14.000	EA
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	39.000	EA
CROSSHOLE SONIC LOGGING SETUP	37.000	EA
AGGREGATE UNDERDRAIN (AGGR.NO. 789)	230.000	CY
GEOTEXTILE FOR DRAINAGE FILTRATION (FABRIC PROTECTED)CLASS 1	4,550.000	SY
PLANTED MEDIAN SUBSURFACE DRAINAGE	14,676.000	SY
4" PERFORATED PIPE UNDERDRAIN	2,000.000	LF
RIP-RAP (CLASS A)	504.000	TON
RIP-RAP (CLASS B)	6,482.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	1,110.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	8,052.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	2,287.500	LF
MT3 LEADING END TREATMENT TL3	13.000	EA
MB TRAILING END TREATMENT	9.000	EA
MGS3 GR STANDARD SHOULDER	150.000	LF
MGS2C GR BEHIND CURB	17,212.500	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	2.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	27.000	EA
PREMASH W-BEAM TIGHT CURVED SYSTEM	89.000	LF
ORNAMENTAL STEEL PICKET FENCE - 42"	6,446.000	LF
TEMPORARY BARRIER FENCE	32,320.000	LF
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
RIGHT OF WAY REPORT	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	262.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	55.800	ACRE
TEMPORARY COVER	27.900	ACRE
FERTILIZER (NITROGEN)	5,580.000	LB
FERTILIZER (PHOSPHORIC ACID)	5,580.000	LB
FERTILIZER (POTASH)	5,580.000	LB
AGRICULTURAL GRANULAR LIME	111,600.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	167.400	ACRE
SODDING	4.378	MSY
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	38.600	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	4.378	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 3	0.124	MSY



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 7

Description	Quantity	Units
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	57.676	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	91.092	ACRE
HYDR.EROS.CONTRL.PROD.(HECP) - TYPE 1 AS TRACER UNDER TRM	10.254	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	3,064.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	3,064.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	8,952.000	LF
SILT FENCE	91,638.000	LF
REPLACE/REPAIR SILT FENCE	9,153.800	LF
SILT BASINS	7,162.000	CY
CLEANING SILT BASINS	7,548.500	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	22,884.500	LF
TEMPORARY DIVERSION DIKE	10,355.000	LF
CLEANING INLET STRUCTURE FILTERS	22.000	EA
INLET STRUCTURE FILTER - TYPE B	15.000	EA
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	2,113.000	SY
STABILIZED CONSTRUCTION ENTRANCE	2,200.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 8"	1,708.000	LF
STORMWATER BASIN RISERS	1.000	EA
CONCRETE ROADSIDE BARRIER (SPECIAL)	2,957.200	LF
DESIGN, CONSTRUCT, AND MAINTAIN MULTI-USE PATH DETOUR	1.000	LS
MOBILIZATION - MITIGATION	1.000	LS
BONDS AND INSURANCE - MITIGATION	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES - MITIGATION	1.000	LS
UTILITY STAKING - MITIGATION	1.000	LS
TRAFFIC CONTROL - MITIGATION	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY - MITIGATION	1.000	LS
UNCLASSIFIED EXCAVATION-MITIGATION	1,314.000	CY
GRADED AGGREGATE BASE COURSE (8" UNIFORM) - MITIGATION	2,091.000	SY
LIQUID ASPHALT BINDER PG64-22 - MITIGATION	12.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B - MITIGATION	210.000	TON
BARRICADE – TYPE 3 - MITIGATION	60.000	LF
TEMPORARY CONSTRUCTION SIGNS (BARRICADE MOUNTED) - MITIGATION	73.333	SF
RIP RAP (CLASS B) - MITIGATION	914.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP (CLASS 2) TYPE D - MITIGATION	1,216.000	SY
PERMANENT COVER - MITIGATION	13.460	ACRE
TEMPORARY COVER - MITIGATION	6.730	ACRE
FERTILIZER (NITROGEN) - MITIGATION	1,346.000	LB
FERTILIZER (PHOSPHORIC ACID) - MITIGATION	1,346.000	LB
FERTILIZER (POTASH) - MITIGATION	1,346.000	LB
AGRICULTURAL GRANULAR LIME- MITIGATION	26,920.000	LB
SELECTIVE WATERING- MITIGATION	135,750.000	GAL



Call No.: 010

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 8

Description	Quantity	Units
MOWING- MITIGATION	40.380	ACRE
TEMPORARY EROSION CONTROL BLANKET (CLASS A)- MITIGATION	14.558	MSY
SILT FENCE - MITIGATION	34,878.000	LF
REPLACE / REPAIR SILT FENCE - MITIGATION	3,487.800	LF
REMOVAL OF SILT RETAINED BY SILT FENCE- MITIGATION	8,719.500	LF
SEDIMENT REMOVAL FROM BODY OF WATER- MITIGATION	100.000	CY
STABILIZED CONSTRUCTION ENTRANCE- MITIGATION	717.000	SY
AS-BUILT SURVEY	1.000	LS
REMOVAL AND DISPOSAL OF EXISTING ASHPALT PAVEMENT- MITIGATION	2,162.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	13,000.000	HR
ON-THE-JOB TRAINEE (BRIDGE)	7,280.000	HR

SECTION 102: MANDATORY PRE-BID CONFERENCE:

The Contractor is advised that all Bidders on this project are required to attend a Pre-Bid Conference to be held at SCDOT Charleston Construction Office, 1357 Remount Road, Suite 1, North Charleston, SC. The Pre Bid Conference will be held on March 8, 2022, at 10am. Prime Contractors who do not attend this Pre Bid Conference will not be allowed to submit a Bid Proposal for this project. Only Prime Contractors will be allowed to attend and will be limited to two (2) attendees each for this meeting.



Call No.: 020 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5505981 PCN: P029700 Project No.: P029700

DBE Goal Percent: 9.00%

Approx. Length (miles):23.4590 Description: REHABILITATION - I-95

CO(S): Dillon Florence

Completion Date: 11/30/2024 Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 68.4 (Period ending on December 31, 2021)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
LAW ENFORCEMENT OFFICER	1,000.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING DROP INLET	2.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	32,971.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	10,778.000	SY
REMOVAL OF EXIST. GUARDRAIL	55,814.000	LF
REMOVAL & DISPOSAL OF EXISTING QUADRUPLE CULVERT(____)' X(____) 001	2.000	EA
UNCLASSIFIED EXCAVATION	40,072.000	CY
BORROW EXCAVATION	98,670.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	3,584.000	CY
GEOTEXTILE, SEPARATION	10,528.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	844.400	SY
GEOGRID STABILIZATION	10,528.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	4.000	EA
TEMPORARY SHORING WALL	796.500	LF
PERMANENT SHORING WALL	270.000	LF
STONE BRIDGE LIFT MATERIAL	3,950.000	TON
GRANULAR BRIDGE LIFT MATERIAL	2,237.000	CY
OVERHAUL	919.000	CYHM
FINE GRADING	43,353.000	SY
FLOWABLE FILL	90.000	CY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	40,256.000	SY
MAINTENANCE STONE	100.000	TON



Call No.: 020

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT BASE COURSE - TYPE A	27,308.000	TON
PRIME COAT	10,064.000	GAL
LIQUID ASPHALT BINDER PG64-22	8,735.000	TON
LIQUID ASPHALT BINDER PG76-22	3,071.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	21,555.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	26,752.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	12,053.000	SY
MILLED-IN RUMBLE STRIP	41.164	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	6,938.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	43,571.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	15,490.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	45,709.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE SMA	51,445.000	TON
MILLING EXISTING CONCRETE PAV.(VARIABLE)	47,320.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	5,000.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	608.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	338.000	SF
TEMPORARY SURFACE MOUNTED FLEXIBLE DELINEATOR POST (WITH YELLOW OR WHITE RETROREFLECTIVE SHEETING)	29.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH)	5.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 70MPH	13.000	EA
TEMPORARY CONCRETE BARRIER	32,000.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	106,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	462,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	462,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	3,520.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	125.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	20.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	12,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	1.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	1.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	2,000.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	29,400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	121,200.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	4,525.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	25.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	300.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	119,300.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	1,720.000	EA



Call No.: 020

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
REMOVAL OF PAVEMENT MARKINGS	11,000.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL8"WH.CONTRAST BROKEN	1,500.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	5,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	5,000.000	LF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	108.750	SF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	3,528.000	LF
CONC. FOR STRUCTURES - CLASS 4000	2,094.400	CY
CONCRETE,CLASS 4000 FOR FULL DEPTH PATCHING	11.400	CY
PARTIAL DEPTH PATCHING OF EXISTING DECK	200.000	SY
SPALL REPAIR	20.000	SF
GROOVED SURFACE FINISH	3,908.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	842,564.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	72,384.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	4,740.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL 002	1,728.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	8.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	8.000	EA
PILE DRIVING SET-UP	48.000	EA
STEEL H BEARING PILING (HP14 X 73)	2,431.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	229.000	LF
DRILLED SHAFT SET-UP	24.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	918.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 60" DIAMETER	858.000	LF
CONSTRUCTION CASING - 60" DIAMETER	858.000	LF
18" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	144.000	LF
18" SMOOTH WALL PIPE	24.000	LF
24" SMOOTH WALL PIPE	156.000	LF
DROP INLET TYPE 112	8.000	EA
COVERT DROP INLET TYPE 112 FROM CB-9	50.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	80.000	LF
CONCRETE FLUME	1,800.000	LF
BITUMINOUS CURB	3,000.000	LF
DECK JOINT STRIP SEAL	184.000	LF
ELASTOMERIC BEARING	120.000	EA
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	4.000	EA
CONCRETE OVERLAY (EPOXY) 001	6,587.000	SY
RESEAL DECK EXPANSION JOINT	1,878.500	LF
CROSSHOLE SONIC LOGGING SETUP	24.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	348.000	TON
RIP-RAP (CLASS A)	27.000	TON
RIP-RAP (CLASS B)	1,642.000	TON



Call No.: 020

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	1,819.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	1,650.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	39,487.500	LF
MT3 LEADING END TREATMENT TL3	32.000	EA
MB TRAILING END TREATMENT	25.000	EA
MGS3 GR STANDARD SHOULDER	8,862.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	6.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	26.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	15.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	8.000	EA
NON-MOW STRIP UNDER GUARDRAIL	30,810.000	SY
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
46SS REINFORCED BARRIER WALL	690.000	LF
56SS REINFORCED BARRIER WALL	430.000	LF
TEMPORARY BARRIER FENCE	4,000.000	LF
PERMANENT COVER	114.592	ACRE
TEMPORARY COVER	57.296	ACRE
COMPOST	3,081.000	CY
FERTILIZER (NITROGEN)	11,459.200	LB
FERTILIZER (PHOSPHORIC ACID)	11,459.200	LB
FERTILIZER (POTASH)	11,459.200	LB
AGRICULTURAL GRANULAR LIME	229,184.000	LB
SELECTIVE WATERING	543,000.000	GAL
MOWING	343.776	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	58.000	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	6.415	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	229.184	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	2,790.000	LF
SILT FENCE	226,400.000	LF
REPLACE/REPAIR SILT FENCE	22,640.000	LF
CLEANING SILT BASINS	311.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	56,600.000	LF
INLET FILTER CLEANING	52.000	EA
INLET STRUCTURE FILTER - TYPE D2	2.000	EA
STABILIZED CONSTRUCTION ENTRANCE	12,100.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	20.000	HR



Call No.: 030 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1461720 PCN: P040305 Project No.: P040305
DBE Goal Percent: 0.00% PCN: P040787 Project No.: P040787
Approx. Length (miles): 2.4900 Description: REHABILITATION - CLARENDON COUNTY
CO(S): Clarendon
Completion Date: 9/30/2022 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	498.000	CY
HAULING OF EXCAVATED SHOULDER MATERIAL	23.232	STA
MAINTENANCE STONE	10.750	TON
LIQUID ASPHALT BINDER PG64-22	161.823	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,075.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,100.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,220.783	TON
DRIVEWAY PAVING-SURFACE TYPE D	268.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	408.000	SF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	214.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	413.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	110.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.415	ACRE



Call No.: 040 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2357220 PCN: P039386 Project No.: P039386

DBE Goal Percent: 5.50%

Approx. Length (miles):0.1490 Description: SAFETY IMPROVEMENTS - SC 81
(GREENVILLE CO)

CO(S): Greenville Completion Date: 10/31/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	73.600	SY
UNCLASSIFIED EXCAVATION	432.000	CY
BORROW EXCAVATION	100.000	CY
FINE GRADING	1,305.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	569.000	TON
LIQUID ASPHALT BINDER PG64-22	54.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	2,274.000	SY
MILLED-IN RUMBLE STRIP	0.270	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	107.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	409.000	TON
DRIVEWAY PAVING-SURFACE TYPE B	22.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	276.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	5,560.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	6,270.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	120.000	LF
PAVEMENT MARKING(TEMPORARY-EPOXY)-WHITE SINGLE ARROW	1.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	1.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,390.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	30.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,570.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	50.000	EA



Call No.: 040

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	0.500	ACRE
SILT FENCE	1,370.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 050 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1
SC File NO(S): 2561680 PCN: P040667 Project No.: P040667
DBE Goal Percent: 0.00%
Approx. Length (miles): 6.6200 Description: REHABILITATION - HAMPTON COUNTY
CO(S): Hampton
Completion Date: 10/31/2022 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
BORROW EXCAVATION	1,324.000	CY
EXCAVATION FOR SHOULDER PAVING	699.072	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	699.072	STA
MAINTENANCE STONE	9.200	TON
HMA SHOULDER WIDENING COURSE	3,462.213	TON
LIQUID ASPHALT BINDER PG64-22	704.520	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	920.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,700.000	SY
MILLED-IN RUMBLE STRIP	10.320	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,659.187	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	6,226.120	TON
DRIVEWAY PAVING-SURFACE TYPE D	341.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	608.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	92.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	70,060.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	180.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	5,930.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	38,090.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	92.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	140,120.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	360.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	11,860.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	76,180.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	439.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY



Call No.: 050

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PREMASH W-BEAM STRONG POST SYSTEM WSP3	62.500	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.420	ACRE



Call No.: 060 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2959560 PCN: P038107 Project No.: P038107

DBE Goal Percent: 12.00%

Approx. Length (miles):0.3820 Description: CORRIDOR IMPROVEMENTS - S-83
(LANCASTER CO)

CO(S): Lancaster

Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
UNCLASSIFIED EXCAVATION	2,866.000	CY
BORROW EXCAVATION	1,214.000	CY
GEOTEXTILE, SEPARATION	1,000.000	SY
GEOTEXTILE, STABILIZATION	1,000.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	9,460.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	380.000	TON
MAINTENANCE STONE	1,700.000	TON
LIQUID ASPHALT BINDER PG64-22	106.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	700.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	988.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	895.000	TON
DRIVEWAY PAVING-SURFACE TYPE C NON-RESURFACING PROJECT	85.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	9,460.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	376.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	94.000	SF
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	25.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	7,220.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	160.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	230.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	12,820.000	LF



Call No.: 060

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	280.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,470.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	80.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	134.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	7,470.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	110.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	13.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	54.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	129.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	245.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	2.000	EA
INSTALL SOLAR POWERED FLASHER ASSEMBLY	2.000	EA
18" SMOOTH WALL PIPE	352.000	LF
24" SMOOTH WALL PIPE	144.000	LF
30" SMOOTH WALL PIPE	128.000	LF
CLEANING EXISTING PIPE	200.000	LF
CATCH BASIN -TYPE 9 MH	2.000	EA
CATCH BASIN -TYPE 16	1.000	EA
MANHOLE	4.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	2.000	EA
BEVELING OF PIPE END	8.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	225.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	300.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	70.000	SY
DETECTABLE WARNING MATERIAL	65.000	SF
CONCRETE MEDIAN	25.000	SY
RIP-RAP (CLASS A)	38.000	TON
RIP-RAP (CLASS B)	230.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	480.000	SY
MT2 LEADING END TREATMENT TL2	2.000	EA
MGS3 GR STANDARD SHOULDER	175.000	LF
TEMPORARY BARRIER FENCE	100.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	16.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.751	ACRE
TEMPORARY COVER	0.876	ACRE
COMPOST	470.000	CY
FERTILIZER (NITROGEN)	200.000	LB



Call No.: 060

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
FERTILIZER (PHOSPHORIC ACID)	200.000	LB
FERTILIZER (POTASH)	200.000	LB
AGRICULTURAL GRANULAR LIME	4,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.000	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.857	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	3.480	ACRE
SILT FENCE	2,385.000	LF
REPLACE/REPAIR SILT FENCE	240.000	LF
CLEANING SILT BASINS	60.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	600.000	LF
CLEANING INLET STRUCTURE FILTERS	4.000	EA
INLET STRUCTURE FILTER - TYPE B	7.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	1.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	70.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 070 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3261630 PCN: P040672 Project No.: P040672

DBE Goal Percent: 0.00%

Approx. Length (miles): 16.8800 Description: REHABILITATION - LEXINGTON CO

CO(S): Lexington

Completion Date: 6/30/2023

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	568.333	SY
UNCLASSIFIED EXCAVATION	56.000	CY
BORROW EXCAVATION	3,095.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	42,300.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,249.000	TON
MAINTENANCE STONE	146.050	TON
LIQUID ASPHALT BINDER PG64-22	1,458.292	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	12,505.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	16,580.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	6,250.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	11,325.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,382.800	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	18,676.020	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	50.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	3,212.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,122.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	84,500.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,100.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,520.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	600.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	200,900.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	150.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	660.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	27,110.000	LF



Call No.: 070

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	450.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,495.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	88,330.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	2.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,153.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,025.000	LF
SAWCUT FOR LOOP DETECTOR	660.000	LF
ADJUST CATCH BASIN	1.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CONCRETE CURB AND GUTTER(1'-6") OGEE	50.000	LF
DETECTABLE WARNING MATERIAL	200.000	SF
PEDESTRIAN RAMP CONSTRUCTION	400.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	15.003	ACRE



Call No.: 080 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3262150 PCN: P041135 Project No.: P041135
 DBE Goal Percent: 6.50% PCN: P041409 Project No.: P041409
 Approx. Length (miles):5.7200 Description: S-34 (POND BRANCH ROAD) MITIGATION
 CO(S): Lexington
 Completion Date: 11/30/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,080.000	SY
UNCLASSIFIED EXCAVATION	480.000	CY
BORROW EXCAVATION	1,144.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	85,420.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,780.000	TON
MAINTENANCE STONE	7.500	TON
LIQUID ASPHALT BINDER PG64-22	537.910	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	8,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,500.000	SY
MILLED-IN RUMBLE STRIP	14.400	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,143.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	100.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	100.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	507.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	952.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,050.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	118,272.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,534.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	548.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	6,500.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	97,470.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,200.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,000.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	60,403.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	310.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,250.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	48,738.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	405.000	EA



Call No.: 080

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
REFLECTIVE SIGN POST PANELS	125.000	LF
GUARDRAIL DELINEATOR - WHITE	75.000	EA
PREMASH W-BEAM STRONG POST SYSTEM WSP3	575.000	LF
MT3 LEADING END TREATMENT TL3	18.000	EA
MGS3 GR STANDARD SHOULDER	1,250.000	LF
PREMASH TYPE T TL3 LEADING 50'	5.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	5.550	ACRE
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF



Call No.: 090 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3825740 PCN: P030256 Project No.: P030256
DBE Goal Percent: 8.50%
Approx. Length (miles): 0.3530 Description: BRIDGE REPLACEMENT - US 301 (SNAKE SWAMP)
CO(S): Orangeburg
Completion Date: 6/30/2024 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	4,241.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	113.000	CY
REMOVAL OF EXIST. GUARDRAIL	437.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	2,799.000	CY
BORROW EXCAVATION	11,170.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	450.000	SY
EARTHQUAKE DRAINS	4,950.000	LF
FINE GRADING	5,956.000	SY
HOT MIX ASPHALT BASE COURSE - TYPE A	2,018.000	TON
LIQUID ASPHALT BINDER PG64-22	210.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	22,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,024.000	SY
MILLED-IN RUMBLE STRIP	2.910	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,063.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	134.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	942.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,987.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	15.000	TON
LEVELING EXISTING RUMBLE STRIP	0.652	MI
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	576.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	318.000	SF
DETOUR SIGNS	392.000	SF
TEMPORARY SURFACE MOUNTED FLEXIBLE DELINEATOR POST (WITH YELLOW OR WHITE RETROREFLECTIVE SHEETING)	12.000	EA



Call No.: 090

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
BARRICADE - TYPE 3	216.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	2.000	EA
TEMPORARY CONCRETE BARRIER	4,040.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	8.000	EA
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	35,760.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING	90.000	LF
SYMBOLS) (TRAFFIC CONTROL)		
REMOVAL OF PAVEMENT MARKINGS(HIGH PRESSURE WATER)(LINES)(TRAFFIC	210.000	SF
CONTROL)		
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	360.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	12,560.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	59,030.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	480.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	10.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	760.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	57,050.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	340.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,160.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	11,740.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	110.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	240.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	11,150.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	180.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	70.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	280.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	280.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	106.500	SF
SQUARE TUBING POST 12 GAUGE - 1 3/4" X 1 3/4" X 8	37.000	LF
SQUARE TUBING POST 12 GAUGE - 2" X 2" X 8	9.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	732.000	LF
CONC. FOR STRUCTURES - CLASS 4000	503.000	CY
GROOVED SURFACE FINISH	733.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	122,457.000	LB
PRESTRESSED CONC. BEAM (TYPE II)	834.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL 001	364.000	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	8.000	EA
PILE DRIVING SET-UP	40.000	EA
PREST. CONC. PILING (24"SQ.)	553.000	LF



Call No.: 090

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
PILE BUILD-UP PREPARATION (24"SQ)	2.000	EA
PRESTRESSED INDEX PILING (24" SQUARE)	83.000	LF
PRESTRESSED PILE POINT (HP12X53)	752.000	LF
STEEL H BEARING PILING (HP14 X 73)	1,766.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	165.000	LF
24" RC PIPE CUL.-CLASS III	201.000	LF
18" SMOOTH WALL PIPE	996.000	LF
DROP INLET TYPE 112	8.000	EA
MANHOLE-CONVERT D.I. 24"X 36"	2.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	62.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	80.000	LF
CONCRETE MEDIAN	16.000	SY
ELASTOMERIC BEARING	36.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	153.000	TON
RIP-RAP (CLASS B)	567.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE A	33.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	760.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	337.500	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
PREMASH RESET NEST W-BEAM SP SYSTEM	50.000	LF
MGS3 GR STANDARD SHOULDER	612.500	LF
PREMASH RESET TYPE T TL3 LEADING 50'	2.000	EA
PREMASH RESET THRIEBEAM BRDG CONN TBBC3	2.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	1.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	2.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
NON-MOW STRIP UNDER GUARDRAIL	50.000	SY
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
FLUME INLET AT MOMENT SLAB	2.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	15.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.208	ACRE
TEMPORARY COVER	2.104	ACRE
FERTILIZER (NITROGEN)	420.800	LB
FERTILIZER (PHOSPHORIC ACID)	420.800	LB
FERTILIZER (POTASH)	420.800	LB
AGRICULTURAL GRANULAR LIME	8,416.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	12.624	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	32.200	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.378	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	10.902	ACRE



Call No.: 090

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.813	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	150.000	LF
SILT FENCE	3,567.000	LF
REPLACE/REPAIR SILT FENCE	360.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	900.000	LF
INLET FILTER CLEANING	4.000	EA
INLET STRUCTURE FILTER - TYPE D1	10.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	10.000	EA
STABILIZED CONSTRUCTION ENTRANCE	825.000	SY



Call No.: 100 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1
SC File NO(S): 3862090 PCN: P041138 Project No.: P041138
DBE Goal Percent: 0.00%
Approx. Length (miles): Description: CULVERT REPAIR - S-562
CO(S): Orangeburg
Completion Date: 11/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	65.000	SY
REMOVAL OF EXIST. GUARDRAIL	80.000	LF
UNCLASSIFIED EXCAVATION	283.000	CY
BORROW EXCAVATION	623.000	CY
GEOTEXTILE, SEPARATION	184.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	600.000	CY
NO. 57 STONE FOR BACKFILL	116.000	TON
FINE GRADING	484.000	SY
FLOWABLE FILL	6.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE B	22.000	TON
LIQUID ASPHALT BINDER PG64-22	5.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	111.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	43.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	27.000	TON
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	120.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	60.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	7.000	SF
GUARDRAIL DELINEATOR - YELLOW	4.000	EA
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	27.400	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	2.492	LB
8'X 6' P.C. BOX CULVERT {AASHTO M-259} FH = 5	136.000	LF
RIP-RAP (CLASS C)	180.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	154.000	SY
MT2 LEADING END TREATMENT TL2	4.000	EA
MGS3 GR STANDARD SHOULDER	50.000	LF
NON-MOW STRIP UNDER GUARDRAIL	122.000	SY
TEMPORARY BARRIER FENCE	500.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	8.000	EA



Call No.: 100

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.243	ACRE
TEMPORARY COVER	0.122	ACRE
FERTILIZER (NITROGEN)	24.300	LB
FERTILIZER (PHOSPHORIC ACID)	24.300	LB
FERTILIZER (POTASH)	24.300	LB
AGRICULTURAL GRANULAR LIME	486.000	LB
MOWING	0.729	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.176	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.486	ACRE
SILT FENCE	1,000.000	LF
REPLACE/REPAIR SILT FENCE	100.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	250.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 110 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3862100 PCN: P041139 Project No.: P041139

DBE Goal Percent: 0.00%

Approx. Length (miles):N/A Description: CULVERT REPAIR - S-105

CO(S): Orangeburg

Completion Date: 6/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	126.000	SY
REMOVAL OF EXIST. GUARDRAIL	104.000	LF
ORGANIC TOPSOIL	238.000	CY
BORROW EXCAVATION	337.000	CY
GEOTEXTILE, SEPARATION	173.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	450.000	CY
NO. 57 STONE FOR BACKFILL	109.000	TON
FINE GRADING	117.000	SY
FLOWABLE FILL	6.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE B	26.000	TON
LIQUID ASPHALT BINDER PG64-22	3.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	124.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	13.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	10.000	TON
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	300.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	15.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	3.500	SF
GUARDRAIL DELINEATOR - YELLOW	4.000	EA
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	27.400	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	2.492	LB
8'X 6' P.C. BOX CULVERT {AASHTO M-259} FH = 5	128.000	LF
RIP-RAP (CLASS C)	180.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	154.000	SY
MT2 LEADING END TREATMENT TL2	4.000	EA
MGS3 GR STANDARD SHOULDER	25.000	LF
NON-MOW STRIP UNDER GUARDRAIL	108.000	SY
TEMPORARY BARRIER FENCE	300.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	8.000	EA



Call No.: 110

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.164	ACRE
TEMPORARY COVER	0.082	ACRE
FERTILIZER (NITROGEN)	16.400	LB
FERTILIZER (PHOSPHORIC ACID)	16.400	LB
FERTILIZER (POTASH)	16.400	LB
AGRICULTURAL GRANULAR LIME	328.000	LB
MOWING	0.492	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	0.328	ACRE
SILT FENCE	600.000	LF
REPLACE/REPAIR SILT FENCE	60.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	150.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 120 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4055041 PCN: P037189 Project No.: P037189

DBE Goal Percent: 11.50%

Approx. Length (miles):4.4310

Description: SAFETY IMPROVEMENT - US 1/S-1700 (RICHLAND CO)

CO(S): Richland

Completion Date: 11/30/2022

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	270.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,000.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	120.000	CY
SITE EXCAVATION	1.000	LS
FLOWABLE FILL	200.000	CY
MAINTENANCE STONE	500.000	TON
LIQUID ASPHALT BINDER PG64-22	32.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,700.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	475.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	924.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	1,200.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	330.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	2,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	2,380.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	3,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	3,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	23.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	10.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	15.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	8,200.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,000.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,500.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	23.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	15.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA



Call No.: 120

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	330.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,380.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	60.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	400.000	EA
REMOVAL OF PAVEMENT MARKINGS	4,400.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	15.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	70.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	10.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	46.000	LF
FLEXIBLE DELINEATOR POST, 4"X12", TYPE 4 SHEETING REFLECTOR	10.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	530.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	3,280.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	510.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,840.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	7,940.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,660.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,240.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,520.000	LF
SAWCUT FOR LOOP DETECTOR	2,370.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	34.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	1.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	300.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	4.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	5.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	24.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	7.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	7.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	39.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
18" SMOOTH WALL PIPE	400.000	LF
CATCH BASIN - TYPE 1 SPECIAL	6.000	EA
DROP INLET (24" X 36") TOP ONLY	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	60.000	LF
DETECTABLE WARNING MATERIAL	10.000	SF
CONCRETE MEDIAN	1,560.000	SY
PEDESTRIAN RAMP CONSTRUCTION	225.000	SY
PERMANENT GRASSING FOR SMALL PROJECTS	0.500	ACRE



Call No.: 120

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	200.000	LF
SILT FENCE	200.000	LF
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 1)	6.000	EA

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

3/7/2022

Call No.: 130 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4083972 PCN: 0040440RD01 Project No.: BR40008
 DBE Goal Percent: 6.50%
 Approx. Length (miles): 0.6930 Description: BRIDGE REPLACEMENT - US 1 (SCL RR)
 CO(S): Richland
 Completion Date: 6/30/2025 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	6,380.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	9,605.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	1,269.000	CY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	3,772.000	CY
BORROW EXCAVATION	6,727.000	CY
BORROW EXCAVATION - LIGHTWEIGHT BORROW EXCAVATION	1,575.000	CY
CONTROLLED FILL - BORROW MATERIAL	9,000.000	CY
MUCK EXCAVATION	1,222.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	2,680.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	440.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	568.000	LF
GEOTEXTILE, SEPARATION	4,342.000	SY
GEOGRID STABILIZATION	3,667.000	SY
STRUCTURE EXCAVATION FOR RETAINING WALL	1,088.000	CY
DRY EXCAVATION FOR BRIDGES	12,299.000	CY
TEMPORARY SHORING WALL	602.000	LF
PERMANENT SHEET PILING	2,100.000	SF



Call No.: 130

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
GRANULAR BRIDGE LIFT MATERIAL	1,100.000	CY
FINE GRADING	12,516.000	SY
FLOWABLE FILL	12.230	CY
MAINTENANCE STONE	370.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	4,432.000	TON
LIQUID ASPHALT BINDER PG64-22	550.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	7,640.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,354.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,720.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	492.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	1.000	EA
TEMPORARY CONCRETE BARRIER	436.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	254.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	6,000.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	267.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.BROKEN PREF.	680.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	10,390.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	25,000.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	130.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	650.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	610.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	43,500.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING SYMBOLS) (TRAFFIC CONTROL)	1,216.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	63.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE WH.SING.ARROW	10.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	67.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP-REMOV.WH.WORD MESS."ONLY"	6.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	613.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	521.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,790.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	120.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,160.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	620.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	32.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	26.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,020.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	660.000	LF



Call No.: 130

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,170.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,755.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	60.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,080.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	310.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	11.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	330.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,010.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	170.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	50.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	120.000	LF
PREF.FLEX.RETRO.PVMT.(T-1)PERM(60MIL)WH.WORD MESS."ONLY"	2.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	103.130	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	12.750	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	52.500	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	5.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	20.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	169.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	12.670	LF
BARRICADE - PERMANENT WITH TYPE III SHEETING	36.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,403.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	660.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	3,060.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	3,015.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,048.000	LF
SAWCUT FOR LOOP DETECTOR	2,534.000	LF
MOD. EXIST ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	14.000	EA
17"X30"X18"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	2.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	8.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	865.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	2.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	7.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	18.000	EA



Call No.: 130

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	14.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	14.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	25.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	10.000	EA
CONC. FOR STRUCTURES - CLASS 4000	2,274.900	CY
GROOVED SURFACE FINISH	1,057.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	1,862.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	547,936.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	1,050.000	LF
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	257.400	LF
DRILLED SHAFT SET-UP	22.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	2,024.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	220.000	LF
CONSTRUCTION CASING - 48" DIAMETER	220.000	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL	2,110.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	5,921.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	502.000	LF
18" SMOOTH WALL PIPE	3,912.000	LF
24" SMOOTH WALL PIPE	184.000	LF
30" SMOOTH WALL PIPE	656.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	9.000	EA
CATCH BASIN -TYPE 9 MH	2.000	EA
CATCH BASIN -TYPE 16	31.000	EA
CATCH BASIN -TYPE 17	4.000	EA
DROP INLET (24" X 24")	6.000	EA
TRENCH DRAIN-4" INTERIOR DIMENSION (DRIVEWAY APPLICATION)	250.000	LF
TRENCH DRAIN-12" INTERIOR DIMENSION (DRIVEWAY APPLICATION)	220.000	LF
MANHOLE	2.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	7.000	EA
24" X 24" JUNCTION BOX	1.000	EA
36" X 36" JUNCTION BOX	1.000	EA
EXTRA DEPTH OF BOX	10.000	LF
CATCH BASIN - TYPE 17 (TOP ONLY)	1.000	EA
MANHOLE (TOP ONLY)	1.000	EA
ADJUST CATCH BASIN	5.000	EA
ADJUST MANHOLE	5.000	EA
ADJUST DROP INLET ADJUST D. I.	5.000	EA
JUNCTION BOX - CONVERT CB T-16	1.000	EA
MANHOLE-CONVERT CATCH BASIN	2.000	EA



Call No.: 130

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 5

Description	Quantity	Units
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	5,972.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	3,064.000	SY
DETECTABLE WARNING MATERIAL	175.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,470.000	SY
CONCRETE MEDIAN	1,196.000	SY
PEDESTRIAN RAMP CONSTRUCTION	350.000	SY
ELASTOMERIC BEARING	24.000	EA
CROSSHOLE SONIC LOGGING SETUP	22.000	EA
RIP-RAP (CLASS A)	10.000	TON
RIP-RAP (CLASS B)	20.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	20.000	SY
MT2 LEADING END TREATMENT TL2	1.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	1.000	EA
2' CRASH CUSHION 2C RETROFIT SITE	1.000	EA
36SS REINFORCED BARRIER WALL	25.000	LF
BRIDGE FENCE	1.000	LS
48"-CHAIN LINK FENCE	99.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	31.000	EA
RIGHT OF WAY PLAT	1.000	LS
MOWING	2.100	ACRE
SODDING	5.100	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.800	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,760.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,760.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	200.000	LF
SILT FENCE	6,200.000	LF



Call No.: 130

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 6

Description	Quantity	Units
REPLACE/REPAIR SILT FENCE	620.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,550.000	LF
INLET FILTER CLEANING	60.000	EA
INLET STRUCTURE FILTER - TYPE B	46.000	EA
INLET STRUCTURE FILTER - TYPE A	1,800.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	10.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 12"	140.000	LF
SUBSURFACE EXPLORATION	1.000	LS

APPROVED CONTRACTORS LIST

U.S. #1 Bridge Replacement (WM4401)

*Last Revised
2011/2022*

Company Name	Contact	Contact Numbers	Tap Size	Main Size	Asbestos Certified	Proof of Insurance	Address
Carolina Tap & Bore, Inc.	Richard Young	803-600-5383 803-739-7066 803-791-1407	3/4"-20"	3/4"-10"	Yes	3/01/21-03/01/22	2410 Morningdale Dr. W. Cola 29169 Email: ryoung@carolinatapanandbore.com fax
GH Smith Construction, Inc.	Jerry H. Smith	803-822-5139	1/2" to 24"	3/4"-8"	Yes	7/01/21-7/1/22	450 Shuler Ct., Columbia, SC 29212 Email: ghsmithconest@aol.com
Hammerhead Utilities	Bill Head Jason Prouse	803-960-3046 803-201-4816	3/4"-8"	3/4"-8"	Yes	5/10/21-5/10/22	P.O. Box 9614, Columbia, SC 29290 bill@hhulc.com Email: jason@hhulc.com
McClam & Associates	Wayne Bye Wende Grimes	803-513-6065 803-345-9194	3/4"-24"	3/4"-10"	Yes	6/30/21-6/30/22	1316 Washington St., Columbia 29201 Email: rcn@mcclam.net/wgrimes@mcclam.net
North American Pipeline Management	Brandon Leipprandt	678-820-3991 Ext. 140 404- 606-9944 (Cell) 678-820-3993 (Fax)	3/4" to 12"	5/8" to 12"	Yes	1/1/21-1/1/22	62 Hamby Road SE Marietta, GA 30067 Email: brandon.leipprandt@napmnc.com
Shady Grove Construction	Erica Richardson	803-800-8482 (Home) 513-4862 (Tm) 803-781-2516 781-0392 (Fax)	3/4"-12"	3/4"-10"	Yes	10/31/20-10/31/21	1070 W. Shady Grove Rd. Tmcs 29053 Erica8032@aol.com Email: TKR16@aol.com
Stutts & Williams LLC	Joey Williams	803-814-3753	3/4" to 12"	5/8"-12"	Yes	1/1/21-1/1/22	PO Box 2046, Lexington SC 29071 Email: joey@stuttswilliams.com



Call No.: 140 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5559881 PCN: P040404 Project No.: P040404

DBE Goal Percent: 0.00%

Approx. Length (miles):

Description: SAFETY IMPROVEMENTS - DISTRICT 5

CO(S): DISTRICT5

Completion Date: 6/30/2023

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	930.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	118.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	6.000	EA
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	20,665.000	LF
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	98.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	117.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	348.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS



Call No.: 150 Letting Date: April 12, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5789980 PCN: P028423 Project No.: P028423
 DBE Goal Percent: 12.50% PCN: P038101 Project No.: P038101
 Approx. Length (miles):0.2310 Description: BRIDGE REPLACEMENTS - US 301 & S-439 (S EDISTO RIVER)
 CO(S): Bamberg Orangeburg
 Completion Date: 6/30/2024 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	3.781	ACRE
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,863.000	SY
REMOVAL OF EXIST. GUARDRAIL	430.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	6,169.000	CY
BORROW EXCAVATION	11,659.000	CY
MUCK EXCAVATION	3,656.000	CY
GEOTEXTILE, SEPARATION	7,005.000	SY
GEOGRID REINFORCEMENT (BIAXIAL)	7,005.000	SY
NO. 57 STONE FOR BACKFILL	191.000	TON
STONE BRIDGE LIFT MATERIAL	6,305.000	TON
FINE GRADING	10,284.000	SY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	425.000	SY
HOT MIX ASPHALT BASE COURSE - TYPE A	2,258.000	TON
PRIME COAT	115.000	GAL
LIQUID ASPHALT BINDER PG64-22	407.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	38,508.000	SY
MILLED-IN RUMBLE STRIP	2.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	752.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	112.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,604.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	98.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	452.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	20.000	SF
DETOUR SIGNS	96.000	SF
PREF.FLEX.RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID	2,460.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID	2,460.000	LF



Call No.: 150

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
BARRICADE - TYPE 3	60.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	1.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	1.000	EA
TEMPORARY CONCRETE BARRIER	9,160.000	LF
TYPE A - FLASHING LIGHT	8.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	150.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	10,065.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	10,435.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	4,250.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	13,630.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	169.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	110.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	13,315.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	217.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	5.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	465.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	1,980.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	1,980.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	30.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	12.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	116.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,912.000	LF
CONC. FOR STRUCTURES - CLASS 4000	2,719.400	CY
COMPRESSION SEAL JOINT	141.000	LF
GROOVED SURFACE FINISH	2,940.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	657,890.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	35,357.000	LB
PRESTRESSED CONC. BEAM (TYPE II)	1,536.000	LF
3'-0" x 2'-0" CORED SLABS	778.400	LF
CONCRETE BRIDGE BARRIER PARAPET	12,680.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
CONCRETE BRIDGE RAILING WALL	120.000	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	6.000	EA
PILE DRIVING SET-UP	96.000	EA
PREST. CONC. PILING (24"SQ.)	3,911.000	LF
PRESTRESSED INDEX PILING (24" SQUARE)	184.000	LF
REINF. PILE TIPS (HP12 X 53)	72.000	EA
STEEL H BEARING PILING (HP14 X 73)	1,364.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	206.000	LF
DRILLED SHAFT SET-UP	12.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	570.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 60" DIAMETER	426.000	LF



Call No.: 150

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
CONSTRUCTION CASING - 60" DIAMETER	426.000	LF
18" SMOOTH WALL PIPE	272.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	58.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	202.000	LF
ELASTOMERIC BEARING	74.000	EA
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	13.000	EA
CROSSHOLE SONIC LOGGING SETUP	12.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	67.000	TON
RIP-RAP (CLASS A)	574.000	TON
RIP-RAP (CLASS B)	1,222.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	1,090.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	969.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	412.500	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
MB TRAILING END TREATMENT	1.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	650.000	LF
MGS3 GR STANDARD SHOULDER	337.500	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	3.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	3.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	1.000	EA
NON-MOW STRIP UNDER GUARDRAIL	25.000	SY
SACRIFICIAL FLEXIBLE WARNING MARKER POST (FWMP) 48Y/Y	18.000	EA
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	55.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.781	ACRE
TEMPORARY COVER	1.891	ACRE
COMPOST	280.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	6.576	ACRE
FERTILIZER (NITROGEN)	378.000	LB
FERTILIZER (PHOSPHORIC ACID)	378.000	LB
FERTILIZER (POTASH)	378.000	LB
AGRICULTURAL GRANULAR LIME	7,560.000	LB
SELECTIVE WATERING	108,600.000	GAL
MOWING	11.341	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	23.000	SY
WATERPROOFING (BRIDGE DECK)	243.300	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.720	MSY
TEMPORARY EROSION CONTROL BLANKET (CLASS B)	3.783	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	4.765	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	150.000	LF



Call No.: 150

Letting Date: April 12, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
SILT FENCE	5,845.000	LF
REPLACE/REPAIR SILT FENCE	585.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,461.000	LF
STABILIZED CONSTRUCTION ENTRANCE	1,375.000	SY
ON-THE-JOB TRAINEE (BRIDGE)	2,080.000	HR

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator