

SOUTH CAROLINA
DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
FOR
REGULAR HIGHWAY LETTING
May 09, 2017

Letting Location:
SCDOT Headquarters Building
Conference Room 332
955 Park Street
Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet. Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

The following items will be made available on April 11, 2017 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website
- Hardcopy plans/proposals & letting DVD via Engineering Publications
 - o Located in room 122 SCDOT Headquarters
 - o Phone (803)737-4533/ Fax (803)737-4530
 - o Cash, check, money order, VISA/MC accepted (Payable to SCDOT. No refunds)

Access the Construction Extranet for the following items:

- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates

Contractors are encouraged to utilize the Extranet Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password. See link for details http://www.scdot.org/doing/constructionletting_extranet.aspx.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

The SCDOT Standard Drawings are available for download at <http://www.scdot.org/doing/road.aspx> or for purchase by contacting: Engineering Publications at (803) 737-4533.

Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.



Call No.: 010

Page: 1

SC File NO(S): 0210131

PCN: P029999

Project No.: P029999

PCN: P030401

Project No.: P030401

Letting Date: May 09, 2017

CO(S): Aiken

DBE Goal Percent: 1.00%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$0.00

Description: 2017 FEDERAL AID PRESERVATION PROGRAM IN AIKEN COUNTY

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 8.1300

Completion Date: 11/30/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	622.000	SY
MAINTENANCE STONE	3.780	TON
LIQUID ASPHALT BINDER PG64-22	1.260	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	378.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,388.000	SY
MILLED-IN RUMBLE STRIP	11.392	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	20.000	TON
MICRO SURFACING SURFACE COURSE	160,439.190	SY
MICRO SURFACING LEVELING	60.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,296.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	3,452.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	75,760.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	160.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	51.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	371.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	15.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	9.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	8,130.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	58,030.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,904.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	151,520.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	320.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	102.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	742.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	30.000	EA



Call No.: 010

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	18.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	16,260.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	116,060.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	182.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	133.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	665.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	840.000	LF
SAWCUT FOR LOOP DETECTOR	500.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	46.000	SY
DETECTABLE WARNING MATERIAL	250.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	76.000	SY
PEDESTRIAN RAMP CONSTRUCTION	500.000	SY



Call No.: 020

Page: 3

SC File NO(S): 0213020	PCN: P030812	Project No.: P030812
	PCN: P031986	Project No.: P031986
	PCN: P032081	Project No.: P032081
Letting Date: May 09, 2017	CO(S): Aiken	DBE Goal Percent: 0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans: \$0.00
Description: 2018 PRIMARY PIP CTC RESURF.-02		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 6.7600

Completion Date: 4/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	75.000	SY
BORROW EXCAVATION	1,326.000	CY
EXCAVATION FOR SHOULDER PAVING	943.536	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	943.536	STA
MAINTENANCE STONE	24.100	TON
HMA SHOULDER WIDENING COURSE	4,198.186	TON
LIQUID ASPHALT BINDER PG64-22	1,499.225	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,480.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	930.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	33,160.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,585.000	SY
MILLED-IN RUMBLE STRIP	15.336	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	23,108.321	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,025.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,392.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	16,672.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	66,420.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	687.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,607.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	28.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	7.000	EA
WHITE WORD MESSAGE "STOP" -PERM.PVMT.MARKING	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	4.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	2,200.000	LF



Call No.: 020

Page: 4

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	66,772.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	150.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	33,512.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	132,840.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	749.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,104.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	28.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	7.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	133,544.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	110.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	300.000	LF
WHITE WORD MESSAGE "STOP"-FAST DRY PAINT	3.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	90.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	630.000	LF
RAILROAD CROSSING SYMBOLS - EPOXY PAINT	1.000	EA
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	630.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,047.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	224.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	493.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	190.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,760.000	LF
SAWCUT FOR LOOP DETECTOR	2,040.000	LF
DETECTABLE WARNING MATERIAL	37.500	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
PERMANENT GRASSING FOR SMALL PROJECTS	4.822	ACRE



Call No.: 030

Page: 5

SC File NO(S): 0289690	PCN: 0042933RD01	Project No.: BR02022	
Letting Date: May 09, 2017	CO(S): Aiken	DBE Goal Percent:	9.50%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$28.00
Description: S-1304 (HATCHAWAY BRIDGE RD) BR. REPL. OVER SHAWS CREEK		Cost of BridgePlans:	\$26.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.3580

Completion Date: 7/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	800.000	SY
REMOVAL OF EXIST. GUARDRAIL	304.966	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	1,839.000	CY
BORROW EXCAVATION	2,373.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	870.000	SY
FINE GRADING	617.760	SY
FLOWABLE FILL	50.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	417.539	TON
LIQUID ASPHALT BINDER PG64-22	60.854	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	259.352	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	165.341	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	319.937	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	2.318	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
2.0" SCHEDULE 80 PVC CONDUIT	844.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	3,780.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	240.000	LF



Call No.: 030

Page: 6

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,890.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,780.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	240.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,890.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	51.000	EA
CONC. FOR STRUCTURES - CLASS 4000	125.700	CY
CONCRETE CURB AND GUTTER WITH FLUME	2.000	EA
REINF. STEEL FOR STRUCTURES (BRIDGE)	31,550.000	LB
3'-0" x 1'-9" CORED SLABS	1,197.000	LF
3'-0" x 2'-0" CORED SLABS	838.500	LF
CONCRETE BRIDGE BARRIER PARAPET	356.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	6.000	EA
PILE DRIVING SET-UP	24.000	EA
PREST. CONC. PILING (20"SQ.)	664.000	LF
PILE BUILD-UP PREPARATION (20"SQ)	4.000	EA
PRESTRESSED INDEX PILING (20" SQUARE)	71.000	LF
PRESTRESSED PILE POINT (HP10X57)	384.000	LF
18" SMOOTH WALL PIPE	56.000	LF
CONCRETE CURB (TRANSITION)	36.000	LF
ELASTOMERIC BEARING	72.000	EA
RIP-RAP (CLASS B)	705.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	840.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	375.000	LF
END TERMINAL - TYPE T	4.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
TEMPORARY BARRIER FENCE	520.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	22.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.317	ACRE
TEMPORARY COVER	0.659	ACRE
COMPOST	354.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	1.317	ACRE
FERTILIZER (NITROGEN)	131.740	LB
FERTILIZER (PHOSPHORIC ACID)	131.740	LB
FERTILIZER (POTASH)	131.740	LB
AGRICULTURAL GRANULAR LIME	2,634.800	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.952	ACRE
WATERPROOFING (BRIDGE DECK)	620.200	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.365	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.317	ACRE



Call No.: 030

Page: 7

Description	Quantity	Units
SEDIMENT TUBES FOR DITCH CHECKS	226.000	LF
SILT FENCE	3,039.290	LF
REPLACE/REPAIR SILT FENCE	303.929	LF
SILT BASINS	15.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	759.823	LF
DITCH CHECK	425.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 040

Page: 8

SC File NO(S): 0412990	PCN: P032050	Project No.: P032050	
Letting Date: May 09, 2017	CO(S): Anderson	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: 2018 PRIMARY (STATE FUNDED)		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	2.6600

Completion Date: 5/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	168.000	SY
BORROW EXCAVATION	750.000	CY
EXCAVATION FOR SHOULDER PAVING	402.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	402.000	STA
MAINTENANCE STONE	109.000	TON
HMA SHOULDER WIDENING COURSE	2,006.400	TON
LIQUID ASPHALT BINDER PG64-22	662.730	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	7,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	91,660.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,800.000	SY
MILLED-IN RUMBLE STRIP	7.600	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	10,611.506	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,288.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	30,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	61,700.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,500.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,995.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	51.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	7,350.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	87,200.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	10,266.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	20,570.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,164.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	665.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	17.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA



Call No.: 040

Page: 9

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,450.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	29,070.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	222.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	222.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,500.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,500.000	LF
SAWCUT FOR LOOP DETECTOR	1,212.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	2.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	2.760	ACRE



Call No.: 050

Page: 10

SC File NO(S): 1113450	PCN: P032145	Project No.: P032145	
Letting Date: May 09, 2017	CO(S): Cherokee	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: RAISED PAVEMENT MARKERS IN CHEROKEE COUNTY		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	85.0400

Completion Date: 9/30/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	100.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	5,280.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	100.000	EA



Call No.: 060

Page: 11

SC File NO(S): 1688230	PCN: P028193	Project No.: P028193	
Letting Date: May 09, 2017	CO(S): Darlington	DBE Goal Percent:	17.50%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$20.00
Description: SIDEWALK IMPROVEMENTS ALONG 4TH STREET AND WASHINGTON STREET		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.3160

Completion Date: 10/31/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION LS	1.000	LS
BONDS AND INSURANCE LS	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES EA	1.000	EA
TRAFFIC CONTROL LS	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY LF	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT SY	100.000	SY
UNCLASSIFIED EXCAVATION CY	90.000	CY
BORROW EXCAVATION SY	10.000	CY
FLOWABLE FILL TON	25.000	CY
MAINTENANCE STONE TON	50.000	TON
LIQUID ASPHALT BINDER PG64-22 TON	1.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE) SY	38.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B MI	5.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) TON	348.000	SF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. TON	110.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL TON	20.000	LF
REMOVAL OF PAVEMENT MARKINGS SY	20.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN SF	8.250	SF
18" SMOOTH WALL PIPE SF	64.000	LF
CLEANING EXISTING PIPE EA	100.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1 EA	1.000	EA
CONCRETE SIDEWALK(4" UNIFORM) LF	412.000	SY
DETECTABLE WARNING MATERIAL EA	50.000	SF
CONCRETE DRIVEWAY(6" UNIFORM) LF	52.000	SY
PEDESTRIAN RAMP CONSTRUCTION LF	100.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B CY	20.000	SY
PERMANENT GRASSING FOR SMALL PROJECTS LF	0.065	ACRE
LANDSCAPING ITEM NO. 001	1.000	EA
TEMPORARY EROSION CONTROL BLANKET (ECB) LF	0.234	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED) LF	10.000	LF



Call No.: 060

Page: 12

Description	Quantity	Units
SILT FENCE LF	1,550.000	LF
CLEANING INLET STRUCTURE FILTERS EA	1.000	EA
STABILIZED CONSTRUCTION ENTRANCE EA	550.000	SY
CLEARING & GRUBBING WITHIN RIGHT OF WAY HR	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT LF	25.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT CY	210.000	SY
UNCLASSIFIED EXCAVATION SY	195.000	CY
MAINTENANCE STONE LB	50.000	TON
LIQUID ASPHALT BINDER PG64-22 LF	1.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B SY	2.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) SY	144.000	SF
CONCRETE SIDEWALK(4" UNIFORM) SY	463.000	SY
DETECTABLE WARNING MATERIAL SY	13.000	SF
CONCRETE DRIVEWAY(6" UNIFORM) CY	156.000	SY
PEDESTRIAN RAMP CONSTRUCTION SF	25.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B LF	20.000	SY
PERMANENT GRASSING FOR SMALL PROJECTS LF	0.079	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB) TON	0.250	MSY
SILT FENCE SY	1,800.000	LF



Call No.: 070

Page: 13

SC File NO(S): 1913010	PCN: P031996	Project No.: P031996	
Letting Date: May 09, 2017	CO(S): Edgefield	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: 2018 PRIMARY (STATE FUNDED)		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	1.7600

Completion Date: 5/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	352.000	CY
EXCAVATION FOR SHOULDER PAVING	186.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	186.000	STA
MAINTENANCE STONE	14.500	TON
HMA SHOULDER WIDENING COURSE	929.280	TON
LIQUID ASPHALT BINDER PG64-22	203.496	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,450.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	24,781.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	300.000	SY
MILLED-IN RUMBLE STRIP	3.520	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,617.207	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	176.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	36.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	55,758.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	36.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	6,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	47,400.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	12.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	18,586.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	12.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	15,800.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	117.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	1.280	ACRE



Call No.: 080

Page: 14

SC File NO(S): 2308701	PCN: P029951	Project No.: P029951	
Letting Date: May 09, 2017	CO(S): Greenville	DBE Goal Percent:	2.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: 2017 NHS FEDERAL AID STATE PROGRAM- GREENVILLE COUNTY		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	8.1000

Completion Date: 9/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,974.000	SY
MAINTENANCE STONE	232.820	TON
LIQUID ASPHALT BINDER PG64-22	2,558.591	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	23,282.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	428,962.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,323.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	41,932.384	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,017.500	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	4,232.670	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,008.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	135,738.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,410.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	3,690.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	3,660.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	42,801.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	13,887.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	423.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	105.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	48.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,430.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	226,413.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	3,885.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,128.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	45,246.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	470.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,230.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,220.000	LF



Call No.: 080

Page: 15

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	14,267.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	53.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	4,629.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	141.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	35.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	16.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,810.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	75,471.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,295.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	376.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	2,387.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	649.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,139.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	388.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)WH.SING.ARROW	2.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM(60MIL)WH.COMB.ARROW	2.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	178.000	LF
FURNISH & INSTALL2.0" GALV. RIGID CONDUIT (BORED AND JACK	220.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	5,375.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,705.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	28,848.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	2,175.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	89,977.000	LF
REMOVE & REPLACE WIRELESS SENSOR WITH NEW HOUSING	181.000	EA
SAWCUT FOR LOOP DETECTOR	32,677.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	88.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	9,451.000	LF
ADJUST DROP INLET ADJUST D. I.	8.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	350.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	150.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	100.000	LF
DETECTABLE WARNING MATERIAL	675.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,350.000	SY
SURFACE APPLIED DETECTABLE WARNING	140.000	SF



Call No.: 090

Page: 16

SC File NO(S): 2612390	PCN: P029664	Project No.: P029664
	PCN: P029827	Project No.: P029827
	PCN: P030061	Project No.: P030061
	PCN: P030062	Project No.: P030062
	PCN: P030808	Project No.: P030808
	PCN: P030809	Project No.: P030809
	PCN: P030810	Project No.: P030810
	PCN: P031858	Project No.: P031858
	PCN: P032100	Project No.: P032100
Letting Date: May 09, 2017	CO(S): Horry	DBE Goal Percent: 0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans: \$0.00
Description: 2016 CTC RESURFACING - HORRY		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 17.7300

Completion Date: 8/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	570.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	540.000	LF
BORROW EXCAVATION	3,340.000	CY
EXCAVATION FOR SHOULDER PAVING	1,521.696	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,521.696	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 4	8,620.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	280.000	TON
MAINTENANCE STONE	136.990	TON
HMA SHOULDER WIDENING COURSE	7,608.480	TON
LIQUID ASPHALT BINDER PG64-22	1,834.867	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	11,845.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,854.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	25,677.000	SY
MILLED-IN RUMBLE STRIP	27.980	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	901.333	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	17,846.310	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	5,331.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,920.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,450.000	LF



Call No.: 090

Page: 17

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	352,840.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,920.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,035.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	5.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	5.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	22,480.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	207,610.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	370.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	173,780.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	980.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	540.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	5.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	11,070.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	103,300.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	15.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,221.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,360.000	LF
SAWCUT FOR LOOP DETECTOR	4,220.000	LF
ADJUST CATCH BASIN	4.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	1.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	120.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	420.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	155.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	315.000	SY
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
SURFACE APPLIED DETECTABLE WARNING	280.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	15.270	ACRE



Call No.: 100

Page: 18

SC File NO(S): 2985010

PCN: 0031125RD01

Project No.: SU29001

Letting Date: May 09, 2017

CO(S): Lancaster

DBE Goal Percent: 14.50%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$122.00

Cost of BridgePlans: \$0.00

Description: SC 160 PHASE 2 WIDENING

Cost of X-Sections: \$69.00

Cost of Proposal: \$15.00

Approx. Length (miles): 3.0690

Completion Date: 10/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
CLEARING & GRUBBING DITCHES	0.500	ACRE
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	2.000	EA
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,185.000	SY
REMOVAL OF EXIST. GUARDRAIL	714.000	LF
UNCLASSIFIED EXCAVATION	24,285.000	CY
BORROW EXCAVATION	31,352.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	500.000	CY
GEOGRID REINFORCEMENT (BIAXIAL)	500.000	SY
OVERHAUL	3,865.000	CYHM
FINE GRADING	39,142.000	SY
FLOWABLE FILL	129.000	CY
MAINTENANCE STONE	500.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	23,160.000	TON
LIQUID ASPHALT BINDER PG64-22	2,678.600	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,300.000	SY



Call No.: 100

Page: 19

Description	Quantity	Units
MILLING EXISTING ASPHALT PAVEMENT 2.0"	44,746.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	16,848.000	SY
MILLED-IN RUMBLE STRIP	1.760	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	16,454.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,935.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,224.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	6,790.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	4,200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	76,250.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	121,100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	2,025.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	2,235.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"YELLOW SOLID LINES	200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	66.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	5.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	13.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	94.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	490.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	12,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	50,000.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,125.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	925.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	28.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	100,000.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	16,800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,125.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	925.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	28.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	20.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,800.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	45,100.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	220.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	380.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,150.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	44.000	SF



Call No.: 100

Page: 20

Description	Quantity	Units
Flat Sheet, Type XI, Size Determined by MSG, Overhead	8.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	60.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	547.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,024.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,087.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	4,418.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	3,261.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	544.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,608.000	LF
SAWCUT FOR LOOP DETECTOR	2,811.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	14.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	7.000	EA
F&I-17"X30"X26"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	8.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	1,036.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	2.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	2.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	16.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	12.000	EA
FURNISH & INSTALL PEDESTRIAN PUSH BUTTON AND SIGN (R-10-4B)	2.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	12.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	19.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	2.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	3.000	EA
15" SMOOTH WALL PIPE	612.000	LF
18" SMOOTH WALL PIPE	8,332.000	LF
24" SMOOTH WALL PIPE	1,504.000	LF
30" SMOOTH WALL PIPE	24.000	LF
36" SMOOTH WALL PIPE	96.000	LF
CATCH BASIN -TYPE 9 MH	4.000	EA
CATCH BASIN -TYPE 16	52.000	EA
CATCH BASIN -TYPE 18	3.000	EA
DROP INLET (24" X 36")	1.000	EA
MANHOLE	5.000	EA
48" X 48" JUNCTION BOX	1.000	EA
EXTRA DEPTH OF BOX	10.000	LF
JUNCTION BOX - CONVERT CB T-16	1.000	EA



Call No.: 100

Page: 21

Description	Quantity	Units
BEVELING OF PIPE END	49.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	12,948.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	6,038.000	SY
DETECTABLE WARNING MATERIAL	225.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	425.000	SY
PEDESTRIAN RAMP CONSTRUCTION	450.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
AGGREGATE UNDERDRAIN (AGGR.NO. 57)	130.000	CY
6" PERFORATED PIPE UNDERDRAIN	1,000.000	LF
RIP-RAP (CLASS B)	770.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,002.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	1,237.500	LF
END ANCHOR-TYPE B	1.000	EA
END TERMINAL - TYPE T	3.000	EA
THRIE BEAM G.R.BRIDGE CONN.	2.000	EA
ADDITIONAL LENGTH GUARDRAIL POST	174.000	LF
RESET FENCE	380.000	LF
RESET CHAIN-LINK FENCE	635.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS
MOVING ITEM NO. 017	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	98.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	11.840	ACRE
TEMPORARY COVER	5.920	ACRE
COMPOST	3,183.000	CY
FERTILIZER (NITROGEN)	1,184.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,184.000	LB



Call No.: 100

Page: 22

Description	Quantity	Units
FERTILIZER (POTASH)	1,184.000	LB
AGRICULTURAL GRANULAR LIME	23,674.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	35.510	ACRE
SODDING	4.000	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	7.973	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.212	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	5.849	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	13.320	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	4.440	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	828.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,310.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	3,060.000	LF
SILT FENCE	13,699.000	LF
REPLACE/REPAIR SILT FENCE	1,370.000	LF
SILT BASINS	24,858.000	CY
CLEANING SILT BASINS	23,609.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	3,425.000	LF
DITCH CHECK	56.000	TON
INLET STRUCTURE FILTER - TYPE D1	4.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	4.000	EA
INLET STRUCTURE FILTER - TYPE A	20.000	LF
SEDIMENT DAM RIPRAP	944.000	TON
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	74.000	SY
STABILIZED CONSTRUCTION ENTRANCE	1,375.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	3,640.000	HR



Call No.: 110

Page: 23

SC File NO(S): 3489500	PCN: P028346	Project No.: P028346	
Letting Date: May 09, 2017	CO(S): Marion	DBE Goal Percent:	1.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: REHAB SC 41 BRIDGE OVER US 501		Cost of BridgePlans:	\$56.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.0470

Completion Date: 11/30/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION LS	1.000	LS
BONDS AND INSURANCE LS	1.000	LS
TRAFFIC CONTROL LS	1.000	LS
SITE EXCAVATION LS	1.000	LS
FINE GRADING	370.000	SY
LIQUID ASPHALT BINDER PG64-22 TON	7.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B TON	102.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B TON	41.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) SF	328.000	SF
DETOUR SIGNS SF	250.000	SF
BARRICADE - TYPE 3 LF	36.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH) EA	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	2.000	EA
TEMPORARY CONCRETE BARRIER LF	250.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER EA	5.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 4"WH.SOLID PREF.	1,770.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 24"WH.SOL.	60.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	570.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	80.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	330.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4" EA	9.000	EA
REMOVAL OF PAVEMENT MARKINGS LF	600.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	500.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	70.000	LF
GROOVED SURFACE FINISH SY	1,167.000	SY
ENVIRONMENTAL AND WORKER PROTECTION LS	1.000	LS
CLEANING AND PAINTING EXISTING STEEL BEARINGS LS	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL LS	1.000	LS
MACHINE PREPARATION OF EXISTING SURFACE SY	1,222.000	SY
HYDRO-DEMOLITION OF EXISTING SURFACE SY	1,222.000	SY



Call No.: 110

Page: 24

Description	Quantity	Units
BLAST CLEANING SY	1,236.000	SY
CONCRETE OVERLAY (LATEX) CY	53.000	CY
EPOXY-SAND SLURRY SF	625.000	SF
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING CY	5.000	CY
RESEAL DECK EXPANSION JOINT LF	135.000	LF



Call No.: 120

Page: 25

SC File NO(S): 3589511	PCN: P028347	Project No.: P028347	
Letting Date: May 09, 2017	CO(S): Marlboro	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: REHAB SC 9 W BRIDGE OVER SCL RR		Cost of BridgePlans:	\$24.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.4000

Completion Date: 11/30/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN FOR MAINT	1.000	EA
TEMPORARY CONSTRUCTION SIGNS	32.000	SF
BARRICADE - TYPE 2	60.000	LF
TRUCK MOUNTED ATTENUATOR	1.000	EA
CONSTRUCTION ZONE ELECTRIC ADVANCE WARNING ARROW PANEL (TRAILER MOUNTED)	2.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	88.000	SF
ENVIRONMENTAL AND WORKER PROTECTION	1.000	LS
CLEANING AND PAINTING EXISTING STEEL BEARINGS	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS



Call No.: 130

Page: 26

SC File NO(S): 3883580	PCN: 0040308RD01	Project No.: BR38019	
Letting Date: May 09, 2017	CO(S): Orangeburg	DBE Goal Percent:	6.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$20.00
Description: US 301 (FIVE CHOP ROAD) OVER FOUR HOLE SWAMP BRIDGE REPLACEM		Cost of BridgePlans:	\$30.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.4260

Completion Date: 3/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
MONITORING OF CONSTRUCTION-RELATED EARTHBORNE VIBRATIONS	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	5,361.000	SY
REMOVAL OF EXIST. GUARDRAIL	1,712.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	946.000	CY
BORROW EXCAVATION	3,982.000	CY
BORROW EXCAVATION - (AASHTO TYPE A-1 SAND)	1,110.000	TON
WET EXCAVATION FOR BRIDGES	3,150.000	CY
COFFERDAM - TYPE 4 (30,001 - 40,000 C.F.)	6.000	EA
FINE GRADING	983.000	SY
FLOWABLE FILL	1,782.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	433.000	TON
LIQUID ASPHALT BINDER PG64-22	270.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,000.000	SY
MILLED-IN RUMBLE STRIP	0.632	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,621.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,225.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	282.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	368.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	2.000	EA
TEMPORARY CONCRETE BARRIER	3,000.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	3.000	EA



Call No.: 130

Page: 27

Description	Quantity	Units
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	1,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	7,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	7,500.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 4"WH.SOLID PREF.	750.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE4"YEL.SOLID PREF.	750.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	50.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,774.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,774.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,774.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,774.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,774.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,774.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	25.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,340.000	LF
CONC. FOR STRUCTURES - CLASS 4000	1,015.100	CY
CONC. FOR STRUCTURES - CLASS 5000	316.300	CY
COMPRESSION SEAL JOINT	94.500	LF
GROOVED SURFACE FINISH	1,368.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	281,511.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	18,408.000	LB
CONCRETE BRIDGE BARRIER PARAPET	619.300	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	3.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	16.000	EA
PILE DRIVING SET-UP	42.000	EA
STEEL H BEARING PILING (HP14 X 73)	375.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	79.000	LF
STEEL PIPE PILING (48" DIAMETER)	2,520.000	LF
STEEL PIPE INDEX PILING (48" DIAMETER)	642.000	LF
18" SMOOTH WALL PIPE	180.000	LF
DROP INLET TYPE 112	2.000	EA
BRIDGE APPROACH CONCRETE CURB AND GUTTER(1'-10")	36.000	LF
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	10.000	EA
RIP-RAP (CLASS A)	630.000	TON
RIP-RAP (CLASS B)	906.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	822.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	1,792.000	SY
STEEL BEAM GUARDRAIL GUARDRAIL W-BEAM SYSTEM	2,462.500	LF
RESET GUARDRAIL RESET GR.	290.000	LF
END TERMINAL - TYPE T	3.000	EA
THRIE BEAM G.R.BRIDGE CONN.	5.000	EA
NON-MOW STRIP UNDER GUARDRAIL	3,579.000	SY
GUARDRAIL THRIE-BEAM WITH BASE PLATE 3.125' POST SPACING	675.000	LF



Call No.: 130

Page: 28

Description	Quantity	Units
TEMPORARY BARRIER FENCE	4,000.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	14.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.175	ACRE
TEMPORARY COVER	1.088	ACRE
COMPOST	877.000	CY
FERTILIZER (NITROGEN)	217.500	LB
FERTILIZER (PHOSPHORIC ACID)	217.500	LB
FERTILIZER (POTASH)	217.500	LB
AGRICULTURAL GRANULAR LIME	4,350.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.525	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	53.177	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	2.175	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	397.000	LF
SILT FENCE	1,950.000	LF
FLOATING TURBIDITY BARRIER-LIGHT DUTY(6'DEPTH)	745.000	LF
SILT BASINS	352.000	CY
CLEANING INLET STRUCTURE FILTERS	6.000	EA
INLET STRUCTURE FILTER - TYPE D1	6.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
CLASS 5000 CONCRETE WITH FIBER (HIGH SLUMP) 001	238.200	CY



Call No.: 140

Page: 29

SC File NO(S): 4113080	PCN: P032001	Project No.: P032001	
Letting Date: May 09, 2017	CO(S): Saluda	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: 2018 PRIMARY (STATE \$)		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	1.4000

Completion Date: 4/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,200.000	CY
EXCAVATION FOR SHOULDER PAVING	148.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	148.000	STA
MAINTENANCE STONE	32.700	TON
HMA SHOULDER WIDENING COURSE	739.200	TON
LIQUID ASPHALT BINDER PG64-22	160.966	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,270.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	20,300.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	600.000	SY
MILLED-IN RUMBLE STRIP	2.800	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,372.733	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	220.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	44,400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	108.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	420.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	44,100.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	14,800.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	36.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	140.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	14,700.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	93.000	EA
STEEL BEAM GUARDRAIL STEEL BEAM GR.	700.000	LF
STEEL BEAM GUARDRAIL (THRIE)	100.000	LF
END TERMINAL - TYPE T	4.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	1.358	ACRE



Call No.: 140

Page: 30

Description	Quantity	Units
SEDIMENT TUBES FOR DITCH CHECKS	120.000	LF
SILT FENCE	1,200.000	LF
REPLACE/REPAIR SILT FENCE	120.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	300.000	LF



Call No.: 150

Page: 31

SC File NO(S): 4210170	PCN: P029699	Project No.: P029699	
Letting Date: May 09, 2017	CO(S): Spartanburg	DBE Goal Percent:	12.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$10.00
Description: RESURFACE I-26 WESTBOUND NEAR MM 0 TO NEAR MM 5		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	5.6000

Completion Date: 11/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	6,571.000	SY
SITE EXCAVATION	1.000	LS
FINE GRADING	11,740.000	SY
MAINTENANCE STONE	100.000	TON
HMA SHOULDER WIDENING COURSE	4,603.000	TON
LIQUID ASPHALT BINDER PG64-22	1,045.000	TON
LIQUID ASPHALT BINDER PG76-22	996.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	29,334.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	6,140.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	70,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	12,623.000	SY
MILLED-IN RUMBLE STRIP	10.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,065.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE A	11,997.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,386.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	4,158.000	TON
OPEN-GRADED FRICTION COURSE	6,086.000	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B	7,392.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	264.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	27,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	105,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	105,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	2,700.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	80.000	LF



Call No.: 150

Page: 32

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	1.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	1,352.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,320.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,500.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	32,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	2,000.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	75.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	31,000.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	500.000	EA
PIEZO CABLE SENSOR-6' CLASS II	1.000	EA
SAWCUT FOR PIEZO SENSOR	35.000	LF
ADJUST DROP INLET ADJUST D. I.	30.000	EA
STEEL BEAM GUARDRAIL STEEL BEAM GR.	15,000.000	LF
RESET MEDIAN CABLE BARRIER	1,000.000	LF
RESET GUARDRAIL RESET GR.	16,000.000	LF
END ANCHOR-TYPE B	2.000	EA
END TERMINAL - TYPE T	2.000	EA
RESET CABLE BARRIER END ANCHOR	8.000	EA
ADDITIONAL LENGTH GUARDRAIL POST	150.000	LF
PERMANENT COVER	12.121	ACRE
TEMPORARY COVER	6.061	ACRE
FERTILIZER (NITROGEN)	1,213.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,213.000	LB
FERTILIZER (POTASH)	1,213.000	LB
AGRICULTURAL GRANULAR LIME	24,242.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	36.363	ACRE
TEMPORARY EROSION CONTROL BLANKET (CLASS B)	5.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	12.121	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	200.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	500.000	LF
SILT FENCE	53,800.000	LF
REPLACE/REPAIR SILT FENCE	5,380.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	13,450.000	LF
INLET STRUCTURE FILTER - TYPE D1	10.000	EA
INLET STRUCTURE FILTER - TYPE D2	10.000	EA
STABILIZED CONSTRUCTION ENTRANCE	3,025.000	SY



Call No.: 160

Page: 33

SC File NO(S): 4284061	PCN: 0039714RD01	Project No.: SU42001	
Letting Date: May 09, 2017	CO(S): Spartanburg	DBE Goal Percent:	12.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$44.00
Description: US 176 INTERSECTION IMPROVEMENT		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$50.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	1.8390

Completion Date: 5/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	EA
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	580.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,918.000	SY
UNCLASSIFIED EXCAVATION	3,797.000	CY
FINE GRADING	11,019.000	SY
FLOWABLE FILL	30.000	CY
MAINTENANCE STONE	265.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	3,870.000	TON
LIQUID ASPHALT BINDER PG64-22	478.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	9,884.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,089.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	903.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,860.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	552.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	5,900.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	40,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	29,100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	3,200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	49.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	12.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	33.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	300.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,700.000	LF



Call No.: 160

Page: 34

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	22,400.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,400.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,600.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	66.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	57.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	23,100.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	200.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	350.000	EA
REMOVAL OF PAVEMENT MARKINGS	5,000.000	LF
Flat Sheet, Type XI, Size Determined by MSG, Overhead	75.000	SF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	580.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,166.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	138.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	53.000	LF
FURNISH & INSTALL 1" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	53.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	564.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	811.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	3,491.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	4,272.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	3,473.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	9,556.000	LF
SAWCUT FOR LOOP DETECTOR	2,893.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	16.000	EA
F&I-17"X30"X26"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
F&I 13"X32' STEEL STRAIN POLE-POWDER COATED AND FOUNDATION	8.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	1,103.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	5.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	2.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	5.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	9.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	17.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	16.000	EA
FURNISH & INSTALL PEDESTRIAN PUSH BUTTON AND SIGN (R-10-4B)	4.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	16.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	31.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS



Call No.: 160

Page: 35

Description	Quantity	Units
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	2.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	5.000	EA
15" SMOOTH WALL PIPE	16.000	LF
18" SMOOTH WALL PIPE	2,972.000	LF
24" SMOOTH WALL PIPE	748.000	LF
30" SMOOTH WALL PIPE	116.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	5.000	EA
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN -TYPE 16	10.000	EA
CATCH BASIN -TYPE 18	1.000	EA
DROP INLET (24" X 36")	7.000	EA
DROP INLET TYPE 112	14.000	EA
MANHOLE	10.000	EA
24" X 36" JUNCTION BOX	1.000	EA
24" X 48" JUNCTION BOX	1.000	EA
48" X 48" JUNCTION BOX	3.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
MANHOLE-CONVERT CATCH BASIN	2.000	EA
BEVELING OF PIPE END	12.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,702.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	478.000	SY
DETECTABLE WARNING MATERIAL	87.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	29.000	SY
CONCRETE MEDIAN	393.000	SY
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
SURFACE APPLIED DETECTABLE WARNING	14.000	SF
AGGREGATE UNDERDRAIN AGGR. UNDERDRAIN	22.000	CY
4" PERFORATED PIPE UNDERDRAIN	200.000	LF
RIP-RAP (CLASS B)	100.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	365.000	SY
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	100.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.718	ACRE



Call No.: 160

Page: 36

Description	Quantity	Units
TEMPORARY COVER	2.359	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	7.077	ACRE
FERTILIZER (NITROGEN)	472.000	LB
FERTILIZER (PHOSPHORIC ACID)	472.000	LB
FERTILIZER (POTASH)	472.000	LB
AGRICULTURAL GRANULAR LIME	9,436.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	7.077	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.106	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.927	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	200.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	200.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	403.000	LF
SILT FENCE	5,395.000	LF
REPLACE/REPAIR SILT FENCE	540.000	LF
SILT BASINS	10,982.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,349.000	LF
CLEANING INLET STRUCTURE FILTERS	52.000	EA
INLET STRUCTURE FILTER - TYPE B	30.000	EA
INLET STRUCTURE FILTER - TYPE A	400.000	LF
SEDIMENT DAM RIPRAP	119.000	TON
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	34.000	SY
STABILIZED CONSTRUCTION ENTRANCE	825.000	SY



Call No.: 170

Page: 37

SC File NO(S): 4313170	PCN: P029066	Project No.: P029066	
Letting Date: May 09, 2017	CO(S): Sumter	DBE Goal Percent:	10.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$39.00
Description: CROSSWELL ES SRTS PROJECT		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.4020

Completion Date: 10/31/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
SELECTED REMOVAL OF MARKED TREES	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	50.000	CY
SITE EXCAVATION	1.000	LS
MAINTENANCE STONE	25.000	TON
LIQUID ASPHALT BINDER PG64-22	1.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	30.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	10.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	232.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	270.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	650.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	500.000	LF
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	4.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,000.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	160.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	36.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD OVERHEAD	2.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	330.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	224.000	LF
REMOVAL OF U-SECTION POST	1.000	EA
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	350.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	350.000	LF
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	6.000	EA
FURNISH & INSTALL HAND/MAN COUNTDOWN LED MODULE	2.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ LIGHT&TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	6.000	EA
24" SMOOTH WALL PIPE	14.000	LF



Call No.: 170

Page: 38

Description	Quantity	Units
DROP INLET (24" X 36")	1.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	1.000	EA
PRECAST CONCRETE CURB STOP (6'LONG)	45.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	220.000	SY
DETECTABLE WARNING MATERIAL	120.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	20.000	SY
PEDESTRIAN RAMP CONSTRUCTION	65.000	SY
PERMANENT VEGETATION	1.000	MSY
SELECT MATERIAL	14.000	CY
IRRIGATION SYSTEM COMPLETE	1.000	LS
SODDING	0.250	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	20.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	100.000	LF
SILT FENCE	400.000	LF
CLEANING INLET STRUCTURE FILTERS	2.000	EA
STABILIZED CONSTRUCTION ENTRANCE	275.000	SY
BRICK PAVERS (INCLUDE THE BASE AND SAND)	160.000	LF
BICYCLE PARKING RACK	2.000	EA



Call No.: 180

Page: 39

SC File NO(S): 4682633

PCN: 0040665RD01

Project No.: MP11007

PCN: 0042216RD01

Project No.: MP13005

Letting Date: May 09, 2017

CO(S): York

DBE Goal Percent: 12.00%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$63.00

Description: US 21 ENHANCEMENT

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 0.4310

Completion Date: 10/31/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING DROP INLET	1.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	870.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	950.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	9.000	SY
UNCLASSIFIED EXCAVATION	177.000	CY
BORROW EXCAVATION	130.000	CY
FINE GRADING	226.000	SY
FLOWABLE FILL	249.000	CY
MAINTENANCE STONE	100.000	TON
LIQUID ASPHALT BINDER PG64-22	36.200	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,325.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	4.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	545.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	220.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	214.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	1,900.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	214.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	215.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	290.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	90.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	110.000	LF



Call No.: 180

Page: 40

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,900.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)8"WH.SOLID	252.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)24"WH.SOL	205.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	40.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	98.000	LF
LIGHT STANDARD FOUNDATION	18.000	EA
15" SMOOTH WALL PIPE	24.000	LF
18" SMOOTH WALL PIPE	720.000	LF
36" SMOOTH WALL PIPE	12.000	LF
CATCH BASIN -TYPE 16	3.000	EA
CATCH BASIN -TYPE 18	1.000	EA
DROP INLET (24" X 36")	3.000	EA
TRENCH DRAIN-4" INTERIOR DIMENSION WITH 2.0' CURB & GUTTER	121.000	LF
24" X 24" JUNCTION BOX	1.000	EA
36" X 36" JUNCTION BOX	1.000	EA
CONCRETE CURB (9" X 15")	125.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	550.000	LF
CONCRETE CURB AND GUTTER (2'-0") OGEE	1,200.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	544.000	SY
DETECTABLE WARNING MATERIAL	72.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	580.000	SY
CONCRETE MEDIAN	37.000	SY
PEDESTRIAN RAMP CONSTRUCTION	140.000	SY
SURFACE APPLIED DETECTABLE WARNING	65.000	SF
RIP-RAP (CLASS B)	20.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	26.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	12.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT GRASSING FOR SMALL PROJECTS	0.354	ACRE
TEMPORARY COVER	0.177	ACRE
SELECT MATERIAL	65.000	CY
MOWING	0.177	ACRE
LANDSCAPING ITEM NO. 001	3.000	EA
LANDSCAPING ITEM NO. 002	168.000	EA
SODDING	0.200	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.177	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	40.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	240.000	LF
SILT FENCE	2,652.000	LF
SILT BASINS	113.000	CY
INLET STRUCTURE FILTER - TYPE D2	1.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	1.000	EA



Call No.: 180

Page: 41

Description	Quantity	Units
STABILIZED CONSTRUCTION ENTRANCE	825.000	SY
UTILITY WORK WITHIN PROJECT	1.000	LS
CONCRETE SIDEWALK	555.000	SY
BRICK PAVERS (INCLUDE THE BASE AND SAND)	3,765.000	LF
EDGE PROTECTION	800.000	LF
SITE ELECTRICAL AND LIGHTING - COMPLETE	1.000	LS



Call No.: 190

Page: 42

SC File NO(S): 5108871

PCN: P030324

Project No.: P030324

PCN: P030325

Project No.: P030325

PCN: P030327

Project No.: P030327

Letting Date: May 09, 2017

CO(S): Lexington Richland

DBE Goal Percent: 3.00%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$0.00

Description: 2017 FEDERAL AID PROGRAM

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 10.6000

Completion Date: 6/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,390.000	SY
REMOVAL OF EXIST. GUARDRAIL	1,075.000	LF
BORROW EXCAVATION	1,532.000	CY
EXCAVATION FOR SHOULDER PAVING	554.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	554.000	STA
MAINTENANCE STONE	186.430	TON
HMA SHOULDER WIDENING COURSE	2,772.000	TON
LIQUID ASPHALT BINDER PG64-22	1,761.780	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	8,992.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	9,651.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	39,520.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	140,252.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,742.000	SY
MILLED-IN RUMBLE STRIP	12.800	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	4,655.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,514.453	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,843.288	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	300.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,052.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	27,714.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	135,044.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	640.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,663.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,830.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	64.000	EA



Call No.: 190

Page: 43

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	39.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	17.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	15,572.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	125,503.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,620.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	1,055.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,170.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	200.000	LF
24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT	24.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,560.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,638.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	90,330.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	320.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,488.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	15.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,300.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	36.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	21.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	13.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	11,740.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	70,149.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	585.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	393.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	480.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,625.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,784.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	424.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	21,043.000	LF
SAWCUT FOR LOOP DETECTOR	7,038.000	LF
DETECTABLE WARNING MATERIAL	675.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,350.000	SY
SURFACE APPLIED DETECTABLE WARNING	70.000	SF
STEEL BEAM GUARDRAIL STEEL BEAM GR.	925.000	LF
END TERMINAL - TYPE T	10.000	EA
THRIE BEAM G.R.BRIDGE CONN.	2.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	7.133	ACRE



Call No.: 200

Page: 44

SC File NO(S): 5112800	PCN: P032019	Project No.: P032019
	PCN: P032021	Project No.: P032021
Letting Date: May 09, 2017	CO(S): Lexington Richland	DBE Goal Percent: 0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans: \$0.00
Description: 2018 PRIMARY IMPROVEMENT PROGRAM		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 5.7900

Completion Date: 10/31/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,300.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	50.000	SY
REMOVAL OF EXIST. GUARDRAIL	250.000	LF
UNCLASSIFIED EXCAVATION	30.000	CY
BORROW EXCAVATION	1,193.000	CY
EXCAVATION FOR SHOULDER PAVING	387.560	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	387.569	STA
MAINTENANCE STONE	83.700	TON
HMA SHOULDER WIDENING COURSE	1,773.493	TON
LIQUID ASPHALT BINDER PG64-22	1,150.763	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,350.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,020.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	81,081.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,190.000	SY
MILLED-IN RUMBLE STRIP	6.300	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	5,174.400	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,780.907	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	235.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,603.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	14,194.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	170.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	82,932.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	8,596.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	708.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,487.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	46.000	EA



Call No.: 200

Page: 45

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	24.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,890.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	130,578.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,485.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,725.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	200.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	640.000	LF
WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT) EPOXY PAINT	1.000	EA
WHITE WORD MESSAGE "ONLY" - EPOXY PAINT	3.000	EA
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,520.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,578.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	32,048.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	4,410.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	354.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	53.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,315.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	37.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	20.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,850.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	57,221.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,485.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	100.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	444.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,044.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	17.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	319.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	17,836.000	LF
SAWCUT FOR LOOP DETECTOR	5,840.000	LF
DETECTABLE WARNING MATERIAL	650.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,300.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	150.000	LF
RESET GUARDRAIL RESET GR.	25.000	LF
END TERMINAL - TYPE T	4.000	EA
RESET END TERMINAL-TYPE T	1.000	EA
THRIE BEAM G.R.BRIDGE CONN.	2.000	EA
CONC BARR SS TO OTHER SHAPE TRANSITION	20.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	2.694	ACRE



Call No.: 210

Page: 46

SC File NO(S): 5112840	PCN: P031994	Project No.: P031994	
	PCN: P032004	Project No.: P032004	
	PCN: P032020	Project No.: P032020	
Letting Date: May 09, 2017	CO(S): Kershaw Lee	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.	Sumter	Cost of Road Plans:	\$0.00
Description: 2018 PRIMARY PAVEMENT IMPROVEMENT		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	5.2500
Completion Date: 11/31/2017			

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	600.000	LF
REMOVAL OF EXIST. GUARDRAIL	650.000	LF
BORROW EXCAVATION	1,050.000	CY
EXCAVATION FOR SHOULDER PAVING	421.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	421.000	STA
MAINTENANCE STONE	26.500	TON
HMA SHOULDER WIDENING COURSE	2,397.120	TON
LIQUID ASPHALT BINDER PG64-22	888.980	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,650.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	107,300.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,550.000	SY
MILLED-IN RUMBLE STRIP	11.060	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	2,989.654	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,858.812	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,507.240	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	90.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,864.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,870.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	118,296.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	600.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,440.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,595.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	46.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	13,380.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	70,440.000	LF



Call No.: 210

Page: 47

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,100.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	1,000.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,230.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	40,800.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	200.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	720.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	905.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	22.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,780.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	31,725.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	250.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	482.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	160.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,440.000	LF
SAWCUT FOR LOOP DETECTOR	750.000	LF
CONCRETE CURB (9" X 15")	600.000	LF
STEEL BEAM GUARDRAIL STEEL BEAM GR.	2,500.000	LF
RESET GUARDRAIL RESET GR.	400.000	LF
END ANCHOR-TYPE B	2.000	EA
END TERMINAL - TYPE T	10.000	EA
RESET END ANCHOR - TYPE B	2.000	EA
RESET END TERMINAL-TYPE T	2.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
GUARDRAIL THRIE-BEAM WITH BASE PLATE 1.5625' POST SPACING	500.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	5.091	ACRE



Call No.: 220

Page: 48

SC File NO(S): 5205410

PCN: P029439

Project No.: P029439

PCN: P029440

Project No.: P029440

Letting Date: May 09, 2017

CO(S): Edgefield

DBE Goal Percent: 0.00%

Letting Time: 2:00 P.M.

McCormick

Cost of Road Plans: \$0.00

Description: BRIDGE REHABS OVER STEVENS & TURKEY CREEK

Cost of BridgePlans: \$39.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 0.0580

Completion Date: 8/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
LIQUID ASPHALT BINDER PG64-22	6.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,200.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	100.000	TON
BARRICADE - TYPE 3	168.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	32.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	900.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	900.000	LF
PARTIAL DEPTH PATCHING OF EXISTING DECK	25.000	SY
SPALL REPAIR	30.000	SF
STRUCTURAL STEEL	1.000	LS
ENVIRONMENTAL AND WORKER PROTECTION	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
REHABILITATE EXISTING EXPANSION JOINT	4.000	EA
RESEAL DECK EXPANSION JOINT	312.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	500.000	LF
SILT FENCE	1,200.000	LF



Call No.: 230

Page: 49

SC File NO(S): 5207021	PCN: P029856	Project No.: P029856
	PCN: P029857	Project No.: P029857
	PCN: P029859	Project No.: P029859
Letting Date: May 09, 2017	CO(S): Abbeville Anderson	DBE Goal Percent: 0.00%
Letting Time: 2:00 P.M.	Greenwood	Cost of Road Plans: \$0.00
Description: DISTRICT 2 RESURFACE WITH 6235 FUNDS.		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 3.2500

Completion Date: 5/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
BORROW EXCAVATION	667.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 4	29,933.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,340.000	TON
MAINTENANCE STONE	24.500	TON
LIQUID ASPHALT BINDER PG64-22	251.038	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,450.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,620.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,477.100	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	673.144	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,544.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	252.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	75,405.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	160.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	426.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,840.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	67,025.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	84.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	25,135.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	160.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	238.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,280.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	23,875.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	218.000	EA



Call No.: 230

Page: 50

Description	Quantity	Units
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	2.230	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	300.000	LF
SILT FENCE	3,000.000	LF
REPLACE/REPAIR SILT FENCE	300.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	750.000	LF



Call No.: 240

Page: 51

SC File NO(S): 5209101	PCN: P030261	Project No.: P030261
	PCN: P030303	Project No.: P030303
Letting Date: May 09, 2017	CO(S): Abbeville	DBE Goal Percent: 2.50%
Letting Time: 2:00 P.M.	McCormick	Cost of Road Plans: \$0.00
Description: DISTRICT 2 2017 FEDERAL AID SECONDARY PROGRAM		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 2.0300

Completion Date: 5/15/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	450.000	SY
BORROW EXCAVATION	216.000	CY
MAINTENANCE STONE	28.600	TON
LIQUID ASPHALT BINDER PG64-22	187.263	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	635.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,225.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	32,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,000.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,028.850	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,040.180	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	688.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	274.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	26,840.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	58.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	36,580.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	137.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	13,420.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	116.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	296.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	27,800.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	137.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
DETECTABLE WARNING MATERIAL	237.500	SF
PEDESTRIAN RAMP CONSTRUCTION	450.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF



Call No.: 240

Page: 52

Description	Quantity	Units
PERMANENT GRASSING FOR SMALL PROJECTS	0.800	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	30.000	LF
SILT FENCE	300.000	LF
REPLACE/REPAIR SILT FENCE	30.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	75.000	LF



Call No.: 250

Page: 53

SC File NO(S): 5213000

PCN: P031995

Project No.: P031995

PCN: P031998

Project No.: P031998

Letting Date: May 09, 2017

CO(S): Abbeville Laurens

DBE Goal Percent: 0.00%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$0.00

Description: 2018 PRIMARY (STATE FUNDED)

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 4.9300

Completion Date: 6/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,508.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 4	72,478.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,610.000	TON
LIQUID ASPHALT BINDER PG64-22	611.463	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	800.000	SY
MILLED-IN RUMBLE STRIP	9.860	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,981.120	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,292.120	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,015.740	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	444.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	660.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	183,760.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	324.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,560.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	167,300.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	52,065.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	96.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,760.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	47,950.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	327.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	3.690	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	450.000	LF
SILT FENCE	4,500.000	LF
REPLACE/REPAIR SILT FENCE	450.000	LF



Call No.: 250

Page: 54

Description	Quantity	Units
REMOVAL OF SILT RETAINED BY SILT FENCE	1,125.000	LF



Call No.: 260

Page: 55

SC File NO(S): 5213030	PCN: P031999	Project No.: P031999
	PCN: P032000	Project No.: P032000
	PCN: P032051	Project No.: P032051
Letting Date: May 09, 2017	CO(S): Greenwood	DBE Goal Percent: 0.00%
Letting Time: 2:00 P.M.	McCormick	Cost of Road Plans: \$0.00
	Newberry	Cost of BridgePlans: \$0.00
Description: 2018 PRIMARY (STATE FUNDED)		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 3.2400

Completion Date: 9/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,073.000	SY
REMOVAL OF EXIST. GUARDRAIL	65.000	LF
BORROW EXCAVATION	3,000.000	CY
EXCAVATION FOR SHOULDER PAVING	69.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	69.000	STA
MAINTENANCE STONE	82.600	TON
HMA SHOULDER WIDENING COURSE	343.200	TON
LIQUID ASPHALT BINDER PG64-22	604.681	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	150.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	7,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	8,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	96,489.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,500.000	SY
MILLED-IN RUMBLE STRIP	1.300	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	10,005.973	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	983.150	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,104.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	25,780.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	29,400.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	8,970.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,533.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	60.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	48.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	39.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	24,700.000	LF



Call No.: 260

Page: 56

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	117,400.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,570.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	7,500.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,990.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,491.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	20.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	16.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	13.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	36,900.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	421.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	750.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	793.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	6,000.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	20,598.000	LF
SAWCUT FOR LOOP DETECTOR	5,858.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	6.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	2.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,500.000	LF
DETECTABLE WARNING MATERIAL	375.000	SF
PEDESTRIAN RAMP CONSTRUCTION	750.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	2,887.500	LF
STEEL BEAM GUARDRAIL (THRIE)	125.000	LF
END TERMINAL - TYPE T	10.000	EA
ADDITIONAL LENGTH GUARDRAIL POST	930.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	0.630	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	320.000	LF
SILT FENCE	3,120.000	LF
REPLACE/REPAIR SILT FENCE	320.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	800.000	LF
CLEANING INLET STRUCTURE FILTERS	10.000	EA
INLET STRUCTURE FILTER - TYPE B	5.000	EA



Call No.: 270

Page: 57

SC File NO(S): 5413310	PCN: P031957	Project No.: P031957
	PCN: P031962	Project No.: P031962
Letting Date: May 09, 2017	CO(S): Cherokee Union	DBE Goal Percent: 0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans: \$0.00
		Cost of BridgePlans: \$0.00
Description: '18 PRIM IMP IN CHEROKEE AND UNION		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 3.3000

Completion Date: 10/31/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	1.500	CY
REMOVAL OF EXIST. GUARDRAIL	920.000	LF
BORROW EXCAVATION	660.000	CY
STATION GRADING	41.000	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 4	54,383.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,957.788	TON
MAINTENANCE STONE	30.000	TON
LIQUID ASPHALT BINDER PG64-22	288.465	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,100.000	SY
MILLED-IN RUMBLE STRIP	6.600	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,497.573	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,798.073	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	54,207.998	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	948.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	104,580.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	525.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,290.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	85,440.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	34,860.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	175.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,430.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	28,480.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	224.000	EA
STEEL BEAM GUARDRAIL STEEL BEAM GR.	5,810.000	LF



Call No.: 270

Page: 58

Description	Quantity	Units
GUARDRAIL THRIE-BEAM WITH BASE PLATE 6.25' POST SPACING	300.000	LF
END TERMINAL - TYPE T	30.000	EA
ADDITIONAL LENGTH GUARDRAIL POST	1,312.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	3.200	ACRE
SILT FENCE	4,100.000	LF
REPLACE/REPAIR SILT FENCE	410.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	410.000	LF



Call No.: 280

Page: 59

SC File NO(S): 5413320

PCN: P031958

Project No.: P031958

PCN: P031963

Project No.: P031963

Letting Date: May 09, 2017

CO(S): Chester York

DBE Goal Percent: 0.00%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$0.00

Description: '18 PRIM IMP IN CHESTER AND YORK

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 3.9300

Completion Date: 10/31/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	0.300	ACRE
UNCLASSIFIED EXCAVATION	222.000	CY
BORROW EXCAVATION	1,722.000	CY
STATION GRADING	20.000	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 4	46,500.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,674.000	TON
MAINTENANCE STONE	75.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	8,661.000	TON
LIQUID ASPHALT BINDER PG64-22	874.552	TON
MILLING EXISTING ASPHALT PAVEMENT 6.0"	15,630.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	900.000	SY
MILLED-IN RUMBLE STRIP	7.860	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,823.360	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	6,575.680	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	46,500.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	768.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	588.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	124,530.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	570.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	11,820.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	47,460.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	196.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	41,510.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	190.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,940.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	15,820.000	LF



Call No.: 280

Page: 60

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	265.000	EA
STEEL BEAM GUARDRAIL STEEL BEAM GR.	2,000.000	LF
END TERMINAL - TYPE T	14.000	EA
ADDITIONAL LENGTH GUARDRAIL POST	832.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	3.810	ACRE
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	200.000	LF



Call No.: 290

Page: 61

SC File NO(S): 5413330

PCN: P031959

Project No.: P031959

PCN: P031961

Project No.: P031961

Letting Date: May 09, 2017

CO(S): Chesterfield

DBE Goal Percent: 0.00%

Letting Time: 2:00 P.M.

Lancaster

Cost of Road Plans: \$0.00

Description: '18 PRIM IMP IN C'FIELD AND LANC

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 3.1400

Completion Date: 5/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	18.500	CY
BORROW EXCAVATION	670.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 2	30,954.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,114.344	TON
MAINTENANCE STONE	36.000	TON
LIQUID ASPHALT BINDER PG64-22	620.669	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,800.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	6,675.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	31,235.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,850.000	SY
MILLED-IN RUMBLE STRIP	4.600	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,095.254	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,732.267	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	78.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,032.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	9,992.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	66,921.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	924.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	44.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	34.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	7,800.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	75,690.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,824.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	24,453.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	408.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	20.000	EA



Call No.: 290

Page: 62

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	15.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,300.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	31,440.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	404.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	208.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	504.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	2.230	ACRE



Call No.: 300

Page: 63

SC File NO(S): 5513140

PCN: P031977

Project No.: P031977

PCN: P031983

Project No.: P031983

PCN: P032122

Project No.: P032122

Letting Date: May 09, 2017

CO(S): Darlington Marlboro

DBE Goal Percent: 0.00%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$0.00

Description: 2018 PRIMARY RESURFACING

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 5.7500

Completion Date: 10/31/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	103.000	SY
BORROW EXCAVATION	1,150.000	CY
EXCAVATION FOR SHOULDER PAVING	442.464	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	442.464	STA
MAINTENANCE STONE	13.600	TON
HMA SHOULDER WIDENING COURSE	2,212.320	TON
LIQUID ASPHALT BINDER PG64-22	983.845	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,360.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	55,090.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,400.000	SY
MILLED-IN RUMBLE STRIP	8.380	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	6,617.894	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,911.350	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	5,520.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,732.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,020.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	175,730.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	650.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	360.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	13.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	13,520.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	120,790.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	925.000	LF



Call No.: 300

Page: 64

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,490.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	60,810.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	550.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	230.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	13.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,650.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	41,930.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	67.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	415.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	300.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,500.000	LF
SAWCUT FOR LOOP DETECTOR	3,000.000	LF
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	2.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	103.000	SY
SURFACE APPLIED DETECTABLE WARNING	144.000	SF
END TERMINAL - TYPE T	4.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	4.402	ACRE



Call No.: 310

Page: 65

SC File NO(S): 5513210

PCN: P030609

Project No.: P030609

PCN: P031978

Project No.: P031978

PCN: P031979

Project No.: P031979

PCN: P031982

Project No.: P031982

Letting Date: May 09, 2017

CO(S): Dillon Florence
Marion

DBE Goal Percent: 0.00%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$0.00

Description: 2018 PRIMARY RESURFACING

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 7.2700

Completion Date: 5/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,650.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,200.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	113.889	CY
BORROW EXCAVATION	1,246.000	CY
EXCAVATION FOR SHOULDER PAVING	657.888	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	657.888	STA
MAINTENANCE STONE	69.000	TON
HMA SHOULDER WIDENING COURSE	3,289.440	TON
LIQUID ASPHALT BINDER PG64-22	1,183.127	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	6,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	74,540.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,400.000	SY
MILLED-IN RUMBLE STRIP	12.460	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,998.080	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,244.480	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	949.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,534.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	12,990.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	165,300.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,060.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,360.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	14.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	18,300.000	LF



Call No.: 310

Page: 66

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	99,230.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,430.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	68,600.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,030.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	690.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	14.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,600.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	36,010.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	195.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	720.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	3,000.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	15,000.000	LF
SAWCUT FOR LOOP DETECTOR	10,000.000	LF
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	10.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	9.000	EA
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	1,200.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	200.000	SY
DETECTABLE WARNING MATERIAL	450.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	550.000	SY
PEDESTRIAN RAMP CONSTRUCTION	900.000	SY
STEEL BEAM GUARDRAIL (THRIE)	150.000	LF
END TERMINAL - TYPE T	4.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	4.432	ACRE



Call No.: 320

Page: 67

SC File NO(S): 5513300

PCN: P031980

Project No.: P031980

PCN: P031981

Project No.: P031981

Letting Date: May 09, 2017

CO(S): Georgetown Horry

DBE Goal Percent: 0.00%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$0.00

Description: 2018 PRIMARY RESURFACING

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 10.5700

Completion Date: 6/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	2,114.000	CY
EXCAVATION FOR SHOULDER PAVING	813.120	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	813.120	STA
MAINTENANCE STONE	61.200	TON
HMA SHOULDER WIDENING COURSE	4,658.720	TON
LIQUID ASPHALT BINDER PG64-22	1,671.216	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,400.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	3,720.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	113,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,000.000	SY
MILLED-IN RUMBLE STRIP	20.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	5,535.786	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	18,479.186	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,802.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,342.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	13,960.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	269,100.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,960.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	80.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	23,820.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	104,380.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,370.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	860.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	3,010.000	LF



Call No.: 320

Page: 68

Description	Quantity	Units
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	3,010.000	LF
EPOXY PAINT 4" BLACK BROKEN LINES -(GAPS EXCLUDED)	430.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,970.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	98,060.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,480.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	40.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	40.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,210.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	34,650.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	29.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	542.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	230.000	EA
REMOVAL OF PAVEMENT MARKINGS	6,880.000	LF
END TERMINAL - TYPE T	4.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	8.008	ACRE



Call No.: 330

Page: 69

SC File NO(S): 5513460	PCN: P030490	Project No.: P030490
	PCN: P031899	Project No.: P031899
	PCN: P031900	Project No.: P031900
Letting Date: May 09, 2017	CO(S): Dillon Florence	DBE Goal Percent: 0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans: \$0.00
Description: 2016 CTC RESURFACING		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 17.7700

Completion Date: 7/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	600.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,125.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	75.556	CY
BORROW EXCAVATION	3,328.000	CY
EXCAVATION FOR SHOULDER PAVING	1,020.096	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,020.096	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 4	17,700.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	570.000	TON
MAINTENANCE STONE	84.500	TON
HMA SHOULDER WIDENING COURSE	5,100.480	TON
LIQUID ASPHALT BINDER PG64-22	1,632.048	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	6,450.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	2,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	34,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,290.000	SY
MILLED-IN RUMBLE STRIP	21.800	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,430.319	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	9,571.220	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	5,649.874	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	22,267.466	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,588.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	9,030.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	268,880.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	7,320.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,310.000	LF



Call No.: 330

Page: 70

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	10.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	26,910.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	186,860.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	127,890.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,440.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,140.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	12,420.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	83,780.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	110.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,306.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	9,290.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	9,290.000	LF
SAWCUT FOR LOOP DETECTOR	9,290.000	LF
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	17.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	7.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	75.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	400.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	650.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	185.000	SY
DETECTABLE WARNING MATERIAL	300.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	330.000	SY
PEDESTRIAN RAMP CONSTRUCTION	600.000	SY
PERMANENT GRASSING FOR SMALL PROJECTS	10.973	ACRE



Call No.: 340

Page: 71

SC File NO(S): 5613290

PCN: P031972

Project No.: P031972

PCN: P032053

Project No.: P032053

Letting Date: May 09, 2017

CO(S): Beaufort Jasper

DBE Goal Percent: 0.00%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$0.00

Description: 2018 PRIMARY BEAUFORT AND JASPER
2/13/2017 3:24:33 PM

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 3.6800

Completion Date: 10/31/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	370.000	CY
EXCAVATION FOR SHOULDER PAVING	195.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	195.000	STA
MAINTENANCE STONE	43.600	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	971.520	TON
LIQUID ASPHALT BINDER PG64-22	540.048	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,360.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	79,992.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,850.000	SY
MILLED-IN RUMBLE STRIP	3.680	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,273.067	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,964.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	5,130.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	10,760.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	4,660.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	985.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	23.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	14.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	8.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	28,720.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	12,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	31,240.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	9,320.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,000.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	46.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	28.000	EA



Call No.: 340

Page: 72

Description	Quantity	Units
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	16.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	67,160.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	5,425.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	314.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	400.000	EA
FURNISH & INSTALL FLUSH MOUNTED WIRELESS SENSOR	8.000	EA
FURNISH & INSTALL EPOXY TUBES	46.000	EA
FURNISH EPOXY APPLICATOR	46.000	EA
INSTALL FLUSH MOUNTED WIRELESS SENSOR	38.000	EA
REMOVE FLUSH MOUNTED WIRELESS SENSOR	38.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	1.784	ACRE



Call No.: 350

Page: 73

SC File NO(S): 5713040

PCN: P031952

Project No.: P031952

PCN: P031988

Project No.: P031988

PCN: P031989

Project No.: P031989

PCN: P031992

Project No.: P031992

Letting Date: May 09, 2017

CO(S): Allendale Bamberg
Barnwell Hampton

DBE Goal Percent: 0.00%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$0.00

Description: 2018 PRIMARY PIP - 03,05,06,25

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 5.8900

Completion Date: 4/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	435.000	SY
BORROW EXCAVATION	742.000	CY
EXCAVATION FOR SHOULDER PAVING	391.776	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	391.776	STA
MAINTENANCE STONE	16.500	TON
HMA SHOULDER WIDENING COURSE	1,888.480	TON
LIQUID ASPHALT BINDER PG64-22	710.593	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	752.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	898.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	11,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	29,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,700.000	SY
MILLED-IN RUMBLE STRIP	5.930	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,151.479	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,544.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	500.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,616.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	2,220.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	50,250.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	660.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	908.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	1.000	EA



Call No.: 350

Page: 74

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	5,210.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	27,490.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,440.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	98,390.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	660.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,816.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,420.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	54,980.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	96.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	558.000	EA
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,100.000	LF
SAWCUT FOR LOOP DETECTOR	600.000	LF
DETECTABLE WARNING MATERIAL	200.000	SF
PEDESTRIAN RAMP CONSTRUCTION	400.000	SY
SURFACE APPLIED DETECTABLE WARNING	235.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	3.598	ACRE



Call No.: 360

Page: 75

SC File NO(S): 5713070	PCN: P031990	Project No.: P031990	
	PCN: P031991	Project No.: P031991	
	PCN: P031993	Project No.: P031993	
	PCN: P032083	Project No.: P032083	
Letting Date: May 09, 2017	CO(S): Calhoun Clarendon	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.	Orangeburg	Cost of Road Plans:	\$0.00
Description: 2018 PRIMARY PIP - 09,14,38		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	4.7300

Completion Date: 11/30/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	188.000	CY
EXCAVATION FOR SHOULDER PAVING	99.264	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	99.264	STA
MAINTENANCE STONE	4.000	TON
HMA SHOULDER WIDENING COURSE	441.173	TON
LIQUID ASPHALT BINDER PG64-22	632.244	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	250.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	150.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	40,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,050.000	SY
MILLED-IN RUMBLE STRIP	4.960	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	11,156.347	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	300.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,092.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	2,939.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	43,510.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	410.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	560.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	450.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	768.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	18.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	5,520.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	34,410.000	LF



Call No.: 360

Page: 76

Description	Quantity	Units
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	180.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,878.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	86,660.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	820.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	560.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	900.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,536.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,940.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	67,240.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	360.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	360.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	169.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	260.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	631.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	9.000	EA
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,450.000	LF
SAWCUT FOR LOOP DETECTOR	1,690.000	LF
SURFACE APPLIED DETECTABLE WARNING	170.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	0.911	ACRE



Call No.: 370

Page: 77

SC File NO(S): 8889490

PCN: P028316

Project No.: P028316

PCN: P028350

Project No.: P028350

Letting Date: May 09, 2017

CO(S): Florence

DBE Goal Percent: 2.50%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$0.00

Description: I-95 SB BRIDGE REHABS OVER LYNCHES RIVER AND SPARROW SWAMP

Cost of BridgePlans: \$88.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 0.1870

Completion Date: 3/23/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION LS	1.000	LS
BONDS AND INSURANCE LS	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES EA	1.000	EA
TRAFFIC CONTROL LS	1.000	LS
WRECKER SERVICE DAY	66.000	DAY
ADDITIONAL WRECKER SERVICE HR	16.000	HR
REMOVAL & DISPOSAL OF EXISTING PAVEMENT SY	2,785.000	SY
UNCLASSIFIED EXCAVATION CY	200.000	CY
FINE GRADING SY	1,385.000	SY
HOT MIX ASPHALT BASE COURSE - TYPE A TON	560.000	TON
LIQUID ASPHALT BINDER PG64-22 TON	26.000	TON
LIQUID ASPHALT BINDER PG76-22 TON	31.000	TON
MILLING EXISTING ASPHALT PAVEMENT 3.0" SY	115.000	SY
MILLED-IN RUMBLE STRIP MI	0.700	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A TON	350.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE A TON	295.000	TON
WARM MIX ASPHALT OPEN GRADED FRICTION COURSE TON	6.000	TON
MILLING EXISTING CONCRETE PAV. 2.0" SY	115.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	368.000	SF
DETOUR SIGNS SF	1,090.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH) EA	2.000	EA
TEMPORARY CONCRETE BARRIER LF	1,490.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER EA	18.000	EA
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT LF	3,240.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT LF	3,240.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT LF	515.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT LF	2,040.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT LF	2,040.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4" EA	40.000	EA



Call No.: 370

Page: 78

Description	Quantity	Units
REMOVAL OF EXISTING RAISED PAVEMENT MARKERS EA	40.000	EA
REMOVAL OF PAVEMENT MARKINGS LF	6,820.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN LF	260.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID LF	990.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL. LF	990.000	LF
CONC. FOR STRUCTURES - CLASS 4000 CY	59.000	CY
GROOVED SURFACE FINISH SY	3,960.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE) LB	17,796.000	LB
CONCRETE CURB (TRANSITION) LF	40.000	LF
CONCRETE DITCH PAVING SY	48.000	SY
MACHINE PREPARATION OF EXISTING SURFACE SY	4,180.000	SY
HYDRO-DEMOLITION OF EXISTING SURFACE SY	4,180.000	SY
BLAST CLEANING SY	4,235.000	SY
CONCRETE OVERLAY (LATEX) CY	197.000	CY
EPOXY-SAND SLURRY SF	2,475.000	SF
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING CY	10.000	CY
RESEAL DECK EXPANSION JOINT LF	1,287.000	LF
RIP-RAP (CLASS B) TON	40.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B SY	80.000	SY
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE LF	400.000	LF

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

In addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS. Information concerning prequalification can be obtained at the Contracts Administration office, Room 334 in the Headquarters building, 955 Park Street, Columbia, SC, or by calling Jeff Elliott at (803)737-1253.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE. Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
2. BID BONDS HAND DELIVERED. Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Cost of plans may change, and the bidder should check with the SCDOT Engineering Publications office for the cost of plans when the plans are indicated to be available.

Prepared by L. Stuckey

Issued by:

J.Brian Parnell
Contract Administrator