

SOUTH CAROLINA
DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
FOR
REGULAR HIGHWAY LETTING
June 12, 2018

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street
Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet. Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

The following items will be made available on May 15, 2018 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website
- Hardcopy plans & proposals will be printed upon request only via Engineering Publications
 - o Located in room G23 SCDOT Headquarters
 - o Phone (803)737-4533/ Fax (803)737-4530 Call ahead for pickup orders
 - o Cash, check, money order, VISA/MC accepted (Payable to SCDOT. No refunds)

Access the Construction Extranet for the following items:

- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates

Contractors are encouraged to utilize the Extranet Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password. See link for details http://www.scdot.org/doing/constructionletting_extranet.aspx.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

The SCDOT Standard Drawings are available for download at <http://www.scdot.org/doing/road.aspx>

Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.



Call No.: 010

Page: 1

SC File NO(S): 0447490	PCN: P030150	Project No.: P030150
	PCN: P037060	Project No.: P037060
Letting Date: June 12, 2018	CO(S): Anderson	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
		Cost of BridgePlans: \$0.00
Description: 2018 RECONSTRUCTION/REHAB FDR, MILL & REPLACE, OVERLAY - US 76, S-29		Cost of X-Sections: \$0.00
		Cost of Proposal: \$0.00
		Approx. Length (miles): 12.9600

Completion Date: 11/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	375.000	SY
BORROW EXCAVATION	4,366.000	CY
EXCAVATION FOR SHOULDER PAVING	146.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	146.000	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	68,158.000	SY
CEMENT MODIFIED RECYCLED BASE (14" UNIFORM)	49,938.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,057.000	TON
MAINTENANCE STONE	64.000	TON
HMA SHOULDER WIDENING COURSE	723.360	TON
LIQUID ASPHALT BINDER PG64-22	1,514.799	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	2,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	400.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	165,137.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,800.000	SY
MILLED-IN RUMBLE STRIP	13.070	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	7,244.160	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,467.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,919.643	TON
DRIVEWAY PAVING-SURFACE TYPE B	325.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	266.876	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,684.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	31,056.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	248,155.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	12,327.000	LF



Call No.: 010

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,996.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	44.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	15.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,260.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	359,529.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	10,362.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	67,233.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	509.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	928.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	17.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	940.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	105,561.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	218.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	378.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,334.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	2,250.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,750.000	LF
SAWCUT FOR LOOP DETECTOR	1,818.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	4.000	EA
ADJUST DROP INLET ADJUST D. I.	6.000	EA
DETECTABLE WARNING MATERIAL	187.500	SF
PEDESTRIAN RAMP CONSTRUCTION	375.000	SY
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
STEEL BEAM GUARDRAIL STEEL BEAM GR.	2,475.000	LF
END TERMINAL - TYPE T	14.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	6.389	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	180.000	LF
SILT FENCE	5,250.000	LF
REPLACE/REPAIR SILT FENCE	535.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,340.000	LF



Call No.: 020

Page: 3

SC File NO(S): 1083531	PCN: 0041072RD01	Project No.: SA10010	
Letting Date: June 12, 2018	CO(S): Charleston	DBE Goal Percent:	5.50%
Letting Time: 02:00 PM		Cost of Road Plans:	\$37.00
Description: S-28 @ S-53 ROUNDABOUT		Cost of BridgePlans:	\$48.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.1440

Completion Date: 10/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
LEVEL 3 - EARTH-BORNE VIBRATION MONITORING	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	165.000	SY
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	387.000	CY
BORROW EXCAVATION	1,267.000	CY
MUCK EXCAVATION	474.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	610.000	LF
FLOWABLE FILL	15.000	CY
MAINTENANCE STONE	10.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	300.000	TON
LIQUID ASPHALT BINDER PG64-22	60.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	410.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	110.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	330.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	420.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	397.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	228.000	SF
PREF.FLEX.RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID	200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID	200.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA



Call No.: 020

Page: 4

Description	Quantity	Units
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	2.000	EA
TEMPORARY CONCRETE BARRIER	220.000	LF
2.0" SCHEDULE 80 PVC CONDUIT	182.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	590.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	2,100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	530.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	108.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 12"X18" WHITE TRIANGLE YIELD BAR	88.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	474.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	50.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	295.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	265.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	44.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	54.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,050.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	75.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	42.500	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	120.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	268.000	LF
REFLECTIVE SIGN POST PANELS	95.000	LF
4.0" SCHEDULE 40 PVC CONDUIT	130.000	LF
CONC. FOR STRUCTURES - CLASS 4000	117.400	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	27,657.000	LB
CONCRETE BRIDGE RAILING WALL (3'6"HT)	90.100	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	3.000	EA
PILE DRIVING SET-UP	8.000	EA
PREST. CONC. PILING (20"SQ.)	111.000	LF
PILE BUILD-UP PREPARATION (20"SQ)	2.000	EA
PRESTRESSED INDEX PILING (20" SQUARE)	37.000	LF
PRESTRESSED PILE POINT (HP10X57)	48.000	LF
STEEL H BEARING PILING (HP12 X 53)	95.000	LF
STEEL H BEARING INDEX PILING (HP12 X 53)	95.000	LF
10" CORRUGATED POLYETHYLENE (PE) PIPE CULVERT (TYPE S)	54.000	LF
18" SMOOTH WALL PIPE	610.000	LF
CLEANING EXISTING PIPE	46.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	2.000	EA
CATCH BASIN -TYPE 16	7.000	EA
DROP INLET (24" X 36")	1.000	EA
36" X 36" JUNCTION BOX	1.000	EA



Call No.: 020

Page: 5

Description	Quantity	Units
BEVELING OF PIPE END	3.000	EA
CONCRETE CURB (9" X 15")	135.000	LF
CONCRETE CURB AND GUTTER(1'-6") OGEE	261.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	877.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	440.000	SY
DETECTABLE WARNING MATERIAL	63.000	SF
CONCRETE MEDIAN	155.000	SY
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	150.000	SF
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	4.000	EA
6" PERFORATED PIPE UNDERDRAIN WITH GEOTEXTILE	120.000	LF
RIP-RAP (CLASS B)	60.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	75.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	137.500	LF
END ANCHOR-TYPE B	1.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
GUARDRAIL LEADING TYPE T TL3 (50')	3.000	EA
GR TRAILING END TREATMENT W-BEAM TYPE B	1.000	EA
TEMPORARY BARRIER FENCE	485.000	LF
MOVING ITEM NO. 003	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	8.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.222	ACRE
TEMPORARY COVER	0.222	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	0.798	ACRE
FERTILIZER (NITROGEN)	22.000	LB
FERTILIZER (PHOSPHORIC ACID)	22.000	LB
FERTILIZER (POTASH)	22.000	LB
AGRICULTURAL GRANULAR LIME	444.000	LB
MOWING	0.888	ACRE
ARBORIST	20.000	HR
DOUBLE-SHREDDED HARDWOOD MULCH	315.000	SF
MUHLENBERGIA CAPILLARIS (PINK MUHLY GRASS) #1 CONT.	37.000	EA
POROUS MATERIAL FOR ROOT PROTECTION	25.000	TON
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.090	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	150.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	150.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	48.000	LF
SILT FENCE	1,141.000	LF
FLOATING TURBIDITY BARRIER-LIGHT DUTY	475.000	SF
CLEANING SILT BASINS	5.000	CY
INLET FILTER CLEANING	10.000	EA



Call No.: 020

Page: 6

Description	Quantity	Units
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
WOOD FENCING	100.000	LF



Call No.: 030

Page: 7

SC File NO(S): 1091731	PCN: 0024011X	Project No.: BR10006	
Letting Date: June 12, 2018	CO(S): Charleston	DBE Goal Percent:	4.50%
Letting Time: 02:00 PM		Cost of Road Plans:	\$24.00
Description: REPLACE BRIDGE OVER CAW CAW SWAMP		Cost of BridgePlans:	\$50.00
		Cost of X-Sections:	\$39.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	1.1280

Completion Date: 8/31/2020

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	11,961.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	13,797.000	CY
BORROW EXCAVATION	50,348.000	CY
MUCK EXCAVATION	49,500.000	CY
GEOTEXTILE FOR SEPARATION OF SUBGRADE&SUBBASE/BASE CR	23,700.000	SY
GEOGRID REINFORCEMENT (BIAXIAL)	32,700.000	SY
TEMPORARY SHORING WALL	740.000	LF
STONE BRIDGE LIFT MATERIAL	75,900.000	TON
GRANULAR BRIDGE LIFT MATERIAL	14,200.000	CY
FINE GRADING	13,587.000	SY
FLOWABLE FILL	165.000	CY
MAINTENANCE STONE	20.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	6,164.000	TON
LIQUID ASPHALT BINDER PG64-22	660.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	534.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	5,186.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,050.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	10.000	TON
HOT MIX ASPHALT CONCRETE PLANT MIX UNDER GUARDRAIL	1,935.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	184.000	SF



Call No.: 030

Page: 8

Description	Quantity	Units
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	12.000	EA
TEMPORARY CONCRETE BARRIER	6,000.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	250.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	13.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	1,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	48,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	40,000.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 4"WH.SOLID PREF.	600.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE4"YEL.SOLID PREF.	600.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	3,000.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	300.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	12,100.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,600.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,400.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	80.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,212.000	LF
CONC. FOR STRUCTURES - CLASS 4000	1,229.300	CY
GROOVED SURFACE FINISH	1,410.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	259,575.000	LB
CONCRETE BRIDGE BARRIER PARAPET	408.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	12.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	12.000	EA
PILE DRIVING SET-UP	91.000	EA
PREST. CONC. PILING (20"SQ.)	2,742.000	LF
PILE BUILD-UP PREPARATION (20"SQ)	13.000	EA
PRESTRESSED INDEX PILING (20" SQUARE)	192.000	LF
PRESTRESSED PILE POINT (HP10X57)	2,898.000	LF
18" SMOOTH WALL PIPE	48.000	LF
BEVELING OF PIPE END	4.000	EA
CONCRETE CURB (9" X 15")	36.000	LF
BRIDGE APPROACH CONCRETE CURB AND GUTTER(1'-10")	78.000	LF
ASPHALT CURB	1,650.000	LF
10" PIPE SLOPE DRAIN	100.000	LF
RIP-RAP (CLASS B)	1,186.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	2,272.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	825.000	LF
END TERMINAL - TYPE T	12.000	EA
THRIE BEAM G.R.BRIDGE CONN.	12.000	EA
TEMPORARY BARRIER FENCE	11,250.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	48.000	EA
RIGHT OF WAY PLAT	1.000	LS



Call No.: 030

Page: 9

Description	Quantity	Units
PERMANENT COVER	5.626	ACRE
TEMPORARY COVER	2.813	ACRE
FERTILIZER (NITROGEN)	563.000	LB
FERTILIZER (PHOSPHORIC ACID)	563.000	LB
FERTILIZER (POTASH)	563.020	LB
AGRICULTURAL GRANULAR LIME	11,252.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	16.878	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.707	MSY
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	5.459	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	8.439	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	210.000	LF
SILT FENCE	11,250.000	LF
REPLACE/REPAIR SILT FENCE	1,125.000	LF
FLOATING TURBIDITY BARRIER-LIGHT DUTY(9'DEPTH)	500.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	2,813.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	2,080.000	HR



Call No.: 040

Page: 10

SC File NO(S): 1647430	PCN: P028979	Project No.: P028979	
Letting Date: June 12, 2018	CO(S): Darlington	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$4.00
Description: INSTALL INTERSECTION CONFLICT WARNING SYSTEM (ICWS) US 15 @ S-135		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.3540

Completion Date: 12/15/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	270.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	62.000	LF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	174.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	232.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	28.000	LF
REFLECTIVE SIGN POST PANELS	80.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	35.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,320.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	510.000	LF
FURNISH & INSTALL 4" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	260.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,730.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,030.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,360.000	LF
SAWCUT FOR LOOP DETECTOR	550.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	5.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	1.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - POLE MOUNTED	1.000	EA



Call No.: 050

Page: 11

SC File NO(S): 2148170	PCN: 0034067X	Project No.: BR21018	
Letting Date: June 12, 2018	CO(S): Florence	DBE Goal Percent:	11.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$23.00
Description: S-12 CON OVER JEFFERIES CREEK		Cost of BridgePlans:	\$24.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.1130

Completion Date: 10/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	535.000	SY
REMOVAL OF EXIST. GUARDRAIL	240.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	1,931.000	CY
BORROW EXCAVATION	3,600.000	CY
MUCK EXCAVATION	203.000	CY
GEOTEXTILE, SEPARATION	300.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	4,580.000	SY
GEOGRID STABILIZATION	300.000	SY
STONE BRIDGE LIFT MATERIAL	200.000	TON
GRANULAR BRIDGE LIFT MATERIAL	225.000	CY
FINE GRADING	1,200.000	SY
FLOWABLE FILL	100.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	335.000	TON
LIQUID ASPHALT BINDER PG64-22	42.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	765.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	100.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	360.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	20.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	6.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	136.000	SF



Call No.: 050

Page: 12

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	29.000	SF
DETOUR SIGNS	100.000	SF
BARRICADE - TYPE 3	60.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	15.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	30.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	3,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	3,200.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,300.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	360.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	360.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	15.900	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	40.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	12.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	564.000	LF
CONC. FOR STRUCTURES - CLASS 4000	573.400	CY
GROOVED SURFACE FINISH	590.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	128,008.000	LB
CONCRETE BRIDGE BARRIER PARAPET	216.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	9.000	EA
PILE DRIVING SET-UP	30.000	EA
PREST. CONC. PILING (24"SQ.)	455.000	LF
PILE BUILD-UP PREPARATION (24"SQ)	3.000	EA
PREDRILLING FOR PREST. CONC. PILING (24"SQ.)	336.000	LF
PRESTRESSED INDEX PILING (24" SQUARE)	64.000	LF
PRESTRESSED PILE POINT (HP12X102)	423.000	LF
STEEL H BEARING INDEX PILING (HP14 X 89)	114.000	LF
GALVANIZED STEEL H BEARING PILING (HP14 X 89)	550.000	LF
BRIDGE APPROACH CONCRETE CURB AND GUTTER(1'-10")	38.000	LF
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	5.000	EA
RIP-RAP (CLASS B)	100.000	TON
RIP-RAP (CLASS C)	1,100.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	800.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	100.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	850.000	LF



Call No.: 050

Page: 13

Description	Quantity	Units
END ANCHOR-TYPE B	2.000	EA
END TERMINAL - TYPE T	2.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
TEMPORARY BARRIER FENCE	1,550.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	19.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.900	ACRE
TEMPORARY COVER	0.450	ACRE
FERTILIZER (NITROGEN)	90.000	LB
FERTILIZER (PHOSPHORIC ACID)	90.000	LB
FERTILIZER (POTASH)	90.000	LB
AGRICULTURAL GRANULAR LIME	1,800.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.700	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.301	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.450	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.400	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	70.000	LF
SILT FENCE	3,600.000	LF
REPLACE/REPAIR SILT FENCE	360.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY	5,100.000	SF
CLEANING SILT BASINS	44.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	900.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 12"	200.000	LF



Call No.: 060

Page: 14

SC File NO(S): 2647730	PCN: P037142	Project No.: P037142	
Letting Date: June 12, 2018	CO(S): Horry	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$14.00
Description: SAFETY IMPROVEMENTS SC 9 (MP 20.0 - MP 30.0)		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	9.9000

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,456.000	SY
BORROW EXCAVATION	2,356.000	CY
EXCAVATION FOR SHOULDER PAVING	534.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	534.000	STA
MAINTENANCE STONE	350.000	TON
HMA SHOULDER WIDENING COURSE	21,126.000	TON
LIQUID ASPHALT BINDER PG64-22	3,561.000	TON
MILLING EXISTING ASPHALT PAVEMENT 1.0"	39,424.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,250.000	SY
MILLED-IN RUMBLE STRIP	39.600	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	39,764.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,392.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	216,480.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	216,480.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	216,480.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,050.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	250.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	250.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	250.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	108,240.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	104,544.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	525.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	104,544.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,350.000	EA
REMOVAL OF PAVEMENT MARKINGS	195,360.000	LF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	1,145.000	SF
REFLECTIVE SIGN POST PANELS	660.000	LF



Call No.: 060

Page: 15

Description	Quantity	Units
GUARDRAIL DELINEATOR - WHITE	75.000	EA
24" SMOOTH WALL PIPE	160.000	LF
30" SMOOTH WALL PIPE	160.000	LF
36" SMOOTH WALL PIPE	160.000	LF
CLEANING EXISTING PIPE	500.000	LF
BEVELING OF PIPE END	60.000	EA
CONCRETE DRIVEWAY(6" UNIFORM)	200.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	3,825.000	LF
END ANCHOR-TYPE B	14.000	EA
END TERMINAL - TYPE T	18.000	EA
THRIE BEAM G.R.BRIDGE CONN.	6.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	9.600	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	200.000	LF
SILT FENCE	2,000.000	LF



Call No.: 070

Page: 16

SC File NO(S): 2925910	PCN: P030053	Project No.: P030053
	PCN: P030275	Project No.: P030275
	PCN: P033599	Project No.: P033599
Letting Date: June 12, 2018	CO(S): Lancaster	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: CMRB, FD ASPHALT, MILL, INTERMEDIATE AND SURFACE COURSE		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 9.2800

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	150.000	LF
REMOVAL OF EXIST. GUARDRAIL	360.000	LF
UNCLASSIFIED EXCAVATION	2,202.000	CY
BORROW EXCAVATION	1,135.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIFORM)	28,090.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	107,800.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,458.740	TON
MAINTENANCE STONE	133.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,660.000	TON
LIQUID ASPHALT BINDER PG64-22	1,517.286	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,150.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,100.000	SY
MILLED-IN RUMBLE STRIP	15.660	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,168.640	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	20,586.514	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,746.400	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,980.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,876.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,450.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	287,010.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	96.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,440.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA



Call No.: 070

Page: 17

Description	Quantity	Units
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	16,950.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	205,010.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	850.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	95,690.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	96.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	830.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,650.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	69,220.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	633.000	EA
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	654.000	LF
SAWCUT FOR LOOP DETECTOR	218.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	150.000	LF
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	2,412.500	LF
GUARDRAIL THRIE-BEAM WITH BASE PLATE 6.25' POST SPACING	360.000	LF
STEEL BEAM GUARDRAIL (THRIE)	100.000	LF
END TERMINAL - TYPE T	18.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	10.630	ACRE



Call No.: 080

Page: 18

SC File NO(S): 3226050	PCN: P028835	Project No.: P028835	
Letting Date: June 12, 2018	CO(S): Lexington	DBE Goal Percent:	17.50%
Letting Time: 02:00 PM		Cost of Road Plans:	\$28.00
Description: INTERSECTION IMPROVEMENT OF S-204 @ S-77		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.4420

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RR COORDINATION FOR TRAFFIC SIGNALS 001	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
UNCLASSIFIED EXCAVATION	900.000	CY
BORROW EXCAVATION	1,800.000	CY
FINE GRADING	2,550.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,050.000	TON
LIQUID ASPHALT BINDER PG64-22	151.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,270.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	280.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,100.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	590.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	368.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	2,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	16,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	14.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	14.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WH.RAILROAD XING SYMBOLS	14.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	500.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	275.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	7.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,000.000	LF



Call No.: 080

Page: 19

Description	Quantity	Units
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	30.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	90.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	55.000	SF
Flat Sheet, Type XI, Size Determined by MSG, Overhead	15.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	2.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	90.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	234.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	757.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	69.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	285.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	74.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	439.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,566.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	942.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	592.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,536.000	LF
SAWCUT FOR LOOP DETECTOR	959.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
F&I-17"X30"X26"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	420.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 002	1.000	EA
FURNISH AND INSTALL BATTERY BACK-UP INCLUDING FOUNDATION	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 003	8.000	EA
FURNISH & INSTALL PEDESTRIAN PUSH BUTTON AND SIGN (R-10-4B)	4.000	EA
F&I NO RT/LT TURN SYMB LED BLANKOUT W/ SPANWIRE MNT	2.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	10.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
18" SMOOTH WALL PIPE	2,192.000	LF
CLEANING EXISTING PIPE	55.000	LF
CATCH BASIN -TYPE 16	14.000	EA
MANHOLE	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	3,815.000	LF
RIP-RAP (CLASS B)	25.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	50.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	17.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.150	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	2.300	ACRE



Call No.: 080

Page: 20

Description	Quantity	Units
FERTILIZER (NITROGEN)	115.000	LB
FERTILIZER (PHOSPHORIC ACID)	115.000	LB
FERTILIZER (POTASH)	115.000	LB
AGRICULTURAL GRANULAR LIME	2,300.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.300	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.596	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	252.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	252.000	LF
SILT FENCE	2,800.000	LF
REPLACE/REPAIR SILT FENCE	280.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	700.000	LF
CLEANING INLET STRUCTURE FILTERS	28.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
RAILROAD LIABILITY INSURANCE	1.000	EA



Call No.: 090

Page: 21

SC File NO(S): 3312930	PCN: P030825	Project No.: FLAP013	
Letting Date: June 12, 2018	CO(S): McCormick	DBE Goal Percent:	12.50%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: MILL AND FILL ON US 221		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	1.5300

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
REMOVAL OF EXIST. GUARDRAIL	2,580.000	LF
BORROW EXCAVATION	2,116.000	CY
EXCAVATION FOR SHOULDER PAVING	136.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	136.000	STA
MAINTENANCE STONE	22.000	TON
HMA SHOULDER WIDENING COURSE	675.840	TON
LIQUID ASPHALT BINDER PG64-22	182.354	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	3,080.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,500.000	SY
MILLED-IN RUMBLE STRIP	2.560	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,476.037	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	564.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	40,560.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	360.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,740.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	41,760.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	13,520.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	15.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	120.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	580.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	14,800.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	127.000	EA
FURNISH & INSTALL 1.0" GALVANIZED RIGID CONDUIT	2,640.000	LF



Call No.: 090

Page: 22

Description	Quantity	Units
NO. 6 COPPER WIRE, 1 CONDUCTOR, 600V,TYPE RHH,RHW,USE	2,640.000	LF
NO. 12 COPPER WIRE, 1 CONDUCTOR, 600V,TYPE RHH,RHW,USE	66.000	LF
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	3,075.000	LF
STEEL BEAM GUARDRAIL (THRIE)	2,400.000	LF
END TERMINAL - TYPE T	14.000	EA
THRIE BEAM G.R.BRIDGE CONN.	2.000	EA
ADDITIONAL LENGTH GUARDRAIL POST	640.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	0.930	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	320.000	LF
SILT FENCE	3,175.000	LF
REPLACE/REPAIR SILT FENCE	320.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	795.000	LF



Call No.: 100

Page: 23

SC File NO(S): 3546460	PCN: P036834	Project No.: ER17037	
Letting Date: June 12, 2018	CO(S): Marlboro	DBE Goal Percent:	8.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$20.00
Description: S 19 PIPE CULVERT REPLACEMENT		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.1140

Completion Date: 4/15/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 4" pvc pipe, 40 feet	1.000	LS
UNCLASSIFIED EXCAVATION	840.000	CY
BORROW EXCAVATION	38.000	CY
STRUCTURE EXCAVATION FOR CULVERTS	375.000	CY
FINE GRADING	2,134.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	450.000	TON
LIQUID ASPHALT BINDER PG64-22	44.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	280.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	165.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,200.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	160.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	450.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	16.000	EA
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	22.400	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	2,238.000	LB
15" SMOOTH WALL PIPE	24.000	LF
18" SMOOTH WALL PIPE	66.000	LF
8'X 6' P.C. BOX CULVERT {AASHTO M-259} FH = 2	65.000	LF
RIP-RAP (CLASS B)	58.000	TON
RIP-RAP (CLASS C)	245.000	TON



Call No.: 100

Page: 24

Description	Quantity	Units
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	240.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	400.000	LF
END TERMINAL - TYPE T	4.000	EA
WOVEN WIRE FENCE - TYPE 1 WITH 2 STRANDS BARBED	100.000	LF
RESET FENCE	431.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	18.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.795	ACRE
TEMPORARY COVER	0.398	ACRE
COMPOST	22.000	CY
FERTILIZER (NITROGEN)	79.500	LB
FERTILIZER (PHOSPHORIC ACID)	79.500	LB
FERTILIZER (POTASH)	79.500	LB
AGRICULTURAL GRANULAR LIME	1,590.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.385	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.497	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.677	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.913	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	160.000	LF
SILT FENCE	385.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 110

Page: 25

SC File NO(S): 3605290	PCN: 0031331X	Project No.: BR36017	
Letting Date: June 12, 2018	CO(S): Newberry	DBE Goal Percent:	17.50%
Letting Time: 02:00 PM		Cost of Road Plans:	\$23.00
Description: REPLACE EXISTING S-26 (MACEDONIA CHURCH ROAD) BRIDGE OVER CAMPING CREEK		Cost of BridgePlans:	\$17.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.3410

Completion Date: 11/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	100.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	3,518.000	CY
BORROW EXCAVATION	1,548.000	CY
FINE GRADING	2,012.000	SY
FLOWABLE FILL	60.000	CY
MAINTENANCE STONE	25.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	502.000	TON
LIQUID ASPHALT BINDER PG64-22	102.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,175.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	100.000	SY
MILLED-IN RUMBLE STRIP	0.660	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,069.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	462.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	23.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	3,600.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	230.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,800.000	LF
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	3,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	3,600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,600.000	LF



Call No.: 110

Page: 26

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	230.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,800.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	48.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	404.000	LF
CONC. FOR STRUCTURES - CLASS 4000	106.200	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	29,978.000	LB
3'-0" x 2'-0" CORED SLABS	838.300	LF
CONCRETE BRIDGE BARRIER PARAPET	136.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
PILE DRIVING SET-UP	12.000	EA
REINF. PILE TIPS (HP14 X 73)	12.000	EA
STEEL H BEARING PILING (HP14 X 73)	497.000	LF
18" SMOOTH WALL PIPE	156.000	LF
BRIDGE APPROACH CONCRETE CURB AND GUTTER(1'-10")	26.000	LF
ELASTOMERIC BEARING	28.000	EA
RIP-RAP (CLASS B)	469.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	892.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	537.500	LF
END ANCHOR-TYPE B	3.000	EA
END TERMINAL - TYPE T	1.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
TEMPORARY BARRIER FENCE	3,600.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	22.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.829	ACRE
TEMPORARY COVER	1.415	ACRE
COMPOST	4,654.000	CY
FERTILIZER (NITROGEN)	283.000	LB
FERTILIZER (PHOSPHORIC ACID)	283.000	LB
FERTILIZER (POTASH)	283.000	LB
AGRICULTURAL GRANULAR LIME	5,658.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	8.487	ACRE
WATERPROOFING (BRIDGE DECK)	258.900	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	2.497	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.106	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.134	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	1.749	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	1.080	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	1,095.000	LF
SILT FENCE	412.000	LF
SILT BASINS	25,020.000	CY



Call No.: 110

Page: 27

Description	Quantity	Units
SEDIMENT DAM RIPRAP	289.000	TON
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	48.000	SY
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 120

Page: 28

SC File NO(S): 3708910	PCN: P030145	Project No.: P030145	
Letting Date: June 12, 2018	CO(S): Oconee	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: CMRB- RECONSTRUCTION, FDR		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	1.0300

Completion Date: 5/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
UNCLASSIFIED EXCAVATION	56.000	CY
BORROW EXCAVATION	206.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIFORM)	5,280.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	11,639.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	770.000	TON
MAINTENANCE STONE	100.000	TON
LIQUID ASPHALT BINDER PG64-22	115.026	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,730.703	TON
DRIVEWAY PAVING-SURFACE TYPE C	186.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	880.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	21,752.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	260.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	43,504.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	10,876.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	130.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	10,876.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	109.000	EA
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	50.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	0.813	ACRE



Call No.: 130

Page: 29

SC File NO(S): 3715380	PCN: P032455	Project No.: P032455	
Letting Date: June 12, 2018	CO(S): Oconee	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: CMRB AND RESURFACE, FDR		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.9500

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	95.000	CY
BORROW EXCAVATION	190.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	32,325.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,552.000	TON
LIQUID ASPHALT BINDER PG64-22	356.918	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	3,232.533	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,176.967	TON
DRIVEWAY PAVING-SURFACE TYPE C	185.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	292.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	13,320.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	30,096.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,112.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	480.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	74,712.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,220.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	10,032.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	704.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	160.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE WORD MESSAGE "SCHOOL" -THERMOPLASTIC - 125 MIL.	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	12,452.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	250.000	EA



Call No.: 130

Page: 30

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	126.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	210.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,770.000	LF
SAWCUT FOR LOOP DETECTOR	1,370.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	2.000	EA
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	0.921	ACRE



Call No.: 140

Page: 31

SC File NO(S): 3810430	PCN: P029121	Project No.: P029121	
Letting Date: June 12, 2018	CO(S): Orangeburg	DBE Goal Percent:	17.50%
Letting Time: 02:00 PM		Cost of Road Plans:	\$28.00
Description: HOLLY HILL PEDESTRIAN IMPROVEMENTS US 176, MP 16.85 - MP 17.17		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.3070

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION 1031000	1.000	LS
BONDS AND INSURANCE 1032010	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES 1050800	1.000	EA
TRAFFIC CONTROL 1071000	1.000	LS
CPM PROGRESS SCHEDULE 1080300	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT 2023000	25.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	35.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	72.000	CY
UNCLASSIFIED EXCAVATION	30.000	CY
BORROW EXCAVATION 2033000	10.000	CY
MAINTENANCE STONE 3069900	5.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A 3100310	7.000	TON
LIQUID ASPHALT BINDER PG64-22	0.700	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C 4030340	5.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	92.000	SF
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 001	1.000	LS
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	214.000	LF
CONCRETE SIDEWALK(4" UNIFORM) 7204100	550.000	SY
DETECTABLE WARNING MATERIAL	12.000	SF
CONCRETE DRIVEWAY(6" UNIFORM) 7205000	80.000	SY
PEDESTRIAN RAMP CONSTRUCTION 7209000	25.000	SY
PERMANENT GRASSING FOR SMALL PROJECTS 8100101	0.050	ACRE
LANDSCAPING 8110001	1.000	LS
INLET STRUCTURE FILTER - TYPE F (WEIGHTED) 8152004	30.000	LF
SILT FENCE 8153000	1,150.000	LF
HARDSCAPING 8990568	1.000	LS
SITE ELECTRICAL AND LIGHTING - COMPLETE 8999045	1.000	LS
MOBILIZATION 1031000	1.000	LS
BONDS AND INSURANCE 1032010	1.000	LS
TRAFFIC CONTROL 1071000	1.000	LS



Call No.: 140

Page: 32

Description	Quantity	Units
SELECTED REMOVAL OF MARKED TREES 1080300	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT 2023000	25.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	120.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	75.000	CY
UNCLASSIFIED EXCAVATION	20.000	CY
MAINTENANCE STONE 3069900	5.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A 3100310	25.000	TON
LIQUID ASPHALT BINDER PG64-22	1.900	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C 4030340	20.000	TON
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 6271015	75.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 001	1.000	LS
CONCRETE CURB (9" X 15") 7201000	35.000	LF
CONCRETE CURB AND GUTTER(1'-6") OGEE 7203130	512.000	LF
CONCRETE SIDEWALK(4" UNIFORM) 7204100	487.000	SY
DETECTABLE WARNING MATERIAL	12.000	SF
CONCRETE DRIVEWAY(6" UNIFORM) 7205000	180.000	SY
PEDESTRIAN RAMP CONSTRUCTION 7209000	25.000	SY
PERMANENT GRASSING FOR SMALL PROJECTS 8100101	0.050	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED) 8152004	30.000	LF
SILT FENCE 8153000	1,150.000	LF
SITE ELECTRICAL AND LIGHTING - COMPLETE 8999045	1.000	LS
MOBILIZATION 1031000	1.000	LS
BONDS AND INSURANCE 1032010	1.000	LS
TRAFFIC CONTROL 1071000	1.000	LS
CPM PROGRESS SCHEDULE 1080300	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT 2023000	25.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	45.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	30.000	CY
UNCLASSIFIED EXCAVATION	15.000	CY
MAINTENANCE STONE 3069900	5.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A 3100310	10.000	TON
LIQUID ASPHALT BINDER PG64-22	0.800	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C 4030340	6.000	TON
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 6271015	70.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 001	1.000	LS
CONCRETE CURB (9" X 15") 7201000	61.000	LF
CONCRETE CURB AND GUTTER(1'-6") OGEE 7203130	215.000	LF
CONCRETE SIDEWALK(4" UNIFORM) 7204100	196.000	SY
DETECTABLE WARNING MATERIAL	12.000	SF
CONCRETE DRIVEWAY(6" UNIFORM) 7205000	60.000	SY
PEDESTRIAN RAMP CONSTRUCTION 7209000	25.000	SY
PERMANENT GRASSING FOR SMALL PROJECTS 8100101	0.010	ACRE



Call No.: 140

Page: 33

Description	Quantity	Units
INLET STRUCTURE FILTER - TYPE F (WEIGHTED) 8152004	15.000	LF
SILT FENCE 8153000	450.000	LF
SITE ELECTRICAL AND LIGHTING - COMPLETE 8999045	1.000	LS
MOBILIZATION 1031000	1.000	LS
BONDS AND INSURANCE 1032010	1.000	LS
TRAFFIC CONTROL 1071000	1.000	LS
CPM PROGRESS SCHEDULE 1080300	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT 2023000	25.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	60.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	30.000	CY
UNCLASSIFIED EXCAVATION	15.000	CY
MAINTENANCE STONE 3069900	5.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A 3100310	12.000	TON
LIQUID ASPHALT BINDER PG64-22	0.960	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C 4030340	8.000	TON
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 6271015	130.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 001	1.000	LS
CONCRETE CURB (9" X 15") 7201000	96.000	LF
CONCRETE CURB AND GUTTER(1'-6") OGEE 7203130	215.000	LF
CONCRETE SIDEWALK(4" UNIFORM) 7204100	120.000	SY
DETECTABLE WARNING MATERIAL	12.000	SF
CONCRETE DRIVEWAY(6" UNIFORM) 7205000	110.000	SY
PEDESTRIAN RAMP CONSTRUCTION 7209000	25.000	SY
PERMANENT GRASSING FOR SMALL PROJECTS 8100101	0.010	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED) 8152004	15.000	LF
SILT FENCE 8153000	450.000	LF
SITE ELECTRICAL AND LIGHTING - COMPLETE 8999045	1.000	LS



Call No.: 150

Page: 34

SC File NO(S): 3915140	PCN: P032500	Project No.: P032500	
Letting Date: June 12, 2018	CO(S): Pickens	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: CMRB S-160 IN PICKENS COUNTY, FDR		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	2.1300

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	400.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIFORM)	28,160.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,112.000	TON
MAINTENANCE STONE	75.000	TON
LIQUID ASPHALT BINDER PG64-22	308.868	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	300.000	SY
MILLED-IN RUMBLE STRIP	4.260	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	2,816.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,756.250	TON
DRIVEWAY PAVING-SURFACE TYPE C	138.751	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	340.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	63,360.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	270.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	126,720.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	316.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	316.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	22,493.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	90.000	LF
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	22,493.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	144.000	EA
STEEL BEAM GUARDRAIL STEEL BEAM GR.	720.000	LF
STEEL BEAM GUARDRAIL (THRIE)	125.000	LF
END TERMINAL - TYPE T	4.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	1.940	ACRE
SILT FENCE	800.000	LF



Call No.: 160

Page: 35

SC File NO(S): 3948130

PCN: P037242

Project No.: P037242

PCN: P037243

Project No.: P037243

Letting Date: June 12, 2018

CO(S): Pickens

DBE Goal Percent: 0.00%

Letting Time: 02:00 PM

Cost of Road Plans: \$0.00

Description: RESURFACING/RECONSTRUCTION - FDR, MILL & REPLACE, S-171, SC 8

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 4.1000

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	438.000	CY
BORROW EXCAVATION	448.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	31,229.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,499.000	TON
MAINTENANCE STONE	190.000	TON
LIQUID ASPHALT BINDER PG64-22	582.608	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	14,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	60,575.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	750.000	SY
MILLED-IN RUMBLE STRIP	2.560	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	6,663.728	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,690.826	TON
DRIVEWAY PAVING-SURFACE TYPE C	133.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,296.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	22,160.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	47,308.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	552.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	656.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	38.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,120.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	226,896.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	370.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,540.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	23,654.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	276.000	LF



Call No.: 160

Page: 36

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	328.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	19.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	780.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	56,724.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	287.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	702.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	420.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,540.000	LF
SAWCUT FOR LOOP DETECTOR	2,740.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	2.000	EA
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	2.172	ACRE



Call No.: 170

Page: 37

SC File NO(S): 4215160	PCN: P032470	Project No.: P032470	
Letting Date: June 12, 2018	CO(S): Spartanburg	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: RECONSTRUCTION/CMRB, FDR - S-45, S-222		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	3.8800

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	776.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIFORM)	56,056.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,242.000	TON
MAINTENANCE STONE	100.000	TON
LIQUID ASPHALT BINDER PG64-22	657.893	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	5,605.600	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,445.400	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,035.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	828.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	360.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	123,132.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	462.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	405.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,542.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	225,438.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	105.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	60.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	41,044.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	154.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	135.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	757.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	37,573.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6.000	EA



Call No.: 170

Page: 38

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	275.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	210.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,770.000	LF
SAWCUT FOR LOOP DETECTOR	1,370.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	3.762	ACRE



Call No.: 180

Page: 39

SC File NO(S): 4248080	PCN: P030248	Project No.: P030248	
Letting Date: June 12, 2018	CO(S): Spartanburg	DBE Goal Percent:	6.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$7.00
Description: SC 9 (BOILING SPRINGS RD) & CANDLENUT LN		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.2530

Completion Date: 11/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	304.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	1,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	480.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	288.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	4,671.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,000.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	250.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	120.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	72.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	25.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
CONCRETE MEDIAN	652.000	SY
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 190

Page: 40

SC File NO(S): 4609420	PCN: 0041406RD01	Project No.: CM46035
Letting Date: June 12, 2018	CO(S): York	DBE Goal Percent: 7.50%
Letting Time: 02:00 PM		Cost of Road Plans: \$82.00
Description: SC 161 (RIVERVIEW RD) AT RIVERCHASE INTERSECTION IMPROVEMENT		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$57.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 1.1510

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.500	ACRE
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	4.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	1.000	EA
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	1,500.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	570.000	CY
UNCLASSIFIED EXCAVATION	8,461.000	CY
BORROW EXCAVATION	1,023.000	CY
MUCK EXCAVATION	93.000	CY
FINE GRADING	2,530.000	SY
FLOWABLE FILL	10.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,970.000	TON
LIQUID ASPHALT BINDER PG64-22	460.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,260.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	990.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,530.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	920.000	SF
DETOUR SIGNS	85.000	SF
BARRICADE - TYPE 2	650.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	14,300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	300.000	LF



Call No.: 190

Page: 41

Description	Quantity	Units
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,700.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,220.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	500.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	40.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	39.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,500.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	8,600.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	200.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	30.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	210.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	21.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	688.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	45.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	225.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	90.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	501.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	3,769.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,275.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	3,535.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,885.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,475.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,050.000	LF
SAWCUT FOR LOOP DETECTOR	1,460.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	38.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	11.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	34.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	18.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	18.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	1.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	3.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	10.000	EA
15" SMOOTH WALL PIPE	68.000	LF
18" SMOOTH WALL PIPE	1,340.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	4.000	EA
CATCH BASIN -TYPE 16	8.000	EA
MANHOLE-CONVERT D.I. 24"X 36"	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,055.000	LF



Call No.: 190

Page: 42

Description	Quantity	Units
CONCRETE SIDEWALK(4" UNIFORM)	18.000	SY
PEDESTRIAN RAMP RETROFIT	8.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
REINFORCED CONCRETE DRIVEWAY(6" UNIFORM)	1,200.000	SY
CONCRETE MEDIAN	2,050.000	SY
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
RESET CHAIN-LINK FENCE	260.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	25.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.000	ACRE
TEMPORARY COVER	2.000	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	5.000	ACRE
FERTILIZER (NITROGEN)	400.000	LB
FERTILIZER (PHOSPHORIC ACID)	400.000	LB
FERTILIZER (POTASH)	400.000	LB
AGRICULTURAL GRANULAR LIME	8,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	12.000	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	100.000	LF
SILT FENCE	1,650.000	LF
REPLACE/REPAIR SILT FENCE	165.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	412.500	LF
INLET FILTER CLEANING	20.000	EA
DITCH CHECK	100.000	TON
INLET STRUCTURE FILTER - TYPE D1	3.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 1)	8.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	9.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	100.000	TON
MONITORING WELL ABANDONMENT	6.000	EA



Call No.: 200

Page: 43

SC File NO(S): 4682634	PCN: 0040665RD01	Project No.: MP11007	
Letting Date: June 12, 2018	CO(S): York	DBE Goal Percent:	4.50%
Letting Time: 02:00 PM		Cost of Road Plans:	\$33.00
Description: US 21 ENHANCEMENT		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.4310

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	870.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	950.000	LF
LIQUID ASPHALT BINDER PG64-22	36.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,325.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	545.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	220.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	214.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	1,900.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	214.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	215.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	290.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	90.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	110.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,900.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	40.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	98.000	LF
LIGHT STANDARD FOUNDATION	18.000	EA
TRENCH DRAIN-4" INTERIOR DIMENSION WITH 2.0' CURB & GUTTER	121.000	LF
CONCRETE CURB (9" X 15")	125.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	500.000	LF
DETECTABLE WARNING MATERIAL	10.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	400.000	SY



Call No.: 200

Page: 44

Description	Quantity	Units
CONCRETE MEDIAN	37.000	SY
PEDESTRIAN RAMP CONSTRUCTION	15.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
SELECT MATERIAL	65.000	CY
LANDSCAPING ITEM NO. 001	3.000	EA
LANDSCAPING ITEM NO. 002	168.000	EA
SODDING	0.100	MSY
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	200.000	LF
SILT FENCE	1,500.000	LF
STABILIZED CONSTRUCTION ENTRANCE	275.000	SY
UTILITY WORK WITHIN PROJECT	1.000	LS
CONCRETE SIDEWALK	555.000	SY
BRICK PAVERS (INCLUDE THE BASE AND SAND)	3,765.000	LF
EDGE PROTECTION	800.000	LF
SITE ELECTRICAL AND LIGHTING - COMPLETE	1.000	LS



Call No.: 210

Page: 45

SC File NO(S): 5209120	PCN: P030304	Project No.: P030304
	PCN: P030305	Project No.: P030305
Letting Date: June 12, 2018	CO(S): Greenwood Saluda	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: CMRB, SURFACE C, FDP, MILLING SURF C		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 5.3100

Completion Date: 8/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	23.000	SY
BORROW EXCAVATION	2,612.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIFORM)	48,858.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	20,075.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,663.000	TON
MAINTENANCE STONE	3.500	TON
LIQUID ASPHALT BINDER PG64-22	407.301	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	350.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	3,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,500.000	SY
MILLED-IN RUMBLE STRIP	6.940	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,405.093	TON
DRIVEWAY PAVING-SURFACE TYPE C	383.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,022.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	680.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	187,682.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	490.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	6,100.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	180,798.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	190.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	56,079.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	134.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,900.000	LF



Call No.: 210

Page: 46

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	53,126.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	61.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	348.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	500.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,500.000	LF
SAWCUT FOR LOOP DETECTOR	404.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	1.000	EA
RIP-RAP (CLASS B)	100.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	2,000.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	3,037.500	LF
GUARDRAIL THRIE-BEAM WITH BASE PLATE 3.125' POST SPACING	270.000	LF
STEEL BEAM GUARDRAIL (THRIE)	537.500	LF
END ANCHOR-TYPE B (THRIE BEAM)	1.000	EA
END TERMINAL - TYPE T	19.000	EA
THRIE BEAM G.R.BRIDGE CONN.	8.000	EA
ADDITIONAL LENGTH GUARDRAIL POST	624.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	3.880	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	500.000	LF
SILT FENCE	4,960.000	LF
REPLACE/REPAIR SILT FENCE	500.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,240.000	LF



Call No.: 220

Page: 47

SC File NO(S): 5225840	PCN: P032437	Project No.: P032437
	PCN: P032438	Project No.: P032438
	PCN: P032457	Project No.: P032457
Letting Date: June 12, 2018	CO(S): Laurens Newberry	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: 2018 RECONSTRUCTION/REHAB, FDR		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 11.9500

Completion Date: 11/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	34.000	SY
REMOVAL OF EXIST. GUARDRAIL	762.500	LF
BORROW EXCAVATION	2,370.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	176,243.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,794.000	TON
MAINTENANCE STONE	2.000	TON
LIQUID ASPHALT BINDER PG64-22	1,511.688	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	2,582.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,200.000	SY
MILLED-IN RUMBLE STRIP	20.340	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	9,380.800	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,530.800	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,708.424	TON
DRIVEWAY PAVING-SURFACE TYPE B	322.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	809.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,586.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,434.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	476,275.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,936.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	22,520.000	LF



Call No.: 220

Page: 48

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	441,579.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	412.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	126,199.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	562.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,630.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	117,789.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	4.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	901.000	EA
STEEL BEAM GUARDRAIL STEEL BEAM GR.	5,987.500	LF
STEEL BEAM GUARDRAIL (THRIE)	175.000	LF
END TERMINAL - TYPE T	32.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	11.588	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	1,420.000	LF
SILT FENCE	21,685.000	LF
REPLACE/REPAIR SILT FENCE	2,050.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	4,930.000	LF



Call No.: 230

Page: 49

SC File NO(S): 5225950	PCN: P032451	Project No.: P032451
	PCN: P032504	Project No.: P032504
Letting Date: June 12, 2018	CO(S): Edgefield Saluda	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
		Cost of BridgePlans: \$0.00
Description: 2018 RECONSTRUCTION/REHAB, FDR - S-143, S-25		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 5.0300

Completion Date: 9/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	245.000	LF
BORROW EXCAVATION	3,286.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	67,303.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,068.000	TON
LIQUID ASPHALT BINDER PG64-22	375.441	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,100.000	SY
MILLED-IN RUMBLE STRIP	10.060	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,976.460	TON
DRIVEWAY PAVING-SURFACE TYPE C	280.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	492.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,228.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	180,790.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	370.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,700.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	175,750.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	316.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	53,117.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	100.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,400.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	51,437.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	332.000	EA
STEEL BEAM GUARDRAIL STEEL BEAM GR.	5,950.000	LF
STEEL BEAM GUARDRAIL (THRIE)	37.500	LF
END ANCHOR-TYPE B (THRIE BEAM)	1.000	EA
END TERMINAL - TYPE T	33.000	EA



Call No.: 230

Page: 50

Description	Quantity	Units
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	4.877	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	500.000	LF
SILT FENCE	11,225.000	LF
REPLACE/REPAIR SILT FENCE	1,135.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	2,835.000	LF



Call No.: 240

Page: 51

SC File NO(S): 5248220	PCN: P032152	Project No.: P032152	
Letting Date: June 12, 2018	CO(S): Abbeville Anderson	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM	Greenwood Laurens	Cost of Road Plans:	\$10.00
	Saluda	Cost of BridgePlans:	\$0.00
Description: DISTRICT 2 SIGNALS UPGRADE FY 18		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	2.8000

Completion Date: 9/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,340.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	540.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	100.000	LF
REMOVAL OF PAVEMENT MARKINGS	330.000	LF
Flat Sheet, Type XI, Size Determined by MSG, Overhead	80.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	11.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	398.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	981.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	214.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	270.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	270.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	4,270.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	15,250.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	8,820.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	4,820.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	23,570.000	LF
SAWCUT FOR LOOP DETECTOR	9,550.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	8.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	21.000	EA
F&I-17"X30"X26"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
FURNISH & INSTALL 13" X 26' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	3.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,290.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	3.000	EA



Call No.: 240

Page: 52

Description	Quantity	Units
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	6.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	8.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	66.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	28.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	46.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	70.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	8.000	EA
POWDERCOATING PER MAST ARM OVER GALVANIZED	1.000	EA
DESIGN,FURNISH,INSTALL STEEL POLE W/ MAST ARM W/O FOUNDATION	1.000	EA
INSTALL FOUNDATION FOR MAST ARM INCLUDING CONCRETE AND REBAR	8.000	CY
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	2.000	EA
DETECTABLE WARNING MATERIAL	213.000	SF
PEDESTRIAN RAMP CONSTRUCTION	275.000	SY
SURFACE APPLIED DETECTABLE WARNING	80.000	SF



Call No.: 250

Page: 53

SC File NO(S): 5448100

PCN: P030039

Project No.: P030039

PCN: P032499

Project No.: P032499

Letting Date: June 12, 2018

CO(S): Chesterfield
Lancaster

DBE Goal Percent: 0.00%

Letting Time: 02:00 PM

Cost of Road Plans: \$0.00

Description: ROLLER COMPACTED CONCRETE AND
OVERLAY - US 601, SC 9

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 3.7300

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,100.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	300.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	162.000	CY
REMOVAL OF EXIST. GUARDRAIL	5,150.000	LF
UNCLASSIFIED EXCAVATION	18,543.000	CY
BORROW EXCAVATION	488.000	CY
LIQUID ASPHALT BINDER PG64-22	658.128	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	20,945.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	1,972.000	SY
MILLING EXISTING ASPHALT PAVEMENT 6.0"	61,620.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	56,619.000	SY
MILLED-IN RUMBLE STRIP	7.260	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	11,994.387	TON
DRIVEWAY PAVING-SURFACE TYPE C	373.750	TON
ROLLER COMPACTED CONCRETE PAVEMENT - 8" UNIFORM	112,146.000	SY
PORTLAND CEMENT CONCRETE (SPECIAL USE)	600.000	CY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,934.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	27,140.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	135,680.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	12,400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,554.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	80.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	104.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	94.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	930.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	112,400.000	LF



Call No.: 250

Page: 54

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,760.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	39,480.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,958.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	22.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	28.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	24.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	310.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	40,660.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	394.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	217.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	125.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	400.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,100.000	LF
SAWCUT FOR LOOP DETECTOR	2,200.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	5.000	EA
ADJUST DROP INLET ADJUST D. I.	8.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	300.000	LF
DETECTABLE WARNING MATERIAL	550.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,100.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	4,750.000	LF
END ANCHOR-TYPE B	5.000	EA
END TERMINAL - TYPE T	5.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	2.437	ACRE



Call No.: 260

Page: 55

SC File NO(S): 5547040	PCN: P033625	Project No.: P033625
	PCN: P033626	Project No.: P033626
	PCN: P033633	Project No.: P033633
	PCN: P033634	Project No.: P033634
	PCN: P033641	Project No.: P033641
	PCN: P033642	Project No.: P033642
Letting Date: June 12, 2018	CO(S): Georgetown Horry	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: 2018 PRESERVATION, OVERLAY, ULTRA THIN LIFT		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 26.5800

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
BORROW EXCAVATION	5,148.000	CY
MAINTENANCE STONE	23.010	TON
LIQUID ASPHALT BINDER PG64-22	2,015.650	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,701.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	600.000	SY
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	57,300.000	SY
MILLED-IN RUMBLE STRIP	53.460	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	31,994.359	TON
DRIVEWAY PAVING-SURFACE TYPE D	388.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,856.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	12,140.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	545,840.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,520.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,956.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	86.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	60,800.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	367,400.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	100.000	LF



Call No.: 260

Page: 56

Description	Quantity	Units
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	400.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	400.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,070.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	272,920.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	760.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	12.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,910.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	44.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	30,400.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	183,700.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	976.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	254.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,026.000	EA
REMOVAL OF PAVEMENT MARKINGS	521,680.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	450.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,300.000	LF
SAWCUT FOR LOOP DETECTOR	1,288.000	LF
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
SURFACE APPLIED DETECTABLE WARNING	140.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	21.826	ACRE



Call No.: 270

Page: 57

SC File NO(S): 5548230	PCN: P032150	Project No.: P032150	
Letting Date: June 12, 2018	CO(S): Florence	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM	Georgetown Horry	Cost of Road Plans:	\$13.00
	Marlboro	Cost of BridgePlans:	\$0.00
Description: DISTRICT 5 SIGNALS UPGRADE PROJECT FY 18		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.0000

Completion Date: 12/15/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	100.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,751.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,110.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	27.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	9.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	500.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	9.000	SF
Flat Sheet, Type XI, Size Determined by MSG, Overhead	241.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	32.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	20.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	977.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	7,130.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	203.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	1,870.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,389.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	14,199.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	20,357.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	6,914.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	24,472.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	1,746.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	3.000	EA
SAWCUT FOR LOOP DETECTOR	8,983.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	11.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	80.000	EA
F&I-17"X30"X26"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	4.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	15.000	EA



Call No.: 270

Page: 58

Description	Quantity	Units
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	4,951.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	7.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	11.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	24.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	89.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	56.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	48.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	113.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	4.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	3.000	EA
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	2.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	7.000	EA
DETECTABLE WARNING MATERIAL	188.000	SF
SURFACE APPLIED DETECTABLE WARNING	150.000	SF



Call No.: 280

Page: 59

SC File NO(S): 8848200	PCN: P037358	Project No.: P037358	
Letting Date: June 12, 2018	CO(S): STATEWIDE	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: 2018-2020 ON-CALL SIGNING		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
Completion Date: 9/15/2020		Approx. Length (miles):	0.0000

CONTRACTORS ARE ADVISED THAT THERE WILL BE A MANDATORY PRE-BID CONFERENCE FOR THIS PROJECT TO BE HELD AT 10:00 AM ON TUESDAY, MAY 29, 2018. LOCATION FOR THIS PRE-BID CONFERENCE WILL BE AT (SCDOT HQ 5TH FLOOR AUDITORIUM) 955 PARK STREET, COLUMBIA, SC 29201. CONTRACTORS WHO DO NOT ATTEND THIS PRE-BID CONFERENCE WILL NOT BE ALLOWED TO SUBMIT A BID PROPOSAL FOR THIS PROJECT.

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SIGN SITE INSPECTION AND EVALUATIONS W/O COLLECTION OF CROSS SECTION DATA	50.000	EA
SIGN SITE INSPECTION AND EVALUATIONS W/ COLLECTION OF CROSS SECTION DATA	25.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,000.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	1,000.000	SF
Flat Sheet, Type XI, Size Determined by MSG, Overhead	1,000.000	SF
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	12,000.000	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	3,000.000	SF
INSTALL EXTRUDED PANEL SIGN FURNISHED BY SCDOT	50.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	750.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	500.000	LF
BREAK-AWAY SIGN SUPPORTS	40,000.000	LB
REFURBISH BREAK-AWAY SIGN SUPPORTS	120.000	EA
SET BREAKAWAY SIGN SUPPORTS	145.000	EA
FOUNDATION FOR BREAKAWAY SIGN	60.000	EA
4" X 4" TREATED WOOD POST	500.000	LF
4" X 6" TREATED WOOD POST	1,000.000	LF
REMOVAL OF I-BEAM SUPPORTS	80.000	EA
MEDIAN MOUNTED INTERMEDIATE MILE MARKERS	50.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 001	5.000	EA
MODIFICATION OF OVERHEAD SIGN STRUCTURE NO.(____) 002	10.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.(____) 003	20.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 004	2.000	EA
OH STRUCTURE REPAIR - REPLACE SIGN HANGERS 007	10.000	EA
OH STRUCTURE REPAIR - REPLACE WALKWAY 008	10.000	LF
OH STRUCTURE REPAIR - REPLACE SIGN LIGHT 009	10.000	EA
EVALUATION OF DAMAGED OVERHEAD STRUCTURE 005	5.000	EA



Call No.: 280

Page: 60

Description	Quantity	Units
EMERGENCY/IMMEDIATE MOBILIZATION FOR OH SIGN EVALUATION/REPAIR/REMOVAL 006	5.000	EA
STEEL BEAM GUARDRAIL STEEL BEAM GR.	525.000	LF
END ANCHOR-TYPE B	6.000	EA
END TERMINAL - TYPE T	6.000	EA
MISCELLANEOUS LABOR - ON-CALL SIGN	100.000	HR

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

In addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS. Information concerning prequalification can be obtained at the Contracts Administration office, Room 334 in the Headquarters building, 955 Park Street, Columbia, SC, or by calling Jeff Elliott at (803)737-1253.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE. Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
2. BID BONDS HAND DELIVERED. Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Cost of plans may change, and the bidder should check with the SCDOT Engineering Publications office for the cost of plans when the plans are indicated to be available.

Prepared by L. Stuckey

Issued by:

J.Brian Parnell
Contract Administrator