

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION  
NOTICE TO CONTRACTORS  
For July 09, 2024

Letting Location:  
SCDOT Headquarters Building  
Conference Room 331  
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on June 9, 2024 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website ([www.bidx.com](http://www.bidx.com))
- Construction Standards can be found under Business via SCDOT web site ([www.scdot.org](http://www.scdot.org))

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email [PlanStorage@scdot.org](mailto:PlanStorage@scdot.org) /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.



Call No.: 010      Letting Date: July 09, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 0868960      PCN: P043265      Project No.: P043265  
DBE Goal Percent: 5.00%  
Approx. Length (miles): 1.9300      Description: SAFETY IMPROVEMENTS S-250 AND S-413  
CO(S): Berkeley  
Completion Date: 6/30/2025 Days      Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	300.000	SY
UNCLASSIFIED EXCAVATION	70.000	CY
BORROW EXCAVATION	736.000	CY
EXCAVATION FOR SHOULDER PAVING	194.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	194.000	STA
MAINTENANCE STONE	23.750	TON
LIQUID ASPHALT BINDER PG64-22	197.450	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,375.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	577.000	SY
MILLED-IN RUMBLE STRIP	5.520	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,125.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	86.250	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	28,066.000	SY
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	1,295.360	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	280.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	750.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	60,000.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	300.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,951.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	37,101.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	250.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	19,800.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	250.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,650.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	12,367.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
REFLECTIVE SIGN POST PANELS	50.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.780	ACRE



Call No.: 020      Letting Date: July 09, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 2610701      PCN: P030562      Project No.: P030562  
DBE Goal Percent: 10.50%  
Approx. Length (miles): 1.4100      Description: WIDENING- US 17 BYPASS (HORRY CO)  
CO(S): Horry  
Completion Date: 11/30/2026 Days      Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	465.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	739.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,730.000	SY
REMOVAL OF EXIST. GUARDRAIL	3,042.000	LF
UNCLASSIFIED EXCAVATION	8,425.000	CY
BORROW EXCAVATION	17,979.000	CY
MUCK EXCAVATION	10,650.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,100.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	8.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	350.000	LF
GEOTEXTILE, SEPARATION	2,000.000	SY
GEOGRID STABILIZATION	1,250.000	SY
STONE BRIDGE LIFT MATERIAL	1,090.000	TON
GRANULAR BRIDGE LIFT MATERIAL	195.000	CY
FINE GRADING	33,657.000	SY
FLOWABLE FILL	20.000	CY
MAINTENANCE STONE	500.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	14,327.000	TON
LIQUID ASPHALT BINDER PG64-22	2,415.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	3,540.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	57,929.000	SY
MILLED-IN RUMBLE STRIP	5.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	23,557.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,999.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	672.000	SF



Call No.: 020

Letting Date: July 09, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
TEMPORARY SURFACE MOUNTED FLEXIBLE DELINEATOR POST (WITH YELLOW OR WHITE RETROREFLECTIVE SHEETING)	200.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	5.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	4.000	EA
TEMPORARY CONCRETE BARRIER	16,150.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	1.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	32,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	96,200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	103,900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	550.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	2,880.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	60.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"YELLOW SOLID LINES	175.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	36.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	57,400.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING SYMBOLS) (TRAFFIC CONTROL)	1,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	47.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	20.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	1,910.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	45.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	15,200.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	550.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	25.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	7.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	6.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	15,700.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	75.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	410.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	24.000	SF
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	150.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	56.000	LF
BREAK-AWAY SIGN SUPPORTS	1,114.890	LB
REMOVAL OF I-BEAM SUPPORTS	4.000	EA
CONC. FOR STRUCTURES - CLASS 4000(ROADWAY)	45.500	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	6,896.000	LB
24" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	88.000	LF
72" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	472.000	LF
18" SMOOTH WALL PIPE	3,544.000	LF



Call No.: 020

Letting Date: July 09, 2024

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
24" SMOOTH WALL PIPE	8.000	LF
30" SMOOTH WALL PIPE	1,060.000	LF
18" SMOOTH WALL PIPE 45 DEG BEND	1.000	EA
CATCH BASIN T-25 RETROFIT BASE FROM DI112 or CB9	28.000	EA
CATCH BASIN TYPE 25 - SINGLE 4' X 6' BOX	12.000	EA
CATCH BASIN TYPE 25 - SINGLE RETROFIT	2.000	EA
CATCH BASIN TYPE 25 - DOUBLE 4' X 8' BOX	35.000	EA
CATCH BASIN TYPE 25 - DOUBLE RETROFIT	26.000	EA
DROP INLET (24" X 36")	8.000	EA
DROP INLET TYPE 112	1.000	EA
EXTRA DEPTH OF BOX	14.400	LF
ADJUST MANHOLE	1.000	EA
ADJUST DROP INLET ADJUST D. I.	8.000	EA
RIP-RAP (CLASS A)	43.400	TON
RIP-RAP (CLASS B)	315.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	1,189.200	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	75.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MB TRAILING END TREATMENT	4.000	EA
MGS3 GR STANDARD SHOULDER	4,187.500	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	1.000	EA
SACRIFICIAL FLEXIBLE WARNING MARKER POST (FWMP) 48Y/Y	20.000	EA
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
2' CRASH CUSHION 3A	3.000	EA
36SS REINFORCED BARRIER WALL	250.000	LF
46SS REINFORCED BARRIER WALL	7,962.800	LF
56SS REINFORCED BARRIER WALL	120.000	LF
CONC BARR TRANSITION BETWEEN TWO SHAPES	5.170	LF
TEMPORARY BARRIER FENCE (ORANGE)	1,500.000	LF
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	51.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	12.306	ACRE
TEMPORARY COVER	18.459	ACRE
COMPOST	331.000	CY
FERTILIZER (NITROGEN)	1,231.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,231.000	LB
FERTILIZER (POTASH)	1,231.000	LB
AGRICULTURAL GRANULAR LIME	24,612.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	61.530	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	18.349	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	70.764	ACRE



Call No.: 020

Letting Date: July 09, 2024

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.072	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,408.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,200.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	1,270.000	LF
SILT FENCE	9,270.000	LF
REPLACE/REPAIR SILT FENCE	927.000	LF
CLEANING SILT BASINS	25.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	2,318.000	LF
INLET FILTER CLEANING	404.000	EA
INLET STRUCTURE FILTER - TYPE B	5.000	EA
INLET STRUCTURE FILTER - TYPE D2	33.000	EA
INLET STRUCTURE FILTER - TYPE A	16.000	LF
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	54.900	SY
STABILIZED CONSTRUCTION ENTRANCE	825.000	SY



Call No.: 030      Letting Date: July 09, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 5561082      PCN: P041011      Project No.: P041011

DBE Goal Percent: 0.00%

Approx. Length (miles):NA

CO(S): Florence Horry Marlboro

Description: TYPE II TRAFFIC SIGNAL UPGRADES DISTRICT 5 FY23

Completion Date: 12/31/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	110.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	15.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	866.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,829.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	250.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	552.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	80.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	7,020.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	5,170.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	2,890.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,700.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	16,160.000	LF
SAWCUT FOR LOOP DETECTOR	7,084.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	6.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	36.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
FURNISH & INSTALL 3/8" BACK GUY FOR WOOD POLE	4.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	19.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	1,015.000	LF
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,126.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	8.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	3.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	6.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	12.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	46.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	32.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	34.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	59.000	EA



Call No.: 030

Letting Date: July 09, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	6.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	6.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	2.000	EA





Call No.: 040      Letting Date: July 09, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 5569190      PCN: P043333      Project No.: P043333  
DBE Goal Percent: 0.00%  
Approx. Length (miles): 750.0000      Description: 2025 DISTRICT 5 SECONDARY ROUTE RAISED PAVEMENT MARKERS  
CO(S): District 5 (multiple counties)  
Completion Date: 3/31/2025 Days      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	108,900.000	EA



Call No.: 050      Letting Date: July 09, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 5769540      PCN: P042273      Project No.: P042273

DBE Goal Percent: 0.00%

Approx. Length (miles):NA

CO(S): Aiken

Description: TYPE II TRAFFIC SIGNAL INSTALLATION AT SC 19 AND S-816 D7

Completion Date: 11/30/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	90.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	200.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	30.000	LF
REMOVAL OF PAVEMENT MARKINGS	70.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	41.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	2.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	40.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	410.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,560.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	920.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	290.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	7.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	580.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	4.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL SOLAR POWERED FLASHER ASSEM-SINGLE BEACON	3.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	8.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	6.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	9.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	1.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR STOP BAR DETECTION	1.000	EA



Call No.: 050

Letting Date: July 09, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	3.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SETBACK DETECTION	1.000	EA
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	280.000	LF



Call No.: 060      Letting Date: July 09, 2024      Letting Time: 2:00 PM      Page: 1

**SC File NO(S):** 8868750      **PCN:** P041848      **Project No.:** P041848  
**DBE Goal Percent:** 5.00%  
**Approx. Length (miles):**51.0000      **Description:** I- 20 MP 0 - MP 51 SELECTED CLEARING & CONCRETE GROOVING  
**CO(S):** Aiken Lexington  
**Completion Date:** 7/31/2025 Days      **Funding:** FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	100.000	HR
SELECTED CLEARING	1.000	LS
GROOVING OF CONCRETE PAVEMENT	25,345.000	SY
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	2,380.000	LF
6" BLACK BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	1,190.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	9,550.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	9,550.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	120.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	2.000	ACRE



Call No.: 070      Letting Date: July 09, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 8869421      PCN: P043072      Project No.: P043072

DBE Goal Percent: 0.00%

Approx. Length (miles):0.1700

Description: RAILROAD OVERPASS OVER I-77 IN RICHLAND COUNTY FOR NSRR SPUR

CO(S): Statewide (multiple counties)

Completion Date: 11/26/2025 Days

Funding: OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
UNCLASSIFIED EXCAVATION	2,818.074	CY
BORROW EXCAVATION	34,740.556	CY
BORROW PIT SET-UP	1.000	LS
DRY EXCAVATION FOR BRIDGES	2,654.300	CY
MAINTENANCE STONE	100.000	TON
TEMPORARY CONSTRUCTION SIGNS	204.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,196.000	SF
DETOUR SIGNS	402.000	SF
TRUCK MOUNTED ATTENUATOR	2.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH)	2.000	EA
TEMPORARY CONCRETE BARRIER	2,060.000	LF
CONSTRUCTION ZONE ELECTRIC ADVANCE WARNING ARROW PANEL (TRAILER MOUNTED)	2.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
CONSTRUCTION ZONE ELECTRIC ADVANCE WARNING ARROW PANEL (TRUCK MOUNTED)	2.000	EA
CONSTR ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRUCK MO	1.000	EA
CONC. FOR STRUCTURES - CLASS 4000	1,606.200	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	468,742.000	LB
SPIRAL REINFORCING STEEL FOR STRUCTURES (BRIDGE)	67,473.000	LB
STRUCTURAL STEEL	1.000	LS
STRUCTURE DRAINAGE SYSTEM	1.000	LS
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	4.000	EA
PILE DRIVING SET-UP	50.000	EA
REINF. PILE TIPS (HP14 X 89)	50.000	EA



Call No.: 070

Letting Date: July 09, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
STEEL H BEARING PILING (HP14 X 89)	3,689.000	LF
DRILLED SHAFT SET-UP	32.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	1,544.000	LF
8" SMOOTH WALL PIPE	344.000	LF
24" SMOOTH WALL PIPE	180.000	LF
30" SMOOTH WALL PIPE	320.000	LF
MANHOLE	4.000	EA
EXTRA DEPTH OF BOX	20.000	LF
ELASTOMERIC BEARING	30.000	EA
CROSSHOLE SONIC LOGGING SETUP	32.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	139.800	TON
RIP-RAP (CLASS B)	100.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	100.000	SY
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	4,073.300	SY
BRIDGE FENCE	1.000	LS
PERMANENT COVER	3.500	ACRE
TEMPORARY COVER	1.750	ACRE
FERTILIZER (NITROGEN)	350.000	LB
FERTILIZER (PHOSPHORIC ACID)	350.000	LB
FERTILIZER (POTASH)	350.000	LB
AGRICULTURAL GRANULAR LIME	7,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	10.500	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	73.400	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.250	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.270	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.693	ACRE
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,847.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	400.000	LF
SILT FENCE	1,592.000	LF
REPLACE/REPAIR SILT FENCE	159.200	LF
CLEANING SILT BASINS	1,425.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	398.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	12.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
PRECAST DECK PANELS	1.000	LS

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

**STATUTES, CODES, AND REGULATIONS.** The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

**PREQUALIFICATION.** The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or [Prequal@scdot.org](mailto:Prequal@scdot.org).

**BID BONDS FOR SCDOT WORK.** Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

**SUBMISSION OF BID BONDS.** Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
  - (a) alteration of a part of bid item except for the unit price; or
  - (b) failure to enter a bid item unit price; or
  - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
  - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers  
Contract Administrator