

SOUTH CAROLINA
DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
FOR
REGULAR HIGHWAY LETTING
July 11, 2017

Letting Location:
SCDOT Headquarters Building
Conference Room 332
955 Park Street
Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet. Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

The following items will be made available on June 13, 2017 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website
- Hardcopy plans/proposals & letting DVD via Engineering Publications
 - o Located in room 122 SCDOT Headquarters
 - o Phone (803)737-4533/ Fax (803)737-4530
 - o Cash, check, money order, VISA/MC accepted (Payable to SCDOT. No refunds)

Access the Construction Extranet for the following items:

- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates

Contractors are encouraged to utilize the Extranet Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password. See link for details http://www.scdot.org/doing/constructionletting_extranet.aspx.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

The SCDOT Standard Drawings are available for download at <http://www.scdot.org/doing/road.aspx> or for purchase by contacting: Engineering Publications at (803) 737-4533.

Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.



Call No.: 010

Page: 1

SC File NO(S): 0513520	PCN: P030279	Project No.: P030279	
Letting Date: July 11, 2017	CO(S): Bamberg	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: BAMBERG COUNTY CTC RESURFACING		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	3.8900

Completion Date: 11/30/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	698.000	CY
EXCAVATION FOR SHOULDER PAVING	368.544	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	368.544	STA
MAINTENANCE STONE	0.950	TON
HMA SHOULDER WIDENING COURSE	2,325.987	TON
LIQUID ASPHALT BINDER PG64-22	344.378	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	95.000	SY
MILLED-IN RUMBLE STRIP	5.584	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	3,620.273	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	432.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	148.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	36,820.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	214.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	2,400.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	27,870.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	148.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	36,820.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	392.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,800.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	55,740.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	263.000	EA
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	3.384	ACRE



Call No.: 020

Page: 2

SC File NO(S): 1314650	PCN: P030311	Project No.: P030311	
Letting Date: July 11, 2017	CO(S): Chesterfield	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: CHESTERFIELD CTC TURN LANE INSTALL		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.1500

Completion Date: 11/30/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	400.000	SY
UNCLASSIFIED EXCAVATION	100.000	CY
SITE EXCAVATION	1.000	LS
BORROW EXCAVATION	100.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE B	300.000	TON
LIQUID ASPHALT BINDER PG64-22	24.100	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	200.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	388.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	140.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	40.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	550.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	140.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	40.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	550.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6.000	EA
18" SMOOTH WALL PIPE	150.000	LF
DROP INLET TYPE 112	1.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	0.145	ACRE
INLET STRUCTURE FILTER - TYPE D2	1.000	EA



Call No.: 030

Page: 3

SC File NO(S): 1407600	PCN: P026927	Project No.: P026927	
Letting Date: July 11, 2017	CO(S): Clarendon	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: SC 261 OVER CSX RR BRIDGE REHAB		Cost of BridgePlans:	\$36.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.0510

Completion Date: 6/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SITE EXCAVATION	1.000	LS
FINE GRADING	510.000	SY
LIQUID ASPHALT BINDER PG64-22	10.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	139.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	56.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	92.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	3.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,840.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,840.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10.000	EA
REMOVAL OF PAVEMENT MARKINGS	3,680.000	LF
CONCRETE,CLASS 4000 FOR FULL DEPTH PATCHING	5.000	CY
PARTIAL DEPTH PATCHING OF EXISTING DECK	10.000	SY
ENVIRONMENTAL AND WORKER PROTECTION	1.000	LS
CLEANING AND PAINTING EXISTING STEEL BEARINGS	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
RESEAL DECK EXPANSION JOINT	137.000	LF



Call No.: 040

Page: 4

SC File NO(S): 1784151	PCN: P027060	Project No.: P027060	
Letting Date: July 11, 2017	CO(S): Dillon	DBE Goal Percent:	15.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$31.00
Description: I-95 NB/SB REHAB (MM 193 TO MM 198)		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	11.8940

Completion Date: 8/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	22.000	EA
REMOVAL OF EXIST. GUARDRAIL	36,698.000	LF
UNCLASSIFIED EXCAVATION	200.000	CY
BORROW EXCAVATION	5,500.000	CY
LIQUID ASPHALT BINDER PG64-22	541.000	TON
LIQUID ASPHALT BINDER PG76-22	2,292.000	TON
MILLING EXISTING ASPHALT PAVEMENT 1.5"	19,551.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	243,901.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,759.000	SY
MILLED-IN RUMBLE STRIP	10.660	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,872.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	8,356.000	TON
OPEN-GRADED FRICTION COURSE	13,121.000	TON
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	72.000	SY
PORTLAND CEMENT CONCRETE (SPECIAL USE)	1.000	CY
CLEAN & SEAL LONGITUDINAL JOINTS	60.000	LF
CLEAN & SEAL LONGITUDINAL SHOULDER JOINTS	60.000	LF
CLEAN & SEAL TRANS. JOINTS	22.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	480.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	90,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	387,900.000	LF



Call No.: 040

Page: 5

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	368,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	13,100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	12.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	15,700.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	65,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	3,625.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	100.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	63,800.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	920.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL8"WH.CONTRAST BROKEN	400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	1,500.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	1,500.000	LF
CONC. FOR STRUCTURES - CLASS 4000	236.000	CY
GROOVED SURFACE FINISH	632.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	75,176.000	LB
DROP INLET TYPE 112	23.000	EA
CONCRETE GUTTER-TYPE 1	1,750.000	LF
BRIDGE APPROACH CONCRETE CURB AND GUTTER(1'-10")	40.000	LF
BITUMINOUS CURB	18,433.000	LF
CONCRETE OVERLAY (EPOXY) 001	5,971.000	SY
RESEAL DECK EXPANSION JOINT	1,592.000	LF
STEEL BEAM GUARDRAIL STEEL BEAM GR.	32,575.000	LF
STEEL BEAM GUARDRAIL (THRIE)	648.000	LF
END ANCHOR-TYPE B	19.000	EA
END TERMINAL - TYPE T	19.000	EA
GUARDRAIL LEADING END IA-1 TEST LEVEL 3 BIDIRECTION SYSTEM	8.000	EA
WOVEN WIRE FENCE - TYPE 1 WITH 3 STRANDS BARBED	33,792.000	LF
48"-CHAIN LINK FENCE	12,672.000	LF
PERMANENT COVER	17.410	ACRE
TEMPORARY COVER	8.705	ACRE
COMPOST	4,681.000	CY
FERTILIZER (NITROGEN)	1,741.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,741.000	LB
FERTILIZER (POTASH)	1,741.000	LB
AGRICULTURAL GRANULAR LIME	34,820.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	52.230	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	26.115	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	2,132.000	LF



Call No.: 040

Page: 6

Description	Quantity	Units
SILT FENCE	10,000.000	LF
REPLACE/REPAIR SILT FENCE	1,000.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	2,500.000	LF
INLET STRUCTURE FILTER - TYPE D1	30.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	30.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	1,040.000	HR



Call No.: 050

Page: 7

SC File NO(S): 1810161	PCN: P029496	Project No.: P029496	
Letting Date: July 11, 2017	CO(S): Dorchester	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: DORCHESTER CTC SPECIAL FUNDS		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	8.4200

Completion Date: 10/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	801.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	395.000	LF
UNCLASSIFIED EXCAVATION	400.000	CY
BORROW EXCAVATION	2,467.000	CY
EXCAVATION FOR SHOULDER PAVING	520.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	520.000	STA
MAINTENANCE STONE	242.300	TON
HMA SHOULDER WIDENING COURSE	2,597.760	TON
LIQUID ASPHALT BINDER PG64-22	1,101.588	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	13,895.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	785.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,290.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,316.933	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	14,183.043	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,186.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	40.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	68,420.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	411.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	619.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	3.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	1,380.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	78,460.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	55,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	81,700.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	380.000	LF



Call No.: 050

Page: 8

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,170.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,830.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	161,450.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	9.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	874.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
NO.14 CU.WIRE, 1 CONDUCT,IMSA-20-1	1,500.000	LF
SAWCUT FOR LOOP DETECTOR	515.000	LF
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	395.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	242.000	SY
DETECTABLE WARNING MATERIAL	225.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	105.000	SY
PEDESTRIAN RAMP CONSTRUCTION	450.000	SY
SURFACE APPLIED DETECTABLE WARNING	266.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	6.187	ACRE



Call No.: 060

Page: 9

SC File NO(S): 1883740	PCN: 0042922RD01	Project No.: SA18013	
Letting Date: July 11, 2017	CO(S): Dorchester	DBE Goal Percent:	11.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$64.00
Description: S-377 INTERSECTION W/ BEVERLEY DR.		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.2710

Completion Date: 6/30/2018

MINIMUM REQUIRED QUARTERLY CPS: 71.0 (Period ending on December 31, 2016)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	240.000	SY
UNCLASSIFIED EXCAVATION	800.000	CY
BORROW EXCAVATION	4,700.000	CY
MUCK EXCAVATION	500.000	CY
FINE GRADING	2,200.000	SY
HOT MIX ASPHALT BASE COURSE - TYPE A	570.000	TON
LIQUID ASPHALT BINDER PG64-22	110.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	455.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	895.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	770.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	640.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	140.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	300.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	3.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	218.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	60.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	8.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	5.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	4,310.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	85.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	872.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	240.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA



Call No.: 060

Page: 10

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	5.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	17,240.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	340.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	38.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	71.580	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	4.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	98.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	205.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	770.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	150.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	820.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	715.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	615.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,120.000	LF
SAWCUT FOR LOOP DETECTOR	425.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
F&I-17"X30"X26"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 26' STEEL STRAIN POLE AND FOUNDATION	2.000	EA
13" X 30' STEEL STRAIN POLE 13"X 30' STEEL STRAIN POLE	2.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	720.000	LF
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
F&I - 12" 1-WAY-4 SECTION(RA.YA.YAF.GA)VEH TRAFFIC SIGNAL	1.000	EA
F&I - 12" 1-WAY-3 SECTION(R.Y.G.)VEHICLE TRAFFIC SIGNAL	5.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	2.000	EA
VEHICLE TRAFFIC SIGNAL HEAD MOUNTING ASSEMBLY FOR SPAN WIRE	7.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	7.000	EA
F&I - PED TRAF. SIGNAL HEAD MOUNTING ASSEMBLY FOR SIDE POLE	2.000	EA
INSTALL FLAT SHEET FIXED SIZE & MESSAGE SIGN-SPANWIRE MOUNT	8.000	SF
INSTALL PEDESTRIAN PUSH BUTTON STATION ASSEMBLY AND SIGN	2.000	EA
CONCRETE CURB AND GUTTER WITH FLUME	1.000	EA
15" SMOOTH WALL PIPE	752.000	LF
18" SMOOTH WALL PIPE	1,004.000	LF
CLEANING EXISTING PIPE	390.000	LF
CATCH BASIN -TYPE 16	11.000	EA
CONCRETE CURB (TRANSITION)	12.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,550.000	LF
RIP-RAP (CLASS A)	9.000	TON



Call No.: 060

Page: 11

Description	Quantity	Units
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	15.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	10.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.780	ACRE
TEMPORARY COVER	0.390	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	0.639	ACRE
FERTILIZER (NITROGEN)	78.000	LB
FERTILIZER (PHOSPHORIC ACID)	78.000	LB
FERTILIZER (POTASH)	78.000	LB
AGRICULTURAL GRANULAR LIME	1,559.500	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.339	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	3.600	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.000	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	30.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	217.000	LF
SILT FENCE	2,915.000	LF
REPLACE/REPAIR SILT FENCE	265.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	665.000	LF
DITCH CHECK	4.000	TON
CLEANING INLET STRUCTURE FILTERS	9.000	EA



Call No.: 070

Page: 12

SC File NO(S): 2005300	PCN: P029123	Project No.: P029123	
Letting Date: July 11, 2017	CO(S): Fairfield	DBE Goal Percent:	17.50%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$34.00
Description: JENKINSVILLE SIDEWALKS PHASE 2		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.6370

Completion Date: 11/30/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
UNCLASSIFIED EXCAVATION	945.000	CY
BORROW EXCAVATION	138.000	CY
MAINTENANCE STONE	2.000	TON
LIQUID ASPHALT BINDER PG64-22	1.440	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	24.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	184.000	SF
15" SMOOTH WALL PIPE	100.000	LF
18" SMOOTH WALL PIPE	197.000	LF
CLEANING EXISTING PIPE	100.000	LF
DROP INLET (24" X 24") WITH STANDARD 4' X 4' BOX	2.000	EA
BEVELING OF PIPE END	11.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	1,792.000	SY
DETECTABLE WARNING MATERIAL	40.000	SF
HAND PLACED RIPRAP	6.000	TON
PERMANENT GRASSING FOR SMALL PROJECTS	1.316	ACRE
TEMPORARY COVER	0.658	ACRE
MOWING	2.050	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.969	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.392	MSY
SEDIMENT TUBES FOR DITCH CHECKS	800.000	LF
SILT FENCE	1,100.000	LF
SILT BASINS	500.000	CY
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 080

Page: 13

SC File NO(S): 2291531	PCN: P027232	Project No.: P027232	
Letting Date: July 11, 2017	CO(S): Georgetown	DBE Goal Percent:	8.50%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$41.00
Description: INTERSECTION IMPROVEMENT		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.4750

Completion Date: 6/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
UNCLASSIFIED EXCAVATION	2,811.000	CY
BORROW EXCAVATION	3,371.000	CY
FINE GRADING	7,145.000	SY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	4,350.000	SY
MAINTENANCE STONE	250.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	960.000	TON
PRIME COAT	1,174.500	GAL
LIQUID ASPHALT BINDER PG64-22	192.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	600.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,080.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,155.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	304.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	480.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	9,440.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	92.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	11,560.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	240.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,720.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	46.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	6.000	EA



Call No.: 080

Page: 14

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	5,780.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	80.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	72.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	64.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	84.000	LF
15" RC PIPE CUL.-CLASS III	320.000	LF
15" RC PIPE CUL.-CLASS IV	248.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-IV	502.000	LF
DROP INLET (24" X 36")	5.000	EA
MANHOLE	1.000	EA
RIP-RAP (CLASS A)	35.000	TON
RIP-RAP (CLASS B)	76.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	190.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	21.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.250	ACRE
TEMPORARY COVER	4.250	ACRE
FERTILIZER (NITROGEN)	425.000	LB
FERTILIZER (PHOSPHORIC ACID)	425.000	LB
FERTILIZER (POTASH)	425.000	LB
AGRICULTURAL GRANULAR LIME	8,500.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	17.000	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	8.401	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	312.000	LF
SILT FENCE	200.000	LF
INLET STRUCTURE FILTER - TYPE A	70.000	LF
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	6.000	SY
STABILIZED CONSTRUCTION ENTRANCE	270.000	SY



Call No.: 090

Page: 15

SC File NO(S): 2688050	PCN: P027021	Project No.: P027021	
Letting Date: July 11, 2017	CO(S): Horry	DBE Goal Percent:	10.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$50.00
Description: S-15 BRIDGE REPLACEMENT OF WITHERS SWASH		Cost of BridgePlans:	\$29.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.1820

Completion Date: 4/30/2018

MINIMUM REQUIRED QUARTERLY CPS: 73.9 (Period ending on December 31, 2016)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
EARTH-BORNE VIBRATION MONITORING	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CURB	750.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	142.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	78.000	CY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	139.000	CY
BORROW EXCAVATION	5,993.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	311.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	32.000	LF
48" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	29.000	LF
GEOTEXTILE, SEPARATION	2,205.000	SY
GEOTEXTILE SOIL REINFORCEMENT	3,154.000	SY
NO. 57 STONE FOR BACKFILL	500.000	TON
EARTHQUAKE DRAINS	10,720.000	LF
FINE GRADING	2,734.000	SY
FLOWABLE FILL	1.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE A	594.000	TON
LIQUID ASPHALT BINDER PG64-22	73.710	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,578.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	149.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	743.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	296.000	SF



Call No.: 090

Page: 16

Description	Quantity	Units
2.0" SCHEDULE 80 PVC CONDUIT	440.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	3.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	450.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	30.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	2,180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	450.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	30.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,180.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	31.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	218.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	218.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	18.250	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	56.000	LF
CONC. FOR STRUCTURES - CLASS 4000	274.300	CY
GROOVED SURFACE FINISH	221.300	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	70,329.000	LB
PRESTRESSED CONC. BEAM (TYPE II)	478.300	LF
CONCRETE BRIDGE RAILING WALL WITH WINDOW INDENTATIONS	218.000	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	6.000	EA
PILE DRIVING SET-UP	12.000	EA
REINF. PILE TIPS (HP14 X 73)	6.000	EA
STEEL H BEARING PILING (HP14 X 73)	183.200	LF
GALVANIZED STEEL H BEARING PILING (HP14 X 73)	198.000	LF
18" SMOOTH WALL PIPE	445.000	LF
24" SMOOTH WALL PIPE	34.000	LF
48" SMOOTH WALL PIPE	22.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 16	2.000	EA
CATCH BASIN -TYPE 16 WITH MODIFIED BOX NO.(____) 001	1.000	EA
CATCH BASIN -TYPE 18	2.000	EA
CATCH BASIN -TYPE 18 WITH MODIFIED BOX NO.(____) 002	1.000	EA
DROP INLET (24" X 36")	3.000	EA
MANHOLE	2.000	EA
ADJUST CATCH BASIN	3.000	EA
ADJUST MANHOLE	5.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,093.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	518.000	SY
CONCRETE SIDEWALK(6" UNIFORM) WITH INTEGRAL CUT-OFF WALL	40.000	SY
DETECTABLE WARNING MATERIAL	25.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	98.000	SY
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
ELASTOMERIC BEARING	14.000	EA



Call No.: 090

Page: 17

Description	Quantity	Units
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	115.000	TON
RIP-RAP (CLASS B)	711.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	933.000	SY
STEEL BEAM GUARDRAIL GUARDRAIL W-BEAM SYSTEM	25.000	LF
END ANCHOR-TYPE B	2.000	EA
END TERMINAL - TYPE T	2.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
TEMPORARY BARRIER FENCE	355.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	22.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.095	ACRE
TEMPORARY COVER	0.548	ACRE
FERTILIZER (NITROGEN)	109.500	LB
FERTILIZER (PHOSPHORIC ACID)	109.500	LB
FERTILIZER (POTASH)	109.500	LB
AGRICULTURAL GRANULAR LIME	2,190.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.286	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	27.600	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.009	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.145	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	134.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	134.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	44.000	LF
SILT FENCE	1,760.000	LF
REPLACE/REPAIR SILT FENCE	176.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	440.000	LF
INLET STRUCTURE FILTER - TYPE B	1.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 100

Page: 18

SC File NO(S): 2710420	PCN: P029731	Project No.: P029731	
Letting Date: July 11, 2017	CO(S): Jasper	DBE Goal Percent:	11.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: I-95 TREE CLEARING IN JASPER COUNTY		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
Completion Date: See Special Provisions		Approx. Length (miles):	33.9000

MINIMUM REQUIRED QUARTERLY CPS: 71.0 (Period ending on December 31, 2016)

CONTRACTORS ARE ADVISED THAT THERE WILL BE A MANDATORY PRE-BID CONFERENCE FOR THIS PROJECT TO BE HELD AT 10:00 AM ON TUESDAY, JUNE 20, 2017. LOCATION FOR THIS PRE-BID CONFERENCE WILL BE AT (SCDOT BEAUFORT/JASPER OFFICE) 13 MUNCH DRIVE, BEAUFORT, SC 29906.

CONTRACTORS WHO DO NOT ATTEND THIS PRE-BID CONFERENCE WILL NOT BE ALLOWED TO SUBMIT A BID PROPOSAL FOR THIS PROJECT .

NOTE: THE CONTRACTOR IS ADVISED THAT THE DEPARTMENT WILL EVALUATE THE BID PROPOSALS SUBMITTED FOR THIS PROJECT USING THE METHOD KNOWN AS A+B BIDDING

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
SELECTED CLEARING	1.000	LS
BORROW EXCAVATION	134,444.000	CY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	788.000	SF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	41,500.000	EA
CLEAN OUT EXISTING BOX CULVERT	100.000	CY
CLEANING EXISTING PIPE	2,000.000	LF
ADJUST DROP INLET ADJUST D. I.	10.000	EA
RIP-RAP (CLASS B)	175.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	205.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	205.000	SY
STEEL BEAM GUARDRAIL GUARDRAIL W-BEAM SYSTEM	6,000.000	LF
MEDIAN CABLE BARRIER	50,160.000	LF
END ANCHOR-TYPE B	8.000	EA
END TERMINAL - TYPE T	8.000	EA
CABLE BARRIER END ANCHOR	51.000	EA
TEMPORARY BARRIER FENCE	65,000.000	LF
PERMANENT COVER	270.000	ACRE
TEMPORARY COVER	200.000	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	550.000	ACRE
FERTILIZER (NITROGEN)	27,500.000	LB
FERTILIZER (PHOSPHORIC ACID)	27,500.000	LB
FERTILIZER (POTASH)	27,500.000	LB
AGRICULTURAL GRANULAR LIME	550,000.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	1,100.000	ACRE



Call No.: 100

Page: 19

Description	Quantity	Units
TEMPORARY EROSION CONTROL BLANKET (CLASS B)	68.000	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	2,200.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	13,560.000	LF
SILT FENCE	20,000.000	LF
REPLACE/REPAIR SILT FENCE	2,000.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	4,000.000	LF
CLEANING INLET STRUCTURE FILTERS	60.000	EA
INLET STRUCTURE FILTER - TYPE D1	10.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	10.000	EA
INLET STRUCTURE FILTER - TYPE D2	5.000	EA
STABILIZED CONSTRUCTION ENTRANCE	3,000.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	520.000	HR



Call No.: 110

Page: 20

SC File NO(S): 2814520	PCN: P030815	Project No.: P030815
	PCN: P031903	Project No.: P031903
Letting Date: July 11, 2017	CO(S): Kershaw	DBE Goal Percent: 0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans: \$0.00
Description: KERSHAW COUNTY CTC REHAB		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 18.5300

Completion Date: 9/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	3,526.000	CY
EXCAVATION FOR SHOULDER PAVING	931.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	931.000	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 4	52,250.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,521.000	TON
MAINTENANCE STONE	101.950	TON
HMA SHOULDER WIDENING COURSE	4,641.120	TON
LIQUID ASPHALT BINDER PG64-22	1,561.456	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	8,595.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	250.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,100.000	SY
MILLED-IN RUMBLE STRIP	13.540	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	9,474.880	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	12,293.273	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,016.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	960.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	411,780.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,380.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	19,600.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	311,580.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	920.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF



Call No.: 110

Page: 21

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	165,890.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,380.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,900.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	116,390.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	10,000.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,397.000	EA
STEEL BEAM GUARDRAIL STEEL BEAM GR.	100.000	LF
STEEL BEAM GUARDRAIL (THRIE)	50.000	LF
RESET GUARDRAIL RESET GR.	2,675.000	LF
END ANCHOR-TYPE B	1.000	EA
END TERMINAL - TYPE T	6.000	EA
RESET END TERMINAL-TYPE T	7.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	17.968	ACRE



Call No.: 120

Page: 22

SC File NO(S): 2913090	PCN: P030846	Project No.: P030846	
Letting Date: July 11, 2017	CO(S): Lancaster	DBE Goal Percent:	1.50%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: CRCOG RESURFACING IN LANCASTER CTY		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.8300

Completion Date: 10/31/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	3.500	CY
BORROW EXCAVATION	166.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 2	10,500.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	378.000	TON
MAINTENANCE STONE	20.000	TON
LIQUID ASPHALT BINDER PG64-22	49.446	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	600.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,008.884	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	360.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	26,400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	276.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,010.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	14,910.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	8,800.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	92.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	670.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,970.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	58.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	0.805	ACRE



Call No.: 130

Page: 23

SC File NO(S): 2913100	PCN: P030843	Project No.: P030843	
Letting Date: July 11, 2017	CO(S): Lancaster	DBE Goal Percent:	0.50%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: CRCOG RESURFACING IN LANCASTER CTY		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.0400

Completion Date: 10/31/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIQUID ASPHALT BINDER PG64-22	5.664	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	300.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,000.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	106.867	TON
FULL DEPTH CONCRETE PAVEMENT PATCH - 8"	100.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	426.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	240.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	966.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	201.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,170.000	LF
WHITE WORD MESSAGE "STOP"-FAST DRY PAINT	12.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	80.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	322.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	67.000	LF
WHITE WORD MESSAGE "STOP" -THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	390.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	8.000	EA



Call No.: 140

Page: 24

SC File NO(S): 3012551	PCN: P031891	Project No.: P031891	
Letting Date: July 11, 2017	CO(S): Laurens	DBE Goal Percent:	5.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: 2017 I-385 PRESERVATION		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	8.0200

Completion Date: 11/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,604.000	CY
EXCAVATION FOR SHOULDER PAVING	32.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	32.000	STA
MAINTENANCE STONE	31.000	TON
HMA SHOULDER WIDENING COURSE	533.000	TON
LIQUID ASPHALT BINDER PG64-22	31.850	TON
LIQUID ASPHALT BINDER PG76-22	1,366.860	TON
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	3,100.000	SY
SURFACE PLANE ASPHALT PAVEMENT 1.0"	401,060.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	6,338.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,270.000	SY
MILLED-IN RUMBLE STRIP	32.080	MI
HOT MIX ASPHALT SURFACE COURSE TYPE A	633.800	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	80.000	TON
OPEN-GRADED FRICTION COURSE	20,719.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,162.000	SF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	73,740.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	254,095.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	20,100.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	254,095.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	24,578.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	84,715.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	53,050.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	38,365.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	536.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	782.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	500.000	LF



Call No.: 140

Page: 25

Description	Quantity	Units
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,500.000	LF
SAWCUT FOR LOOP DETECTOR	404.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	2.000	EA
POLYMER MODIFIED ASPHALT EXPANSION JOINT	500.000	LF
60" CHAIN LINK FENCE	11,405.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	23.340	ACRE



Call No.: 150

Page: 26

SC File NO(S): 3206672	PCN: P029721	Project No.: P029721	
Letting Date: July 11, 2017	CO(S): Lexington	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: 2017 NON-FEDERAL AID - ACT 98 PROGRAM		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	13.8700

Completion Date: 8/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	250.000	SY
REMOVAL OF EXIST. GUARDRAIL	700.000	LF
UNCLASSIFIED EXCAVATION	655.000	CY
BORROW EXCAVATION	2,800.000	CY
EXCAVATION FOR SHOULDER PAVING	209.696	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	209.696	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	97,951.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,038.170	TON
MAINTENANCE STONE	72.150	TON
HMA SHOULDER WIDENING COURSE	932.853	TON
LIQUID ASPHALT BINDER PG64-22	1,132.952	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	5,065.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,450.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	15,338.000	SY
MILLED-IN RUMBLE STRIP	14.970	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	2,529.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,935.254	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,289.140	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	3,323.206	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,712.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,650.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	199,736.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,020.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,546.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	20.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA



Call No.: 150

Page: 27

Description	Quantity	Units
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,336.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	210,151.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	285.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	94,213.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	420.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	738.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,196.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	95,732.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	24.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	21.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	5,780.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	400.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,290.000	LF
SAWCUT FOR LOOP DETECTOR	1,066.000	LF
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	500.000	LF
END TERMINAL - TYPE T	8.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	7.650	ACRE



Call No.: 160

Page: 28

SC File NO(S): 3213400	PCN: P029799	Project No.: P029799	
Letting Date: July 11, 2017	CO(S): Lexington	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$23.00
Description: REPLACE S-1171 (CHEROKEE TRAIL) BRIDGE		Cost of BridgePlans:	\$42.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.2040

Completion Date: 6/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
EARTH-BORNE VIBRATION MONITORING	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	247.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	1,263.000	CY
BORROW EXCAVATION	3,408.000	CY
FINE GRADING	897.000	SY
FLOWABLE FILL	145.000	CY
MAINTENANCE STONE	50.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	68.000	TON
LIQUID ASPHALT BINDER PG64-22	69.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	525.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	979.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	314.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	3.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,148.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	120.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	924.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,148.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	120.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	924.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	14.000	EA



Call No.: 160

Page: 29

Description	Quantity	Units
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	603.600	LF
CONC. FOR STRUCTURES - CLASS 4000	133.400	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	29.780	LB
3'-0" x 1'-9" CORED SLABS	1,116.600	LF
3'-0" x 2'-0" CORED SLABS	978.300	LF
CONCRETE BRIDGE BARRIER PARAPET	235.400	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
PILE DRIVING SET-UP	24.000	EA
PREST. CONC. PILING (18"SQ.)	328.000	LF
PILE BUILD-UP PREPARATION (18"SQ)	14.000	EA
REINF. PILE TIPS (HP14 X 89)	10.000	EA
STEEL H BEARING PILING (HP14 X 89)	287.000	LF
DRILLED PILE SET-UP	14.000	EA
SOIL EXCAVATION FOR DRILLED PILE FOUNDATIONS - 36" DIAMETER	114.400	LF
ROCK EXCAVATION FOR DRILLED PILE FOUNDATIONS - 30" DIAMETER	134.100	LF
CONSTRUCTION CASING - 36" DIAMETER	114.400	LF
DRILLED PILE FOUNDATION CONCRETE (CLASS 4000DS)	33.600	CY
18" SMOOTH WALL PIPE	72.000	LF
BRIDGE APPROACH CONCRETE CURB AND GUTTER(1'-10")	26.000	LF
ELASTOMERIC BEARING	84.000	EA
RIP-RAP (CLASS A)	19.000	TON
RIP-RAP (CLASS B)	95.000	TON
RIP-RAP (CLASS C)	997.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	2,132.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	137.500	LF
END TERMINAL - TYPE T	4.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
TEMPORARY BARRIER FENCE	600.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	20.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.081	ACRE
TEMPORARY COVER	0.541	ACRE
FERTILIZER (NITROGEN)	163.000	LB
FERTILIZER (PHOSPHORIC ACID)	163.000	LB
FERTILIZER (POTASH)	163.000	LB
AGRICULTURAL GRANULAR LIME	3,244.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.244	ACRE
WATERPROOFING (BRIDGE DECK)	649.000	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.261	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.632	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	100.000	LF



Call No.: 160

Page: 30

Description	Quantity	Units
SILT FENCE	1,850.000	LF
SILT BASINS	6,165.000	CY
CLEANING SILT BASINS	3,083.000	CY
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	34.000	SY
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 170

Page: 31

SC File NO(S): 3314140	PCN: P032077	Project No.: P032077	
Letting Date: July 11, 2017	CO(S): McCormick	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: MCCORMICK CTC-RESURFACE FOR 16-17		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	3.9000

Completion Date: 6/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	2,280.000	CY
EXCAVATION FOR SHOULDER PAVING	219.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	219.000	STA
MAINTENANCE STONE	37.000	TON
HMA SHOULDER WIDENING COURSE	1,087.680	TON
LIQUID ASPHALT BINDER PG64-22	215.622	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	2,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
MILLED-IN RUMBLE STRIP	7.820	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,691.670	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	22,040.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	576.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	172.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	91,270.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	220.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	330.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	91,085.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	68.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	41,295.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	90.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	110.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	40,855.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	260.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	3.781	ACRE



Call No.: 180

Page: 32

SC File NO(S): 3691040	PCN: P028534	Project No.: P028534	
Letting Date: July 11, 2017	CO(S): Newberry	DBE Goal Percent:	17.50%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$34.00
Description: PROSPERITY MAIN STREET SIDEWALK IMPROVEMENTS		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.1560

Completion Date: 11/30/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,075.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	150.000	SY
SITE EXCAVATION	1.000	LS
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	440.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	320.000	SF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	40.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	350.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	25.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	170.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	40.000	LF
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	2.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	45.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	112.000	LF
ACCESSIBLE DRAINAGE GRATE FOR ADA	9.000	EA
CONCRETE CURB (9" X 15")	26.000	LF
PRECAST CONCRETE CURB STOP (6'LONG)	11.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,180.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,090.000	SY
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
SURFACE APPLIED DETECTABLE WARNING	125.000	SF
ORNAMENTAL STEEL PICKET FENCE - 42"	40.000	LF
MOVING ITEM NO. Clock	1.000	LS
LANDSCAPING ITEM NO. 001	8.000	EA
CAST IRON TREE GRATE	8.000	EA
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	60.000	LF
CLEANING INLET STRUCTURE FILTERS	6.000	EA



Call No.: 190

Page: 33

SC File NO(S): 4383921	PCN: P027103	Project No.: P027103	
Letting Date: July 11, 2017	CO(S): Sumter	DBE Goal Percent:	15.50%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$24.00
Description: BROAD ST OPERATION IMPROVEMENTS		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	1.3170

Completion Date: 6/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	415.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,900.000	LF
SITE EXCAVATION	1.000	LS
MAINTENANCE STONE	2.500	TON
LIQUID ASPHALT BINDER PG64-22	191.882	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	250.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	5,730.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	26,500.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,629.373	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,252.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	15,600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	8,560.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	480.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	10,450.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	1,550.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,120.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	136.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	40.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,320.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	53,760.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,000.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,250.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	120.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,325.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	575.000	LF



Call No.: 190

Page: 34

Description	Quantity	Units
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	23.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	550.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	43.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	17.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	830.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	17,250.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	270.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	120.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	310.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	9.000	SF
Flat Sheet, Type XI, Size Determined by MSG, Overhead	30.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	11.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	332.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	88.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	280.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	280.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	24,646.000	LF
SAWCUT FOR LOOP DETECTOR	6,396.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JHD	3.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	2.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	150.000	LF
FURNISH & INSTALL 2070L CONTROLLER UNIT IN EXISTING CABINET	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	4.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	7.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	2.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	12.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	12.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
ADJUST MANHOLE	1.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	5.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,870.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	30.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	900.000	SY
DETECTABLE WARNING MATERIAL	50.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	700.000	SY
CONCRETE MEDIAN	405.000	SY
PEDESTRIAN RAMP CONSTRUCTION	425.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF



Call No.: 190

Page: 35

Description	Quantity	Units
RIGHT OF WAY MARKER(REBAR AND CAP)	2.000	EA
RIGHT OF WAY PLAT	1.000	LS
SODDING - CENTIPEDE GRASS	100.000	SY
SILT FENCE	100.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 200

Page: 36

SC File NO(S): 5214270	PCN: P032284	Project No.: P032284
	PCN: P032286	Project No.: P032286
Letting Date: July 11, 2017	CO(S): Laurens Newberry	DBE Goal Percent: 0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans: \$0.00
Description: 2018 DISTRICT 2 PRESERVATION		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 13.6000

Completion Date: 6/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	56.000	CY
MAINTENANCE STONE	308.700	TON
LIQUID ASPHALT BINDER PG64-22	11.194	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	28,910.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	1,960.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	2,112.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	211.200	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	512.000	SF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,010.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	8,180.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	20,025.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	8,180.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	20,025.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	26.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	251.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	0.200	ACRE



Call No.: 210

Page: 37

SC File NO(S): 5606652	PCN: P029748	Project No.: P029748
	PCN: P029797	Project No.: P029797
Letting Date: July 11, 2017	CO(S): Colleton Dorchester	DBE Goal Percent: 0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans: \$0.00
Description: 2016-2017 NFA RESURFACING IN DORCHESTER AND COLLETON CO		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 13.6100

Completion Date: 8/31/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	910.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	100.000	LF
REMOVAL OF EXIST. GUARDRAIL	150.000	LF
UNCLASSIFIED EXCAVATION	68.000	CY
BORROW EXCAVATION	3,866.000	CY
EXCAVATION FOR SHOULDER PAVING	122.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	122.000	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	40.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	13,020.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	500.000	TON
MAINTENANCE STONE	182.890	TON
HMA SHOULDER WIDENING COURSE	612.480	TON
LIQUID ASPHALT BINDER PG64-22	1,305.433	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	17,239.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	50.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	11,775.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	398.933	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	20,967.852	TON
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	40.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	63,810.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	580.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,402.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	2.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	2.000	EA



Call No.: 210

Page: 38

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,190.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	83,350.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	80.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	127,640.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	880.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,717.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,990.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	170,150.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	981.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	80.000	LF
NO.14 CU.WIRE, 1 CONDUCT,IMSA-20-1	800.000	LF
SAWCUT FOR LOOP DETECTOR	280.000	LF
ADJUST MANHOLE	1.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CONCRETE CURB AND GUTTER (2'-0") OGEE	100.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	580.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	70.000	SY
DETECTABLE WARNING MATERIAL	62.500	SF
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	65.000	SF
STEEL BEAM GUARDRAIL STEEL BEAM GR.	50.000	LF
END TERMINAL - TYPE T	4.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	10.102	ACRE



Call No.: 220

Page: 39

SC File NO(S): 5613670	PCN: P032169	Project No.: P032169	
	PCN: P032210	Project No.: P032210	
Letting Date: July 11, 2017	CO(S): Beaufort Jasper	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: 2018 NFA PRESERVATION IN B/J		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	1.9900

Completion Date: 11/30/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	10.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,000.000	SY
MICRO SURFACING SURFACE COURSE	28,635.000	SY
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	40.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	21,330.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	120.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	100.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	6.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	900.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	17,070.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	300.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	80.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	42,660.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	240.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	200.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	12.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	42,660.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	600.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	8.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	38.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	133.000	EA



Call No.: 230

Page: 40

SC File NO(S): 5711031	PCN: P031296	Project No.: P031296	
Letting Date: July 11, 2017	CO(S): DISTRICT7	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: 2017 FEDERAL-AID RPMS - DISTRICT 7		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	

Completion Date: 12/15/2017

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	15,015.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	6,875.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	75,075.000	EA



Call No.: 240

Page: 41

SC File NO(S): 8812280	PCN: P031023	Project No.: P031023
	PCN: P031790	Project No.: P031790
Letting Date: July 11, 2017	CO(S): Fairfield Richland	DBE Goal Percent: 0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans: \$0.00
Description: 2017 INT. PRES. PRGM.		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 24.3100

Completion Date: 10/31/2018

MINIMUM REQUIRED QUARTERLY CPS: 70.0 (Period ending on December 31, 2016)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	2.250	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	225.000	SY
MILLED-IN RUMBLE STRIP	0.040	MI
FULL DEPTH CONCRETE PAVEMENT PATCH - 8"	750.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 9"	8,425.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	15,000.000	SY
PORTLAND CEMENT CONCRETE (SPECIAL USE)	100.000	CY
DIAMOND GRINDING OF CONCRETE PAVEMENT	925,500.000	SY
CLEAN & SEAL LONGITUDINAL JOINTS	237,700.000	LF
CLEAN & SEAL LONGITUDINAL SHOULDER JOINTS	490,810.000	LF
CLEAN & SEAL TRANS. JOINTS	342,235.000	LF
CLEAN & SEAL TRANS. JOINTS AT BRIDGE	650.000	LF
ROUT, CLEAN, AND SEAL CRACKS	36,440.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,420.000	SF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	120,880.000	LF
6" BLACK BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	57,640.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	495,370.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	21,370.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	96.000	LF
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	4.000	EA
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	485,790.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	60,440.000	LF
6" BLACK BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	28,820.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	245,245.000	LF
12" WHITE SOLID LINES (GORE MARKINGS) EPOXY PAINT	10,685.000	LF
24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT	48.000	LF



Call No.: 240

Page: 42

Description	Quantity	Units
WHITE LANE DROP ARROW (LEFT OR RIGHT) EPOXY PAINT	2.000	EA
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	242,895.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	3,474.000	EA
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	50.000	CY
RESEAL DECK EXPANSION JOINT	1,806.000	LF



Call No.: 250

Page: 43

SC File NO(S): 8814320	PCN: P032303	Project No.: P032303	
Letting Date: July 11, 2017	CO(S): STATEWIDE	DBE Goal Percent:	0.00%
Letting Time: 2:00 P.M.		Cost of Road Plans:	\$0.00
Description: FY17-18 CABLE BARRIER GUARDRAIL REPAIR-STATEWIDE		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	

Completion Date: 12/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1,000.000	EA
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL - TYPICAL X	115.000	EA
TRAFFIC CONTROL - TYPICAL XIII	3,300.000	EA
REMOVAL & DISPOSAL OF CABLE BARRIER END ANCHOR	2.000	EA
REM&REPL CABLE BAR. END ANCHOR	2.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN FOR MAINT	115.000	EA
CABLE BARRIER DELINEATOR - YELLOW	5,500.000	EA
RESET MEDIAN CABLE BARRIER	1,000.000	LF
CABLE BARRIER TENSIONING	3,100.000	EA
CABLE BARRIER POST	24,000.000	EA
CABLE SPLICE	90.000	EA
CABLE(AASHTO M 30)	13,500.000	LF
CABLE BARRIER ROUND BEND HOOK BOLT	15,300.000	EA
CABLE BARRIER END ANCHOR(MAINTENANCE)	4.000	EA
RESET CABLE BARRIER END ANCHOR	4.000	EA
REPAIR OF CABLE BARRIER END ANCHOR	1,400.000	EA

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

In addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS. Information concerning prequalification can be obtained at the Contracts Administration office, Room 334 in the Headquarters building, 955 Park Street, Columbia, SC, or by calling Jeff Elliott at (803)737-1253.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE. Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
2. BID BONDS HAND DELIVERED. Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Cost of plans may change, and the bidder should check with the SCDOT Engineering Publications office for the cost of plans when the plans are indicated to be available.

Prepared by L. Stuckey

Issued by:

J.Brian Parnell
Contract Administrator