

SOUTH CAROLINA  
DEPARTMENT OF TRANSPORTATION  
NOTICE TO CONTRACTORS  
FOR  
REGULAR HIGHWAY LETTING  
August 08, 2017

Letting Location:  
SCDOT Headquarters Building  
Conference Room 331  
955 Park Street  
Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet. Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

The following items will be made available on July 11, 2017 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website
- Hardcopy plans/proposals & letting DVD via Engineering Publications
  - o Located in room 122 SCDOT Headquarters
  - o Phone (803)737-4533/ Fax (803)737-4530
  - o Cash, check, money order, VISA/MC accepted (Payable to SCDOT. No refunds)

Access the Construction Extranet for the following items:

- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates

Contractors are encouraged to utilize the Extranet Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password. See link for details [http://www.scdot.org/doing/constructionletting\\_extranet.aspx](http://www.scdot.org/doing/constructionletting_extranet.aspx).

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

The SCDOT Standard Drawings are available for download at <http://www.scdot.org/doing/road.aspx> or for purchase by contacting: Engineering Publications at (803) 737-4533.

Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.



Call No.: 010

Page: 1

<b>SC File NO(S):</b> 0414370	<b>PCN:</b> P032254	<b>Project No.:</b> P032254	
<b>Letting Date:</b> August 08, 2017	<b>CO(S):</b> Anderson	<b>DBE Goal Percent:</b>	0.00%
<b>Letting Time:</b> 2:00 P.M.		<b>Cost of Road Plans:</b>	\$0.00
<b>Description:</b> 2018 D2 RESURFACE WITH 6235 FUNDS		<b>Cost of BridgePlans:</b>	\$0.00
		<b>Cost of X-Sections:</b>	\$0.00
		<b>Cost of Proposal:</b>	\$15.00
		<b>Approx. Length (miles):</b>	1.0500

Completion Date: 6/30/2018

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	325.000	SY
MAINTENANCE STONE	107.580	TON
LIQUID ASPHALT BINDER PG64-22	107.067	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	5,458.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	5,300.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	4,917.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	15,488.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,784.440	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	768.000	SF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	720.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	828.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	9,082.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	360.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	414.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,541.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	73.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	500.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,500.000	LF
SAWCUT FOR LOOP DETECTOR	404.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	2.000	EA
DETECTABLE WARNING MATERIAL	162.500	SF
PEDESTRIAN RAMP CONSTRUCTION	325.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF



Call No.: 020

Page: 2

SC File NO(S): 1110531

PCN: P030735

Project No.: P030735

PCN: P031784

Project No.: P031784

Letting Date: August 08, 2017

CO(S): Cherokee

DBE Goal Percent: 0.00%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$0.00

Description: 2017 CHEROKEE CTC RESURFACING

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 5.0100

Completion Date: 6/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	23.700	CY
BORROW EXCAVATION	1,904.000	CY
STATION GRADING	107.724	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 4	67,700.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,046.500	TON
MAINTENANCE STONE	60.000	TON
LIQUID ASPHALT BINDER PG64-22	312.635	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	5,624.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,100.000	SY
MILLED-IN RUMBLE STRIP	9.520	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	642.667	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,017.080	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	2,423.820	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	67,700.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,704.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	101,180.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,800.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,392.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,320.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	93,280.000	LF



Call No.: 020

Page: 3

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	540.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	50,490.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	600.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	604.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,160.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	45,510.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	336.000	EA
15" SMOOTH WALL PIPE	192.000	LF
18" SMOOTH WALL PIPE	8.000	LF
24" SMOOTH WALL PIPE	8.000	LF
ADJUST CATCH BASIN	5.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	60.000	SY
CONCRETE DRIVEWAY(6" UNIFORM)	24.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	2,925.000	LF
END TERMINAL - TYPE T	14.000	EA
RESET END TERMINAL-TYPE T	3.000	EA
ADDITIONAL LENGTH GUARDRAIL POST	800.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	7.000	ACRE
SILT FENCE	2,425.000	LF
REPLACE/REPAIR SILT FENCE	250.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	250.000	LF



Call No.: 030

Page: 4

<b>SC File NO(S):</b> 2189521	<b>PCN:</b> P028348	<b>Project No.:</b> P028348	
<b>Letting Date:</b> August 08, 2017	<b>CO(S):</b> Florence	<b>DBE Goal Percent:</b>	0.00%
<b>Letting Time:</b> 2:00 P.M.		<b>Cost of Road Plans:</b>	\$0.00
<b>Description:</b> REHAB I-95 SB BRIDGE OVER SCL RR		<b>Cost of BridgePlans:</b>	\$44.00
		<b>Cost of X-Sections:</b>	\$0.00
		<b>Cost of Proposal:</b>	\$15.00
		<b>Approx. Length (miles):</b>	0.0500

Completion Date: 5/15/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,370.000	SY
UNCLASSIFIED EXCAVATION	150.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE A	275.000	TON
LIQUID ASPHALT BINDER PG64-22	13.000	TON
LIQUID ASPHALT BINDER PG76-22	15.000	TON
MILLED-IN RUMBLE STRIP	0.300	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	170.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE A	140.000	TON
TEMPORARY CONSTRUCTION SIGNS	364.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	184.000	SF
BARRICADE - TYPE 2	54.000	LF
TRUCK MOUNTED ATTENUATOR	1.000	EA
CONSTRUCTION ZONE ELECTRIC ADVANCE WARNING ARROW PANEL (TRAILER MOUNTED)	2.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER MOUNTED)	6.000	EA
CONSTRUCTION ZONE ELECTRIC ADVANCE WARNING ARROW PANEL (TRUCK MOUNTED)	1.000	EA
CONSTR ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRUCK MOUNTED)	1.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 6"WH.SOLID PREF.	396.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 6"YEL.SOLID PREF.	396.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,600.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,600.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	250.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	980.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	980.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	15.000	EA
REMOVAL OF EXISTING RAISED PAVEMENT MARKERS	15.000	EA
REMOVAL OF PAVEMENT MARKINGS	2,660.000	LF



Call No.: 030

Page: 5

Description	Quantity	Units
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	50.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	200.000	LF
ENVIRONMENTAL AND WORKER PROTECTION	1.000	LS
CLEANING AND PAINTING EXISTING STEEL BEARINGS	1.000	LS
RESEAL DECK EXPANSION JOINT	188.000	LF



Call No.: 040

Page: 6

<b>SC File NO(S):</b> 2313800	<b>PCN:</b> P030860	<b>Project No.:</b> P030860
	<b>PCN:</b> P030863	<b>Project No.:</b> P030863
	<b>PCN:</b> P030881	<b>Project No.:</b> P030881
<b>Letting Date:</b> August 08, 2017	<b>CO(S):</b> Greenville	<b>DBE Goal Percent:</b> 2.00%
<b>Letting Time:</b> 2:00 P.M.		<b>Cost of Road Plans:</b> \$20.00
<b>Description:</b> SAFETY SECTION IMPROVEMENTS GREENVILLE AND LAURENS COUNTIES		<b>Cost of BridgePlans:</b> \$0.00
		<b>Cost of X-Sections:</b> \$0.00
		<b>Cost of Proposal:</b> \$15.00
		<b>Approx. Length (miles):</b> 9.5520

**Completion Date:** 9/30/2018

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIMB TRIMMING	1.000	L S
BORROW EXCAVATION	3,849.200	CY
EXCAVATION FOR SHOULDER PAVING	1,016.190	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,016.190	STA
MAINTENANCE STONE	97.000	TON
HMA SHOULDER WIDENING COURSE	10,161.900	TON
LIQUID ASPHALT BINDER PG64-22	508.080	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	15,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,599.990	SY
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	19.250	LaMi
MILLED-IN RUMBLE STRIP	19.250	MI
MICRO SURFACING SURFACE COURSE	135,491.840	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,448.000	SF
WHITE WORD MESSAGE "STOP AHEAD" -PERM.PVMT.MARKING	6.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,822.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	301,655.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	375.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,235.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	296,938.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,940.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	100,551.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	250.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA



Call No.: 040

Page: 7

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,078.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	58,311.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	750.000	EA
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	548.500	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	429.000	LF
REFLECTIVE SIGN POST PANELS	340.000	LF
GUARDRAIL DELINEATOR - WHITE	22.000	EA
STEEL BEAM GUARDRAIL STEEL BEAM GR.	425.000	LF
END TERMINAL - TYPE T	7.000	EA
THRIE BEAM G.R.BRIDGE CONN.	1.000	EA
ADDITIONAL LENGTH GUARDRAIL POST	96.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	9.330	ACRE
SILT FENCE	800.000	LF





Call No.: 050

Page: 8

<b>SC File NO(S):</b> 2881100	<b>PCN:</b> 040309BRD03	<b>Project No.:</b> SU28003	
<b>Letting Date:</b> August 08, 2017	<b>CO(S):</b> Kershaw	<b>DBE Goal Percent:</b>	13.00%
<b>Letting Time:</b> 2:00 P.M.		<b>Cost of Road Plans:</b>	\$157.00
<b>Description:</b> CAMDEN TRUCK RT SEGMENT 3 US1/601 YORK ST/RIPPONDON		<b>Cost of BridgePlans:</b>	\$0.00
		<b>Cost of X-Sections:</b>	\$47.00
		<b>Cost of Proposal:</b>	\$15.00
		<b>Approx. Length (miles):</b>	1.2000

Completion Date: 11/30/2018

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
EARTH-BORNE VIBRATION MONITORING	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	4.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	2.000	EA
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 012	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 013	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,780.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	500.000	CY
UNCLASSIFIED EXCAVATION	8,120.000	CY
BORROW EXCAVATION	9,130.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	3,510.000	CY
15" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	6.000	LF
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	516.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	310.000	LF
STRUCTURE EXCAVATION FOR CULVERTS	220.000	CY
NO. 57 STONE FOR BACKFILL	50.000	TON
FINE GRADING	28,500.000	SY
FLOWABLE FILL	100.000	CY
MAINTENANCE STONE	100.000	TON



Call No.: 050

Page: 9

Description	Quantity	Units
HOT MIX ASPHALT BASE COURSE - TYPE A	5,550.000	TON
LIQUID ASPHALT BINDER PG64-22	606.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,048.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	411.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,243.000	TON
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN FOR MAINT	2.000	EA
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	502.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	80.000	EA
TEMPORARY CONCRETE BARRIER	200.000	LF
BARRICADE - TYPE 3	96.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	2.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	16,300.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	500.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	200.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	340.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	10.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	8,400.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,000.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	265.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	8,305.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,680.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	450.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	36.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	20.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	520.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	20,140.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	225.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 90MIL	14.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 90MIL	25.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	275.000	EA
REMOVAL OF PAVEMENT MARKINGS	475.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	250.000	SF
Flat Sheet, Type XI, Size Determined by MSG, Overhead	7.500	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	1.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	435.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	250.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	20.000	LF



Call No.: 050

Page: 10

Description	Quantity	Units
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	740.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	860.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	460.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	730.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,560.000	LF
SAWCUT FOR LOOP DETECTOR	570.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
F&I-17"X30"X26"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
F&I 13 X28' STEEL STRAIN POLE-POWDER COATED AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	290.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL SOLAR POWERED FLASHER ASSEM-SINGLE BEACON	2.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	6.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	4.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	7.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
POWDERCOATING OPTION FOR 4' ALUMINUM PEDESTAL POLE	2.000	EA
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	31.000	CY
STRAIGHT HEADWALL FOR 18" CIRCULAR PIPE-1 LINE	1.000	EA
REINF. STEEL FOR STRUCTURES (ROADWAY)	2,770.000	LB
MECH. STAB.EARTH RETAINING WALL BACKFILL(GRANULAR)	397.000	CY
MECH.STABILIZED EARTH RETAINING WALL(BLOCK FACING) ROADWAY	1,071.000	SF
COPING FOR MSE RETAINING WALL(ROADWAY)	171.000	LF
15" SMOOTH WALL PIPE	70.000	LF
18" SMOOTH WALL PIPE	3,370.000	LF
24" SMOOTH WALL PIPE	2,660.000	LF
30" SMOOTH WALL PIPE	230.000	LF
36" SMOOTH WALL PIPE	70.000	LF
CATCH BASIN -TYPE 9	2.000	EA
CATCH BASIN -TYPE 16	10.000	EA
CATCH BASIN -TYPE 17	35.000	EA
CATCH BASIN -TYPE 18	7.000	EA
DROP INLET (24" X 24")	8.000	EA
DROP INLET (24" X 36")	2.000	EA
MANHOLE	12.000	EA
36" X 36" JUNCTION BOX	7.000	EA
EXTRA DEPTH OF BOX	20.000	LF
DROP INLET(MULTIPLE GRATE) BOX ONLY	6.000	LF



Call No.: 050

Page: 11

Description	Quantity	Units
CBT-9 CONVERT JUNCTION BOX 36" X 36"	1.000	EA
BEVELING OF PIPE END	12.000	EA
CONCRETE CURB (TRANSITION)	30.000	LF
CONCRETE GUTTER-TYPE 1	61.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	9,413.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	4,032.000	SY
DETECTABLE WARNING MATERIAL	312.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	651.000	SY
CONCRETE MEDIAN	80.000	SY
CONCRETE DITCH PAVING	40.000	SY
PEDESTRIAN RAMP CONSTRUCTION	625.000	SY
6'X 3' P.C. BOX CULVERT {AASHTO M-259} FH = 6	148.000	LF
RIP-RAP (CLASS B)	57.000	TON
RIP-RAP (CLASS C)	280.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	304.000	SY
STEEL BEAM GUARDRAIL GUARDRAIL W-BEAM SYSTEM	150.000	LF
END TERMINAL - TYPE T	3.000	EA
THRIE BEAM G.R.BRIDGE CONN.	1.000	EA
CONCRETE ROADSIDE BARRIER	152.000	LF
RESET FENCE	200.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	49.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.500	ACRE
TEMPORARY COVER	3.600	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	8.100	ACRE
FERTILIZER (NITROGEN)	450.000	LB
FERTILIZER (PHOSPHORIC ACID)	450.000	LB
FERTILIZER (POTASH)	450.000	LB
AGRICULTURAL GRANULAR LIME	9,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	16.000	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	2.000	MSY
TEMPORARY EROSION CONTROL BLANKET (CLASS B)	10.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	2.000	ACRE



Call No.: 050

Page: 12

Description	Quantity	Units
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	562.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	407.000	LF
SILT FENCE	7,400.000	LF
REPLACE/REPAIR SILT FENCE	740.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,850.000	LF
INLET FILTER CLEANING	53.000	EA
INLET STRUCTURE FILTER - TYPE D1	12.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	10.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	10.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 17)	35.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 18)	7.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 060

Page: 13

<b>SC File NO(S):</b> 4007172	<b>PCN:</b> P029723	<b>Project No.:</b> P029723	
<b>Letting Date:</b> August 08, 2017	<b>CO(S):</b> Richland	<b>DBE Goal Percent:</b>	0.00%
<b>Letting Time:</b> 2:00 P.M.		<b>Cost of Road Plans:</b>	\$0.00
<b>Description:</b> 2017 NON-FEDERAL AID - ACT 98 PROGRAM		<b>Cost of BridgePlans:</b>	\$0.00
		<b>Cost of X-Sections:</b>	\$0.00
		<b>Cost of Proposal:</b>	\$15.00
		<b>Approx. Length (miles):</b>	24.3600

Completion Date: 6/30/2018

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,125.000	SY
BORROW EXCAVATION	1,462.000	CY
EXCAVATION FOR SHOULDER PAVING	187.350	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	187.350	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 4	61,475.870	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,158.710	TON
MAINTENANCE STONE	152.600	TON
HMA SHOULDER WIDENING COURSE	340.850	TON
LIQUID ASPHALT BINDER PG64-22	893.830	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	8,898.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	6,362.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	8,190.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	21,118.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	11,210.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,236.330	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,110.667	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,907.040	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,600.670	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,622.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	186.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	105,128.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	287.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,552.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	139,630.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	150.000	LF



Call No.: 060

Page: 14

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	186.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	65,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	287.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,242.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	88,302.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	3.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	840.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
DETECTABLE WARNING MATERIAL	562.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,125.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	1,600.000	LF
END TERMINAL - TYPE T	7.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
GUARDRAIL LEADING TYPE T TL2(25')	2.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	5.068	ACRE



Call No.: 070

Page: 15

SC File NO(S): 4214540

PCN: P032329

Project No.: P032329

PCN: P032330

Project No.: P032330

Letting Date: August 08, 2017

CO(S): Spartanburg

DBE Goal Percent: 0.00%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$0.00

Description: CTC SPARTANBRG COUNTY

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 1.0500

Completion Date: 6/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	36.000	SY
BORROW EXCAVATION	78.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM) CURING METHOD 4	14,667.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	587.000	TON
MAINTENANCE STONE	10.000	TON
LIQUID ASPHALT BINDER PG64-22	153.834	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	7,496.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,221.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	239.360	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,372.417	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	512.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	18,057.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	320.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	520.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	60,458.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	50.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	8,131.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	80.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	180.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	14,217.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	3.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	151.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	209.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	110.000	LF





Call No.: 070

Page: 16

Description	Quantity	Units
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,700.000	LF
SAWCUT FOR LOOP DETECTOR	1,400.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
ADJUST DROP INLET ADJUST D. I.	3.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	50.000	LF
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
RESET GUARDRAIL RESET GR.	100.000	LF
RESET END TERMINAL-TYPE T	2.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	0.378	ACRE



Call No.: 080

Page: 17

<b>SC File NO(S):</b> 4307591	<b>PCN:</b> P026926	<b>Project No.:</b> P026926	
<b>Letting Date:</b> August 08, 2017	<b>CO(S):</b> Sumter	<b>DBE Goal Percent:</b>	0.00%
<b>Letting Time:</b> 2:00 P.M.		<b>Cost of Road Plans:</b>	\$0.00
<b>Description:</b> US 76 EB WATEREE RIVER BR. REHAB		<b>Cost of BridgePlans:</b>	\$98.00
		<b>Cost of X-Sections:</b>	\$0.00
		<b>Cost of Proposal:</b>	\$15.00
		<b>Approx. Length (miles):</b>	0.506

**Completion Date:** 6/30/2018

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SITE EXCAVATION	1.000	LS
FINE GRADING	840.000	SY
LIQUID ASPHALT BINDER PG64-22	16.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	231.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	93.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	226.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	1.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	6,340.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	6,190.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	820.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	3,270.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	3,200.000	LF
EPOXY PAINT 4" BLACK BROKEN LINES -(GAPS EXCLUDED)	410.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	41.000	EA
REMOVAL OF PAVEMENT MARKINGS	7,290.000	LF
CONCRETE,CLASS 4000 FOR FULL DEPTH PATCHING	10.000	CY
PARTIAL DEPTH PATCHING OF EXISTING DECK	1,500.000	SY
EPOXY CRACK INJECTION	1,720.000	LF
ENVIRONMENTAL AND WORKER PROTECTION	1.000	LS
CLEANING AND PAINTING EXISTING STEEL BEARINGS	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
BLAST CLEANING	41.000	SY
REHABILITATE EXISTING EXPANSION JOINT - COMPRESSION SEAL	20.000	EA
STEEL BEAM GUARDRAIL GUARDRAIL W-BEAM SYSTEM	100.000	LF
END TERMINAL - TYPE T	2.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
GR TRAILING END TREATMENT THRIE-BEAM TYPE B	2.000	EA



Call No.: 090

Page: 18

SC File NO(S): 5410371

PCN: P030512

Project No.: P030512

PCN: P030518

Project No.: P030518

PCN: P030520

Project No.: P030520

Letting Date: August 08, 2017

CO(S): Chester Fairfield

DBE Goal Percent: 1.50%

Letting Time: 2:00 P.M.

Cost of Road Plans: \$0.00

Description: 2017 FEDERAL AID PRESERVATION IN CHESTER FAIRFIELD COUNTY

Cost of BridgePlans: \$0.00

Cost of X-Sections: \$0.00

Cost of Proposal: \$15.00

Approx. Length (miles): 5.4800

Completion Date: 6/30/2018

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIQUID ASPHALT BINDER PG64-22	13.650	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,200.000	SY
MILLING - VARIABLE - 2' WIDTH	150.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE E	210.000	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	94,707.201	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	924.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	11,644.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	80,928.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,120.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	42.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	42.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,660.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	60,900.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,822.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	40,464.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,060.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	21.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	21.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,830.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	30,450.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	305.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	135.000	EA

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

In addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS. Information concerning prequalification can be obtained at the Contracts Administration office, Room 334 in the Headquarters building, 955 Park Street, Columbia, SC, or by calling Jeff Elliott at (803)737-1253.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE. Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
2. BID BONDS HAND DELIVERED. Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
  - (a) alteration of a part of bid item except for the unit price; or
  - (b) failure to enter a bid item unit price; or
  - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
  - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Cost of plans may change, and the bidder should check with the SCDOT Engineering Publications office for the cost of plans when the plans are indicated to be available.

Prepared by L. Stuckey

Issued by:

J.Brian Parnell  
Contract Administrator