SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS For August 08, 2023

Letting Location: SCDOT Headquarters Building Conference Room 331 955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on July 11, 2023 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (https://www.scdot.org/business/constructionletting-extranet.aspx). for the following items:

- Proposals
- Plans
- Announcements
- · Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board


Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.





Call No.: 010 Letting Date: August 08, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S).: 0266060 PCN: P042283 Project No.: P042283

DBE Goal Percent: 0.00%

Approx. Length (miles): 24.4700 Description: RESURFACING 17 STATE RD -SURFCOURSE,

CO(S).: Aiken FDP, SHLDPAV, MILLFILL

Completion Date: 10/31/2024 Days Funding: CTC

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	4,772.000	CY
EXCAVATION FOR SHOULDER PAVING	2,163.120	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	2,163.120	STA
MAINTENANCE STONE	121.000	TON
HMA SHOULDER WIDENING COURSE	13,802.799	TON
LIQUID ASPHALT BINDER PG64-22	2,871.570	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	11,925.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	175.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	6,260.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	15,600.000	SY
MILLED-IN RUMBLE STRIP	36.180	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	25,809.656	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	6,832.380	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,712.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,092.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	2,440.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	219,260.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	80.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	15.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,610.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	5.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	7,200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	220,340.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	438,520.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	160.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,845.000	LF



Call No.: 010 Letting Date: August 08, 2023 Letting Time: 02:00 PM Page: 2 Description Quantity Units WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT 6.000 EΑ WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT 1.000 EΑ WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT 2.000 EΑ 4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT 14,400.000 LF 4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT 440,680.000 LF 12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT 30.000 LF 4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT 720.000 LF 4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT 90.000 LF PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4" 25.000 EΑ PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4" 1,737.000 EΑ FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT 125.000 LF FURNISH & INSTL NO. 14 COPPER WIRE, 1-CONDUCTOR FOR LOOP WIRE 2,900.000 LF SAWCUT FOR LOOP DETECTOR 1,300.000 LF SURFACE APPLIED DETECTABLE WARNING SF 130.000 REMOVE & DISPOSE SEMI-RIGID GR DEVICE LF 1,420.000 MT3 LEADING END TREATMENT TL3 6.000 EΑ MGS3CS GR COMPRESSED SHOULDER 950.000 LF MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3 4.000 EΑ PREMASH TYPE T TL3 LEADING 50' 1.000 EΑ PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS 23.810 ACRE





Call No.: 020 Letting Date: August 08, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S).: 1263381 PCN: P041591 Project No.: P041591

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.0500 Description: BRIDGE PRESERVATION - US 21 (CHESTER

CO(S).: Chester CO)

Completion Date: 6/30/2024 Days Funding: FED

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FLOWABLE FILL	1.500	CY
ROUT, CLEAN, AND SEAL CRACKS	3.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	156.000	SF
BARRICADE - TYPE 3	108.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	526.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	526.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	526.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	526.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR 4"X4"	4.000	EA
EPOXY-COATED REINF. STEEL FOR STRUCTURES (BRIDGE)	8,500.000	LB
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	864.000	SF
ELASTOMERIC BEARING	48.000	EA
HYDRO-DEMOLITION OF EXISTING SURFACE	1,000.000	SY
JACKING BRIDGE	1.000	LS
RIP-RAP (CLASS B)	3.000	CY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE A	3.000	SY
BR004 - REINFORCED CONCRETE REPAIR TYPE 1	0.400	CF
BR005 - REINFORCED CONCRETE REPAIR TYPE 2	0.400	CF
BR010 – DECK JOINT REPAIR TYPE 1	248.000	LF
BR018 - BEAM END WEB AND FLANGE REPAIR	240.000	LF
UHPC BEAM END REPAIR	32.000	CY
DECK DRAIN RETROFIT	12.000	EA
ULTRA HIGH PERFORMANCE CONCRETE (UHPC) OVERLAY	35.000	CY





Call No.: 030 Letting Date: August 08, 2023 Letting Time: 02:00 PM Page: 1

 SC File NO(S).: 2386151
 PCN: 0042551RD01
 Project No.: MP13011

 DBE Goal Percent: 15.50%
 PCN: P038173
 Project No.: P038173

Approx. Length (miles): 1.3780 Description: ENHANCEMENT - GREENVILLE COUNTY

CO(S).: Greenville

Completion Date: 8/31/2024 Days Funding: FED

MOBILIZATION 1.000 LS BONDS AND INSURANCE 1.000 LS CONSTRUCTION STAKES, LINES & GRADES 2.000 EA TRAFFIC CONTROL 1.000 LS CPM PROGRESS SCHEDULE 1.000 LS CHEARING & GRUBBING WITHIN ROADWAY 1.000 LS SELECTED REMOVAL OF MARKED TREES 1.000 LS REMOVAL & DISPOSAL ITEM NO. 001 1.000 LS REMOVAL & DISPOSAL OF EXISTING PAVEMENT 498.000 SY REMOVAL & DISPOSAL OF EXISTING CURB 71.000 LF REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT 367.000 SY REMOVAL & DISPOSAL OF EXISTING BRIDGE 1.000 LS UNCLASSIFIED EXCAVATION 1.000 LS BORROW EXCAVATION 1.000 LS BORROW EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) 3,620.000 SY MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 24.400 TON	Description	Quantity	Units
CONSTRUCTION STAKES, LINES & GRADES 2.000 EA TRAFFIC CONTROL 1.000 LS CPM PROGRESS SCHEDULE 1.000 LS CLEARING & GRUBBING WITHIN ROADWAY 1.000 LS SELECTED REMOVAL OF MARKED TREES 1.000 LS REMOVAL & DISPOSAL ITEM NO. 001 1.000 LS REMOVAL & DISPOSAL OF EXISTING PAVEMENT 498.000 SY REMOVAL & DISPOSAL OF EXISTING PAVEMENT 367.000 SY REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT 367.000 SY REMOVAL & DISPOSAL OF EXISTING BRIDGE 1.000 LS UNCLASSIFIED EXCAVATION 1,220.000 CY SITE EXCAVATION 1,000 LS BORROW EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) 3,620.000 SY MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 24.400 TON NONWOVEN GEOTEXTILE INTERLAYER FABRIC 3,620.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 216.000 SF 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF BEWHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 52.000 LF	MOBILIZATION	-	
TRAFFIC CONTROL 1.000 LS CPM PROGRESS SCHEDULE 1.000 LS CLEARING & GRUBBING WITHIN ROADWAY 1.000 LS SELECTED REMOVAL OF MARKED TREES 1.000 LS REMOVAL & DISPOSAL ITEM NO. 001 1.000 LS REMOVAL & DISPOSAL ITEM NO. 002 1.000 LS REMOVAL & DISPOSAL OF EXISTING PAVEMENT 498.000 SY REMOVAL & DISPOSAL OF EXISTING CURB 71.000 LF REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT 367.000 SY REMOVAL & DISPOSAL OF EXISTING BRIDGE 1.000 LS UNCLASSIFIED EXCAVATION 1.220.000 CY SITE EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) 3,620.000 SY MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 24.400 TON HOT MIX ASPHALT SURFACE COURSE TYPE C 355.000 TON NONWOVEN GEOTEXTILE INTERLAYER FABRIC 3,620.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 216.000 SF 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF B"WHITE SOLID LINES (STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF	BONDS AND INSURANCE	1.000	LS
CPM PROGRESS SCHEDULE 1.000 LS CLEARING & GRUBBING WITHIN ROADWAY 1.000 LS SELECTED REMOVAL OF MARKED TREES 1.000 LS REMOVAL & DISPOSAL ITEM NO. 001 1.000 LS REMOVAL & DISPOSAL ITEM NO. 002 1.000 LS REMOVAL & DISPOSAL OF EXISTING PAVEMENT 498.000 SY REMOVAL & DISPOSAL OF EXISTING CURB 71.000 LF REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT 367.000 SY REMOVAL & DISPOSAL OF EXISTING BRIDGE 1.000 LS UNCLASSIFIED EXCAVATION 1,220.000 CY SITE EXCAVATION 1,000 LS BORROW EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) 3,620.000 SY MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 24.400 TON NONWOVEN GEOTEXTILE INTERLAYER FABRIC 3,620.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 216.000 SF 4" WHITE S	CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
CLEARING & GRUBBING WITHIN ROADWAY 1.000 LS SELECTED REMOVAL OF MARKED TREES 1.000 LS REMOVAL & DISPOSAL ITEM NO. 001 1.000 LS REMOVAL & DISPOSAL OF EXISTING PAVEMENT 498.000 SY REMOVAL & DISPOSAL OF EXISTING CURB 71.000 LF REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT 367.000 SY REMOVAL & DISPOSAL OF EXISTING BRIDGE 1.000 LS UNCLASSIFIED EXCAVATION 1,220.000 CY SITE EXCAVATION 1.000 LS BORROW EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) 3,620.000 SY MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 24.400 TON HOT MIX ASPHALT SURFACE COURSE TYPE C 355.000 TON NONWOVEN GEOTEXTILE INTERLAYER FABRIC 3,620.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 216.000 SF 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF <td>TRAFFIC CONTROL</td> <td>1.000</td> <td>LS</td>	TRAFFIC CONTROL	1.000	LS
SELECTED REMOVAL OF MARKED TREES 1.000 LS REMOVAL & DISPOSAL ITEM NO. 001 1.000 LS REMOVAL & DISPOSAL OF EXISTING PAVEMENT 498.000 SY REMOVAL & DISPOSAL OF EXISTING CURB 71.000 LF REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT 367.000 SY REMOVAL & DISPOSAL OF EXISTING BRIDGE 1.000 LS UNCLASSIFIED EXCAVATION 1,220.000 CY SITE EXCAVATION 1.000 LS BORROW EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) 3,620.000 SY MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 24.400 TON HOT MIX ASPHALT SURFACE COURSE TYPE C 355.000 TON NONWOVEN GEOTEXTILE INTERLAYER FABRIC 3,620.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 216.000 SF 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF 24"WHITE SOLID LINES (STOP LINES/DIAG.LINES) EPOXY PAINT 52.000<	CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001 1.000 LS REMOVAL & DISPOSAL OF EXISTING PAVEMENT 498.000 SY REMOVAL & DISPOSAL OF EXISTING CURB 71.000 LF REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT 367.000 SY REMOVAL & DISPOSAL OF EXISTING BRIDGE 1.000 LS UNCLASSIFIED EXCAVATION 1,220.000 CY SITE EXCAVATION 940.000 CY SING RADED AGGREGATE BASE COURSE (6" UNIFORM) 3,620.000 SY MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 24.400 TON NONWOVEN GEOTEXTILE INTERLAYER FABRIC 3,620.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 216.000 SF 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF 8"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 52.000 LF 8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002 1.000 LS REMOVAL & DISPOSAL OF EXISTING PAVEMENT 498.000 SY REMOVAL & DISPOSAL OF EXISTING CURB 71.000 LF REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT 367.000 SY REMOVAL & DISPOSAL OF EXISTING BRIDGE 1.000 LS UNCLASSIFIED EXCAVATION 1,220.000 CY SITE EXCAVATION 940.000 CY BORROW EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) 3,620.000 SY MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 24.400 TON HOT MIX ASPHALT SURFACE COURSE TYPE C 355.000 TON NONWOVEN GEOTEXTILE INTERLAYER FABRIC 3,620.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 216.000 SF 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF 24"WHITE SOLID LINES CROSSWALK&CHANNELIZATION-EPOXY PAINT 52.000 LF 24"WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	SELECTED REMOVAL OF MARKED TREES	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT 498.000 SY REMOVAL & DISPOSAL OF EXISTING CURB 71.000 LF REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT 367.000 SY REMOVAL & DISPOSAL OF EXISTING BRIDGE 1.000 LS UNCLASSIFIED EXCAVATION 1,220.000 CY SITE EXCAVATION 1.000 LS BORROW EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) 3,620.000 SY MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 24.400 TON HOT MIX ASPHALT SURFACE COURSE TYPE C 355.000 TON NONWOVEN GEOTEXTILE INTERLAYER FABRIC 3,620.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 216.000 SF 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF 24"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 52.000 LF 24"WHITE SOLID LINES (TOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF 24"WHITE SOLID LINES THERMOPLA	REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT REMOVAL & DISPOSAL OF EXISTING BRIDGE REMOVAL & DISPOSAL OF EXISTING BRIDGE 1.000 LS UNCLASSIFIED EXCAVATION 1,220.000 CY SITE EXCAVATION 1.000 LS BORROW EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) AGINTENANCE STONE LIQUID ASPHALT BINDER PG64-22 44.400 TON HOT MIX ASPHALT SURFACE COURSE TYPE C NONWOVEN GEOTEXTILE INTERLAYER FABRIC PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT B"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 52.000 LF B"WHITE SOLID LINES (STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF B"WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT REMOVAL & DISPOSAL OF EXISTING BRIDGE 1.000 LS UNCLASSIFIED EXCAVATION 1,220.000 CY SITE EXCAVATION 1.000 LS BORROW EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) 3,620.000 SY MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 40.400 TON HOT MIX ASPHALT SURFACE COURSE TYPE C NONWOVEN GEOTEXTILE INTERLAYER FABRIC PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT B"WHITE SOLID LINES (STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF B"WHITE SOLID LINES (STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF B"WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	REMOVAL & DISPOSAL OF EXISTING PAVEMENT	498.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE UNCLASSIFIED EXCAVATION 1,220.000 CY SITE EXCAVATION 1.000 LS BORROW EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) MAINTENANCE STONE LIQUID ASPHALT BINDER PG64-22 HOT MIX ASPHALT SURFACE COURSE TYPE C NONWOVEN GEOTEXTILE INTERLAYER FABRIC PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT B"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 524"WHITE SOLID LINES (STOP LINES/DIAG.LINES) EPOXY PAINT 526" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 1.000 LS 1.2000 LF	REMOVAL & DISPOSAL OF EXISTING CURB	71.000	LF
UNCLASSIFIED EXCAVATION 1,220.000 CY SITE EXCAVATION 1.000 LS BORROW EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) 3,620.000 SY MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 24.400 TON HOT MIX ASPHALT SURFACE COURSE TYPE C 355.000 TON NONWOVEN GEOTEXTILE INTERLAYER FABRIC 3,620.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 216.000 SF 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF B"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 222.000 LF 24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF	REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	367.000	SY
SITE EXCAVATION 1.000 LS BORROW EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) 3,620.000 SY MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 24.400 TON HOT MIX ASPHALT SURFACE COURSE TYPE C 355.000 TON NONWOVEN GEOTEXTILE INTERLAYER FABRIC 3,620.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 216.000 SF 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF B"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 222.000 LF 24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF	REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
BORROW EXCAVATION 940.000 CY FINE GRADING 6,527.000 SY GRADED AGGREGATE BASE COURSE (6" UNIFORM) 3,620.000 SY MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 24.400 TON HOT MIX ASPHALT SURFACE COURSE TYPE C 355.000 TON NONWOVEN GEOTEXTILE INTERLAYER FABRIC 3,620.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 216.000 SF 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF B"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 222.000 LF 24"WHITE SOLID LINES (STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF	UNCLASSIFIED EXCAVATION	1,220.000	CY
FINE GRADING GRADED AGGREGATE BASE COURSE (6" UNIFORM) MAINTENANCE STONE LIQUID ASPHALT BINDER PG64-22 HOT MIX ASPHALT SURFACE COURSE TYPE C NONWOVEN GEOTEXTILE INTERLAYER FABRIC PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT B"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF B" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	SITE EXCAVATION	1.000	LS
GRADED AGGREGATE BASE COURSE (6" UNIFORM) MAINTENANCE STONE LIQUID ASPHALT BINDER PG64-22 HOT MIX ASPHALT SURFACE COURSE TYPE C NONWOVEN GEOTEXTILE INTERLAYER FABRIC PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT B"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 222.000 LF B" WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF B" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	BORROW EXCAVATION	940.000	CY
MAINTENANCE STONE 125.000 TON LIQUID ASPHALT BINDER PG64-22 24.400 TON HOT MIX ASPHALT SURFACE COURSE TYPE C 355.000 TON NONWOVEN GEOTEXTILE INTERLAYER FABRIC 3,620.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 216.000 SF 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF B"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 222.000 LF 24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF B" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	FINE GRADING	6,527.000	SY
LIQUID ASPHALT BINDER PG64-22 HOT MIX ASPHALT SURFACE COURSE TYPE C NONWOVEN GEOTEXTILE INTERLAYER FABRIC PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT B"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 222.000 LF 24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF B" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	GRADED AGGREGATE BASE COURSE (6" UNIFORM)	3,620.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C 355.000 TON NONWOVEN GEOTEXTILE INTERLAYER FABRIC 3,620.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 216.000 SF 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF 8"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 222.000 LF 24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF 8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	MAINTENANCE STONE	125.000	TON
NONWOVEN GEOTEXTILE INTERLAYER FABRIC PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 222.000 LF 24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	LIQUID ASPHALT BINDER PG64-22	24.400	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF 8"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 222.000 LF 24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF 8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	HOT MIX ASPHALT SURFACE COURSE TYPE C	355.000	TON
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 600.000 LF B"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 222.000 LF 24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF B" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	NONWOVEN GEOTEXTILE INTERLAYER FABRIC	3,620.000	SY
B"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 222.000 LF 24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF B" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	216.000	SF
24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT 52.000 LF B" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	600.000	LF
B" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 88.000 LF	8"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT	222.000	LF
	24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT	52.000	LF
24" WHITE COLID LINES (CTOD/DIAC LINES) THEDMO 425 MIL	8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	88.000	LF
24 WHITE SOLID LINES (STOP/DIAG LINES)-THERMO125 MIL 88.000 LF	24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO125 MIL	88.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN 16.250 SF	FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	16.250	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P 26.000 LF	U-SECTION POST FOR SIGN SUPPORTS - 3P	26.000	LF
6.0" SCHEDULE 40 PVC CONDUIT 292.000 LF	6.0" SCHEDULE 40 PVC CONDUIT	292.000	LF
ALUMINUM PIPE HANDRAILING 40.000 LF	ALUMINUM PIPE HANDRAILING	40.000	LF
15" SMOOTH WALL PIPE 413.000 LF	15" SMOOTH WALL PIPE	413.000	LF



Call No.: 030 Letting Date: August 08, 2023 Letting Time: 02:00 PM Page: 2 Description Quantity Units 18" SMOOTH WALL PIPE 72.000 LF 36" SMOOTH WALL PIPE 40.000 LF **CATCH BASIN - TYPE 9** 1.000 EΑ DROP INLET (24" X 24") 3.000 EΑ MANHOLE 3.000 EΑ 36" X 36" JUNCTION BOX 1.000 EΑ ADJUST MANHOLE 10.000 EΑ ADJUST UTILITY VALVE BOX WITH COVER 3.000 EΑ BEVELING OF PIPE END 6.000 EΑ CONCRETE CURB (9" X 15") 50.000 LF CONCRETE CURB (TRANSITION) 12.000 LF CONCRETE WASHOUT 1.000 EΑ CONCRETE SIDEWALK(4" UNIFORM) 1,333.000 SY DETECTABLE WARNING MATERIAL 220.000 SF CONCRETE DRIVEWAY(6" UNIFORM) 119.000 SY PEDESTRIAN RAMP CONSTRUCTION 290.000 SY 250.000 RIP-RAP (CLASS B) TON GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2) 126.000 SY MOVING ITEM NO. 001 1.000 LS MOVING ITEM NO. 002 1.000 LS MOVING ITEM NO. 003 LS 1.000 MOVING ITEM NO. 004 1.000 LS MOVING ITEM NO. 005 1.000 LS LS MOVING ITEM NO. 006 1.000 MOVING ITEM NO. 007 1.000 LS MOVING ITEM NO. 008 1.000 LS MOVING ITEM NO. 009 1.000 LS MOVING ITEM NO. 010 1.000 LS MOVING ITEM NO. 011 1.000 LS MOVING ITEM NO. 012 1.000 LS MOVING ITEM NO. 013 1.000 LS MOVING ITEM NO. 014 LS 1.000 PERMANENT COVER 1.860 ACRE TEMPORARY COVER **ACRE** 0.930 SELECT MATERIAL 181.000 CY SEEDING - BERMUDA (UNMULCHED) MSY 0.829 FERTILIZER (NITROGEN) 203.000 LB FERTILIZER (PHOSPHORIC ACID) 203.000 LB FERTILIZER (POTASH) 203.000 LB AGRICULTURAL GRANULAR LIME 3,720.000 LB SELECTIVE WATERING 108,600.000 GAL **MOWING** 7.013 ACRE



Call No.: 030 Letting Date: August 08, 2023 Letting Time: 02:00 PM Page: 3 Description Quantity Units LANDSCAPING ITEM NO. 001 14.000 EΑ LANDSCAPING ITEM NO. 002 3.000 EΑ LANDSCAPING ITEM NO. 003 3.000 EΑ LANDSCAPING ITEM NO. 004 1.000 EΑ LANDSCAPING ITEM NO. 005 7.000 EΑ LANDSCAPING ITEM NO. 006 4.000 EΑ LANDSCAPING ITEM NO. 007 1.000 EΑ LANDSCAPING ITEM NO. 008 3.000 EΑ LANDSCAPING ITEM NO. 009 10.000 EΑ LANDSCAPING ITEM NO. 010 47.000 EΑ LANDSCAPING ITEM NO. 011 42.000 EΑ LANDSCAPING ITEM NO. 012 6.000 EΑ LANDSCAPING ITEM NO. 013 48.000 EΑ LANDSCAPING ITEM NO. 014 4.000 EΑ LANDSCAPING ITEM NO. 015 11.000 EΑ LANDSCAPING ITEM NO. 016 962.000 EΑ LANDSCAPING ITEM NO. 017 15.000 EΑ DOUBLE-SHREDDED HARDWOOD MULCH 2,500.000 SF SODDING 1.623 MSY HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1 3.348 ACRE ACRE HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3 2.232 INLET STRUCTURE FILTER - TYPE F (WEIGHTED) 130.000 LF SEDIMENT TUBES FOR DITCH CHECKS 118.000 LF SILT FENCE 5,560.000 LF REPLACE/REPAIR SILT FENCE 556.000 LF REMOVAL OF SILT RETAINED BY SILT FENCE 1,390.000 LF CLEANING INLET STRUCTURE FILTERS 9.000 EΑ INLET STRUCTURE FILTER - TYPE A 20.000 LF STABILIZED CONSTRUCTION ENTRANCE SY 550.000 TIMBER PEDESTRIAN BRIDGE 40.000 LF SITE ELECTRICAL AND LIGHTING - COMPLETE 1.000 LS BENCH, STEEL (OUTSIDE) 2.000 EΑ CONSTRUCTION STAKES, LINES & GRADES 1.000 EΑ TRAFFIC CONTROL 1.000 LS CPM PROGRESS SCHEDULE 1.000 LS SELECTED REMOVAL OF MARKED TREES LS 1.000 REMOVAL & DISPOSAL OF EXISTING CURB 76.000 LF SITE EXCAVATION 1.000 LS **FINE GRADING** 1,146.000 SY MAINTENANCE STONE 15.000 TON PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 24.000 SF 8"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 333.000 LF




Call No.: 030 Letting Date: August 08, 2023 Letting Time: 02:00 PM Page: Description Quantity Units 24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT 13.000 LF 6.0" SCHEDULE 40 PVC CONDUIT 263.000 LF CONCRETE SIDEWALK(4" UNIFORM) 822.000 SY DETECTABLE WARNING MATERIAL 125.000 SF PEDESTRIAN RAMP CONSTRUCTION 250.000 SY SELECT MATERIAL 98.000 CY ACRE MOWING 0.361 LANDSCAPING ITEM NO. 018 4.000 EΑ LANDSCAPING ITEM NO. 019 22.000 EΑ ROOT BARRIER 748.000 LF SODDING 0.874 MSY INLET STRUCTURE FILTER - TYPE F (WEIGHTED) 100.000 LF SILT FENCE 520.000 LF REPLACE/REPAIR SILT FENCE 52.000 LF LF REMOVAL OF SILT RETAINED BY SILT FENCE 130.000 CLEANING INLET STRUCTURE FILTERS 9.000 EΑ SITE ELECTRICAL AND LIGHTING - COMPLETE 1.000 LS CONSTRUCTION STAKES, LINES & GRADES 1.000 EΑ TRAFFIC CONTROL 1.000 LS CPM PROGRESS SCHEDULE 1.000 LS SELECTED REMOVAL OF MARKED TREES LS 1.000 REMOVAL & DISPOSAL OF EXISTING PAVEMENT 5.000 SY REMOVAL & DISPOSAL OF EXISTING CURB 54.000 LF SITE EXCAVATION 1.000 LS **FINE GRADING** 1,184.000 SY PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 120.000 SF 8"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT 243.000 LF FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN 16.250 SF U-SECTION POST FOR SIGN SUPPORTS - 3P 26.000 LF 6.0" SCHEDULE 40 PVC CONDUIT 202.000 LF CONCRETE SIDEWALK(4" UNIFORM) 879.000 SY DETECTABLE WARNING MATERIAL 75.000 SF CONCRETE DRIVEWAY(6" UNIFORM) 45.000 SY PEDESTRIAN RAMP CONSTRUCTION 150.000 SY SELECT MATERIAL 96.000 CY MOWING ACRE 0.355 LANDSCAPING ITEM NO. 020 39.000 EΑ LANDSCAPING ITEM NO. 021 3.000 EΑ LANDSCAPING ITEM NO. 022 12.000 EΑ LANDSCAPING ITEM NO. 023 171.000 EΑ LANDSCAPING ITEM NO. 024 27.000 EΑ DOUBLE-SHREDDED HARDWOOD MULCH 125.000 SF





Call No.: 030	Letting Date: August 08, 2023	Letting Time:	02:00 PM F	age:	5
Desci	ription		Quantity	Units	
ROOT BARRIER			864.000	LF	
SODDING			0.860	MSY	
INLET STRUCTURE	FILTER - TYPE F (WEIGHTED)		60.000	LF	
SILT FENCE			920.000	LF	
REPLACE/REPAIR S	ILT FENCE		92.000	LF	
REMOVAL OF SILT F	RETAINED BY SILT FENCE		230.000	LF	
CLEANING INLET ST	RUCTURE FILTERS		5.000	EA	
SITE ELECTRICAL A	ND LIGHTING - COMPLETE		1.000	LS	





Call No.: 040 Letting Date: August 08, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S).: 2665200 PCN: P042317 Project No.: P042317

DBE Goal Percent: 2.00%

Approx. Length (miles): 7.1800 Description: US 378 (HWY 378) MP 1.16 TO MP 8.34 HORRY

CO(S).: Horry COUNTY

Completion Date: 10/31/2024 Days Funding: FED

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,600.000	SY
UNCLASSIFIED EXCAVATION	600.000	CY
BORROW EXCAVATION	2,872.000	CY
EXCAVATION FOR SHOULDER PAVING	758.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	758.000	STA
MAINTENANCE STONE	100.000	TON
HMA SHOULDER WIDENING COURSE	5,054.000	TON
LIQUID ASPHALT BINDER PG64-22	940.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	10,109.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,000.000	SY
MILLED-IN RUMBLE STRIP	21.540	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,094.000	TON
DRIVEWAY PAVING-SURFACE TYPE E	750.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	424.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,950.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	227,460.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,575.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,485.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	156,162.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,650.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO 90 MIL.	75,820.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO125 MIL	525.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,495.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	52,054.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR 4"X4"	500.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS





Call No.: 040 Letting Date: August 08, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
REFLECTIVE SIGN POST PANELS	150.000	LF
GUARDRAIL DELINEATOR - WHITE	100.000	EA
PREMASH TYPE T TL3 LEADING 50'	22.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.960	ACRE





Call No.: 050 Letting Date: August 08, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S).: 4163611 PCN: P041790 Project No.: P041790

DBE Goal Percent: 0.00%

Approx. Length (miles): 2.1800 Description: REHABILITATION - SALUDA COUNTY

CO(S).: Saluda

Completion Date: 8/31/2024 Days Funding: CTC

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	436.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	15,550.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	16,430.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,179.000	TON
MAINTENANCE STONE	1.000	TON
LIQUID ASPHALT BINDER PG64-22	262.985	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	20.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	80.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,300.000	SY
MILLED-IN RUMBLE STRIP	3.920	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,576.960	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,773.260	TON
DRIVEWAY PAVING-SURFACE TYPE C	124.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	524.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	560.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	92,100.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	480.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	92,100.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	140.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO 90 MIL.	23,024.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO125 MIL	120.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	23,024.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR 4"X4"	143.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.120	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	100.000	LF
SILT FENCE	1,000.000	LF
REPLACE/REPAIR SILT FENCE	100.000	LF

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS. Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE. Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No.______", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED. Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No._____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

- 1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
- 2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
- 3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
- 4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
- A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

lssi	ued	hv	•

Jennifer Taylor Contract Administrator