

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION  
NOTICE TO CONTRACTORS  
For September 14, 2021

Letting Location:  
SCDOT Headquarters Building  
Conference Room 331  
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on August 17, 2021 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website ([www.bidx.com](http://www.bidx.com))
- Construction Standards can be found under Business via SCDOT web site ([www.scdot.org](http://www.scdot.org))

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email [PlanStorage@scdot.org](mailto:PlanStorage@scdot.org) /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 8886260      PCN: P027550      Project No.: P027550

DBE Goal Percent: 15.00%

Approx. Length (miles):72.3800

Description: RECONSTRUCTION - I-95 DISTRICTS 6 & 7

CO(S): Colleton Hampton Jasper

Completion Date: 8/31/2025

Funding: FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	2,180.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
SELECTED CLEARING	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	15,517.000	LF
UNCLASSIFIED EXCAVATION	105,660.000	CY
BORROW EXCAVATION	15,321.000	CY
EXCAVATION FOR SHOULDER PAVING	3,822.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	3,822.000	STA
MAINTENANCE STONE	175.000	TON
HMA SHOULDER WIDENING COURSE	25,482.000	TON
LIQUID ASPHALT BINDER PG64-22	4,312.000	TON
LIQUID ASPHALT BINDER PG76-22	10,501.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	21,951.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	23,681.000	SY
MILLED-IN RUMBLE STRIP	146.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	259.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	174,966.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,525.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	33,891.000	TON
MILLING EXISTING CONCRETE PAV.(VARIABLE)	58,134.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	69,216.000	SY
PORTLAND CEMENT CONCRETE (SPECIAL USE)	640.000	CY
DIAMOND GRINDING OF CONCRETE PAVEMENT	3,630.000	SY
SPECIAL CRACK SEALANT	30,586.000	LB
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,060.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	288,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	1,152,000.000	LF



Call No.: 010

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	1,152,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	13,050.000	LF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	4,825.000	EA
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	34,000.000	LF
12" WHITE SOLID LINES (GORE MARKINGS) EPOXY PAINT	525.000	LF
WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT) EPOXY PAINT	6.000	EA
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	33,200.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	103,800.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	396,700.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	500.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	17,475.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	475.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	425.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	11.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	398,100.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	5,910.000	EA
REMOVAL OF PAVEMENT MARKINGS	85,900.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL8"WH.CONTRAST BROKEN	2,600.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	8,200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	8,200.000	LF
CONCRETE FOR SUPERSTRUCTURES - CLASS 4000 (DECK REPAIR)	500.000	CY
RESEAL DECK EXPANSION JOINT	4,500.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,500.000	LF
MT3 LEADING END TREATMENT TL3	36.000	EA
MEDIAN CABLE BARRIER	2,336.000	LF
RESET MEDIAN CABLE BARRIER	22,662.000	LF
MB TRAILING END TREATMENT	28.000	EA
MGS3 GR STANDARD SHOULDER	11,750.000	LF
CABLE BARRIER END ANCHOR	4.000	EA
CABLE BARRIER END ANCHOR(MAINTENANCE)	9.000	EA
RESET CABLE BARRIER END ANCHOR	23.000	EA
PREMASH THRIE STRONG POST GUARDRAIL	150.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	16.000	EA
NON-MOW STRIP UNDER GUARDRAIL	8,349.000	SY
PREMASH TYPE T TL3 LEADING 50'	16.000	EA
2' CRASH CUSHION 3A	2.000	EA
WOVEN WIRE FENCE - TYPE 1 WITH 3 STRANDS BARBED	75,978.000	LF
TEMPORARY BARRIER FENCE	1,500.000	LF
RESET FENCE	23,523.000	LF
PERMANENT COVER	381.359	ACRE
TEMPORARY COVER	572.039	ACRE



Call No.: 010

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
COMPOST	46,144.000	CY
FERTILIZER (NITROGEN)	38,135.900	LB
FERTILIZER (PHOSPHORIC ACID)	38,135.900	LB
FERTILIZER (POTASH)	38,135.900	LB
AGRICULTURAL GRANULAR LIME	762,718.000	LB
SELECTIVE WATERING	678,750.000	GAL
MOWING	1,911.795	ACRE
ENHANCED STACKED DITCH CHECKS	48,210.000	LF
TEMPORARY EROSION CONTROL BLANKET (ECB)	73.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	954.070	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	148,650.000	LF
SILT FENCE	609,270.000	LF
REPLACE/REPAIR SILT FENCE	60,926.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	152,318.000	LF
INLET STRUCTURE FILTER - TYPE D1	125.000	EA
STABILIZED CONSTRUCTION ENTRANCE	1,650.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	6,240.000	HR



Call No.: 020      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 0155020      **PCN:** P039196      **Project No.:** P039196  
**DBE Goal Percent:** 9.00%  
**Approx. Length (miles):**0.1040      **Description:** BRIDGE MAINTENANCE - S-111 (BROAD MOUTH CREEK)  
**CO(S):** Abbeville  
**Completion Date:** 6/30/2023      **Funding:** FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	3,062.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	1,126.000	SY
FINE GRADING	252.000	SY
HOT MIX ASPHALT BASE COURSE - TYPE B	41.000	TON
LIQUID ASPHALT BINDER PG64-22	12.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	336.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	71.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	93.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	5.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	550.000	LF
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	70.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	8.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	896.000	LF
CONC. FOR STRUCTURES - CLASS 4000	356.000	CY
GROOVED SURFACE FINISH	548.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	97,831.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	4,233.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	720.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL 001	446.000	LF
PILE DRIVING SET-UP	8.000	EA
REINF. PILE TIPS (HP14 X 73)	8.000	EA



Call No.: 020

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
STEEL H BEARING PILING (HP14 X 73)	185.000	LF
DRILLED SHAFT SET-UP	4.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 42" DIAMETER	36.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	88.000	LF
CONSTRUCTION CASING - 48" DIAMETER	104.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	196.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	70.000	LF
ELASTOMERIC BEARING	24.000	EA
CROSSHOLE SONIC LOGGING SETUP	4.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	105.000	TON
RIP-RAP (CLASS A)	23.000	TON
RIP-RAP (CLASS B)	592.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	69.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	2,634.000	SY
MT2 LEADING END TREATMENT TL2	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	200.000	LF
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	80.000	SY
TEMPORARY BARRIER FENCE	747.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	12.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.224	ACRE
TEMPORARY COVER	0.612	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	2.447	ACRE
FERTILIZER (NITROGEN)	122.356	LB
FERTILIZER (PHOSPHORIC ACID)	122.356	LB
FERTILIZER (POTASH)	122.356	LB
AGRICULTURAL GRANULAR LIME	2,447.117	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.671	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	26.200	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.485	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.556	MSY
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	100.000	LF
SILT FENCE	1,323.000	LF
CLEANING SILT BASINS	23.000	CY
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	46.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 030      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 0426100      **PCN:** P030387      **Project No.:** P030387  
**DBE Goal Percent:** 9.00%  
**Approx. Length (miles):**0.4660      **Description:** BRIDGE REPLACEMENT - US 29 (DEVILS FORK CREEK)  
**CO(S):** Anderson  
**Completion Date:** 6/30/2023      **Funding:** FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,134.000	SY
REMOVAL OF EXIST. GUARDRAIL	1,307.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	3,614.000	CY
BORROW EXCAVATION	12,480.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	2,354.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	2.000	EA
TEMPORARY SHORING WALL	460.000	LF
FINE GRADING	4,041.000	SY
FLOWABLE FILL	500.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,603.000	TON
LIQUID ASPHALT BINDER PG64-22	249.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,201.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,951.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,232.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	40.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	276.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	2.000	EA
TEMPORARY CONCRETE BARRIER	1,630.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	360.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	450.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	22,350.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	24,350.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	400.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	400.000	LF



Call No.: 030

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	60.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	6.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	6.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	30.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	330.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,200.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	500.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	425.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	300.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	3.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,700.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	500.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	772.000	LF
CONC. FOR STRUCTURES - CLASS 4000	452.800	CY
GROOVED SURFACE FINISH	724.500	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	109,782.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	5,362.000	LB
PRESTRESSED CONC. BEAM (TYPE II)	895.100	LF
CONCRETE BRIDGE BARRIER PARAPET	320.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
PILE DRIVING SET-UP	12.000	EA
REINF. PILE TIPS (HP12 X 53)	12.000	EA
STEEL H BEARING PILING (HP12 X 53)	311.000	LF
DRILLED SHAFT SET-UP	6.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 36" DIAMETER	54.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	90.000	LF
CONSTRUCTION CASING - 42" DIAMETER	90.000	LF
18" R. C. PIPE CUL. BEVELED END SECTN-CL 3	2.000	EA
18" SMOOTH WALL PIPE	340.000	LF
CATCH BASIN -TYPE 9	1.000	EA
DROP INLET (24" X 36")	1.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	1.000	EA
JUNCTION BOX - CONVERT CB T-9	1.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	16.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	129.000	LF
ELASTOMERIC BEARING	36.000	EA
CROSSHOLE SONIC LOGGING SETUP	6.000	EA





Call No.: 030

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	107.000	TON
RIP-RAP (CLASS A)	654.000	TON
RIP-RAP (CLASS B)	852.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	2,584.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	677.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	283.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	181.000	LF
MGS3 GR STANDARD SHOULDER	462.500	LF
PREMASH RESET TYPE T TL3 LEADING 50'	1.000	EA
PREMASH RESET THRIEBEAM BRDG CONN TBBC3	1.000	EA
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	425.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
NON-MOW STRIP UNDER GUARDRAIL	77.000	SY
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
TEMPORARY BARRIER FENCE	1,200.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	44.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.901	ACRE
TEMPORARY COVER	9.711	ACRE
FERTILIZER (NITROGEN)	1,461.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,461.000	LB
FERTILIZER (POTASH)	1,461.000	LB
AGRICULTURAL GRANULAR LIME	58,442.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	30.000	MSY
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	29.400	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.393	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.921	ACRE
SILT FENCE	5,352.000	LF
REPLACE/REPAIR SILT FENCE	536.000	LF
SILT BASINS	544.000	CY
CLEANING SILT BASINS	791.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,338.000	LF
TEMPORARY DIVERSION DIKE	451.000	LF
CLEANING INLET STRUCTURE FILTERS	20.000	EA
INLET STRUCTURE FILTER - TYPE B	2.000	EA
INLET STRUCTURE FILTER - TYPE A	20.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	38.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 040      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 0659780      **PCN:** P039864      **Project No.:** P039864  
**DBE Goal Percent:** 0.00%      **PCN:** P040663      **Project No.:** P040663  
**Approx. Length (miles):**4.1700      **Description:** REHABILITATION - BARNWELL COUNTY  
**CO(S):** Barnwell  
**Completion Date:** 6/30/2022      **Funding:** CTC

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	834.000	CY
EXCAVATION FOR SHOULDER PAVING	372.700	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	372.760	STA
MAINTENANCE STONE	2.300	TON
HMA SHOULDER WIDENING COURSE	1,863.840	TON
LIQUID ASPHALT BINDER PG64-22	405.216	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	230.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,000.000	SY
MILLED-IN RUMBLE STRIP	3.060	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	4,480.360	TON
DRIVEWAY PAVING-SURFACE TYPE D	320.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	484.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	32.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	37,600.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	170.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	2,170.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	10,250.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	64.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	75,200.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	340.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,340.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	44,860.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	278.000	EA
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.044	ACRE



Call No.: 050      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 0859850	<b>PCN:</b> P040529	<b>Project No.:</b> P040529
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P040530	<b>Project No.:</b> P040530
	<b>PCN:</b> P040531	<b>Project No.:</b> P040531

**Approx. Length (miles):** 15.5400      **Description:** RECONSTRUCTION/REHABILITATION - BERKELEY COUNTY  
**CO(S):** Berkeley

**Completion Date:** 7/31/2023      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	6.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	803.900	SY
REMOVAL & DISPOSAL OF EXISTING CURB	182.000	LF
UNCLASSIFIED EXCAVATION	125.000	CY
BORROW EXCAVATION	6,164.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	1,857.500	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	136,571.993	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,916.590	TON
MAINTENANCE STONE	265.977	TON
LIQUID ASPHALT BINDER PG64-22	2,969.789	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	244.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	221.000	SY
FULL DEPTH ASPH. PAV. PATCHING 9"UNIF	26,132.670	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	202,809.456	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,600.000	SY
MILLED-IN RUMBLE STRIP	25.880	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	25,882.870	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	27,258.513	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	38.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,117.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,368.000	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	136.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	10,901.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	126,832.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	2,811.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	112.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	34.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	573.000	LF



Call No.: 050

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	41.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	39.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	5.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	7,940.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	78,213.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	43,408.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	416,558.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	11,080.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	336.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,978.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	158.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	152.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	20.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	24.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	23,820.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	270,698.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,150.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	736.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	803.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	400.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,500.000	LF
SAWCUT FOR LOOP DETECTOR	2,250.000	LF
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
CONCRETE CURB (TRANSITION)	20.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	57.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	125.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	16.700	SY
DETECTABLE WARNING MATERIAL	20.000	SF
CONCRETE MEDIAN	737.200	SY
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,156.250	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	725.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	1,325.000	LF
PREMASH TRAILING THRIE TYPE B 18.75'	4.000	EA
PREMASH RESET TYPE T TL3 LEADING 50'	3.000	EA
PREMASH RESET THRIEBEAM BRDG CONN TBBC3	11.000	EA
PREMASH RESET THRIE STRONG POST SYSTEM	437.500	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	5.000	EA
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	15.068	ACRE



Call No.: 060      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 0959860	<b>PCN:</b> P038869	<b>Project No.:</b> P038869
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P040507	<b>Project No.:</b> P040507
	<b>PCN:</b> P040548	<b>Project No.:</b> P040548

**Approx. Length (miles):** 15.6200      **Description:** RECONSTRUCTION/REHABILITATION - CALHOUN COUNTY  
**CO(S):** Calhoun

**Completion Date:** 9/30/2022      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	210.000	SY
UNCLASSIFIED EXCAVATION	430.000	CY
BORROW EXCAVATION	3,124.000	CY
EXCAVATION FOR SHOULDER PAVING	515.328	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	515.328	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	70,400.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,460.000	TON
MAINTENANCE STONE	11.600	TON
HMA SHOULDER WIDENING COURSE	2,983.200	TON
LIQUID ASPHALT BINDER PG64-22	1,492.079	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	410.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	12,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,300.000	SY
MILLED-IN RUMBLE STRIP	25.040	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,264.853	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,413.540	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	5,821.090	TON
DRIVEWAY PAVING-SURFACE TYPE D	768.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,868.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	148,220.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	613.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	14,270.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	54,540.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	230.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	266,840.000	LF



Call No.: 060

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,176.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	34,740.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	137,580.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,039.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	10.000	SY
DETECTABLE WARNING MATERIAL	120.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	250.000	LF
PREMASH THRIE WITH BASE PL 6.25 SPACE	46.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	300.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	29.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	15.151	ACRE



Call No.: 070      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 1459820	<b>PCN:</b> P040354	<b>Project No.:</b> P040354
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P040359	<b>Project No.:</b> P040359
	<b>PCN:</b> P040521	<b>Project No.:</b> P040521

**Approx. Length (miles):** 21.4400      **Description:** RECONSTRUCTION/REHABILITATION - CLARENDON COUNTY  
**CO(S):** Clarendon

**Completion Date:** 5/31/2023      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	1,020.000	CY
BORROW EXCAVATION	4,288.000	CY
EXCAVATION FOR SHOULDER PAVING	825.792	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	825.792	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	53,090.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	109,400.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,690.000	TON
MAINTENANCE STONE	11.850	TON
HMA SHOULDER WIDENING COURSE	4,176.480	TON
LIQUID ASPHALT BINDER PG64-22	2,369.276	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	965.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	220.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	4,720.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	56,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,650.000	SY
MILLED-IN RUMBLE STRIP	42.440	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	10,020.104	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	14,639.993	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	9,252.120	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,317.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,376.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	680.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	223,950.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	860.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	19,100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	100,030.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,148.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	469,830.000	LF



Call No.: 070

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,720.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	52,630.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	249,560.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	270.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	270.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,433.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	690.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,150.000	LF
MT3 LEADING END TREATMENT TL3	6.000	EA
PREMASH NEST W-BEAM W BASE PL 6.25 SPACING	50.000	LF
PREMASH THRIE WITH BASE PL 6.25 SPACE	58.000	LF
MGS3 GR STANDARD SHOULDER	550.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	150.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	252.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	8.000	EA
PREMASH TYPE T TL3 LEADING 50'	26.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	20.800	ACRE





Call No.: 080      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 1653860      PCN: P028483      Project No.: P028483  
DBE Goal Percent: 14.50%  
Approx. Length (miles): 0.7800      Description: INTERSECTION IMPROVEMENT - US 52/401/15  
CO(S): Darlington  
Completion Date: 9/30/2022      Funding: FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	436.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,935.000	SY
UNCLASSIFIED EXCAVATION	24,082.000	CY
BORROW EXCAVATION	14,590.000	CY
FINE GRADING	11,208.000	SY
FLOWABLE FILL	205.000	CY
MAINTENANCE STONE	202.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	4,300.000	TON
LIQUID ASPHALT BINDER PG64-22	414.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	346.300	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	830.000	SY
MILLED-IN RUMBLE STRIP	0.840	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,290.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,620.000	TON
DRIVEWAY PAVING-SURFACE TYPE B NON-RESURFACING PROJECT	170.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	432.000	SF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	24.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	180.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	403.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	7,626.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	102.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	8.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	6.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	6,660.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	271.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	9,156.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	53.000	LF



Call No.: 080

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	7,011.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	22.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	284.380	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	55.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	2.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	559.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	34.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	65.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	720.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	30.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	665.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	885.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	735.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,160.000	LF
SAWCUT FOR LOOP DETECTOR	425.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	405.000	LF
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
F&I - 12" 1-WAY-4 SECTION(R.Y.G.GA)VEHICLE TRAFFIC SIGNAL	1.000	EA
F&I - 12" 1-WAY-4 SECTION(RA.YA.YAF.GA)VEH TRAFFIC SIGNAL	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	7.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
15" SMOOTH WALL PIPE	176.000	LF
18" SMOOTH WALL PIPE	176.000	LF
24" SMOOTH WALL PIPE	566.000	LF
36" SMOOTH WALL PIPE	184.000	LF
42" SMOOTH WALL PIPE	128.000	LF
BEVELING OF PIPE END	24.000	EA
RIP-RAP (CLASS A)	380.000	TON
RIP-RAP (CLASS B)	649.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	1,107.000	SY
TEMPORARY BARRIER FENCE	100.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	33.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	7.277	ACRE
TEMPORARY COVER	3.368	ACRE



Call No.: 080

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
SELECT MATERIAL	2,935.000	CY
FERTILIZER (NITROGEN)	727.700	LB
FERTILIZER (PHOSPHORIC ACID)	727.700	LB
FERTILIZER (POTASH)	727.000	LB
AGRICULTURAL GRANULAR LIME	14,553.600	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	21.830	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	3.930	MSY
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	44.250	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	14.554	ACRE
SILT FENCE	1,542.000	LF
CLEANING SILT BASINS	1,444.000	CY
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	96.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 090      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 1859410      **PCN:** P039792      **Project No.:** P039792  
**DBE Goal Percent:** 0.00%  
**Approx. Length (miles):**3.1100      **Description:** REHABILITATION - S-174 DORCHESTER CO  
**CO(S):** Dorchester  
**Completion Date:** 7/31/2022      **Funding:** CTC

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	50.000	CY
BORROW EXCAVATION	1,244.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	375.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	40,619.330	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,543.540	TON
MAINTENANCE STONE	0.300	TON
LIQUID ASPHALT BINDER PG64-22	251.436	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	30.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	700.000	SY
MILLED-IN RUMBLE STRIP	6.220	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,101.933	TON
DRIVEWAY PAVING-SURFACE TYPE C	410.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	324.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	32,840.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	84.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	630.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	29,070.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	98,520.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	252.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,890.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	87,210.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	205.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.016	ACRE



Call No.: 100      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 2259790      PCN: P040471      Project No.: P040471

DBE Goal Percent: 2.00%

Approx. Length (miles): 12.0000

Description: SAFETY IMPROVEMENTS - S-24  
(GEORGETOWN CO)

CO(S): Georgetown

Completion Date: 8/31/2022

Funding: FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED REMOVAL OF MARKED TREES	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,898.000	SY
UNCLASSIFIED EXCAVATION	438.000	CY
BORROW EXCAVATION	2,840.000	CY
EXCAVATION FOR SHOULDER PAVING	759.050	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	759.050	STA
MAINTENANCE STONE	183.000	TON
HMA SHOULDER WIDENING COURSE	3,796.000	TON
LIQUID ASPHALT BINDER PG64-22	809.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	18,328.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	577.780	SY
MILLED-IN RUMBLE STRIP	36.270	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	9,638.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	671.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	660.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,050.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	383,073.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	400.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	21,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	255,933.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,350.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	127,691.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	400.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,000.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	85,311.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	900.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	116.500	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	260.000	LF
REFLECTIVE SIGN POST PANELS	100.000	LF



Call No.: 100

Letting Date: September 14, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT GRASSING FOR SMALL PROJECTS	6.880	ACRE



Call No.: 110      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 2649340      PCN: P037611      Project No.: P037611  
DBE Goal Percent: 17.50%  
Approx. Length (miles):0.0940      Description: ENHANCEMENT - HORRY COUNTY  
CO(S): Horry  
Completion Date: 6/30/2022      Funding: FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	770.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	20.000	CY
SITE EXCAVATION	1.000	LS
FINE GRADING	1,320.000	SY
FLOWABLE FILL	8.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE B	170.000	TON
LIQUID ASPHALT BINDER PG64-22	24.200	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,610.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	52.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	220.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	248.000	SF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4" PERM. YEL.	22.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	180.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	322.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	88.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	744.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	180.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	568.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	322.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	88.000	LF
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	744.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	30.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	70.000	LF
ROADWAY AND AREA LIGHTING	1.000	LS
18" SMOOTH WALL PIPE	240.000	LF



Call No.: 110

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
30" SMOOTH WALL PIPE	200.000	LF
CATCH BASIN -TYPE 16	5.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	1.000	EA
CONCRETE CURB (TRANSITION)	6.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,017.000	LF
CONCRETE DRAINAGE TROUGH WITH GALV.METAL COVER	8.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	700.000	SY
IMPRINTED CONCRETE SIDEWALK(4" UNIFORM)	90.000	SY
DETECTABLE WARNING MATERIAL	125.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	32.000	SY
PEDESTRIAN RAMP CONSTRUCTION	250.000	SY
RIP-RAP (CLASS B)	72.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	75.000	SY
PERMANENT COVER	0.410	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.125	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	25.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	25.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	72.000	LF
SILT FENCE	620.000	LF
CLEANING INLET STRUCTURE FILTERS	5.000	EA
STABILIZED CONSTRUCTION ENTRANCE	275.000	SY
TRASH RECEPTACLE (OUTSIDE)	6.000	EA





Call No.: 120      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 3059730      PCN: P040639      Project No.: P040639

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.5300

Description: REHABILITATION - LAURENS CO

CO(S): Laurens

Completion Date: 8/31/2022

Funding: CTC

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	548.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	759.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	20,650.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	765.000	TON
MAINTENANCE STONE	9.500	TON
LIQUID ASPHALT BINDER PG64-22	131.842	TON
MILLED-IN RUMBLE STRIP	3.060	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,092.720	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	410.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	48,480.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	180.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	48,480.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	16,160.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	60.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	16,160.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	102.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.483	ACRE



Call No.: 130      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 3159840	<b>PCN:</b> P040492	<b>Project No.:</b> P040492
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P040517	<b>Project No.:</b> P040517
	<b>PCN:</b> P040535	<b>Project No.:</b> P040535

**Approx. Length (miles):** 15.9700      **Description:** REHABILITATION - LEE CO  
**CO(S):** Lee

**Completion Date:** 10/31/2022      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,105.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	2,150.000	LF
UNCLASSIFIED EXCAVATION	133.000	CY
BORROW EXCAVATION	2,900.000	CY
EXCAVATION FOR SHOULDER PAVING	1,391.500	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,391.500	STA
MAINTENANCE STONE	108.250	TON
HMA SHOULDER WIDENING COURSE	7,402.560	TON
LIQUID ASPHALT BINDER PG64-22	2,183.843	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	2,825.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	89,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,350.000	SY
MILLED-IN RUMBLE STRIP	19.760	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,825.387	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,072.480	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	17,701.683	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,166.367	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,287.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,180.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,910.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	327,600.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	7,100.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,540.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	48.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	22.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	46,020.000	LF



Call No.: 130

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	253,440.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,020.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,440.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	19,950.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,340.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	35.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,250.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	24.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	11.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,810.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	25,970.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	110.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	570.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,595.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	730.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	125,950.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	210.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)SC HYBRIDIZED POLYMER- 20MIL 001	18.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	480.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	12,950.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	99,500.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	255.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,845.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	75.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,920.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	75.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,880.000	LF
SAWCUT FOR LOOP DETECTOR	1,905.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	15.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	3.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	2.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,500.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	650.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,100.000	SY
DETECTABLE WARNING MATERIAL	600.000	SF



Call No.: 130

Letting Date: September 14, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
CONCRETE DRIVEWAY(6" UNIFORM)	240.000	SY
CONCRETE MEDIAN	185.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,200.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	200.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	13.418	ACRE



Call No.: 140      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 4056370      PCN: P037217      Project No.: P037217

DBE Goal Percent: 10.00%

Approx. Length (miles): 1.0190

Description: SAFETY IMPROVEMENT - US 176/S-42/S-834

CO(S): Richland

Completion Date: 8/31/2022

Funding: FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	570.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	100.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	40.000	CY
SITE EXCAVATION	1.000	LS
FINE GRADING	40.000	SY
FLOWABLE FILL	140.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE A	130.000	TON
LIQUID ASPHALT BINDER PG64-22	70.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	7,730.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	40.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	720.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	785.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	500.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,900.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,300.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	9.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	200.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,110.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	200.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,260.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,630.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	9.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	5.000	EA



Call No.: 140

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	100.000	LF
REMOVAL OF PAVEMENT MARKINGS	150.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	98.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	14.000	EA
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	35.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	385.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	560.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,365.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	10,286.000	LF
SAWCUT FOR LOOP DETECTOR	6,746.000	LF
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	4.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	14.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	10.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	16.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	44.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	EA
INSTALL FLAT SHEET FIXED SIZE & MESSAGE SIGN-SPANWIRE MOUNT	250.000	SF
18" SMOOTH WALL PIPE	252.000	LF
CLEANING EXISTING PIPE	70.000	LF
MANHOLE	2.000	EA
CONCRETE CURB (9" X 15")	290.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	600.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	150.000	SY
DETECTABLE WARNING MATERIAL	10.000	SF
CONCRETE DRIVEWAY(8" UNIFORM)	25.000	SY
CONCRETE MEDIAN	25.000	SY
PEDESTRIAN RAMP CONSTRUCTION	230.000	SY
PLANTED MEDIAN SUBSURFACE DRAINAGE	200.000	SY
PERMANENT COVER	0.100	ACRE
PERMANENT GRASSING FOR SMALL PROJECTS	0.100	ACRE
SELECT MATERIAL	150.000	CY
COMPOST	28.000	CY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	90.000	LF
INLET FILTER CLEANING	15.000	EA

**This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (See below list of approved contractors)**



**South Carolina Department of Transportation**

**8/9/2021**

**Call No.:** 150      **Letting Date:** September 14, 2021      **Letting Time:** 2:00 P.M.      **Page:** 1

**SC File NO(S):** 4083970      **PCN:** 0040440RD01      **Project No.:** BR40008  
**DBE Goal Percent:** 0.00%  
**Approx. Length (miles):**0.6930      **Description:** BRIDGE REPLACEMENT - US 1 (SCL RR)  
**CO(S):** Richland  
**Completion Date:** 6/30/2024      **Funding:** FED

**MINIMUM REQUIRED QUARTERLY CPS: 68.8 (Period ending on June 30, 2021)**

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

<b>Description</b>	<b>Quantity</b>	<b>Units</b>
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
LARGE PUBLIC WATER RELOCATION NO. ____ 01	1.000	EA
TRAFFIC CONTROL	1.000	LS
LEVEL 3 - EARTH-BORNE VIBRATION MONITORING	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 01	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 02	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 03	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 04	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 05	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 06	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	6,380.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	9,605.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	6,029.000	CY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	3,772.000	CY
BORROW EXCAVATION	6,727.000	CY
BORROW EXCAVATION - LIGHTWEIGHT BORROW EXCAVATION	1,575.000	CY
CONTROLLED FILL - BORROW MATERIAL	9,000.000	CY
MUCK EXCAVATION	1,222.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	2,680.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	440.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	568.000	LF
GEOTEXTILE, SEPARATION	4,342.000	SY
GEOGRID STABILIZATION	3,667.000	SY
STRUCTURE EXCAVATION FOR RETAINING WALL	1,088.000	CY
DRY EXCAVATION FOR BRIDGES	12,299.000	CY
TEMPORARY SHORING WALL	602.000	LF



Call No.: 150

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT SHEET PILING	2,100.000	SF
GRANULAR BRIDGE LIFT MATERIAL	1,100.000	CY
FINE GRADING	12,516.000	SY
FLOWABLE FILL	12.230	CY
MAINTENANCE STONE	370.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	4,432.000	TON
LIQUID ASPHALT BINDER PG64-22	550.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	7,640.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,354.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,720.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	492.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	1.000	EA
TEMPORARY CONCRETE BARRIER	436.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	254.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	6,000.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	267.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.BROKEN PREF.	680.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	10,390.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	25,000.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	130.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	650.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	610.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	43,500.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING SYMBOLS) (TRAFFIC CONTROL)	1,216.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	63.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE WH.SING.ARROW	10.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	67.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP-REMOV.WH.WORD MESS."ONLY"	6.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	613.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	521.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,790.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	120.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,160.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	620.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	32.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	26.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,020.000	LF





Call No.: 150

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	660.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,170.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,755.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	60.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,080.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	310.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	11.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	330.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,010.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	170.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	50.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	120.000	LF
PREF.FLEX.RETRO.PVMT.(T-1)PERM(60MIL)WH.WORD MESS."ONLY"	2.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	103.130	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	12.750	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	52.500	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	5.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	20.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	169.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	12.670	LF
BARRICADE - PERMANENT WITH TYPE III SHEETING	36.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,403.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	660.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	3,060.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	3,015.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,048.000	LF
SAWCUT FOR LOOP DETECTOR	2,534.000	LF
MOD. EXIST ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	14.000	EA
17"X30"X18"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	2.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	8.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	865.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	2.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	7.000	EA



Call No.: 150

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	18.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	14.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	14.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	25.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	10.000	EA
CONC. FOR STRUCTURES - CLASS 4000	2,274.900	CY
GROOVED SURFACE FINISH	1,057.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	1,862.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	547,936.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	1,050.000	LF
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	257.400	LF
DRILLED SHAFT SET-UP	22.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	2,024.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	220.000	LF
CONSTRUCTION CASING - 48" DIAMETER	220.000	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL	2,110.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	5,921.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	502.000	LF
18" SMOOTH WALL PIPE	3,912.000	LF
24" SMOOTH WALL PIPE	184.000	LF
30" SMOOTH WALL PIPE	656.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	9.000	EA
CATCH BASIN -TYPE 9 MH	2.000	EA
CATCH BASIN -TYPE 16	31.000	EA
CATCH BASIN -TYPE 17	4.000	EA
DROP INLET (24" X 24")	6.000	EA
TRENCH DRAIN-4" INTERIOR DIMENSION (DRIVEWAY APPLICATION)	250.000	LF
TRENCH DRAIN-12" INTERIOR DIMENSION (DRIVEWAY APPLICATION)	220.000	LF
MANHOLE	2.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	7.000	EA
24" X 24" JUNCTION BOX	1.000	EA
36" X 36" JUNCTION BOX	1.000	EA
EXTRA DEPTH OF BOX	10.000	LF
CATCH BASIN - TYPE 17 (TOP ONLY)	1.000	EA
MANHOLE (TOP ONLY)	1.000	EA
ADJUST CATCH BASIN	5.000	EA
ADJUST MANHOLE	5.000	EA
ADJUST DROP INLET ADJUST D. I.	5.000	EA
JUNCTION BOX - CONVERT CB T-16	1.000	EA



Call No.: 150

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
MANHOLE-CONVERT CATCH BASIN	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	5,972.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	3,064.000	SY
DETECTABLE WARNING MATERIAL	175.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,470.000	SY
CONCRETE MEDIAN	1,196.000	SY
PEDESTRIAN RAMP CONSTRUCTION	350.000	SY
ELASTOMERIC BEARING	24.000	EA
CROSSHOLE SONIC LOGGING SETUP	22.000	EA
RIP-RAP (CLASS A)	10.000	TON
RIP-RAP (CLASS B)	20.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	20.000	SY
MT2 LEADING END TREATMENT TL2	1.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	1.000	EA
2' CRASH CUSHION 2C RETROFIT SITE	1.000	EA
BRIDGE FENCE	1.000	LS
48"-CHAIN LINK FENCE	99.000	LF
MOVING ITEM NO. 01	1.000	LS
MOVING ITEM NO. 02	1.000	LS
MOVING ITEM NO. 03	1.000	LS
MOVING ITEM NO. 04	1.000	LS
MOVING ITEM NO. 05	1.000	LS
MOVING ITEM NO. 06	1.000	LS
MOVING ITEM NO. 07	1.000	LS
MOVING ITEM NO. 08	1.000	LS
MOVING ITEM NO. 09	1.000	LS
MOVING ITEM NO. 10	1.000	LS
MOVING ITEM NO. 11	1.000	LS
MOVING ITEM NO. 12	1.000	LS
MOVING ITEM NO. 13	1.000	LS
MOVING ITEM NO. 14	1.000	LS
MOVING ITEM NO. 15	1.000	LS
MOVING ITEM NO. 16	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	31.000	EA
RIGHT OF WAY PLAT	1.000	LS
MOWING	2.100	ACRE
SODDING	4.980	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.800	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,760.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,760.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	200.000	LF
SILT FENCE	6,200.000	LF



Call No.: 150

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 6

Description	Quantity	Units
REPLACE/REPAIR SILT FENCE	620.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,550.000	LF
INLET FILTER CLEANING	60.000	EA
INLET STRUCTURE FILTER - TYPE B	46.000	EA
INLET STRUCTURE FILTER - TYPE A	1,800.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	10.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 12"	140.000	LF
SUBSURFACE EXPLORATION	1.000	LS
CONCRETE ROADSIDE BARRIER (SPECIAL)	492.000	LF

Engineering Department	APPROVED CONTRACTORS LIST		
	MAIN LINE TAPS AND METER INSTALLATION		
4/9/2019			
Company Name	Contact	Contact Numbers	Address
GH Smith Construction, Inc.	Jerry H. Smith	803-622-5139	<a href="mailto:ghsmithconst@aol.com">430 Shuler Ct., Columbia, SC 29212 ghsmithconst@aol.com</a>
Hammerhead Utilities	Bill Head Jason Prouse	803-960-3046 803-201-4816	<a href="mailto:bill@hhullc.com">P.O. Box 9614, Columbia, SC 29290 bill@hhullc.com jason@hhullc.com</a>
LAD Corporation of W Cola	Alton Hutto	803-739-4483 803-568-8796	<a href="mailto:office@ladcorporation.com">PO Box 2634, W Cola 29171 mailto:office@ladcorporation.com</a>
Lake Murray Utility Co., Inc.	Jennings Parker	803-732-7849 (office) 803-730-7652 (cell)	<a href="mailto:cherylgootee@bellsouth.net">PO Box 1089, Chapin 29036 cherylgootee@bellsouth.net</a>
McClam & Associates	Wayne Bye	803-513-6065 803-345-9194	<a href="mailto:wgrimes@mcclam.net">Wende Grimes wgrimes@mcclam.net 1316 Washington St., Columbia 29201</a>



Call No.: 160      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 4251680      **PCN:** P030744      **Project No.:** P030744  
**DBE Goal Percent:** 17.50%  
**Approx. Length (miles):**0.3620      **Description:** ENHANCEMENT - S-1734 (SPARTANBURG CO)  
**CO(S):** Spartanburg  
**Completion Date:** 6/30/2022      **Funding:** FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	150.000	SY
UNCLASSIFIED EXCAVATION	935.000	CY
BORROW EXCAVATION	60.000	CY
FINE GRADING	310.000	SY
FLOWABLE FILL	2.000	CY
MAINTENANCE STONE	60.000	TON
LIQUID ASPHALT BINDER PG64-22	1.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	15.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	225.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,893.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	525.000	LF
CONC. FOR STRUCTURES - CLASS 3000(ROADWAY)	0.640	CY
18" SMOOTH WALL PIPE	676.000	LF
24" SMOOTH WALL PIPE	128.000	LF
CATCH BASIN -TYPE 17	7.000	EA
CATCH BASIN -TYPE 18	2.000	EA
DROP INLET (24" X 36")	1.000	EA
MANHOLE	1.000	EA
48" X 48" JUNCTION BOX	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,833.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	997.000	SY
DETECTABLE WARNING MATERIAL	75.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	122.000	SY
PEDESTRIAN RAMP CONSTRUCTION	150.000	SY
RIP-RAP (CLASS A)	13.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	26.000	SY



Call No.: 160

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
RIGHT OF WAY MARKER(REBAR AND CAP)	25.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.700	ACRE
TEMPORARY COVER	0.420	ACRE
COMPOST	282.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	0.700	ACRE
FERTILIZER (NITROGEN)	70.000	LB
FERTILIZER (PHOSPHORIC ACID)	70.000	LB
FERTILIZER (POTASH)	70.000	LB
AGRICULTURAL GRANULAR LIME	1,400.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.240	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.148	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.583	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.120	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	56.000	LF
SILT FENCE	501.000	LF
INLET STRUCTURE FILTER - TYPE B	11.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 170      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 4258580	<b>PCN:</b> P040259	<b>Project No.:</b> P040259
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P040260	<b>Project No.:</b> P040260
	<b>PCN:</b> P040261	<b>Project No.:</b> P040261
	<b>PCN:</b> P040295	<b>Project No.:</b> P040295

**Approx. Length (miles):**36.2900      **Description:** RECONSTRUCTION/REHABILITATION - SPARTANBURG CO.  
**CO(S):** Spartanburg

**Completion Date:** 7/31/2024      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	28,333.000	SY
BORROW EXCAVATION	6,464.000	CY
EXCAVATION FOR SHOULDER PAVING	930.336	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	930.336	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	244,271.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	9,773.000	TON
MAINTENANCE STONE	1,169.000	TON
HMA SHOULDER WIDENING COURSE	274.560	TON
LIQUID ASPHALT BINDER PG64-22	6,174.731	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	45,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	73,147.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	340,090.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,281.000	SY
MILLED-IN RUMBLE STRIP	25.140	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	77,843.435	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,649.294	TON
DRIVEWAY PAVING-SURFACE TYPE C	4,873.100	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	17,131.840	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	12,898.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	31,490.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	885,755.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	15,748.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	10,017.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	134.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	64.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA



Call No.: 170

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	9.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	15.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	72,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,470,010.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	2,106.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	70.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,570.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,900.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	348,501.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	7,874.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	52.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	4,789.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	64.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	32.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	7.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	5.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	15,740.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	327,177.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	421.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	204.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	3,376.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	3,360.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	60,320.000	LF
SAWCUT FOR LOOP DETECTOR	21,920.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	48.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	10.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,450.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	6,172.500	LF
PREMASH TYPE T TL3 LEADING 50'	29.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	31.613	ACRE



**This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (See below list of approved contractors)**



**South Carolina Department of Transportation**

**8/9/2021**

**Call No.:** 180      **Letting Date:** September 14, 2021      **Letting Time:** 2:00 P.M.      **Page:** 1

**SC File NO(S):** 4549310      **PCN:** P037639      **Project No.:** P037639  
**DBE Goal Percent:** 8.50%  
**Approx. Length (miles):**0.1980      **Description:** BRIDGE REPLACEMENT - S-381 (SOCCEE SWAMP)  
**CO(S):** Williamsburg  
**Completion Date:** 10/31/2022      **Funding:** FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,041.000	SY
REMOVAL OF EXIST. GUARDRAIL	103.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	883.000	CY
BORROW EXCAVATION	4,670.000	CY
MUCK EXCAVATION	1,000.000	CY
FINE GRADING	2,879.000	SY
MAINTENANCE STONE	10.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	365.000	TON
LIQUID ASPHALT BINDER PG64-22	41.400	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	245.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	209.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,095.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,095.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	27.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	280.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	280.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	564.000	LF
CONC. FOR STRUCTURES - CLASS 4000	391.500	CY
GROOVED SURFACE FINISH	377.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	76,063.000	LB



Call No.: 180

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
CONCRETE BRIDGE BARRIER PARAPET	216.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	8.000	EA
PILE DRIVING SET-UP	20.000	EA
PREST. CONC. PILING (20"SQ.)	312.000	LF
PILE BUILD-UP PREPARATION (20"SQ)	2.000	EA
PREDRILLING FOR PREST. CONC. PILING (20"SQ.)	260.000	LF
PRESTRESSED INDEX PILING (20" SQUARE)	78.000	LF
PRESTRESSED PILE POINT (HP10X57)	130.000	LF
REINF. PILE TIPS (HP10 X 57)	10.000	EA
REINF. PILE TIPS (HP14 X 73)	10.000	EA
STEEL H BEARING PILING (HP14 X 73)	400.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	110.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-IV	24.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	30.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	160.000	LF
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	4.000	EA
RIP-RAP (CLASS A)	4.000	TON
RIP-RAP (CLASS B)	978.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	2,163.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	462.500	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
NON-MOW STRIP UNDER GUARDRAIL	175.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	20.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.610	ACRE
TEMPORARY COVER	0.805	ACRE
COMPOST	44.000	CY
FERTILIZER (NITROGEN)	161.000	LB
FERTILIZER (PHOSPHORIC ACID)	161.000	LB
FERTILIZER (POTASH)	161.000	LB
AGRICULTURAL GRANULAR LIME	3,220.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	4.840	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.178	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.610	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	190.000	LF
SILT FENCE	1,255.000	LF
FLOATING TURBIDITY BARRIER-MEDIUM DUTY	250.000	SF
CLEANING SILT BASINS	34.000	CY



Call No.: 180      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 3

Description	Quantity	Units
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	2.200	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

TOWN OF HEMINGWAY - PINE TREE ROAD WATER LINE RELOCATION PREFERRED CONTRACTOR LIST HANNA ENGINEERING PROJECT NUMBER: 21151						
Number	Contractor	Point of Contact	Email Address	Office Phone	Cell Phone	Address
1	RWF Construction, LLC	Wade Finklea	<a href="mailto:wade@rwfconstruction.net">wade@rwfconstruction.net</a>	843-662-4109	843-687-7309	PO Box 89 Effingham, SC 29541
2	Barwick Plumbing	Cindy	<a href="mailto:cindy@barwickplumbingco.com">cindy@barwickplumbingco.com</a>	803-452-5755	803-983-1849	15 Clark Street Pinewood, SC 29125
3	Maxcy Hicks & Sons	Al Hicks	<a href="mailto:alhicks@fto-i.net">alhicks@fto-i.net</a>	843-650-2456	843-610-7227	PO Box 53 New Zion, SC 29111
4	Four S Construction	Sam Hickson	<a href="mailto:foursconst@aol.com">foursconst@aol.com</a>	843-921-1885	843-910-4629	834 Cane Mill Crossing Road Cheraw, SC 29520
5	Southern Fiber	Ethan Beeks	<a href="mailto:ethan@wmetts.com">ethan@wmetts.com</a>	803-937-3717		121 Bridge Street Branchville, SC 29432
6	Driggers Construction, LLC	Eric Driggers	<a href="mailto:driggerseric@gmail.com">driggerseric@gmail.com</a>	843-841-0891	910-610-9385	3536 McNeil Farm Road Hamer, SC 29547
7	McMahan Brothers Pipeline, Inc	JJ MacMahan	<a href="mailto:mcmahanbrothers@windstream.net">mcmahanbrothers@windstream.net</a>	803-358-1171	803-261-9697	PO Box 2809 Lexington, SC 29071
8	Frank Horne Construction, Inc	Willis Harper	<a href="mailto:hcf40@yahoo.com">hcf40@yahoo.com</a>	910-649-7803		PO Box 338 Fair Bluff, NC 28439



Call No.: 190      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 4559800      **PCN:** P040457      **Project No.:** P040457  
**DBE Goal Percent:** 3.50%      **PCN:** P040458      **Project No.:** P040458  
**Approx. Length (miles):** 11.9200      **Description:** SAFETY IMPROVEMENT - WILLIAMSBURG COUNTY  
**CO(S):** Williamsburg  
**Completion Date:** 9/30/2022      **Funding:** FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING	0.900	ACRE
SELECTED REMOVAL OF MARKED TREES	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	4,980.000	SY
UNCLASSIFIED EXCAVATION	1,149.000	CY
BORROW EXCAVATION	4,768.000	CY
EXCAVATION FOR SHOULDER PAVING	1,258.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,258.000	STA
MAINTENANCE STONE	139.500	TON
HMA SHOULDER WIDENING COURSE	9,440.000	TON
LIQUID ASPHALT BINDER PG64-22	1,312.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	13,986.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,154.780	SY
MILLED-IN RUMBLE STRIP	35.760	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,726.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	753.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	304.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,725.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	381,525.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	615.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	29,262.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	203,982.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,575.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	125,858.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	615.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,750.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	29,872.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	906.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 190

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	181.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	403.000	LF
REFLECTIVE SIGN POST PANELS	128.000	LF
GUARDRAIL DELINEATOR - WHITE	45.000	EA
MT3 LEADING END TREATMENT TL3	8.000	EA
MGS3 GR STANDARD SHOULDER	125.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	11.570	ACRE
SILT FENCE	850.000	LF
REPLACE/REPAIR SILT FENCE	85.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	212.500	LF



Call No.: 200      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 4659240      **PCN:** P040223      **Project No.:** P040223  
**DBE Goal Percent:** 0.00%      **PCN:** P040224      **Project No.:** P040224  
**Approx. Length (miles):** 12.4700      **Description:** RECONSTRUCTION/REHABILITATION - YORK COUNTY  
**CO(S):** York  
**Completion Date:** 5/31/2023      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	7.500	CY
UNCLASSIFIED EXCAVATION	973.000	CY
BORROW EXCAVATION	2,373.000	CY
STATION GRADING	131.460	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	137,505.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,884.000	TON
MAINTENANCE STONE	419.000	TON
LIQUID ASPHALT BINDER PG64-22	1,922.052	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	60.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	420.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12" UNIF	2,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,850.000	SY
MILLED-IN RUMBLE STRIP	24.860	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	13,074.688	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	16,008.118	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,610.752	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,877.075	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	137,505.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,291.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	144.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,165.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	483,055.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	128.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,855.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA



Call No.: 200

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	6,025.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	449,303.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	500.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	885.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	140,223.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	64.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	72.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	836.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,025.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	108,965.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	926.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,210.000	LF
SAWCUT FOR LOOP DETECTOR	1,275.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
15" SMOOTH WALL PIPE	16.000	LF
18" SMOOTH WALL PIPE	465.000	LF
24" SMOOTH WALL PIPE	16.000	LF
CLEANING EXISTING PIPE	450.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	30.000	EA
RIP-RAP (CLASS A)	210.000	TON
RIP-RAP (CLASS B)	85.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	300.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	2,060.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	775.000	LF
PREMASH TYPE T TL2 LEADING 25FT	1.000	EA
PREMASH TYPE T TL3 LEADING 50'	22.000	EA
BARBED WIRE FENCE - 4 STRANDS	1,800.000	LF
RESET FENCE	2,900.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.220	ACRE
SILT FENCE	6,400.000	LF
REPLACE/REPAIR SILT FENCE	1,950.000	LF
CLEANING SILT BASINS	30.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	2,450.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	60.000	TON



Call No.: 210      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 5159740      **PCN:** P040189      **Project No.:** P040189  
**DBE Goal Percent:** 0.00%      **PCN:** P040287      **Project No.:** P040287  
**Approx. Length (miles):** 18.4500      **Description:** PRESERVATION - DISTRICT 1  
**CO(S):** Lexington Richland  
**Completion Date:** 6/30/2022      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	101.350	TON
LIQUID ASPHALT BINDER PG64-22	8.775	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	10,135.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	135.000	TON
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	108,200.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	105.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,780.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	97,110.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,110.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	108,200.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	105.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2,780.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	97,110.000	LF





Call No.: 220      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 5159770	<b>PCN:</b> P040352	<b>Project No.:</b> P040352
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P040353	<b>Project No.:</b> P040353
	<b>PCN:</b> P040497	<b>Project No.:</b> P040497
	<b>PCN:</b> P040498	<b>Project No.:</b> P040498

**Approx. Length (miles):**24.3800      **Description:** RECONSTRUCTION/REHABILITATION - DISTRICT 1  
**CO(S):** Lexington Richland

**Completion Date:** 6/30/2023      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,265.000	SY
UNCLASSIFIED EXCAVATION	369.000	CY
BORROW EXCAVATION	4,864.000	CY
EXCAVATION FOR SHOULDER PAVING	463.700	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	463.700	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	49,430.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	125,545.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,540.000	TON
MAINTENANCE STONE	171.500	TON
HMA SHOULDER WIDENING COURSE	1,802.824	TON
LIQUID ASPHALT BINDER PG64-22	2,891.214	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	11,650.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	77,110.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,700.000	SY
MILLED-IN RUMBLE STRIP	19.880	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	8,251.405	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	21,599.366	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	11,488.223	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	3,665.980	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,877.750	TON
DRIVEWAY PAVING-SURFACE TYPE D	372.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,110.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	596,385.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,130.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,427.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	77.000	EA



Call No.: 220

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	53.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	20,010.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	581,095.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	139,985.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	430.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,256.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	25.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	18.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,670.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	115,360.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	123.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,962.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	620.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	72,290.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	420.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	780.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	3.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	1.000	EA
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	103,480.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	215.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	13,076.000	LF
SAWCUT FOR LOOP DETECTOR	4,566.000	LF
ADJUST CATCH BASIN	4.000	EA
ADJUST DROP INLET ADJUST D. I.	3.000	EA
DETECTABLE WARNING MATERIAL	137.500	SF
PEDESTRIAN RAMP CONSTRUCTION	275.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	23.641	ACRE



Call No.: 230      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 5259160	<b>PCN:</b> P040152	<b>Project No.:</b> P040152
<b>DBE Goal Percent:</b> 6.00%	<b>PCN:</b> P040153	<b>Project No.:</b> P040153
	<b>PCN:</b> P040154	<b>Project No.:</b> P040154
	<b>PCN:</b> P040163	<b>Project No.:</b> P040163
	<b>PCN:</b> P040165	<b>Project No.:</b> P040165
	<b>PCN:</b> P040166	<b>Project No.:</b> P040166
	<b>PCN:</b> P040450	<b>Project No.:</b> P040450

**Approx. Length (miles):**44.0000      **Description:** RECONSTRUCTION/REHABILITATION - DISTRICT 2  
**CO(S):** Abbeville Greenwood  
**Completion Date:** 6/30/2024      **Funding:** FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	11.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	355.000	SY
BORROW EXCAVATION	11,992.000	CY
EXCAVATION FOR SHOULDER PAVING	610.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	610.000	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	64.000	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	26,105.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	109,785.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	188,086.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	11,876.000	TON
MAINTENANCE STONE	485.800	TON
HMA SHOULDER WIDENING COURSE	1,863.781	TON
LIQUID ASPHALT BINDER PG64-22	4,640.290	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,900.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	5,485.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	8,200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,930.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	140.000	SY
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	6,575.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	18,070.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	635.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	81,345.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	86,394.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	59,250.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	16,645.000	SY



Call No.: 230

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
MILLING - VARIABLE - 2' WIDTH	17.000	SY
MILLED-IN RUMBLE STRIP	40.306	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	13,773.760	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	6,905.772	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	23,003.348	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	32,328.401	TON
DRIVEWAY PAVING-SURFACE TYPE B	119.875	TON
DRIVEWAY PAVING-SURFACE TYPE C	3,224.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	11,378.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	10,580.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,232,628.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,304.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	7,992.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	28.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	52,260.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,377,688.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	130.000	LF
WHITE WORD MESSAGE "STOP"-FAST DRY PAINT	4.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,630.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	258.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	279,867.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	72,895.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	552.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,436.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	22.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,210.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,110.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	323,887.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	70,860.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	111.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	60.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,626.000	EA
GUARDRAIL DELINEATOR - WHITE	82.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	241.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,285.000	LF
SAWCUT FOR LOOP DETECTOR	1,295.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	3.000	EA
CONC. FOR STRUCTURES - CLASS 4000	20.000	CY
PARTIAL DEPTH PATCHING OF EXISTING DECK	70.000	SY



Call No.: 230

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
36" SMOOTH WALL PIPE	44.000	LF
ADJUST MANHOLE	3.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
DETECTABLE WARNING MATERIAL	150.000	SF
PEDESTRIAN RAMP CONSTRUCTION	300.000	SY
SURFACE APPLIED DETECTABLE WARNING	440.000	SF
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	25.000	CY
POLYMER MODIFIED ASPHALT EXPANSION JOINT	270.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	3,575.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	3,375.000	LF
MT3 LEADING END TREATMENT TL3	58.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	675.000	LF
MGS3 GR STANDARD SHOULDER	1,250.000	LF
MGS3CS GR COMPRESSED SHOULDER	3,987.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	2.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	3.000	EA
PREMASH TYPE T TL3 LEADING 50'	12.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	32.247	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	120.000	LF
SILT FENCE	7,300.000	LF
REPLACE/REPAIR SILT FENCE	400.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,833.000	LF
ON-THE-JOB TRAINEE (ROADWAY)	1,560.000	HR



Call No.: 240      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 5556801      PCN: P037962      Project No.: P037962

DBE Goal Percent: 0.00%      PCN: P040103      Project No.: P040103

Approx. Length (miles):NA

Description: SIGNAL UPGRADES - DISTRICT 5

CO(S): Florence Georgetown  
Horry Williamsburg

Completion Date: 12/31/2022

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RR COORDINATION FOR TRAFFIC SIGNALS 001	1.000	LS
RAILROAD INSURANCE AND FLAGGING 004	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	406.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	9.000	CY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	34.000	SY
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,378.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	750.000	LF
REMOVAL OF PAVEMENT MARKINGS	1,392.000	LF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	191.500	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	45.000	EA
REMOVAL OF U-SECTION POST	1.000	EA
FURNISH & INSTALL 3.0" GALV. RIGID CONDUIT (BORED AND JACK	265.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,545.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	8,149.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	150.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	475.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	1,047.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,680.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	12,110.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	16,420.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	18,210.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	2,150.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE, 1-CONDUCTOR FOR LOOP WIRE	28,004.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	3.000	EA
INSTALL WIRELESS NETWORK COMMUNICATIONS LINK BETWEEN TWO SIGNALS (2 RADIOS)	3.000	EA
SAWCUT FOR LOOP DETECTOR	11,645.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	12.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	121.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA



Call No.: 240

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	10.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	240.000	LF
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	5,309.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	14.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	9.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 002	3.000	EA
FURNISH AND INSTALL BATTERY BACK-UP INCLUDING FOUNDATION	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	22.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	62.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 003	31.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	24.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	30.000	EA
F&I NO RT/LT TURN SYMB LED BLANKOUT W/ SPANWIRE MNT	5.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	115.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	1.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	12.000	EA
INSTALL CLOSED CIRCUIT TV CAMERA - HIGHWAY USAGE	1.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	29.000	SY
DETECTABLE WARNING MATERIAL	220.500	SF
CONCRETE MEDIAN	17.000	SY
PEDESTRIAN RAMP CONSTRUCTION	414.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
SILT FENCE	100.000	LF



Call No.: 250      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 5559500	<b>PCN:</b> P040424	<b>Project No.:</b> P040424
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P040425	<b>Project No.:</b> P040425
	<b>PCN:</b> P040426	<b>Project No.:</b> P040426
	<b>PCN:</b> P040427	<b>Project No.:</b> P040427
	<b>PCN:</b> P040428	<b>Project No.:</b> P040428
	<b>PCN:</b> P040429	<b>Project No.:</b> P040429

**Approx. Length (miles):** 46.0800      **Description:** RECONSTRUCTION/REHABILITATION - DISTRICT 5  
**CO(S):** Georgetown Williamsburg  
**Completion Date:** 5/31/2024      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	5,555.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	720.000	LF
BORROW EXCAVATION	7,974.020	CY
EXCAVATION FOR SHOULDER PAVING	1,392.600	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,392.600	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	44,147.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	280,686.801	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	9,481.070	TON
MAINTENANCE STONE	221.250	TON
HMA SHOULDER WIDENING COURSE	11,800.800	TON
LIQUID ASPHALT BINDER PG64-22	5,187.443	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	14,025.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	8,100.000	SY
SURFACE PLANE ASPHALT PAVEMENT 1.0"	139,475.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	8,979.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	133,591.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,360.000	SY
MILLED-IN RUMBLE STRIP	81.510	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	38,513.893	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	35,598.509	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	993.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	2,672.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	7,820.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	43,470.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,343,208.000	LF





Call No.: 250

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,230.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	26,010.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	54.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	24.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	15.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	110,380.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	848,630.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,975.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	3,300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	180.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	180.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	3,300.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	13,400.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,090.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	291,045.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	156,694.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,410.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	131.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,744.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	18.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	5.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	22,295.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	14,500.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	200,595.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	69,245.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	490.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	3,847.000	EA
REMOVAL OF PAVEMENT MARKINGS	203,081.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	320.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	320.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	880.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	500.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,727.000	LF
SAWCUT FOR LOOP DETECTOR	2,536.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	75.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	18.000	EA



Call No.: 250

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	620.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	100.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,670.000	SY
DETECTABLE WARNING MATERIAL	1,475.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	935.000	SY
PEDESTRIAN RAMP CONSTRUCTION	2,950.000	SY
PREMASH RESET W-BEAM STRONG POST SYSTEM	50.000	LF
PREMASH TYPE T TL3 LEADING 50'	14.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	27.031	ACRE



Call No.: 260      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 5658831	<b>PCN:</b> P039688	<b>Project No.:</b> P039688
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P040195	<b>Project No.:</b> P040195
<b>Approx. Length (miles):</b> N/A	<b>Description:</b> SIGNALS -	
<b>CO(S):</b> Berkeley Charleston Dorchester	CHARESTON/BERKELEY/DORCHESTER	
<b>Completion Date:</b> 2/28/2023	<b>Funding:</b> ST	

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	12.000	SY
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,990.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,090.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	40.000	LF
REMOVAL OF PAVEMENT MARKINGS	1,130.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	38.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	30.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	5.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	4.000	EA
FURNISH & INSTALL 2.0" GALVANIZED RIGID CONDUIT	60.000	LF
FURNISH & INSTALL 1.0" FLEX.GALV.STEEL CONDUIT-WEATHER	130.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	420.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	3,020.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	170.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	490.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	1,420.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	4,285.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	7,075.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	8,930.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	9,645.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,050.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	9,360.000	LF
F&I CATEGORY 5 CABLE - SHIELDED	560.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	450.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	1.000	EA
FIBER OPTIC REPAIR SPLICE OH/UG	2.000	EA
SAWCUT FOR LOOP DETECTOR	3,230.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
MOD. EXIST ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA



Call No.: 260

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	32.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	2.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	1,640.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	15.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	5.000	EA
F&I LOOP DETECTOR AMPLIFIER W/HARNES 2-CHANNEL W/DEL/EXT TIMING	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	5.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	48.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	14.000	EA
F&I - 1-WAY-1SECT.HAND/MAN COUNTDOWN PEDESTRIAN SIGNAL HEAD	24.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	38.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	20.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	55.000	EA
F&I-PEDESTRIAN TRAF. SIGNAL HEAD MOUNTING ASSEM FOR POST TOP	1.000	EA
F&I-PED. TRAF. SIGNAL HEAD MOUNT. ASSY FOR DUAL POST TOP	2.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	4.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	1.000	EA
POWDERCOATING PER MAST ARM OVER GALVANIZED	7.000	EA
DECORATIVE OPTION PER MAST ARM	7.000	EA
DESIGN,FURNISH,INSTALL STEEL POLE W/ MAST ARM W/O FOUNDATION	5.000	EA
INSTALL FOUNDATION FOR MAST ARM INCLUDING CONCRETE AND REBAR	60.000	CY
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS WITHOUT FOUNDATION 001	1.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	3.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	6.000	SY
DETECTABLE WARNING MATERIAL	163.000	SF
PEDESTRIAN RAMP CONSTRUCTION	325.000	SY



Call No.: 270      Letting Date: September 14, 2021      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 5759870	<b>PCN:</b> P040357	<b>Project No.:</b> P040357
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P040527	<b>Project No.:</b> P040527
	<b>PCN:</b> P040533	<b>Project No.:</b> P040533
	<b>PCN:</b> P040543	<b>Project No.:</b> P040543
	<b>PCN:</b> P040546	<b>Project No.:</b> P040546

**Approx. Length (miles):** 19.7500      **Description:** RECONSTRUCTION/REHABILITATION - DISTRICT 7  
**CO(S):** Allendale Hampton  
**Completion Date:** 11/30/2022      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	710.000	SY
BORROW EXCAVATION	3,724.000	CY
EXCAVATION FOR SHOULDER PAVING	1,237.630	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,237.630	STA
MAINTENANCE STONE	16.700	TON
HMA SHOULDER WIDENING COURSE	6,014.507	TON
LIQUID ASPHALT BINDER PG64-22	2,072.213	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,660.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	10.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	16,870.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	19,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	19,450.000	SY
MILLED-IN RUMBLE STRIP	15.160	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,918.827	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,867.520	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	17,217.387	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,756.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	7,184.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	850.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	94,230.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,160.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	65.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	3,244.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	1.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	13.000	EA
HANDICAP SYMBOL - PERM.PVMT MARKING	6.000	EA



Call No.: 270

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	8,560.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	48,700.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	50.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,654.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	181,200.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,320.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,488.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	13.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	16,680.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	91,350.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	100.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	94.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,347.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,120.000	LF
SAWCUT FOR LOOP DETECTOR	580.000	LF
ADJUST DROP INLET ADJUST D. I.	13.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	60.000	SY
DETECTABLE WARNING MATERIAL	445.000	SF
PEDESTRIAN RAMP CONSTRUCTION	650.000	SY
SURFACE APPLIED DETECTABLE WARNING	170.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	120.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	175.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	112.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	18.778	ACRE

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

**STATUTES, CODES, AND REGULATIONS.** The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

**PREQUALIFICATION.** The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

**BID BONDS FOR SCDOT WORK.** Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

**SUBMISSION OF BID BONDS.** Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
  - (a) alteration of a part of bid item except for the unit price; or
  - (b) failure to enter a bid item unit price; or
  - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
  - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor  
Contract Administrator