

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For November 09, 2021

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on October 12, 2021 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

10/4/2021

Call No.: 010 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4084120 PCN: 0039032RD01 Project No.: EM09005
 DBE Goal Percent: 12.00% PCN: 0041502RD01 Project No.: SU40018
 Approx. Length (miles): 5.7300 Description: INTERSECTION IMPROVEMENTS - SC 262
 CO(S): Richland
 Completion Date: 10/31/2025 Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 68.8 (Period ending on June 30, 2021)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
UTILITY RELOCATION NO. ____ 001	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	4.000	EA
REMOVAL & DISPOSAL OF EXISTING JUNCTION BOX	1.000	EA
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 012	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 013	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 014	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 015	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 016	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 017	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 018	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 019	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 020	1.000	LS



Call No.: 010

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
REMOVAL & DISPOSAL ITEM NO. 021	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 022	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 023	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 024	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 025	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 026	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 027	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 028	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 029	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 030	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 031	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 032	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 033	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 034	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 035	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 036	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 037	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 038	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 039	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 040	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 041	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 042	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 043	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 044	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 045	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 046	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 047	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 048	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 049	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 050	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 051	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 052	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 053	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 054	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 055	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 056	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 057	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 058	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 059	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 060	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 061	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 062	1.000	LS



Call No.: 010

Letting Date: November 09, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
REMOVAL & DISPOSAL ITEM NO. 063	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 064	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 065	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 066	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 067	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	230.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	11,950.000	SY
REMOVAL OF EXIST. GUARDRAIL	295.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	49,153.000	CY
BORROW EXCAVATION	136,187.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	5,997.000	CY
GEOTEXTILE, SEPARATION	11,594.000	SY
STRUCTURE EXCAVATION FOR RETAINING WALL	674.000	CY
TEMPORARY SHORING WALL	175.000	LF
PERMANENT SHEET PILING	15,673.600	SF
NO. 57 STONE FOR BACKFILL	292.000	TON
FINE GRADING	138,545.000	SY
FLOWABLE FILL	4,029.000	CY
GRADED AGGREGATE BASE COURSE (9" UNIFORM)	10,595.000	SY
GRADED AGGREGATE BASE COURSE	165.000	TON
MAINTENANCE STONE	3,090.000	TON
CEMENT STAB. AGGR. BASE CR. (9" UNIF.)	101,940.000	SY
PORTLAND CEMENT FOR CEMENT STAB. AGGREGATE BASE COURSE POR.	2,167.000	TON
CEMENT FOR CEMENT STABILIZED AGGR. BASE COURSE		
HOT MIX ASPHALT BASE COURSE - TYPE A	7,068.000	TON
LIQUID ASPHALT BINDER PG64-22	3,745.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	35,209.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,795.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	41,913.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	20,991.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,748.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	345.000	SF
BARRICADE - TYPE 3	336.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	1.000	EA
TEMPORARY CONCRETE BARRIER	925.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	150.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER TYPE B - FLASHING LIGHT	2.000	EA
	24.000	EA



Call No.: 010

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	13,105.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	6,126.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	2,106.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	48.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,304.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	50.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	43.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -PERM.PVMT.MARKING	1.000	EA
WHITE WORD MESSAGE "STOP" -PERM.PVMT.MARKING	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	34.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	8,389.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	62,809.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	2,925.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	1,059.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	25,507.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	174,426.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,106.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,482.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	124.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	43.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	58.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	42,345.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	288,841.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,059.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT	80.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	942.990	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	392.630	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	9.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	2,360.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	152.000	LF
REFLECTIVE SIGN POST PANELS	1,183.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	500.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	5,144.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	500.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	1,000.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,500.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	5,900.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	3,800.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	2,300.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,800.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	1,000.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	2.000	EA



Call No.: 010

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
SAWCUT FOR LOOP DETECTOR	2,500.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	5.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	22.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	17.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	20.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,200.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	3.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	8.000	EA
FURNISH & INSTALL ALUMINUM PEDESTAL POLE CONCRETE FOUNDATION	9.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	5.000	EA
FURNISH & INSTALL SOLAR POWERED FLASHER ASSEM - DUAL BEACON	2.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	29.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	14.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	14.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	35.000	EA
F&I-PEDESTRIAN TRAF. SIGNAL HEAD MOUNTING ASSEM FOR POST TOP	5.000	EA
F&I - PED TRAF. SIGNAL HEAD MOUNTING ASSEMBLY FOR SIDE POLE	3.000	EA
F&I-PED. TRAF. SIGNAL HEAD MOUNT. ASSY FOR DUAL POST TOP	2.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
TEMPORARY TIMING ADJUSTMENTS PER SITE VISIT	4.000	EA
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	3.000	EA
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	4.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	5.000	EA
CONC. FOR STRUCTURES - CLASS 4000	1,082.700	CY
CONC. FOR STRUCTURES - CLASS 4000(RETAINING WALL)	540.400	CY
CONC. FOR STRUCTURES - CLASS 4000(ROADWAY)	42.200	CY
SOLDIER PILE WALL & LAGGING SYSTEM(CANTILEVER)	1,712.000	SF
GROOVED SURFACE FINISH	826.600	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	2,341.000	LB
REINF. STEEL FOR STRUCTURES (RETAINING WALL)	79,412.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	316,998.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	26,518.000	LB
CONCRETE BRIDGE RAILING WALL WITH WINDOW INDENTATIONS	640.000	LF
PAINT FOR STRUCTURAL STEEL - 2 COAT SYSTEM - EPOXY T.C.	1.000	LS
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	12.000	EA
PILE DRIVING SET-UP	26.000	EA
STEEL H BEARING PILING (HP14 X 73)	700.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	240.000	LF
DRILLED SHAFT SET-UP	10.000	EA



Call No.: 010

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 6

Description	Quantity	Units
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	655.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	285.000	LF
CONSTRUCTION CASING - 48" DIAMETER	285.000	LF
24"X 38" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	96.000	LF
15" SMOOTH WALL PIPE	544.000	LF
18" SMOOTH WALL PIPE	31,056.000	LF
24" SMOOTH WALL PIPE	6,448.000	LF
30" SMOOTH WALL PIPE	3,256.000	LF
36" SMOOTH WALL PIPE	5,176.000	LF
42" SMOOTH WALL PIPE	2,454.000	LF
48" SMOOTH WALL PIPE	984.000	LF
54" SMOOTH WALL PIPE	56.000	LF
CLEANING EXISTING PIPE	2,990.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	22.000	EA
CATCH BASIN -TYPE 9	38.000	EA
CATCH BASIN -TYPE 16	134.000	EA
CATCH BASIN -TYPE 17	144.000	EA
CATCH BASIN -TYPE 18	21.000	EA
ADDITIONAL LENGTH CATCH BASIN	4.000	LF
DROP INLET (24" X 24")	3.000	EA
DROP INLET (24" X 36")	50.000	EA
TRENCH DRAIN-12" INTERIOR DIMENSION (DRIVEWAY APPLICATION)	84.000	LF
MANHOLE	3.000	EA
24" X 24" JUNCTION BOX	16.000	EA
24" X 30" JUNCTION BOX	7.000	EA
24" X 36" JUNCTION BOX	2.000	EA
24" X 48" JUNCTION BOX	5.000	EA
30" X 30" JUNCTION BOX	7.000	EA
30" X 36" JUNCTION BOX	1.000	EA
30" X 48" JUNCTION BOX	1.000	EA
36" X 36" JUNCTION BOX	2.000	EA
48" X 48" JUNCTION BOX	1.000	EA
48" X 60" JUNCTION BOX	1.000	EA
60" X 60" JUNCTION BOX	1.000	EA
EXTRA DEPTH OF BOX	141.000	LF
ADJUST MANHOLE	1.000	EA
JUNCTION BOX - CONVERT CB T-9	2.000	EA
BEVELING OF PIPE END	25.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	650.000	LF
CONCRETE CURB AND GUTTER(1'-6") OGEE	1,932.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,290.000	LF
CONCRETE CURB AND GUTTER(2'-0") SLOPING FACE	48,272.000	LF



Call No.: 010 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 7

Description	Quantity	Units
CONCRETE SIDEWALK(4" UNIFORM)	19,555.000	SY
DETECTABLE WARNING MATERIAL	1,075.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	6,006.000	SY
CONCRETE MEDIAN	1,595.000	SY
CONCRETE DITCH PAVING	176.000	SY
PEDESTRIAN RAMP CONSTRUCTION	2,350.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	8.000	EA
CROSSHOLE SONIC LOGGING SETUP	10.000	EA
GEOCOMPOSITE WALL DRAIN	2,952.000	SF
RIP-RAP (CLASS B)	5,624.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	3,820.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE A	1,141.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	1,455.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	869.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	37.500	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MB TRAILING END TREATMENT	1.000	EA
MGS2C GR BEHIND CURB	625.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	5.000	EA
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
72" SECURITY CHAIN LINK FENCE	15,029.000	LF
24' WIDE- CHAIN LINK FENCE GATE (72"HT) DOUBLE SWING GATES	4.000	EA
ORNAMENTAL STEEL PICKET FENCE - 42"	57.100	LF
TEMPORARY BARRIER FENCE	755.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS



Call No.: 010

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 8

Description	Quantity	Units
MOVING ITEM NO. 017	1.000	LS
MOVING ITEM NO. 018	1.000	LS
MOVING ITEM NO. 019	1.000	LS
MOVING ITEM NO. 020	1.000	LS
MOVING ITEM NO. 021	1.000	LS
MOVING ITEM NO. 022	1.000	LS
MOVING ITEM NO. 023	1.000	LS
MOVING ITEM NO. 024	1.000	LS
MOVING ITEM NO. 025	1.000	LS
MOVING ITEM NO. 026	1.000	LS
MOVING ITEM NO. 027	1.000	LS
MOVING ITEM NO. 028	1.000	LS
MOVING ITEM NO. 029	1.000	LS
MOVING ITEM NO. 030	1.000	LS
MOVING ITEM NO. 031	1.000	LS
MOVING ITEM NO. 032	1.000	LS
MOVING ITEM NO. 033	1.000	LS
MOVING ITEM NO. 034	1.000	LS
MOVING ITEM NO. 035	1.000	LS
MOVING ITEM NO. 036	1.000	LS
MOVING ITEM NO. 037	1.000	LS
MOVING ITEM NO. 038	1.000	LS
MOVING ITEM NO. 039	1.000	LS
MOVING ITEM NO. 040	1.000	LS
MOVING ITEM NO. 041	1.000	LS
MOVING ITEM NO. 042	1.000	LS
MOVING ITEM NO. 043	1.000	LS
MOVING ITEM NO. 044	1.000	LS
MOVING ITEM NO. 045	1.000	LS
MOVING ITEM NO. 046	1.000	LS
MOVING ITEM NO. 047	1.000	LS
MOVING ITEM NO. 048	1.000	LS
MOVING ITEM NO. 049	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	365.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	23.744	ACRE
TEMPORARY COVER	23.349	ACRE
SELECT MATERIAL	320.000	CY
FERTILIZER (NITROGEN)	2,375.000	LB
FERTILIZER (PHOSPHORIC ACID)	2,375.000	LB
FERTILIZER (POTASH)	2,375.000	LB
AGRICULTURAL GRANULAR LIME	47,486.800	LB




Call No.: 010

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 9

Description	Quantity	Units
SELECTIVE WATERING	325,800.000	GAL
MOWING	71.231	ACRE
WATERPROOFING (SECOND METHOD)	256.700	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	2.113	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	12.299	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	47.488	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	10,174.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	9,898.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	1,000.000	LF
SILT FENCE	54,323.000	LF
REPLACE/REPAIR SILT FENCE	5,439.000	LF
FLOATING TURBIDITY BARRIER-LIGHT DUTY(6'DEPTH)	650.000	LF
CLEANING SILT BASINS	760.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	13,591.000	LF
INLET FILTER CLEANING	1,347.000	EA
INLET STRUCTURE FILTER - TYPE D1	25.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	25.000	EA
INLET STRUCTURE FILTER - TYPE B	88.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 1)	22.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	133.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 17)	145.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 18)	21.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	20.000	TON
STABILIZED CONSTRUCTION ENTRANCE	2,750.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	6,760.000	HR

Engineering Department	APPROVED CONTRACTORS LIST						
Last Revised	MAIN LINE TAPS AND METER INSTALLATION						
7/19/2021							
Company Name	Contact	Contact Numbers	Tap Size	Meter Size	Asbestos Certified	Proof of Insurance	Address
Armstrong Contractors, LLC.	Michael Armstrong	803-730-5955 803-788-1190 Ext. 14 (office)	none	2"-8"	No	6/8/21-6/8/22	PO Box 291053, Columbia, SC 29229 Email: Mike@armstrongcontractors.com
Babcock Construction, LLC.	Jackson Babcock	803-600-6861	3/4"-12"	3/4"-10"	No	1/01/21-1/01/22	1122 Three Dog Road, Chapin SC 29036 Email: babcockconst@bellsouth.net
Carolina Tap & Bore, Inc.	Richard Young	803-600-5363 803-739-7056 803-791-1407	3/4"-20"	3/4"-10"	Yes	3/01/21-03/01/22	2410 Morningside Dr, W Cola 29169 Email: ryoung@carolinatapandbore.com fax
Conder Construction	John W. Conder, II	(803) 438-8221 (803) 934-6880	3/4" - 16"	3/4" - 20"	No	6/23/20-6/23/22	waltconder@yahoo.com; Conder Construction <dianec.conder@gmail.com>
Corley Construction	Todd Corley	803-513-1269	none	4"-10"	No	6/23/20-6/23/22	366 Firetower Rd., Irmo, SC 29063 Email: corleyconst88915@bellsouth.net
C.R. Jackson, Inc.	Sean Walker	803-917-0207 803-750-6070 803-750-1356 (Fax)	3/4"-12"	3/4"-8"	No	8/1/20-8/1/22	PO Box 8023 Columbia, SC 29202 swalker@crjackson.com thawkings@crjackson.com
Derrick Plumbing, Inc.	Billy Derrick	803-359-2827 803-532-3301	1-1/2"-16"	3/4"-10"	No	6/1/21-6/1/22	2226 Ridge Rd, Leesville 29070 Email: billy@derrickplumbing.com
FRC Construction, LLC.	Frankie Thomas	803-518-4287	3/4"-8"	3/4"-8"	No	04/20/21-10/22/22	107 Wagon Wheel Court, Pelion SC 29123 Email: rebeccascodycat@aol.com
GH Smith Construction, Inc.	Jerry H. Smith	803-622-5139	up to 24"	3/4"-8"	Yes	7/01/21-7/1/22	430 Shuler Ct., Columbia, SC 29212 Email: ghsmithconst@aol.com
Hammerhead Utilities	Bill Head Jason Prouse	803-960-3046 803-201-4816	3/4"-8"	3/4"-8"	Yes	5/10/21-5/10/22	P.O. Box 9614, Columbia, SC 29290 bill@hhullc.com Email: jason@hhullc.com
LAD Construction, LLC	Brad Sox	803-739-4483 803-309-3922	all	3/4"-10"	No	9/1/20-9/1/21	PO Box 1129 Swansea SC 29160 Email: bsox@ladconstructionllc.com
Lake Murray Utility Co., Inc.	Jennings Parker	803-732-7849 (Office) 803-730-7652 (Cell)	3/4"-20"	3/4"-8"	No	4/29/21-4/29/22	PO Box 1089, Chapin 29036 cherylgootee@bellsouth.net
McClam & Associates	Wayne Bye Wende Grimes	803-513-6065 803-345-9194	3/4"-24"	3/4"-10"	Yes	6/30/21-6/30/22	1316 Washington St., Columbia 29201 Email: rcm@mcclam.net/wgrimes@mcclam.net
North American Pipeline Management	Brandon Leipprandt	678-820-3991 Ext. 140 404- 606-9944 (Cell) 678-820-3993(Fax)	3/4" to 12"	5/8" to 12"	Yes	1/1/21-1/1/22	62 Hamby Road SE Marietta, GA 30067 Email: brandon.leipprandt@napmnc.com
Owens Fisher Construction Co.	Charlie Meetze	803-951-3927 (Office) 803-513-3429 (Cell)	1.5" - 12"	3/4" - 6"	No	7/11/21-7/11/22	303 McLee Rd, Lexington SC 29073 Email: charlie@owens-fisher.com
Shady Grove Construction	Erica Richardson	803-600-6452 (Erica) 513-4592 (Tim) 803-781-2516 781-0392 (Fax)	3/4"-12"	3/4"-10"	Yes	10/31/20-10/31/21	1079 W. Shady Grove Rd, Irmo 29063 Erikasgc2@aol.com/Email:TKRideal2@aol.com
Stutts & Williams LLC	Joey Williams	803-814-3753	3/4" to 12"	5/8"-12"	Yes	1/1/21-1/1/22	PO Box 2046, Lexington SC 29071 Email: joey@stuttswilliams.com



Call No.: 020 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0260430 PCN: P039805 Project No.: P039805

DBE Goal Percent: 0.00%

Approx. Length (miles):24.0000

Description: SIGNAGE - AIKEN CO (BIKE ROUTE)

CO(S): Aiken

Completion Date: 6/30/2022

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	436.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	702.000	LF

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

10/4/2021

Call No.: 030 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0414150 PCN: 0031268X Project No.: BR04014
 DBE Goal Percent: 12.00%
 Approx. Length (miles): 2.4050 Description: BRIDGE REPLACEMENT - S-75 OVER US 29
 CO(S): Anderson
 Completion Date: 6/30/2024 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 01	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,515.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	29,613.000	CY
BORROW EXCAVATION	153,510.000	CY
BORROW PIT SET-UP	1.000	LS
STRUCTURE EXCAVATION FOR RETAINING WALL	2,375.000	CY
FINE GRADING	20,725.000	SY
FLOWABLE FILL	17.000	CY
MAINTENANCE STONE	1,145.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	9,508.000	TON
LIQUID ASPHALT BINDER PG64-22	996.000	TON
FULL DEPTH ASPH. PAV. PATCHING 12" UNIF	3,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	29,863.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	600.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	1,192.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,773.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	6,201.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	300.000	TON
DRIVEWAY PAVING-SURFACE TYPE B NON-RESURFACING PROJECT	430.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	509.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	928.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	627.000	SF
BARRICADE - TYPE 3	462.000	LF



Call No.: 030

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	4.000	EA
TEMPORARY CONCRETE BARRIER	3,270.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	3.000	EA
TYPE B - FLASHING LIGHT	44.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	480.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	11,374.600	LF
PAVEMENT MARKINGS(TEMP-PAINT) 6" YELLOW BROKEN LINES	40.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	42,044.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	73,666.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	29,340.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	19,670.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	3,940.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	880.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"YELLOW SOLID LINES	90.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	180.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	10.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE LANE DROP ARROWS	8.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	66.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	200.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	160.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	3,285.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	12,695.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	9,780.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,970.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	440.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	690.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	5.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	4.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	20.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	12,480.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	9,835.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	45.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	60.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	955.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	188.250	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	1,502.000	LF



Call No.: 030

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
U-SECTION POST FOR SIGN BRACING - 2P	123.340	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 01	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT. 01	12.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	748.000	LF
CONC. FOR STRUCTURES - CLASS 4000	479.200	CY
GROOVED SURFACE FINISH	631.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	97,949.000	LB
PRESTRESSED CONCRETE FLORIDA I-BEAM(72")	716.300	LF
CONCRETE BRIDGE BARRIER PARAPET	308.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
PILE DRIVING SET-UP	16.000	EA
REINF. PILE TIPS (HP14 X 102)	16.000	EA
STEEL H BEARING PILING (HP14 X 102)	1,278.000	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL(GRANULAR)	3,593.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	5,635.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	353.000	LF
18" SMOOTH WALL PIPE	4,864.000	LF
24" SMOOTH WALL PIPE	1,800.000	LF
30" SMOOTH WALL PIPE	232.000	LF
36" SMOOTH WALL PIPE	368.000	LF
CLEANING EXISTING PIPE	1,495.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN - TYPE 1 SPECIAL	22.000	EA
CATCH BASIN -TYPE 16	8.000	EA
CATCH BASIN -TYPE 18	4.000	EA
DROP INLET (24" X 36")	24.000	EA
DROP INLET TYPE 112	2.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	15.000	EA
MANHOLE WITH STANDARD 5' X 5' BOX	2.000	EA
EXTRA DEPTH OF BOX	41.000	LF
PIPE END STRUCTURE - 24"	1.000	EA
BEVELING OF PIPE END	67.000	EA
CONCRETE CURB AND GUTTER(1'-6") OGEE	302.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,163.000	LF
CONCRETE DRIVEWAY(6" UNIFORM)	710.000	SY
CONCRETE MEDIAN	2,049.000	SY
ELASTOMERIC BEARING	10.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	276.000	TON
RIP-RAP (CLASS A)	123.000	TON
RIP-RAP (CLASS B)	1,944.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	2,402.000	SY
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	224.000	SY



Call No.: 030

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
PREMASH W-BEAM STRONG POST SYSTEM WSP3	3,837.500	LF
MT3 LEADING END TREATMENT TL3	3.000	EA
MB TRAILING END TREATMENT	1.000	EA
MGS3 GR STANDARD SHOULDER	600.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	13.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	2.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	150.000	SY
PREMASH W-BEAM TIGHT CURVED SYSTEM	425.000	LF
PREMASH TYPE T TL2 LEADING 25FT	1.000	EA
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
CUSTOM RIGID ROADSIDE BARRIER NO. (___) 001	349.700	LF
MOVING ITEM NO. 01	1.000	LS
MOVING ITEM NO. 02	1.000	LS
MOVING ITEM NO. 03	1.000	LS
MOVING ITEM NO. 04	1.000	LS
MOVING ITEM NO. 05	1.000	LS
MOVING ITEM NO. 06	1.000	LS
MOVING ITEM NO. 07	1.000	LS
MOVING ITEM NO. 08	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	136.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	25.600	ACRE
TEMPORARY COVER	12.800	ACRE
SELECT MATERIAL	2,000.000	CY
FERTILIZER (NITROGEN)	2,560.000	LB
FERTILIZER (PHOSPHORIC ACID)	2,560.000	LB
FERTILIZER (POTASH)	2,560.000	LB
AGRICULTURAL GRANULAR LIME	51,101.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	76.700	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	34.400	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	15.680	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.690	MSY
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	54.070	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	51.200	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	1,340.000	LF
SILT FENCE	4,535.000	LF
REPLACE/REPAIR SILT FENCE	455.000	LF
CLEANING SILT BASINS	1,916.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,134.000	LF
INLET STRUCTURE FILTER - TYPE A	1,560.000	LF



Call No.: 030

Letting Date: November 09, 2021

Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	54.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,650.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	520.000	HR



4315 Hwy 29 N
Belton, SC 29627
Phone: 847-4957 Fax: 847-4463

SCDOT PROJECT # 0031268

PREFERRED CONTRACTORS LIST

1. J&M CONSTRUCTION, INC.

PENDLETON, S.C.

864-646-9912
2. MOORHEAD CONSTRUCTION, INC.

BELTON, S.C.
864-338-0888
3. YOUNG PLUMBING COMPANY, INC.

STARR, S.C.
864-352-6741



Call No.: 040 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1359210	PCN: P039593	Project No.: P039593
DBE Goal Percent: 0.00%	PCN: P040208	Project No.: P040208
	PCN: P040210	Project No.: P040210
	PCN: P040211	Project No.: P040211

Approx. Length (miles): 23.1800 Description: REHABILITATION/RECONSTRUCTION - CHESTERFIELD CO
CO(S): Chesterfield

Completion Date: 8/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	525.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	5.000	CY
UNCLASSIFIED EXCAVATION	1,724.000	CY
BORROW EXCAVATION	4,961.000	CY
STATION GRADING	39.960	STA
EXCAVATION FOR SHOULDER PAVING	423.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	423.000	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD A	7,785.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	157,208.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	101,096.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	8,930.000	TON
MAINTENANCE STONE	394.300	TON
HMA SHOULDER WIDENING COURSE	2,816.000	TON
LIQUID ASPHALT BINDER PG64-22	3,261.942	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	650.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,400.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	260.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,602.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	88,248.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	84,565.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	17,127.000	SY
MILLED-IN RUMBLE STRIP	23.380	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	10,730.132	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,818.346	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	23,301.236	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	3,667.837	TON



Call No.: 040

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
DRIVEWAY PAVING-SURFACE TYPE C	2,279.250	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	258,304.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 9"	650.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,257.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	50.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,077.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	740,836.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	214.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,427.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	44.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	42.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	9.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	18,624.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	749,002.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	108.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,532.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	216,846.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	360.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,111.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	22.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	22.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	22,219.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	187,950.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	44.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	771.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,987.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	51.250	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	80.000	LF
REFLECTIVE SIGN POST PANELS	62.500	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	80.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,530.000	LF
SAWCUT FOR LOOP DETECTOR	980.000	LF
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
DETECTABLE WARNING MATERIAL	225.000	SF



Call No.: 040

Letting Date: November 09, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
CONCRETE MEDIAN	24.000	SY
PEDESTRIAN RAMP CONSTRUCTION	525.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	5,877.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	300.000	LF
MT3 LEADING END TREATMENT TL3	20.000	EA
PREMASH W-BEAM BRIDGE CONN TL2 WBBC2	4.000	EACH
MGS3CS GR COMPRESSED SHOULDER	2,212.500	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	900.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	325.000	LF
PREMASH TYPE T TL2 LEADING 25FT	1.000	EA
PREMASH TYPE T TL3 LEADING 50'	19.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	17.200	ACRE



Call No.: 050 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1559700	PCN: P040493	Project No.: P040493
DBE Goal Percent: 0.00%	PCN: P040494	Project No.: P040494
	PCN: P040495	Project No.: P040495

Approx. Length (miles): 21.7400 Description: RECONSTRUCTION/REHABILITATION - COLLETON CO

Completion Date: 8/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	10.000	EA
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	225.000	CY
BORROW EXCAVATION	9,778.500	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	7,160.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	123,751.471	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	200,393.594	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	12,155.440	TON
MAINTENANCE STONE	28.530	TON
LIQUID ASPHALT BINDER PG64-22	2,236.260	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,265.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	588.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,475.000	SY
MILLED-IN RUMBLE STRIP	37.460	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	29,680.108	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,954.369	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	679.520	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,929.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,390.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	3,174.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	250.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	110,438.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	95,990.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	584.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	11,560.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	10,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	41,520.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	36,912.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,440.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	619,284.000	LF



Call No.: 050

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,752.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	64,680.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	235,296.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,508.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	80.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	60.000	LF
REFLECTIVE SIGN POST PANELS	60.000	LF
15" SMOOTH WALL PIPE	455.000	LF
18" SMOOTH WALL PIPE	455.000	LF
24" SMOOTH WALL PIPE	227.000	LF
BEVELING OF PIPE END	142.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,890.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	462.500	LF
MT3 LEADING END TREATMENT TL3	24.000	EA
MGS3CS GR COMPRESSED SHOULDER	1,200.000	LF
PREMASH RESET TYPE T TL3 LEADING 50'	4.000	EA
PREMASH RESET THRIEBEAM BRDG CONN TBBC3	4.000	EA
PREMASH RESET THRIE STRONG POST SYSTEM	100.000	LF
PREMASH W-BEAM W BASE PL 6.25 SPA	200.000	LF
PREMASH W-BEAM TIGHT CURVED SYSTEM	25.000	LF
PREMASH TYPE T TL2 LEADING 25FT	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	10.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	21.081	ACRE
SILT FENCE	1,500.000	LF



Call No.: 060 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2159510	PCN: P040430	Project No.: P040430
DBE Goal Percent: 0.00%	PCN: P040431	Project No.: P040431
	PCN: P040432	Project No.: P040432
	PCN: P040433	Project No.: P040433

Approx. Length (miles): 30.4800 Description: RECONSTRUCTION/REHABILITATION - FLORENCE CO
CO(S): Florence

Completion Date: 10/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	7,930.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	2,265.000	LF
BORROW EXCAVATION	4,930.076	CY
EXCAVATION FOR SHOULDER PAVING	397.056	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	397.056	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	196,893.270	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,811.590	TON
MAINTENANCE STONE	216.350	TON
HMA SHOULDER WIDENING COURSE	1,985.280	TON
LIQUID ASPHALT BINDER PG64-22	3,725.230	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,035.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	14,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	346,088.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,325.000	SY
MILLED-IN RUMBLE STRIP	40.169	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	50,910.826	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,568.900	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	670.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	2,118.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	8,790.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	108,540.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	623,841.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	20,255.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	10,020.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	162.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	93.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	60.000	EA



Call No.: 060

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	18.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	81,585.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	535,506.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,250.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	420.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	750.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	2,790.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	600.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	4,310.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	36,180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	207,947.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	6,245.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	70.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,340.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	54.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	31.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	20.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	27,195.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	178,502.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,221.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	701.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,845.000	EA
REMOVAL OF PAVEMENT MARKINGS	71,834.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	820.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	810.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	660.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	700.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	19,552.000	LF
SAWCUT FOR LOOP DETECTOR	6,471.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	24.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	33.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	6.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	5.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	650.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	635.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	770.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	170.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	2,290.000	SY
DETECTABLE WARNING MATERIAL	1,637.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	2,255.000	SY
PEDESTRIAN RAMP CONSTRUCTION	3,275.000	SY



Call No.: 060

Letting Date: November 09, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
PREMASH TYPE T TL3 LEADING 50'	5.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.046	ACRE



Call No.: 070 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2355050 PCN: P037190 Project No.: P037190
 DBE Goal Percent: 17.50%
 Approx. Length (miles): 6.7300 Description: SAFETY IMPROVEMENTS - US 25
 CO(S): Greenville (GREENVILLE CO)
 Completion Date: 10/31/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CURB	210.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	570.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	80.000	CY
SITE EXCAVATION	1.000	LS
FLOWABLE FILL	200.000	CY
MAINTENANCE STONE	500.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	260.000	TON
LIQUID ASPHALT BINDER PG64-22	23.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	5,500.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	100.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	100.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,004.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	1,340.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	50.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	350.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	4,350.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	9,750.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	7,050.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 12"X18" WHITE TRIANGLE YIELD BAR	50.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	18.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	5.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	9.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	12,000.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,340.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	350.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	9,750.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF



Call No.: 070

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	7,050.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	18.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	50.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,350.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	652.000	EA
REMOVAL OF PAVEMENT MARKINGS	3,600.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	216.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	240.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	29.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	334.000	LF
FLEXIBLE DELINEATOR POST, 4"X12", TYPE 4 SHEETING REFLECTOR	2.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	830.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,460.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	85.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	755.000	LF
FURNISH & INSTALL 3" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	130.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	4,020.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	4,020.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	10,480.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	5,890.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	5,430.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,590.000	LF
SAWCUT FOR LOOP DETECTOR	2,790.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	36.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	1,600.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	32.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	16.000	EA
F&I - 12" 1-WAY-3 SECTION(R.Y.GA.)VEHICLE TRAFFIC SIGNAL	68.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	57.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	57.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	87.000	EA
REMOVE FOUNDATION OF STEEL STRAIN POLE - 18" BELOW GRADE	1.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS



Call No.: 070

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
18" SMOOTH WALL PIPE	1,510.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	6.000	EA
CATCH BASIN - TYPE 1 SPECIAL	2.000	EA
CATCH BASIN -TYPE 16	5.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	60.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	350.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	200.000	SY
DETECTABLE WARNING MATERIAL	680.000	SF
CONCRETE MEDIAN	4,740.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,650.000	SY
ORNAMENTAL STEEL PICKET FENCE - 48"	1,200.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	0.500	ACRE
SODDING	20.000	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	200.000	LF
SILT FENCE	200.000	LF
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 1)	8.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	5.000	EA



Call No.: 080 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2659950	PCN: P039559	Project No.: P039559
DBE Goal Percent: 0.00%	PCN: P040435	Project No.: P040435
	PCN: P040436	Project No.: P040436

Approx. Length (miles):22.8900 Description: RECONSTRUCTION/REHABILITATION - HORRY CO(S): Horry CO

Completion Date: 6/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,195.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	330.000	LF
BORROW EXCAVATION	3,924.000	CY
EXCAVATION FOR SHOULDER PAVING	1,040.160	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,040.160	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	71,384.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,273.000	TON
MAINTENANCE STONE	158.000	TON
HMA SHOULDER WIDENING COURSE	5,200.800	TON
LIQUID ASPHALT BINDER PG64-22	3,249.647	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	13,050.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	2,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	77,331.000	SY
MILLING EXISTING ASPHALT PAVEMENT 5.0"	63,205.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,375.000	SY
MILLED-IN RUMBLE STRIP	29.410	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,476.559	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	22,029.467	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	858.000	TON
DIAMOND GRINDING OF ASPHALT PAVEMENT	63,205.000	SY
DRIVEWAY PAVING-SURFACE TYPE D	1,720.625	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	18,960.482	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,719.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	48,615.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	627,300.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	19,680.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	924.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	7,845.000	LF



Call No.: 080

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	159.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	114.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	33.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	60,795.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	407,390.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,830.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	1,680.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	4,920.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	9,120.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	16,205.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	209,100.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	6,560.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	308.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	130.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,615.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	53.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	38.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	11.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	20,265.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	135,780.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	805.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	340.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,072.000	EA
REMOVAL OF PAVEMENT MARKINGS	219,934.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	580.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,630.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	550.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	22,162.000	LF
SAWCUT FOR LOOP DETECTOR	8,293.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JHD	37.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	5.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	1.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	405.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	870.000	SY
DETECTABLE WARNING MATERIAL	487.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	350.000	SY
PEDESTRIAN RAMP CONSTRUCTION	975.000	SY
SURFACE APPLIED DETECTABLE WARNING	287.500	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.442	ACRE



Call No.: 090 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2660590	PCN: P040522	Project No.: P040522
DBE Goal Percent: 0.00%	PCN: P040532	Project No.: P040532
	PCN: P040615	Project No.: P040615

Approx. Length (miles): 3.7500 Description: REHABILITATION - HORRY COUNTY
CO(S): Horry
Completion Date: 8/30/2022 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	750.000	CY
EXCAVATION FOR SHOULDER PAVING	79.200	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	79.200	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	39,014.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,230.000	TON
MAINTENANCE STONE	11.500	TON
HMA SHOULDER WIDENING COURSE	396.000	TON
LIQUID ASPHALT BINDER PG64-22	397.299	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,150.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,975.000	SY
MILLED-IN RUMBLE STRIP	6.820	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,072.503	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	610.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	281.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	740.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,350.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	107,970.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	175.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	13,370.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	79,540.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	550.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	39,890.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	175.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,840.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	30,080.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	45.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	285.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.364	ACRE



Call No.: 100 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2860260	PCN: P040320	Project No.: P040320
DBE Goal Percent: 0.00%	PCN: P040323	Project No.: P040323
	PCN: P040324	Project No.: P040324
	PCN: P040325	Project No.: P040325

Approx. Length (miles):22.6800 Description: REHABILITATION/RECONSTRUCTION -
CO(S): Kershaw KERSHAW CO

Completion Date: 6/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	4,493.333	SY
UNCLASSIFIED EXCAVATION	1,605.000	CY
BORROW EXCAVATION	2,982.000	CY
EXCAVATION FOR SHOULDER PAVING	170.020	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	170.020	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	136,200.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,675.000	TON
MAINTENANCE STONE	50.500	TON
HMA SHOULDER WIDENING COURSE	850.080	TON
LIQUID ASPHALT BINDER PG64-22	2,247.288	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,950.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	15,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	111,850.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	77,985.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,950.000	SY
MILLED-IN RUMBLE STRIP	24.850	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,987.826	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	24,401.253	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,875.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,568.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	20,660.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	660.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	703,690.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	41,400.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	16,820.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	11,790.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	69.000	EA



Call No.: 100 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 2

Description	Quantity	Units
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	68.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	33.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	33.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	38.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	34,240.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	628,640.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,650.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	220.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	46,540.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	13,800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	5,360.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,950.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	23.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	11.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	11.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,480.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	49,050.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	19.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	34.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	285.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	340.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,895.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 25 MILS	1,030.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-25 MILS	163,130.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-25 MILS	220.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)SC HYBRIDIZED POLYMER- 25MIL 001	15.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-25 MILS	945.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 25 MILS	4,000.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 25 MILS	140,290.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	620.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,305.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	175.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	4,480.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	175.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	14,420.000	LF
SAWCUT FOR LOOP DETECTOR	4,659.000	LF



Call No.: 100

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	35.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	7.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	900.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	2,483.333	SY
DETECTABLE WARNING MATERIAL	750.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,500.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	70.000	LF
MT2 LEADING END TREATMENT TL2	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	175.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.461	ACRE



Call No.: 110 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3560530 PCN: P040607 Project No.: P040607
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 4.0600 Description: REHABILITATION - MARLBORO COUNTY
 CO(S): Marlboro
 Completion Date: 8/31/2022 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	940.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	150.000	LF
BORROW EXCAVATION	678.000	CY
EXCAVATION FOR SHOULDER PAVING	160.512	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	160.512	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	10,701.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	343.000	TON
MAINTENANCE STONE	34.000	TON
HMA SHOULDER WIDENING COURSE	802.560	TON
LIQUID ASPHALT BINDER PG64-22	378.570	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,600.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	11,634.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	680.000	SY
MILLED-IN RUMBLE STRIP	4.560	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,053.360	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,976.533	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,140.500	TON
DRIVEWAY PAVING-SURFACE TYPE D	290.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,860.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,050.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	86,140.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	1,350.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	350.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	9,000.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	52,900.000	LF
4" WHITE BROKEN LINES (GAPS EXCL.) THERMOPLASTIC- 90 MIL.	400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	29,880.000	LF



Call No.: 110

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	450.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	350.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	18,800.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	269.000	EA
REMOVAL OF PAVEMENT MARKINGS	6,640.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,200.000	LF
SAWCUT FOR LOOP DETECTOR	492.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	150.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	400.000	SY
DETECTABLE WARNING MATERIAL	200.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	140.000	SY
PEDESTRIAN RAMP CONSTRUCTION	400.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.300	ACRE



Call No.: 120 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3760560 PCN: P040884 Project No.: P040884
 DBE Goal Percent: 0.00%
 Approx. Length (miles):3.3900 Description: REHABILITATION - SC 107 (OCONEE CO)
 CO(S): Oconee
 Completion Date: 8/30/2022 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	678.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	49,720.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,989.000	TON
MAINTENANCE STONE	50.000	TON
LIQUID ASPHALT BINDER PG64-22	306.067	TON
MILLED-IN RUMBLE STRIP	6.780	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,042.120	TON
DRIVEWAY PAVING-SURFACE TYPE C	59.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	248.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	71,596.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	80.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	143,192.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	35,798.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	40.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	35,798.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	224.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.287	ACRE



Call No.: 130 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3849600 PCN: P030267 Project No.: P030267
DBE Goal Percent: 15.00%
Approx. Length (miles): 0.9920 Description: CORRIDOR IMPROVEMENT - US 21/US 178
CO(S): Orangeburg (ORANGEBURG CO)
Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
LANDSCAPING ITEM NO. 001	52.000	EA
LANDSCAPING ITEM NO. 002	12.000	EA
LANDSCAPING ITEM NO. 003	32.000	EA
LANDSCAPING ITEM NO. 004	51.000	EA
LANDSCAPING ITEM NO. 005	669.000	EA
LANDSCAPING ITEM NO. 006	628.000	EA
LANDSCAPING ITEM NO. 007	181.000	EA
LANDSCAPING ITEM NO. 008	148.000	EA
LANDSCAPING ITEM NO. 009	74.000	EA
LANDSCAPING ITEM NO. 010	37,499.000	EA
LANDSCAPING ITEM NO. 011	49,283.000	EA
LANDSCAPING ITEM NO. 012	2,583.000	EA
LANDSCAPING ITEM NO. 013	310.000	EA
LANDSCAPING ITEM NO. 014	879.000	EA
LANDSCAPING ITEM NO. 015	1,379.000	EA
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,030.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	610.000	CY
UNCLASSIFIED EXCAVATION	5,390.000	CY
BORROW EXCAVATION	5,500.000	CY
GRADED AGGREGATE BASE COURSE (4" UNIFORM)	3,190.000	SY
MAINTENANCE STONE	330.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	40.000	TON
PRIME COAT	870.000	GAL
LIQUID ASPHALT BINDER PG64-22	220.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	34,880.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10.000	TON



Call No.: 130

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,840.000	TON
IMPRINTED ASPHALT WITH SURFACE COATING	680.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	576.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	5,640.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	40.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	120.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	3,940.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,080.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	50.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	12.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	24.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,390.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,820.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	60.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,970.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	540.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	25.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	12.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	20.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	400.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	125.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	3.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	260.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	89.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	189.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	20.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	507.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	40.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 001	1.000	LS
LIGHT STANDARD FOUNDATION	23.000	EA
SINGLE DECORATIVE LIGHT POLE WITH SINGLE LIGHT	23.000	EA
SGL.LT.STD.40'HT.AL.POLE 4'SGL.ARM-GROUND MNT.W/FOUNDATION	18.000	EA
SGL.LT.STD.40'HT.AL.POLE 12'TRUSS AL.BRACK.ARM-GR.W/FOUND.	5.000	EA
12' TRUSS ALUMINUM BRACKET ARM (MOUNTED ON STRAIN/MAST POLE)	3.000	EA
FURNISH & INSTALL 1.0" GALVANIZED RIGID CONDUIT	190.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	370.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	150.000	LF
1" SCHEDULE 80 HDPE CONDUIT	8,330.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	1,387.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	1,360.000	LF



Call No.: 130

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
NO. 8 COPPER WIRE, 1 CONDUCTOR, 600V,TYPE RHH,RHW,USE	27,830.000	LF
NO. 12 COPPER WIRE, 1 CONDUCTOR, 600V,TYPE RHH,RHW,USE	5,020.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,170.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	5,180.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	5,970.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,400.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	8,876.000	LF
SAWCUT FOR LOOP DETECTOR	3,774.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	3.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	48.000	EA
17"X30"X28"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	29.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	14.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	6.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	26.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	20.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	20.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	32.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	32.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	3.000	EA
INSTALL STREET LIGHT LUMINAIRE	49.000	EA
POWDERCOATING PER MAST ARM OVER GALVANIZED	12.000	EA
DECORATIVE OPTION PER MAST ARM	12.000	EA
LUMINAIRE OPTION FOR MAST ARM - TO ACCOUNT FOR TALLER POLE	3.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	12.000	EA
DESIGN, DETAIL & CONSTR REINF CONCRETE BOX CULVERT - NO(____) 003	1.000	EA
MECH. STAB.EARTH RETAINING WALL BACKFILL	3,515.000	CY
MECH.STABILIZED EARTH RETAINING WALL(BLOCK FACING) ROADWAY	8,501.000	SF
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) R	2,312.000	SF
COPING FOR MSE RETAINING WALL(ROADWAY)	1,443.000	LF
15" SMOOTH WALL PIPE	48.000	LF
18" SMOOTH WALL PIPE	548.000	LF
24" SMOOTH WALL PIPE	20.000	LF
30" SMOOTH WALL PIPE	36.000	LF
CLEANING EXISTING PIPE	500.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	5.000	EA
DROP INLET (24" X 36")	2.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	9.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	1.000	EA



Call No.: 130

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
CONCRETE CURB (9" X 15")	4,390.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	800.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	5,980.000	SY
DETECTABLE WARNING MATERIAL	337.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,290.000	SY
CONCRETE MEDIAN	770.000	SY
PEDESTRIAN RAMP CONSTRUCTION	700.000	SY
RIP-RAP (CLASS A)	170.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	256.000	SY
48"-CHAIN LINK FENCE	1,210.000	LF
ORNAMENTAL STEEL PICKET FENCE - 48"	3,910.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	19.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	207.000	ACRE
TEMPORARY COVER	1.350	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	2.382	ACRE
FERTILIZER (NITROGEN)	270.000	LB
FERTILIZER (PHOSPHORIC ACID)	270.000	LB
FERTILIZER (POTASH)	270.000	LB
AGRICULTURAL GRANULAR LIME	5,400.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	8.100	ACRE
IRRIGATION SYSTEM COMPLETE	1.000	LS
SODDING	5.600	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	4.404	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	1.576	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.093	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	430.000	LF
SILT FENCE	9,180.000	LF
REPLACE/REPAIR SILT FENCE	920.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	2,300.000	LF
INLET STRUCTURE FILTER - TYPE B	5.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
NON-PREFABRICATED RAMPS, STAIRS, HANDRAIL, JOINTS, ETC	1.000	L S
TOWERS 004	1.000	LS
RECONSTRUCTION OF GUARD SHACK	1.000	LS
NON-PREFABRICATED STAIRS	1.000	LS



Call No.: 140 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3958740	PCN: P040231	Project No.: P040231
DBE Goal Percent: 0.00%	PCN: P040247	Project No.: P040247
	PCN: P040248	Project No.: P040248
	PCN: P040249	Project No.: P040249
	PCN: P040348	Project No.: P040348

Approx. Length (miles): 20.0400 Description: RECONSTRUCTION/REHABILITATION - PICKENS CO
CO(S): Pickens

Completion Date: 8/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	150.000	SY
BORROW EXCAVATION	3,786.000	CY
EXCAVATION FOR SHOULDER PAVING	209.088	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	209.088	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	217,571.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	8,703.000	TON
MAINTENANCE STONE	484.000	TON
HMA SHOULDER WIDENING COURSE	1,393.920	TON
LIQUID ASPHALT BINDER PG64-22	2,863.539	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	13,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	5,937.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	199,885.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	775.000	SY
MILLED-IN RUMBLE STRIP	29.280	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	24,915.233	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	21,953.840	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,264.800	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,040.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	52,020.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	420,635.000	LF
8" WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	16,896.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	8,111.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	108.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	19,240.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	726,190.000	LF



Call No.: 140

Letting Date: November 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	600.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	180.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	13,220.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	214,119.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	8,448.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	18.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	4,048.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	54.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	1.000	EA
WHITE WORD MESSAGE "SCHOOL" -THERMOPLASTIC - 125 MIL.	1.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,040.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	200,033.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	90.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	903.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	64.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,267.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,470.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	26,390.000	LF
FURNISH & INSTALL FLUSH MOUNTED WIRELESS SENSOR	6.000	EA
SAWCUT FOR LOOP DETECTOR	9,590.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	21.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	6.000	EA
DETECTABLE WARNING MATERIAL	75.000	SF
PEDESTRIAN RAMP CONSTRUCTION	150.000	SY
SURFACE APPLIED DETECTABLE WARNING	150.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	2,650.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	9,205.000	LF
PREMASH RESET TRAIL W-BEAM TYPE B 12.5'	5.000	EA
PREMASH TYPE T TL3 LEADING 50'	65.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	19.710	ACRE



Call No.: 150 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4051270 PCN: P037966 Project No.: P037966
 DBE Goal Percent: 8.50%
 Approx. Length (miles): 0.2280 Description: BRIDGE REPLACEMENT - S-1388 (HORSE CREEK)
 CO(S): Richland
 Completion Date: 10/31/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	144.000	SY
REMOVAL OF EXIST. GUARDRAIL	495.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	2,271.000	CY
BORROW EXCAVATION	1,365.000	CY
GEOGRID REINFORCEMENT (BIAXIAL)	200.000	SY
FINE GRADING	377.000	SY
FLOWABLE FILL	80.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE B	84.000	TON
LIQUID ASPHALT BINDER PG64-22	103.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	234.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,727.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	235.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	140.000	SF
DETOUR SIGNS	158.000	SF
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	2,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	2,300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,300.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,300.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	29.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	300.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	300.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	584.000	LF



Call No.: 150 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 2

Description	Quantity	Units
CONC. FOR STRUCTURES - CLASS 4000	92.800	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	24,218.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	3,724.000	LB
3'-0" x 2'-0" CORED SLABS	1,735.500	LF
CONCRETE BRIDGE BARRIER PARAPET	226.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
PILE DRIVING SET-UP	10.000	EA
REINF. PILE TIPS (HP14 X 89)	10.000	EA
STEEL H BEARING PILING (HP14 X 89)	185.000	LF
DRILLED SHAFT SET-UP	4.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 42" DIAMETER	52.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	39.000	LF
CONSTRUCTION CASING - 48" DIAMETER	39.000	LF
18" SMOOTH WALL PIPE	100.000	LF
MANHOLE	1.000	EA
BEVELING OF PIPE END	1.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	90.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	66.000	LF
ELASTOMERIC BEARING	72.000	EA
CROSSHOLE SONIC LOGGING SETUP	4.000	EA
RIP-RAP (CLASS B)	545.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	681.000	SY
MT2 LEADING END TREATMENT TL2	3.000	EA
MGS3 GR STANDARD SHOULDER	287.500	LF
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	3.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	3.000	EA
NON-MOW STRIP UNDER GUARDRAIL	75.000	SY
2' CRASH CUSHION 2C RETROFIT SITE	1.000	EA
TEMPORARY BARRIER FENCE	380.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	12.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.210	ACRE
TEMPORARY COVER	0.605	ACRE
COMPOST	1,952.000	CY
FERTILIZER (NITROGEN)	121.000	LB
FERTILIZER (PHOSPHORIC ACID)	121.000	LB
FERTILIZER (POTASH)	121.000	LB
AGRICULTURAL GRANULAR LIME	2,420.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.630	ACRE
WATERPROOFING (BRIDGE DECK)	531.600	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.069	MSY



Call No.: 150

Letting Date: November 09, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.326	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	1.258	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	2.372	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	284.000	LF
SILT FENCE	1,448.000	LF
CLEANING SILT BASINS	35.000	CY
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 160 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4060050 PCN: P040389 Project No.: P040389
DBE Goal Percent: 0.00% PCN: P040390 Project No.: P040390
Approx. Length (miles):26.5500 Description: REHABILITATION - RICHLAND COUNTY
CO(S): Richland
Completion Date: 6/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,655.000	SY
UNCLASSIFIED EXCAVATION	70.000	CY
BORROW EXCAVATION	3,915.000	CY
EXCAVATION FOR SHOULDER PAVING	1,173.688	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,173.688	STA
MAINTENANCE STONE	249.650	TON
HMA SHOULDER WIDENING COURSE	6,354.480	TON
LIQUID ASPHALT BINDER PG64-22	3,354.214	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	11,925.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	13,040.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	43,300.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	161,241.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,715.000	SY
MILLED-IN RUMBLE STRIP	10.900	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10,149.401	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	10,461.721	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	19,260.904	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	8,312.740	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,419.250	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,074.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,624.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,680.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	492,270.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,380.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,600.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	5.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	15,000.000	LF



Call No.: 160

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	504,030.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	490.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	75,180.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	840.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	520.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	7.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,120.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	70,100.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,895.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 25 MILS	200.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-25 MILS	141,100.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-25 MILS	350.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)SC HYBRIDIZED POLYMER- 25MIL 001	30.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-25 MILS	1,710.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 25 MILS	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 25 MILS	1,530.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 25 MILS	158,360.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	80.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,528.000	LF
SAWCUT FOR LOOP DETECTOR	788.000	LF
ADJUST CATCH BASIN	5.000	EA
ADJUST DROP INLET ADJUST D. I.	9.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	30.000	LF
DETECTABLE WARNING MATERIAL	725.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,450.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	25.000	LF
MT2 LEADING END TREATMENT TL2	1.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	19.628	ACRE
MOWING	19.628	ACRE



Call No.: 170 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4653280 PCN: P029132 Project No.: P029132
 DBE Goal Percent: 13.50%
 Approx. Length (miles): 0.7340 Description: INTERSECTION IMPROVEMENTS - S-22/S-141
 CO(S): York (YORK CO)
 Completion Date: 10/31/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
SELECTED CLEARING	1.000	LS
UNCLASSIFIED EXCAVATION	3,647.000	CY
BORROW EXCAVATION	1,652.000	CY
FINE GRADING	8,250.000	SY
MAINTENANCE STONE	400.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,969.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,438.000	TON
LIQUID ASPHALT BINDER PG64-22	862.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	2,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	24,229.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,866.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	8,318.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,803.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	344.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	556.000	SF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	7,050.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING SYMBOLS) (TRAFFIC CONTROL)	200.000	LF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	120.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	160.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,775.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	25,780.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,210.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	47.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	16.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA



Call No.: 170

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	21,190.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,600.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	375.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	28.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	24.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	6,800.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	200.000	EA
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	88.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	14.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	197.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	832.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	565.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	889.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,362.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,488.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,209.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	100.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	1.000	EA
FURNISH & INSTALL FLUSH MOUNTED WIRELESS SENSOR	17.000	EA
FURNISH & INSTALL EPOXY TUBES	17.000	EA
SAWCUT FOR LOOP DETECTOR	1,100.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	619.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH AND INSTALL BATTERY BACK-UP INCLUDING FOUNDATION	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	13.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	4.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	15.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
TEMPORARY TIMING ADJUSTMENTS PER SITE VISIT	2.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA



Call No.: 170

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
STRAIGHT HEADWALL FOR 48" CIRCULAR PIPE-1 LINE	1.000	EA
18" SMOOTH WALL PIPE	2,748.000	LF
LINE EXISTING 48" PIPE	329.000	LF
CLEANING EXISTING PIPE	1,153.000	LF
CATCH BASIN -TYPE 16	12.000	EA
DROP INLET (24" X 36")	1.000	EA
DROP INLET TYPE 112	1.000	EA
MANHOLE	3.000	EA
48" X 60" JUNCTION BOX	1.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	2.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	80.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,865.000	LF
CONCRETE MEDIAN	311.000	SY
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
RIP-RAP (CLASS B)	53.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	374.000	SY
MT3 LEADING END TREATMENT TL3	3.000	EA
MB TRAILING END TREATMENT	3.000	EA
MGS3 GR STANDARD SHOULDER	512.500	LF
FLUME INLET AT GUARDRAIL (HANDWORK)	5.000	EA
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	31.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.500	ACRE
TEMPORARY COVER	5.000	ACRE
COMPOST	121.000	CY
FERTILIZER (NITROGEN)	450.000	LB
FERTILIZER (PHOSPHORIC ACID)	450.000	LB
FERTILIZER (POTASH)	450.000	LB
AGRICULTURAL GRANULAR LIME	9,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	18.999	ACRE
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	2.673	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	2.964	ACRE



Call No.: 170

Letting Date: November 09, 2021

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	0.411	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	5.832	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	168.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	168.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	891.000	LF
SILT FENCE	6,319.000	LF
REPLACE/REPAIR SILT FENCE	632.000	LF
CLEANING SILT BASINS	84.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,580.000	LF
DITCH CHECK	300.000	TON
INLET STRUCTURE FILTER - TYPE D1	2.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	150.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 180 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4659230	PCN: P040222	Project No.: P040222
DBE Goal Percent: 0.00%	PCN: P040486	Project No.: P040486
	PCN: P040504	Project No.: P040504
	PCN: P040506	Project No.: P040506

Approx. Length (miles): 10.2400 Description: RECONSTRUCTION/REHABILITATION - YORK
CO(S): York CO

Completion Date: 10/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,695.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	84.000	CY
UNCLASSIFIED EXCAVATION	2,950.000	CY
BORROW EXCAVATION	465.000	CY
STATION GRADING	13.730	STA
EXCAVATION FOR SHOULDER PAVING	168.460	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	168.460	STA
MAINTENANCE STONE	139.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	6,942.000	TON
HMA SHOULDER WIDENING COURSE	1,289.184	TON
LIQUID ASPHALT BINDER PG64-22	2,302.235	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	905.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12" UNIF	6,940.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	47,410.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	103,580.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	11,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	35,046.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	128,336.000	SY
MILLED-IN RUMBLE STRIP	7.340	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	6,900.341	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	20,249.622	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	927.500	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	5,211.360	TON
DRIVEWAY PAVING-SURFACE TYPE C	664.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,860.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA



Call No.: 180

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	124.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	41,725.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	132,547.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	4,226.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,724.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,798.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	147.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	98.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	14.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	15,366.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	302,106.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,242.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	600.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	20,539.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	48,555.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,753.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	812.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,260.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	65.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	42.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	7.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,931.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	134,040.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	982.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	755.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,044.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	805.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	11,658.000	LF
SAWCUT FOR LOOP DETECTOR	4,960.000	LF
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	5.000	EA
CATCH BASIN -TYPE 1 CB - TYPE 1	3.000	EA
CATCH BASIN -TYPE 16	1.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	4.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	4.000	EA



Call No.: 180

Letting Date: November 09, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
CONCRETE CURB (9" X 15")	1,697.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	75.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	285.000	SY
DETECTABLE WARNING MATERIAL	100.000	SF
CONCRETE MEDIAN	510.000	SY
CONCRETE FLUME	3.000	EA
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	365.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	125.000	LF
SACRIFICIAL FLEXIBLE WARNING MARKER POST (FWMP) 48Y/Y	10.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.570	ACRE
SILT FENCE	300.000	LF
REPLACE/REPAIR SILT FENCE	50.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	50.000	LF



Call No.: 190 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5260040	PCN: P040739	Project No.: P040739
DBE Goal Percent: 0.00%	PCN: P040742	Project No.: P040742
	PCN: P040749	Project No.: P040749
	PCN: P040750	Project No.: P040750
	PCN: P040751	Project No.: P040751
	PCN: P040753	Project No.: P040753

Approx. Length (miles):NA
 CO(S): Abbeville Anderson
 Greenwood Laurens
 McCormick Saluda

Description: BRIDGE MAINTENANCE - DISTRICT 2

Completion Date: 10/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	1,400.000	HR
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	8,500.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	8,500.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	50.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	83.000	EA
PARTIAL DEPTH PATCHING OF EXISTING DECK	1,105.000	SY
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	217.000	CY
RESEAL DECK EXPANSION JOINT	4,435.000	LF



Call No.: 200 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5360100 PCN: P040405 Project No.: P040405
DBE Goal Percent: 0.00%
Approx. Length (miles): N/A Description: SAFETY IMPROVEMENTS - DISTRICT 3
CO(S): DISTRICT3
Completion Date: 9/30/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	810.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	103.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	5.000	EA
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	11,135.000	LF
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	83.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	91.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	351.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS



Call No.: 210 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5560010 PCN: P040720 Project No.: P040720

DBE Goal Percent: 0.00%

Approx. Length (miles): 46.0000

Description: PAVEMENT MARKINGS - DISTRICT 5

CO(S): DISTRICT5

Completion Date: 7/31/2022

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	64,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	312,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	10,400.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	140.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	120.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	7,600.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	80.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	40.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	20.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	24,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	304,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	960.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	3,440.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	800.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	3,400.000	EA
REMOVAL OF PAVEMENT MARKINGS	9,400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	600.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	4,400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	4,400.000	LF



Call No.: 220 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5560490	PCN: P040683	Project No.: P040683
DBE Goal Percent: 0.00%	PCN: P040807	Project No.: P040807
Approx. Length (miles): 7.0600	Description: REHABILITATION - WILLIAMSBURG/FLORENCE	
CO(S): Florence Williamsburg	CO	
Completion Date: 10/31/2022	Funding: CTC	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
BORROW EXCAVATION	1,413.000	CY
EXCAVATION FOR SHOULDER PAVING	180.580	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	180.580	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	65,587.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,888.000	TON
MAINTENANCE STONE	22.000	TON
HMA SHOULDER WIDENING COURSE	902.880	TON
LIQUID ASPHALT BINDER PG64-22	664.713	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	225.000	SY
MILLED-IN RUMBLE STRIP	12.360	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	8,721.680	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	341.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	737.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,192.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	195,960.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,000.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	11,850.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	123,960.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	65,320.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	410.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,950.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	41,320.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	495.000	EA
REMOVAL OF PAVEMENT MARKINGS	2,070.000	LF
DETECTABLE WARNING MATERIAL	50.000	SF



Call No.: 220

Letting Date: November 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.450	ACRE



Call No.: 230 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5660020 PCN: P040722 Project No.: P040722

DBE Goal Percent: 0.00%

Approx. Length (miles):39.0000

Description: PAVEMENT MARKINGS - DISTRICT 6

CO(S): DISTRICT6

Completion Date: 7/31/2022

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	180,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,500,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	30,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	320.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	400.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	25,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	360.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	100.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	40.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	12.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	20.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	125,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,300,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	7,200.000	EA
REMOVAL OF PAVEMENT MARKINGS	28,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	1,400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	14,800.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	1,400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	10,000.000	LF



Call No.: 240 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5760030 PCN: P040723 Project No.: P040723

DBE Goal Percent: 0.00%

Approx. Length (miles): 46.0000

Description: PAVEMENT MARKINGS - DISTRICT 7

CO(S): DISTRICT7

Completion Date: 7/31/2022

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	21,250.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	374,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,550.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	51.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,400.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	21.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	30,175.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	255,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	179.000	LF



Call No.: 250 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5760240	PCN: P040299	Project No.: P040299
DBE Goal Percent: 0.00%	PCN: P040301	Project No.: P040301
	PCN: P040350	Project No.: P040350
	PCN: P040356	Project No.: P040356
	PCN: P040523	Project No.: P040523

Approx. Length (miles):24.7400 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Bamberg Barnwell BAMBERG/BARNWELL CO
Completion Date: 6/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	450.000	SY
UNCLASSIFIED EXCAVATION	150.000	CY
BORROW EXCAVATION	4,948.000	CY
EXCAVATION FOR SHOULDER PAVING	1,005.312	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,005.312	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	24,480.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	860.000	TON
MAINTENANCE STONE	17.800	TON
HMA SHOULDER WIDENING COURSE	5,021.867	TON
LIQUID ASPHALT BINDER PG64-22	2,243.531	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,780.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	15,300.000	SY
MILLED-IN RUMBLE STRIP	26.780	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,322.170	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	27,506.840	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,864.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,256.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	338.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	161,240.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	70.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	2,188.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
HANDICAP SYMBOL - PERM.PVMT MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	8,050.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	111,380.000	LF



Call No.: 250

Letting Date: November 09, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	676.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	252,270.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	140.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,440.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,460.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	205,910.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,623.000	EA
ADJUST CATCH BASIN	3.000	EA
ADJUST DROP INLET ADJUST D. I.	16.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	50.000	SY
DETECTABLE WARNING MATERIAL	290.000	SF
PEDESTRIAN RAMP CONSTRUCTION	400.000	SY
SURFACE APPLIED DETECTABLE WARNING	180.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	340.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	144.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	120.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	24.203	ACRE



Call No.: 260 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8859010	PCN: P040160	Project No.: P040160
DBE Goal Percent: 0.00%	PCN: P040161	Project No.: P040161
	PCN: P040162	Project No.: P040162
	PCN: P040171	Project No.: P040171
	PCN: P040172	Project No.: P040172
	PCN: P040173	Project No.: P040173
	PCN: P040440	Project No.: P040440
	PCN: P040454	Project No.: P040454

Approx. Length (miles):28.6400 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Aiken Edgefield DISTRICT 2 & 7
McCormick

Completion Date: 11/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	12,839.000	CY
EXCAVATION FOR SHOULDER PAVING	975.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	975.000	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	90,435.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	26,920.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	75,810.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,102.000	TON
MAINTENANCE STONE	304.950	TON
HMA SHOULDER WIDENING COURSE	2,462.797	TON
LIQUID ASPHALT BINDER PG64-22	2,713.470	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	310.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	15,640.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,765.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	139,270.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	63,495.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	13,877.000	SY
MILLED-IN RUMBLE STRIP	33.980	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,699.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	31,964.683	TON
DRIVEWAY PAVING-SURFACE TYPE B	580.125	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,276.375	TON



Call No.: 260

Letting Date: November 09, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
ASPHALT SURFACE TREATMENT (TRIPLE TREATMENT) TYPE 2	50,470.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,832.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	9,378.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	985,890.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,265.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,856.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	54.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	32,610.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,026,525.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	200.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,962.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	266,785.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	755.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,156.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	18.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,960.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	281,605.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	239.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	50.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,091.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	120.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	120.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	170.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,604.000	LF
SAWCUT FOR LOOP DETECTOR	1,122.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	6.000	EA
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	400.000	LF
MT3 LEADING END TREATMENT TL3	106.000	EA
MGS3 GR STANDARD SHOULDER	1,350.000	LF
MGS3CS GR COMPRESSED SHOULDER	7,950.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	687.500	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	26.880	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	140.000	LF
SILT FENCE	4,950.000	LF
REPLACE/REPAIR SILT FENCE	495.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,235.000	LF



Call No.: 270 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8859630	PCN: P038033	Project No.: P038033
DBE Goal Percent: 4.00%		
Approx. Length (miles):2.8200	Description: SAFETY IMPROVEMENTS - I-85 (ANDERSON/GREENVILLE CO)	
CO(S): Anderson Greenville		
Completion Date: 9/30/2022		Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	200.000	HR
MAINTENANCE STONE	500.000	TON
LIQUID ASPHALT BINDER PG76-22	796.130	TON
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	1,000.000	SY
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	195,970.890	SY
MILLED-IN RUMBLE STRIP	11.760	MI
OPEN-GRADED FRICTION COURSE-12.5 MM	12,248.180	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	704.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	22,700.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	39,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	37,100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	6,150.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,325.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	22,700.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	39,400.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	6,150.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,325.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	37,100.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,470.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	400.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	1,010.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 280 Letting Date: November 09, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8860630 PCN: P040895 Project No.: P040895

DBE Goal Percent: 0.00%

Approx. Length (miles):NA

Description: GUARDRAIL - STATEWIDE

CO(S): STATEWIDE

Completion Date: 11/30/2023

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	800.000	EA
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF CABLE BARRIER END ANCHOR	2.000	EA
REM&REPL CABLE BAR. END ANCHOR	2.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN FOR MAINT	115.000	EA
LANE CLOSURE-CABLE RAIL	150.000	EA
LEFT SHOULDER CLOSURE CABLE GUARDRAIL REPAIR OPERATIONS-INTERSTATE ROUTES	2,900.000	EA
CABLE BARRIER DELINEATOR - YELLOW	4,500.000	EA
RESET MEDIAN CABLE BARRIER	750.000	LF
CABLE BARRIER TENSIONING	3,100.000	EA
CABLE BARRIER POST	20,000.000	EA
CABLE SPLICE	90.000	EA
CABLE(AASHTO M 30)	13,500.000	LF
CABLE BARRIER ROUND BEND HOOK BOLT	15,300.000	EA
CABLE BARRIER END ANCHOR(MAINTENANCE)	2.000	EA
RESET CABLE BARRIER END ANCHOR	2.000	EA
REPAIR OF CABLE BARRIER END ANCHOR	1,200.000	EA

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator