

SOUTH CAROLINA
DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
FOR
REGULAR HIGHWAY LETTING
November 13, 2018

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street
Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet. Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

The following items will be made available on October 13, 2018 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website
- Hardcopy plans & proposals will be printed upon request only via Engineering Publications
 - o Located in room G23 SCDOT Headquarters
 - o Phone (803)737-4533/ Fax (803)737-4530 Call ahead for pickup orders
 - o Cash, check, money order, VISA/MC accepted (Payable to SCDOT. No refunds)

Access the Construction Extranet for the following items:

- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates

Contractors are encouraged to utilize the Extranet Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password. See link for details http://www.scdot.org/doing/constructionletting_extranet.aspx.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

The SCDOT Standard Drawings are available for download at <http://www.scdot.org/doing/road.aspx>

Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.



Call No.: 010

Page: 1

SC File NO(S): 0425552	PCN: P032310	Project No.: P032310
Letting Date: November 13, 2018	CO(S): Anderson	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: ANDERSON COUNTY LONGLINE PAINT CONTRACT		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles):

Completion Date: 10/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	124,492.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,602,286.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	140,061.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	2,601,982.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 020

Page: 2

SC File NO(S): 0849580	PCN: P037526	Project No.: P037526
	PCN: P037527	Project No.: P037527
Letting Date: November 13, 2018	CO(S): Berkeley	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: FDP, MILL, SHLD WDN, INTERM, SURF		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 3.2400

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	6.000	EA
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	900.000	LF
BORROW EXCAVATION	478.000	CY
EXCAVATION FOR SHOULDER PAVING	127.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	127.000	STA
MAINTENANCE STONE	28.100	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	633.600	TON
LIQUID ASPHALT BINDER PG64-22	607.529	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,810.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	4,552.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	23,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
MILLED-IN RUMBLE STRIP	2.400	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,656.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,692.117	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,755.393	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	929.280	TON
DRIVEWAY PAVING-SURFACE TYPE D	270.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	856.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	980.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	150.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	290.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	60.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	16.000	EA



Call No.: 020

Page: 3

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	4.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	820.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,920.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	38,640.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,160.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	729.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	64.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	16.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	8,730.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	16,840.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	100.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	182.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	12,680.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	192.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS 002	1.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2,910.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	4,520.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	720.000	LF
SAWCUT FOR LOOP DETECTOR	300.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	5.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	200.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	40.000	LF
CONCRETE CURB AND GUTTER (2'-0") OGEE	660.000	LF
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.318	ACRE
ROOT BARRIER	100.000	LF



Call No.: 030

Page: 4

SC File NO(S): 1025801	PCN: P028928	Project No.: P028928	
Letting Date: November 13, 2018	CO(S): Charleston	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$98.00
Description: I-526 SYSTEMS AND TIMINGS PROJECT		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
Completion Date: 3/31/2021		Cost of Proposal:	\$15.00
		Approx. Length (miles):	

CONTRACTORS ARE ADVISED THAT THERE WILL BE A MANDATORY PRE-BID CONFERENCE FOR THIS PROJECT TO BE HELD FROM 10:00-12:00 ON TUESDAY, OCTOBER 30TH, 2018. LOCATION FOR THIS PRE-BID CONFERENCE WILL BE THE DISTRICT 6 OFFICE, 6355 FAIN BOULEVARD, NORTH CHARLESTON, SOUTH CAROLINA. CONTRACTORS WHO DO NOT ATTEND THIS PRE-BID CONFERENCE WILL NOT BE ALLOWED TO SUBMIT A BID PROPOSAL FOR THIS PROJECT.

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,028.000	SY
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	474.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	6,055.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	112.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	964.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	9.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	130.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	492.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	24.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,722.000	LF
REMOVAL OF PAVEMENT MARKINGS	5.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	36.000	SF
Flat Sheet, Type XI, Size Determined by MSG, Overhead	667.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	89.000	EA
REMOVAL OF MOUNTING ASSEMBLY FOR FS.SIGN ON SPAN WIRE	7.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	3.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	120.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,052.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	10,268.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	175.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	382.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	1,940.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	20,940.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	46,395.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	22,555.000	LF



Call No.: 030

Page: 5

Description	Quantity	Units
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	36,145.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	79,235.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	1,570.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	6.000	EA
FIBER OPTIC TRANSCEIVER (SMFO)	2.000	EA
INSTALL WIRELESS NETWORK COMMUNICATIONS LINK BETWEEN TWO SIGNALS (2 RADIOS)	14.000	EA
FURNISH & INSTALL WIRELESS NETWORK COMMUNICATIONS LINK BETWEEN TWO SIGNALS (2 RADIOS) 001	4.000	EA
FURNISH & INSTALL WIRELESS DETECTION SYSTEM PER SIGNAL	4.000	EA
SAWCUT FOR LOOP DETECTOR	30,763.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	10.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	20.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	157.000	EA
F&I-17"X30"X26"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	7.000	EA
FURNISH & INSTALL 40' WOOD POLE - CLASS II-CCA TREATED(0.60)	8.000	EA
FURNISH & INSTALL 3/8" SIDEWALK GUY	3.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	10.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	260.000	LF
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,617.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	56.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 17	17.000	EA
FURNISH AND INSTALL BATTERY BACK-UP INCLUDING FOUNDATION	4.000	EA
FURNISH & INSTALL 2070L CONTROLLER UNIT IN EXISTING CABINET	4.000	EA
INSTALL 2070L CONTROLLER UNIT &/OR CONFLICT MONITOR IN EXISTING CABINET	2.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	10.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	50.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	150.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	114.000	EA
F&I - 16" 1-WAY-1SECT.HAND/MAN/COUNTDOWN LED PEDESTRIAN SIGNAL HEAD - LEFT	3.000	EA
F&I - 16" 1-WAY-1SECT.HAND/MAN/COUNTDOWN LED PEDESTRIAN SIGNAL HEAD - RIGHT	1.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ LIGHT&TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	116.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	20.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	283.000	EA
F&I-PEDESTRIAN TRAF. SIGNAL HEAD MOUNTING ASSEM FOR POST TOP	2.000	EA
F&I-PED. TRAF. SIGNAL HEAD MOUNT. ASSY FOR DUAL POST TOP	3.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	1.000	EA
INSTALL 12" 1-WAY-3 SECTION(R.Y.G.)VEHICLE TRAFFIC SIGNAL	7.000	EA



Call No.: 030

Page: 6

Description	Quantity	Units
INSTALL 12" 1-WAY-1 SECTION(RA)VEHICLE TRAFFIC SIGNAL	2.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	10.000	EA
FURNISH & INSTALL 332 SIGNAL CABINET - BASE MOUNTED	12.000	EA
INSTALL PEDESTRIAN SIGNAL HEAD	4.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	154.000	SY
DETECTABLE WARNING MATERIAL	503.000	SF
CONCRETE MEDIAN	71.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,292.000	SY
SURFACE APPLIED DETECTABLE WARNING	464.000	SF



Call No.: 040

Page: 7

SC File NO(S): 1049820	PCN: P037726	Project No.: P037726	
Letting Date: November 13, 2018	CO(S): Charleston	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$12.00
Description: PAVEMENT MARKINGS ON US-17/RAVENEL BRIDGE		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	3.1640

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	1,470.000	EA
REMOVAL OF PAVEMENT MARKINGS	147,700.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL8"WH.CONTRAST BROKEN	25,400.000	LF
POLYUREA 6" WHITE BROKEN LINES -(GAPS EXCLUDED)	300.000	LF
POLYUREA 6" WHITE SOLID LINES (PVT. EDGE LINES)	56,400.000	LF
POLYUREA 8"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION	650.000	LF
POLYUREA 12" WHITE SOLID LINES (GORE MARKINGS)	5,500.000	LF
POLYUREA 24"WHITE SOLID LINES(STOP LINES/DIAG.LINES)	250.000	LF
POLYUREA WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT)	15.000	EA
POLYUREA WHITE WORD MESSAGE "ONLY"	4.000	EA
POLYUREA WHITE COMBINATION ARROW (STR.&RT.OR STR.<)	2.000	EA
POLYUREA 6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE	55,900.000	LF



Call No.: 050

Page: 8

SC File NO(S): 1349000	PCN: P037256	Project No.: P037256
	PCN: P037263	Project No.: P037263
Letting Date: November 13, 2018	CO(S): Chesterfield	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: SH. WIDENING, FDP, MILLING, ST - B, ST - C		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 5.3900

Completion Date: 9/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,250.000	SY
REMOVAL OF EXIST. GUARDRAIL	200.000	LF
BORROW EXCAVATION	812.000	CY
EXCAVATION FOR SHOULDER PAVING	408.732	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	408.732	STA
MAINTENANCE STONE	40.000	TON
HMA SHOULDER WIDENING COURSE	2,238.720	TON
LIQUID ASPHALT BINDER PG64-22	798.233	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,850.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	640.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	250.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	2,253.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	16,725.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,450.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	4,928.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,675.333	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,869.874	TON
DRIVEWAY PAVING-SURFACE TYPE C	202.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,156.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	632.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	85,790.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,234.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	965.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA



Call No.: 050

Page: 9

Description	Quantity	Units
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,100.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	118,394.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	23.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	55.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	496.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	352.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	44,894.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 002	2,234.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	547.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 003	4.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS 004	2.000	EA
WHITE COMBINATION ARROW (STRAIGHT&RIGHT OR STRAIGHT&LEFT) - SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 005	4.000	EA
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS 006	1.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	550.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	61,196.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	900.000	LF
SAWCUT FOR LOOP DETECTOR	300.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
DETECTABLE WARNING MATERIAL	625.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,250.000	SY
END TERMINAL - TYPE T	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.937	ACRE



Call No.: 060

Page: 10

SC File NO(S): 1450210	PCN: P037785	Project No.: P037785	
Letting Date: November 13, 2018	CO(S): Clarendon	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: 2018 CLARENDON CTC RESURFACING		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.7000

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	140.000	CY
EXCAVATION FOR SHOULDER PAVING	68.640	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	68.640	STA
MAINTENANCE STONE	2.200	TON
HMA SHOULDER WIDENING COURSE	343.200	TON
LIQUID ASPHALT BINDER PG64-22	71.213	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	220.000	SY
MILLED-IN RUMBLE STRIP	1.300	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	836.100	TON
DRIVEWAY PAVING-SURFACE TYPE D	21.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	72.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	13,740.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	32.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,100.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	7,820.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	47.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	6,870.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	16.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	550.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	3,910.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.678	ACRE



Call No.: 070

Page: 11

SC File NO(S): 2813830	PCN: P030892	Project No.: P030892
Letting Date: November 13, 2018	CO(S): Kershaw	DBE Goal Percent: 2.50%
Letting Time: 02:00 PM		Cost of Road Plans: \$7.00
Description: SAFETY SECTION IMPROVEMENTS		Cost of BridgePlans: \$0.00
KERSHAW COUNTY		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 4.2300

Completion Date: 9/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED REMOVAL OF MARKED TREES	1.000	LS
LIMB TRIMMING	1.000	L S
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	455.000	SY
UNCLASSIFIED EXCAVATION	105.000	CY
BORROW EXCAVATION	1,692.000	CY
EXCAVATION FOR SHOULDER PAVING	447.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	447.000	STA
MAINTENANCE STONE	50.000	TON
HMA SHOULDER WIDENING COURSE	2,978.000	TON
LIQUID ASPHALT BINDER PG64-22	540.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,963.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	777.000	SY
MILLED-IN RUMBLE STRIP	8.460	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,452.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	60.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	464.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	750.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	133,434.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	525.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	25,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	96,000.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	250.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	44,478.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	175.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,275.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	32,000.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	350.000	EA



Call No.: 070

Page: 12

Description	Quantity	Units
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	289.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	455.000	LF
REFLECTIVE SIGN POST PANELS	175.000	LF
GUARDRAIL DELINEATOR - WHITE	46.000	EA
STEEL BEAM GUARDRAIL W-BEAM SYSTEM	600.000	LF
GUARDRAIL LEADING TYPE T TL3 (50')	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.100	ACRE
SILT FENCE	900.000	LF
REPLACE/REPAIR SILT FENCE	90.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	225.000	LF



Call No.: 080

Page: 13

SC File NO(S): 3248320	PCN: P032166	Project No.: P032166	
Letting Date: November 13, 2018	CO(S): Lexington	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$5.00
Description: B AVENUE BIKE LANES		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.9600

Completion Date: 5/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	872.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	17,497.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	100.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	5.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,783.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,740.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	14.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	26.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	37.500	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	80.000	LF



Call No.: 090

Page: 14

SC File NO(S): 3248420	PCN: P030885	Project No.: P030885	
Letting Date: November 13, 2018	CO(S): Lexington	DBE Goal Percent:	3.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$6.00
Description: S-604 (JETER R.D/RAWL RD.) - LEX CO.		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	1.4400

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING	0.500	ACRE
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	442.000	SY
UNCLASSIFIED EXCAVATION	102.000	CY
BORROW EXCAVATION	576.000	CY
EXCAVATION FOR SHOULDER PAVING	153.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	153.000	STA
MAINTENANCE STONE	17.000	TON
HMA SHOULDER WIDENING COURSE	805.000	TON
LIQUID ASPHALT BINDER PG64-22	130.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,690.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	533.000	SY
MILLED-IN RUMBLE STRIP	2.880	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,370.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	280.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	475.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,310.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	34,930.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	160.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	43,310.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,160.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	11,645.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	120.000	EA
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	45.600	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	52.000	LF
REFLECTIVE SIGN POST PANELS	20.000	LF
GUARDRAIL DELINEATOR - WHITE	25.000	EA
MT3 LEADING END TREATMENT TL3	8.000	EA



Call No.: 090

Page: 15

Description	Quantity	Units
MGS3 GR STANDARD SHOULDER	300.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.400	ACRE
SILT FENCE	500.000	LF
REPLACE/REPAIR SILT FENCE	50.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	125.000	LF



Call No.: 100

Page: 16

SC File NO(S): 3314170	PCN: P027065	Project No.: P027065	
Letting Date: November 13, 2018	CO(S): McCormick	DBE Goal Percent:	10.50%
Letting Time: 02:00 PM		Cost of Road Plans:	\$34.00
Description: SC 823 BRIDGE REPLACEMENT OVER LITTLE RIVER		Cost of BridgePlans:	\$54.00
		Cost of X-Sections:	\$21.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.5150

Completion Date: 11/30/2020

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	420.000	SY
REMOVAL OF EXIST. GUARDRAIL	1,171.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	5,664.000	CY
BORROW EXCAVATION	33,864.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	2,500.000	CY
GEOTEXTILE, SEPARATION	3,200.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	6,300.000	SY
GEOGRID STABILIZATION	3,200.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	1.000	EA
MONITORING DEVICE – PIEZOMETER – VIBRATING-WIRE	1.000	EA
STONE BRIDGE LIFT MATERIAL	5,600.000	TON
FINE GRADING	6,470.000	SY
FLOWABLE FILL	100.000	CY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	820.000	SY
MAINTENANCE STONE	300.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,030.000	TON
PRIME COAT	222.000	GAL
LIQUID ASPHALT BINDER PG64-22	105.300	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	851.400	SY



Call No.: 100

Page: 17

Description	Quantity	Units
MILLED-IN RUMBLE STRIP	0.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	492.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	563.700	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	6.000	TON
TEMPORARY CONSTRUCTION SIGNS (BARRICADE MOUNTED)	122.500	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	584.000	SF
DETOUR SIGNS	385.370	SF
BARRICADE - TYPE 3	108.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	32.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	45.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	8,540.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	165.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	8,920.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,509.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	81.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,700.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	30.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	760.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	760.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	84.190	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	40.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	144.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,524.000	LF
CONC. FOR STRUCTURES - CLASS 4000	704.000	CY
GROOVED SURFACE FINISH	1,207.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	185,229.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	5,543.000	LB
PRESTRESSED CONCRETE BULB TEE BEAM(72" MODIFIED)	1,343.100	LF
CONCRETE BRIDGE BARRIER PARAPET	696.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
PILE DRIVING SET-UP	18.000	EA
REINF. PILE TIPS (HP12 X 53)	4.000	EA
REINF. PILE TIPS (HP14 X 73)	14.000	EA
STEEL H BEARING PILING (HP12 X 53)	140.000	LF
STEEL H BEARING PILING (HP14 X 73)	490.000	LF
DRILLED SHAFT SET-UP	4.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 42" DIAMETER	66.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	102.000	LF
CONSTRUCTION CASING - 48" DIAMETER	102.000	LF
18" SMOOTH WALL PIPE	144.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	80.000	LF



Call No.: 100

Page: 18

Description	Quantity	Units
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	140.100	LF
DECK JOINT STRIP SEAL	44.000	LF
ELASTOMERIC BEARING	24.000	EA
CROSSHOLE SONIC LOGGING SETUP	4.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	194.000	TON
6" PIPE UNDERDRAIN	50.000	LF
6" UNDERDRAIN END PROTECTOR	2.000	EA
RIP-RAP (CLASS A)	500.000	TON
RIP-RAP (CLASS B)	400.000	TON
RIP-RAP (CLASS C)	1,200.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	800.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,100.000	SY
MT2 LEADING END TREATMENT TL2	6.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3CS GR COMPRESSED SHOULDER	1,725.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT MOMENT SLAB		EA
WOVEN WIRE FENCE - TYPE 1 WITHOUT BARBED WIRE	180.000	LF
TEMPORARY BARRIER FENCE	3,300.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	37.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.200	ACRE
TEMPORARY COVER	6.300	ACRE
FERTILIZER (NITROGEN)	420.000	LB
FERTILIZER (PHOSPHORIC ACID)	420.000	LB
FERTILIZER (POTASH)	420.000	LB
AGRICULTURAL GRANULAR LIME	8,400.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	21.000	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	32.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.500	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.300	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	9.400	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	1.300	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	5.500	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	0.100	ACRE
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	200.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	1,330.000	LF
SILT FENCE	6,300.000	LF
REPLACE/REPAIR SILT FENCE	630.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY	12,164.000	SF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,575.000	LF



Call No.: 100

Page: 19

Description	Quantity	Units
DITCH CHECK	501.000	TON
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	300.000	SY
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 12"	900.000	LF
63" O.D. SOLID WALL POLYETHYLENE PIPE-DR-21	200.000	LF



Call No.: 110

Page: 20

SC File NO(S): 3805391	PCN: P029541	Project No.: P029541	
Letting Date: November 13, 2018	CO(S): Orangeburg	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: I-26 EB/WB OVER SC 33 & CSX RR BRIDGE REHABILITATION		Cost of BridgePlans:	\$38.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.5600

Completion Date: 8/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIQUID ASPHALT BINDER PG76-22	64.000	TON
MILLING EXISTING ASPHALT PAVEMENT 3.0"	6,205.000	SY
MILLED-IN RUMBLE STRIP	0.500	MI
HOT MIX ASPHALT SURFACE COURSE TYPE A	621.000	TON
OPEN-GRADED FRICTION COURSE	376.000	TON
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	3.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,200.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,000.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,150.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,200.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,000.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,150.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	30.000	EA
POLYMER MODIFIED ASPHALT EXPANSION JOINT	294.000	LF



Call No.: 120

Page: 21

SC File NO(S): 3948600	PCN: P037026	Project No.: P037026
	PCN: P037207	Project No.: P037207
	PCN: P037232	Project No.: P037232
	PCN: P037374	Project No.: P037374
	PCN: P037628	Project No.: P037628
Letting Date: November 13, 2018	CO(S): Pickens	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: RECONSTRUCTION/REHABILITATION PICKENS		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 14.4400

Completion Date: 5/31/2021

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	80.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	6,054.000	SY
REMOVAL OF EXIST. GUARDRAIL	1,775.000	LF
BORROW EXCAVATION	2,662.000	CY
EXCAVATION FOR SHOULDER PAVING	917.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	917.000	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	51,533.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,448.000	TON
MAINTENANCE STONE	735.090	TON
HMA SHOULDER WIDENING COURSE	4,899.840	TON
LIQUID ASPHALT BINDER PG64-22	4,297.702	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	53,509.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	300.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	81,386.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	279,268.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,910.000	SY
MILLED-IN RUMBLE STRIP	36.660	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	23,917.924	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	2,421.760	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	38,870.230	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,344.780	TON
DRIVEWAY PAVING-SURFACE TYPE C	328.000	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	3,632.640	TON



Call No.: 120

Page: 22

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,524.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	139,300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	429,082.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	13,533.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,660.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	38.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	11,240.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	622,651.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,640.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	25,270.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	147,122.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	5,507.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	62.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	665.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	18.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,450.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	165,010.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,481.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	213.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	939.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	630.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	11,310.000	LF
SAWCUT FOR LOOP DETECTOR	4,110.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	8.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	7.000	EA
DETECTABLE WARNING MATERIAL	80.000	SF
CONCRETE MEDIAN	638.000	SY
PEDESTRIAN RAMP CONSTRUCTION	80.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	160.000	LF
STEEL BEAM GUARDRAIL (THRIE)	270.000	LF
RESET GUARDRAIL	29,660.000	LF
END ANCHOR-TYPE B	60.000	EA
END TERMINAL - TYPE T	51.000	EA
RESET END TERMINAL-TYPE T	22.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.907	ACRE



Call No.: 120

Page: 23

Description	Quantity	Units
SEDIMENT TUBES FOR DITCH CHECKS	50.000	LF
SILT FENCE	100.000	LF



Call No.: 130

Page: 24

SC File NO(S): 4249360	PCN: P037613	Project No.: P037613	
Letting Date: November 13, 2018	CO(S): Spartanburg	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: CTC RESURFACING IN SPARTANBURG COUNTY		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	2.1500

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
BORROW EXCAVATION	430.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	27,690.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,329.000	TON
MAINTENANCE STONE	20.000	TON
LIQUID ASPHALT BINDER PG64-22	189.724	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	200.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,035.066	TON
DRIVEWAY PAVING-SURFACE TYPE C	127.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	664.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	45,406.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	300.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	300.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	90,812.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	165.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT	22,703.000	LF
HYBRIDIZED POLYMER-20 MILS 001		
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT	150.000	LF
HYBRIDIZED POLYMER-20 MILS 002		
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT	150.000	LF
HYBRIDIZED POLYMER-20 MILS		
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT	22,703.000	LF
HYBRIDIZED POLYMER - 20 MILS		
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	150.000	LF
RESET GUARDRAIL	50.000	LF
END TERMINAL - TYPE T	4.000	EA



Call No.: 130

Page: 25

Description	Quantity	Units
RESET END TERMINAL-TYPE T	1.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.085	ACRE



Call No.: 140

Page: 26

SC File NO(S): 4446870	PCN: P030871	Project No.: P030871	
Letting Date: November 13, 2018	CO(S): Union	DBE Goal Percent:	2.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$10.00
Description: SAFETY IMPROVEMENTS S-30 (UNION)		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	4.0900

Completion Date: 8/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIMB TRIMMING	1.000	L S
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	350.000	SY
BORROW EXCAVATION	400.000	CY
EXCAVATION FOR SHOULDER PAVING	430.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	430.000	STA
MAINTENANCE STONE	48.000	TON
HMA SHOULDER WIDENING COURSE	2,280.000	TON
LIQUID ASPHALT BINDER PG64-22	364.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,100.000	SY
MILLED-IN RUMBLE STRIP	8.180	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	3,960.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	416.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,350.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	128,937.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	72.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	30,333.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	68,268.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	450.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	42,979.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	36.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	10,111.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	32,724.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	300.000	EA
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	95.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	143.000	LF
REFLECTIVE SIGN POST PANELS	55.000	LF



Call No.: 140

Page: 27

Description	Quantity	Units
GUARDRAIL DELINEATOR - WHITE	30.000	EA
GUARDRAIL LEADING TYPE T TL3 (50')	12.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.000	ACRE



Call No.: 150

Page: 28

SC File NO(S): 4450020	PCN: P037616	Project No.: P037616	
Letting Date: November 13, 2018	CO(S): Union	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: FDP, MILLING, HMA		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	1.5000

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	135.000	CY
EXCAVATION FOR SHOULDER PAVING	107.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	107.000	STA
MAINTENANCE STONE	35.000	TON
HMA SHOULDER WIDENING COURSE	592.533	TON
LIQUID ASPHALT BINDER PG64-22	164.903	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	3,725.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,550.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,963.360	TON
DRIVEWAY PAVING-SURFACE TYPE C	291.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	504.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	24,810.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	329.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	26,500.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	104.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	220.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	14,150.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)SC HYBRIDIZED POLYMER -20MIL	30.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	209.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	15,840.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.320	ACRE



Call No.: 160

Page: 29

SC File NO(S): 4513900	PCN: P030878	Project No.: P030878
Letting Date: November 13, 2018	CO(S): Williamsburg	DBE Goal Percent: 2.50%
Letting Time: 02:00 PM		Cost of Road Plans: \$7.00
Description: SAFETY SECTION IMPROVEMENTS IN WILLIAMSBURG CO		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 2.8000

Completion Date: 9/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,120.000	CY
EXCAVATION FOR SHOULDER PAVING	295.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	295.000	STA
MAINTENANCE STONE	33.000	TON
HMA SHOULDER WIDENING COURSE	1,400.000	TON
LIQUID ASPHALT BINDER PG64-22	285.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	6,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	533.000	SY
MILLED-IN RUMBLE STRIP	5.600	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,450.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	125.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	416.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	450.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	88,705.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	120.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	17,964.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	88,704.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	150.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	29,568.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	40.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,988.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	22,275.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	200.000	EA
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	135.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	156.000	LF
REFLECTIVE SIGN POST PANELS	60.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.000	ACRE



Call No.: 170

Page: 30

SC File NO(S): 4605590	PCN: 0041333RD01	Project No.: CM46034	
Letting Date: November 13, 2018	CO(S): York	DBE Goal Percent:	16.50%
Letting Time: 02:00 PM		Cost of Road Plans:	\$28.00
Description: EAST WHITE STREET/ SC 72		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.5590

Completion Date: 10/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF LOW LEVEL CONTAMINATED SOIL	500.000	TON
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	75.000	SY
UNCLASSIFIED EXCAVATION	824.000	CY
BORROW EXCAVATION	731.000	CY
FINE GRADING	1,967.000	SY
FLOWABLE FILL	50.000	CY
MAINTENANCE STONE	50.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	645.000	TON
LIQUID ASPHALT BINDER PG64-22	172.390	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	20,283.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,561.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	179.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,614.000	TON
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,514.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	5,900.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,667.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	980.000	LF



Call No.: 170

Page: 31

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	13.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	11.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	17,589.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,714.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,829.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	830.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	13.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	11.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	5,500.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	99.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	129.000	EA
Flat Sheet, Type XI, Size Determined by MSG, Overhead	30.000	SF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	320.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	577.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	69.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	97.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	258.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,650.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,013.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,680.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	473.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,175.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	1.000	EA
SAWCUT FOR LOOP DETECTOR	1,134.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	11.000	EA
F&I-17"X30"X26"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	1.000	EA
F&I 13"X32' STEEL STRAIN POLE-POWDER COATED AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	616.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	3.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	10.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	8.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	8.000	EA
F&I NO RT/LT TURN SYMB LED BLANKOUT W/ SPANWIRE MNT	2.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	12.000	EA



Call No.: 170

Page: 32

Description	Quantity	Units
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
INSTALL STREET LIGHT LUMINAIRE	4.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	3.000	EA
15" SMOOTH WALL PIPE	20.000	LF
18" SMOOTH WALL PIPE	1,378.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN -TYPE 16	9.000	EA
DROP INLET (24" X 36")	1.000	EA
MANHOLE	2.000	EA
BEVELING OF PIPE END	4.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,429.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	736.000	SY
DETECTABLE WARNING MATERIAL	125.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	945.000	SY
CONCRETE MEDIAN	68.000	SY
PEDESTRIAN RAMP CONSTRUCTION	250.000	SY
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
RIP-RAP (CLASS B)	72.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	88.000	SY
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	25.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.613	ACRE
TEMPORARY COVER	0.307	ACRE
COMPOST	989.000	CY
FERTILIZER (NITROGEN)	62.000	LB
FERTILIZER (PHOSPHORIC ACID)	62.000	LB
FERTILIZER (POTASH)	62.000	LB
AGRICULTURAL GRANULAR LIME	1,226.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	1.839	ACRE
SODDING	0.200	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.685	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.820	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	0.100	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	170.000	LF



Call No.: 170

Page: 33

Description	Quantity	Units
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	170.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	66.000	LF
SILT FENCE	1,225.000	LF
SILT BASINS	500.000	CY
CLEANING SILT BASINS	500.000	CY
CLEANING INLET STRUCTURE FILTERS	14.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
MONITORING WELL ABANDONMENT	2.000	EA
INSTALLATION OF MONITORING WELLS	50.000	LF



Call No.: 180

Page: 34

SC File NO(S): 4648950	PCN: P037253	Project No.: P037253
	PCN: P037260	Project No.: P037260
Letting Date: November 13, 2018	CO(S): York	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: FDP, MILLING, RESURFACING		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 4.4200

Completion Date: 10/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	350.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,125.000	LF
REMOVAL OF EXIST. GUARDRAIL	250.000	LF
UNCLASSIFIED EXCAVATION	815.000	CY
BORROW EXCAVATION	276.000	CY
EXCAVATION FOR SHOULDER PAVING	178.464	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	178.464	STA
MAINTENANCE STONE	85.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,691.360	TON
HMA SHOULDER WIDENING COURSE	1,189.760	TON
LIQUID ASPHALT BINDER PG64-22	756.944	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	12,960.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	34,031.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	16,405.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	5,638.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,310.000	SY
MILLED-IN RUMBLE STRIP	3.380	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,433.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	563.787	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,235.335	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	928.313	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	50.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	429.625	TON
FULL DEPTH CONCRETE PAVEMENT PATCH - 9"	350.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,940.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	9,476.000	LF



Call No.: 180

Page: 35

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	58,930.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	880.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,032.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	44.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	27.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	900.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	116,190.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	240.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	350.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,822.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	29,490.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	440.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	786.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	32.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	21.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	800.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	54,110.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	350.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	167.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	12.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	556.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	400.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	400.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,600.000	LF
SAWCUT FOR LOOP DETECTOR	1,200.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	300.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	825.000	LF
DETECTABLE WARNING MATERIAL	175.000	SF
PEDESTRIAN RAMP CONSTRUCTION	350.000	SY
END TERMINAL - TYPE T	5.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.550	ACRE



Call No.: 190

Page: 36

SC File NO(S): 5149010	PCN: P037300	Project No.: P037300
	PCN: P037301	Project No.: P037301
	PCN: P037303	Project No.: P037303
	PCN: P037569	Project No.: P037569
	PCN: P037570	Project No.: P037570
	PCN: P037571	Project No.: P037571
	PCN: P037572	Project No.: P037572
Letting Date: November 13, 2018	CO(S): Kershaw Lee	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: SHLD WIDEN,FDP,CMRB,RESURFACING		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles):

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	425.000	SY
BORROW EXCAVATION	4,486.000	CY
EXCAVATION FOR SHOULDER PAVING	918.120	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	918.120	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	26,800.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	68,624.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,280.000	TON
MAINTENANCE STONE	142.700	TON
HMA SHOULDER WIDENING COURSE	3,809.813	TON
LIQUID ASPHALT BINDER PG64-22	2,793.409	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,220.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	12,050.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	4,470.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	156,419.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,315.000	SY
MILLED-IN RUMBLE STRIP	35.990	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,447.253	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	4,566.614	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,494.678	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	20,275.783	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,359.550	TON



Call No.: 190

Page: 37

Description	Quantity	Units
DRIVEWAY PAVING-SURFACE TYPE C	1,825.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	285.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,837.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,308.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	587,698.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	7,920.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	368.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,976.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	9.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	37,205.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	423,330.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	320.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	600.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	646.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	82,526.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,640.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,777.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,545.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	49,568.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	55.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,668.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	190.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	155,844.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 002	184.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	778.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS 002	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	6,730.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	114,710.000	LF
DETECTABLE WARNING MATERIAL	212.500	SF
PEDESTRIAN RAMP CONSTRUCTION	425.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	400.000	LF
RESET GUARDRAIL	1,100.000	LF



Call No.: 190

Page: 38

Description	Quantity	Units
END TERMINAL - TYPE T	4.000	EA
REMOVE AND REPLACE END TERMINAL - TYPE T	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	20.102	ACRE



Call No.: 200

Page: 39

SC File NO(S): 5149930	PCN: P036758	Project No.: P036758	
Letting Date: November 13, 2018	CO(S): Kershaw Lee	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM	Lexington Richland Sumter	Cost of Road Plans:	\$0.00
Description: RUMBLE STRIPES - DIST 1		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	65.6800

Completion Date: 9/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	128.730	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,828.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	679,709.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	36,942.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	485,790.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,828.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	679,709.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	36,942.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	476,872.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	44.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	4,336.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,198,350.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 210

Page: 40

SC File NO(S): 5248060	PCN: P037236	Project No.: P037236	
Letting Date: November 13, 2018	CO(S): Greenwood Laurens	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$18.00
Description: US 25 SAFETY IMPROVEMENTS		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	12.9000

Completion Date: 11/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,020.000	SY
UNCLASSIFIED EXCAVATION	250.000	CY
BORROW EXCAVATION	2,324.000	CY
EXCAVATION FOR SHOULDER PAVING	1,119.360	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,119.360	STA
MAINTENANCE STONE	250.000	TON
HMA SHOULDER WIDENING COURSE	14,110.300	TON
LIQUID ASPHALT BINDER PG64-22	1,907.820	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	33,400.000	SY
MILLED-IN RUMBLE STRIP	21.200	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	18,812.200	TON
DRIVEWAY PAVING-SURFACE TYPE D	272.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,016.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	76,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	156,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	279,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	810.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	380.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,400.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	2,800.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	38,248.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	78,144.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	405.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	26,655.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	139,734.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,700.000	EA



Call No.: 210

Page: 41

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	2,110.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,110.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	1,160.000	SF
REFLECTIVE SIGN POST PANELS	725.000	LF
GUARDRAIL DELINEATOR - WHITE	200.000	EA
18" SMOOTH WALL PIPE	400.000	LF
24" SMOOTH WALL PIPE	400.000	LF
30" SMOOTH WALL PIPE	200.000	LF
CLEANING EXISTING PIPE	200.000	LF
BEVELING OF PIPE END	140.000	EA
CONCRETE DRIVEWAY(6" UNIFORM)	200.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	10,950.000	LF
MT3 LEADING END TREATMENT TL3	24.000	EA
MB TRAILING END TREATMENT	24.000	EA
MGS3 GR STANDARD SHOULDER	9,750.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	8.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	4.500	ACRE
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.700	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	250.000	LF
SILT FENCE	10,000.000	LF
REPLACE/REPAIR SILT FENCE	1,000.000	LF



Call No.: 220

Page: 43

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	173,043.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,460.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,160.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	14.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	12,560.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	279,933.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,090.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	43,644.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,230.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,020.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	7.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,280.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	85,684.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	351.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	250.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,107.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	3,000.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	9,000.000	LF
SAWCUT FOR LOOP DETECTOR	2,424.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	5.000	EA
CONCRETE CURB AND GUTTER(1'-6") OGEE	900.000	LF
DETECTABLE WARNING MATERIAL	200.000	SF
PEDESTRIAN RAMP CONSTRUCTION	400.000	SY
MT3 LEADING END TREATMENT TL3	10.000	EA
MGS3 GR STANDARD SHOULDER	2,050.000	LF
MGS3CS GR COMPRESSED SHOULDER	552.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.138	ACRE
SILT FENCE	2,175.000	LF



Call No.: 230

Page: 44

SC File NO(S): 5249940	PCN: P036759	Project No.: P036759	
Letting Date: November 13, 2018	CO(S): Abbeville Anderson	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM	Edgefield	Cost of Road Plans:	\$0.00
Description: RUMBLE STRIPS - DISTRICT 2	Greenwood Laurens	Cost of Bridge Plans:	\$0.00
	Cormick	Cost of X-Sections:	\$0.00
	Newberry Saluda	Cost of Proposal:	\$15.00
		Approx. Length (miles):	140.5300

Completion Date: 10/31/2019 Days

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	275.430	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	8,584.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,454,318.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	46,729.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,231,175.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,584.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,454,318.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	46,729.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,231,175.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	9,275.000	EA
REMOVAL OF PAVEMENT MARKINGS	2,740,805.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 240

Page: 45

SC File NO(S): 5548890	PCN: P037537	Project No.: P037537
	PCN: P037538	Project No.: P037538
	PCN: P037539	Project No.: P037539
	PCN: P037540	Project No.: P037540
	PCN: P037562	Project No.: P037562
	PCN: P037563	Project No.: P037563
	PCN: P037564	Project No.: P037564
Letting Date: November 13, 2018	CO(S): Darlington Marlboro	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: SHD. PAVE, VAR. & UNIF. MILL, CMRB, SURFACE B, C, & D, & ADA		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 19.6400
Completion Date: 6/30/2020		

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,360.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	2,100.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	380.000	CY
BORROW EXCAVATION	3,700.000	CY
EXCAVATION FOR SHOULDER PAVING	819.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	819.000	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	112,900.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,705.850	TON
MAINTENANCE STONE	60.900	TON
HMA SHOULDER WIDENING COURSE	4,092.000	TON
LIQUID ASPHALT BINDER PG64-22	3,316.539	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,840.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	4,250.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	234,436.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
MILLED-IN RUMBLE STRIP	33.720	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	17,534.587	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	30,056.774	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,582.844	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,770.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,055.625	TON



Call No.: 240

Page: 46

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,029.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	40,320.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	505,035.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,784.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	15.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	57,610.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	421,580.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	2,600.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	650.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	13,500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	176,945.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	638.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	5.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	20,180.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	144,700.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	636.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	990.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,917.000	EA
REMOVAL OF PAVEMENT MARKINGS	42,000.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,050.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,260.000	LF
SAWCUT FOR LOOP DETECTOR	410.000	LF
CATCH BASIN -TYPE 16	2.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	7.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	6.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	600.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	1,500.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	3,060.000	SY
DETECTABLE WARNING MATERIAL	250.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	350.000	SY
PEDESTRIAN RAMP CONSTRUCTION	500.000	SY
SURFACE APPLIED DETECTABLE WARNING	160.000	SF
RESET GUARDRAIL	700.000	LF
GUARDRAIL LEADING TYPE T TL3 (50')	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	17.427	ACRE



Call No.: 250

Page: 47

SC File NO(S): 5549510	PCN: P037722	Project No.: P037722	
Letting Date: November 13, 2018	CO(S): DISTRICT5	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: 2018 PAVEMENT MARKINGS - DISTRICT 5		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	46.0000

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	80,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	390,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	13,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	175.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	150.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	9,500.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	100.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	50.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	25.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	5.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	30,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	380,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	1,200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	4,300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	4,250.000	EA
REMOVAL OF PAVEMENT MARKINGS	11,750.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	750.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	5,500.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	5,500.000	LF



Call No.: 260

Page: 48

SC File NO(S): 5649520	PCN: P037724	Project No.: P037724	
Letting Date: November 13, 2018	CO(S): DISTRICT6	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: 2018 PAVEMENT MARKINGS - DISTRICT 6		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	39.0000

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	43,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	350,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	7,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	80.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	6,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	90.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	25.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	31,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	315,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	50.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,800.000	EA
REMOVAL OF PAVEMENT MARKINGS	6,900.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	350.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	3,700.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	350.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	2,500.000	LF



Call No.: 270

Page: 49

SC File NO(S): 5649910	PCN: P036763	Project No.: P036763	
Letting Date: November 13, 2018	CO(S): Beaufort Berkeley	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM	Colleton Jasper	Cost of Road Plans:	\$0.00
Description: RUMBLE STRIPS DISTRICT 6		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	77.7300

Completion Date: 9/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	149.470	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,564.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	804,413.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	72,614.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	445,931.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,564.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	770,469.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	91,734.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	445,549.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	94.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	119.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	5,130.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,314,313.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO. PROFILE	33,944.000	LF



Call No.: 280

Page: 50

SC File NO(S): 5749050	PCN: P037310	Project No.: P037310
	PCN: P037311	Project No.: P037311
	PCN: P037312	Project No.: P037312
	PCN: P037313	Project No.: P037313
	PCN: P037314	Project No.: P037314
	PCN: P037315	Project No.: P037315
	PCN: P037317	Project No.: P037317
	PCN: P037318	Project No.: P037318
	PCN: P037319	Project No.: P037319
	PCN: P037320	Project No.: P037320
	PCN: P037332	Project No.: P037332
	PCN: P037333	Project No.: P037333
	PCN: P037335	Project No.: P037335
Letting Date: November 13, 2018	CO(S): Allendale Bamberg	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM	Barnwell Hampton	Cost of Road Plans: \$0.00
Description: SHLD. PAV., UNIF. & VAR MILL, SHLD. MIX, SURFACE B, C, & D		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 28.8300

Completion Date: 8/30/2020

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,925.000	SY
REMOVAL OF EXIST. GUARDRAIL	160.000	LF
BORROW EXCAVATION	4,346.000	CY
EXCAVATION FOR SHOULDER PAVING	1,518.528	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,518.528	STA
MAINTENANCE STONE	206.390	TON
HMA SHOULDER WIDENING COURSE	7,409.014	TON
LIQUID ASPHALT BINDER PG64-22	3,261.213	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	12,269.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	8,370.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	15,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	39,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	106,100.000	SY



Call No.: 280

Page: 51

Description	Quantity	Units
MILLING EXISTING ASPHALT PAVEMENT 2.0"	25,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	70,260.000	SY
MILLED-IN RUMBLE STRIP	27.390	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	6,868.433	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	20,335.549	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	18,823.825	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,915.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	9,636.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	5,465.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	120,350.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	2,220.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,831.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	6.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	6.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	1.000	EA
HANDICAP SYMBOL - PERM.PVMT MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	6,880.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	116,230.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	11,654.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	359,860.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	6,460.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	7,852.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	7.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	30,200.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	304,900.000	LF
12" YELLOW SOLID LINES - FAST DRY PAINT	280.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	200.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	200.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	215.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	41,070.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	260.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,310.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	8,220.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	252.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,433.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	147.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	18,160.000	LF



Call No.: 280

Page: 52

Description	Quantity	Units
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,000.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)SC HYBRIDIZED POLYMER-20MIL 003	40.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)SC HYBRIDIZED POLYMER -20MIL	22.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,855.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	3.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	1,910.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	27,450.000	LF
12" YELLOW SOLID LINES (DIAGONAL LINE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS 005	140.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	270.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	15,500.000	LF
SAWCUT FOR LOOP DETECTOR	3,720.000	LF
ADJUST DROP INLET ADJUST D. I.	14.000	EA
DETECTABLE WARNING MATERIAL	1,962.500	SF
PEDESTRIAN RAMP CONSTRUCTION	3,925.000	SY
SURFACE APPLIED DETECTABLE WARNING	1,560.000	SF
STEEL BEAM GUARDRAIL STEEL BEAM GR.	350.000	LF
GUARDRAIL THRIE-BEAM WITH BASE PLATE 6.25' POST SPACING	40.000	LF
STEEL BEAM GUARDRAIL (THRIE)	125.000	LF
END TERMINAL - TYPE T	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	20.425	ACRE



Call No.: 290

Page: 53

SC File NO(S): 5749170	PCN: P036764	Project No.: P036764	
Letting Date: November 13, 2018	CO(S): Aiken Bamberg	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM	Barnwell Clarendon	Cost of Road Plans:	\$0.00
Description RUMBLE STRIPS - DISTRICT 7	Hampton	Cost of Bridge Plans:	\$0.00
	angeburg	Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	80.5700

Completion Date: 9/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	159.990	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,049.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	833,803.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	66,514.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	445,673.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,049.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	833,803.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	66,514.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	444,976.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	71.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	5,319.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,350,343.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 300

Page: 54

SC File NO(S): 5749530	PCN: P037725	Project No.: P037725	
Letting Date: November 13, 2018	CO(S): DISTRICT7	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: 2018 PAVEMENT MARKINGS - DISTRICTS 7		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	46.0000

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	25,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	440,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,000.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	4,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	25.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	35,500.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	300,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	210.000	LF

60 DAY AD



South Carolina Department of Transportation

10/5/2018

Call No.: 10

Page: 1

SC File NO(S): 0808120	PCN: P027077	Project No.: P027077
Letting Date: December 11, 2018	CO(S): Berkeley	DBE Goal Percent: 6.50%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: S-16 (JEDBURG RD) INTERCHANGE IMPROVEMENTS		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
Completion Date: 11/30/2021		Approx. Length (miles): 6.3350

CONTRACTORS ARE ADVISED THAT THERE WILL BE A MANDATORY PRE-BID CONFERENCE FOR THIS PROJECT TO BE HELD FROM 10:00-12:00 ON TUESDAY, NOVEMBER 6TH, 2018. LOCATION FOR THIS PRE-BID CONFERENCE WILL BE THE DISTRICT 6 OFFICE, 6355 FAIN BOULEVARD, NORTH CHARLESTON, SOUTH CAROLINA. CONTRACTORS WHO DO NOT ATTEND THIS PRE-BID CONFERENCE WILL NOT BE ALLOWED TO SUBMIT A BID PROPOSAL FOR THIS PROJECT.

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING DROP INLET	2.000	EA
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	31,250.000	SY
REMOVAL OF EXIST. GUARDRAIL	6,028.000	LF
REMOVAL & DISPOSAL OF CABLE BARRIER	17,795.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
CULVERT EXTENSION PREPARATION	1.000	EA
UNCLASSIFIED EXCAVATION	141,334.000	CY
BORROW EXCAVATION	221,726.800	CY
BORROW EXCAVATION - LIGHTWEIGHT BORROW EXCAVATION	18,590.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	52,662.000	CY
GEOTEXTILE, SEPARATION	14,286.000	SY
GEOTEXTILE, STABILIZATION	11,286.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	1,070.000	SY
GEOGRID SEPARATION	11,286.000	SY
GEOGRID STABILIZATION	11,286.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	8.000	EA
STRUCTURE EXCAVATION FOR CULVERTS	38.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	9,840.000	CY
TEMPORARY SHORING WALL	481.000	LF
NO. 57 STONE FOR BACKFILL	8,548.000	TON



Call No.: 10

Page: 2

Description	Quantity	Units
STONE BRIDGE LIFT MATERIAL	33,522.000	TON
GRANULAR BRIDGE LIFT MATERIAL	24,831.000	CY
FINE GRADING	144,737.000	SY
FLOWABLE FILL	1,040.700	CY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	173,598.900	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	173,598.900	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	145,967.000	TON
MAINTENANCE STONE	194.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	32,910.000	TON
LIQUID ASPHALT BINDER PG64-22	4,303.950	TON
LIQUID ASPHALT BINDER PG76-22	2,546.250	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,845.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	146,988.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,722.000	SY
MILLED-IN RUMBLE STRIP	13.400	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	22,376.550	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	5,088.300	TON
HOT MIX ASPHALT SURFACE COURSE TYPE A	31,127.250	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	19,450.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	5,445.300	TON
OPEN-GRADED FRICTION COURSE	15,228.150	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,562.500	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	240.000	SF
TEMPORARY CONCRETE BARRIER	40,755.000	LF
BARRICADE - TYPE 3	240.000	LF
TRUCK MOUNTED ATTENUATOR	2.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH)	6.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 70MPH	8.000	EA
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	2.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	4.000	EA
PAVEMENT MARKINGS (TEMPORARY PAINT) 12"X18" WHITE TRIANGLE YIELD BAR	24.000	LF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	1,083.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	343.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	505.000	EA
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	280.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	489.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	20,170.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	21,055.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	79,233.000	LF



Call No.: 10

Page: 3

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	343.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	2.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	28,978.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	79,263.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,735.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	20,774.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,440.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	60,647.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,912.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	2,483.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	53.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,227.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	28.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	27.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	7.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	20,230.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	44,948.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	14.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	25.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	117.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	375.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	1,021.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM. 60MIL 3" BLACK SOLID	275.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	208.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	550.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	545.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	475.260	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	136.500	SF
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	1,005.500	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	2,362.750	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	1,183.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	100.200	LF
BREAK-AWAY SIGN SUPPORTS	7,337.000	LB
REMOVAL OF I-BEAM SUPPORTS	14.000	EA
SQUARE TUBING POST 14 GAUGE - 2" X 2" X 8	5.000	LF
SQUARE TUBING POST 14 GAUGE - 2 1/4" X 2 1/4" X 8	31.000	LF
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	133.000	EA
DELINEATORS, DOUBLE, MONO., INCL. SUPPORTS	57.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 001	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 002	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 003	1.000	EA



Call No.: 10

Page: 4

Description	Quantity	Units
OVERHEAD SIGN STRUCTURE NO.(____) 004	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 005	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 006	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 007	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 008	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 009	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 010	1.000	EA
OVERHEAD SPANWIRE STRUCTURE NO.(____) 011	1.000	EA
OVERHEAD SPANWIRE STRUCTURE NO.(____) 012	1.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	305.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	3,322.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	95.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	600.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,325.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	3,900.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,225.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,750.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	1,300.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	2.000	EA
SAWCUT FOR LOOP DETECTOR	1,150.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	21.000	EA
F&I-17"X30"X26"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	6.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	950.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	12.000	EA
FURNISH & INSTALL ALUMINUM PEDESTAL POLE CONCRETE FOUNDATION	12.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 012	2.000	EA
FURNISH & INSTALL 2070L CONTROLLER UNIT IN EXISTING CABINET	2.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 013	12.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	12.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	12.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	14.000	EA
CONC. FOR STRUCTURES - CLASS 4000	1,569.800	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	11.900	CY
CLEAN AND SEAL CULVERT JOINT	8.000	EA
COMPRESSION SEAL JOINT	202.000	LF
GROOVED SURFACE FINISH	2,198.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	2,023.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	512,472.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	39,008.000	LB



Call No.: 10

Page: 5

Description	Quantity	Units
PRESTRESSED CONCRETE BULB TEE BEAM(72" MODIFIED)	2,311.200	LF
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	547.600	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	4.000	EA
PILE DRIVING SET-UP	92.000	EA
STEEL H BEARING PILING (HP14 X 102)	6,796.000	LF
STEEL H BEARING INDEX PILING (HP14X 102)	151.000	LF
DRILLED SHAFT SET-UP	6.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 78" DIAMETER	384.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 84" DIAMETER	138.000	LF
CONSTRUCTION CASING - 84" DIAMETER	150.000	LF
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	5,900.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	518.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	122.000	LF
18" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,137.000	LF
24" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	330.000	LF
36" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,150.000	LF
18" SMOOTH WALL PIPE	6,066.000	LF
24" SMOOTH WALL PIPE	831.000	LF
30" SMOOTH WALL PIPE	348.000	LF
36" SMOOTH WALL PIPE	2,002.000	LF
42" SMOOTH WALL PIPE	314.000	LF
CLEANING EXISTING PIPE	7,147.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 16	48.000	EA
CATCH BASIN -TYPE 18	8.000	EA
DROP INLET (24" X 36") WITH STANDARD 4' X 4' BOX	2.000	EA
DROP INLET TYPE 112	15.000	EA
MANHOLE	28.000	EA
48" X 48" JUNCTION BOX	16.000	EA
60" X 60" JUNCTION BOX	8.000	EA
72" X 156" JUNCTION BOX	1.000	EA
PRECAST CONCRETE RISER - 48" DIAMETER	11.000	LF
PRECAST CONCRETE DRAINAGE BASE - 60" DIAMETER	1.000	EA
PRECAST CONCRETE TRANSITION SECTION - FLAT SLAB (60" TO 48")	1.000	EA
EXTRA DEPTH OF BOX	23.990	LF
ADJUST DROP INLET ADJUST D. I.	2.000	EA
JUNCTION BOX - CONVERT CB T-12	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	11,990.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	5,264.000	SY
DETECTABLE WARNING MATERIAL	420.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	178.000	SY
CONCRETE MEDIAN	2,145.000	SY



Call No.: 10

Page: 6

Description	Quantity	Units
PEDESTRIAN RAMP CONSTRUCTION	317.000	SY
ELASTOMERIC BEARING	40.000	EA
CROSSHOLE SONIC LOGGING SETUP	6.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	596.000	TON
AGGREGATE UNDERDRAIN (AGGR.NO. 57)	50.000	CY
4" PERFORATED PIPE UNDERDRAIN	325.000	LF
10" PERFORATED PIPE UNDERDRAIN	325.000	LF
RIP-RAP (CLASS A)	341.000	TON
RIP-RAP (CLASS B)	118.000	TON
RIP-RAP (CLASS C)	1,037.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	860.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	586.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	836.000	SY
MT3 LEADING END TREATMENT TL3	17.000	EA
MEDIAN CABLE BARRIER	18,064.000	LF
MB TRAILING END TREATMENT	13.000	EA
MGS3 GR STANDARD SHOULDER	7,475.000	LF
MGS2C GR BEHIND CURB	900.000	LF
CABLE BARRIER END ANCHOR	22.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	5,069.000	SY
WOVEN WIRE FENCE - TYPE 1 WITH 3 STRANDS BARBED	6,118.000	LF
TEMPORARY BARRIER FENCE	5,045.000	LF
RESET FENCE	767.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	58.000	EA
PROPERTY RIGHT OF WAY MARKER (REBAR & CAP)	71.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	68.000	ACRE
TEMPORARY COVER	34.000	ACRE
COMPOST	18,157.000	CY
FERTILIZER (NITROGEN)	6,800.000	LB
FERTILIZER (PHOSPHORIC ACID)	6,800.000	LB
FERTILIZER (POTASH)	6,800.000	LB
AGRICULTURAL GRANULAR LIME	136,000.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	204.000	ACRE
SODDING	25.000	MSY
WATERPROOFING (SECOND METHOD)	9.800	SY



Call No.: 10

Page: 7

Description	Quantity	Units
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	63.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.474	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	64.560	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.440	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	490.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	4,880.000	LF
SILT FENCE	32,526.000	LF
REPLACE/REPAIR SILT FENCE	3,290.000	LF
SILT BASINS	50.000	CY
CLEANING SILT BASINS	50.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	8,222.000	LF
DITCH CHECK	35.000	TON
CLEANING INLET STRUCTURE FILTERS	65.000	EA
INLET STRUCTURE FILTER - TYPE D1	15.000	EA
INLET STRUCTURE FILTER - TYPE B	5.000	EA
SEDIMENT DAM RIPRAP	771.000	TON
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	165.000	TON
STABILIZED CONSTRUCTION ENTRANCE	5,500.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 8"	100.000	LF
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 12"	100.000	LF

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

In addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS. Information concerning prequalification can be obtained at the Contracts Administration office, Room 334 in the Headquarters building, 955 Park Street, Columbia, SC, or by calling Jeff Elliott at (803)737-1253.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE. Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
2. BID BONDS HAND DELIVERED. Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Cost of plans may change, and the bidder should check with the SCDOT Engineering Publications office for the cost of plans when the plans are indicated to be available.

Prepared by J. Taylor

Issued by:

J.Brian Parnell
Contract Administrator