

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For December 08, 2020

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on November 10, 2020 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2186060 PCN: 0042321RD01 Project No.: 0042321

DBE Goal Percent: 0.00%

Approx. Length (miles):8.7860

Description: WIDENING - S-107 ALLIGATOR ROAD

CO(S): Florence

Completion Date: 8/31/2024

Funding: OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	39.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	42.000	EA
REMOVAL & DISPOSAL OF EXISTING MANHOLE	10.000	EA
REMOVAL & DISPOSAL OF EXISTING JUNCTION BOX	6.000	EA
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 012	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 013	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 014	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 015	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 016	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 017	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 018	1.000	LS



Call No.: 010

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
REMOVAL & DISPOSAL ITEM NO. 019	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 020	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 021	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 022	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 023	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 024	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 025	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 026	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 027	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 028	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 029	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 030	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 031	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 032	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 033	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 034	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 035	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 036	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 037	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 038	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 039	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 040	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 041	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 042	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 043	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 044	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 045	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 046	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 047	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 048	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 049	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 050	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 051	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 052	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 053	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 054	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 055	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 056	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 057	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 058	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 059	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 060	1.000	LS



Call No.: 010

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
REMOVAL & DISPOSAL ITEM NO. 061	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 062	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	30.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	6,250.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	19,315.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
CULVERT EXTENSION PREPARATION	2.000	EA
UNCLASSIFIED EXCAVATION	148,601.000	CY
BORROW EXCAVATION	343,486.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	100,000.000	CY
15" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	16.000	LF
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	4,190.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	4,580.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	2,000.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	730.000	LF
42" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,150.000	LF
48" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	930.000	LF
GEOTEXTILE, SEPARATION	9,400.000	SY
GEOGRID STABILIZATION	31,000.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	760.000	CY
TEMPORARY SHORING WALL	2,885.000	LF
STONE BRIDGE LIFT MATERIAL	10,650.000	TON
GRANULAR BRIDGE LIFT MATERIAL	12,960.000	CY
FINE GRADING	206,513.000	SY
FLOWABLE FILL	4,675.000	CY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	5,999.000	SY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	14,014.000	SY
GRADED AGGREGATE BASE COURSE (10" UNIFORM)	138,479.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	131,971.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,496.000	TON
MAINTENANCE STONE	8,500.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	20,373.000	TON
PRIME COAT	42,682.000	GAL
LIQUID ASPHALT BINDER PG64-22	4,573.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	37,220.000	SY
MILLED-IN RUMBLE STRIP	6.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	34,922.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	34,474.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	741.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	904.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	420.000	SF



Call No.: 010

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
DETOUR SIGNS	79.000	SF
BARRICADE - TYPE 3	306.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	10.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH)	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	12.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 70MPH	2.000	EA
TEMPORARY CONCRETE BARRIER	6,930.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	460.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	3.000	EA
2.0" SCHEDULE 80 PVC CONDUIT	1,300.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	6.000	EA
TYPE B - FLASHING LIGHT	20.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	125,000.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	53,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	905,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	953,500.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	1,580.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	790.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	11,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	8,700.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 12"X18" WHITE TRIANGLE YIELD BAR	3.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	135.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE LANE DROP ARROWS	6.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	48.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	1,518.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	5,700.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	5,781.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,500.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	10,125.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	88,700.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,834.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	24.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,220.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	31.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	23.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	18,488.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	89,602.000	LF



Call No.: 010

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
6"YELLOW SOLID LINES ON CURB/MED.-HIGH BUILD PAINT-25 MIL.	2,500.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	506.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,900.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,950.000	EA
REMOVAL OF PAVEMENT MARKINGS	12,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	840.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	840.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	839.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	54.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	22.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	7.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	1,286.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	305.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,309.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	85.000	LF
FURNISH & INSTALL 6.0" SCHEDULE 80 PVC CONDUIT	94.000	LF
6.0" SCHEDULE 80 PVC CONDUIT - 90 DEGREE BEND	7.000	EA
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	350.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,600.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	5,850.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	3,115.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,510.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,930.000	LF
SAWCUT FOR LOOP DETECTOR	1,740.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	18.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	8.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	980.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	8.000	EA
FURNISH & INSTALL ALUMINUM PEDESTAL POLE CONCRETE FOUNDATION	8.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	2.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	3.000	EA
F&I - 12" 1-WAY-4 SECTION(RA.YA.YAF.GA)VEH TRAFFIC SIGNAL	5.000	EA
F&I - 12" 1-WAY-3 SECTION(R.Y.G.)VEHICLE TRAFFIC SIGNAL	21.000	EA
F&I - 1-WAY-1SECT.HAND/MAN COUNTDOWN PEDESTRIAN SIGNAL HEAD	14.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X12")AND SIGN(R-10-3E or R10-4)	14.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	29.000	EA
F&I-PEDESTRIAN TRAF. SIGNAL HEAD MOUNTING ASSEM FOR POST TOP	4.000	EA
F&I - PED TRAF. SIGNAL HEAD MOUNTING ASSEMBLY FOR SIDE POLE	10.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS



Call No.: 010

Letting Date: December 08, 2020 Letting Time: 2:00 P.M.

Page: 6

Description	Quantity	Units
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	6.000	EA
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	4.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	10.000	EA
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	4.000	EA
CONC. FOR STRUCTURES - CLASS 4000	2,035.600	CY
STRAIGHT HEADWALL FOR 24" CIRCULAR PIPE-1 LINE	3.000	EA
STRAIGHT HEADWALL FOR 24" CIRCULAR PIPE-2 LINES	7.000	EA
STRAIGHT HEADWALL FOR 24" CIRCULAR PIPE-3 LINES	1.000	EA
STRAIGHT HEADWALL FOR 30" CIRCULAR PIPE-1 LINE	2.000	EA
STRAIGHT HEADWALL FOR 30" CIRCULAR PIPE-2 LINES	3.000	EA
STRAIGHT HEADWALL FOR 42" CIRCULAR PIPE-3 LINES	1.000	EA
STRAIGHT HEADWALL FOR 48" CIRCULAR PIPE-2 LINES	2.000	EA
GROOVED SURFACE FINISH	2,531.000	SY
GRINDING AND TEXTURING CONCRETE BRIDGE DECK	66.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	2,143.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	1,973,727.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	41,494.000	LB
PRESTRESSED CONCRETE BULB TEE BEAM(54")	1,958.300	LF
CONCRETE BRIDGE BARRIER PARAPET	584.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	280.000	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	12.000	EA
PILE DRIVING SET-UP	66.000	EA
PREST. CONC. PILING (20"SQ.)	957.000	LF
PILE BUILD-UP PREPARATION (20"SQ)	4.000	EA
PREDRILLING FOR PREST. CONC. PILING (20"SQ.)	252.000	LF
PRESTRESSED INDEX PILING (20" SQUARE)	87.000	LF
PRESTRESSED PILE POINT (HP10X57)	384.000	LF
STEEL H BEARING PILING (HP14 X 73)	2,358.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	277.000	LF
DRILLED SHAFT SET-UP	9.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	678.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	468.000	LF
CONSTRUCTION CASING - 54" DIAMETER	468.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	84.000	LF
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	452.000	LF
30" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	344.000	LF
15" SMOOTH WALL PIPE	300.000	LF
18" SMOOTH WALL PIPE	30,884.000	LF
24" SMOOTH WALL PIPE	10,504.000	LF
30" SMOOTH WALL PIPE	5,112.000	LF
36" SMOOTH WALL PIPE	5,672.000	LF



Call No.: 010

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 7

Description	Quantity	Units
42" SMOOTH WALL PIPE	3,052.000	LF
48" SMOOTH WALL PIPE	2,480.000	LF
18"X15" SMOOTH WALL PIPE CUL.TEE	2.000	EA
18"X18" SMOOTH WALL PIPE CUL.TEE	5.000	EA
24"X18" SMOOTH WALL PIPE CUL.TEE	4.000	EA
30"X18" SMOOTH WALL PIPE CUL.TEE	3.000	EA
48"X18" SMOOTH WALL PIPE CUL.TEE	4.000	EA
CATCH BASIN -TYPE 1 CB - TYPE 1	42.000	EA
CATCH BASIN -TYPE 1 WITH STANDARD 5' X 5' BOX	2.000	EA
CATCH BASIN -TYPE 9	5.000	EA
CATCH BASIN -TYPE 16	242.000	EA
CATCH BASIN -TYPE 16B (6X6 BOX)	34.000	EA
CATCH BASIN -TYPE 17	2.000	EA
CATCH BASIN -TYPE 18	23.000	EA
DROP INLET (24" X 24")	57.000	EA
DROP INLET (24" X 36")	159.000	EA
DROP INLET (24" X 36") WITH STANDARD 5' X 5' BOX	1.000	EA
DROP INLET TYPE 112 WITH 4X4 BOX	0.000	EA
TRENCH DRAIN-4" INTERIOR DIMENSION	32.000	LF
MANHOLE	53.000	EA
MANHOLE WITH STANDARD 5' X 5' BOX	20.000	EA
MANHOLE WITH MODIFIED BOX NO.(____) 002	1.000	EA
PRECAST CONCRETE RISER - 48" DIAMETER	48.000	LF
PRECAST CONCRETE DRAINAGE BASE - 60" DIAMETER	9.000	EA
PRECAST CONCRETE DRAINAGE BASE - 72" DIAMETER	10.000	EA
PRECAST CONCRETE TRANSITION SECTION - FLAT SLAB (60" TO 48")	9.000	EA
PRECAST CONCRETE TRANSITION SECTION - FLAT SLAB (72" TO 48")	10.000	EA
EXTRA DEPTH OF BOX	360.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	2.000	EA
ADJUST CATCH BASIN	1.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
BEVELING OF PIPE END	119.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	38,998.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	16,500.000	SY
DETECTABLE WARNING MATERIAL	810.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	2,900.000	SY
CONCRETE MEDIAN	1,040.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,500.000	SY
SURFACE APPLIED DETECTABLE WARNING	232.000	SF
6'X 3' P.C. BOX CULVERT {AASHTO M-273} FH < 2 6' X 3'	172.000	LF
6'X 4' P.C. BOX CULVERT {AASHTO M-259} FH = 2	58.000	LF
ELASTOMERIC BEARING	56.000	EA



Call No.: 010

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 8

Description	Quantity	Units
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	8.000	EA
CROSSHOLE SONIC LOGGING SETUP	9.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	288.000	TON
12" PIPE SLOPE DRAIN	1,500.000	LF
RIP-RAP (CLASS B)	890.000	TON
RIP-RAP (CLASS C)	2,065.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	1,429.000	SY
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	1,550.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	4,723.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	100.000	LF
MT3 LEADING END TREATMENT TL3	14.000	EA
MB TRAILING END TREATMENT	12.000	EA
MGS3 GR STANDARD SHOULDER	3,700.000	LF
MGS2C GR BEHIND CURB	1,100.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	8.000	EA
NON-MOW STRIP UNDER GUARDRAIL	231.000	SY
PREMASH W-BEAM TIGHT CURVED SYSTEM	50.000	LF
WOVEN WIRE FENCE - TYPE 1 WITHOUT BARBED WIRE	600.000	LF
12' WIDE - CHAIN LINK FENCE GATE (48"HT)	1.000	EA
TEMPORARY BARRIER FENCE	2,500.000	LF
RESET FENCE	100.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS
MOVING ITEM NO. 017	1.000	LS
MOVING ITEM NO. 018	1.000	LS
MOVING ITEM NO. 019	1.000	LS
MOVING ITEM NO. 020	1.000	LS
MOVING ITEM NO. 021	1.000	LS



Call No.: 010

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 9

Description	Quantity	Units
MOVING ITEM NO. 022	1.000	LS
MOVING ITEM NO. 023	1.000	LS
MOVING ITEM NO. 024	1.000	LS
MOVING ITEM NO. 025	1.000	LS
MOVING ITEM NO. 026	1.000	LS
MOVING ITEM NO. 027	1.000	LS
MOVING ITEM NO. 028	1.000	LS
MOVING ITEM NO. 029	1.000	LS
MOVING ITEM NO. 030	1.000	LS
MOVING ITEM NO. 031	1.000	LS
MOVING ITEM NO. 032	1.000	LS
MOVING ITEM NO. 033	1.000	LS
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	4.000	EA
PROPERTY RIGHT OF WAY MARKER (REBAR & CAP)	231.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	64.000	ACRE
TEMPORARY COVER	128.000	ACRE
COMPOST	21,370.000	CY
FERTILIZER (NITROGEN)	6,400.000	LB
FERTILIZER (PHOSPHORIC ACID)	6,400.000	LB
FERTILIZER (POTASH)	6,400.000	LB
AGRICULTURAL GRANULAR LIME	128,000.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	384.000	ACRE
SODDING	10.000	MSY
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	38.500	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	1.913	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	228.784	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	180.980	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	128.000	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	4,408.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	2,551.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	3,422.000	LF
SILT FENCE	46,121.000	LF
REPLACE/REPAIR SILT FENCE	4,612.000	LF
FLOATING TURBIDITY BARRIER-LIGHT DUTY(8'DEPH)	300.000	LF
CLEANING SILT BASINS	4,232.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	11,530.000	LF
INLET FILTER CLEANING	525.000	EA
INLET STRUCTURE FILTER - TYPE D2	225.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	155.000	EA
SEDIMENT DAM RIPRAP	1,618.000	TON



Call No.: 010

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 10

Description	Quantity	Units
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	146.000	SY
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	155.000	TON
STABILIZED CONSTRUCTION ENTRANCE	6,600.000	SY



Call No.: 020 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0157820 **PCN:** P039849 **Project No.:** P039849
DBE Goal Percent: 0.00%
Approx. Length (miles):2.6000 **Description:** REHABILITATION - ABBEVILLE COUNTY
CO(S): Abbeville
Completion Date: 6/30/2021 **Funding:** CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
BORROW EXCAVATION	525.000	CY
MAINTENANCE STONE	45.750	TON
LIQUID ASPHALT BINDER PG64-22	189.872	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,825.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	9,560.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,990.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,403.140	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	400.493	TON
DRIVEWAY PAVING-SURFACE TYPE C	212.250	TON
DRIVEWAY PAVING-SURFACE TYPE D	122.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,418.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	8,040.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	382.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	30,740.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,020.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	256.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	23,876.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	174.000	EA
ADJUST MANHOLE	3.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.386	ACRE



Call No.: 030 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0286190 PCN: 0040695RD01 Project No.: SU02006

DBE Goal Percent: 9.00%

Approx. Length (miles):5.3160

Description: CORRIDOR IMPROVEMENT - SC 118
(HITCHCOCK PARKWAY)

CO(S): Aiken

Completion Date: 11/30/2022

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
LEVEL 3 - EARTH-BORNE VIBRATION MONITORING	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	615.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,192.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	179.000	CY
REMOVAL OF EXIST. GUARDRAIL	2,256.000	LF
UNCLASSIFIED EXCAVATION	29,437.000	CY
BORROW EXCAVATION	11,939.000	CY
BORROW EXCAVATION - (AASHTO TYPE A-1 SAND)	3,114.000	TON
MUCK EXCAVATION	600.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	424.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	88.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,208.000	LF
GEOTEXTILE, SEPARATION	4,132.800	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	10,471.500	SY
GEOGRID REINFORCEMENT (BIAXIAL)	9,092.100	SY
MONITORING DEVICE - SETTLEMENT PLATE	8.000	EA
STRUCTURE EXCAVATION FOR RETAINING WALL	1,406.000	CY



Call No.: 030

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
TEMPORARY SHORING WALL	1,974.000	LF
NO. 57 STONE FOR BACKFILL	189.000	TON
REINFORCED SOIL SLOPE	7,726.000	SF
FINE GRADING	49,300.000	SY
FLOWABLE FILL	151.000	CY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	11,579.800	SY
MAINTENANCE STONE	200.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	7,855.700	TON
PRIME COAT	3,360.000	GAL
LIQUID ASPHALT BINDER PG64-22	1,281.990	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,150.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	21,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,478.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,256.500	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	20,089.820	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,160.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	250.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,302.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	216.000	SF
DETOUR SIGNS	429.250	SF
BARRICADE - TYPE 3	168.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	12.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	12.000	EA
TEMPORARY CONCRETE BARRIER	3,595.000	LF
THREE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	1.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	32.000	EA
REMOVAL OF PAVEMENT MARKINGS(HIGH PRESSURE WATER)(ARROWS, WORDS, RR CROSSING SYMBOLS, TRIANGLE YIELD)(TRAFFIC CONTROL)	224.000	SF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	270.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,590.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,650.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	106,200.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	8,860.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,320.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	141.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	80.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	154,620.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	2,555.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,325.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	53,100.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	4,330.000	LF



Call No.: 030

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,160.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	67.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	37.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	77,310.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	180.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,060.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	377.170	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	72.670	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	45.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	57.750	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	6.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	20.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	898.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	29.330	LF
2.0" SCHEDULE 40 PVC CONDUIT	876.800	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	600.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	5,536.800	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	300.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	170.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	170.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	7,150.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	14,035.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	6,615.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	495.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	10,062.000	LF
FURNISH & INSTALL SELF SUPPORTING FIBER OPTIC CABLE - SINGLE	200.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	1.000	EA
SAWCUT FOR LOOP DETECTOR	4,115.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	6.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	53.000	EA
17"X30"X18"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	6.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	24.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,525.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	14.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	6.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	55.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	48.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	48.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	59.000	EA



Call No.: 030

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
INTEGRATION	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	6.000	EA
CONC. FOR STRUCTURES - CLASS 3000(ROADWAY)	10.000	CY
CONC. FOR STRUCTURES - CLASS 4000(RETAINING WALL)	524.200	CY
CONC. FOR STRUCTURES - CLASS 4000(ROADWAY)	173.000	CY
SPALL REPAIR	25.000	SF
CLEAN AND SEAL CULVERT JOINT	42.000	EA
STRAIGHT HEADWALL FOR 24" CIRCULAR PIPE-1 LINE	1.000	EA
COMPRESSION SEAL JOINT	580.000	LF
REINF. STEEL FOR STRUCTURES (ROADWAY)	37,887.000	LB
REINF. STEEL FOR STRUCTURES (RETAINING WALL)	64,703.000	LB
MECH. STAB.EARTH RETAINING WALL BACKFILL(STONE)	1,031.400	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) R	2,966.000	SF
COPING FOR MSE RETAINING WALL(ROADWAY)	310.000	LF
15" SMOOTH WALL PIPE	48.000	LF
18" SMOOTH WALL PIPE	1,964.000	LF
24" SMOOTH WALL PIPE	1,308.000	LF
30" SMOOTH WALL PIPE	68.000	LF
36" SMOOTH WALL PIPE	1,400.000	LF
42" SMOOTH WALL PIPE	76.000	LF
84" SMOOTH WALL PIPE	36.000	LF
LINE EXISTING 18" PIPE	96.000	LF
LINE EXISTING 30" PIPE	360.000	LF
LINE EXISTING 36" PIPE	360.000	LF
CLEANING EXISTING PIPE	1,030.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 9 MH	10.000	EA
CATCH BASIN -TYPE 16	12.000	EA
CATCH BASIN -TYPE 17	6.000	EA
CATCH BASIN -TYPE 18	4.000	EA
DROP INLET (24" X 24")	1.000	EA
DROP INLET (24" X 36")	1.000	EA
MANHOLE	19.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	4.000	EA
24" X 24" JUNCTION BOX	1.000	EA
36" X 36" JUNCTION BOX	1.000	EA
48" X 48" JUNCTION BOX	2.000	EA
EXTRA DEPTH OF BOX	100.000	LF
JUNCTION BOX - CONVERT CB T-16	1.000	EA
MANHOLE-CONVERT CATCH BASIN	2.000	EA



Call No.: 030

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
BEVELING OF PIPE END	50.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	25.000	LF
CONCRETE GUTTER-SPECIAL	10.000	LF
CONCRETE CURB AND GUTTER(1'-6") OGEE	100.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,620.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	630.000	SY
PEDESTRIAN RAMP RETROFIT	3.000	EA
CONCRETE SIDEWALK(6" UNIFORM)	110.000	SY
DETECTABLE WARNING MATERIAL	260.000	SF
CONCRETE MEDIAN	170.000	SY
CONCRETE DITCH PAVING	5,900.000	SY
PEDESTRIAN RAMP CONSTRUCTION	158.000	SY
SURFACE APPLIED DETECTABLE WARNING	439.000	SF
AGGR UNDERDRAIN(AGG#789)WITH 6"PERF.PIPE FOR STRU	148.800	TON
GEOTEXTILE FOR DRAINAGE FILTRATION (FABRIC PROTECTED)CLASS 1	689.800	SY
RIP-RAP (CLASS A)	320.000	TON
RIP-RAP (CLASS B)	1,520.000	TON
RIP-RAP (CLASS D)	1,200.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	3,190.000	SY
PVC COATED WIRE-ENCLOSED ROCK(GABION)	74.000	CY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,175.000	LF
MT3 LEADING END TREATMENT TL3	3.000	EA
MT2 LEADING END TREATMENT TL2	6.000	EA
MB TRAILING END TREATMENT	7.000	EA
MGS3 GR STANDARD SHOULDER	2,962.500	LF
MGS3CS GR COMPRESSED SHOULDER	987.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	3.000	EA
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	25.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	1.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	3.000	EA
PREMASH W-BEAM TIGHT CURVED SYSTEM	137.500	LF
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
TEMPORARY BARRIER FENCE	2,350.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	142.000	EA



Call No.: 030

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 6

Description	Quantity	Units
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	13.200	ACRE
TEMPORARY COVER	6.600	ACRE
FERTILIZER (NITROGEN)	1,320.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,320.000	LB
FERTILIZER (POTASH)	1,320.000	LB
AGRICULTURAL GRANULAR LIME	26,400.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	39.600	ACRE
SODDING	5.000	MSY
WATERPROOFING (SECOND METHOD)	243.300	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	2.400	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	1.500	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	30.800	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	6.700	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	6.300	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,620.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	990.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	6,160.000	LF
SILT FENCE	13,460.000	LF
REPLACE/REPAIR SILT FENCE	1,346.000	LF
CLEANING SILT BASINS	40.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	3,365.000	LF
INLET FILTER CLEANING	165.000	EA
INLET STRUCTURE FILTER - TYPE B	32.000	EA
INLET STRUCTURE FILTER - TYPE A	2,480.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	40.000	TON
STABILIZED CONSTRUCTION ENTRANCE	2,750.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 12"	300.000	LF
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 18"	120.000	LF
EXTENSION OF GOLF CART TUNNEL	1.000	LS
GOLF CART BRIDGE	1.000	LS

VOLUNTARY VIRTUAL PRE-BID CONFERENCE:

The Contractor is advised that a voluntary virtual Pre-Bid Conference will be held on Tuesday, September 22, 2020 at 10:00 am. See information below.



South Carolina Department of Transportation

11/2/2020

Call No.: 040 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0483980 PCN: 0041539RD01 Project No.: SU04002

DBE Goal Percent: 17.50%

Approx. Length (miles): 3.0980

Description: ENHANCEMENT - EAST/WEST PATH
(ANDERSON CO)

CO(S): Anderson

Completion Date: 6/30/2022

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 00	1.000	EA
SMALL PUBLIC SEWER RELOCATION NO. ____ 00	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
CLEARING & GRUBBING DITCHES	0.018	ACRE
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING JUNCTION BOX	1.000	EA
REMOVAL & DISPOSAL ITEMS 01	1.000	LS
REMOVAL & DISPOSAL ITEMS 02	1.000	LS
REMOVAL & DISPOSAL ITEMS 03	1.000	LS
REMOVAL & DISPOSAL ITEMS 04	1.000	LS
REMOVAL & DISPOSAL ITEMS 05	1.000	LS
REMOVAL & DISPOSAL ITEMS 06	1.000	LS
REMOVAL & DISPOSAL ITEMS 07	1.000	LS
REMOVAL & DISPOSAL ITEMS 08	1.000	LS
REMOVAL & DISPOSAL ITEMS 09	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	35.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	135.000	SY
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)X(____) 001	1.000	EA
UNCLASSIFIED EXCAVATION	10,722.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	100.000	LF
WET & DRY EXCAVATION FOR BRIDGES	3,881.000	CY
FLOWABLE FILL	100.000	CY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	8,605.770	SY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	2,480.000	SY
MAINTENANCE STONE	372.493	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	155.000	TON
PRIME COAT	3,104.016	GAL
LIQUID ASPHALT BINDER PG64-22	97.000	TON



Call No.: 040

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	2,776.719	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	53.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	275.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	249.971	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	983.172	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	696.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	80.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	102.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	710.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	353.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,082.860	LF
REMOVAL OF PAVEMENT MARKINGS	270.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	44.250	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	22.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	212.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	74.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,102.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,067.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	4.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	8.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	8.000	EA
CONC. FOR STRUCTURES - CLASS 3000(ROADWAY)	0.460	CY
CONC. FOR STRUCTURES - CLASS 3000 (RETAINING WALL)	15.300	CY
CONC. FOR STRUCTURES - CLASS 4000	378.400	CY
REINF. STEEL FOR STRUCTURES (RETAINING WALL)	1,338.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	72,116.700	LB
STEEL HANDRAIL	190.600	LF
ALUMINUM PIPE HANDRAILING	65.000	LF
18" RC PIPE CUL.-CLASS III	76.000	LF
15" SMOOTH WALL PIPE	40.150	LF
18" SMOOTH WALL PIPE	1,252.560	LF
24" SMOOTH WALL PIPE	224.400	LF
36" SMOOTH WALL PIPE	28.410	LF
CLEANING EXISTING PIPE	45.000	LF
CATCH BASIN -TYPE 9	5.000	EA
CATCH BASIN -TYPE 16	10.000	EA
CATCH BASIN -TYPE 18	1.000	EA



Call No.: 040

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
MANHOLE	7.000	EA
36" X 36" JUNCTION BOX	1.000	EA
EXTRA DEPTH OF BOX	8.000	LF
BEVELING OF PIPE END	5.000	EA
CONCRETE CURB (9" X 15")	45.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,370.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,295.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	5,135.000	SY
DETECTABLE WARNING MATERIAL	558.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	855.000	SY
PEDESTRIAN RAMP CONSTRUCTION	440.000	SY
AGGREGATE UNDERDRAIN (AGGR.NO. 789) FOR RETAINING WALL	177.000	CY
RIP-RAP (CLASS A)	320.000	TON
RIP-RAP (CLASS B)	125.000	TON
RIP-RAP (CLASS C)	2,780.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE D	1,603.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	147.000	SY
TEMPORARY BARRIER FENCE	500.000	LF
RESET FENCE	87.000	LF
MOVING ITEM NO. 01	1.000	LS
MOVING ITEM NO. 02	1.000	LS
MOVING ITEM NO. 03	1.000	LS
MOVING ITEM NO. 04	1.000	LS
MOVING ITEM NO. 05	1.000	LS
MOVING ITEM NO. 06	1.000	LS
MOVING ITEM NO. 07	1.000	LS
MOVING ITEM NO. 08	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	186.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.832	ACRE
TEMPORARY COVER	1.916	ACRE
FERTILIZER (NITROGEN)	383.200	LB
FERTILIZER (PHOSPHORIC ACID)	383.200	LB
FERTILIZER (POTASH)	383.200	LB
AGRICULTURAL GRANULAR LIME	7,664.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	11.496	ACRE
SODDING	1.063	MSY
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	92.600	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.431	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.220	MSY
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	100.000	LF



Call No.: 040

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
SEDIMENT TUBES FOR DITCH CHECKS	408.000	LF
SILT FENCE	14,688.000	LF
REPLACE/REPAIR SILT FENCE	1,469.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	3,672.000	LF
CLEANING INLET STRUCTURE FILTERS	21.000	EA
INLET STRUCTURE FILTER - TYPE D1	2.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	15.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 18)	1.000	EA
INLET STRUCTURE FILTER - TYPE A	54.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	25.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,650.000	SY
PREFABRICATED STEEL PEDESTRIAN BRIDGE	2.000	LS
REST AREA EQUIPMENT	4.000	EA
DESIGN, DETAIL, & CONSTRUCT CROSSING STRUCTURE	1.000	EA

VOLUNTARY VIRTUAL PRE-BID CONFERENCE:

The Contractor is advised that a voluntary virtual Pre-Bid Conference will be held on Tuesday, September 22, 2020 at 10:00 am. Conference attendance is not mandatory.

- Contractors can join the Pre-Bid Conference at the following link:

<https://scdot.webex.com/webappng/sites/scdot/meeting/download/749bd357886f434dbf83b16d2e9a1840?siteurl=scdot&MTID=mc87f77ae5ba9717761c9a9c82cae3169>

Meeting number (access code): 160 359 7469

Meeting password: dot!prebid

Contractors may also join the meeting via phone at the following number: 1-415-655-0001,
Access Code: 160 359 7469

Contractors who do not attend this Pre-Bid Conference will still be allowed to submit a Bid Proposal for this project.

For any questions or concerns regarding the Pre-Bid Conference, please contact SCDOT Project Manager Berry Mattox at 1-803-737-2776 or mattoxtb@scdot.org.



Call No.: 050 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1453580 **PCN:** P038242 **Project No.:** P038242
DBE Goal Percent: 0.00%
Approx. Length (miles):5.2900 **Description:** PRESERVATION - CLARENDON COUNTY
CO(S): Clarendon
Completion Date: 7/31/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	7.000	TON
LIQUID ASPHALT BINDER PG64-22	6.300	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	700.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	100.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	68,276.273	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	192.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	52.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	55,900.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	60.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	4,340.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	29,280.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	52.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	55,900.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	120.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	8,680.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	58,560.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	350.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	300.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	100.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	2.000	EA



Call No.: 060 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1456860 **PCN:** P029352B **Project No.:** P029352B
DBE Goal Percent: 0.00%
Approx. Length (miles):0.1290 **Description:** EMERGENCY REPAIR - S-315 GUNTER ROAD
CO(S): Clarendon POND DAM
Completion Date: 6/30/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	200.000	SY
UNCLASSIFIED EXCAVATION	57.000	CY
BORROW EXCAVATION	1,756.000	CY
MUCK EXCAVATION	963.000	CY
GEOTEXTILE, SEPARATION	2,621.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	2.000	EA
SETTLEMENT MONITORING	1.000	LS
GRANULAR BRIDGE LIFT MATERIAL	1,240.000	CY
FINE GRADING	880.000	SY
MAINTENANCE STONE	50.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	108.000	TON
LIQUID ASPHALT BINDER PG64-22	24.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	200.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	67.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	252.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	94.000	SF
DETOUR SIGNS	93.000	SF
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,400.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,400.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	9.000	EA
24" SMOOTH WALL PIPE	90.000	LF
CLEANING EXISTING PIPE	100.000	LF



Call No.: 060

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
BEVELING OF PIPE END	2.000	EA
RIP-RAP (CLASS B)	513.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	510.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	312.500	LF
NON-MOW STRIP UNDER GUARDRAIL	390.000	SY
TEMPORARY BARRIER FENCE	200.000	LF
RESET FENCE	200.000	LF
PERMANENT COVER	0.430	ACRE
TEMPORARY COVER	0.220	ACRE
FERTILIZER (NITROGEN)	43.000	LB
FERTILIZER (PHOSPHORIC ACID)	43.000	LB
FERTILIZER (POTASH)	43.000	LB
AGRICULTURAL GRANULAR LIME	860.000	LB
MOWING	1.300	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.560	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.090	ACRE
SILT FENCE	1,720.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 8"	57.000	LF



Call No.: 070 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1850870 PCN: P032088 Project No.: P032088

DBE Goal Percent: 12.00%

Approx. Length (miles): 1.2250

Description: SAFETY IMPROVEMENTS - SC 642

CO(S): Dorchester

Completion Date: 9/30/2021

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	1,660.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,237.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	23.000	CY
UNCLASSIFIED EXCAVATION	3,350.000	CY
BORROW EXCAVATION	5,859.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	16.000	CY
FLOWABLE FILL	10.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	165.000	TON
LIQUID ASPHALT BINDER PG64-22	190.000	TON
MILLING EXISTING ASPHALT PAVEMENT 1.75"	31,646.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	64.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,375.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	712.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	1.000	EA
TEMPORARY CONCRETE BARRIER	260.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	3,374.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	4,934.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	3,062.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	4,506.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	7,226.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 12"X18" WHITE TRIANGLE YIELD BAR	20.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	62.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	12.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	50.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	130.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	4.000	EA



Call No.: 070

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	5,440.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,554.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,467.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,253.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	10.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,613.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	31.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	25.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	6.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,508.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	82.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	4.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	68.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	22.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	8.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	109.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	120.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,615.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	30.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	440.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	440.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	3,490.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	13,300.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,740.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	8,180.000	LF
SAWCUT FOR LOOP DETECTOR	3,594.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	27.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	1.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	250.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	9.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	5.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	13.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	18.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	18.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	18.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
INSTALL FLUSH MOUNTED WIRELESS SENSOR	34.000	EA
REMOVE FLUSH MOUNTED WIRELESS SENSOR	34.000	EA
MECH. STAB.EARTH RETAINING WALL BACKFILL(GRANULAR)	201.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) R	857.000	SF



Call No.: 070

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
COPING FOR MSE RETAINING WALL(ROADWAY)	210.000	LF
15" SMOOTH WALL PIPE	30.000	LF
18" SMOOTH WALL PIPE	260.000	LF
CATCH BASIN -TYPE 16	2.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	2.000	EA
CONCRETE GUTTER-TYPE 5	44.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,406.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	132.000	SY
DETECTABLE WARNING MATERIAL	100.000	SF
CONCRETE MEDIAN	1,386.000	SY
PEDESTRIAN RAMP CONSTRUCTION	475.000	SY
SURFACE APPLIED DETECTABLE WARNING	80.000	SF
6" PIPE UNDERDRAIN	1,560.000	LF
ORNAMENTAL STEEL PICKET FENCE - 42"	210.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	6.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.200	ACRE
TEMPORARY COVER	0.400	ACRE
SELECT MATERIAL	96.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	0.575	ACRE
FERTILIZER (NITROGEN)	20.000	LB
FERTILIZER (PHOSPHORIC ACID)	20.000	LB
FERTILIZER (POTASH)	20.000	LB
AGRICULTURAL GRANULAR LIME	400.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	1.200	ACRE
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	0.119	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	324.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	24.000	LF
SILT FENCE	975.000	LF
CLEANING INLET STRUCTURE FILTERS	29.000	EA
INLET STRUCTURE FILTER - TYPE D2	1.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 080 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2257900 PCN: P037369 Project No.: P037369

DBE Goal Percent: 0.00%

Approx. Length (miles):9.2700

Description: SAFETY IMPROVEMENTS - US 701

CO(S): Georgetown

Completion Date: 6/30/2022

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	500.000	SY
UNCLASSIFIED EXCAVATION	575.000	CY
BORROW EXCAVATION	4,010.000	CY
EXCAVATION FOR SHOULDER PAVING	978.900	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	978.900	STA
MAINTENANCE STONE	100.000	TON
HMA SHOULDER WIDENING COURSE	13,052.000	TON
LIQUID ASPHALT BINDER PG64-22	1,783.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	6,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	130,521.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,500.000	SY
MILLED-IN RUMBLE STRIP	27.810	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	17,402.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	548.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,016.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	1,000.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	40,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	190,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	64,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,500.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	500.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	98,000.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	750.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	20,000.000	LF



Call No.: 080

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	18,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	750.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	650.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	2,520.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	2,520.000	LF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	126.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	84.000	LF
REFLECTIVE SIGN POST PANELS	84.000	LF
GUARDRAIL DELINEATOR - WHITE	200.000	EA
15" SMOOTH WALL PIPE	1,000.000	LF
18" SMOOTH WALL PIPE	1,000.000	LF
24" SMOOTH WALL PIPE	400.000	LF
CLEANING EXISTING PIPE	500.000	LF
BEVELING OF PIPE END	274.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	3,300.000	LF
MT3 LEADING END TREATMENT TL3	16.000	EA
MGS3 GR STANDARD SHOULDER	1,800.000	LF
MGS3CS GR COMPRESSED SHOULDER	700.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	8.700	ACRE
SILT FENCE	3,000.000	LF
REPLACE/REPAIR SILT FENCE	300.000	LF



Call No.: 090 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2653151 PCN: P030239 Project No.: P030239
DBE Goal Percent: 17.50%
Approx. Length (miles): 0.6920 Description: INTERSECTION IMPROVEMENT - SC 9/SC 410
CO(S): Horry
Completion Date: 10/31/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	4,313.000	SY
UNCLASSIFIED EXCAVATION	1,985.000	CY
BORROW EXCAVATION	12,700.000	CY
MUCK EXCAVATION	5,820.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	616.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	488.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	104.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	200.000	LF
42" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	192.000	LF
FINE GRADING	7,008.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	3,208.000	TON
LIQUID ASPHALT BINDER PG64-22	438.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,940.000	SY
MILLED-IN RUMBLE STRIP	0.610	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	809.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,673.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,854.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	276.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	6,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	16,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	31,200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	20,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	2,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	1,900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"YELLOW SOLID LINES	600.000	LF



Call No.: 090

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	200.000	LF
REMOVABLE PAINT WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT)	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	16.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,000.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,600.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	7,800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	650.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	475.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	50.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
WHITE U-TURN ARROW THERMO-125MIL	4.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,100.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	5,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	150.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	70.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	240.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	392.030	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	114.500	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	752.000	LF
GUARDRAIL DELINEATOR - WHITE	85.000	EA
18" SMOOTH WALL PIPE	616.000	LF
24" SMOOTH WALL PIPE	488.000	LF
30" SMOOTH WALL PIPE	104.000	LF
36" SMOOTH WALL PIPE	200.000	LF
42" SMOOTH WALL PIPE	192.000	LF
CATCH BASIN -TYPE 16	17.000	EA
DROP INLET (24" X 36")	1.000	EA
MANHOLE WITH STANDARD 5' X 5' BOX	2.000	EA
BEVELING OF PIPE END	5.000	EA
CONCRETE MEDIAN	3,932.000	SY
RIP-RAP (CLASS B)	163.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	210.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	625.000	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	1,200.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH W-BEAM MEDIUM SHOP BENT SYSTEM	137.500	LF
PREMASH TYPE T TL3 LEADING 50'	1.000	EA



Call No.: 090

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
TEMPORARY BARRIER FENCE	2,260.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	18.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.356	ACRE
TEMPORARY COVER	1.356	ACRE
FERTILIZER (NITROGEN)	136.000	LB
FERTILIZER (PHOSPHORIC ACID)	136.000	LB
FERTILIZER (POTASH)	136.000	LB
AGRICULTURAL GRANULAR LIME	2,713.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	4.069	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.594	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.391	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	286.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	286.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	620.000	LF
SILT FENCE	6,250.000	LF
REPLACE/REPAIR SILT FENCE	3,125.000	LF
CLEANING SILT BASINS	193.300	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	3,125.000	LF
CLEANING INLET STRUCTURE FILTERS	42.000	EA
INLET STRUCTURE FILTER - TYPE B	21.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	20.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 100 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2956520 **PCN:** P039467 **Project No.:** P039467
DBE Goal Percent: 2.50%
Approx. Length (miles):5.3400 **Description:** PRESERVATION - S-28 (FROM US 521 TO SC 200)
CO(S): Lancaster
Completion Date: 8/31/2021 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	6.000	CY
UNCLASSIFIED EXCAVATION	534.000	CY
BORROW EXCAVATION	910.000	CY
STATION GRADING	125.670	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	78,341.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,252.000	TON
MAINTENANCE STONE	145.000	TON
LIQUID ASPHALT BINDER PG64-22	701.995	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,700.000	SY
MILLED-IN RUMBLE STRIP	10.680	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,800.880	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	3,759.360	TON
DRIVEWAY PAVING-SURFACE TYPE C	826.375	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	78,341.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	720.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	560.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	225,566.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	914.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,240.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	218,920.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	410.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	56,410.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	377.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,240.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	49,790.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	365.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	10.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	370.000	LF



Call No.: 100

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
SAWCUT FOR LOOP DETECTOR	140.000	LF
15" SMOOTH WALL PIPE	700.000	LF
18" SMOOTH WALL PIPE	112.000	LF
24" SMOOTH WALL PIPE	24.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	7.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	1.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.890	ACRE



Call No.: 110 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3050040 **PCN:** P030911 **Project No.:** P030911
DBE Goal Percent: 17.50%
Approx. Length (miles):0.3030 **Description:** ENHANCEMENT - S-13 LAURENS CO
CO(S): Laurens
Completion Date: 6/30/2021 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	178.000	SY
SITE EXCAVATION	1.000	LS
MAINTENANCE STONE	50.000	TON
LIQUID ASPHALT BINDER PG64-22	5.500	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	75.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	256.000	SF
15" SMOOTH WALL PIPE	76.000	LF
18" SMOOTH WALL PIPE	1,140.000	LF
24" SMOOTH WALL PIPE	40.000	LF
CATCH BASIN -TYPE 16	9.000	EA
DROP INLET (24" X 36")	2.000	EA
TRENCH DRAIN-4" INTERIOR DIMENSION WITH 2.0' CURB & GUTTER	100.000	LF
MANHOLE	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,478.400	LF
CONCRETE SIDEWALK(4" UNIFORM)	795.833	SY
DETECTABLE WARNING MATERIAL	12.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	85.278	SY
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
RIP-RAP (CLASS A)	48.000	TON
RIP-RAP (CLASS B)	77.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	162.000	SY
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	4.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT GRASSING FOR SMALL PROJECTS	0.500	ACRE
SODDING	2.000	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.121	MSY



Call No.: 110

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	54.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	54.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	100.000	LF
SILT FENCE	309.866	LF
REPLACE/REPAIR SILT FENCE	50.000	LF
SILT BASINS	150.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	50.000	LF
DITCH CHECK	10.000	TON
CLEANING INLET STRUCTURE FILTERS	45.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	20.000	TON
STABILIZED CONSTRUCTION ENTRANCE	270.000	SY



Call No.: 120 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3254390 **PCN:** P029661 **Project No.:** P029661
DBE Goal Percent: 4.50%
Approx. Length (miles):0.5420 **Description:** INTERSECTION IMPROVEMENTS - S-485 AND S-408
CO(S): Lexington
Completion Date: 7/31/2021 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
SMALL PUBLIC SEWER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,236.000	SY
UNCLASSIFIED EXCAVATION	4,710.000	CY
BORROW EXCAVATION	6,600.000	CY
FINE GRADING	8,130.000	SY
FLOWABLE FILL	2.600	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,476.000	TON
LIQUID ASPHALT BINDER PG64-22	275.000	TON
MILLED-IN RUMBLE STRIP	0.936	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	786.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	805.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,341.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	268.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	416.000	SF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4" PERM. YEL.	24.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	430.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	15,180.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	13,620.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	300.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,439.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,941.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	160.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	16.000	EA



Call No.: 120

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,525.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	62.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	22.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	30.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	4.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	30.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	186.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	827.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,334.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,750.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	940.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,282.000	LF
SAWCUT FOR LOOP DETECTOR	1,064.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	451.000	LF
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	9.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	12.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
18" SMOOTH WALL PIPE	426.000	LF
CLEANING EXISTING PIPE	35.000	LF
CATCH BASIN -TYPE 9	1.000	EA
MANHOLE	2.000	EA
BEVELING OF PIPE END	4.000	EA
RIP-RAP (CLASS A)	50.000	TON
RIP-RAP (CLASS B)	47.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	96.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	40.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.754	ACRE
TEMPORARY COVER	2.754	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	5.508	ACRE
FERTILIZER (NITROGEN)	275.000	LB
FERTILIZER (PHOSPHORIC ACID)	275.000	LB
FERTILIZER (POTASH)	275.000	LB



Call No.: 120

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
AGRICULTURAL GRANULAR LIME	5,508.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	11.016	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.717	MSY
SEDIMENT TUBES FOR DITCH CHECKS	384.000	LF
SILT FENCE	1,050.000	LF
FLOATING TURBIDITY BARRIER-LIGHT DUTY(6'DEPH)	100.000	LF
CLEANING SILT BASINS	25.000	CY
INLET FILTER CLEANING	1.000	EA
INLET STRUCTURE FILTER - TYPE A	10.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	10.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 130 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3257790 **PCN:** P040055 **Project No.:** P040055
DBE Goal Percent: 0.00% **PCN:** P040057 **Project No.:** P040057
Approx. Length (miles):3.5300 **Description:** PRESERVATION - LEXINGTON COUNTY
CO(S): Lexington
Completion Date: 7/31/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	925.000	SY
MAINTENANCE STONE	8.500	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	350.000	SY
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	13.100	LaMi
MICRO SURFACING SURFACE COURSE	109,250.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	798.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	22,950.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	20,630.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	76,800.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	9,510.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	3,000.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,300.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	44.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	38.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	16.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	13,800.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	124,280.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	300.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,650.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	450.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	25,600.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,120.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	1,000.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	22.000	EA



Call No.: 130

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	19.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	8.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,600.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	35,000.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	420.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	963.000	EA
REMOVAL OF ALL PAVEMENT MARKINGS	14.920	LM
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	9,640.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	75.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)SC HYBRIDIZED POLYMER- 20MIL 002	18.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	150.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2.000	EA
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	9,640.000	LF
DETECTABLE WARNING MATERIAL	462.500	SF
PEDESTRIAN RAMP CONSTRUCTION	925.000	SY



Call No.: 140 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3357600 PCN: P039592 Project No.: P039592
DBE Goal Percent: 0.00%
Approx. Length (miles): 1.3400 Description: REHABILITATION - MCCORMICK COUNTY
CO(S): McCormick
Completion Date: 6/30/2021 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	268.000	CY
MAINTENANCE STONE	9.750	TON
LIQUID ASPHALT BINDER PG64-22	91.662	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	775.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	700.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,356.700	TON
DRIVEWAY PAVING-SURFACE TYPE C	171.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	466.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	28,710.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	116.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	28,710.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	14,355.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	58.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	14,355.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	15.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.310	ACRE



Call No.: 150 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3657650	PCN: P039813	Project No.: P039813
DBE Goal Percent: 0.00%	PCN: P039814	Project No.: P039814
	PCN: P039815	Project No.: P039815
	PCN: P040073	Project No.: P040073

Approx. Length (miles):3.2100 **Description:** REHABILITATION/RECONSTRUCTION - NEWBERRY COUNTY
CO(S): Newberry

Completion Date: 7/31/2021 **Funding:** CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	75.000	SY
BORROW EXCAVATION	853.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	5,455.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	25,505.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,136.000	TON
MAINTENANCE STONE	111.000	TON
LIQUID ASPHALT BINDER PG64-22	185.335	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	940.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	1,375.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,000.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	137.500	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,648.000	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	8,085.000	SY
DRIVEWAY PAVING-SURFACE TYPE C	154.500	TON
DRIVEWAY PAVING-SURFACE TYPE D	168.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,782.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	330.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	65,790.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	733.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,460.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	76,830.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	110.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	22,070.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	295.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	820.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	27,055.000	LF



Call No.: 150

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	211.000	EA
CATCH BASIN -TYPE 16	2.000	EA
ADJUST MANHOLE	1.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
DETECTABLE WARNING MATERIAL	37.500	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
SURFACE APPLIED DETECTABLE WARNING	100.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.778	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	120.000	LF
SILT FENCE	5,000.000	LF
REPLACE/REPAIR SILT FENCE	500.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,225.000	LF



Call No.: 160 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4056870 PCN: P039650 Project No.: P039650

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.8100

Description: REHABILITATION - S-55 RICHLAND CO.

CO(S): Richland

Completion Date: 7/31/2021

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	30.000	CY
BORROW EXCAVATION	362.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	27,560.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	992.000	TON
LIQUID ASPHALT BINDER PG64-22	170.568	TON
MILLING EXISTING ASPHALT PAVEMENT 1.75"	720.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,200.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,519.920	TON
DRIVEWAY PAVING-SURFACE TYPE C	322.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	374.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	940.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	78,200.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	540.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,260.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,120.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	56,400.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	200.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	145.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	235.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	19,550.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	135.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	315.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	780.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	14,100.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.764	ACRE



Call No.: 170 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4157880 PCN: P039862 Project No.: P039862

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.9000

Description: REHABILITATION - SALUDA COUNTY

CO(S): Saluda

Completion Date: 6/30/2021

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	380.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	25,638.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	872.000	TON
LIQUID ASPHALT BINDER PG64-22	131.369	TON
MILLED-IN RUMBLE STRIP	3.800	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,189.483	TON
DRIVEWAY PAVING-SURFACE TYPE C	136.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	246.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	60,192.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	180.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,830.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	42,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	20,064.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	60.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,610.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	14,000.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	126.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.842	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	300.000	LF
SILT FENCE	2,500.000	LF
REPLACE/REPAIR SILT FENCE	250.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	625.000	LF



Call No.: 180 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4357780 PCN: P040058 Project No.: P040058

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.4300

Description: PRESERVATION - SUMTER COUNTY

CO(S): Sumter

Completion Date: 6/30/2021

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	1.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
MICRO SURFACING SURFACE COURSE	57,600.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	372.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	12,600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	17,130.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	525.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	30.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	30.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	12,600.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	51,000.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	250.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	5,710.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	800.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	175.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	17,000.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	205.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	410.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	410.000	EA
REMOVAL OF ALL PAVEMENT MARKINGS	7.150	LM



Call No.: 190 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4689670 PCN: P028384 Project No.: P028384

DBE Goal Percent: 10.50%

Approx. Length (miles):0.5920

Description: BRIDGE REPLACEMENT - SC 72 (STONY FORK)

CO(S): York

Completion Date: 6/30/2022

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	6,110.000	SY
REMOVAL OF EXIST. GUARDRAIL	534.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	10,120.000	CY
BORROW EXCAVATION	15,911.000	CY
BORROW PIT SET-UP	1.000	LS
FINE GRADING	9,584.000	SY
MAINTENANCE STONE	325.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	5,000.000	TON
LIQUID ASPHALT BINDER PG64-22	441.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,255.000	SY
MILLED-IN RUMBLE STRIP	1.160	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,650.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,260.000	TON
DRIVEWAY PAVING-SURFACE TYPE C NON-RESURFACING PROJECT	159.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	208.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	60.000	SF
BARRICADE - TYPE 3	36.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	2.000	EA
TEMPORARY CONCRETE BARRIER	1,766.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	84.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	1.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	80.000	EA



Call No.: 190

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	90.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	6,115.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	70.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	544.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,254.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	157.260	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	39.920	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	354.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	10.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	764.000	LF
CONC. FOR STRUCTURES - CLASS 4000	476.400	CY
GROOVED SURFACE FINISH	715.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	114,892.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	3,617.000	LB
PRESTRESSED CONC. BEAM (TYPE II)	882.200	LF
CONCRETE BRIDGE BARRIER PARAPET	316.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
PILE DRIVING SET-UP	12.000	EA
REINF. PILE TIPS (HP14 X 73)	12.000	EA
STEEL H BEARING PILING (HP14 X 73)	165.000	LF
DRILLED SHAFT SET-UP	6.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 42" DIAMETER	18.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	87.000	LF
CONSTRUCTION CASING - 48" DIAMETER	87.000	LF
18" SMOOTH WALL PIPE	460.000	LF
24" SMOOTH WALL PIPE	192.000	LF
DROP INLET (24" X 36")	1.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
BEVELING OF PIPE END	18.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	152.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	132.000	LF
ELASTOMERIC BEARING	36.000	EA
CROSSHOLE SONIC LOGGING SETUP	6.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	160.000	TON
12" PIPE SLOPE DRAIN	200.000	LF
RIP-RAP (CLASS B)	1,200.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	1,031.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	1,350.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA



Call No.: 190

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
TEMPORARY BARRIER FENCE	320.000	LF
RESET FENCE	1,300.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	36.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	5.930	ACRE
TEMPORARY COVER	10.000	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	10.000	ACRE
FERTILIZER (NITROGEN)	593.000	LB
FERTILIZER (PHOSPHORIC ACID)	593.000	LB
FERTILIZER (POTASH)	593.000	LB
AGRICULTURAL GRANULAR LIME	11,860.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	17.790	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	30.200	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	9.850	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	6.000	ACRE
SILT FENCE	6,535.000	LF
REPLACE/REPAIR SILT FENCE	654.000	LF
CLEANING SILT BASINS	300.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,634.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	250.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,067.000	SY



Call No.: 200 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5157680	PCN: P040052	Project No.: P040052
DBE Goal Percent: 0.00%	PCN: P040053	Project No.: P040053
	PCN: P040054	Project No.: P040054

Approx. Length (miles):7.0500 **Description:** PRESERVATION - DISTRICT 1
CO(S): Kershaw Lee Sumter
Completion Date: 7/31/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	316.000	CY
EXCAVATION FOR SHOULDER PAVING	166.848	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	166.848	STA
MAINTENANCE STONE	9.500	TON
HMA SHOULDER WIDENING COURSE	834.240	TON
LIQUID ASPHALT BINDER PG64-22	50.217	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	950.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	135.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	90,000.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	565.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	470.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	166,060.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	493.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	18,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	152,280.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	235.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	74,690.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	224.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	67,800.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	485.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.532	ACRE



Call No.: 210 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5256340	PCN: P039774	Project No.: P039774
DBE Goal Percent: 0.00%	PCN: P039780	Project No.: P039780
	PCN: P039782	Project No.: P039782
	PCN: P039787	Project No.: P039787
	PCN: P039788	Project No.: P039788
	PCN: P039829	Project No.: P039829
	PCN: P039840	Project No.: P039840

Approx. Length (miles): 13.4200 **Description:** PRESERVATION - DISTRICT 2
CO(S): Abbeville Anderson
Greenwood Laurens
McCormick Saluda

Completion Date: 8/31/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
BORROW EXCAVATION	195.000	CY
MAINTENANCE STONE	68.800	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,405.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,575.000	SY
MICRO SURFACING SURFACE COURSE	237,900.730	SY
MICRO SURFACING LEVELING	230.000	TON
FULL DEPTH CONCRETE PAVEMENT PATCH - 8"	10.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,938.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	27,577.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	266,480.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,595.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,098.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	32.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	13,140.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	357,650.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,894.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	122,725.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	955.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	788.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	9.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA



Call No.: 210

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,610.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	134,625.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	491.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	236.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,075.000	EA
REMOVAL OF ALL PAVEMENT MARKINGS	32.424	LM
ADJUST DROP INLET ADJUST D. I.	1.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.027	ACRE



Call No.: 220 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5692240

PCN: 0030285X

Project No.: NC08001

DBE Goal Percent: 12.00%

Approx. Length (miles):2.5820

Description: INTERSECTION IMPROVEMENTS - S-732

CO(S): Berkeley Charleston

Completion Date: 10/31/2022

Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 69.0 (Period ending on September 30, 2020)**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	167.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	195.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,560.000	SY
UNCLASSIFIED EXCAVATION	15,220.000	CY
BORROW EXCAVATION	61,989.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	11,162.000	CY
108" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	256.000	LF
GEOTEXTILE, SEPARATION	489.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	2,508.000	SY
GEOGRID STABILIZATION	13,062.500	SY
GEOTEXTILE SOIL REINFORCEMENT	550.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	7.000	EA
WET & DRY EXCAVATION FOR BRIDGES	60.000	CY
COFFERDAM	2.000	EA
TEMPORARY SHORING WALL	60.000	LF
TEMPORARY SHEET PILING	80.000	LF
NO. 57 STONE FOR BACKFILL	5,627.000	TON
GRANULAR BRIDGE LIFT MATERIAL	11,162.000	CY
FINE GRADING	20,888.000	SY
FLOWABLE FILL	34.000	CY
MAINTENANCE STONE	50.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	500.000	SY



Call No.: 220

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	100.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	5,875.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,796.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	83.000	TON
DRIVEWAY PAVING-SURFACE TYPE B	220.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	300.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	95.000	SF
BARRICADE - TYPE 3	84.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	12.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	2,400.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	39,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	39,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	36.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	36.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	30.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	775.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	775.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	11.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	21,200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	210.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	884.000	LF
CONC. FOR STRUCTURES - CLASS 4000	689.400	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	52.700	CY
GROOVED SURFACE FINISH	459.000	SY
PRECAST CONCRETE APPROACH SLAB	1,490.000	SF
REINF. STEEL FOR STRUCTURES (ROADWAY)	7,766.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	171,754.000	LB
CONCRETE BRIDGE RAILING WALL WITH WINDOW INDENTATIONS	440.000	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	12.000	EA
PILE DRIVING SET-UP	36.000	EA



Call No.: 220

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
PREST. CONC. PILING (24"SQ.)	1,716.000	LF
PILE BUILD-UP PREPARATION (24"SQ)	6.000	EA
PRESTRESSED PILE POINT (HP12X74)	576.000	LF
18" RC PIPE CUL.-CLASS IV	128.500	LF
24" RC PIPE CUL.-CLASS IV	131.740	LF
108" RC PIPE CUL.-CLASS III - AASHTO M315 JOINT	56.000	LF
18" SMOOTH WALL PIPE	2,429.400	LF
24" SMOOTH WALL PIPE	6,762.930	LF
30" SMOOTH WALL PIPE	165.680	LF
36" SMOOTH WALL PIPE	1,492.240	LF
42" SMOOTH WALL PIPE	1,515.000	LF
48" SMOOTH WALL PIPE	16.520	LF
CATCH BASIN -TYPE 16	75.000	EA
CATCH BASIN -TYPE 16 WITH MODIFIED BOX NO.(____) 001	11.000	EA
CATCH BASIN -TYPE 16 WITH MODIFIED BOX NO.(____) 002	2.000	EA
CATCH BASIN -TYPE 18	6.000	EA
DROP INLET (24" X 24")	2.000	EA
DROP INLET (24" X 36")	4.000	EA
MANHOLE	2.000	EA
MANUFACTURED STORMWATER TREATMENT DEVICE (MTD) TYPE 1	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	12,387.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	3,740.000	SY
DETECTABLE WARNING MATERIAL	200.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	150.000	SY
CONCRETE MEDIAN	276.000	SY
PEDESTRIAN RAMP CONSTRUCTION	400.000	SY
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	6.000	EA
RIP-RAP (CLASS B)	324.000	TON
RIP-RAP (CLASS C)	280.000	TON
RIP-RAP (CLASS D)	521.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	490.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	255.000	SY
MT3 LEADING END TREATMENT TL3	10.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3CS GR COMPRESSED SHOULDER	2,675.000	LF
MGS2C GR BEHIND CURB	4,787.500	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
BRIDGE FENCE	1.000	LS
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE	7,902.000	LF
TEMPORARY BARRIER FENCE	14,000.000	LF
RESET CHAIN-LINK FENCE	455.000	LF
MOVING ITEM NO. 006	1.000	LS



Call No.: 220

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
MOVING ITEM NO. 01	1.000	LS
MOVING ITEM NO. 02	1.000	LS
MOVING ITEM NO. 03	1.000	LS
MOVING ITEM NO. 04	1.000	LS
MOVING ITEM NO. 05	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	40.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.954	ACRE
TEMPORARY COVER	1.977	ACRE
FERTILIZER (NITROGEN)	3,954.000	LB
FERTILIZER (PHOSPHORIC ACID)	3,954.000	LB
FERTILIZER (POTASH)	3,954.000	LB
AGRICULTURAL GRANULAR LIME	506.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	11.862	ACRE
SODDING	0.170	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	8.217	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	23.724	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,364.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,364.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	440.000	LF
SILT FENCE	14,043.000	LF
REPLACE/REPAIR SILT FENCE	1,404.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	3,511.000	LF
CLEANING INLET STRUCTURE FILTERS	490.000	EA
INLET STRUCTURE FILTER - TYPE D2	4.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	25.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
LINE EXISTING 108" PIPE	96.000	LF
RESTRAINT FOR EXISTING BELL JOINTS	39.000	EACH
HOT MIX ASPHALT BASE COURSE - TYPE A	6,919.000	TON
LIQUID ASPHALT BINDER PG64-22	740.000	TON
GRADED AGGREGATE BASE COURSE (10" UNIFORM)	22,610.000	SY
PRIME COAT	6,105.000	GAL
LIQUID ASPHALT BINDER PG64-22	429.000	TON

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Interim Contract Administrator