

REVISED: Change to the Notice to Contractors for December 11, 2018

SC File No. 0808120 Call No. 010

The mandatory Pre-Bid Conference Scheduled for November 13, 2018 has been CANCELED

SOUTH CAROLINA  
DEPARTMENT OF TRANSPORTATION  
NOTICE TO CONTRACTORS  
FOR  
REGULAR HIGHWAY LETTING  
December 11, 2018

Letting Location:  
SCDOT Headquarters Building  
Conference Room 331  
955 Park Street  
Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet. Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

The following items will be made available on November 11, 2018 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website
- Hardcopy plans & proposals will be printed upon request only via Engineering Publications
  - o Located in room G23 SCDOT Headquarters
  - o Phone (803)737-4533/ Fax (803)737-4530 Call ahead for pickup orders
  - o Cash, check, money order, VISA/MC accepted (Payable to SCDOT. No refunds)

Access the Construction Extranet for the following items:

- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates

Contractors are encouraged to utilize the Extranet Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password. See link for details [http://www.scdot.org/doing/constructionletting\\_extranet.aspx](http://www.scdot.org/doing/constructionletting_extranet.aspx).

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

The SCDOT Standard Drawings are available for download at <http://www.scdot.org/doing/road.aspx>

Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.



Call No.: 010

Page: 1

SC File NO(S): 0808120	PCN: P027077	Project No.: P027077
Letting Date: December 11, 2018	CO(S): Berkeley	DBE Goal Percent: 4.50%
Letting Time: 02:00 PM		Cost of Road Plans: \$257.00
Description: S-16 (JEDBURG RD) INTERCHANGE IMPROVEMENTS		Cost of BridgePlans: \$64.00
		Cost of X-Sections: \$120.00
		Cost of Proposal: \$15.00
Completion Date: 11/30/2021		Approx. Length (miles): 6.3350

**CANCELED \*\*\* CANCELED \*\* CANCELED**

The Contractor is advised that all Bidders on this project are required to attend a Pre-Bid Conference to be held at 10:00 am, on Tuesday November 13, 2018. The Pre Bid Conference will be held in the District 6 office, The Large Conference Room at 6355 Fain Blvd, North Charleston, SC. Contractors who do not attend this Pre Bid Conference will not be allowed to submit a Bid Proposal for this project.

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING DROP INLET	2.000	EA
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	31,250.000	SY
REMOVAL OF EXIST. GUARDRAIL	6,028.000	LF
REMOVAL & DISPOSAL OF CABLE BARRIER	17,795.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
CULVERT EXTENSION PREPARATION	1.000	EA
UNCLASSIFIED EXCAVATION	141,334.000	CY
BORROW EXCAVATION	221,726.800	CY
BORROW EXCAVATION - LIGHTWEIGHT BORROW EXCAVATION	18,590.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	52,662.000	CY
GEOTEXTILE, SEPARATION	14,286.000	SY
GEOTEXTILE, STABILIZATION	11,286.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	1,070.000	SY
GEOGRID SEPARATION	11,286.000	SY
GEOGRID STABILIZATION	11,286.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	8.000	EA
STRUCTURE EXCAVATION FOR CULVERTS	38.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	9,840.000	CY
TEMPORARY SHORING WALL	481.000	LF
NO. 57 STONE FOR BACKFILL	8,548.000	TON



Call No.: 010

Page: 2

Description	Quantity	Units
STONE BRIDGE LIFT MATERIAL	33,522.000	TON
GRANULAR BRIDGE LIFT MATERIAL	24,831.000	CY
FINE GRADING	144,737.000	SY
FLOWABLE FILL	1,040.700	CY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	173,598.900	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	173,598.900	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	7,813.000	TON
MAINTENANCE STONE	194.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	32,910.000	TON
LIQUID ASPHALT BINDER PG64-22	4,303.950	TON
LIQUID ASPHALT BINDER PG76-22	2,546.250	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,845.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	146,988.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,722.000	SY
MILLED-IN RUMBLE STRIP	13.400	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	22,376.550	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	5,088.300	TON
HOT MIX ASPHALT SURFACE COURSE TYPE A	31,127.250	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	19,450.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	5,445.300	TON
OPEN-GRADED FRICTION COURSE	15,228.150	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,562.500	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	240.000	SF
TEMPORARY CONCRETE BARRIER	40,755.000	LF
BARRICADE - TYPE 3	240.000	LF
TRUCK MOUNTED ATTENUATOR	2.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH)	6.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 70MPH	8.000	EA
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	2.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	4.000	EA
PAVEMENT MARKINGS (TEMPORARY PAINT) 12"X18" WHITE TRIANGLE YIELD BAR	24.000	LF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	1,083.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	343.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	505.000	EA
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	280.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	489.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	20,170.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	21,055.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	79,233.000	LF



Call No.: 010

Page: 3

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	343.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	2.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	28,978.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	79,263.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,735.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	20,774.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,440.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	60,647.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,912.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	2,483.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	53.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,227.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	28.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	27.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	7.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	20,230.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	44,948.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	14.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	25.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	117.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	375.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	1,021.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM. 60MIL 3" BLACK SOLID	275.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	208.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	550.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	545.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	475.260	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	136.500	SF
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	1,005.500	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	2,362.750	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	1,183.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	100.200	LF
BREAK-AWAY SIGN SUPPORTS	7,337.000	LB
REMOVAL OF I-BEAM SUPPORTS	14.000	EA
SQUARE TUBING POST 14 GAUGE - 2" X 2" X 8	5.000	LF
SQUARE TUBING POST 14 GAUGE - 2 1/4" X 2 1/4" X 8	31.000	LF
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	133.000	EA
DELINEATORS, DOUBLE, MONO., INCL. SUPPORTS	57.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 001	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 002	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 003	1.000	EA



Call No.: 010

Page: 4

Description	Quantity	Units
OVERHEAD SIGN STRUCTURE NO.(____) 004	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 005	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 006	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 007	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 008	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 009	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 010	1.000	EA
OVERHEAD SPANWIRE STRUCTURE NO.(____) 011	1.000	EA
OVERHEAD SPANWIRE STRUCTURE NO.(____) 012	1.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	305.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	3,322.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	95.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	600.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,325.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	3,900.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,225.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,750.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	1,300.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	2.000	EA
SAWCUT FOR LOOP DETECTOR	1,150.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	21.000	EA
F&I-17"X30"X26"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	6.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	950.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	12.000	EA
FURNISH & INSTALL ALUMINUM PEDESTAL POLE CONCRETE FOUNDATION	12.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 012	2.000	EA
FURNISH & INSTALL 2070L CONTROLLER UNIT IN EXISTING CABINET	2.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 013	12.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	12.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	12.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	14.000	EA
CONC. FOR STRUCTURES - CLASS 4000	1,569.800	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	11.900	CY
CLEAN AND SEAL CULVERT JOINT	8.000	EA
COMPRESSION SEAL JOINT	202.000	LF
GROOVED SURFACE FINISH	2,198.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	2,023.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	512,472.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	39,008.000	LB



Call No.: 010

Page: 5

Description	Quantity	Units
PRESTRESSED CONCRETE BULB TEE BEAM(72" MODIFIED)	2,311.200	LF
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	547.600	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	4.000	EA
PILE DRIVING SET-UP	92.000	EA
STEEL H BEARING PILING (HP14 X 102)	6,796.000	LF
STEEL H BEARING INDEX PILING (HP14X 102)	151.000	LF
DRILLED SHAFT SET-UP	6.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 78" DIAMETER	384.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 84" DIAMETER	138.000	LF
CONSTRUCTION CASING - 84" DIAMETER	150.000	LF
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	5,900.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	518.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	122.000	LF
18" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,137.000	LF
24" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	330.000	LF
36" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,150.000	LF
18" SMOOTH WALL PIPE	6,066.000	LF
24" SMOOTH WALL PIPE	831.000	LF
30" SMOOTH WALL PIPE	348.000	LF
36" SMOOTH WALL PIPE	2,002.000	LF
42" SMOOTH WALL PIPE	314.000	LF
CLEANING EXISTING PIPE	7,147.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 16	48.000	EA
CATCH BASIN -TYPE 18	8.000	EA
DROP INLET (24" X 36") WITH STANDARD 4' X 4' BOX	2.000	EA
DROP INLET TYPE 112	15.000	EA
MANHOLE	28.000	EA
48" X 48" JUNCTION BOX	16.000	EA
60" X 60" JUNCTION BOX	8.000	EA
72" X 156" JUNCTION BOX	1.000	EA
PRECAST CONCRETE RISER - 48" DIAMETER	11.000	LF
PRECAST CONCRETE DRAINAGE BASE - 60" DIAMETER	1.000	EA
PRECAST CONCRETE TRANSITION SECTION - FLAT SLAB (60" TO 48")	1.000	EA
EXTRA DEPTH OF BOX	23.990	LF
ADJUST DROP INLET ADJUST D. I.	2.000	EA
JUNCTION BOX - CONVERT CB T-12	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	11,990.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	5,264.000	SY
DETECTABLE WARNING MATERIAL	420.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	178.000	SY
CONCRETE MEDIAN	2,145.000	SY



Call No.: 010

Page: 6

Description	Quantity	Units
PEDESTRIAN RAMP CONSTRUCTION	317.000	SY
ELASTOMERIC BEARING	40.000	EA
CROSSHOLE SONIC LOGGING SETUP	6.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	596.000	TON
AGGREGATE UNDERDRAIN (AGGR.NO. 57)	50.000	CY
4" PERFORATED PIPE UNDERDRAIN	325.000	LF
10" PERFORATED PIPE UNDERDRAIN	325.000	LF
RIP-RAP (CLASS A)	341.000	TON
RIP-RAP (CLASS B)	118.000	TON
RIP-RAP (CLASS C)	1,037.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	860.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	586.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	836.000	SY
MT3 LEADING END TREATMENT TL3	17.000	EA
MEDIAN CABLE BARRIER	18,064.000	LF
MB TRAILING END TREATMENT	13.000	EA
MGS3 GR STANDARD SHOULDER	7,475.000	LF
MGS2C GR BEHIND CURB	900.000	LF
CABLE BARRIER END ANCHOR	22.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	5,069.000	SY
WOVEN WIRE FENCE - TYPE 1 WITH 3 STRANDS BARBED	6,118.000	LF
TEMPORARY BARRIER FENCE	5,045.000	LF
RESET FENCE	767.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	58.000	EA
PROPERTY RIGHT OF WAY MARKER (REBAR & CAP)	71.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	68.000	ACRE
TEMPORARY COVER	34.000	ACRE
COMPOST	18,157.000	CY
FERTILIZER (NITROGEN)	6,800.000	LB
FERTILIZER (PHOSPHORIC ACID)	6,800.000	LB
FERTILIZER (POTASH)	6,800.000	LB
AGRICULTURAL GRANULAR LIME	136,000.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	204.000	ACRE
SODDING	25.000	MSY
WATERPROOFING (SECOND METHOD)	9.800	SY





Call No.: 010

Page: 7

Description	Quantity	Units
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	63.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.474	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	64.560	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.440	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	490.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	4,880.000	LF
SILT FENCE	32,526.000	LF
REPLACE/REPAIR SILT FENCE	3,290.000	LF
SILT BASINS	50.000	CY
CLEANING SILT BASINS	50.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	8,222.000	LF
DITCH CHECK	35.000	TON
CLEANING INLET STRUCTURE FILTERS	65.000	EA
INLET STRUCTURE FILTER - TYPE D1	15.000	EA
INLET STRUCTURE FILTER - TYPE B	5.000	EA
SEDIMENT DAM RIPRAP	771.000	TON
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	165.000	TON
STABILIZED CONSTRUCTION ENTRANCE	5,500.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 8"	100.000	LF
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 12"	100.000	LF





Call No.: 020

Page: 8

SC File NO(S): 0250600	PCN: P037450	Project No.: P037450	
Letting Date: December 11, 2018	CO(S): Aiken	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: 2018 AIKEN COUNTY CTC RESURFACING		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	4.7100

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	872.000	CY
EXCAVATION FOR SHOULDER PAVING	85.536	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	85.536	STA
MAINTENANCE STONE	31.580	TON
HMA SHOULDER WIDENING COURSE	427.680	TON
LIQUID ASPHALT BINDER PG64-22	395.830	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	3,158.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	4,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,900.000	SY
MILLED-IN RUMBLE STRIP	4.020	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,481.040	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,486.945	TON
DRIVEWAY PAVING-SURFACE TYPE D	528.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	952.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	550.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	33,800.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	230.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	520.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	31,160.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	71,600.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	756.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,440.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	69,520.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	320.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT	4,000.000	LF
HYBRIDIZED POLYMER-20 MILS		



Call No.: 020

Page: 9

Description	Quantity	Units
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	164.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	200.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	3,600.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	500.000	LF
SAWCUT FOR LOOP DETECTOR	225.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.346	ACRE



Call No.: 030

Page: 10

SC File NO(S): 0810260	PCN: P028721	Project No.: P028721	
Letting Date: December 11, 2018	CO(S): Berkeley	DBE Goal Percent:	8.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$17.00
Description: S-791 BRIDGE REPLACEMENT OVER NORTH MULBERRY CREEK		Cost of BridgePlans:	\$22.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.1890

Completion Date: 150 Days

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	226.000	SY
REMOVAL OF EXIST. GUARDRAIL	382.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	1,720.000	CY
BORROW EXCAVATION	10,762.000	CY
MUCK EXCAVATION	6,003.000	CY
GEOTEXTILE FOR SEPARATION OF SUBGRADE&SUBBASE/BASE CR	4,098.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	407.000	SY
GEOGRID REINFORCEMENT (BIAXIAL)	5,475.000	SY
STONE BRIDGE LIFT MATERIAL	5,430.000	TON
GRANULAR BRIDGE LIFT MATERIAL	100.000	CY
FINE GRADING	752.000	SY
FLOWABLE FILL	200.000	CY
MAINTENANCE STONE	50.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	255.000	TON
LIQUID ASPHALT BINDER PG64-22	115.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	367.000	SY
MILLED-IN RUMBLE STRIP	0.378	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,691.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	312.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF



Call No.: 030

Page: 11

Description	Quantity	Units
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	4,200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	1,200.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	564.000	LF
CONC. FOR STRUCTURES - CLASS 4000	460.200	CY
GROOVED SURFACE FINISH	466.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	94,703.000	LB
CONCRETE BRIDGE BARRIER PARAPET	216.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	8.000	EA
PILE DRIVING SET-UP	32.000	EA
PREST. CONC. PILING (24"SQ.)	265.000	LF
PILE BUILD-UP PREPARATION (24"SQ)	2.000	EA
PREDRILLING FOR PREST. CONC. PILING (24"SQ.)	210.000	LF
PRESTRESSED INDEX PILING (24" SQUARE)	55.000	LF
PRESTRESSED PILE POINT (HP12X53)	588.000	LF
STEEL H BEARING PILING (HP14 X 73)	390.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	59.000	LF
BRIDGE APPROACH CONCRETE CURB AND GUTTER(1'-10")	615.000	LF
CONCRETE FLUME	122.000	LF
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	4.000	EA
RIP-RAP (CLASS B)	621.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,242.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	250.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	896.000	SY
TEMPORARY BARRIER FENCE	2,500.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	8.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.330	ACRE
TEMPORARY COVER	1.995	ACRE
COMPOST	536.000	CY
FERTILIZER (NITROGEN)	133.000	LB
FERTILIZER (PHOSPHORIC ACID)	133.000	LB
FERTILIZER (POTASH)	133.000	LB
AGRICULTURAL GRANULAR LIME	2,660.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.650	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	3.684	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.330	ACRE



Call No.: 030

Page: 12

Description	Quantity	Units
SEDIMENT TUBES FOR DITCH CHECKS	135.000	LF
SILT FENCE	5,502.000	LF
REPLACE/REPAIR SILT FENCE	550.000	LF
FLOATING TURBIDITY BARRIER-MEDIUM DUTY	200.000	SF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,376.000	LF



Call No.: 040

Page: 13

SC File NO(S): 1110770	PCN: P029899	Project No.: P029899	
Letting Date: December 11, 2018	CO(S): Cherokee	DBE Goal Percent:	17.50%
Letting Time: 02:00 PM		Cost of Road Plans:	\$13.00
Description: LIMESTONE COLLEGE-GRIFFITH STREET SIDEWALK IMPROVEMENTS		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.2870

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
UNCLASSIFIED EXCAVATION	67.000	CY
BORROW EXCAVATION	64.000	CY
MAINTENANCE STONE	50.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	49.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	150.000	SF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	120.000	LF
18" SMOOTH WALL PIPE	116.000	LF
DROP INLET (24" X 36")	1.000	EA
MANHOLE-CONVERT CATCH BASIN	1.000	EA
BEVELING OF PIPE END	3.000	EA
CONCRETE CURB (9" X 15")	51.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	248.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	800.000	SY
DETECTABLE WARNING MATERIAL	600.000	SF
PEDESTRIAN RAMP CONSTRUCTION	300.000	SY
RIP-RAP (CLASS B)	7.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	9.000	SY
PERMANENT COVER	0.603	ACRE
TEMPORARY COVER	0.302	ACRE
FERTILIZER (NITROGEN)	60.326	LB
FERTILIZER (PHOSPHORIC ACID)	60.326	LB
FERTILIZER (POTASH)	60.326	LB
AGRICULTURAL GRANULAR LIME	1,206.521	LB
SELECTIVE WATERING	54,300.000	GAL



Call No.: 040

Page: 14

Description	Quantity	Units
MOWING	1.810	ACRE
ROOT BARRIER	100.000	LF
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	0.603	ACRE
SILT FENCE	2,404.000	LF
REPLACE/REPAIR SILT FENCE	241.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	601.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY





Call No.: 050

Page: 15

SC File NO(S): 1450320	PCN: P037327	Project No.: P037327
	PCN: P037870	Project No.: P037870
	PCN: P038013	Project No.: P038013
Letting Date: December 11, 2018	CO(S): Clarendon	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: 2019 FDP; MICRO SURFACING;PVMT MARK; GRAIL		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 13.8500

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	350.000	LF
MAINTENANCE STONE	1.500	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	150.000	SY
MICRO SURFACING SURFACE COURSE	279,388.270	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,060.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	8,090.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	28,740.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	1,730.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	28,930.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	18,284.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	292,600.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	42.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	25,860.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	143,160.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,460.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	850.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	202.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	85,350.000	LF
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,370.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	32,210.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	1,460.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	450.000	EA



Call No.: 050

Page: 16

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,050.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	32,210.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	21.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2,830.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	10,440.000	LF
GUARDRAIL THRIE-BEAM WITH BASE PLATE 3.125' POST SPACING	650.000	LF
STEEL BEAM GUARDRAIL (THRIE)	150.000	LF
END TERMINAL - TYPE T	4.000	EA



Call No.: 060

Page: 17

SC File NO(S): 1850430	PCN: P037067	Project No.: P037067	
Letting Date: December 11, 2018	CO(S): Dorchester	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: FDP, SHLD WDN, MILL, INTRM, SURF		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	2.0600

Completion Date: 8/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	275.000	SY
UNCLASSIFIED EXCAVATION	265.000	CY
BORROW EXCAVATION	506.000	CY
EXCAVATION FOR SHOULDER PAVING	109.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	109.000	STA
MAINTENANCE STONE	69.800	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	543.840	TON
LIQUID ASPHALT BINDER PG64-22	506.160	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	6,980.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	44,090.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,300.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	4,616.892	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,145.908	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	200.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	220.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	972.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	4,670.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	14,810.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,590.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	2,645.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	48.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	48.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	160.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	11,900.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	18,680.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	59,240.000	LF



Call No.: 060

Page: 18

Description	Quantity	Units
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	6,360.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	10,580.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	192.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	192.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	640.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	47,600.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	830.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	458.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	48.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,600.000	LF
SAWCUT FOR LOOP DETECTOR	2,400.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	10.000	EA
INSTALL FLUSH MOUNTED WIRELESS SENSOR	23.000	EA
REMOVE FLUSH MOUNTED WIRELESS SENSOR	23.000	EA
DETECTABLE WARNING MATERIAL	110.000	SF
PEDESTRIAN RAMP CONSTRUCTION	275.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.996	ACRE



Call No.: 070

Page: 19

SC File NO(S): 2048790	PCN: P037291	Project No.: P037291	
Letting Date: December 11, 2018	CO(S): Fairfield	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: CHIP SEAL, FULL-DEPTH PATCHING, PAVEMENT MARKINGS		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	2.2600

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,167.000	SY
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	26,517.330	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	360.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	23,866.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	30.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	23,866.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA



Call No.: 080

Page: 20

SC File NO(S): 2389810	PCN: P028355	Project No.: P028355	
Letting Date: December 11, 2018	CO(S): Greenville	DBE Goal Percent:	9.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$49.00
Description: S-272 BRIDGE REPLACEMENT		Cost of BridgePlans:	\$40.00
		Cost of X-Sections:	\$22.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.6020

Completion Date: 5/31/2020

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	327.500	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	6,675.000	SY
REMOVAL OF EXIST. GUARDRAIL	1,010.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	27,173.000	CY
BORROW EXCAVATION	6,114.000	CY
BORROW EXCAVATION - (AASHTO TYPE A-1 SAND)	728.000	TON
GEOGRID REINFORCEMENT (BIAXIAL)	130.000	SY
DRY EXCAVATION FOR BRIDGES	205.000	CY
TEMPORARY SHORING WALL	50.000	LF
FINE GRADING	18,415.000	SY
FLOWABLE FILL	100.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	7,005.000	TON
LIQUID ASPHALT BINDER PG64-22	511.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,750.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,330.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,380.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	80.200	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	4.000	TON



Call No.: 080

Page: 21

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	280.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
TEMPORARY CONCRETE BARRIER	870.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	430.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	28,060.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	34,690.000	LF
REMOVAL OF PAVEMENT MARKINGS(HIGH PRESSURE WATER)(LINES)(TRAFFIC CONTROL)	241.000	SF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	24.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	228.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	545.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	12,010.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	145.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	15,910.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	230.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	5,570.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	75.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	670.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	7,190.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	150.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	76.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	11.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	45.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	450.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	30.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	770.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	61.250	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	40.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	104.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	884.000	LF
CONC. FOR STRUCTURES - CLASS 4000	764.000	CY
COMPRESSION SEAL JOINT	64.000	LF
GROOVED SURFACE FINISH	975.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	158,966.000	LB
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	440.000	LF
STRUCTURAL STEEL (WEATHERING TYPE)	1.000	LS
PILE DRIVING SET-UP	10.000	EA
REINF. PILE TIPS (HP14 X 89)	10.000	EA
STEEL H BEARING PILING (HP14 X 89)	322.000	LF
18" SMOOTH WALL PIPE	3,176.000	LF





Call No.: 080

Page: 22

Description	Quantity	Units
24" SMOOTH WALL PIPE	109.000	LF
CATCH BASIN -TYPE 9 MH	2.000	EA
CATCH BASIN -TYPE 16	15.000	EA
CATCH BASIN -TYPE 18	1.000	EA
DROP INLET (24" X 36")	1.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	2.000	EA
EXTRA DEPTH OF BOX	15.000	LF
BEVELING OF PIPE END	6.000	EA
CONCRETE CURB AND GUTTER(1'-6") OGEE	153.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	5,165.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	25.000	SY
ELASTOMERIC BEARING	14.000	EA
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	1.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	181.000	TON
RIP-RAP (CLASS B)	200.000	TON
RIP-RAP (CLASS F)	600.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	200.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	300.000	SY
MT2 LEADING END TREATMENT TL2	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS2C GR BEHIND CURB	237.500	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
TEMPORARY BARRIER FENCE	730.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	30.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.900	ACRE
TEMPORARY COVER	1.950	ACRE
FERTILIZER (NITROGEN)	390.000	LB
FERTILIZER (PHOSPHORIC ACID)	390.000	LB
FERTILIZER (POTASH)	390.000	LB
AGRICULTURAL GRANULAR LIME	7,800.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	11.700	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	61.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.800	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.200	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	8.300	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	3.250	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	0.500	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.150	ACRE



Call No.: 080

Page: 23

Description	Quantity	Units
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	320.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	320.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	980.000	LF
SILT FENCE	8,534.000	LF
REPLACE/REPAIR SILT FENCE	854.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY	11,808.000	SF
REMOVAL OF SILT RETAINED BY SILT FENCE	2,134.000	LF
DITCH CHECK	400.000	TON
INLET STRUCTURE FILTER - TYPE B	18.000	EA
INLET STRUCTURE FILTER - TYPE A	360.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 12"	200.000	LF
4" REINFORCED CONCRETE SLAB OVER UTILITY LINE	7.000	SY



Call No.: 090

Page: 24

SC File NO(S): 2448550	PCN: P037213	Project No.: P037213	
Letting Date: December 11, 2018	CO(S): Greenwood	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: RESURFACE OF S-131 IN GREENWOOD CO		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.9000

Completion Date: 8/15/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	75.000	SY
BORROW EXCAVATION	189.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIFORM) CURING METHOD 4	13,799.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	546.000	TON
MAINTENANCE STONE	0.800	TON
LIQUID ASPHALT BINDER PG64-22	91.409	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	80.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	810.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,523.472	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	880.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	504.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	26,475.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	156.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	402.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	28,530.000	LF
WHITE WORD MESSAGE "STOP"-FAST DRY PAINT	3.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	168.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	8,825.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	52.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	134.000	LF
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	9,510.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	61.000	EA
CATCH BASIN -TYPE 16	10.000	EA
ADJUST CATCH BASIN	1.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA



Call No.: 090

Page: 25

Description	Quantity	Units
DETECTABLE WARNING MATERIAL	37.500	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.600	ACRE



Call No.: 100

Page: 26

SC File NO(S): 2948070	PCN: P037237	Project No.: P037237	
Letting Date: December 11, 2018	CO(S): Lancaster	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$19.00
Description: US 521 SAFETY IMPROVEMENTS		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	11.3000

Completion Date: 11/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,300.000	SY
UNCLASSIFIED EXCAVATION	300.000	CY
BORROW EXCAVATION	5,740.000	CY
EXCAVATION FOR SHOULDER PAVING	1,277.760	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,277.760	STA
MAINTENANCE STONE	290.000	TON
HMA SHOULDER WIDENING COURSE	16,139.200	TON
LIQUID ASPHALT BINDER PG64-22	3,697.170	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	20,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	401,813.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,000.000	SY
MILLED-IN RUMBLE STRIP	33.200	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	45,514.100	TON
DRIVEWAY PAVING-SURFACE TYPE D	362.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,456.000	SF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	65,930.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	182,200.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	936.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	990.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	19,220.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	32,965.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	235.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,185.000	LF



Call No.: 100

Page: 27

Description	Quantity	Units
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	1,185.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	32,965.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	91,100.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	468.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	495.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	4.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,610.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	122,100.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,608.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	937.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	937.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	1,040.000	SF
REFLECTIVE SIGN POST PANELS	780.000	LF
GUARDRAIL DELINEATOR - WHITE	575.000	EA
18" SMOOTH WALL PIPE	440.000	LF
24" SMOOTH WALL PIPE	440.000	LF
30" SMOOTH WALL PIPE	440.000	LF
CLEANING EXISTING PIPE	200.000	LF
BEVELING OF PIPE END	180.000	EA
CONCRETE DRIVEWAY(6" UNIFORM)	50.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	11,900.000	LF
CRITICAL OFFSET STEEL BEAM GUARDRAIL(THRIE)ONE-WAY TRAFFIC	150.000	LF
MT3 LEADING END TREATMENT TL3	41.000	EA
MB TRAILING END TREATMENT	40.000	EA
MGS3 GR STANDARD SHOULDER	9,625.000	LF
MGS3CS GR COMPRESSED SHOULDER	4,750.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	20.000	EA
GUARDRAIL W-BEAM CURVED SYSTEM	75.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	11.600	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	250.000	LF
SILT FENCE	15,000.000	LF
REPLACE/REPAIR SILT FENCE	1,500.000	LF



Call No.: 110

Page: 28

SC File NO(S): 3250070	PCN: P037876	Project No.: P037876
	PCN: P037877	Project No.: P037877
Letting Date: December 11, 2018	CO(S): Lexington	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: CHIP SEAL,FDP,PAVEMENT MARKINGS		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 7.6500

Completion Date: 8/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	6.750	TON
LIQUID ASPHALT BINDER PG64-22	4.410	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	675.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	70.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	89,763.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	288.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	161,567.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	88.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,110.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	103,119.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	520.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	80,790.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	44.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	5,060.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	51,575.000	LF





Call No.: 120

Page: 29

SC File NO(S): 4050520	PCN: P038084	Project No.: P038084
Letting Date: December 11, 2018	CO(S): Richland	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: I-20 EPOXY PAVEMENT MARKINGS		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 16.6600

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	43,500.000	LF
6" BLACK BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	20,700.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	101,800.000	LF
12" WHITE SOLID LINES (GORE MARKINGS) EPOXY PAINT	6,750.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)EPOXY PAINT	100.000	LF
24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT	225.000	LF
WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT) EPOXY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY" - EPOXY PAINT	3.000	EA
WHITE COMBINATION ARROW (STR.&RT.OR STR.&LT) EPOXY PAINT	1.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT) EPOXY PAINT	4.000	EA
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	98,700.000	LF
24" YELLOW DIAGONAL LINE - EPOXY PAINT	775.000	LF
REMOVAL OF PAVEMENT MARKINGS	276,700.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 130

Page: 30

SC File NO(S): 4215020	PCN: P030726	Project No.: P030726	
Letting Date: December 11, 2018	CO(S): Spartanburg	DBE Goal Percent:	17.50%
Letting Time: 02:00 PM		Cost of Road Plans:	\$9.00
Description: INTERSECTION IMPROVEMENTS - SC 14 @ I-26 EB/WB RAMPS		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.1330

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	594.000	LF
UNCLASSIFIED EXCAVATION	100.000	CY
BORROW EXCAVATION	545.000	CY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	152.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,800.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,800.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
STEEL BEAM GUARDRAIL STEEL BEAM GR.	300.000	LF
END TERMINAL - TYPE T	4.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
GUARDRAIL THRIE-BEAM WITH BASE PLATE 3.125' POST SPACING	450.000	LF
PERMANENT COVER	0.370	ACRE
TEMPORARY COVER	0.185	ACRE
COMPOST	149.000	CY
FERTILIZER (NITROGEN)	37.000	LB
FERTILIZER (PHOSPHORIC ACID)	37.000	LB
FERTILIZER (POTASH)	37.000	LB
AGRICULTURAL GRANULAR LIME	740.000	LB
MOWING	1.110	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.555	ACRE
SILT FENCE	904.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 140

Page: 31

SC File NO(S): 4350530	PCN: P038037	Project No.: P038037	
Letting Date: December 11, 2018	CO(S): Sumter	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: MICROSURFACE,FDP,PVMT MARKINGS		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	6.6400

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	1.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
MICRO SURFACING SURFACE COURSE	283,611.734	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	734.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	36,400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	142,000.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,300.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	14.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	14.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	35,300.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	144,000.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	200.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	18,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	70,600.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	700.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	700.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	7.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	17,650.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	71,600.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	915.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,795.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,795.000	EA
REMOVE AND REPLACE END ANCHOR-TYPE B	3.000	EA
REMOVE AND REPLACE END TERMINAL - TYPE T	13.000	EA



Call No.: 150

Page: 32

SC File NO(S): 5150550	PCN: P038036	Project No.: P038036	
	PCN: P038038	Project No.: P038038	
	PCN: P038039	Project No.: P038039	
	PCN: P038040	Project No.: P038040	
Letting Date: December 11, 2018	CO(S): Lexington Richland	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: MICROSURFACE,FDP,ADA RAMPS		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	6.3800

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	425.000	SY
MAINTENANCE STONE	10.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,000.000	SY
MICRO SURFACING SURFACE COURSE	133,542.931	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,444.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	16,320.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	81,185.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,800.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	1,000.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,405.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	50.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,700.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	126,310.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	225.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,075.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	24,370.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	500.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	500.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	480.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	5.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	1.000	EA



Call No.: 150

Page: 33

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,150.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	31,855.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	460.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	110.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	539.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	3,040.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	16,225.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,900.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	225.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	20.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS 002	2.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT) - SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 003	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	700.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	31,300.000	LF
24" YELLOW DIAGONAL LINE - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS 004	120.000	LF
ADJUST DROP INLET ADJUST D. I.	4.000	EA
DETECTABLE WARNING MATERIAL	212.500	SF
PEDESTRIAN RAMP CONSTRUCTION	425.000	SY



Call No.: 160

Page: 34

SC File NO(S): 5208370	PCN: 0035179X	Project No.: BR88060	
Letting Date: December 11, 2018	CO(S): Edgefield	DBE Goal Percent:	8.50%
Letting Time: 02:00 PM	McCormick	Cost of Road Plans:	\$27.00
Description: S-68 (KEY ROAD) BRIDGE REPLACEMENT OVER TURKEY CREEK		Cost of BridgePlans:	\$54.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	0.4140

Completion Date: 5/31/2020

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	775.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	13,658.000	CY
BORROW EXCAVATION	7,674.000	CY
BORROW EXCAVATION - (AASHTO TYPE A-1 SAND)	2,120.000	TON
DRY EXCAVATION FOR BRIDGES	1,165.000	CY
FINE GRADING	1,749.000	SY
HOT MIX ASPHALT BASE COURSE - TYPE B	194.000	TON
LIQUID ASPHALT BINDER PG64-22	133.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	462.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,837.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	469.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	22.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	3,790.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	240.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,895.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	25.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,444.000	LF
CONC. FOR STRUCTURES - CLASS 4000	637.400	CY



Call No.: 160

Page: 35

Description	Quantity	Units
GROOVED SURFACE FINISH	1,136.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	155,600.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	3,911.000	LB
PRESTRESSED CONC. BEAM (TYPE IV)	520.000	LF
CONCRETE BRIDGE BARRIER PARAPET	656.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
STRUCTURAL STEEL (WEATHERING TYPE)	1.000	LS
STRUCTURE DRAINAGE SYSTEM	1.000	LS
PILE DRIVING SET-UP	6.000	EA
REINF. PILE TIPS (HP14 X 73)	6.000	EA
STEEL H BEARING PILING (HP14 X 73)	280.000	LF
DRILLED SHAFT SET-UP	2.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 48" DIAMETER	24.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	60.000	LF
CONSTRUCTION CASING - 54" DIAMETER	60.000	LF
18" SMOOTH WALL PIPE	412.000	LF
24" SMOOTH WALL PIPE	32.000	LF
CATCH BASIN -TYPE 9	2.000	EA
MANHOLE	1.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
BEVELING OF PIPE END	11.000	EA
BRIDGE APPROACH CONCRETE CURB AND GUTTER(1'-10")	120.000	LF
DECK JOINT STRIP SEAL	68.000	LF
ELASTOMERIC BEARING	18.000	EA
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	1.000	EA
CROSSHOLE SONIC LOGGING SETUP	2.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	65.000	TON
AGGREGATE UNDERDRAIN (AGGR.NO. 57)	1,114.000	TON
RIP-RAP (CLASS B)	4,580.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	7,512.000	SY
MT2 LEADING END TREATMENT TL2	4.000	EA
MGS3 GR STANDARD SHOULDER	1,462.500	LF
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
WOVEN WIRE FENCE - TYPE 6 WITHOUT BARBED	595.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	16.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	10.807	ACRE
TEMPORARY COVER	21.404	ACRE
FERTILIZER (NITROGEN)	1,080.700	LB
FERTILIZER (PHOSPHORIC ACID)	1,080.700	LB
FERTILIZER (POTASH)	1,080.700	LB
AGRICULTURAL GRANULAR LIME	21,615.000	LB





Call No.: 160

Page: 36

Description	Quantity	Units
SELECTIVE WATERING	135,750.000	GAL
MOWING	32.421	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	44.400	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 3	3.613	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	5.138	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	30.000	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	10.000	ACRE
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	157.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	90.000	LF
SILT FENCE	4,520.000	LF
REPLACE/REPAIR SILT FENCE	250.000	LF
CLEANING SILT BASINS	7,940.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	924.000	LF
DITCH CHECK	26.000	TON
SEDIMENT DAM RIPRAP	74.000	TON
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	21.000	TON
STABILIZED CONSTRUCTION ENTRANCE	500.000	SY



Call No.: 170

Page: 37

SC File NO(S): 5249420	PCN: P037716	Project No.: P037716
	PCN: P037717	Project No.: P037717
Letting Date: December 11, 2018	CO(S): Abbeville Anderson	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: 2019 CHIP SEAL - SINGLE AND DOUBLE TREATMENT, STC, STD		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 6.1600

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	625.000	CY
MAINTENANCE STONE	41.250	TON
LIQUID ASPHALT BINDER PG64-22	46.800	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	3,150.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	975.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	150.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	600.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	57,402.000	SY
ASPHALT SURFACE TREATMENT (DOUBLE TREATMENT) TYPE 2	12,240.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	604.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	19,010.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	130.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	29,570.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	130.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	407.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.410	ACRE



Call No.: 180

Page: 38

SC File NO(S): 5249460	PCN: P037745	Project No.: P037745	
	PCN: P037747	Project No.: P037747	
	PCN: P037756	Project No.: P037756	
	PCN: P037757	Project No.: P037757	
Letting Date: December 11, 2018	CO(S): Laurens Newberry	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: ASPHALT SURFACE TREATMENT, FDP		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	8.8100

Completion Date: 9/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,430.000	CY
MAINTENANCE STONE	68.000	TON
LIQUID ASPHALT BINDER PG64-22	8.520	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,800.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	100.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	40.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	104,925.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	834.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	264.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	132,212.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	412.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	186,092.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	585.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	132.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	66,110.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	206.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	93,050.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.544	ACRE



Call No.: 190

Page: 39

SC File NO(S): 5249550	PCN: P037752	Project No.: P037752	
	PCN: P037754	Project No.: P037754	
	PCN: P037768	Project No.: P037768	
Letting Date: December 11, 2018	CO(S): Edgefield	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM	McCormick Saluda	Cost of Road Plans:	\$0.00
Description: 2019 CHIP SEAL - SINGLE TREATMENT, FDP, STD		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	6.1800

Completion Date: 8/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	825.000	CY
MAINTENANCE STONE	44.150	TON
LIQUID ASPHALT BINDER PG64-22	12.600	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,415.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	234.375	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	77,264.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	634.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	72.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	73,394.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	208.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,560.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	115,991.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	36.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	42,769.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	126.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	780.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	63,553.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	351.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.994	ACRE



Call No.: 200

Page: 40

SC File NO(S): 5249900	PCN: P037827	Project No.: P037827
	PCN: P037836	Project No.: P037836
	PCN: P037867	Project No.: P037867
Letting Date: December 11, 2018	CO(S): Abbeville	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM	McCormick	Cost of Road Plans: \$0.00
Description: 2019 FDP AND MICROSURFACING		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 5.0500

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	40.950	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	3,300.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	795.000	SY
MICRO SURFACING SURFACE COURSE	114,312.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	888.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,396.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	101,420.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	11,400.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	13,580.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	119,584.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	698.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	50,435.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	5,700.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,790.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	59,242.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	309.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	600.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	847.000	EA



Call No.: 210

Page: 41

SC File NO(S): 5349020	PCN: P037449	Project No.: P037449	
	PCN: P037462	Project No.: P037462	
	PCN: P037640	Project No.: P037640	
Letting Date: December 11, 2018	CO(S): Greenville	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM	Spartanburg	Cost of Road Plans:	\$0.00
Description: MICROSURFACE		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	7.2700

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	10.100	LaMi
MICRO SURFACING SURFACE COURSE	136,689.271	SY
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	9,760.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	59,031.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	160.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	273.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	26.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,280.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	159,268.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,820.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	160.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	40.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	22.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,960.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	24,706.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	264.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	196.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	820.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	60.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	59,031.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	233.000	LF



Call No.: 210

Page: 42

Description	Quantity	Units
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 002	4.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 003	2.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -SC HYBRIDIZED POLYMER -20 MIL.	2.000	EA
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS 002	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	680.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	54,928.000	LF



Call No.: 220

Page: 43

SC File NO(S): 5349220	PCN: P037430	Project No.: P037430
	PCN: P037431	Project No.: P037431
	PCN: P037448	Project No.: P037448
	PCN: P037483	Project No.: P037483
	PCN: P037522	Project No.: P037522
	PCN: P037529	Project No.: P037529
Letting Date: December 11, 2018	CO(S): Oconee Pickens	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$0.00
Description: MICROSURFACE		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 13.2000

Completion Date: 8/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	11.010	LaMi
MICRO SURFACING SURFACE COURSE	280,844.457	SY
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	25,380.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	109,799.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,330.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,124.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	38.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,380.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	290,167.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	12,510.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	34,825.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,130.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	882.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	34.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
WHITE WORD MESSAGE "SCHOOL" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,190.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	78,662.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	705.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	225.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,312.000	EA





Call No.: 220

Page: 44

Description	Quantity	Units
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	180.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	74,974.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 002	200.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	242.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 003	4.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS 004	4.000	EA
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	77,087.000	LF



Call No.: 230

Page: 45

SC File NO(S): 5448760	PCN: P037281	Project No.: P037281	
	PCN: P037286	Project No.: P037286	
	PCN: P037288	Project No.: P037288	
	PCN: P037293	Project No.: P037293	
Letting Date: December 11, 2018	CO(S): Cherokee Union	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$0.00
Description: MICROSURFACE		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	5.6600

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	350.000	LF
LIQUID ASPHALT BINDER PG64-22	5.752	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	383.300	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	725.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	10.000	SY
MILLED-IN RUMBLE STRIP	3.140	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	1.070	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	97.230	TON
MICRO SURFACING SURFACE COURSE	78,000.660	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,480.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	896.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	113,850.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	330.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	60.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	113,850.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	50.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	356.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	448.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	56,925.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	165.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	30.000	LF



Call No.: 230

Page: 46

Description	Quantity	Units
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	56,925.000	LF
RESET GUARDRAIL	1,350.000	LF
END TERMINAL - TYPE T	7.000	EA



Call No.: 240

Page: 47

SC File NO(S): 5448780	PCN: P037282	Project No.: P037282	
	PCN: P037284	Project No.: P037284	
	PCN: P037289	Project No.: P037289	
	PCN: P037294	Project No.: P037294	
Letting Date: December 11, 2018	CO(S): Chester Fairfield	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM	York	Cost of Road Plans:	\$0.00
Description: MICRO; UNIF. MILL; STB; STE; FD PATCH		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	7.2100

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
LIQUID ASPHALT BINDER PG64-22	15.576	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,800.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,485.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	2,461.000	SY
MILLED-IN RUMBLE STRIP	1.740	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	263.327	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	24.950	TON
MICRO SURFACING SURFACE COURSE	95,303.330	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	840.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	490.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	149,772.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	274.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	908.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	147,322.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	9.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	492.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	245.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	74,886.000	LF



Call No.: 240

Page: 48

Description	Quantity	Units
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	138.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	4.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	3.000	EA
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS 005	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	454.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	73,661.000	LF



Call No.: 250

Page: 49

SC File NO(S): 5448810	PCN: P037283	Project No.: P037283
	PCN: P037290	Project No.: P037290
	PCN: P037292	Project No.: P037292
Letting Date: December 11, 2018	CO(S): Chesterfield	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM	Lancaster	Cost of Road Plans: \$0.00
Description: MICRO, UNIF MILL, STB, STE, FD PATCH, PED RAMPS AND SW		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 4.0100

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIQUID ASPHALT BINDER PG64-22	3.532	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	50.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	5.355	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	50.000	TON
MICRO SURFACING SURFACE COURSE	54,852.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,248.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	380.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	83,208.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	104.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	608.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	83,208.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	50.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	232.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	190.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	41,604.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	52.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	394.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	41,604.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	12.000	SY
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY



Call No.: 260

Page: 50

SC File NO(S): 5450680	PCN: P037627	Project No.: P037627
	PCN: P037676	Project No.: P037676
	PCN: P037748	Project No.: P037748
	PCN: P037794	Project No.: P037794
	PCN: P037815	Project No.: P037815
	PCN: P037851	Project No.: P037851
Letting Date: December 11, 2018	CO(S): Cherokee Chester	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM	Chesterfield Fairfield	Cost of Road Plans: \$0.00
	Lancaster Union	Cost of BridgePlans: \$0.00
Description: DISTRICT 4 CATCH BASIN REPAIR		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 5.4000

Completion Date: 9/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	16.000	SY
UNCLASSIFIED EXCAVATION	28.000	CY
CONC. FOR STRUCTURES - CLASS 3000(ROADWAY)	6.000	CY
24" RC PIPE CUL.-CLASS III	32.000	LF
CATCH BASIN -TYPE 9 MH	1.000	EA
CATCH BASIN - TYPE 9(TOP ONLY)	1.000	EA
CATCH BASIN - TYPE 9 MH (TOP ONLY)	10.000	EA
CATCH BASIN - TYPE 17 (TOP ONLY)	1.000	EA
DROP INLET (24" X 36") TOP ONLY	1.000	EA
ADJUST CATCH BASIN	10.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	13.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	7.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	6.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	60.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	41.500	SY



Call No.: 270

Page: 51

SC File NO(S): 5584180	PCN: P027058	Project No.: P027058
	PCN: P029000	Project No.: P029000
Letting Date: December 11, 2018	CO(S): Darlington Florence	DBE Goal Percent: 10.00%
Letting Time: 02:00 PM		Cost of Road Plans: \$55.00
Description: S-49 BRIDGE OVER HIGH HILL CREEK		Cost of BridgePlans: \$21.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 0.8630

Completion Date: 5/31/2020

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,040.000	SY
REMOVAL OF EXIST. GUARDRAIL	120.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	10,832.000	CY
BORROW EXCAVATION	11,751.000	CY
MUCK EXCAVATION	4,254.000	CY
GEOTEXTILE, SEPARATION	514.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	4,461.000	SY
GEOGRID STABILIZATION	1,410.000	SY
STONE BRIDGE LIFT MATERIAL	796.000	TON
GRANULAR BRIDGE LIFT MATERIAL	1,400.000	CY
FINE GRADING	9,649.000	SY
FLOWABLE FILL	120.000	CY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	4,559.000	SY
MAINTENANCE STONE	600.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,960.000	TON
PRIME COAT	1,231.000	GAL
LIQUID ASPHALT BINDER PG64-22	241.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	844.000	SY
MILLED-IN RUMBLE STRIP	2.534	MI





Call No.: 270

Page: 52

Description	Quantity	Units
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	790.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	463.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,762.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	496.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER TYPE B - FLASHING LIGHT	2.000 16.000	EA EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	296.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	22,836.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	26,672.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	384.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	75.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	8,809.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	96.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	9,768.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	169.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	200.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	564.000	LF
CONC. FOR STRUCTURES - CLASS 3000(ROADWAY)	5.000	CY
CONC. FOR STRUCTURES - CLASS 4000	402.000	CY
GROOVED SURFACE FINISH	421.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	75,510.000	LB
CONCRETE BRIDGE BARRIER PARAPET	216.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	8.000	EA
PILE DRIVING SET-UP	24.000	EA
PREST. CONC. PILING (20"SQ.)	350.000	LF
PILE BUILD-UP PREPARATION (20"SQ)	2.000	EA
PRESTRESSED INDEX PILING (20" SQUARE)	74.000	LF
PRESTRESSED PILE POINT (HP10X57)	192.000	LF
REINF. PILE TIPS (HP14 X 73)	12.000	EA
STEEL H BEARING PILING (HP14 X 73)	568.000	LF
24"X 38" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	40.000	LF
18" SMOOTH WALL PIPE	392.000	LF
24" SMOOTH WALL PIPE	200.000	LF



Call No.: 270

Page: 53

Description	Quantity	Units
36" SMOOTH WALL PIPE	56.000	LF
48" SMOOTH WALL PIPE	96.000	LF
CLEANING EXISTING PIPE	42.000	LF
CATCH BASIN -TYPE 9	1.000	EA
MANHOLE	2.000	EA
36" X 60" JUNCTION BOX	1.000	EA
BEVELING OF PIPE END	7.000	EA
BRIDGE APPROACH CONCRETE CURB AND GUTTER(1'-10")	25.000	LF
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	4.000	EA
RIP-RAP (CLASS A)	539.000	TON
RIP-RAP (CLASS B)	981.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	898.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	667.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	555.000	SY
STEEL BEAM GUARDRAIL STEEL BEAM GR.	800.000	LF
END TERMINAL - TYPE T	4.000	EA
THRIE BEAM G.R.BRIDGE CONN.	4.000	EA
TEMPORARY BARRIER FENCE	3,225.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	77.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	6.296	ACRE
TEMPORARY COVER	6.580	ACRE
COMPOST	88.000	CY
FERTILIZER (NITROGEN)	629.620	LB
FERTILIZER (PHOSPHORIC ACID)	629.620	LB
FERTILIZER (POTASH)	629.620	LB
AGRICULTURAL GRANULAR LIME	12,592.397	LB
SELECTIVE WATERING	108,600.000	GAL
MOWING	24.825	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	1.972	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	9.474	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	2.240	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	6.012	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	4.340	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	2,020.000	LF
SILT FENCE	3,753.000	LF
REPLACE/REPAIR SILT FENCE	600.000	LF
FLOATING TURBIDITY BARRIER-MEDIUM DUTY(5'DEPTH)	100.000	LF
SILT BASINS	95.000	CY
CLEANING SILT BASINS	256.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,300.000	LF
CLEANING INLET STRUCTURE FILTERS	2.000	EA



Call No.: 270

Page: 54

Description	Quantity	Units
INLET STRUCTURE FILTER - TYPE A	24.000	LF
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	243.000	SY
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	17.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY



Call No.: 280

Page: 55

SC File NO(S): 5650440	PCN: 0042912RD01	Project No.: SA10010
	PCN: 0043011RD01	Project No.: SA10010
Letting Date: December 11, 2018	CO(S): Berkeley Charleston	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM	Dorchester	Cost of Road Plans: \$26.00
Description: MEDIAN IMPROVEMENTS		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 0.2530

Completion Date: 5/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
LIQUID ASPHALT BINDER PG64-22	4.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	786.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	79.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	508.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	550.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	4,952.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	194.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	26.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	10.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,332.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	275.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	97.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	13.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,476.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	34.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	75.000	EA
REMOVAL OF PAVEMENT MARKINGS	917.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	14.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	26.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	380.000	LF
SAWCUT FOR LOOP DETECTOR	142.000	LF



Call No.: 280

Page: 56

Description	Quantity	Units
CONCRETE MEDIAN	559.000	SY



Call No.: 290

Page: 57

SC File NO(S): 5650480	PCN: P038014	Project No.: P038014	
Letting Date: December 11, 2018	CO(S): Berkeley Dorchester	DBE Goal Percent:	0.00%
Letting Time: 02:00 PM		Cost of Road Plans:	\$67.00
Description: I-26 RESIGNING - BERKELEY/DORCHESTER COUNTY		Cost of BridgePlans:	\$0.00
		Cost of X-Sections:	\$0.00
		Cost of Proposal:	\$15.00
		Approx. Length (miles):	17.8900

Completion Date: 12/15/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	3,130.430	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	592.500	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	262.500	SF
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	3,481.000	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	829.750	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	632.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	3,388.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	394.000	LF
BREAK-AWAY SIGN SUPPORTS	937.000	LB
REFURBISH BREAK-AWAY SIGN SUPPORTS	64.000	EA
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	362.000	EA
DELINEATORS, DOUBLE, MONO., INCL. SUPPORTS	111.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.(____) 001	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.(____) 002	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.(____) 003	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.(____) 004	1.000	EA



Call No.: 300

Page: 58

SC File NO(S): 5750160	PCN: P037759	Project No.: P037759
	PCN: P037767	Project No.: P037767
	PCN: P037957	Project No.: P037957
Letting Date: December 11, 2018	CO(S): Calhoun	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM	Orangeburg	Cost of Road Plans: \$0.00
Description: 2019 MICR SURFACE, PVMT MARKINGS, GRAIL		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 4.0300

Completion Date: 6/30/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	3.820	MI
MICRO SURFACING SURFACE COURSE	87,826.663	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	792.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	2,772.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	42,670.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	120.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	2.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,970.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	38,680.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,222.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	52,370.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	120.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	7,940.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	77,360.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	146.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	244.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	523.000	EA
MT3 LEADING END TREATMENT TL3	4.000	EA
STEEL BEAM GUARDRAIL (THRIE)	125.000	LF
MGS3CS GR COMPRESSED SHOULDER	400.000	LF
END TERMINAL - TYPE T	4.000	EA



Call No.: 310

Page: 59

SC File NO(S): 5750540	PCN: P038016	Project No.: P038016
	PCN: P038017	Project No.: P038017
	PCN: P038044	Project No.: P038044
	PCN: P038054	Project No.: P038054
	PCN: P038073	Project No.: P038073
	PCN: P038075	Project No.: P038075
Letting Date: December 11, 2018	CO(S): Allendale Bamberg	DBE Goal Percent: 0.00%
Letting Time: 02:00 PM	Hampton	Cost of Road Plans: \$0.00
Description: 2019 FDP, MICRO SURFACING		Cost of BridgePlans: \$0.00
		Cost of X-Sections: \$0.00
		Cost of Proposal: \$15.00
		Approx. Length (miles): 12.5400

Completion Date: 7/31/2019

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	4.900	TON
LIQUID ASPHALT BINDER PG64-22	2.520	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	490.000	SY
MILLED-IN RUMBLE STRIP	2.930	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	40.000	TON
MICRO SURFACING SURFACE COURSE	287,926.675	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,716.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	16,675.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	99,320.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	150.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	920.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	4.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	4.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,950.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	93,120.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	340.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	33,350.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	231,340.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	300.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,892.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA





Call No.: 310

Page: 60

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	8,920.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	213,640.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	680.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	920.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	28.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	537.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	16,250.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	26.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	510.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	13,700.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	100.000	LF
STEEL BEAM GUARDRAIL STEEL BEAM GR.	3,000.000	LF
GUARDRAIL THRIE-BEAM WITH BASE PLATE 6.25' POST SPACING	320.000	LF
STEEL BEAM GUARDRAIL (THRIE)	125.000	LF
END TERMINAL - TYPE T	8.000	EA

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

In addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS. Information concerning prequalification can be obtained at the Contracts Administration office, Room 334 in the Headquarters building, 955 Park Street, Columbia, SC, or by calling Jeff Elliott at (803)737-1253.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE. Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
2. BID BONDS HAND DELIVERED. Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
  - (a) alteration of a part of bid item except for the unit price; or
  - (b) failure to enter a bid item unit price; or
  - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
  - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Cost of plans may change, and the bidder should check with the SCDOT Engineering Publications office for the cost of plans when the plans are indicated to be available.

Prepared by J. Taylor

Issued by:

J.Brian Parnell  
Contract Administrator