

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For April 09, 2024

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on March 9, 2024 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>) for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

**This project has a list of qualified contractors for the In Contract Utility - SECTION 105:
PUBLIC UTILITY RELOCATION (see list below)**



South Carolina Department of Transportation

3/4/2024

Call No.: 010 **Letting Date:** April 09, 2024 **Letting Time:** 2:00PM **Page:** 1

SC File NO(S): 2614861 **PCN:** P032357 **Project No.:** P032357
DBE Goal Percent: 0.00%
Approx. Length (miles):3.8200 **Description:** US 501 WIDENING FROM GARDNER LACY TO SC 544
CO(S): Horry
Completion Date: 6/30/2026 Days **Funding:** OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 1	1.000	EA
LARGE PUBLIC WATER RELOCATION NO. ____ 2	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 1	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	1,000.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 012	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 013	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 014	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 015	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 016	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 017	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,912.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,680.000	SY
UNCLASSIFIED EXCAVATION	37,881.000	CY
BORROW EXCAVATION	13,155.000	CY
MUCK EXCAVATION	1,200.000	CY



Call No.: 010

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
15" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	50.000	LF
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	2,928.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,675.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	331.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	310.000	LF
GEOTEXTILE, SEPARATION	3,650.000	SY
GEOGRID STABILIZATION	3,200.000	SY
STONE BRIDGE LIFT MATERIAL	2,820.000	TON
GRANULAR BRIDGE LIFT MATERIAL	1,550.000	CY
FINE GRADING	77,291.000	SY
FLOWABLE FILL	548.000	CY
MAINTENANCE STONE	3,790.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	39,591.000	TON
LIQUID ASPHALT BINDER PG64-22	4,821.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	167,414.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,100.000	SY
MILLED-IN RUMBLE STRIP	6.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	29,574.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,309.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,000.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	455.000	TON
TEMPORARY CONSTRUCTION SIGNS (BARRICADE MOUNTED)	32.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,436.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	2.000	EA
TEMPORARY CONCRETE BARRIER	200.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	71,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	241,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	149,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	33,750.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	320.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	445.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	10.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	430.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WH.RAILROAD XING SYMBOLS	40.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	2,060.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	80.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	430.000	EA



Call No.: 010

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 3

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	23,500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	64,100.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	200.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	10,975.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	141.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	135.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	35,700.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,030.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	10.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	521.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	38.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	20.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	638.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,807.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	184.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	115.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,256.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,234.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	5,871.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	200.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	4.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	36.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
DESIGN, FURNISH, & INSTALL 40' STEEL POLE AND FOUNDATION	16.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	3,754.000	LF
FURNISH & INSTALL 20' BREAK-AWAY ALUMINUM PEDESTAL POLE AND BASE	10.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	4.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	14.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	12.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	71.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	97.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	5.000	EA
TEMPORARY TIMING ADJUSTMENTS PER SITE VISIT	5.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE &	20.000	EA



Call No.: 010

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 4

Description	Quantity	Units
MOUNTING HARDWARE		
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR STOP BAR DETECTION	5.000	EA
FURNISH & INSTALL RADAR FOR SPEED/VOLUME DETECTION INC 150' CABLE & MOUNTING HARDWARE	12.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SPEED/VOLUME DETECTION	5.000	EA
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	5,978.000	LF
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	4.000	EA
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	356.000	LF
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	288.000	LF
24"X 38" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	480.000	LF
29"X 45" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	604.000	LF
34"X 53" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	104.000	LF
38"X 60" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	308.000	LF
15" SMOOTH WALL PIPE	132.000	LF
18" SMOOTH WALL PIPE	8,536.000	LF
24" SMOOTH WALL PIPE	4,784.000	LF
30" SMOOTH WALL PIPE	944.000	LF
36" SMOOTH WALL PIPE	884.000	LF
CLEANING EXISTING PIPE	2,868.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	5.000	EA
DROP INLET TYPE 125 SINGLE 4'X2' BOX	17.000	EA
CATCH BASIN -TYPE 16	5.000	EA
DROP INLET (24" X 36")	37.000	EA
DROP INLET TYPE 112	53.000	EA
MANHOLE	1.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	1.000	EA
BEVELING OF PIPE END	122.000	EA
CONCRETE CURB (9" X 15")	45.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	748.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	392.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	238.000	SY
CONCRETE MEDIAN	2,420.000	SY
RIP-RAP (CLASS A)	2,038.000	TON
RIP-RAP (CLASS B)	862.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	3,742.000	SY
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	63.000	EA
RIGHT OF WAY PLAT	1.000	LS



Call No.: 010

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 5

Description	Quantity	Units
PERMANENT COVER	46.900	ACRE
TEMPORARY COVER	23.450	ACRE
COMPOST	1,261.000	CY
FERTILIZER (NITROGEN)	4,690.000	LB
FERTILIZER (PHOSPHORIC ACID)	4,690.000	LB
FERTILIZER (POTASH)	4,690.000	LB
AGRICULTURAL GRANULAR LIME	93,800.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	140.700	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	70.350	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	70.350	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	224.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	238.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	6,340.000	LF
SILT FENCE	32,166.000	LF
REPLACE/REPAIR SILT FENCE	3,217.000	LF
CLEANING SILT BASINS	944.200	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	8,042.000	LF
INLET FILTER CLEANING	144.000	EA
INLET STRUCTURE FILTER - TYPE D1	82.000	EA
INLET STRUCTURE FILTER - TYPE B	2.000	EA
INLET STRUCTURE FILTER - TYPE D2	19.000	EA
INLET STRUCTURE FILTER - TYPE A	112.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	300.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,925.000	SY
JUNCTION BOX CONV DROP INLET 24"X48"	2.000	EA

CONTRACTORS

RH Moore Company
Kent Skipper
10601 Highway 707
Myrtle Beach, SC 29588
kentskipper@rhmoorecompany.com
843-650-2155

Richardson Construction
Grayson Gasque
6806 Monticello Road
Columbia, SC 29203
(843) 992-1207

Express Construction
Brian Squires
635 Horry Road
Conway, SC 29526
(843) 458-3834



Call No.: 020 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 0168560 PCN: P043123 Project No.: P043123

DBE Goal Percent: 0.00%

Approx. Length (miles):0.7400 Description: 2023-24 ABBEVILLE CTC

CO(S): Abbeville

Completion Date: 10/31/2024 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	148.000	CY
MAINTENANCE STONE	14.300	TON
LIQUID ASPHALT BINDER PG64-22	85.007	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	555.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	375.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	5,770.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,810.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,217.307	TON
DRIVEWAY PAVING-SURFACE TYPE C	132.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	912.000	SF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	264.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	10,560.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	124.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,330.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	51.000	EA
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.495	ACRE



Call No.: 030 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 0268140 PCN: P042500 Project No.: P042500

DBE Goal Percent: 0.00%

Approx. Length (miles):5.0000

Description: CMRB;SURFCOURSE;FDP;MILLFILL

CO(S): Aiken

Completion Date: 9/30/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	30.000	SY
UNCLASSIFIED EXCAVATION	510.000	CY
BORROW EXCAVATION	1,000.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	82,140.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,870.000	TON
MAINTENANCE STONE	1.000	TON
LIQUID ASPHALT BINDER PG64-22	488.521	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,900.000	SY
MILLED-IN RUMBLE STRIP	12.900	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,282.918	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	250.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	206.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	640.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	52,810.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	250.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	235.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	5,070.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	20,810.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	158,430.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	500.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	470.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	15,210.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	62,430.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	343.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	30.000	SY
DETECTABLE WARNING MATERIAL	40.000	SF



Call No.: 030

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
SURFACE APPLIED DETECTABLE WARNING	50.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.000	ACRE

**This project has a list of qualified contractors for the In Contract Utility - SECTION 105:
PUBLIC UTILITY RELOCATION (see list below)**



South Carolina Department of Transportation

3/4/2024

Call No.: 040 **Letting Date:** April 09, 2024 **Letting Time:** 2:00PM **Page:** 1

SC File NO(S): 0456381 **PCN:** P030232 **Project No.:** P030232

DBE Goal Percent: 13.00%

Approx. Length (miles):0.5080 **Description:** INTERCHANGE IMPROVEMENT ALONG US 76 @ S-1125 AND LOCAL RT.

CO(S): Anderson

Completion Date: 8/31/2025 Days **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	ACRE
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	2.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	2.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,490.000	SY
REMOVAL OF EXIST. GUARDRAIL	890.000	LF
UNCLASSIFIED EXCAVATION	2,031.000	CY
BORROW EXCAVATION	1,681.000	CY
MUCK EXCAVATION	186.000	CY
PERMANENT SHORING WALL	159.000	LF
NO. 57 STONE FOR BACKFILL	200.000	TON
FINE GRADING	3,870.000	SY
FLOWABLE FILL	200.000	CY
MAINTENANCE STONE	50.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,730.000	TON
LIQUID ASPHALT BINDER PG64-22	285.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	20,280.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,500.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,670.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,100.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	488.000	SF
TEMPORARY WATER FILLED POLYETHYLENE BARRIER	500.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	4,670.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	17,940.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	15,890.000	LF



Call No.: 040

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	1,000.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	1,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	1,230.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	1,230.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	420.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,340.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	2,000.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING SYMBOLS) (TRAFFIC CONTROL)	5.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	45.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	21.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	216.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	120.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,560.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	5,980.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	410.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	140.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	450.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	15.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	5,060.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	410.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	72.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	6.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	135.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	270.000	LF
CONC. FOR STRUCTURES - CLASS 4000(RETAINING WALL)	30.200	CY
18" SMOOTH WALL PIPE	1,468.000	LF
24" SMOOTH WALL PIPE	408.000	LF
CLEANING EXISTING PIPE	760.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	6.000	EA
CATCH BASIN -TYPE 9	7.000	EA
DROP INLET TYPE 125 SINGLE 4'X2' BOX	1.000	EA
DROP INLET (24" X 36")	6.000	EA
MANHOLE	1.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	3.000	EA
BEVELING OF PIPE END	4.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	32.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,430.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	190.000	SY
DETECTABLE WARNING MATERIAL	25.000	SF



Call No.: 040

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 3

Description	Quantity	Units
CONCRETE MEDIAN	730.000	SY
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
PLANTED MEDIAN SUBSURFACE DRAINAGE	980.000	SY
4" PIPE UNDERDRAIN	150.000	LF
GEOCOMPOSITE WALL DRAIN	1,219.000	SF
RIP-RAP (CLASS A)	200.000	TON
RIP-RAP (CLASS B)	81.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	69.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	775.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	3.000	EA
PREMASH TYPE T TL3 LEADING 50'	7.000	EA
36SS REINFORCED BARRIER WALL	159.000	LF
PERMANENT COVER	0.497	ACRE
TEMPORARY COVER	0.249	ACRE
COMPOST	135.000	CY
FERTILIZER (NITROGEN)	50.000	LB
FERTILIZER (PHOSPHORIC ACID)	50.000	LB
FERTILIZER (POTASH)	50.000	LB
AGRICULTURAL GRANULAR LIME	995.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	1.492	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.630	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	7.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	7.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	186.000	LF
SILT FENCE	1,020.000	LF
REPLACE/REPAIR SILT FENCE	510.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	510.000	LF
INLET FILTER CLEANING	26.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 1)	6.000	EA
INLET STRUCTURE FILTER - TYPE D2	10.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

The following contractors are pre-approved to perform water system construction for Sandy Springs Water District:

Gar-Con, Inc.
J & M Construction Inc.
L.W., Inc.
Payne, McGinn, Cummins

S

C

Anderson County Wastewater

List of Approved Contractors

Proposal ID 0456380

- 1.) Don Moorhead Construction – Anderson, SC
- 2.) Reeves Young – Greenville, SC
- 3.) McClam & Associates – Little Mountain, SC



Call No.: 050 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 0768270 PCN: P043016 Project No.: P043016

DBE Goal Percent: 5.00%

Approx. Length (miles):1.2900

Description: S-265 (ROSEIDA ROAD) MP 0.00 - 1.24
BEAUFORT COUNTY

CO(S): Beaufort

Completion Date: 4/15/2025 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	455.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	40.000	LF
UNCLASSIFIED EXCAVATION	105.000	CY
BORROW EXCAVATION	516.000	CY
EXCAVATION FOR SHOULDER PAVING	136.220	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	136.220	STA
MAINTENANCE STONE	54.000	TON
LIQUID ASPHALT BINDER PG64-22	152.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,513.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,066.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,476.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	131.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	19,676.000	SY
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	1,362.240	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	420.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	40,000.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	800.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	850.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	36,000.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	600.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	14,100.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	120.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	300.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	300.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	11,863.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	360.000	LF



Call No.: 050

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
REFLECTIVE SIGN POST PANELS	50.000	LF
GUARDRAIL DELINEATOR - WHITE	20.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.200	ACRE



Call No.: 060 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 1566320	PCN: P042230	Project No.: P042230
DBE Goal Percent: 0.00%	PCN: P042231	Project No.: P042231
	PCN: P042281	Project No.: P042281

Approx. Length (miles): **Description:** CMRB, SHLD WDN, STB, STC, MILL INTM
CO(S): Colleton

Completion Date: 8/31/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	5.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	150.440	SY
UNCLASSIFIED EXCAVATION	1,310.000	CY
BORROW EXCAVATION	9,098.000	CY
EXCAVATION FOR SHOULDER PAVING	699.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	699.000	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	2,860.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	196,157.869	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,669.374	TON
MAINTENANCE STONE	37.870	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,330.240	TON
LIQUID ASPHALT BINDER PG64-22	2,852.090	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,396.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,391.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	7,792.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	49,561.602	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	23,875.830	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,727.870	SY
MILLED-IN RUMBLE STRIP	43.980	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	27,622.334	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,549.140	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,578.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	196,157.865	SY
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	8,592.426	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,360.629	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	838.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	248,139.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	200.000	LF



Call No.: 060

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	385.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	2.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	2.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	20,140.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	132,065.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,332.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	992,556.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	600.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,498.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	7.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	7.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	16.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	80,560.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	527,640.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	620.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,571.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	113.770	SY
CONCRETE SIDEWALK(6" UNIFORM)	6.670	SY
DETECTABLE WARNING MATERIAL	20.000	SF
PEDESTRIAN RAMP CONSTRUCTION	30.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	168.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	100.000	LF
PREMASH RESET TYPE T TL3 LEADING 50'	4.000	EA
PREMASH RESET THRIEBEAM BRDG CONN TBBC3	4.000	EA
PREMASH TYPE T TL2 LEADING 25FT	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	22.768	ACRE
SILT FENCE	6,921.000	LF



Call No.: 070 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 1765850	PCN: P042032	Project No.: P042032
DBE Goal Percent: 0.00%	PCN: P042036	Project No.: P042036
	PCN: P042037	Project No.: P042037
	PCN: P042162	Project No.: P042162

Approx. Length (miles): 15.9800 **Description:** 2024 PIPP RECONSTRUCTION 12/12/2023
CO(S): Dillon 10:54:30 AM

Completion Date: 10/31/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	3,196.000	CY
EXCAVATION FOR SHOULDER PAVING	1,567.096	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,567.320	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	16,720.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	444.000	TON
MAINTENANCE STONE	191.250	TON
HMA SHOULDER WIDENING COURSE	9,532.160	TON
LIQUID ASPHALT BINDER PG64-22	1,983.470	TON
ARAMID FIBER	4,142.000	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	19,125.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,400.000	SY
MILLED-IN RUMBLE STRIP	35.130	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	15,778.533	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	8,123.880	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,195.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	792.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,732.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,225.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	504,549.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,680.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,895.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	15.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	37,130.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	215,830.000	LF



Call No.: 070

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	275.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,075.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	168,183.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	560.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	30.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	965.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	5.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	14,830.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	80,390.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	33.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,113.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	1,130.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	90.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	1,130.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.965	ACRE



Call No.: 080 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 2562750 PCN: P039953 Project No.: P039953
DBE Goal Percent: 0.00% PCN: P040605 Project No.: P040605
PCN: P041828 Project No.: P041828
PCN: P042641 Project No.: P042641

Approx. Length (miles):9.2200 Description: SURFCOURSE;FDP;SHLDPAV;MILLFILL
CO(S): Hampton 12/6/2023 9:00:20 AM

Completion Date: 9/30/2025 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, PAVING, and MARKING with their respective quantities and units.



Call No.: 080

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	12,040.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	58,320.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT	48.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,170.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	5,190.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	535.000	EA
DETECTABLE WARNING MATERIAL	187.500	SF
PEDESTRIAN RAMP CONSTRUCTION	375.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	110.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	225.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	84.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.158	ACRE

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

3/4/2024

Call No.: 090 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 2614830 PCN: P031828 Project No.: P031828

DBE Goal Percent: 0.00%

Approx. Length (miles):0.7820

Description: US 501 REALIGNMENT

CO(S): Horry

Completion Date:

Funding: OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	416.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,100.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	575.000	CY
UNCLASSIFIED EXCAVATION	1,550.000	CY
BORROW EXCAVATION	1,940.000	CY
FINE GRADING	2,650.000	SY
MAINTENANCE STONE	140.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	5,420.000	TON
LIQUID ASPHALT BINDER PG64-22	540.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	10,150.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,470.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,050.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,860.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	864.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	1.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	3,460.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	1,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	6,480.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	1,540.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	5,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	56.000	EA
PAVEMENT MARKINGS(TEMP-PAINT)-WHITE COMBINATION ARROWS	12.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	46.000	EA



Call No.: 090

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	75.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	130.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,290.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,730.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	500.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	470.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,700.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	650.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	28.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	23.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	6.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,240.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	4.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	3.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	75.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	130.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	192.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	270.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	6.250	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	2.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	38.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	353.000	LF
REFLECTIVE SIGN POST PANELS	20.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	535.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,156.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	265.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	1,490.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	1,215.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,200.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,440.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	3,010.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,250.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	3,320.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,356.000	LF
PRE-EMPT.INTERFACE CARD/UNIT	2.000	EA
FIBER OPTIC TRANSCEIVER (SMFO)	4.000	EA
INSTALL WIRELESS NETWORK COMMUNICATIONS LINK BETWEEN TWO SIGNALS (2 RADIOS)	3.000	EA
SAWCUT FOR LOOP DETECTOR	619.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	5.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	26.000	EA



Call No.: 090

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 3

Description	Quantity	Units
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
FURNISH & INSTALL 40' WOOD POLE - CLASS II-CCA TREATED(0.60)	3.000	EA
FURNISH & INSTALL 3/8" BACK GUY FOR WOOD POLE	6.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	260.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	4.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	19.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	4.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	4.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	10.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	46.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	34.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	34.000	EA
VEHICLE TRAFFIC SIGNAL HEAD MOUNTING ASSEMBLY FOR SPAN WIRE	7.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	53.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	60.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	7.000	EA
FURNISH & INSTALL - VIDEO DETECTION CAMERA MOUNTING HARDWARE	1.000	EA
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	5.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	15.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	4.000	EA
POWDERCOATING PER MAST ARM OVER BASE	12.000	EA
DECORATIVE OPTION PER MAST ARM	12.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 003	2.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	8.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	19.000	EA
CONC. FOR STRUCTURES - CLASS 3000(ROADWAY)	1.000	CY
18" RC PIPE CUL.-CLASS III	568.000	LF
24" RC PIPE CUL.-CLASS III	336.000	LF
30" RC PIPE CUL.-CLASS III	940.000	LF
18" RC PIPE CUL.-CLASS IV	732.000	LF
24" RC PIPE CUL.-CLASS IV	256.000	LF
30" RC PIPE CUL.-CLASS IV	200.000	LF
18" SMOOTH WALL PIPE	904.000	LF
24" SMOOTH WALL PIPE	320.000	LF
30" SMOOTH WALL PIPE	112.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	35.000	EA
CATCH BASIN -TYPE 1 WITH STANDARD 4' X 4' BOX	1.000	EA
CATCH BASIN -TYPE 16	5.000	EA
DROP INLET (24" X 36")	2.000	EA



Call No.: 090

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 4

Description	Quantity	Units
36" X 36" JUNCTION BOX	2.000	EA
48" X 48" JUNCTION BOX	3.000	EA
60" X 60" JUNCTION BOX	3.000	EA
JUNCTION BOX (SPECIAL) 004	4.000	EA
CONCRETE CURB (9" X 15")	1,720.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,195.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,660.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	485.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,520.000	SY
DETECTABLE WARNING MATERIAL	437.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	360.000	SY
CONCRETE MEDIAN	235.000	SY
PEDESTRIAN RAMP CONSTRUCTION	875.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
RIGHT OF WAY MARKER(REBAR AND CAP)	32.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.600	ACRE
TEMPORARY COVER	1.200	ACRE
FERTILIZER (NITROGEN)	60.000	LB
FERTILIZER (PHOSPHORIC ACID)	60.000	LB
FERTILIZER (POTASH)	60.000	LB
AGRICULTURAL GRANULAR LIME	1,200.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.600	ACRE
SODDING	0.300	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	3.600	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	400.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	150.000	LF
SILT FENCE	1,340.000	LF
INLET STRUCTURE FILTER - TYPE B	2.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

Roumillat, Oriana

From: Chris A. Miller <camiller@cityofmyrtlebeach.com>
Sent: Wednesday, January 17, 2024 7:45 AM
To: Roumillat, Oriana; Johnson, Stacey H.; Tye, Justin; Janet Curry
Cc: Dana Phillips; Vang, Phillip D.; Dylan Jordan
Subject: RE: [External]RE: [External]RE: [External]RE: US 501 Realignment Utility Concerns
Attachments: 20035E - 501 Water-Sewer (1-10-24).pdf; City of MB 501 Realignment Water-Sewer.pdf; Approved Encroachment Permit.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

****This e-mail is from outside STV****

Oriana, Please see the plan set and cost estimate attached. **No special provisions. No prior rights.** The encroachment permit for the area is attached.

Approved contractors: R.H. Moore, C.L. Benton, AASAP Construction Terrahawk Contracting or Palmetto Paving.

Let me know if we are missing anything else.

Thanks



The employees of the City of Myrtle Beach are a diverse group of individuals who blend their unique talents to create the most effective, elite team of public servants in South Carolina.

Chris A. Miller

Infrastructure Projects Manager

p: 8439182023
m: 843-457-8006
e: camiller@cityofmyrtlebeach.com

PO Drawer 2468
Myrtle Beach, SC 29578-2468

www.cityofmyrtlebeach.com



*** WARNING *** All e-mail correspondence to and from this address may be subject to public disclosure under the South Carolina Freedom of Information Act(FOIA). 2007



Call No.: 100 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 3068570 PCN: P042964 Project No.: P042964
DBE Goal Percent: 0.00%
Approx. Length (miles):3.3700 Description: 2023-24 LAURENS CTC RESURFACING
CO(S): Laurens
Completion Date: 6/30/2025 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
BORROW EXCAVATION	578.000	CY
EXCAVATION FOR SHOULDER PAVING	306.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	306.000	STA
MAINTENANCE STONE	102.000	TON
HMA SHOULDER WIDENING COURSE	720.573	TON
LIQUID ASPHALT BINDER PG64-22	327.271	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,100.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,850.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,850.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	17,490.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,325.000	SY
MILLED-IN RUMBLE STRIP	4.040	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,358.890	TON
DRIVEWAY PAVING-SURFACE TYPE C	264.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,330.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	648.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	97,120.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	828.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	97,120.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	188.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	30,540.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	256.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	30,540.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	99.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	107.000	EA
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.804	ACRE



Call No.: 100

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
SEDIMENT TUBES FOR DITCH CHECKS	20.000	LF
SILT FENCE	200.000	LF
REPLACE/REPAIR SILT FENCE	50.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	20.000	LF



Call No.: 110 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 3961370 PCN: P040996 Project No.: P040996

DBE Goal Percent: 0.00% PCN: P042524 Project No.: P042524

Approx. Length (miles): 15.9400 Description: RESURFACING - CMRB

CO(S): Pickens

Completion Date: 9/30/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	35.000	SY
BORROW EXCAVATION	3,142.000	CY
EXCAVATION FOR SHOULDER PAVING	160.512	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	160.512	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	201,222.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	8,049.000	TON
MAINTENANCE STONE	264.000	TON
HMA SHOULDER WIDENING COURSE	1,070.080	TON
LIQUID ASPHALT BINDER PG64-22	2,220.759	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	24,989.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	34,977.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,009.000	SY
MILLED-IN RUMBLE STRIP	33.250	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	8,496.107	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	15,703.117	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,425.200	TON
DRIVEWAY PAVING-SURFACE TYPE C	984.200	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,540.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	8,190.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	381,404.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,284.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,915.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	48.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	32.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	23,900.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	709,044.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,356.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	40.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	996.000	LF



Call No.: 110

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,480.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	160,476.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,142.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	26.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	880.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	24.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	16.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,930.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	151,395.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	104.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	26.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,163.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	210.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,770.000	LF
FURNISH & INSTALL FLUSH MOUNTED WIRELESS SENSOR	11.000	EA
SAWCUT FOR LOOP DETECTOR	1,370.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	2,900.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	18,976.000	LF
PREMASH TYPE T TL3 LEADING 50'	58.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.807	ACRE



Call No.: 120 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 4068550	PCN: P042392	Project No.: P042392
DBE Goal Percent: 0.00%	PCN: P042397	Project No.: P042397
	PCN: P043120	Project No.: P043120

Approx. Length (miles): 16.3600 **Description:** SW, FDP, MILL; INTERMEDIATE AND SURFACE, GR, LOOPS, ADA
CO(S): Richland

Completion Date: 6/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	4,554.200	SY
BORROW EXCAVATION	1,656.000	CY
EXCAVATION FOR SHOULDER PAVING	132.100	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	132.100	STA
MAINTENANCE STONE	159.250	TON
HMA SHOULDER WIDENING COURSE	675.840	TON
LIQUID ASPHALT BINDER PG64-22	2,126.748	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	5,830.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	10,095.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	54,615.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	62,945.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	121,180.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,305.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	4,364.907	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	10,341.146	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	11,465.004	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	5,258.440	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,596.750	TON
DRIVEWAY PAVING-SURFACE TYPE D	935.250	TON
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	170.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	7,766.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,160.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	258,290.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	18,528.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	12,975.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	118.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	51.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA



Call No.: 120

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	20.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,850.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	414,650.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	915.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	30.000	LF
WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT) EPOXY PAINT	1.000	EA
WHITE WORD MESSAGE "ONLY" - EPOXY PAINT	1.000	EA
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	900.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,070.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	80,610.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	6,361.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	87.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	4,615.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	40.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	17.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	950.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	137,270.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	165.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	25.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,328.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	595.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	23,280.000	LF
SAWCUT FOR LOOP DETECTOR	7,340.000	LF
ADJUST CATCH BASIN	10.000	EA
ADJUST DROP INLET ADJUST D. I.	19.000	EA
CONCRETE CURB AND GUTTER(1'-6") OGEE	25.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	300.000	SY
DETECTABLE WARNING MATERIAL	2,137.500	SF
PEDESTRIAN RAMP CONSTRUCTION	4,250.000	SY
SURFACE APPLIED DETECTABLE WARNING	70.000	SF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	1,187.500	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.360	ACRE



Call No.: 130 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 4268680 PCN: P037642 Project No.: P037642

DBE Goal Percent: 0.00%

Approx. Length (miles):4.5700

Description: RESURFACING- REHAB

CO(S): Spartanburg

Completion Date: 5/31/2025 Days

Funding: OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	125.000	SY
MAINTENANCE STONE	27.500	TON
LIQUID ASPHALT BINDER PG64-22	1,184.053	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	179,579.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,100.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	20,204.773	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	898.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	257.400	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,664.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	59,920.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	15,840.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,840.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	144.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	22.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	20.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	26,560.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	259,644.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,200.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	14,980.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	7,920.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,920.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	72.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	11.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,640.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	64,911.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	870.000	EA



Call No.: 130

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	666.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,208.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	2,520.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	45,240.000	LF
SAWCUT FOR LOOP DETECTOR	16,440.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	36.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	12.000	EA
DETECTABLE WARNING MATERIAL	62.500	SF
CONCRETE MEDIAN	350.000	SY
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY



Call No.: 140 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 4565970 PCN: P042367 Project No.: P042367

DBE Goal Percent: 0.00% PCN: P042368 Project No.: P042368

Approx. Length (miles): 11.2700 Description: SW; CMRB; MILL; SURFACE

CO(S): Williamsburg

Completion Date: 6/30/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	2,254.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	165,293.297	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,711.020	TON
MAINTENANCE STONE	1.500	TON
LIQUID ASPHALT BINDER PG64-22	912.542	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	150.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	700.000	SY
MILLED-IN RUMBLE STRIP	22.540	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,972.140	TON
DRIVEWAY PAVING-SURFACE TYPE D	496.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	754.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	930.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	457,039.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	645.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	37,635.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	171,318.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	310.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	119,013.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	215.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	12,545.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	57,106.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	745.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	60.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	26.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.200	ACRE



Call No.: 150 **Letting Date:** April 09, 2024 **Letting Time:** 2:00PM **Page:** 1
SC File NO(S): 4666980 **PCN:** P042645 **Project No.:** P042645
DBE Goal Percent: 0.00% **PCN:** P043026 **Project No.:** P043026
Approx. Length (miles):6.5500 **Description:** PATCH, MILL, HMA 12/20/2023 3:28:55 PM
CO(S): York
Completion Date: 6/30/2025 Days **Funding:** OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	650.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	260.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	23.500	CY
UNCLASSIFIED EXCAVATION	7,709.000	CY
BORROW EXCAVATION	359.000	CY
STATION GRADING	37.610	STA
EXCAVATION FOR SHOULDER PAVING	6.340	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	6.340	STA
MAINTENANCE STONE	279.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	18,144.960	TON
LIQUID ASPHALT BINDER PG64-22	1,557.539	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,180.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,920.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	2,430.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	34,234.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	13,493.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	19,100.000	SY
MILLED-IN RUMBLE STRIP	1.560	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,852.106	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	6,299.007	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,350.300	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,325.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,400.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	40.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	68.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,695.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	93,706.000	LF



Call No.: 150

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	325.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,770.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,143.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	55.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	39.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	306.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	134,622.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,200.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,715.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	44,999.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	190.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,350.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	54.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,586.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	28.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	20.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	153.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	66,012.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	37.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	17.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	516.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	110.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,250.000	LF
SAWCUT FOR LOOP DETECTOR	2,710.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	5.000	EA
CATCH BASIN - TYPE 9 MH (TOP ONLY)	1.000	EA
CATCH BASIN - TYPE 17 (TOP ONLY)	1.000	EA
ADJUST CATCH BASIN	4.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	1.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	2.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	20.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	160.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	80.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	100.000	SY
DETECTABLE WARNING MATERIAL	325.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	11.500	SY
PEDESTRIAN RAMP CONSTRUCTION	650.000	SY



Call No.: 150

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 3

Description	Quantity	Units
BITUMINOUS CURB	458.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	350.000	LF
PREMASH THRIE WITH BASE PL 3.125 SPACING	100.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.590	ACRE
SILT FENCE	300.000	LF
REPLACE/REPAIR SILT FENCE	100.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	100.000	LF



Call No.: 160 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 5260330 **PCN:** P040810 **Project No.:** P040810
DBE Goal Percent: 0.00% **PCN:** P040845 **Project No.:** P040845
Approx. Length (miles):NA **Description:** TRAFFIC SIGNAL REBUILDS IN DISTRICT 2
CO(S): Anderson Greenwood
 Laurens Newberry
Completion Date: 10/31/2025 Days **Funding:** SCDT

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	45.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	50.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,275.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,264.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	620.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	40.000	LF
REMOVAL OF PAVEMENT MARKINGS	2,825.000	LF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	258.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	13.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	24.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,585.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,565.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	545.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	1,870.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	520.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	200.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	565.000	LF
FURNISH & INSTALL 3" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	1,100.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	6,035.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	13,340.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	22,315.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	9,045.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	38,105.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	120.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	1.000	EA
SAWCUT FOR LOOP DETECTOR	17,800.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	17.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	64.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	20.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	16.000	EA



Call No.: 160

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	8.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	10.000	LF
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	3,410.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	4.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	23.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	17.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	13.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	126.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	72.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	86.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	24.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	140.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	17.000	EA
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	14.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	17.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	1.000	EA
POWDERCOATING PER MAST ARM OVER BASE	4.000	EA
POWDERCOATING PER MAST ARM OVER GALVANIZED	5.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 003	7.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	4.000	EA
POWDERCOATING OPTION FOR 4' ALUMINUM PEDESTAL POLE	2.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	8.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	135.000	SY
DETECTABLE WARNING MATERIAL	570.000	SF
PEDESTRIAN RAMP CONSTRUCTION	411.000	SY



Call No.: 170 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 5266160	PCN: P041387	Project No.: P041387
DBE Goal Percent: 0.00%	PCN: P041995	Project No.: P041995
	PCN: P042001	Project No.: P042001
	PCN: P042003	Project No.: P042003
	PCN: P042071	Project No.: P042071
	PCN: P042103	Project No.: P042103

Approx. Length (miles): 23.0800 **Description:** 2023-2024 PAVEMENT IMPROVEMENT PROGRAM
CO(S): Abbeville Greenwood **Laurens**

Completion Date: 10/31/2026 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	9,800.000	CY
EXCAVATION FOR SHOULDER PAVING	2,402.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	2,402.000	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	6,180.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	214.000	TON
MAINTENANCE STONE	479.070	TON
HMA SHOULDER WIDENING COURSE	8,192.947	TON
LIQUID ASPHALT BINDER PG64-22	2,579.467	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	5,650.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	27,127.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	71,960.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	15,720.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	163,150.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,525.000	SY
MILLED-IN RUMBLE STRIP	38.800	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	4,517.334	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	18,321.894	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,062.077	TON
DRIVEWAY PAVING-SURFACE TYPE B	721.875	TON
DRIVEWAY PAVING-SURFACE TYPE C	882.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,898.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,936.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	736,125.000	LF



Call No.: 170

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,236.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	26,810.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	723,635.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	622.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	240,000.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	730.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,220.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	235,388.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,530.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	200.000	LF
MT3 LEADING END TREATMENT TL3	40.000	EA
MGS3CS GR COMPRESSED SHOULDER	4,712.500	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	21.162	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	100.000	LF
SILT FENCE	1,000.000	LF
REPLACE/REPAIR SILT FENCE	100.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	250.000	LF



Call No.: 180 Letting Date: April 09, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 5561081 PCN: P041011 Project No.: P041011

DBE Goal Percent: 0.00%

Approx. Length (miles):

CO(S): Florence Horry Marlboro

Description: TYPE II TRAFFIC SIGNAL UPGRADES DISTRICT 5 FY23

Completion Date: 10/31/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	110.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	15.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	866.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,829.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	250.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	552.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	80.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	7,020.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	5,170.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	2,890.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,700.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	16,160.000	LF
SAWCUT FOR LOOP DETECTOR	7,084.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	6.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	36.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
FURNISH & INSTALL 3/8" BACK GUY FOR WOOD POLE	4.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	19.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	1,015.000	LF
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,126.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	8.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	3.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	6.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	12.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	46.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	32.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	34.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	59.000	EA



Call No.: 180

Letting Date: April 09, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	6.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	6.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	2.000	EA

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS.

CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers
Contract Administrator