

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For June 14, 2022

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on May 17, 2022 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

5/9/2022

Call No.: 010 Letting Date: June 14, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0252830 PCN: P037361 Project No.: P037361
 DBE Goal Percent: 7.00%
 Approx. Length (miles): 0.6120 Description: INTERSECTION IMPROVEMENTS - SC 19
 CO(S): Aiken (AIKEN CO)
 Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY RELOCATION NO. ____ 001	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 01	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 02	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	540.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,864.000	SY
UNCLASSIFIED EXCAVATION	7,858.000	CY
FINE GRADING	1,037.000	SY
MAINTENANCE STONE	400.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	4,964.000	TON
LIQUID ASPHALT BINDER PG64-22	586.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,145.000	SY
MILLED-IN RUMBLE STRIP	1.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,904.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,407.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	299.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	276.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	4,996.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	11,762.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	16,700.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	284.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	1,187.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	6.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	3.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	56.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,315.000	LF



Call No.: 010 Letting Date: June 14, 2022 Letting Time: 2:00 PM Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	7,198.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	140.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,714.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	8,028.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	60.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	112.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	127.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,482.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	294.000	LF
BARRICADE - PERMANENT WITH TYPE III SHEETING	21.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	175.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	675.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	75.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	250.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	475.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	575.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	175.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,525.000	LF
SAWCUT FOR LOOP DETECTOR	625.000	LF
LOOP SEALANT	3.000	GAL
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	13.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	425.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 002	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
F&I - 12" 1-WAY-4 SECTION(R.Y.G.GA)VEHICLE TRAFFIC SIGNAL	1.000	EA
F&I - 12" 1-WAY-4 SECTION(RA.YA.YAF.GA)VEH TRAFFIC SIGNAL	1.000	EA
F&I - 12" 1-WAY-3 SECTION(R.Y.G.)VEHICLE TRAFFIC SIGNAL	4.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	2.000	EA
VEHICLE TRAFFIC SIGNAL HEAD MOUNTING ASSEMBLY FOR SPAN WIRE	7.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	7.000	EA
18" SMOOTH WALL PIPE	840.000	LF
24" SMOOTH WALL PIPE	148.000	LF
CLEANING EXISTING PIPE	306.000	LF
DROP INLET (24" X 24")	3.000	EA
BEVELING OF PIPE END	22.000	EA
RIP-RAP (CLASS A)	26.000	TON



Call No.: 010

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
RIP-RAP (CLASS B)	183.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	485.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	52.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.000	ACRE
TEMPORARY COVER	2.000	ACRE
FERTILIZER (NITROGEN)	400.000	LB
FERTILIZER (PHOSPHORIC ACID)	400.000	LB
FERTILIZER (POTASH)	400.000	LB
AGRICULTURAL GRANULAR LIME	8,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	12.000	ACRE
LAGERSTROEMIA X FAUREI "NATCHEZ" (GRAPE MYRTLE) 8-10', B&B, #20 CONT	6.000	EA
TURF REINFORCEMENT MATTING (TRM) TYPE 1	2.596	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	2.000	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	4.000	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	580.000	LF
SILT FENCE	417.000	LF
CLEANING SILT BASINS	130.000	CY
CLEANING INLET STRUCTURE FILTERS	3.000	EA
INLET STRUCTURE FILTER - TYPE D1	3.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	4.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



www.newellentoncpw.com

Approved SubContractors

1. Tri-star Contractors, Inc.
2. Beam's Contracting, Inc.
3. ATC Site Construction

Commission of Public Works

100 South Main Street
P.O. Box 490
New Ellenton, SC 29809
(803) 652-2862

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

5/9/2022

Call No.: 020 Letting Date: June 14, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0291281 PCN: P028422 Project No.: P028422
 DBE Goal Percent: 13.00%
 Approx. Length (miles): 0.2950 Description: BRIDGE REPLACEMENT - SC 421 (LITTLE HORSE CREEK)
 CO(S): Aiken
 Completion Date: 3/31/2024 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 002	1.000	EA
SMALL PUBLIC SEWER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	300.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	ACRE
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	16.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	4.000	EA
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	2,285.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,590.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
FURNISH AND INSTALL MAILBOX	2.000	EA
UNCLASSIFIED EXCAVATION	1,475.000	CY
BORROW EXCAVATION	20,359.000	CY
MUCK EXCAVATION	4,050.000	CY
GEOTEXTILE, SEPARATION	4,875.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	395.000	SY
GEOGRID STABILIZATION	4,875.000	SY
TEMPORARY SHORING WALL	110.000	LF
STONE BRIDGE LIFT MATERIAL	6,000.000	TON



Call No.: 020

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
EARTHQUAKE DRAINS	14,200.000	LF
FINE GRADING	4,147.000	SY
FLOWABLE FILL	28.000	CY
MAINTENANCE STONE	450.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,032.000	TON
LIQUID ASPHALT BINDER PG64-22	274.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	8,203.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,532.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,059.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,099.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	150.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	392.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	2.000	EA
TEMPORARY CONCRETE BARRIER	1,500.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	220.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	220.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	220.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	9,500.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	80.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,920.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	5,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	14,090.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	710.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,540.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	55.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	440.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	18.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	58.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	604.000	LF
CONC. FOR STRUCTURES - CLASS 4000	678.900	CY
GROOVED SURFACE FINISH	781.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	137,905.000	LB
PRESTRESSED CONC. BEAM (TYPE IV)	1,093.400	LF
CONCRETE BRIDGE RAILING WALL (3'6"HT)	300.000	LF
PILE DRIVING SET-UP	20.000	EA
REINF. PILE TIPS (HP14 X 117)	20.000	EA
STEEL H BEARING PILING (HP14 X 117)	1,158.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	60.000	LF



Call No.: 020

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	296.000	LF
18" SMOOTH WALL PIPE	1,536.000	LF
24" SMOOTH WALL PIPE	540.000	LF
CATCH BASIN -TYPE 16	20.000	EA
CATCH BASIN -TYPE 18	6.000	EA
DROP INLET (24" X 36")	4.000	EA
EXTRA DEPTH OF BOX	27.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,860.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,735.000	SY
DETECTABLE WARNING MATERIAL	30.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	260.000	SY
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
ELASTOMERIC BEARING	20.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	442.000	TON
10" PIPE SLOPE DRAIN	100.000	LF
RIP-RAP (CLASS A)	11.000	TON
RIP-RAP (CLASS B)	80.000	TON
RIP-RAP (CLASS C)	1,740.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,245.000	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS2C GR BEHIND CURB	387.500	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	100.000	SY
TEMPORARY BARRIER FENCE	2,454.000	LF
RESET CHAIN-LINK FENCE	800.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS



Call No.: 020

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
MOVING ITEM NO. 017	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	25.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.000	ACRE
TEMPORARY COVER	3.000	ACRE
FERTILIZER (NITROGEN)	300.000	LB
FERTILIZER (PHOSPHORIC ACID)	300.000	LB
FERTILIZER (POTASH)	300.000	LB
AGRICULTURAL GRANULAR LIME	6,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	12.000	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	49.800	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	1.626	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	9.612	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	9.143	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	2.857	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	318.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	318.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	95.000	LF
SILT FENCE	4,910.000	LF
REPLACE/REPAIR SILT FENCE	490.000	LF
CLEANING SILT BASINS	12.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,230.000	LF
CLEANING INLET STRUCTURE FILTERS	38.000	EA
INLET STRUCTURE FILTER - TYPE D2	38.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	4.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

Carolina Tap & Bore, Inc.
2430 Morningside Drive
West Columbia, SC 29169
Richard Young (803) 600-5363

Tri- Star Contractors, Inc.
47 Legacy Lane
Edgefield SC 29824
Richard Berry (803) 637-5751

Lake Murray Utility Company, Inc.
1139 Candy Kitchen Road
Prosperity, SC 29127
Jennings Parker (803) 732-7849



Call No.: 030 Letting Date: June 14, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1150050 PCN: P029835 Project No.: P029835
DBE Goal Percent: 14.50%
Approx. Length (miles): 1.8750 Description: INTERSECTION IMPROVEMENTS - SC 11/S-61/S-81
CO(S): Cherokee
Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, EXCAVATION, GRADING, ASPHALT PAVEMENT, and PAINTING with their respective quantities and units.



Call No.: 030

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	70,000.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	900.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	19,500.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	275.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	15.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	23,600.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	250.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	33.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	30.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	4.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	30.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	367.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,110.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	80.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	4,158.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,171.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	511.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	489.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,749.000	LF
SAWCUT FOR LOOP DETECTOR	1,264.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	19.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	8.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	933.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	2.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	14.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	8.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	16.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	2.000	EA
18" SMOOTH WALL PIPE	780.000	LF
24" SMOOTH WALL PIPE	124.000	LF
30" SMOOTH WALL PIPE	112.000	LF
DROP INLET (24" X 36")	2.000	EA
BEVELING OF PIPE END	18.000	EA
RIP-RAP (CLASS A)	1,281.000	TON



Call No.: 030

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
RIP-RAP (CLASS B)	1,179.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,296.000	SY
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	140.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	10.817	ACRE
TEMPORARY COVER	5.409	ACRE
FERTILIZER (NITROGEN)	1,082.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,082.000	LB
FERTILIZER (POTASH)	1,082.000	LB
AGRICULTURAL GRANULAR LIME	21,634.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	32.452	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.922	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	5.455	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	24.000	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	8.000	ACRE
SILT FENCE	5,005.000	LF
REPLACE/REPAIR SILT FENCE	501.000	LF
CLEANING SILT BASINS	5,973.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,252.000	LF
CLEANING INLET STRUCTURE FILTERS	10.000	EA
INLET STRUCTURE FILTER - TYPE A	50.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	158.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY



Call No.: 040 Letting Date: June 14, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3162040 PCN: P041147 Project No.: P041147

DBE Goal Percent: 0.00%

Approx. Length (miles): 2.5400 Description: REHABILITATION - S-34 (LEE COUNTY)

CO(S): Lee

Completion Date: 6/30/2023 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	60.000	SY
UNCLASSIFIED EXCAVATION	21.000	CY
BORROW EXCAVATION	508.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	37,500.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,125.000	TON
LIQUID ASPHALT BINDER PG64-22	247.484	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,000.000	SY
MILLED-IN RUMBLE STRIP	5.080	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,781.320	TON
DRIVEWAY PAVING-SURFACE TYPE C	147.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	364.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	107,400.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,200.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	320.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,800.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	84,000.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	26,850.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	300.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	80.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	21,000.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	175.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	200.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
PREMASH W-BEAM BRIDGE CONN TL2 WBBC2	4.000	EACH
PREMASH RESET W-BEAM STRONG POST SYSTEM	100.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.463	ACRE



Call No.: 050 Letting Date: June 14, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3862160 PCN: P040626 Project No.: P040626

DBE Goal Percent: 0.00%

Approx. Length (miles): 4.2900

Description: REHABILITATION - ORANGEBURG CO

CO(S): Orangeburg

Completion Date: 6/30/2023

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	75.000	SY
BORROW EXCAVATION	816.000	CY
EXCAVATION FOR SHOULDER PAVING	112.992	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	112.992	STA
MAINTENANCE STONE	5.910	TON
HMA SHOULDER WIDENING COURSE	564.960	TON
LIQUID ASPHALT BINDER PG64-22	359.592	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	571.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	20.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	2,990.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,000.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	356.790	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	4,357.380	TON
DRIVEWAY PAVING-SURFACE TYPE D	394.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,536.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	11,300.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	524.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	15,070.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	11,300.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,048.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	30,140.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	276.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	10.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	270.000	LF
SAWCUT FOR LOOP DETECTOR	90.000	LF
DETECTABLE WARNING MATERIAL	37.500	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.102	ACRE

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

5/9/2022

Call No.: 060 Letting Date: June 14, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4083973 PCN: 0040440RD01 Project No.: BR40008
 DBE Goal Percent: 6.50%
 Approx. Length (miles): 0.6930 Description: BRIDGE REPLACEMENT - US 1 (SCL RR)
 CO(S): Richland
 Completion Date: 8/31/2025 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	6,380.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	9,605.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	1,269.000	CY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	3,772.000	CY
BORROW EXCAVATION	6,727.000	CY
BORROW EXCAVATION - LIGHTWEIGHT BORROW EXCAVATION	1,575.000	CY
CONTROLLED FILL - BORROW MATERIAL	9,000.000	CY
MUCK EXCAVATION	1,222.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	2,680.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	440.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	568.000	LF
GEOTEXTILE, SEPARATION	4,342.000	SY
GEOGRID STABILIZATION	3,667.000	SY
STRUCTURE EXCAVATION FOR RETAINING WALL	1,088.000	CY
DRY EXCAVATION FOR BRIDGES	12,299.000	CY
TEMPORARY SHORING WALL	602.000	LF
PERMANENT SHEET PILING	2,100.000	SF



Call No.: 060

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
GRANULAR BRIDGE LIFT MATERIAL	1,100.000	CY
FINE GRADING	12,516.000	SY
FLOWABLE FILL	12.230	CY
MAINTENANCE STONE	370.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	4,432.000	TON
LIQUID ASPHALT BINDER PG64-22	550.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	7,640.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,354.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,720.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	492.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	1.000	EA
TEMPORARY CONCRETE BARRIER	436.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	254.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	6,000.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	267.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.BROKEN PREF.	680.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	10,390.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	25,000.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	130.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	650.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	610.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	43,500.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING SYMBOLS) (TRAFFIC CONTROL)	1,216.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	63.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE WH.SING.ARROW	10.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	67.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP-REMOV.WH.WORD MESS."ONLY"	6.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	613.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	521.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,790.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	120.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,160.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	620.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	32.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	26.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,020.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	660.000	LF



Call No.: 060

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,170.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,755.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	60.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,080.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	310.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	11.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	330.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,010.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	170.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	50.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	120.000	LF
PREF.FLEX.RETRO.PVMT.(T-1)PERM(60MIL)WH.WORD MESS."ONLY"	2.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	103.130	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	12.750	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	52.500	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	5.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	20.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	169.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	12.670	LF
BARRICADE - PERMANENT WITH TYPE III SHEETING	36.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,403.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	660.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	3,060.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	3,015.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,048.000	LF
SAWCUT FOR LOOP DETECTOR	2,534.000	LF
MOD. EXIST ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	14.000	EA
17"X30"X18"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	2.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	8.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	865.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	2.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	7.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	18.000	EA



Call No.: 060

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	14.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	14.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	25.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	10.000	EA
CONC. FOR STRUCTURES - CLASS 4000	2,274.900	CY
GROOVED SURFACE FINISH	1,057.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	1,862.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	547,936.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	1,050.000	LF
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	257.400	LF
DRILLED SHAFT SET-UP	22.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	2,024.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	220.000	LF
CONSTRUCTION CASING - 48" DIAMETER	220.000	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL	2,110.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	5,921.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	502.000	LF
18" SMOOTH WALL PIPE	3,912.000	LF
24" SMOOTH WALL PIPE	184.000	LF
30" SMOOTH WALL PIPE	656.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	9.000	EA
CATCH BASIN -TYPE 9 MH	2.000	EA
CATCH BASIN -TYPE 16	31.000	EA
CATCH BASIN -TYPE 17	4.000	EA
DROP INLET (24" X 24")	6.000	EA
TRENCH DRAIN-4" INTERIOR DIMENSION (DRIVEWAY APPLICATION)	250.000	LF
TRENCH DRAIN-12" INTERIOR DIMENSION (DRIVEWAY APPLICATION)	220.000	LF
MANHOLE	2.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	7.000	EA
24" X 24" JUNCTION BOX	1.000	EA
36" X 36" JUNCTION BOX	1.000	EA
EXTRA DEPTH OF BOX	10.000	LF
CATCH BASIN - TYPE 17 (TOP ONLY)	1.000	EA
MANHOLE (TOP ONLY)	1.000	EA
ADJUST CATCH BASIN	5.000	EA
ADJUST MANHOLE	5.000	EA
ADJUST DROP INLET ADJUST D. I.	5.000	EA
JUNCTION BOX - CONVERT CB T-16	1.000	EA
MANHOLE-CONVERT CATCH BASIN	2.000	EA



Call No.: 060

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 5

Description	Quantity	Units
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	5,972.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	3,064.000	SY
DETECTABLE WARNING MATERIAL	175.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,470.000	SY
CONCRETE MEDIAN	1,196.000	SY
PEDESTRIAN RAMP CONSTRUCTION	350.000	SY
ELASTOMERIC BEARING	24.000	EA
CROSSHOLE SONIC LOGGING SETUP	22.000	EA
RIP-RAP (CLASS A)	10.000	TON
RIP-RAP (CLASS B)	20.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	20.000	SY
MT2 LEADING END TREATMENT TL2	1.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	1.000	EA
2' CRASH CUSHION 2C RETROFIT SITE	1.000	EA
36SS REINFORCED BARRIER WALL	25.000	LF
BRIDGE FENCE	1.000	LS
48"-CHAIN LINK FENCE	99.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	31.000	EA
RIGHT OF WAY PLAT	1.000	LS
MOWING	2.100	ACRE
SODDING	4.980	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.800	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,760.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,760.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	200.000	LF
SILT FENCE	6,200.000	LF



Call No.: 060

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 6

Description	Quantity	Units
REPLACE/REPAIR SILT FENCE	620.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,550.000	LF
INLET FILTER CLEANING	60.000	EA
INLET STRUCTURE FILTER - TYPE B	46.000	EA
INLET STRUCTURE FILTER - TYPE A	1,800.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	10.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 12"	140.000	LF
SUBSURFACE EXPLORATION	1.000	LS

Engineering Department		APPROVED CONTRACTORS LIST							Columbia Water	
Last Revised 7/19/2021		MAIN LINE TAPS AND METER INSTALLATION								
Company Name	Contact	Contact Numbers	Tap Size	Meter Size	Asbestos Certified	Proof of Insurance	Address			
Armstrong Contractors, LLC.	Michael Armstrong	803-730-5955 803-788-1190 Ext. 14 (office)	none	2'-8"	No	6/8/21-6/8/22	PO Box 291053, Columbia, SC 29229 Email: Mike@armstrongcontractors.com			
Babcock Construction, LLC.	Jackson Babcock	803-600-6861	3/4"-12"	3/4"-10"	No	1/01/21-1/01/22	1122 Three Dog Road, Chapin SC 29036 Email: babcockconst@bellsouth.net			
Carolina Tap & Bore, Inc.	Richard Young	803-600-5363 803-739-7056 803-791-1407	3/4"-20"	3/4"-10"	Yes	3/01/21-03/01/22	2410 Morningside Dr, W Cola 29169 Email: ryoung@carolinatapandbore.com fax			
Conder Construction	John W. Conder, II	(803) 438-8221 (803) 934-6880	3/4" - 16"	3/4" - 20"	No	6/23/20-6/23/22	waitconder@yahoo.com; Conder Construction <dianec.conder@gmail.com>			
Corley Construction	Todd Corley	803-513-1269	none	4"-10"	No	6/23/20-6/23/22	366 Firetower Rd., Irmo, SC 29063 Email: corleyconst88915@bellsouth.net			
C.R. Jackson, Inc.	Sean Walker	803-917-0207 803-750-6070 803-750-1356 (Fax)	3/4"-12"	3/4"-8"	No	8/1/20-8/1/22	PO Box 8023 Columbia, SC 29202 swalker@crjackson.com thawkings@crjackson.com			
Derrick Plumbing, Inc.	Billy Derrick	803-359-2827 803-532-3301	1-1/2"-16"	3/4"-10"	No	6/1/21-6/1/22	2226 Ridge Rd, Leesville 29070 Email: billy@derrickplumbing.com			
FRC Construction, LLC.	Frankie Thomas	803-518-4287	3/4"-8"	3/4"-8"	No	04/20/21-10/22/22	107 Wagon Wheel Court, Pelion SC 29123 Email: rebeccasoodycat@aol.com			
GH Smith Construction, Inc.	Jerry H. Smith	803-622-5139	up to 24"	3/4"-8"	Yes	7/01/21-7/1/22	430 Shuler Ct., Columbia, SC 29212 Email: ghsmitthconst@aol.com			
Hammerhead Utilities	Bill Head Jason Prouse	803-960-3046 803-201-4816	3/4"-8"	3/4"-8"	Yes	5/10/21-5/10/22	P. O. Box 9614, Columbia, SC 29290 bill@hhulic.com Email: jason@hhulic.com			
LAD Construction, LLC	Brad Sox	803-739-4483 803-309-3922	all	3/4"-10"	No	9/1/20-9/1/21	PO Box 1129 Swansea SC 29160 Email: bsox@ladconstructionllc.com			
Lake Murray Utility Co., Inc.	Jennings Parker	803-732-7849 (Office) 803-730-7652 (Cell)	3/4"-20"	3/4"-8"	No	4/29/21-4/29/22	PO Box 1089, Chapin 29036 chenjgotee@bellsouth.net			
McClam & Associates	Wayne Bye Wende Grimes	803-513-6065 803-345-9194	3/4"-24"	3/4"-10"	Yes	6/30/21-6/30/22	1316 Washington St., Columbia 29201 Email: rom@mcclam.net/wgrimes@mcclam.net			
North American Pipeline Management	Brandon Leipprandt	678-820-3991 Ext. 140 404- 606-9944 (Cell) 678-820-3993 (Fax)	3/4" to 12"	5/8" to 12"	Yes	1/1/21-1/1/22	62 Hamby Road SE Marietta, GA 30067 Email: brandon.leipprandt@napmnc.com			
Owens Fisher Construction Co.	Charlie Meetze	803-951-3927 (Office) 803-513-3429 (Cell)	1.5" - 12"	3/4" - 6"	No	7/11/21-7/11/22	303 McLee Rd., Lexington SC 29073 Email: charlie@owens-fisher.com			
Shady Grove Construction	Erica Richardson	803-600-6452 (Elica) 513-4592 (Tim) 803-781-2516 781-0392 (Fax)	3/4"-12"	3/4"-10"	Yes	10/31/20-10/31/21	1079 W. Shady Grove Rd, Irmo 29063 Erikasc2@aol.com/Email:TKRideal2@aol.com			
Stutts & Williams LLC	Joey Williams	803-814-3753	3/4" to 12"	5/8"-12"	Yes	1/1/21-1/1/22	PO Box 2046, Lexington SC 29071 Email: joey@stuttswilliams.com			



Call No.: 070 Letting Date: June 14, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4251520 PCN: P030724 Project No.: P030724

DBE Goal Percent: 17.50%

Approx. Length (miles):0.1230 Description: INTERSECTION IMPROVEMENTS - US 176/SC
CO(S): Spartanburg 357

Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	205.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	160.000	SY
UNCLASSIFIED EXCAVATION	115.000	CY
BORROW EXCAVATION	50.000	CY
FINE GRADING	670.000	SY
FLOWABLE FILL	5.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	190.000	TON
LIQUID ASPHALT BINDER PG64-22	27.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	240.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	2,270.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	55.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	310.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	96.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	95.000	SF
DETOUR SIGNS	365.000	SF
BARRICADE - TYPE 3	72.000	LF
TYPE B - FLASHING LIGHT	10.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	1,350.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	1,350.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	20.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,400.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	25.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,400.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10.000	EA
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	40.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	4.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF



Call No.: 070

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	680.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	1.000	EA
F&I 13"X28' STEEL STRAIN POLE ON EXISTING FOUNDATION	3.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	400.000	LF
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	400.000	LF
FURNISH & INSTALL SPLICE-CABINET/FLASHER CABINET	1.000	EA
F&I - 12" 1-WAY-1 SECTION(RED)VEHICLE TRAFFIC SIGNAL	4.000	EA
F&I - 12" 1-WAY-1 SECTION(YELLOW)VEHICLE TRAFFIC SIGNAL	4.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	1.000	EA
18" SMOOTH WALL PIPE	364.000	LF
CATCH BASIN -TYPE 9	3.000	EA
DROP INLET (24" X 24")	1.000	EA
DROP INLET (24" X 36")	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	125.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	48.000	SY
PEDESTRIAN RAMP RETROFIT	1.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	127.000	SY
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	20.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.200	ACRE
TEMPORARY COVER	0.100	ACRE
COMPOST	6.000	CY
FERTILIZER (NITROGEN)	20.000	LB
FERTILIZER (PHOSPHORIC ACID)	20.000	LB
FERTILIZER (POTASH)	20.000	LB
AGRICULTURAL GRANULAR LIME	400.000	LB
MOWING	0.600	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.873	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.600	ACRE
SILT FENCE	391.000	LF
INLET FILTER CLEANING	5.000	EA
INLET STRUCTURE FILTER - TYPE A	125.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 080 Letting Date: June 14, 2022 Letting Time: 2:00 PM Page: 1
SC File NO(S): 4362200 PCN: P041190 Project No.: P041190
DBE Goal Percent: 0.00%
Approx. Length (miles):7.3300 Description: REHABILITATION - SUMTER CO
CO(S): Sumter
Completion Date: 6/30/2023 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,750.000	SY
BORROW EXCAVATION	1,466.000	CY
MAINTENANCE STONE	75.000	TON
LIQUID ASPHALT BINDER PG64-22	816.827	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	7,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,575.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,433.776	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,531.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	456.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	55,000.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,000.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,080.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	153,880.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	27,500.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,000.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,040.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	500.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	76,940.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	505.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	15.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	726.000	LF
SAWCUT FOR LOOP DETECTOR	227.000	LF
ADJUST DROP INLET ADJUST D. I.	3.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	1,500.000	SY
DETECTABLE WARNING MATERIAL	212.500	SF



Call No.: 080

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
CONCRETE DRIVEWAY(6" UNIFORM)	825.000	SY
PEDESTRIAN RAMP CONSTRUCTION	425.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.109	ACRE

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

5/9/2022

Call No.: 090 Letting Date: June 14, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4646750 PCN: P027981 Project No.: P027981
 DBE Goal Percent: 17.50%
 Approx. Length (miles): 0.6010 Description: INTERSECTION IMPROVEMENT - SC 161/S-30
 CO(S): York (YORK CO)
 Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	1.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	11.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	5.000	EA
REMOVAL & DISPOSAL OF EXISTING MANHOLE	9.000	EA
REMOVAL & DISPOSAL ITEMS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	200.000	SY
UNCLASSIFIED EXCAVATION	2,757.000	CY
BORROW EXCAVATION	457.000	CY
GEOTEXTILE, SEPARATION	170.000	SY
STRUCTURE EXCAVATION FOR RETAINING WALL	364.000	CY
NO. 57 STONE FOR BACKFILL	170.000	TON
FINE GRADING	6,237.000	SY
FLOWABLE FILL	25.000	CY
MAINTENANCE STONE	50.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,509.000	TON
LIQUID ASPHALT BINDER PG64-22	384.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	250.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	2,280.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	17,019.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,169.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,792.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	512.000	SF
BARRICADE - TYPE 3	24.000	LF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	150.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	136.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,370.000	LF



Call No.: 090

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,696.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	617.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	34.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	23.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	4,410.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	3,530.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,370.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,696.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	8.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	617.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	34.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	23.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,410.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	150.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	136.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	329.860	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	86.700	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	2.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	902.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	16.670	LF
REFLECTIVE SIGN POST PANELS	6.000	LF
FLEXIBLE DELINEATOR POST, 4"X12", TYPE 4 SHEETING REFLECTOR	6.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	500.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,200.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	500.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	900.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,000.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,500.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,900.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	900.000	LF
SAWCUT FOR LOOP DETECTOR	300.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	7.000	EA
FURNISH & INSTALL - 35' WOOD POLE-CLASS II-CCA TR(0.60)	4.000	EA
FURNISH & INSTALL 3/8" BACK GUY FOR WOOD POLE	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	700.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	5.000	EA



Call No.: 090

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	17.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	6.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	6.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	22.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL - VIDEO DETECTION CAMERA MOUNTING HARDWARE	2.000	EA
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	1.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	3.000	EA
POWDERCOATING PER MAST ARM OVER BASE	4.000	EA
LUMINAIRE OPTION FOR MAST ARM - TO ACCOUNT FOR TALLER POLE	4.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	4.000	EA
CONC. FOR STRUCTURES - CLASS 4000	83.600	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	13,262.000	LB
18" SMOOTH WALL PIPE	1,212.000	LF
24" SMOOTH WALL PIPE	1,156.000	LF
30" SMOOTH WALL PIPE	460.000	LF
36" SMOOTH WALL PIPE	252.000	LF
42" SMOOTH WALL PIPE	188.000	LF
CLEANING EXISTING PIPE	250.000	LF
CATCH BASIN -TYPE 9 MH	2.000	EA
CATCH BASIN -TYPE 16	7.000	EA
CATCH BASIN -TYPE 17	12.000	EA
CATCH BASIN -TYPE 18	2.000	EA
DROP INLET (24" X 36")	6.000	EA
MANHOLE	14.000	EA
36" X 36" JUNCTION BOX	2.000	EA
PRECAST CONCRETE RISER - 48" DIAMETER	3.300	LF
PRECAST CONCRETE DRAINAGE BASE - 48"	1.000	EA
EXTRA DEPTH OF BOX	11.100	LF
ADJUST CATCH BASIN	3.000	EA
JUNCTION BOX - CONVERT CB T-16	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	3,150.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,672.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	110.000	SY
DETECTABLE WARNING MATERIAL	250.000	SF
CONCRETE MEDIAN	1,040.000	SY
PEDESTRIAN RAMP CONSTRUCTION	552.000	SY
SURFACE APPLIED DETECTABLE WARNING	80.000	SF
4" PERFORATED PIPE UNDERDRAIN	105.000	LF
RIP-RAP (CLASS B)	147.000	TON



Call No.: 090

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	65.000	SY
MT3 LEADING END TREATMENT TL3	1.000	EA
MB TRAILING END TREATMENT	1.000	EA
MGS2C GR BEHIND CURB	25.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS
MOVING ITEM NO. 017	1.000	LS
MOVING ITEM NO. 018	1.000	LS
MOVING ITEM NO. 019	1.000	LS
MOVING ITEM NO. 020	1.000	LS
MOVING ITEM NO. 021	1.000	LS
MOVING ITEM NO. 022	1.000	LS
MOVING ITEM NO. 023	1.000	LS
MOVING ITEM NO. 024	1.000	LS
MOVING ITEM NO. 025	1.000	LS
MOVING ITEM NO. 026	1.000	LS
MOVING ITEM NO. 027	1.000	LS
MOVING ITEM NO. 028	1.000	LS
MOVING ITEM NO. 029	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	22.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.880	ACRE
TEMPORARY COVER	0.440	ACRE
FERTILIZER (NITROGEN)	88.020	LB
FERTILIZER (PHOSPHORIC ACID)	88.020	LB
FERTILIZER (POTASH)	88.020	LB
AGRICULTURAL GRANULAR LIME	1,760.400	LB
SELECTIVE WATERING	54,300.000	GAL



Call No.: 090

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 5

Description	Quantity	Units
MOWING	2.641	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.856	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	1.980	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.660	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	180.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	180.000	LF
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
INLET FILTER CLEANING	26.000	EA
INLET STRUCTURE FILTER - TYPE B	8.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 002	1.000	EA

CITY OF ROCK HILL WATER & SEWER
LIST OF PREFERRED CONTRACTORS FOR IN CONTRACT
SERVICES: SCDOT PROJECT P027981
S-161(CELANESE ROAD) AT S-30 (INDIA HOOK ROAD)

STATE UTILITY CONTRACTORS, INC.
CHANDLER CONSTRUCTION SERVICES, INC.
DELLINGER, INC.

CITY OF ROCK HILL
LARGE UTILITY PROVIDER EXISTING CUSTOMER STATUS

WATER TAPS: 35,117

SEWER TAPS: 34,940



Call No.: 100 Letting Date: June 14, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5161950 PCN: P041242 Project No.: P041242
 DBE Goal Percent: 0.00%
 Approx. Length (miles):NA Description: SIGNAL UPGRADES - LEXINGTON/RICHLAND CO
 CO(S): Lexington Richland
 Completion Date: 10/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,690.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	540.000	LF
REMOVAL OF PAVEMENT MARKINGS	170.000	LF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	53.000	SF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	360.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,520.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	190.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	310.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	410.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	7,930.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	7,240.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	3,970.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,370.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	11,535.000	LF
SAWCUT FOR LOOP DETECTOR	4,345.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	5.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	14.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	13.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	2.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,460.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	4.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	5.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	6.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	42.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	34.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	34.000	EA



Call No.: 100

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	49.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	5.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	85.000	SY
SURFACE APPLIED DETECTABLE WARNING	120.000	SF



Call No.: 110 Letting Date: June 14, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5261960 PCN: P041243 Project No.: P041243
 DBE Goal Percent: 0.00%
 Approx. Length (miles):N/A Description: SIGNAL UPGRADES -
 CO(S): Anderson Greenwood ANDERSON/GREENWOOD CO
 Completion Date: 10/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	140.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	100.000	LF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	64.000	SF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	280.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	550.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	150.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	550.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	7,460.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	4,340.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	2,340.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	10,850.000	LF
SAWCUT FOR LOOP DETECTOR	4,350.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	3.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	10.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	10.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	1,600.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	3.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	3.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	28.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	4.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	20.000	EA
F&I NO RT/LT TURN SYMB LED BLANKOUT W/ SPANWIRE MNT	1.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	27.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	3.000	EA



Call No.: 110

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
SURFACE APPLIED DETECTABLE WARNING	50.000	SF



Call No.: 120 Letting Date: June 14, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5562190	PCN: P041246	Project No.: P041246
DBE Goal Percent: 0.00%	PCN: P041247	Project No.: P041247
	PCN: P041274	Project No.: P041274
	PCN: P041350	Project No.: P041350
	PCN: P041365	Project No.: P041365

Approx. Length (miles): 10.9800 Description: REHABILITATION - HORRY COUNTY
 CO(S): Georgetown Horry Marion
 Completion Date: 6/30/2023 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	975.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	325.000	LF
BORROW EXCAVATION	2,148.000	CY
EXCAVATION FOR SHOULDER PAVING	413.952	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	413.952	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	49,264.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,541.000	TON
MAINTENANCE STONE	83.000	TON
HMA SHOULDER WIDENING COURSE	2,069.760	TON
LIQUID ASPHALT BINDER PG64-22	1,055.990	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	6,350.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	1,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	7,051.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	9,412.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,280.000	SY
MILLED-IN RUMBLE STRIP	13.600	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	921.120	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,016.950	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	393.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	865.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,021.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,701.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	279,315.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	660.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,250.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA



Call No.: 120

Letting Date: June 14, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	19,920.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	146,877.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	207.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,567.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	93,105.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	220.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	750.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,640.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	48,959.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	42.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	806.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,300.000	LF
SAWCUT FOR LOOP DETECTOR	530.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JHD	1.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	2.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	275.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	50.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	525.000	SY
DETECTABLE WARNING MATERIAL	125.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	200.000	SY
PEDESTRIAN RAMP CONSTRUCTION	250.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.893	ACRE

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator