

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For September 13, 2022

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on August 16, 2022 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.

This Project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

8/8/2022

Call No.: 010 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0291282 PCN: P028422 Project No.: P028422
 DBE Goal Percent: 10.50%
 Approx. Length (miles): 0.2950 Description: BRIDGE REPLACEMENT - SC 421 (LITTLE HORSE CREEK)
 CO(S): Aiken
 Completion Date: 6/30/2024 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 002	1.000	EA
SMALL PUBLIC SEWER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	300.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	16.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	4.000	EA
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	2,285.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,590.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
FURNISH AND INSTALL MAILBOX	2.000	EA
UNCLASSIFIED EXCAVATION	1,475.000	CY
BORROW EXCAVATION	20,359.000	CY
MUCK EXCAVATION	4,050.000	CY
GEOTEXTILE, SEPARATION	4,875.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	395.000	SY
GEOGRID STABILIZATION	4,875.000	SY
TEMPORARY SHORING WALL	110.000	LF
STONE BRIDGE LIFT MATERIAL	6,000.000	TON



Call No.: 010

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
EARTHQUAKE DRAINS	14,200.000	LF
FINE GRADING	4,147.000	SY
FLOWABLE FILL	28.000	CY
MAINTENANCE STONE	450.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,032.000	TON
LIQUID ASPHALT BINDER PG64-22	274.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	8,203.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,532.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,059.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,099.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	150.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	392.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	2.000	EA
TEMPORARY CONCRETE BARRIER	1,500.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	220.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	220.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	220.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	9,500.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	80.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,920.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	5,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	14,090.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	710.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,540.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	55.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	440.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	18.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	58.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	604.000	LF
CONC. FOR STRUCTURES - CLASS 4000	678.900	CY
GROOVED SURFACE FINISH	781.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	137,905.000	LB
PRESTRESSED CONC. BEAM (TYPE IV)	1,093.400	LF
CONCRETE BRIDGE RAILING WALL (3'6"HT)	300.000	LF
PILE DRIVING SET-UP	20.000	EA
REINF. PILE TIPS (HP14 X 117)	20.000	EA
STEEL H BEARING PILING (HP14 X 117)	1,158.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	60.000	LF



Call No.: 010

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	296.000	LF
18" SMOOTH WALL PIPE	1,536.000	LF
24" SMOOTH WALL PIPE	540.000	LF
CATCH BASIN -TYPE 16	20.000	EA
CATCH BASIN -TYPE 18	6.000	EA
DROP INLET (24" X 36")	4.000	EA
EXTRA DEPTH OF BOX	27.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,860.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,735.000	SY
DETECTABLE WARNING MATERIAL	30.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	260.000	SY
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
ELASTOMERIC BEARING	20.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	442.000	TON
10" PIPE SLOPE DRAIN	100.000	LF
RIP-RAP (CLASS A)	11.000	TON
RIP-RAP (CLASS B)	80.000	TON
RIP-RAP (CLASS C)	1,740.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,245.000	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS2C GR BEHIND CURB	387.500	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	100.000	SY
TEMPORARY BARRIER FENCE	2,454.000	LF
RESET CHAIN-LINK FENCE	800.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS



Call No.: 010

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
MOVING ITEM NO. 017	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	25.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.000	ACRE
TEMPORARY COVER	3.000	ACRE
FERTILIZER (NITROGEN)	300.000	LB
FERTILIZER (PHOSPHORIC ACID)	300.000	LB
FERTILIZER (POTASH)	300.000	LB
AGRICULTURAL GRANULAR LIME	6,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	12.000	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	49.800	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	1.626	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	9.612	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	9.143	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	2.857	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	318.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	318.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	95.000	LF
SILT FENCE	4,910.000	LF
REPLACE/REPAIR SILT FENCE	490.000	LF
CLEANING SILT BASINS	12.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,230.000	LF
CLEANING INLET STRUCTURE FILTERS	38.000	EA
INLET STRUCTURE FILTER - TYPE D2	38.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	4.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

VALLEY PUBLIC SERVICE AUTHORITY

LIST OF APPROVED SUBCONTRACTORS FOR UTILITY RELOCATION

PO BOX 340
GLOVERVILLE, SC 29828-0340
PHONE (803) 593-2053
FAX (803) 593-3818

Company Name	Address	Point of Contact	Phone Number
Tri-Star Contractors Inc.	47 Legacy Ln., Edgefield, SC 29824	Richard Berry	(803) 637-5751
Lake Murray Utility Company, Inc.	1139 Candy Kitchen Rd., Prosperity, SC 29127	Jennings Parker	(803) 732-7849
Carolina Tap & Bore, Inc.	2430 Morningside Dr., West Columbia, SC 29169	Richard Young	(803) 600-5363

CLEARWATER WATER & SEWER DISTRICT

LIST OF APPROVED SUBCONTRACTORS FOR UTILITY RELOCATION

PO BOX 370
CLEARWATER, SC 29822
PHONE (803) 593-3509
FAX (803) 593-3503

Company Name	Address	Point of Contact	Phone Number
Tri-Star Contractors Inc.	47 Legacy Ln., Edgefield, SC 29824	Richard Berry	(803) 637-5751
Lake Murray Utility Company, Inc.	1139 Candy Kitchen Rd., Prosperity, SC 29127	Jennings Parker	(803) 732-7849
Carolina Tap & Bore, Inc.	2430 Morningside Dr., West Columbia, SC 29169	Richard Young	(803) 600-5363



Call No.: 020 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0463170	PCN: P040858	Project No.: P040858
DBE Goal Percent: 0.00%	PCN: P040859	Project No.: P040859
	PCN: P041410	Project No.: P041410

Approx. Length (miles):22.1500 Description: RECONSTRUCTION/REHABILITATION -
 CO(S): Anderson ANDERSON COUNTY

Completion Date: 6/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	8.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	125.000	SY
BORROW EXCAVATION	6,896.400	CY
EXCAVATION FOR SHOULDER PAVING	892.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	892.000	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	60,100.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	132,855.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	7,460.000	TON
MAINTENANCE STONE	156.350	TON
HMA SHOULDER WIDENING COURSE	2,932.160	TON
LIQUID ASPHALT BINDER PG64-22	2,007.747	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	10,925.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	600.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	350.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	3,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	55,510.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	46,501.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	12,305.000	SY
MILLED-IN RUMBLE STRIP	31.170	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,684.867	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	16,547.887	TON
DRIVEWAY PAVING-SURFACE TYPE B	570.940	TON
DRIVEWAY PAVING-SURFACE TYPE C	548.438	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,348.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,510.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	818,850.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,860.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,702.000	LF



Call No.: 020

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	60.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	14.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	28,080.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	898,710.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,912.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	240,934.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	580.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,864.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	260,649.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	38.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,512.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	102.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,160.000	LF
SAWCUT FOR LOOP DETECTOR	674.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
DETECTABLE WARNING MATERIAL	62.500	SF
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
MT3 LEADING END TREATMENT TL3	6.000	EA
MGS3LS22 GUARDRAIL LONG SPAN 22FT CLEAR	125.000	LF
MGS3CS GR COMPRESSED SHOULDER	262.500	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	20.989	ACRE
SILT FENCE	725.000	LF
REPLACE/REPAIR SILT FENCE	73.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	182.000	LF



Call No.: 030 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0763010 PCN: P041547 Project No.: P041547

DBE Goal Percent: 0.00%

Approx. Length (miles):4.1100

Description: RECONSTRUCTION/REHABILITATION - BEAUFORT CO

CO(S): Beaufort

Completion Date: 7/31/2023

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	772.000	CY
MAINTENANCE STONE	3.000	TON
LIQUID ASPHALT BINDER PG64-22	1,788.291	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	300.000	SY
MILLING EXISTING ASPHALT PAVEMENT 6.0"	96,673.151	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,275.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,817.309	TON
DRIVEWAY PAVING-SURFACE TYPE C	135.000	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	22,959.879	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	640.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	7,190.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	28,974.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	8,035.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	4,438.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	69.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	69.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	180.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	21,707.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	64.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	28,760.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	115,896.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	32,140.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	17,752.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	276.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	276.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	720.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	86,828.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,230.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	256.000	LF



Call No.: 030

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	613.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	18.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	60.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	400.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,000.000	LF
SAWCUT FOR LOOP DETECTOR	2,800.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.744	ACRE

This Project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

8/8/2022

Call No.: 040 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0847050 PCN: P029263 Project No.: P029263

DBE Goal Percent: 7.00%

Approx. Length (miles): 11.0890

Description: WIDENING - I-26 (187-194)

CO(S): Berkeley

Completion Date: 11/30/2026

Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 68.4 (Period ending on June 30, 2022)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	2,400.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING DROP INLET	24.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	95,200.000	SY
REMOVAL OF EXIST. GUARDRAIL	25,846.000	LF
REMOVAL & DISPOSAL OF CABLE BARRIER END ANCHOR	17.000	EA
REMOVAL & DISPOSAL OF CABLE BARRIER	23,100.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 001	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 002	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 003	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 004	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 005	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 007	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DOUBLE CULVERT(____)'X(____) 006	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DOUBLE CULVERT(____)'X(____) 001	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DOUBLE CULVERT(____)'X(____) 002	1.000	EA
UNCLASSIFIED EXCAVATION	159,596.000	CY
BORROW EXCAVATION	1,010,011.000	CY
BORROW PIT SET-UP	1.000	LS



Call No.: 040

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
MUCK EXCAVATION	90,485.000	CY
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	463.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	372.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	103.000	LF
42" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	530.000	LF
48" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	112.000	LF
60" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	335.000	LF
66" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	320.000	LF
GEOTEXTILE, SEPARATION	18,514.000	SY
GEOTEXTILE, STABILIZATION	18,514.000	SY
GEOGRID REINFORCEMENT (BIAXIAL)	9,089.000	SY
GEOTEXTILE SOIL REINFORCEMENT	207,000.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	15.000	EA
STRUCTURE EXCAVATION FOR RETAINING WALL	6,055.000	CY
DEWATERING SYSTEM NO. 001	1.000	LS
TEMPORARY SHORING WALL	5,864.000	LF
NO. 57 STONE FOR BACKFILL	95.000	TON
STONE BRIDGE LIFT MATERIAL	29,874.000	TON
GRANULAR BRIDGE LIFT MATERIAL	20,117.000	CY
FINE GRADING	457,582.000	SY
FLOWABLE FILL	1,969.000	CY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	341,906.000	SY
MAINTENANCE STONE	1,100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	158,600.000	TON
PRIME COAT	92,315.000	GAL
LIQUID ASPHALT BINDER PG64-22	13,051.000	TON
LIQUID ASPHALT BINDER PG76-22	3,392.000	TON
SURFACE PLANE ASPHALT PAVEMENT	24,157.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	139,002.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,429.000	SY
MILLED-IN RUMBLE STRIP	25.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	3,505.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	66,690.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	7,715.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	49,661.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE A	5,706.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,991.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	1,194.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,096.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	14.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	46.000	EA



Call No.: 040

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	28.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	74.000	EA
TEMPORARY CONCRETE BARRIER	161,365.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	720.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	31.000	EA
2.0" SCHEDULE 80 PVC CONDUIT	2,402.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	12.000	EA
PERMANENT TERMINAL IMPACT ATTENUATOR	4.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	3,200.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.BROKEN PREF.	435.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	61,435.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"WH.BROKEN	1,020.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	23,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	43,000.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	1,525.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	1,525.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	200,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	219,692.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"WH.SOLID PREF.	2,020.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"YEL.SOLID PREF.	1,520.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	1,100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	4,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	110.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	450.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	243,732.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	108.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	36.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE LANE DROP ARROWS	33.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	24.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	3,600.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	141.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	980.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)FAST DRY PAINT	330.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,525.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	44,960.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	580.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	25,005.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	83,830.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,840.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	4,680.000	LF



Call No.: 040

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	150.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	165.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	25.000	EA
WHITE SINGLE FISH HOOK ARROW THERMO.-125 MIL.	20.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	14.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
WHITE COMBINATION FISH HOOK ARROW THERMO-125MIL	5.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	15.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,465.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	23,205.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	84,000.000	LF
8" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	815.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	2,920.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	610.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	130.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL8"WH.CONTRAST BROKEN	340.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	1,040.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	680.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)8"WH.SOLID	15.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	1,555.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	680.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,154.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	399.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	64.000	SF
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	895.000	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	1,453.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	14.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	2,887.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	225.000	LF
BREAK-AWAY SIGN SUPPORTS	7,469.000	LB
REFURBISH BREAK-AWAY SIGN SUPPORTS	4.000	EA
REMOVAL OF I-BEAM SUPPORTS	30.000	EA
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	110.000	EA
DELINEATORS, DOUBLE, MONO., INCL. SUPPORTS	40.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 001	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 002	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 003	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 004	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 005	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 005	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 007	1.000	EA
ROADWAY AND AREA LIGHTING	1.000	LS



Call No.: 040

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 5

Description	Quantity	Units
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,036.000	LF
CONC. FOR STRUCTURES - CLASS 4000	3,510.600	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	4,529.400	CY
STRAIGHT HEADWALL FOR 42" CIRCULAR PIPE-2 LINES	6.000	EA
STRAIGHT HEADWALL FOR 48" CIRCULAR PIPE-1 LINE	4.000	EA
STRAIGHT HEADWALL FOR 60" CIRCULAR PIPE-2 LINES	2.000	EA
GROOVED SURFACE FINISH	6,290.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	579,377.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	1,485,591.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	60,814.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	3,856.700	LF
PRESTRESSED CONCRETE BULB TEE BEAM(54"MOD.)	3,034.700	LF
CONCRETE BRIDGE BARRIER PARAPET	138.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	1,715.000	LF
CONCRETE BRIDGE MEDIAN BARRIER	340.000	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	24.000	EA
PILE DRIVING SET-UP	88.000	EA
BITUMEN COATING ON STEEL PILES	502.000	SF
STEEL H BEARING PILING (HP14 X 73)	4,199.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	784.000	LF
DRILLED SHAFT SET-UP	34.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 60" DIAMETER	1,369.500	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 66" DIAMETER	1,392.000	LF
CONSTRUCTION CASING - 66" DIAMETER	1,152.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 72" DIAMETER	76.000	LF
CONSTRUCTION CASING - 72" DIAMETER	76.000	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL(STONE)	9,440.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	9,932.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	705.000	LF
34"X 53" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	128.000	LF
18" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	104.000	LF
24" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	2,052.000	LF
30" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	748.000	LF
18" R. C. PIPE CUL. BEVELED END SECTN-CL 3	2.000	EA
24" R. C. PIPE CUL. BEVELED END SECTN-CL 3	4.000	EA
30" R. C. PIPE CUL. BEVELED END SECTN-CL 3	1.000	EA
36" R. C. PIPE CUL. BEVELED END SECTN-CL 3	1.000	EA
18" SMOOTH WALL PIPE	9,968.000	LF
24" SMOOTH WALL PIPE	3,472.000	LF
30" SMOOTH WALL PIPE	1,452.000	LF
36" SMOOTH WALL PIPE	88.000	LF
42" SMOOTH WALL PIPE	408.000	LF



Call No.: 040

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 6

Description	Quantity	Units
48" SMOOTH WALL PIPE	364.000	LF
60" SMOOTH WALL PIPE	336.000	LF
66" SMOOTH WALL PIPE	336.000	LF
CLEANING EXISTING PIPE	2,841.000	LF
CATCH BASIN TYPE 25 DOUBLE 4'X7' W IA SLAB	14.000	EA
CATCH BASIN -TYPE 1 CB - TYPE 1	13.000	EA
CATCH BASIN - TYPE 1 SPECIAL	2.000	EA
CATCH BASIN -TYPE 16	23.000	EA
DROP INLET TYPE 112	71.000	EA
DROP INLET TYPE 112 WITH 4X4 BOX	1.000	EA
MANHOLE	9.000	EA
PRECAST CONCRETE RISER - 48" DIAMETER	40.000	LF
PRECAST CONCRETE DRAINAGE BASE - 48"	7.000	EA
PRECAST CONCRETE TRANSITION SECTION - FLAT SLAB (60" TO 48")	2.000	EA
PRECAST CONCRETE DRAINAGE STRUCTURE - 5' X 5	2.000	EA
EXTRA DEPTH OF BOX	42.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	11.000	EA
ADJUST CATCH BASIN	2.000	EA
PIPE END STRUCTURE - 24"	3.000	EA
PIPE END STRUCTURE - 30"	1.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	420.000	LF
CONCRETE CURB (9" X 15")	650.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	3,612.000	LF
CONCRETE CURB AND GUTTER (2'-0") OGEE	830.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,230.000	SY
DETECTABLE WARNING MATERIAL	160.000	SF
CONCRETE MEDIAN	11,083.000	SY
CONCRETE DITCH PAVING	3,460.000	SY
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
ELASTOMERIC BEARING	160.000	EA
CROSSHOLE SONIC LOGGING SETUP	34.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	898.000	TON
AGGREGATE UNDERDRAIN (AGGR.NO. FA-12)	390.000	CY
6" PERFORATED PIPE UNDERDRAIN	3,000.000	LF
RIP-RAP (CLASS A)	100.000	TON
RIP-RAP (CLASS B)	6,392.000	TON
RIP-RAP (CLASS C)	7,769.000	TON
RIP-RAP (CLASS D)	300.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	11,610.000	SY
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	770.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	9,712.500	LF
MT3 LEADING END TREATMENT TL3	33.000	EA



Call No.: 040

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 7

Description	Quantity	Units
MT2 LEADING END TREATMENT TL2	2.000	EA
MEDIAN CABLE BARRIER	33,520.000	LF
RESET MEDIAN CABLE BARRIER	1,500.000	LF
MB TRAILING END TREATMENT	16.000	EA
MGS3 GR STANDARD SHOULDER	11,512.500	LF
CABLE BARRIER END ANCHOR	37.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	8.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	12.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	10.000	EA
PREMASH W-BEAM TIGHT CURVED SYSTEM	300.000	LF
PREMASH TYPE T TL2 LEADING 25FT	8.000	EA
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
46SS REINFORCED BARRIER WALL	4,300.000	LF
56SS REINFORCED BARRIER WALL	264.000	LF
56 VERTICAL FACE REINFORCED BARRIER WALL	120.000	LF
56ZOI VF BARRIER MEDIAN SYSTEM	201.000	LF
FRENCH DRAIN AND WEEP SYSTEM	3,231.000	LF
WOVEN WIRE FENCE - TYPE 1 WITH 3 STRANDS BARBED	30,500.000	LF
TEMPORARY BARRIER FENCE	7,500.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	18.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	114.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	153.910	ACRE
TEMPORARY COVER	77.188	ACRE
COMPOST	41,382.000	CY
FERTILIZER (NITROGEN)	15,391.000	LB
FERTILIZER (PHOSPHORIC ACID)	15,391.000	LB
FERTILIZER (POTASH)	15,391.000	LB
AGRICULTURAL GRANULAR LIME	307,800.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	1,846.800	ACRE
WATERPROOFING (SECOND METHOD)	1,854.900	SY
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	140.800	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	17.278	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 3	0.046	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	143.981	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	296.729	ACRE



Call No.: 040

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 8

Description	Quantity	Units
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	24.296	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	140.969	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,100.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,100.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	24,630.000	LF
SILT FENCE	40,689.000	LF
REPLACE/REPAIR SILT FENCE	8,137.800	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY(5'DEPTH)	1,734.000	LF
CLEANING SILT BASINS	1,801.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	10,173.000	LF
TEMPORARY DIVERSION DIKE	608.000	LF
TEMPORARY DIVERSION DIKE WITH DITCH	560.200	LF
CLEANING INLET STRUCTURE FILTERS	252.000	EA
INLET STRUCTURE FILTER - TYPE D2	81.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	81.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	399.400	TON
STABILIZED CONSTRUCTION ENTRANCE	6,000.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	10,400.000	HR
ON-THE-JOB TRAINEE (BRIDGE)	6,240.000	HR

LMRWA Approved Subcontractors:

- Ruby Collins Construction
- Chandler Construction
- McClam & Associates



Call No.: 050 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0862980	PCN: P040473	Project No.: P040473
DBE Goal Percent: 3.50%	PCN: P041478	Project No.: P041478
	PCN: P041479	Project No.: P041479
	PCN: P041532	Project No.: P041532
	PCN: P041541	Project No.: P041541

Approx. Length (miles):25.3400 Description: RECONSTRUCTION/REHABILITATION/SAFETY
CO(S): Berkeley - BERKELEY CO

Completion Date: 6/30/2024 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	6.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	503.330	SY
UNCLASSIFIED EXCAVATION	642.000	CY
BORROW EXCAVATION	6,708.100	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	3,042.500	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	63,991.920	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	115,891.500	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,161.890	TON
MAINTENANCE STONE	20.130	TON
LIQUID ASPHALT BINDER PG64-22	3,586.470	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	265.000	SY
FULL DEPTH ASPH. PAV. PATCHING 9"UNIF	1,748.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	131,630.086	SY
MILLING EXISTING ASPHALT PAVEMENT 6.0"	108,667.602	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,600.000	SY
MILLED-IN RUMBLE STRIP	37.171	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	7,000.944	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	21,774.083	TON
DIAMOND GRINDING OF ASPHALT PAVEMENT	108,667.602	SY
DRIVEWAY PAVING-SURFACE TYPE C	1,180.750	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	35,860.312	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,436.750	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	16,256.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	149,329.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	275.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	670.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,273.000	LF



Call No.: 050

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	58.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	46.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	8.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	8.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	16,646.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	118,639.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	52,046.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	457,393.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,100.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,010.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,499.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	180.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	142.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	24.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	28.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	49,954.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	364,429.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	610.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	807.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	480.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,571.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	450.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,320.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	310.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,580.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,050.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,584.000	LF
SAWCUT FOR LOOP DETECTOR	3,562.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	8.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
CONCRETE SIDEWALK(4" UNIFORM)	188.890	SY
DETECTABLE WARNING MATERIAL	20.000	SF
CONCRETE MEDIAN	153.330	SY
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
SURFACE APPLIED DETECTABLE WARNING	120.000	SF
PREMASH RESET W-BEAM STRONG POST SYSTEM	100.000	LF
PREMASH RESET TYPE T TL3 LEADING 50'	8.000	EA
PREMASH RESET THRIEBEAM BRDG CONN TBBC3	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.662	ACRE
SILT FENCE	720.000	LF



Call No.: 060 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1050341 PCN: P028590 Project No.: FLAP016

DBE Goal Percent: 9.00%

Approx. Length (miles):3.0190

Description: REHABILITATION - S-98 (CHAS CO)

CO(S): Charleston

Completion Date: 12/15/2023

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
UNCLASSIFIED EXCAVATION	1,614.000	CY
BORROW EXCAVATION	3,310.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	850.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	47,828.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,866.000	TON
MAINTENANCE STONE	160.000	TON
LIQUID ASPHALT BINDER PG64-22	465.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	600.000	SY
MILLED-IN RUMBLE STRIP	6.039	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,337.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	232.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	2,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	96,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	72,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	36,200.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	50.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	17,400.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	200.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	18.500	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	28.000	LF
18" SMOOTH WALL PIPE	108.000	LF
24" SMOOTH WALL PIPE	28.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	18.000	EA
TEMPORARY BARRIER FENCE	1,500.000	LF
PERMANENT COVER	5.496	ACRE



Call No.: 060

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
TEMPORARY COVER	2.748	ACRE
COMPOST	1,109.000	CY
FERTILIZER (NITROGEN)	549.600	LB
FERTILIZER (PHOSPHORIC ACID)	549.600	LB
FERTILIZER (POTASH)	549.600	LB
AGRICULTURAL GRANULAR LIME	10,992.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	16.488	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	8.244	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	4,470.000	LF
SILT FENCE	31,613.000	LF
REPLACE/REPAIR SILT FENCE	3,162.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	7,904.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 070 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1362730 PCN: P040820 Project No.: P040820

DBE Goal Percent: 0.00% PCN: P040821 Project No.: P040821

Approx. Length (miles): 14.2500

Description: RECONSTRUCTION/REHABILITATION-CHESTERFIELD CO

CO(S): Chesterfield

Completion Date: 11/30/2023

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	4.000	CY
UNCLASSIFIED EXCAVATION	1,425.000	CY
BORROW EXCAVATION	490.000	CY
STATION GRADING	4.500	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	54,373.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	154,444.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,910.000	TON
MAINTENANCE STONE	308.750	TON
LIQUID ASPHALT BINDER PG64-22	1,369.879	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	150.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	135.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	4,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,150.000	SY
MILLED-IN RUMBLE STRIP	8.480	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,576.640	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	17,962.910	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,572.625	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	208,817.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,031.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,356.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	461,261.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,912.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,890.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	430,117.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,356.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	147,207.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,065.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,880.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	109,728.000	LF



Call No.: 070

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	985.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	10.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	320.000	LF
SAWCUT FOR LOOP DETECTOR	115.000	LF
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
18" SMOOTH WALL PIPE	88.000	LF
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	100.000	LF
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.190	ACRE



Call No.: 080 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1463060	PCN: P041143	Project No.: P041143
DBE Goal Percent: 0.00%	PCN: P041144	Project No.: P041144
	PCN: P041199	Project No.: P041199
	PCN: P041201	Project No.: P041201

Approx. Length (miles): 23.9900
 CO(S): Clarendon
 Description: RECONSTRUCTION/REHABILITATION - CLARENDON CO

Completion Date: 6/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	7.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
UNCLASSIFIED EXCAVATION	1,520.000	CY
BORROW EXCAVATION	3,754.000	CY
EXCAVATION FOR SHOULDER PAVING	235.488	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	235.488	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	105,650.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	135,440.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	8,190.000	TON
MAINTENANCE STONE	54.300	TON
HMA SHOULDER WIDENING COURSE	1,177.440	TON
LIQUID ASPHALT BINDER PG64-22	2,623.634	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,700.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,230.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	1,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	7,910.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	27,255.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	59,820.000	SY
MILLING EXISTING ASPHALT PAVEMENT 6.0"	18,350.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,400.000	SY
MILLED-IN RUMBLE STRIP	48.470	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,804.427	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	24,409.930	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	4,898.400	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,250.625	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	3,666.667	TON
CLEAN & SEAL TRANS. JOINTS AT BRIDGE	40.000	LF



Call No.: 080

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,564.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	5,904.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	184,000.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	740.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,045.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	6.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	26,710.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	150,350.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	11,454.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	514,480.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,480.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,545.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	71,750.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	402,100.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,760.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	360.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	55.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	302.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	255.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,701.000	EA
REMOVAL OF PAVEMENT MARKINGS	415.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	10.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	250.000	LF
SAWCUT FOR LOOP DETECTOR	80.000	LF
ADJUST DROP INLET ADJUST D. I.	2.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	400.000	LF
PREMASH THRIE WITH BASE PL 6.25 SPACE	70.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	19.014	ACRE



Call No.: 090 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1463260 PCN: P041361 Project No.: P041361
DBE Goal Percent: 0.00%
Approx. Length (miles): 1.3490 Description: BRIDGE MAINTENANCE - US 15/301
CO(S): Clarendon PALMETTO TRAIL
Completion Date: 5/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING	3.000	ACRE
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	208.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	48.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	41.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	392.000	LF
SPALL REPAIR	88.000	SF
PERMANENT CONCRETE BOLLARD	10.000	EA
STRUCTURAL STEEL	1.000	LS
STRUCTURAL STEEL	2,400.000	LB
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
ADA GRINDING & REPAIR SIDEWALK JOINTS	96.000	SF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	56.000	LF
PREMASH W-BEAM BRIDGE CONN TL2 WBBC2	8.000	EACH
60" CHAIN LINK FENCE	24.000	LF
PERMANENT VEGETATION	4,200.000	MSY



Call No.: 100 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1558510 PCN: P039382 Project No.: P039382
DBE Goal Percent: 12.00%
Approx. Length (miles):0.4490 Description: INTERSECTION SAFETY IMPROVEMENTS - US
CO(S): Colleton 15/SC 61
Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, EXCAVATION, PAVING, and MARKINGS with their respective quantities and units.



Call No.: 100

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
SYMBOLS) (TRAFFIC CONTROL)		
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	60.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,050.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,700.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,500.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	250.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	75.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,300.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,400.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	80.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	286.450	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	452.000	LF
REFLECTIVE SIGN POST PANELS	180.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 001	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT. 001	9.000	EA
12" RC PIPE CUL.-CLASS III	8.000	LF
15" RC PIPE CUL.-CLASS III	264.000	LF
18" RC PIPE CUL.-CLASS III	832.000	LF
24" RC PIPE CUL.-CLASS III	40.000	LF
36" RC PIPE CUL.-CLASS III	8.000	LF
48" RC PIPE CUL.-CLASS IV	64.000	LF
CLEANING EXISTING PIPE	225.000	LF
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN -TYPE 16	6.000	EA
CATCH BASIN -TYPE 18	1.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	6.000	EA
BEVELING OF PIPE END	27.000	EA
CONCRETE CURB (9" X 15")	230.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,320.000	LF
CONCRETE MEDIAN	370.000	SY
4" PERFORATED PIPE UNDERDRAIN	275.000	LF
RIP-RAP (CLASS B)	207.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	239.000	SY
RESET FENCE	185.000	LF
MOVING ITEM NO. 001	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	23.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.491	ACRE
TEMPORARY COVER	1.245	ACRE
SEEDING - ERAGROSTIS CURVULA - WEEPING LOVEGRASS	0.197	MSY
FERTILIZER (NITROGEN)	250.000	LB



Call No.: 100

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
FERTILIZER (PHOSPHORIC ACID)	250.000	LB
FERTILIZER (POTASH)	250.000	LB
AGRICULTURAL GRANULAR LIME	4,982.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	7.472	ACRE
DOUBLE-SHREDDED HARDWOOD MULCH	2,186.000	SF
MUHLENBERGIA CAPILLARIS (PINK MUHLY GRASS) #1 CONT.	313.000	EA
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	4.981	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	140.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	140.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	500.000	LF
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
CLEANING INLET STRUCTURE FILTERS	42.000	EA
INLET STRUCTURE FILTER - TYPE A	150.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 110 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2663120	PCN: P041297	Project No.: P041297
DBE Goal Percent: 0.00%	PCN: P041298	Project No.: P041298
Approx. Length (miles):20.7100	Description: RECONSTRUCTION - HORRY COUNTY	
CO(S): Horry		
Completion Date: 6/30/2024	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,200.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	300.000	LF
BORROW EXCAVATION	3,688.000	CY
EXCAVATION FOR SHOULDER PAVING	1,205.952	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,205.952	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	70,399.993	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,217.600	TON
MAINTENANCE STONE	183.300	TON
HMA SHOULDER WIDENING COURSE	8,564.160	TON
LIQUID ASPHALT BINDER PG64-22	2,532.679	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	18,330.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	80,374.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,050.750	SY
MILLED-IN RUMBLE STRIP	32.700	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,334.300	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	18,495.354	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	948.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,373.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,121.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	29,880.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	574,440.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	750.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	14,685.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,290.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	159.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	75.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	30.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	37,575.000	LF



Call No.: 110

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	362,373.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	250.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,095.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,810.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	150,910.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	40,820.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	4,895.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,430.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	53.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	25.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	10,090.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,435.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	94,255.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	26,536.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	425.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,407.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	730.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	730.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	310.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,645.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	2,050.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	14,992.000	LF
SAWCUT FOR LOOP DETECTOR	5,854.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	13.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	300.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	2,100.000	SY
DETECTABLE WARNING MATERIAL	450.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	200.000	SY
PEDESTRIAN RAMP CONSTRUCTION	900.000	SY
PREMASH TYPE T TL3 LEADING 50'	20.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.820	ACRE



Call No.: 120 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3063190	PCN: P040866	Project No.: P040866
DBE Goal Percent: 0.00%	PCN: P040867	Project No.: P040867
	PCN: P040868	Project No.: P040868
	PCN: P041371	Project No.: P041371

Approx. Length (miles): 29.9500 Description: RECONSTRUCTION/REHABILITATION - LAURENS CO
CO(S): Laurens

Completion Date: 11/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	150.000	SY
BORROW EXCAVATION	8,554.500	CY
EXCAVATION FOR SHOULDER PAVING	785.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	785.000	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	75,163.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	136,110.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	7,484.000	TON
MAINTENANCE STONE	573.900	TON
HMA SHOULDER WIDENING COURSE	1,992.761	TON
LIQUID ASPHALT BINDER PG64-22	3,434.306	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	13,500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	14,400.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	4,160.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12" UNIF	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	66,720.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	32,125.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	43,595.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	74,510.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	22,885.000	SY
MILLED-IN RUMBLE STRIP	38.040	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	7,875.493	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,688.933	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	30,206.161	TON
DRIVEWAY PAVING-SURFACE TYPE B	757.750	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,489.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	8,348.000	SF



Call No.: 120

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	19,690.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,033,046.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,910.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	8,716.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	157.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	24.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	21.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	38,420.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,159,921.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,280.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,365.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	283,474.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,030.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,482.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	44.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	10,290.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	320,264.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	164.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	400.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,600.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	993.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	15,362.000	LF
SAWCUT FOR LOOP DETECTOR	5,199.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	21.000	EA
DETECTABLE WARNING MATERIAL	75.000	SF
PEDESTRIAN RAMP CONSTRUCTION	150.000	SY
SURFACE APPLIED DETECTABLE WARNING	230.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,800.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,125.000	LF
MT3 LEADING END TREATMENT TL3	71.000	EA
MB TRAILING END TREATMENT	1.000	EA
MGS3 GR STANDARD SHOULDER	275.000	LF
MGS3CS GR COMPRESSED SHOULDER	6,800.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	200.000	LF
PREMASH TYPE T TL3 LEADING 50'	22.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	26.254	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	360.000	LF



Call No.: 120

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
SILT FENCE	3,550.000	LF
REPLACE/REPAIR SILT FENCE	355.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	895.000	LF



Call No.: 130 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3162810	PCN: P041467	Project No.: P041467
DBE Goal Percent: 0.00%	PCN: P041471	Project No.: P041471
	PCN: P041472	Project No.: P041472

Approx. Length (miles): 17.1200 Description: RECONSTRUCTION/REHABILITATION - LEE COUNTY
 CO(S): Lee

Completion Date: 11/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,765.000	SY
UNCLASSIFIED EXCAVATION	196.000	CY
BORROW EXCAVATION	3,424.000	CY
EXCAVATION FOR SHOULDER PAVING	829.160	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	829.160	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	113,400.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,401.000	TON
MAINTENANCE STONE	48.000	TON
HMA SHOULDER WIDENING COURSE	5,456.880	TON
LIQUID ASPHALT BINDER PG64-22	2,330.095	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,650.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,150.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	70,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,550.000	SY
MILLED-IN RUMBLE STRIP	18.730	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	8,755.414	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	23,203.012	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,947.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,980.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,460.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	640,300.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	480.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,710.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	74,940.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	409,600.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,030.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	178,050.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	120.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	810.000	LF



Call No.: 130

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	12,510.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	116,050.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,165.000	EA
ADJUST DROP INLET ADJUST D. I.	3.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	900.000	SY
DETECTABLE WARNING MATERIAL	75.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	150.000	SY
PEDESTRIAN RAMP CONSTRUCTION	150.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	450.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	150.000	LF
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.608	ACRE



Call No.: 140 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3263070 PCN: P041450 Project No.: P041450
DBE Goal Percent: 0.00%
Approx. Length (miles): 10.8000 Description: REHABILITATION - LEXINGTON COUNTY
CO(S): Lexington
Completion Date: 10/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, PAVING, and PAINTING with their respective quantities and units.



Call No.: 140

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,500.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,530.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	39.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	16.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	17,700.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	91,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	575.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	785.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,400.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,935.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	425.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	3,075.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	125.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	3,200.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	125.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	9,800.000	LF
SAWCUT FOR LOOP DETECTOR	3,175.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	25.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	5.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	12.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	3.000	EA
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	50.000	LF
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.270	ACRE



Call No.: 150 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3563140	PCN: P041304	Project No.: P041304
DBE Goal Percent: 0.00%	PCN: P041305	Project No.: P041305
	PCN: P041306	Project No.: P041306

Approx. Length (miles): 20.1400 Description: REHABILITATION/RECONSTRUCTION - MARLBORO CO
 CO(S): Marlboro

Completion Date: 6/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	6,400.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,765.000	LF
BORROW EXCAVATION	4,312.000	CY
EXCAVATION FOR SHOULDER PAVING	1,145.758	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,145.758	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	98,483.070	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,857.000	TON
MAINTENANCE STONE	160.800	TON
HMA SHOULDER WIDENING COURSE	6,633.440	TON
LIQUID ASPHALT BINDER PG64-22	2,617.080	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	13,105.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	2,975.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,691.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	56,531.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,045.000	SY
MILLED-IN RUMBLE STRIP	33.220	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	6,057.214	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	20,758.588	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,787.373	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	840.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,267.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,468.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	18,780.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	618,195.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION)-FAST DRY PAINT	1,125.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,455.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	33.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.)-FAST DRY PAINT	3.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	18.000	EA



Call No.: 150 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	44,253.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	402,660.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	206,065.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	375.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,485.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	11.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	14,751.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	134,220.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	195.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,785.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	385.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	385.000	LF
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	5.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	340.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	600.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	100.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	725.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	2,150.000	SY
DETECTABLE WARNING MATERIAL	475.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	3,300.000	SY
PEDESTRIAN RAMP CONSTRUCTION	950.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.130	ACRE

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

8/8/2022

Call No.: 160 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4056983 PCN: P029873 Project No.: P029873
 DBE Goal Percent: 7.50%
 Approx. Length (miles): 0.7580 Description: ENHANCEMENT - S-3054 RICHLAND CO.
 CO(S): Richland
 Completion Date: 6/30/2025 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 002	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	5,000.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,950.000	SY
SITE EXCAVATION	1.000	LS
PERMANENT SHORING WALL	660.000	LF
FINE GRADING	19,700.000	SY
MAINTENANCE STONE	170.000	TON
LIQUID ASPHALT BINDER PG64-22	98.580	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	15,520.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,860.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	1,560.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	760.000	SF
STANDARD TRAFFIC CONE - WITH RETROREFLECTIVE TAPE/COLLAR	170.000	EA
BARRICADE - TYPE 3	348.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	300.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	660.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	5,800.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	7,500.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,140.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	120.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,510.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	52.000	EA



Call No.: 160

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	10.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	18.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	74.000	EA
PAINT - SHARROW SYMBOL - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	120.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	12,400.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	330.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	8,400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,750.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	5,870.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,455.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
DROP INLET-SPECIAL	30.000	EA
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,660.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	15,100.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	37.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	26.000	EA
SHARROW W/ARROW - PREFORMED THERMO - 60MIL	1.000	EA
REMOVAL OF PAVEMENT MARKINGS	12,000.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	300.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	117.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	21.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	6.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	563.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 012	1.000	LS
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	975.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,240.000	LF
FURNISH & INSTALL 3" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	2,290.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,910.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,145.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,700.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	3,600.000	LF
FURNISH & INSTALL FIBER OPTIC MODEM	4.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
30"X48"X24"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	25.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	19.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 013	4.000	EA
FURNISH & INSTALL SOLAR POWERED FLASHER ASSEM - DUAL BEACON	4.000	EA



Call No.: 160

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 011	34.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	30.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	30.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	30.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
INTEGRATION	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	15.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	4.000	EA
POWDERCOATING PER MAST ARM OVER BASE	15.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 001	1.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	13.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	19.000	EA
CONC. FOR STRUCTURES - CLASS 4000(ROADWAY)	2.000	CY
PERMANENT CONCRETE BOLLARD	4.000	EA
REINF. STEEL FOR STRUCTURES (ROADWAY)	850.000	LB
18" SMOOTH WALL PIPE	2,432.000	LF
CLEANING EXISTING PIPE	1,300.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 16	21.000	EA
CATCH BASIN - TYPE 16 - SPECIAL	1.000	EA
CATCH BASIN -TYPE 17	1.000	EA
DROP INLET (24" X 36")	4.000	EA
60" X 60" JUNCTION BOX	15.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	14.000	EA
ACCESSIBLE DRAINAGE GRATE FOR ADA	2.000	EA
CONCRETE CURB (TRANSITION)	96.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	5,375.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	7,850.000	SY
DETECTABLE WARNING MATERIAL	1,120.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,120.000	SY
PEDESTRIAN RAMP CONSTRUCTION	635.000	SY
46SS REINFORCED BARRIER WALL	340.000	LF
TEMPORARY BARRIER FENCE	360.000	LF
SELECT MATERIAL	250.000	CY
LANDSCAPING ITEM NO. 002	7.000	EA
LANDSCAPING ITEM NO. 003	4.000	EA
LANDSCAPING ITEM NO. 004	8.000	EA
LANDSCAPING ITEM NO. 005	13.000	EA
LANDSCAPING ITEM NO. 006	10.000	EA
LANDSCAPING ITEM NO. 007	4.000	EA



Call No.: 160

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
LANDSCAPING ITEM NO. 008	4.000	EA
LANDSCAPING ITEM NO. 009	7.000	EA
LANDSCAPING ITEM NO. 010	6.000	EA
LANDSCAPING ITEM NO. 011	4.000	EA
LANDSCAPING ITEM NO. 012	6.000	EA
LANDSCAPING ITEM NO. 013	21.000	EA
LANDSCAPING ITEM NO. 014	32.000	EA
LANDSCAPING ITEM NO. 015	114.000	EA
LANDSCAPING ITEM NO. 016	144.000	EA
LANDSCAPING ITEM NO. 017	209.000	EA
LANDSCAPING ITEM NO. 018	343.000	EA
LANDSCAPING ITEM NO. 019	93.000	EA
LANDSCAPING ITEM NO. 020	142.000	EA
LANDSCAPING ITEM NO. 021	68.000	EA
LANDSCAPING ITEM NO. 022	80.000	EA
LANDSCAPING ITEM NO. 023	247.000	EA
LANDSCAPING ITEM NO. 024	26.000	EA
LANDSCAPING ITEM NO. 025	71.000	EA
LANDSCAPING ITEM NO. 026	36.000	EA
LANDSCAPING ITEM NO. 027	41.000	EA
LANDSCAPING ITEM NO. 028	3,604.000	EA
LANDSCAPING ITEM NO. 029	2,386.000	EA
LANDSCAPING ITEM NO. 030	3,559.000	EA
LANDSCAPING ITEM NO. 031	948.000	EA
DOUBLE-SHREDDED HARDWOOD MULCH	175.000	SF
ROOT BARRIER	336.000	LF
IRRIGATION SYSTEM COMPLETE	1.000	LS
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	200.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	200.000	LF
SILT FENCE	300.000	LF
CLEANING INLET STRUCTURE FILTERS	150.000	EA
INLET STRUCTURE FILTER - TYPE B	30.000	EA
STABILIZED CONSTRUCTION ENTRANCE	110.000	SY
BRICK PAVERS (INCLUDE THE BASE AND SAND)	5,600.000	SF
PRECAST SEATWALL	525.000	LF
PRECAST CONCRETE BENCH (TYPE 1)	9.000	EA
PRECAST CONCRETE BENCH (TYPE 2)	9.000	EA
PRECAST CONCRETE BENCH (TYPE 3)	16.000	EA
PRECAST CONCRETE STAIR	82.000	EA
COMMUNICATION DUCT BANK	1.000	LS
DOMINION DUCT BANK	1.000	LS
SITE ELECTRICAL AND LIGHTING - COMPLETE	1.000	LS




Call No.: 160

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 5

Description	Quantity	Units
TEMPORARY BOLLARD	2.000	EA
BICYCLE PARKING RACK	12.000	EA

Engineering Department	APPROVED CONTRACTORS LIST						
Last Revised	MAIN LINE TAPS AND METER INSTALLATION						
7/19/2021							
Company Name	Contact	Contact Numbers	Tap Size	Meter Size	Asbestos Certified	Proof of Insurance	Address
Armstrong Contractors, LLC.	Michael Armstrong	803-730-5955 803-788-1190 Ext. 14 (office)	none	2"-8"	No	6/8/21-6/8/22	PO Box 291053, Columbia, SC 29229 Email: Mike@armstrongcontractors.com
Babcock Construction, LLC.	Jackson Babcock	803-600-6861	3/4"-12"	3/4"-10"	No	1/01/21-1/01/22	1122 Three Dog Road, Chapin SC 29036 Email: babcockconst@bellsouth.net
Carolina Tap & Bore, Inc.	Richard Young	803-600-5363 803-739-7056 803-791-1407	3/4"-20"	3/4"-10"	Yes	3/01/21-03/01/22	2410 Morningside Dr, W Cola 29169 Email: ryoung@carolinatapandbore.com fax
Conder Construction	John W. Conder, II	(803) 438-8221 (803) 934-6880	3/4" - 16"	3/4" - 20"	No	6/23/20-6/23/22	waltconder@yahoo.com; Conder Construction <dianec.conder@gmail.com>
Corley Construction	Todd Corley	803-513-1269	none	4"-10"	No	6/23/20-6/23/22	366 Firetower Rd., Irmo, SC 29063 Email: corleyconst88915@bellsouth.net
C.R. Jackson, Inc.	Sean Walker	803-917-0207 803-750-6070 803-750-1356 (Fax)	3/4"-12"	3/4"-8"	No	8/1/20-8/1/22	PO Box 8023 Columbia, SC 29202 swalker@crjackson.com thawkings@crjackson.com
Derrick Plumbing, Inc.	Billy Derrick	803-359-2827 803-532-3301	1-1/2"-16"	3/4"-10"	No	6/1/21-6/1/22	2226 Ridge Rd, Leesville 29070 Email: billy@derrickplumbing.com
FRC Construction, LLC.	Frankie Thomas	803-518-4287	3/4"-8"	3/4"-8"	No	04/20/21-10/22/22	107 Wagon Wheel Court, Pelion SC 29123 Email: rebeccascodycat@aol.com
GH Smith Construction, Inc.	Jerry H. Smith	803-622-5139	up to 24"	3/4"-8"	Yes	7/01/21-7/1/22	430 Shuler Ct., Columbia, SC 29212 Email: ghsmithconst@aol.com
Hammerhead Utilities	Bill Head Jason Prouse	803-960-3046 803-201-4816	3/4"-8"	3/4"-8"	Yes	5/10/21-5/10/22	P.O. Box 9614, Columbia, SC 29290 bill@hhullc.com Email: jason@hhullc.com
LAD Construction, LLC	Brad Sox	803-739-4483 803-309-3922	all	3/4"-10"	No	9/1/20-9/1/21	PO Box 1129 Swansea SC 29160 Email: bsox@ladconstructionllc.com
Lake Murray Utility Co., Inc.	Jennings Parker	803-732-7849 (Office) 803-730-7652 (Cell)	3/4"-20"	3/4"-8"	No	4/29/21-4/29/22	PO Box 1089, Chapin 29036 cherylgootee@bellsouth.net
McClam & Associates	Wayne Bye Wende Grimes	803-513-6065 803-345-9194	3/4"-24"	3/4"-10"	Yes	6/30/21-6/30/22	1316 Washington St., Columbia 29201 Email: rcm@mcclam.net/wgrimes@mcclam.net
North American Pipeline Management	Brandon Leipprandt	678-820-3991 Ext. 140 404- 606-9944 (Cell) 678-820-3993(Fax)	3/4" to 12"	5/8" to 12"	Yes	1/1/21-1/1/22	62 Hamby Road SE Marietta, GA 30067 Email: brandon.leipprandt@napmnc.com
Owens Fisher Construction Co.	Charlie Meetze	803-951-3927 (Office) 803-513-3429 (Cell)	1.5" - 12"	3/4" - 6"	No	7/11/21-7/11/22	303 McLee Rd, Lexington SC 29073 Email: charlie@owens-fisher.com
Shady Grove Construction	Erica Richardson	803-600-6452 (Erica) 513-4592 (Tim) 803-781-2516 781-0392 (Fax)	3/4"-12"	3/4"-10"	Yes	10/31/20-10/31/21	1079 W. Shady Grove Rd, Irmo 29063 Erikasgc2@aol.com/Email:TKRideal2@aol.com
Stutts & Williams LLC	Joey Williams	803-814-3753	3/4" to 12"	5/8"-12"	Yes	1/1/21-1/1/22	PO Box 2046, Lexington SC 29071 Email: joey@stuttswilliams.com



Call No.: 170 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4257210 PCN: P039381 Project No.: P039381
DBE Goal Percent: 17.50%
Approx. Length (miles):0.2790 Description: SAFETY IMPROVEMENTS - SC 292/L-851 (SPARTANBURG CO)
CO(S): Spartanburg
Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, EXCAVATION, PAVEMENT MARKINGS, and PIPE with their respective quantities and units.



Call No.: 170

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
CATCH BASIN -TYPE 9 MH	1.000	EA
CATCH BASIN -TYPE 16	9.000	EA
CATCH BASIN -TYPE 18	2.000	EA
DROP INLET (24" X 24")	6.000	EA
MANHOLE	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,535.000	LF
CONCRETE DRIVEWAY(8" UNIFORM)	330.000	SY
RIP-RAP (CLASS B)	218.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	263.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	287.500	LF
NON-MOW STRIP UNDER GUARDRAIL	180.000	SY
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	13.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.366	ACRE
TEMPORARY COVER	0.683	ACRE
FERTILIZER (NITROGEN)	140.000	LB
FERTILIZER (PHOSPHORIC ACID)	140.000	LB
FERTILIZER (POTASH)	140.000	LB
AGRICULTURAL GRANULAR LIME	2,750.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	4.098	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	3.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	2.732	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	120.000	LF
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
INLET STRUCTURE FILTER - TYPE D1	2.000	EA
INLET STRUCTURE FILTER - TYPE B	3.000	EA
INLET STRUCTURE FILTER - TYPE A	24.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 180 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4262260	PCN: P041020	Project No.: P041020
DBE Goal Percent: 0.00%	PCN: P041063	Project No.: P041063
	PCN: P041229	Project No.: P041229

Approx. Length (miles): 25.4200 Description: REHABILITATION/RECONSTRUCTION - SPARTANBURG CO

Completion Date: 8/31/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	122.000	SY
UNCLASSIFIED EXCAVATION	317.000	CY
BORROW EXCAVATION	4,590.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	38,996.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	303,702.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	13,397.000	TON
MAINTENANCE STONE	473.000	TON
LIQUID ASPHALT BINDER PG64-22	3,295.317	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,300.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	70,138.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	3,802.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,306.000	SY
MILLED-IN RUMBLE STRIP	19.680	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10,139.947	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	33,106.417	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	9,810.560	TON
DRIVEWAY PAVING-SURFACE TYPE C	5,081.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,184.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	23,910.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	558,215.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	1,400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,676.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	20.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	34,900.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,154,422.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	530.000	LF



Call No.: 180

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	140.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	340.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,360.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	249,856.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	700.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	25.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,547.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,410.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	256,753.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	210.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	315.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	130.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,033.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	210.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,770.000	LF
FURNISH & INSTALL FLUSH MOUNTED WIRELESS SENSOR	12.000	EA
SAWCUT FOR LOOP DETECTOR	1,370.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	400.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	738.000	LF
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	22.942	ACRE



Call No.: 190 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4662010	PCN: P040834	Project No.: P040834
DBE Goal Percent: 0.00%	PCN: P040835	Project No.: P040835
	PCN: P040836	Project No.: P040836
	PCN: P041261	Project No.: P041261

Approx. Length (miles): 18.1200 Description: RECONSTRUCTION/REHABILITATION - YORK
CO(S): York CO

Completion Date: 6/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	525.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	100.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	3.000	CY
UNCLASSIFIED EXCAVATION	1,625.000	CY
BORROW EXCAVATION	2,032.000	CY
STATION GRADING	154.500	STA
EXCAVATION FOR SHOULDER PAVING	84.480	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	84.480	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	105,707.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	50,330.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,721.000	TON
MAINTENANCE STONE	363.750	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,479.984	TON
HMA SHOULDER WIDENING COURSE	476.667	TON
LIQUID ASPHALT BINDER PG64-22	2,428.485	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	490.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	340.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	3,685.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	7,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,291.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	76,217.000	SY
MILLED-IN RUMBLE STRIP	22.540	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,910.720	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	5,527.808	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	6,719.616	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	14,051.972	TON



Call No.: 190

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE D	739.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	5,134.272	TON
DRIVEWAY PAVING-SURFACE TYPE C	3,306.750	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	156,037.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,042.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	20.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	60.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	9,323.000	LF
6" BLACK BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	40.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	517,533.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	600.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	320.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,955.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	30.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	20.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,866.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	577,487.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	3,000.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,000.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	830.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,570.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	40.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	173,866.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	600.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	320.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	80.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,522.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	23.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	13.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,196.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	181,752.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	515.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	209.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	340.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,581.000	EA
REMOVAL OF PAVEMENT MARKINGS	300.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	75.000	LF



Call No.: 190

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	340.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	118.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	150.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,080.000	LF
SAWCUT FOR LOOP DETECTOR	1,690.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)JHD	3.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
18" SMOOTH WALL PIPE	708.000	LF
24" SMOOTH WALL PIPE	8.000	LF
36" SMOOTH WALL PIPE	64.000	LF
60" SMOOTH WALL PIPE	4.000	LF
CLEANING EXISTING PIPE	75.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	5.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	100.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	10.000	SY
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
RIP-RAP (CLASS B)	145.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	232.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	2,950.000	LF
PREMASH THRIE WITH BASE PL 3.125 SPACING	75.000	LF
MGS3CS GR COMPRESSED SHOULDER	300.000	LF
PREMASH TYPE T TL3 LEADING 50'	63.000	EA
RESET FENCE	2,960.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.960	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.500	MSY
SILT FENCE	1,200.000	LF
REPLACE/REPAIR SILT FENCE	250.000	LF
CLEANING SILT BASINS	10.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	150.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	20.000	TON



Call No.: 200 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5262940	PCN: P040860	Project No.: P040860
DBE Goal Percent: 0.00%	PCN: P040861	Project No.: P040861
	PCN: P040862	Project No.: P040862
	PCN: P040869	Project No.: P040869
	PCN: P040870	Project No.: P040870
	PCN: P040871	Project No.: P040871

Approx. Length (miles): 32.2900 Description: RECONSTRUCTION/REHABILITATION - DISTRICT 2
CO(S): Edgefield McCormick
Completion Date: 11/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	6.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
UNCLASSIFIED EXCAVATION	10.000	CY
BORROW EXCAVATION	13,320.000	CY
EXCAVATION FOR SHOULDER PAVING	1,747.256	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,747.256	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	28,550.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	3,580.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	96,890.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,445.000	TON
MAINTENANCE STONE	407.100	TON
HMA SHOULDER WIDENING COURSE	6,593.546	TON
LIQUID ASPHALT BINDER PG64-22	3,536.404	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	3,615.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	25,595.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,510.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	20.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	87,384.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	16,035.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	152,735.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	17,075.000	SY
MILLED-IN RUMBLE STRIP	46.870	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	49,552.541	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,812.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	9,102.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,764.000	LF



Call No.: 200

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	981,184.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	720.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,182.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	50,830.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,053,419.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,160.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	281,495.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	240.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,458.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	14,070.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	307,505.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,135.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	260.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	40.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	700.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	2,000.000	LF
MT3 LEADING END TREATMENT TL3	88.000	EA
MGS3CS GR COMPRESSED SHOULDER	8,037.500	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	725.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	14.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	32.120	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	330.000	LF
SILT FENCE	3,900.000	LF
REPLACE/REPAIR SILT FENCE	390.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	750.000	LF



Call No.: 210 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5562830 PCN: P041414 Project No.: P041414
 DBE Goal Percent: 0.00% PCN: P041424 Project No.: P041424
 Approx. Length (miles):0.2560 Description: BRIDGE MAINTENANCE - DISTRICT 5
 CO(S): Darlington Dillon Marion
 Completion Date: 11/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FLOWABLE FILL	10.000	CY
LIQUID ASPHALT BINDER PG64-22	38.700	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,353.000	SY
MILLED-IN RUMBLE STRIP	0.200	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	741.000	TON
ROUT, CLEAN, AND SEAL CRACKS	107.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	640.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	350.000	SF
BARRICADE - TYPE 3	420.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	11.000	EA
TYPE B - FLASHING LIGHT	98.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	370.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	4,562.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	3,730.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,500.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	188.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,130.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,600.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,462.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	279.000	EA
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	2,532.000	SF
MACHINE PREPARATION OF EXISTING SURFACE	1,700.000	SY
HYDRO-DEMOLITION OF EXISTING SURFACE	1,700.000	SY
CONCRETE OVERLAY (LATEX)	57.000	CY
RIP-RAP (CLASS B)	626.000	CY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE A	722.800	SY
BRIDGE PILE WRAP	474.000	LF
BR002 - DECK REPAIR TYPE 2	7.700	SY
BR004 - REINFORCED CONCRETE REPAIR TYPE 1	1.800	CF
BR005 - REINFORCED CONCRETE REPAIR TYPE 2	45.300	CF



Call No.: 210

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
BR006 - REINFORCED CONCRETE TEE-BEAM REPAIR TYPE A	9.700	CF
BR010 – DECK JOINT REPAIR TYPE 1	1,408.000	LF
BR016 - TEE BEAM SADDLE TYPE A	14.000	EA
BR016 - TEE BEAM SADDLE TYPE B	2.000	EA
BR017 - CROSS BENT FOR STEEL BRIDGE WITH WIDENING TYPE A	8.000	EA
BR018 - BEAM END WEB AND FLANGE REPAIR	948.000	LF
BR024 - BEAM MID-SPAN REPAIR	180.000	LF
BR040 – CORROSION INHIBITING BONDING AGENT	109.500	SF
BR014 - TWO BEAM CRUTCH BENT	5.000	EA



Call No.: 220 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5762840	PCN: P041353	Project No.: P041353
DBE Goal Percent: 0.00%	PCN: P041356	Project No.: P041356
	PCN: P041360	Project No.: P041360
	PCN: P041491	Project No.: P041491

Approx. Length (miles): 19.5600
 CO(S): Calhoun Orangeburg
 Completion Date: 11/30/2023

Description: RECONSTRUCTION/REHABILITATION - DISTRICT 7
 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
BORROW EXCAVATION	3,454.000	CY
EXCAVATION FOR SHOULDER PAVING	708.576	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	708.576	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	26,860.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	134,610.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,225.000	TON
MAINTENANCE STONE	47.300	TON
HMA SHOULDER WIDENING COURSE	4,360.693	TON
LIQUID ASPHALT BINDER PG64-22	1,923.648	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,230.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	50,680.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,800.000	SY
MILLED-IN RUMBLE STRIP	39.520	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	18,744.945	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	7,416.980	TON
DRIVEWAY PAVING-SURFACE TYPE D	655.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,144.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	672.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	156,020.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	9,690.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	480.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	815.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	8.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA



Call No.: 220

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	14,240.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	151,940.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	902.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	381,520.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	19,380.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	960.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,900.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	40,270.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	384,600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	580.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	580.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,134.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	40.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,160.000	LF
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,560.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	800.000	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	148.000	LF
MB TRAILING END TREATMENT	2.000	EA
MGS3CS GR COMPRESSED SHOULDER	587.500	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	500.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	12.000	EA
PREMASH TYPE T TL3 LEADING 50'	16.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	18.538	ACRE



Call No.: 230 Letting Date: September 13, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5763300	PCN: P041263	Project No.: P041263
DBE Goal Percent: 0.00%	PCN: P041264	Project No.: P041264
	PCN: P041328	Project No.: P041328
	PCN: P041349	Project No.: P041349
	PCN: P041352	Project No.: P041352
	PCN: P041408	Project No.: P041408
	PCN: P041497	Project No.: P041497

Approx. Length (miles): 24.4100 Description: RECONSTRUCTION/REHABILITATION - DISTRICT 7
 CO(S): Barnwell Orangeburg
 Completion Date: 6/30/2024 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	60.000	SY
UNCLASSIFIED EXCAVATION	1,709.000	CY
BORROW EXCAVATION	4,882.000	CY
EXCAVATION FOR SHOULDER PAVING	650.528	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	650.528	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	273,490.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	9,595.000	TON
MAINTENANCE STONE	37.600	TON
HMA SHOULDER WIDENING COURSE	3,192.053	TON
LIQUID ASPHALT BINDER PG64-22	2,568.754	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	3,170.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	590.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	10,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	5,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	17,440.000	SY
MILLED-IN RUMBLE STRIP	44.240	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	665.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	22,964.306	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,108.623	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	3,744.600	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,599.375	TON



Call No.: 230

Letting Date: September 13, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,972.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	1,758.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	244,590.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	310.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	2,002.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	17,120.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	146,610.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	10.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,942.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	659,320.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	780.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,980.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	46,010.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	401,270.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	790.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	56.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,807.000	EA
ADJUST DROP INLET ADJUST D. I.	5.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	10.000	SY
DETECTABLE WARNING MATERIAL	10.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	50.000	SY
SURFACE APPLIED DETECTABLE WARNING	120.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	220.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	450.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	100.000	LF
MGS3 GR STANDARD SHOULDER	650.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	700.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	300.000	LF
PREMASH TYPE T TL3 LEADING 50'	16.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	23.583	ACRE

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator