

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For December 13, 2022

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on November 16, 2022 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0163250 PCN: P041596 Project No.: P041596
DBE Goal Percent: 0.00%
Approx. Length (miles): 1.2200 Description: REHABILITATION - ABBEVILLE COUNTY
CO(S): Abbeville
Completion Date: 7/31/2023 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
BORROW EXCAVATION	240.000	CY
MAINTENANCE STONE	25.850	TON
LIQUID ASPHALT BINDER PG64-22	114.315	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	675.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	740.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	7,350.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,450.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,598.766	TON
DRIVEWAY PAVING-SURFACE TYPE C	215.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,574.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	10,180.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	320.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	896.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	10,180.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	250.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	5,090.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	160.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	448.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	5,090.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	84.000	EA
ADJUST MANHOLE	1.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.162	ACRE



Call No.: 020 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0289901 PCN: 0041446RD01 Project No.: SU02008

DBE Goal Percent: 16.00%

Approx. Length (miles):2.6570

Description: WIDENING - SC 126 (AIKEN CO)

CO(S): Aiken

Completion Date: 9/30/2025

Funding: FED

MIMIMUM REQUIRED QUARTERLY CPS: 68.4 (Period Ending on September 30, 2022)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,058.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,443.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,480.000	SY
REMOVAL OF EXIST. GUARDRAIL	571.000	LF
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 012	1.000	EA
UNCLASSIFIED EXCAVATION	37,817.000	CY
BORROW EXCAVATION	68,807.000	CY
BORROW EXCAVATION - (AASHTO TYPE A-1 SAND)	220.000	TON
BORROW PIT SET-UP	1.000	LS
GEOTEXTILE, SEPARATION	963.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	7,185.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	317.000	CY
DEWATERING SYSTEM NO. 013	1.000	LS
TEMPORARY SHORING WALL	2,485.000	LF
NO. 57 STONE FOR BACKFILL	303.000	TON
STONE BRIDGE LIFT MATERIAL	5,513.000	TON
GRANULAR BRIDGE LIFT MATERIAL	4,794.000	CY



Call No.: 020 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 2

Description	Quantity	Units
FINE GRADING	51,166.000	SY
FLOWABLE FILL	676.000	CY
MAINTENANCE STONE	745.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	17,059.000	TON
LIQUID ASPHALT BINDER PG64-22	2,144.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	11,319.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,326.000	SY
MILLED-IN RUMBLE STRIP	2.660	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	15,063.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	11,429.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	612.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	35.000	SF
DETOUR SIGNS	200.000	SF
BARRICADE - TYPE 3	228.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	6.000	EA
TEMPORARY CONCRETE BARRIER	2,200.000	LF
TYPE B - FLASHING LIGHT	8.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	10,560.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	114,360.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	114,360.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,700.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	17,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	100.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	12.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	78.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	528.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	100.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,000.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	7,200.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	18,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,800.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	175.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	575.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	13.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	13.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,800.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	44,200.000	LF



Call No.: 020

Letting Date: December 13, 2022

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	12.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	22.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	370.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	180.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	630.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	12.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	37.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	5.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	30.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	40.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	319.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	412.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	72.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	602.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,248.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,818.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,665.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,814.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,306.000	LF
SAWCUT FOR LOOP DETECTOR	1,551.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	13.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	711.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	6.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 014	1.000	EA
F&I LOOP DETECTOR AMPLIFIER W/HARNESS 2-CHANNEL W/DEL/EXT TIMING	2.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 015	8.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	8.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	8.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	12.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	4.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
CONC. FOR STRUCTURES - CLASS 4000(RETAINING WALL)	98.000	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	130.000	CY
ARCHITECTURAL FINISH 1SIDE MONO PAINT	1,081.000	SF



Call No.: 020

Letting Date: December 13, 2022

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
REINF. STEEL FOR STRUCTURES (ROADWAY)	18,492.000	LB
REINF. STEEL FOR STRUCTURES (RETAINING WALL)	12,000.000	LB
15" SMOOTH WALL PIPE	52.000	LF
18" SMOOTH WALL PIPE	11,764.000	LF
24" SMOOTH WALL PIPE	2,532.000	LF
30" SMOOTH WALL PIPE	1,956.000	LF
36" SMOOTH WALL PIPE	1,396.000	LF
42" SMOOTH WALL PIPE	140.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 9	15.000	EA
CATCH BASIN -TYPE 16	98.000	EA
CATCH BASIN -TYPE 17	17.000	EA
CATCH BASIN -TYPE 18	7.000	EA
DROP INLET (24" X 24")	2.000	EA
DROP INLET (24" X 36")	1.000	EA
MANHOLE	12.000	EA
48" X 48" JUNCTION BOX	5.000	EA
ADJUST CATCH BASIN	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	20,900.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	9,610.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	1,555.000	SY
DETECTABLE WARNING MATERIAL	588.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	2,064.000	SY
CONCRETE MEDIAN	210.000	SY
CONCRETE DITCH PAVING	200.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,175.000	SY
BITUMINOUS CURB	200.000	LF
12'X 10' P.C. BOX CULVERT {AASHTO M-259} FH = 14	528.000	LF
4" PERFORATED PIPE UNDERDRAIN WITH GEOTEXTILE	500.000	LF
RIP-RAP (CLASS A)	71.000	TON
RIP-RAP (CLASS B)	689.000	TON
RIP-RAP (CLASS C)	1,242.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	969.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	1,424.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	3,162.500	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	1,250.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	3.000	EA
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
ORNAMENTAL STEEL PICKET FENCE - 42"	250.000	LF
TEMPORARY BARRIER FENCE	5,500.000	LF
RESET FENCE	900.000	LF



Call No.: 020

Letting Date: December 13, 2022

Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
RESET CHAIN-LINK FENCE	600.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS
MOVING ITEM NO. 017	1.000	LS
MOVING ITEM NO. 018	1.000	LS
MOVING ITEM NO. 019	1.000	LS
MOVING ITEM NO. 020	1.000	LS
MOVING ITEM NO. 021	1.000	LS
MOVING ITEM NO. 022	1.000	LS
MOVING ITEM NO. 023	1.000	LS
MOVING ITEM NO. 024	1.000	LS
MOVING ITEM NO. 025	1.000	LS
MOVING ITEM NO. 026	1.000	LS
MOVING ITEM NO. 027	1.000	LS
MOVING ITEM NO. 028	1.000	LS
MOVING ITEM NO. 029	1.000	LS
MOVING ITEM NO. 030	1.000	LS
MOVING ITEM NO. 031	1.000	LS
MOVING ITEM NO. 032	1.000	LS
MOVING ITEM NO. 033	1.000	LS
MOVING ITEM NO. 034	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	185.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	13.449	ACRE
TEMPORARY COVER	6.725	ACRE
FERTILIZER (NITROGEN)	2,018.000	LB
FERTILIZER (PHOSPHORIC ACID)	2,018.000	LB
FERTILIZER (POTASH)	2,018.000	LB



Call No.: 020

Letting Date: December 13, 2022

Letting Time: 2:00 P.M.

Page: 6

Description	Quantity	Units
AGRICULTURAL GRANULAR LIME	40,348.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	40.244	ACRE
SODDING	0.104	MSY
WATERPROOFING (SECOND METHOD)	47.000	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	27.690	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	11.216	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,764.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,764.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	235.000	LF
SILT FENCE	14,848.000	LF
REPLACE/REPAIR SILT FENCE	1,485.000	LF
DEWATERING BAGS	1.000	EA
CLEANING SILT BASINS	776.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	3,712.000	LF
INLET STRUCTURE FILTER - TYPE A	1,764.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	30.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	2,600.000	HR



Call No.: 030 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0862781 PCN: P040343 Project No.: P040343
DBE Goal Percent: 0.00%
Approx. Length (miles): 19.7300 Description: REHABILITATION - BERKELEY COUNTY
CO(S): Berkeley
Completion Date: 9/30/2024 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	26.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	301.670	SY
REMOVAL & DISPOSAL OF EXISTING CURB	582.000	LF
UNCLASSIFIED EXCAVATION	65.000	CY
BORROW EXCAVATION	5,549.310	CY
EXCAVATION FOR SHOULDER PAVING	95.040	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	95.040	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	1,127.500	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	109,672.200	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,548.850	TON
MAINTENANCE STONE	198.904	TON
LIQUID ASPHALT BINDER PG64-22	1,664.741	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	16,565.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,125.380	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	8,870.070	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	24,156.187	SY
MILLED-IN RUMBLE STRIP	12.040	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	16,802.265	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	976.270	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	6,977.810	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,823.250	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,176.375	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	633.600	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,401.875	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	39.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	266.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	112,977.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,519.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	13.000	LF



Call No.: 030

Letting Date: December 13, 2022

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,302.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	1.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	1.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	4,970.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	92,879.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	798.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	338,931.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,557.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,859.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	3.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	18.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,910.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	278,637.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	3.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,303.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,500.000	LF
SAWCUT FOR LOOP DETECTOR	750.000	LF
ADJUST DROP INLET ADJUST D. I.	6.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	60.000	LF
CONCRETE CURB AND GUTTER(1'-6") OGEE	490.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	191.116	SY
CONCRETE SIDEWALK(6" UNIFORM)	55.556	SY
DETECTABLE WARNING MATERIAL	150.000	SF
PEDESTRIAN RAMP CONSTRUCTION	55.000	SY
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	240.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	25.000	LF
MGS3CS GR COMPRESSED SHOULDER	300.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	6.000	EA
PREMASH W-BEAM TIGHT CURVED SYSTEM	50.000	LF
PREMASH TYPE T TL2 LEADING 25FT	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	18.331	ACRE
SILT FENCE	956.000	LF



Call No.: 040 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1063830 **PCN:** P041768 **Project No.:** P041768
DBE Goal Percent: 0.00%
Approx. Length (miles): 3.0000 **Description:** BRIDGE PRESERVATION - I-526 (WANDO RIVER)
CO(S): Charleston
Completion Date: 6/30/2024 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
WBL High-Point and PT Coupler Impregnation	45.000	EA
WBL High-Point and PT Anchor Impregnation	166.000	EA
WBL – Full-Length Approach Tendon Impregnation	30.000	EA
WBL – Full-Length M-Tendon Impregnation	4.000	EA
WBL – Impregnation Material Supply	730.000	GAL
EBL High-Point and PT Coupler Impregnation	31.000	EA
EBL High-Point and PT Anchor Impregnation	159.000	EA
EBL – Full-Length Approach Tendon Impregnation	27.000	EA
EBL – Full-Length M-Tendon Impregnation	8.000	EA
EBL – Impregnation Material Supply	730.000	GAL
Anchor Protection Repair – Interior Diaphragm	29.000	EA
Anchor Protection Repair with New Cap – Interior Diaphragm	16.000	EA
Anchor Protection Repair – EJ Diaphragm	2.000	EA
Anchor Protection Repair with New Cap – EJ Diaphragm	1.000	EA
Supplemental Moisture Testing	40.000	EA
Supplemental Tendon Impregnation	400.000	HR
Equipment Setup for Tendon Drying	2.000	EA
Tendon Drying	2,000.000	HR
ON-THE-JOB TRAINEE (BRIDGE)	1,040.000	HR



Call No.: 050 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1564120 **PCN:** P040987 **Project No.:** P040987
DBE Goal Percent: 0.00%
Approx. Length (miles):9.4200 **Description:** SAFETY IMPROVEMENTS - SC 61 (COLLETON CO)
CO(S): Colleton
Completion Date: 6/30/2024 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	85.000	SY
UNCLASSIFIED EXCAVATION	250.000	CY
BORROW EXCAVATION	3,768.000	CY
EXCAVATION FOR SHOULDER PAVING	994.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	994.000	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	15,490.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	159,022.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,759.000	TON
MAINTENANCE STONE	200.000	TON
LIQUID ASPHALT BINDER PG64-22	1,944.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	7,885.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	711.000	SY
MILLED-IN RUMBLE STRIP	27.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	15,902.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	14,605.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	340.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	528.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	298,428.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	21,000.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	28,530.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	153,300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	650.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	650.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	600.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	99,476.000	LF



Call No.: 050

Letting Date: December 13, 2022

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	700.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,510.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	51,100.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	640.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM(60MIL)WH.RR XING.SYMBOLS	2.000	EA
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	184.000	SF
REFLECTIVE SIGN POST PANELS	138.000	LF
GUARDRAIL DELINEATOR - WHITE	100.000	EA
15" SMOOTH WALL PIPE	544.000	LF
18" SMOOTH WALL PIPE	544.000	LF
24" SMOOTH WALL PIPE	272.000	LF
CLEANING EXISTING PIPE	250.000	LF
BEVELING OF PIPE END	175.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	450.000	LF
MT3 LEADING END TREATMENT TL3	20.000	EA
MGS3 GR STANDARD SHOULDER	1,650.000	LF
PREMASH RESET THRIE STRONG POST SYSTEM	300.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.030	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	150.000	LF
SILT FENCE	1,800.000	LF
REPLACE/REPAIR SILT FENCE	250.000	LF



Call No.: 060 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1663760 PCN: P041635 Project No.: P041635
DBE Goal Percent: 0.00%
Approx. Length (miles):9.6300 Description: REHABILITATION - DARLINGTON COUNTY
CO(S): Darlington
Completion Date: 11/15/2023 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	350.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	200.000	LF
BORROW EXCAVATION	1,724.000	CY
EXCAVATION FOR SHOULDER PAVING	559.680	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	559.680	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	48,694.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,461.000	TON
MAINTENANCE STONE	58.000	TON
HMA SHOULDER WIDENING COURSE	2,798.400	TON
LIQUID ASPHALT BINDER PG64-22	1,130.614	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,300.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	2,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	47,350.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	300.000	SY
MILLED-IN RUMBLE STRIP	17.240	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,734.960	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,742.340	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	220.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	603.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,953.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	21,825.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	302,385.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	5,658.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,685.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	57.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	27.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	34,665.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	181,410.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	1,100.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,275.000	LF



Call No.: 060

Letting Date: December 13, 2022

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	100,795.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,886.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	35.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	895.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	19.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	11,555.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	60,470.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	210.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	814.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,526.000	LF
SAWCUT FOR LOOP DETECTOR	577.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	200.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	150.000	SY
CONCRETE DRIVEWAY(6" UNIFORM)	200.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.519	ACRE



Call No.: 070 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2063860 PCN: P041539 Project No.: P041539

DBE Goal Percent: 2.50%

Approx. Length (miles): 12.1100

Description: PRESERVATION - LONGTOWN ROAD (FAIRFIELD CO)

CO(S): Fairfield

Completion Date: 6/30/2024

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	175.000	LF
UNCLASSIFIED EXCAVATION	1,211.000	CY
BORROW EXCAVATION	1,470.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	191,413.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,990.000	TON
MAINTENANCE STONE	196.000	TON
LIQUID ASPHALT BINDER PG64-22	1,731.358	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	150.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,400.000	SY
MILLED-IN RUMBLE STRIP	23.420	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	16,530.249	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	9,218.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,441.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	191,413.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	756.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	522.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	507,726.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	160.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	160.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,014.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,030.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	491,257.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	522.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	126,932.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	80.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	80.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	473.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,030.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	107,613.000	LF



Call No.: 070

Letting Date: December 13, 2022

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	833.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	10.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	320.000	LF
SAWCUT FOR LOOP DETECTOR	115.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
18" SMOOTH WALL PIPE	24.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
ADJUST CATCH BASIN	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	175.000	LF
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
RIP-RAP (CLASS A)	30.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	45.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,585.000	LF
MT3 LEADING END TREATMENT TL3	12.000	EA
MGS3CS GR COMPRESSED SHOULDER	812.500	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.720	ACRE



Call No.: 080 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2356390 PCN: P039726 Project No.: P039726
DBE Goal Percent: 0.00%
Approx. Length (miles):8.4200 Description: PRESERVATION - I-385 (GREENVILLE CO)
CO(S): Greenville
Completion Date: 6/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, ASPHALT PAVEMENT, and PAINT with their respective quantities and units.



Call No.: 090 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2764240 PCN: P041809 Project No.: P041809

DBE Goal Percent: 0.00%

Approx. Length (miles):2.3700

Description: RESURFACING - S-75 (JASPER CO)

CO(S): Jasper

Completion Date: 6/30/2023

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	237.000	CY
BORROW EXCAVATION	1,067.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	592.500	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	33,369.602	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,384.838	TON
MAINTENANCE STONE	0.500	TON
LIQUID ASPHALT BINDER PG64-22	193.700	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	50.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	715.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,396.960	TON
DRIVEWAY PAVING-SURFACE TYPE C	109.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	248.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	25,027.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	32.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	25,027.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	100,108.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	128.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	100,108.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	156.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.298	ACRE



Call No.: 100 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2860620 **PCN:** P040885 **Project No.:** P040885
DBE Goal Percent: 0.00%
Approx. Length (miles): 10.0000 **Description:** PRESERVATION - INTERSTATE (KERSHAW CO)
CO(S): Kershaw
Completion Date: 10/31/2023 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	400.000	HR
LIQUID ASPHALT BINDER PG64-22	702.345	TON
LIQUID ASPHALT BINDER PG76-22	3,055.360	TON
SURFACE PLANE ASPHALT PAVEMENT 1.5"	402,406.406	SY
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	119,469.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	447,603.188	SY
MILLED-IN RUMBLE STRIP	40.000	MI
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	49,280.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	10,805.310	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	580.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	52,800.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	211,200.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	7,400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	350.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	105,600.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	26,400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	105,600.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	3,700.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	175.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	105,600.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	1,400.000	EA



Call No.: 110 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4063990 **PCN:** P040889 **Project No.:** P040889
DBE Goal Percent: 0.00%
Approx. Length (miles):6.2400 **Description:** PRESERVATION - INTERSTATE (I-20/RICHLAND CO)
CO(S): Richland
Completion Date: 11/30/2023 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	1,000.000	HR
LIQUID ASPHALT BINDER PG64-22	877.500	TON
LIQUID ASPHALT BINDER PG76-22	3,193.235	TON
SURFACE PLANE ASPHALT PAVEMENT 1.5"	333,667.000	SY
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	150,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	515,856.000	SY
MILLED-IN RUMBLE STRIP	25.000	MI
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	51,503.793	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	13,500.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	916.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	4.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	105,600.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	357,588.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	16,830.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	520.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	15.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	15.000	EA
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	357,588.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	35,200.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	120,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	5,610.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	175.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	5.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	120,000.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	2,090.000	EA



Call No.: 120 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4360610 PCN: P040886 Project No.: P040886
DBE Goal Percent: 0.00%
Approx. Length (miles): 12.8600 Description: PRESERVATION - INTERSTATE (SUMTER CO)
CO(S): Sumter
Completion Date: 6/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	600.000	HR
LIQUID ASPHALT BINDER PG64-22	903.500	TON
LIQUID ASPHALT BINDER PG76-22	4,116.297	TON
SURFACE PLANE ASPHALT PAVEMENT 1.5"	650,369.375	SY
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	153,637.203	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	665,458.500	SY
MILLED-IN RUMBLE STRIP	51.440	MI
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	66,391.891	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	13,900.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	676.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	67,900.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	7,000.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	271,600.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	19,600.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	6,400.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	271,600.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	33,950.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	135,800.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	19,800.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,200.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	135,800.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	1,700.000	EA



Call No.: 130 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5663980 **PCN:** P040887 **Project No.:** P040887
DBE Goal Percent: 0.00%
Approx. Length (miles):5.7700 **Description:** PRESERVATION - INTERSTATE
CO(S): Berkeley Dorchester (BERKELEY/DORCHESTER CO)
Completion Date: 10/15/2023 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	500.000	HR
LIQUID ASPHALT BINDER PG64-22	401.050	TON
LIQUID ASPHALT BINDER PG76-22	1,620.941	TON
SURFACE PLANE ASPHALT PAVEMENT 1.5"	254,672.000	SY
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	69,240.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	261,442.125	SY
MILLED-IN RUMBLE STRIP	19.080	MI
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	12,654.133	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	18,080.080	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	484.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	60,800.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	255,450.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	2,200.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	255,450.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	30,400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	127,725.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	1,100.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	127,725.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	1,530.000	EA



Call No.: 140 Letting Date: December 13, 2022 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5763560 PCN: P041426 Project No.: P041426

DBE Goal Percent: 0.00%

Approx. Length (miles):0.1320

Description: BRIDGE REHABILITATION - DISTRICT 7

CO(S): Clarendon Orangeburg

Completion Date: 6/30/2023

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
FLOWABLE FILL	9.100	CY
LIQUID ASPHALT BINDER PG64-22	8.500	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,580.000	SY
MILLED-IN RUMBLE STRIP	0.100	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	158.000	TON
ROUT, CLEAN, AND SEAL CRACKS	6.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	496.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	980.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	980.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	980.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	980.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10.000	EA
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	134.000	SF
RIP-RAP (CLASS B)	32.500	CY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE A	44.700	SY
BRIDGE PILE WRAP	60.000	LF
BR004 - REINFORCED CONCRETE REPAIR TYPE 1	0.100	CF
BR005 - REINFORCED CONCRETE REPAIR TYPE 2	0.200	CF
BR010 – DECK JOINT REPAIR TYPE 1	52.000	LF
BR018 - BEAM END WEB AND FLANGE REPAIR	54.000	LF
BR006 - PRESTRESSED CONCRETE BEAM REPAIR	0.700	CF
BR014 - TWO BEAM CRUTCH BENT	2.000	EA

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator