

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For January 09, 2024

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on December 11, 2023 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>) for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.



Call No.: 020 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0766240 PCN: P042023 Project No.: P042023
DBE Goal Percent: 0.00% PCN: P042086 Project No.: P042086
PCN: P042087 Project No.: P042087

Approx. Length (miles):8.6500 Description: CMRB, SHLD WDN, STB, STC, MILL, INTM
CO(S): Beaufort

Completion Date: 9/30/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, EXCAVATION, ASPHALT, and MARKING with their respective quantities and units.



Call No.: 020

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	20.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	20.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,850.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	39,857.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	31,778.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	440.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	168.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	49,152.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	107,397.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	177,726.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	5,460.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	3,372.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,860.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	60.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	102.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	60.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	102.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	11,860.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	128,864.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	95,334.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,320.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	34.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	34.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	801.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	110.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	565.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,500.000	LF
SAWCUT FOR LOOP DETECTOR	3,000.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.462	ACRE
SILT FENCE	2,060.000	LF



Call No.: 030 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1664650 PCN: P042095 Project No.: P042095
DBE Goal Percent: 0.00% PCN: P042096 Project No.: P042096
PCN: P042097 Project No.: P042097

Approx. Length (miles): 15.5000 Description: 2023 PIPP RESURFACING-RECONSTRUCTION
CO(S): Darlington

Completion Date: 10/31/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, ASPHALT, and PAINT with their respective quantities and units.



Call No.: 030

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,135.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	3,270.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,560.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	142,616.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	20,170.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	375.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	90.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,242.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	29.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	16.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	8.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	10,130.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	114,387.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	1,090.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	155.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	22.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,460.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	140.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	600.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	600.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	1,200.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	170.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	170.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,322.000	LF
SAWCUT FOR LOOP DETECTOR	1,682.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)HD	7.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	100.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.659	ACRE



Call No.: 040 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1866300	PCN: P042305	Project No.: P042305
DBE Goal Percent: 0.00%	PCN: P042306	Project No.: P042306
	PCN: P042307	Project No.: P042307
	PCN: P042308	Project No.: P042308

Approx. Length (miles):9.2500 **Description:** STB, STC, MILL, INTM B SPEC
CO(S): Dorchester

Completion Date: 6/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	162.330	SY
UNCLASSIFIED EXCAVATION	460.000	CY
BORROW EXCAVATION	2,015.000	CY
MAINTENANCE STONE	117.980	TON
LIQUID ASPHALT BINDER PG64-22	4,372.217	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	9,652.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	296.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	137,833.548	SY
MILLING EXISTING ASPHALT PAVEMENT 4.5"	30,098.109	SY
MILLING EXISTING ASPHALT PAVEMENT 5.0"	133,496.368	SY
MILLING EXISTING ASPHALT PAVEMENT 6.0"	42,246.139	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	15,750.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	21,124.547	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,163.080	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,011.750	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	52,226.636	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,526.750	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	280.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	13,244.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	680.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	59,726.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	27,350.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	2,606.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	70.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,391.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	50.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	50.000	EA



Call No.: 040

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	9,314.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	78,254.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	318.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	51,136.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,720.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	206,586.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	109,400.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	10,424.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,516.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	200.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	132.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	200.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	28.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	96.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	31,996.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	294,906.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	5,441.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,272.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	24.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	33.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	646.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	386.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,277.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	700.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	10,500.000	LF
SAWCUT FOR LOOP DETECTOR	5,150.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
CONCRETE SIDEWALK(4" UNIFORM)	133.330	SY
DETECTABLE WARNING MATERIAL	80.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
SURFACE APPLIED DETECTABLE WARNING	90.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.156	ACRE
SILT FENCE	760.000	LF



Call No.: 050 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1965801 PCN: P041188 Project No.: P041188

DBE Goal Percent: 0.00% PCN: P041804 Project No.: P041804

Approx. Length (miles):2.3100

Description: MOORE ROAD S-19-492 CMRBW/HMA
EDGEFIELD CTC

CO(S): Edgefield

Completion Date: 8/31/2025 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	976.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	16,060.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	16,430.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,130.000	TON
MAINTENANCE STONE	299.000	TON
HMA SHOULDER WIDENING COURSE	407.147	TON
LIQUID ASPHALT BINDER PG64-22	241.147	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	700.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,102.117	TON
DRIVEWAY PAVING-SURFACE TYPE C	402.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	880.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	340.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	50,280.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	860.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	94,120.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	85.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	12,570.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	545.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	26,720.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	153.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.244	ACRE



Call No.: 060 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1966440 PCN: P042557 Project No.: P042557

DBE Goal Percent: 0.00%

Approx. Length (miles):2.6600

Description: 2023 EDGEFIELD CTC

CO(S): Edgefield

Completion Date: 10/31/2025 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,064.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	37,285.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,232.000	TON
MAINTENANCE STONE	3.400	TON
LIQUID ASPHALT BINDER PG64-22	206.574	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	40.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,190.000	SY
MILLED-IN RUMBLE STRIP	4.660	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,203.923	TON
DRIVEWAY PAVING-SURFACE TYPE C	75.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	598.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	404.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	99,975.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	356.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	99,975.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	118.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	28,115.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	102.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	28,115.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	175.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.586	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	50.000	LF
SILT FENCE	500.000	LF
REPLACE/REPAIR SILT FENCE	50.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	125.000	LF



Call No.: 070 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2059640 PCN: P038686 Project No.: P038686
DBE Goal Percent: 7.50%
Approx. Length (miles):0.2840 Description: S-258 (BLINK BONNIE RD) BRIDGE REPLACEMENT OVER THORNTREE CR
CO(S):
Completion Date: 11/30/2025 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BRIDGE CONSTRUCTION ACCESS, and ASPHALT PAVEMENT with their respective quantities and units.



Call No.: 070

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
DRILLED SHAFT WITH ROCK EXCAVATION - 36" DIAMETER	36.800	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	113.400	LF
CONSTRUCTION CASING - 42" DIAMETER	113.400	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	56.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	77.000	LF
ELASTOMERIC BEARING	60.000	EA
CROSSHOLE SONIC LOGGING SETUP	4.000	EA
RIP-RAP (CLASS A)	28.000	TON
RIP-RAP (CLASS B)	338.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	733.000	SY
MT2 LEADING END TREATMENT TL2	4.000	EA
MGS3 GR STANDARD SHOULDER	287.500	LF
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
NON-MOW STRIP UNDER GUARDRAIL	40.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	330.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	10.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.332	ACRE
TEMPORARY COVER	0.166	ACRE
COMPOST	134.000	CY
FERTILIZER (NITROGEN)	33.000	LB
FERTILIZER (PHOSPHORIC ACID)	33.000	LB
FERTILIZER (POTASH)	33.000	LB
AGRICULTURAL GRANULAR LIME	664.000	LB
MOWING	0.996	ACRE
SODDING	1.607	MSY
WATERPROOFING (BRIDGE DECK)	494.800	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.403	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	1.000	ACRE
SILT FENCE	1,530.000	LF
REPLACE/REPAIR SILT FENCE	153.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY(7'DEPH)	215.000	LF
CLEANING SILT BASINS	14.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	382.500	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	7.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 080 **Letting Date:** January 09, 2024 **Letting Time:** 2:00 P.M. **Page:** 1
SC File NO(S): 2265890 **PCN:** P042043 **Project No.:** P042043
DBE Goal Percent: 0.00% **PCN:** P042166 **Project No.:** P042166
Approx. Length (miles):6.3900 **Description:** SW; FDP; MILL; OVERLAY
CO(S): Georgetown
Completion Date: 9/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,278.800	CY
EXCAVATION FOR SHOULDER PAVING	327.782	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	327.782	STA
MAINTENANCE STONE	146.000	TON
HMA SHOULDER WIDENING COURSE	1,638.912	TON
LIQUID ASPHALT BINDER PG64-22	675.441	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	14,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	650.000	SY
MILLED-IN RUMBLE STRIP	11.488	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,737.120	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,747.712	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	930.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	436.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,280.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,470.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	198,810.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,032.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	19,140.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	84,195.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	490.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	66,270.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	344.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,380.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	28,065.000	LF



Call No.: 080

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	12.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	110.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	325.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	120.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	600.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	750.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,092.000	LF
SAWCUT FOR LOOP DETECTOR	1,162.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.260	ACRE



Call No.: 090 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2364430 PCN: P042075 Project No.: P042075

DBE Goal Percent: 0.00%

Approx. Length (miles):5.0200

Description: RESURFACING - CMRB

CO(S): Greenville

Completion Date: 6/30/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,004.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	75,940.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,037.000	TON
MAINTENANCE STONE	52.000	TON
LIQUID ASPHALT BINDER PG64-22	931.184	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	3,121.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	600.000	SY
MILLED-IN RUMBLE STRIP	9.680	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	7,328.881	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,970.988	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	383.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,157.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,016.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,190.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	156,395.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	536.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,220.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	316,210.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	320.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	320.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	850.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	52,694.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	192.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	370.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	53,264.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	17.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	394.000	EA



Call No.: 090

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	300.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	1,225.000	LF
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.868	ACRE



Call No.: 100 **Letting Date:** January 09, 2024 **Letting Time:** 2:00 P.M. **Page:** 1
SC File NO(S): 2564520 **PCN:** P041486 **Project No.:** P041486
DBE Goal Percent: 0.00% **PCN:** P042085 **Project No.:** P042085
Approx. Length (miles): 11.5500 **Description:** CMRB;SURFCOURSE;FDP;SHLDPAV;MILLFILL
CO(S): Hampton
Completion Date: 10/31/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
UNCLASSIFIED EXCAVATION	630.000	CY
BORROW EXCAVATION	2,310.000	CY
EXCAVATION FOR SHOULDER PAVING	511.104	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	511.104	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	9,100.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	90,750.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,955.000	TON
MAINTENANCE STONE	110.800	TON
HMA SHOULDER WIDENING COURSE	2,555.520	TON
LIQUID ASPHALT BINDER PG64-22	1,196.552	TON
ARAMID FIBER	780.000	LB
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	8,925.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,825.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	330.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	28,690.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,250.000	SY
STRESS ABSORBING MEMBRANE INTERLAYER (SAMI)	56,132.000	SY
MILLED-IN RUMBLE STRIP	30.200	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	16,144.431	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	300.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	495.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,200.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	518.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	121,200.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	510.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	12,270.000	LF



Call No.: 100

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	43,340.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,418.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	345,950.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,050.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	34,990.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	123,980.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	799.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	100.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	200.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	90.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.200	ACRE



Call No.: 110 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2958320 PCN: P027277 Project No.: P027277
DBE Goal Percent: 17.50%
Approx. Length (miles):0.7340 Description: INTERSECTION IMPROVEMENT - US 521/S-54
CO(S): Lancaster
Completion Date: 5/31/2025 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
SMALL PUBLIC SEWER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	147.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	2.500	CY
UNCLASSIFIED EXCAVATION	1,783.000	CY
BORROW EXCAVATION	2,010.000	CY
BORROW EXCAVATION - (AASHTO TYPE A-1 SAND)	66.000	TON
STRUCTURE EXCAVATION FOR RETAINING WALL	43.400	CY
FINE GRADING	9,487.000	SY
MAINTENANCE STONE	325.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	3,979.000	TON
LIQUID ASPHALT BINDER PG64-22	760.000	TON
MILLING EXISTING ASPHALT PAVEMENT 1.75"	16,803.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,583.000	SY
MILLED-IN RUMBLE STRIP	1.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	7,493.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,536.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	157.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	24.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	414.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	532.000	SF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	170.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	10,000.000	LF



Call No.: 110

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	450.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	550.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	60.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	50.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	5.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	10,000.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	6,600.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	825.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,975.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	25.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	24.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	7,000.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	110.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	60.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	198.460	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	43.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	6.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	367.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	20.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	428.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	700.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	266.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,328.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,335.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,612.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,162.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,116.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	100.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	1.000	EA
SAWCUT FOR LOOP DETECTOR	1,352.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	14.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	673.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	3.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH AND INSTALL BATTERY BACK-UP INCLUDING FOUNDATION	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	4.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	12.000	EA



Call No.: 110

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	6.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	6.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	16.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
CONC. FOR STRUCTURES - CLASS 4000(RETAINING WALL)	12.200	CY
CONC. FOR STRUCTURES - CLASS 4000(ROADWAY)	2.500	CY
REINF. STEEL FOR STRUCTURES (RETAINING WALL)	1,050.000	LB
18" SMOOTH WALL PIPE	3,580.000	LF
CLEANING EXISTING PIPE	582.000	LF
BRICK MASONRY	4.700	CY
CATCH BASIN -TYPE 16	9.000	EA
DROP INLET (24" X 36")	8.000	EA
DROP INLET TYPE 112	5.000	EA
MANHOLE	5.000	EA
BEVELING OF PIPE END	9.000	EA
CONCRETE CURB (9" X 15")	75.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,631.000	LF
CONCRETE CURB AND GUTTER(2'-0") SLOPING FACE	210.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	466.000	SY
DETECTABLE WARNING MATERIAL	137.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	716.000	SY
CONCRETE MEDIAN	418.000	SY
PEDESTRIAN RAMP CONSTRUCTION	275.000	SY
RIP-RAP (CLASS A)	10.700	TON
RIP-RAP (CLASS B)	44.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	103.300	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	31.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	5.014	ACRE
TEMPORARY COVER	2.507	ACRE
COMPOST	135.000	CY
FERTILIZER (NITROGEN)	501.000	LB
FERTILIZER (PHOSPHORIC ACID)	501.000	LB
FERTILIZER (POTASH)	501.000	LB
AGRICULTURAL GRANULAR LIME	10,028.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	15.042	ACRE
SODDING - CENTIPEDE GRASS	27.000	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.339	MSY



Call No.: 110

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	7.128	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	2.900	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	360.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	162.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	306.000	LF
SILT FENCE	4,766.000	LF
REPLACE/REPAIR SILT FENCE	477.000	LF
CLEANING SILT BASINS	53.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,192.000	LF
INLET FILTER CLEANING	19.000	EA
INLET STRUCTURE FILTER - TYPE B	2.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	8.200	TON
STABILIZED CONSTRUCTION ENTRANCE	825.000	SY



Call No.: 120 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2965490 **PCN:** P042187 **Project No.:** P042187
DBE Goal Percent: 0.00% **PCN:** P042426 **Project No.:** P042426
Approx. Length (miles):6.9200 **Description:** CLEARING, STA GRADE, HMA 4
CO(S): Lancaster
Completion Date: 8/31/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	190.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	15.500	CY
UNCLASSIFIED EXCAVATION	10,645.000	CY
BORROW EXCAVATION	2,800.000	CY
STATION GRADING	142.556	STA
EXCAVATION FOR SHOULDER PAVING	566.020	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	566.020	STA
MAINTENANCE STONE	225.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	32,013.696	TON
HMA SHOULDER WIDENING COURSE	4,087.893	TON
LIQUID ASPHALT BINDER PG64-22	3,854.767	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	8,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	112,350.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	49,751.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,000.000	SY
MILLED-IN RUMBLE STRIP	19.200	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	17,752.413	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	19,831.426	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	680.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,866.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	856.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	80.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	20,837.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	246,533.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,400.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	5,781.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	1,050.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	11,633.000	LF



Call No.: 120

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	186.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	126.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,578.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	212,551.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,025.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	475.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,637.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	88,922.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,927.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	350.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	40.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	4,100.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	62.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	42.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,436.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	63,908.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	275.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	405.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	298.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	350.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	18,075.000	LF
SAWCUT FOR LOOP DETECTOR	7,980.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	6.000	EA
PARTIAL DEPTH PATCHING OF EXISTING DECK	60.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	1,560.000	LB
15" SMOOTH WALL PIPE	438.000	LF
18" SMOOTH WALL PIPE	296.000	LF
24" SMOOTH WALL PIPE	32.000	LF
30" SMOOTH WALL PIPE	24.000	LF
36" SMOOTH WALL PIPE	16.000	LF
42" SMOOTH WALL PIPE	16.000	LF
CLEANING EXISTING PIPE	350.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	12.000	EA
CONCRETE COLLAR FOR UP TO 36" PIPE	5.000	EA
CONCRETE COLLAR FOR UP TO 48" PIPE	2.000	EA
ADJUST CATCH BASIN	7.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	190.000	LF



Call No.: 120

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
CONCRETE SIDEWALK(4" UNIFORM)	22.500	SY
DETECTABLE WARNING MATERIAL	25.000	SF
CONCRETE MEDIAN	380.000	SY
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
RIP-RAP (CLASS B)	35.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	100.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	4,611.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	2,137.500	LF
MT3 LEADING END TREATMENT TL3	6.000	EA
PREMASH THRIE WITH BASE PL 3.125 SPACING	530.000	LF
MB TRAILING END TREATMENT	6.000	EA
MGS3 GR STANDARD SHOULDER	2,625.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	2.000	EA
PREMASH IMPACT ATTENUATOR IA CLASS D3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.990	ACRE



Call No.: 130 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2968020 PCN: P042336 Project No.: P042336
DBE Goal Percent: 5.00%
Approx. Length (miles):4.0500 Description: PATCH, SHLDR WIDEN, HMA, GUARDRAIL
CO(S): Lancaster
Completion Date: 5/31/2025 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, EXCAVATION, PAVING, and SIGNAGE with their respective quantities and units.



Call No.: 130

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	274.000	EA
18" SMOOTH WALL PIPE	96.000	LF
CLEANING EXISTING PIPE	400.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	300.000	LF
MT3 LEADING END TREATMENT TL3	6.000	EA
PREMASH W-BEAM BRIDGE CONN TL2 WBBC2	4.000	EACH
MGS3CS GR COMPRESSED SHOULDER	700.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	862.500	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.040	ACRE



Call No.: 140 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3166900	PCN: P039655	Project No.: P039655
DBE Goal Percent: 0.00%	PCN: P039693	Project No.: P039693
	PCN: P042239	Project No.: P042239
	PCN: P042258	Project No.: P042258
	PCN: P042687	Project No.: P042687

Approx. Length (miles):22.7400 **Description:** 2024 LEE PIPP AND CTC REHAB/RECON
CO(S): Lee
Completion Date: 9/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,142.000	SY
BORROW EXCAVATION	4,362.000	CY
EXCAVATION FOR SHOULDER PAVING	1,871.100	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,871.100	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	42,810.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,285.000	TON
MAINTENANCE STONE	98.500	TON
HMA SHOULDER WIDENING COURSE	11,826.613	TON
LIQUID ASPHALT BINDER PG64-22	3,407.871	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	7,600.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,250.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	94,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,725.000	SY
MILLED-IN RUMBLE STRIP	11.100	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10,208.586	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	11,680.906	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	23,938.160	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,821.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,114.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,420.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	647,180.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	300.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,595.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	9.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA



Call No.: 140

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	56,900.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	262,200.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	800.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	350.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	169,760.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	58,610.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,605.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	18,450.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	112,000.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	70.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,475.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,400.000	LF
SAWCUT FOR LOOP DETECTOR	450.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
ADJUST DROP INLET ADJUST D. I.	5.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	350.000	SY
DETECTABLE WARNING MATERIAL	337.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	100.000	SY
PEDESTRIAN RAMP CONSTRUCTION	675.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,000.000	LF
MT3 LEADING END TREATMENT TL3	8.000	EA
MGS3 GR STANDARD SHOULDER	300.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	150.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	21.140	ACRE



Call No.: 150 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3254870 PCN: P037186 Project No.: P037186
DBE Goal Percent: 17.50%
Approx. Length (miles):1.8830 Description: SAFETY IMPROVEMENTS - US 1 - S-1508
CO(S): Lexington
Completion Date: 5/31/2025 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 005	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	718.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,600.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	130.000	CY
UNCLASSIFIED EXCAVATION	740.000	CY
BORROW EXCAVATION	200.000	CY
FLOWABLE FILL	10.000	CY
MAINTENANCE STONE	500.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	158.000	TON
LIQUID ASPHALT BINDER PG64-22	410.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	74,983.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	53.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,561.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	250.000	TON
IMPRINTED ASPHALT WITH SURFACE COATING	540.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	756.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	14,090.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	17,522.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	2,464.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	8,062.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	7,586.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"YELLOW SOLID LINES	24.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 12"X18" WHITE TRIANGLE YIELD BAR	30.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	90.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	6.000	EA



Call No.: 150

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	56.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	300.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	12,773.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,045.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	8,761.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	4,031.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	15.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,793.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	45.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	28.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
WHITE U-TURN ARROW THERMO-125MIL	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,232.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	12.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	320.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	128.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	104.500	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	9.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	7.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	326.000	LF
4.0" SCHEDULE 40 PVC CONDUIT	4,150.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,035.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,819.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	240.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	1,090.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	1,090.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,060.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	8,430.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	4,080.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	3,450.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,911.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	19,060.000	LF
SAWCUT FOR LOOP DETECTOR	7,907.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	5.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	66.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	5.000	EA
FURNISH & INSTALL 3/8" BACK GUY FOR WOOD POLE	2.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	8.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	360.000	LF



Call No.: 150

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	795.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	22.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 002	5.000	EA
FURNISH & INSTALL SPLICE-CABINET/FLASHER CABINET	1.000	EA
FURNISH & INSTALL SOLAR POWERED FLASHER ASSEM - DUAL BEACON	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	9.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 003	41.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	36.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	36.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	30.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	50.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	7.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	5.000	EA
POWDERCOATING PER MAST ARM OVER BASE	11.000	EA
DECORATIVE OPTION PER MAST ARM	11.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 004	1.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	9.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	13.000	EA
15" SMOOTH WALL PIPE	11.000	LF
18" SMOOTH WALL PIPE	373.000	LF
CLEANING EXISTING PIPE	1,000.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 16	2.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	12.000	EA
24" X 24" JUNCTION BOX	1.000	EA
WATER QUALITY STRUCTURE	1.000	EA
JUNCTION BOX - CONVERT CB T-16	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	5,674.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	276.000	SY
DETECTABLE WARNING MATERIAL	522.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	100.000	SY
CONCRETE MEDIAN	3,132.000	SY
PEDESTRIAN RAMP CONSTRUCTION	675.000	SY
6" PIPE UNDERDRAIN	4,255.000	LF
RIP-RAP (CLASS A)	9.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	11.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	52.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.000	ACRE



Call No.: 150

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
TEMPORARY COVER	2.000	ACRE
SELECT MATERIAL	545.000	CY
FERTILIZER (NITROGEN)	100.000	LB
FERTILIZER (PHOSPHORIC ACID)	100.000	LB
FERTILIZER (POTASH)	100.000	LB
AGRICULTURAL GRANULAR LIME	2,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.000	ACRE
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	0.100	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	3.000	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	496.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	80.000	LF
SILT FENCE	1,147.000	LF
REPLACE/REPAIR SILT FENCE	300.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	296.000	LF
CLEANING INLET STRUCTURE FILTERS	38.000	EA
INLET STRUCTURE FILTER - TYPE A	200.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 160 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3264060 PCN: P041451 Project No.: P041451

DBE Goal Percent: 0.00% PCN: P041452 Project No.: P041452

Approx. Length (miles): 19.8700 Description: 2023 RECONSTRUCTION/REHAB.

CO(S): Lexington

Completion Date: 7/31/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,452.000	SY
UNCLASSIFIED EXCAVATION	427.000	CY
BORROW EXCAVATION	3,974.000	CY
EXCAVATION FOR SHOULDER PAVING	1,025.150	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,025.150	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	55,060.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	66,620.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,789.000	TON
MAINTENANCE STONE	215.100	TON
HMA SHOULDER WIDENING COURSE	4,212.381	TON
LIQUID ASPHALT BINDER PG64-22	2,546.569	TON
ARAMID FIBER	710.000	LB
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	19,500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	20.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,990.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	3,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	8,085.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,750.000	SY
MILLED-IN RUMBLE STRIP	19.600	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	260.480	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,904.907	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	21,300.977	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	5,492.714	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,986.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,909.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	12,510.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	771,120.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,905.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,560.000	LF



Call No.: 160

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	17.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	17.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	16,720.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	805,120.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	193,715.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	595.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	56.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,445.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	5.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,180.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	202,905.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	25.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,415.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	45.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,175.000	LF
SAWCUT FOR LOOP DETECTOR	675.000	LF
ADJUST CATCH BASIN	2.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	350.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	50.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	425.000	LF
PREMASH RESET TYPE T TL3 LEADING 50'	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	11.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	19.289	ACRE



Call No.: 170 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3266930 PCN: P042655 Project No.: P042655
DBE Goal Percent: 0.00%
Approx. Length (miles): 7.3600 Description: LEXINGTON COUNTY REHABILITATION
CO(S): Lexington
Completion Date: 11/30/2024 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	500.000	SY
BORROW EXCAVATION	1,342.800	CY
MAINTENANCE STONE	86.650	TON
LIQUID ASPHALT BINDER PG64-22	703.460	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,965.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	5,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,225.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,675.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	9,323.052	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	50.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,791.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,976.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	640.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	44,350.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,290.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,080.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	9.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	98,690.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	280.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	20,590.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	490.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,570.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA



Call No.: 170

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	47,180.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	535.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	70.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,802.000	LF
SAWCUT FOR LOOP DETECTOR	564.000	LF
ADJUST CATCH BASIN	1.000	EA
ADJUST DROP INLET ADJUST D. I.	7.000	EA
DETECTABLE WARNING MATERIAL	250.000	SF
PEDESTRIAN RAMP CONSTRUCTION	500.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.512	ACRE



Call No.: 180 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3866920 PCN: P042556 Project No.: P042556
DBE Goal Percent: 0.00%
Approx. Length (miles): 11.0200 Description: SURFCOURSE;FDP;SHLDPAV;MILLFILL
CO(S): Orangeburg
Completion Date: 6/30/2025 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
BORROW EXCAVATION	2,184.000	CY
EXCAVATION FOR SHOULDER PAVING	1,079.232	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,079.232	STA
MAINTENANCE STONE	42.250	TON
HMA SHOULDER WIDENING COURSE	10,287.200	TON
LIQUID ASPHALT BINDER PG64-22	780.887	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,105.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	120.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	2,590.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	900.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,037.980	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,602.640	TON
DRIVEWAY PAVING-SURFACE TYPE D	522.500	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	126,098.140	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	888.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	20.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	21,120.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	165.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	1,500.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	13,790.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	140.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	129,070.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	455.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,790.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	83,370.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	740.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF



Call No.: 180

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
6" PERFORATED PIPE UNDERDRAIN WITH STABILIZED AGGREGATE	300.000	LF
PREMASH THRIE WITH BASE PL 6.25 SPACE	50.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	225.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.020	ACRE



Call No.: 190 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4061671 PCN: P036809 Project No.: P036809
DBE Goal Percent: 0.00%
Approx. Length (miles): 11.6680 Description: SAFETY IMPROVEMENTS - US 76 (RICHLAND CO)
Completion Date: 10/31/2026 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, EXCAVATION, PAVING, and PAINTING with their respective quantities and units.



Call No.: 190

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	56.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	8,980.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	448,200.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	32,910.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	122,420.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	419.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	29.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	14.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,170.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	112,050.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	4,597.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	2,902.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	608.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	1,556.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	946.000	LF
REMOVAL OF U-SECTION POST	59.000	EA
REFLECTIVE SIGN POST PANELS	714.000	LF
STRAIGHT HEADWALL FOR 18" CIRCULAR PIPE-1 LINE	1.000	EA
STRAIGHT HEADWALL FOR 24" CIRCULAR PIPE-1 LINE	1.000	EA
15" SMOOTH WALL PIPE	2,429.000	LF
18" SMOOTH WALL PIPE	2,288.000	LF
24" SMOOTH WALL PIPE	412.000	LF
30" SMOOTH WALL PIPE	8.000	LF
CLEANING EXISTING PIPE	12,426.000	LF
DROP INLET TYPE 112	27.000	EA
36" X 36" JUNCTION BOX	18.000	EA
MANHOLE (TOP ONLY)	16.000	EA
CBT-9 CONVERT JUNCTION BOX 36" X 36"	58.000	EA
BEVELING OF PIPE END	435.000	EA
CONCRETE DITCH PAVING	6,897.000	SY
RIP-RAP (CLASS B)	2,932.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	3,956.000	SY
MT3 LEADING END TREATMENT TL3	31.000	EA
MB TRAILING END TREATMENT	31.000	EA
MGS3 GR STANDARD SHOULDER	2,762.500	LF
MGS3CS GR COMPRESSED SHOULDER	6,675.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	230.000	LF
PERMANENT COVER	31.630	ACRE
TEMPORARY COVER	15.815	ACRE



Call No.: 190

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FERTILIZER (NITROGEN)	3,163.000	LB
FERTILIZER (PHOSPHORIC ACID)	3,163.000	LB
FERTILIZER (POTASH)	3,163.000	LB
AGRICULTURAL GRANULAR LIME	63,260.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	94.350	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	20.506	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	2.384	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	16.623	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	21.192	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	10.438	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	5,273.000	LF
SILT FENCE	63,537.000	LF
REPLACE/REPAIR SILT FENCE	6,354.000	LF
CLEANING SILT BASINS	897.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	15,885.000	LF
INLET FILTER CLEANING	111.000	EA
INLET STRUCTURE FILTER - TYPE D1	99.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	99.000	EA
INLET STRUCTURE FILTER - TYPE D2	12.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	12.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	695.000	TON
STABILIZED CONSTRUCTION ENTRANCE	6,505.000	SY



Call No.: 200 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4064221 PCN: P041368 Project No.: P041368

DBE Goal Percent: 0.00% PCN: P041431 Project No.: P041431

Approx. Length (miles): 11.6680 Description: CTC RESURFACING

CO(S): Richland

Completion Date: 11/30/2024 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,375.000	SY
BORROW EXCAVATION	818.000	CY
MAINTENANCE STONE	28.400	TON
LIQUID ASPHALT BINDER PG64-22	688.176	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	700.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,140.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	20,300.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	36,580.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,615.000	SY
MILLED-IN RUMBLE STRIP	5.400	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,595.333	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,589.100	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,443.200	TON
DRIVEWAY PAVING-SURFACE TYPE C	365.125	TON
DRIVEWAY PAVING-SURFACE TYPE D	177.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,192.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,120.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	97,290.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,465.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,903.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	9.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,670.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	138,230.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,650.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	2,910.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,040.000	LF



Call No.: 200

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	32,430.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,530.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,376.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,890.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	47,940.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	970.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	113.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	673.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,310.000	LF
SAWCUT FOR LOOP DETECTOR	2,400.000	LF
ADJUST DROP INLET ADJUST D. I.	12.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	100.000	SY
DETECTABLE WARNING MATERIAL	637.500	SF
PEDESTRIAN RAMP CONSTRUCTION	1,275.000	SY
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.963	ACRE



Call No.: 210 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4167010 PCN: P042697 Project No.: P042697

DBE Goal Percent: 0.00%

Approx. Length (miles):0.8200 Description: 2023 CTC SALUDA RESURFACING

CO(S): Saluda

Completion Date: 11/20/2024 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	164.000	CY
EXCAVATION FOR SHOULDER PAVING	78.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	78.000	STA
MAINTENANCE STONE	42.500	TON
HMA SHOULDER WIDENING COURSE	334.107	TON
LIQUID ASPHALT BINDER PG64-22	94.557	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	3,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,300.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,188.497	TON
DRIVEWAY PAVING-SURFACE TYPE C	107.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	734.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	14,175.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	312.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	3.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	15,975.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	7,775.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	216.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	8,675.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.780	ACRE



Call No.: 220 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4262280	PCN: P040988	Project No.: P040988
DBE Goal Percent: 0.00%	PCN: P041184	Project No.: P041184
	PCN: P042411	Project No.: P042411

Approx. Length (miles): 17.3800 **Description:** RESURFACING - CMRB
CO(S): Spartanburg

Completion Date: 11/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	75.000	SY
BORROW EXCAVATION	5,318.000	CY
EXCAVATION FOR SHOULDER PAVING	19.008	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	19.008	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	247,308.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	9,892.000	TON
MAINTENANCE STONE	178.650	TON
HMA SHOULDER WIDENING COURSE	144.320	TON
LIQUID ASPHALT BINDER PG64-22	2,283.859	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,865.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	21,513.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	23,490.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,175.000	SY
MILLED-IN RUMBLE STRIP	39.230	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	5,904.800	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	6,350.496	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	23,454.839	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,077.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,632.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,000.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	300,414.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	96,624.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	840.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,583.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	29,220.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	660,730.000	LF



Call No.: 220

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	256.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	256.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,660.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	150,207.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	32,208.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	420.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	751.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,890.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	150,936.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	10.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	20.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	80.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,305.000	EA
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	90.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	40.000	LF
REFLECTIVE SIGN POST PANELS	144.000	LF
GUARDRAIL DELINEATOR - WHITE	140.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	630.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	11,310.000	LF
SAWCUT FOR LOOP DETECTOR	4,110.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,650.000	LF
MT3 LEADING END TREATMENT TL3	24.000	EA
PREMASH W-BEAM BRIDGE CONN TL2 WBBC2	4.000	EACH
PREMASH RESET W-BEAM STRONG POST SYSTEM	5,175.000	LF
MGS3CS GR COMPRESSED SHOULDER	3,450.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	2,150.000	LF
PREMASH TYPE T TL3 LEADING 50'	26.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.435	ACRE



Call No.: 230 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4364790	PCN: P042169	Project No.: P042169
DBE Goal Percent: 0.00%	PCN: P042170	Project No.: P042170
	PCN: P042171	Project No.: P042171

Approx. Length (miles):9.8300 **Description:** 2023 RECONSTRUCTION/REHAB
CO(S): Sumter

Completion Date: 9/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	505.000	SY
UNCLASSIFIED EXCAVATION	105.000	CY
BORROW EXCAVATION	1,876.000	CY
EXCAVATION FOR SHOULDER PAVING	298.850	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	298.850	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	17,600.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	82,540.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,811.000	TON
MAINTENANCE STONE	34.000	TON
HMA SHOULDER WIDENING COURSE	1,328.213	TON
LIQUID ASPHALT BINDER PG64-22	1,067.331	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	2,500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	900.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	1,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	8,340.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,325.000	SY
MILLED-IN RUMBLE STRIP	9.100	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,028.640	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,936.283	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,593.856	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,170.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,731.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,390.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	410,930.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,200.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,820.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA



Call No.: 230

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	28,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	238,530.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	400.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,410.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	103,920.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	600.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	35.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,280.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	60,820.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	3.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	670.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	15.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	725.000	LF
SAWCUT FOR LOOP DETECTOR	225.000	LF
ADJUST DROP INLET ADJUST D. I.	5.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	700.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	500.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	200.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.080	ACRE



Call No.: 240 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4368040 PCN: P042686 Project No.: P042686

DBE Goal Percent: 0.00%

Approx. Length (miles):2.9400

Description: SUMTER COUNTY REHABILITATION

CO(S): Sumter

Completion Date: 11/30/2025 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
BORROW EXCAVATION	588.000	CY
EXCAVATION FOR SHOULDER PAVING	182.700	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	182.700	STA
MAINTENANCE STONE	4.000	TON
HMA SHOULDER WIDENING COURSE	811.947	TON
LIQUID ASPHALT BINDER PG64-22	458.105	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	400.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	700.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,331.337	TON
DRIVEWAY PAVING-SURFACE TYPE C	295.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	288.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	240.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	63,750.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	380.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	65,350.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	120.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	22,700.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	150.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	23,500.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	205.000	EA
CONCRETE DRIVEWAY(6" UNIFORM)	25.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.880	ACRE



Call No.: 250 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4386750 PCN: P027717 Project No.: P027717

DBE Goal Percent: 0.00%

Approx. Length (miles):0.2570

Description: S-43-466 BRIDGE REPLACEMENT OVER TURKEY CREEK

CO(S): Sumter

Completion Date: 6/30/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	8.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	3.000	EA
REMOVAL & DISPOSAL OF EXISTING CURB	2,015.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	4,200.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	1,269.000	CY
BORROW EXCAVATION	12,566.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	3,560.000	SY
FINE GRADING	5,950.000	SY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	825.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	816.000	TON
LIQUID ASPHALT BINDER PG64-22	109.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,310.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	223.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	421.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	80.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	264.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	105.000	SF
BARRICADE - TYPE 3	126.000	LF
TYPE B - FLASHING LIGHT	24.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	2,078.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	2,078.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	2,078.000	LF



Call No.: 250

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	36.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	152.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	152.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	106.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	36.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,078.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	35.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	35.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	24.800	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	100.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	468.000	LF
CONC. FOR STRUCTURES - CLASS 4000	389.200	CY
GROOVED SURFACE FINISH	421.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	89,542.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	602.700	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	232.000	LF
PILE DRIVING SET-UP	16.000	EA
STEEL H BEARING PILING (HP14 X 117)	1,376.000	LF
15" SMOOTH WALL PIPE	80.000	LF
18" SMOOTH WALL PIPE	1,344.000	LF
CATCH BASIN -TYPE 16	12.000	EA
CATCH BASIN -TYPE 18	1.000	EA
DROP INLET (24" X 36")	2.000	EA
36" X 36" JUNCTION BOX	2.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	2,015.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	92.000	SY
DETECTABLE WARNING MATERIAL	60.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	145.000	SY
PEDESTRIAN RAMP CONSTRUCTION	23.000	SY
ELASTOMERIC BEARING	16.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	202.000	TON
RIP-RAP (CLASS B)	52.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	36.000	SY
SLOPE PROTECTION-SPECIAL	1.000	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS2C GR BEHIND CURB	575.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	200.000	SY
12' WIDE- FARM FENCE GATE (48"HT)	2.000	EA
ADDITIONAL LENGTH OF POST	100.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	585.000	LF



Call No.: 250

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
RIGHT OF WAY MARKER(REBAR AND CAP)	50.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.063	ACRE
TEMPORARY COVER	1.032	ACRE
FERTILIZER (NITROGEN)	206.000	LB
FERTILIZER (PHOSPHORIC ACID)	206.000	LB
FERTILIZER (POTASH)	206.000	LB
AGRICULTURAL GRANULAR LIME	413.000	LB
SELECTIVE WATERING	54,300.000	GAL
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	38.800	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.103	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	1.500	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	4.690	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	205.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	205.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	41.000	LF
SILT FENCE	3,378.000	LF
REPLACE/REPAIR SILT FENCE	337.800	LF
FLOATING TURBIDITY BARRIER-MEDIUM DUTY	75.000	SF
REMOVAL OF SILT RETAINED BY SILT FENCE	844.500	LF
CLEANING INLET STRUCTURE FILTERS	22.000	EA
INLET STRUCTURE FILTER - TYPE D2	2.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	2.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
TEMPORARY SHORING FOR DRAINAGE STRUCTURES	135.000	LF



Call No.: 260 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4462590	PCN: P040830	Project No.: P040830
DBE Goal Percent: 0.00%	PCN: P040831	Project No.: P040831
	PCN: P040832	Project No.: P040832

Approx. Length (miles): 10.4900 **Description:** MILL, CMRB, FDP, HMA
CO(S): Union

Completion Date: 9/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
UNCLASSIFIED EXCAVATION	719.000	CY
BORROW EXCAVATION	3,834.000	CY
STATION GRADING	43.380	STA
EXCAVATION FOR SHOULDER PAVING	348.480	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	348.480	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	105,455.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,008.000	TON
MAINTENANCE STONE	152.000	TON
HMA SHOULDER WIDENING COURSE	2,516.800	TON
LIQUID ASPHALT BINDER PG64-22	1,459.628	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	210.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	11,650.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	46,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,600.000	SY
MILLED-IN RUMBLE STRIP	14.920	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	4,650.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,773.320	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	2,828.672	TON
DRIVEWAY PAVING-SURFACE TYPE C	715.125	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	105,455.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	909.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	349.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	376,252.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	686.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,456.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	340,931.000	LF



Call No.: 260

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	346.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	110,780.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	281.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,456.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	75,457.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	720.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	25.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	10.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	600.000	LF
SAWCUT FOR LOOP DETECTOR	240.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
18" SMOOTH WALL PIPE	16.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
BITUMINOUS CURB	70.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	4,510.500	LF
MT3 LEADING END TREATMENT TL3	32.000	EA
PREMASH THRIE WITH BASE PL 3.125 SPACING	75.000	LF
MGS3 GR STANDARD SHOULDER	1,562.500	LF
MGS3CS GR COMPRESSED SHOULDER	1,550.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	2,650.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	11.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.490	ACRE
SILT FENCE	3,000.000	LF
REPLACE/REPAIR SILT FENCE	1,000.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,000.000	LF



Call No.: 270 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4465620	PCN: P042191	Project No.: P042191
DBE Goal Percent: 0.00%	PCN: P042192	Project No.: P042192
	PCN: P042193	Project No.: P042193

Approx. Length (miles): 10.7500 **Description:** STA, WIDEN, PATCH, HMA
CO(S): Union

Completion Date: 11/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,010.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	50.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	25.000	CY
UNCLASSIFIED EXCAVATION	60.000	CY
BORROW EXCAVATION	1,325.000	CY
STATION GRADING	21.120	STA
EXCAVATION FOR SHOULDER PAVING	795.166	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	795.166	STA
MAINTENANCE STONE	206.000	TON
HMA SHOULDER WIDENING COURSE	5,742.880	TON
LIQUID ASPHALT BINDER PG64-22	1,929.580	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	6,550.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,630.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	450.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12" UNIF	5,085.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	15,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	57,563.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	33,185.000	SY
MILLED-IN RUMBLE STRIP	15.880	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	8,427.600	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	2,244.133	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	11,063.712	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,728.140	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,643.125	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	16,200.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,620.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	56.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,078.000	LF



Call No.: 270

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	286,948.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	960.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,822.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	34.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	32.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,886.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	271,821.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	640.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,858.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	109,912.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	480.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	28.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	911.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	12.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,886.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	88,397.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	33.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	746.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	270.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	270.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	30.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	660.000	LF
SAWCUT FOR LOOP DETECTOR	240.000	LF
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
15" SMOOTH WALL PIPE	72.000	LF
CATCH BASIN - TYPE 16 (TOP ONLY)	1.000	EA
ADJUST CATCH BASIN	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	50.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	190.000	SY
DETECTABLE WARNING MATERIAL	125.000	SF
CONCRETE MEDIAN	14.000	SY
PEDESTRIAN RAMP CONSTRUCTION	250.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	3,050.000	LF
MT3 LEADING END TREATMENT TL3	56.000	EA
MGS3LS22 GUARDRAIL LONG SPAN 22FT CLEAR	125.000	LF



Call No.: 270

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
MGS3CS GR COMPRESSED SHOULDER	9,200.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	1,012.500	LF
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.600	ACRE



Call No.: 280 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4466260 PCN: P037323 Project No.: P037323
DBE Goal Percent: 17.50% PCN: P042296 Project No.: P042296
Approx. Length (miles):1.3320 Description: SC 215 & US 176 INTERSECTION IMPROVEMENT & US 176 SIDEWALKS
CO(S): Union Funding: FED
Completion Date: 4/30/2025 Days

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, EXCAVATION, GRADING, and PAVEMENT MARKINGS with their respective quantities and units.



Call No.: 280

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,700.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	9.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	15.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	2.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	12.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	172.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	630.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	291.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	503.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,531.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,829.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	104.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,319.000	LF
SAWCUT FOR LOOP DETECTOR	861.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	20.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	500.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	8.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	9.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	14.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	14.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	10.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
18" SMOOTH WALL PIPE	100.000	LF
CATCH BASIN -TYPE 16	2.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	7.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	708.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	232.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	2,650.000	SY
DETECTABLE WARNING MATERIAL	425.000	SF



Call No.: 280

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
CONCRETE DRIVEWAY(6" UNIFORM)	185.000	SY
CONCRETE MEDIAN	25.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,050.000	SY
SURFACE APPLIED DETECTABLE WARNING	160.000	SF
RIGHT OF WAY MARKER(REBAR AND CAP)	16.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.095	ACRE
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.600	ACRE
TEMPORARY COVER	0.048	ACRE
COMPOST	3.000	CY
FERTILIZER (NITROGEN)	10.000	LB
FERTILIZER (PHOSPHORIC ACID)	10.000	LB
FERTILIZER (POTASH)	10.000	LB
AGRICULTURAL GRANULAR LIME	190.000	LB
MOWING	0.285	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.095	ACRE
SILT FENCE	2,239.000	LF
REPLACE/REPAIR SILT FENCE	500.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 290 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4567710 PCN: P042851 Project No.: P042851

DBE Goal Percent: 0.00%

Approx. Length (miles):13.5300 Description: 2023 CTC RESURFACING

CO(S): Williamsburg

Completion Date: 10/31/2025 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	2,706.000	CY
EXCAVATION FOR SHOULDER PAVING	537.504	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	537.504	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	105,014.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,994.000	TON
MAINTENANCE STONE	115.000	TON
HMA SHOULDER WIDENING COURSE	2,687.520	TON
LIQUID ASPHALT BINDER PG64-22	1,258.266	TON
ARAMID FIBER	7,724.520	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	11,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,380.000	SY
MILLED-IN RUMBLE STRIP	24.500	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	16,595.634	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	735.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	468.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,554.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,155.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	418,860.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,335.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	39,315.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	171,900.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	385.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	139,620.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	445.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	13,105.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	57,300.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	901.000	EA



Call No.: 290

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.650	ACRE



Call No.: 300 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5464410	PCN: P040816	Project No.: P040816
DBE Goal Percent: 0.00%	PCN: P040817	Project No.: P040817
	PCN: P040818	Project No.: P040818
	PCN: P041395	Project No.: P041395
	PCN: P042178	Project No.: P042178

Approx. Length (miles):23.1800 **Description:** VAR. MILL, CMRB, HMA, GUARDRAIL
CO(S): Chester York

Completion Date: 5/31/2026 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	270.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	10.650	CY
UNCLASSIFIED EXCAVATION	7,809.000	CY
BORROW EXCAVATION	4,715.000	CY
STATION GRADING	99.170	STA
EXCAVATION FOR SHOULDER PAVING	18.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	18.000	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	4,667.000	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	83,875.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	54,857.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	225,428.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	12,832.000	TON
MAINTENANCE STONE	551.500	TON
HMA SHOULDER WIDENING COURSE	129.653	TON
LIQUID ASPHALT BINDER PG64-22	3,691.480	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	230.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	330.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	580.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	59,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	23,580.000	SY
MILLED-IN RUMBLE STRIP	34.380	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	6,570.666	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	20,854.239	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	6,570.667	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	26,609.234	TON



Call No.: 300

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
DRIVEWAY PAVING-SURFACE TYPE C	4,167.375	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	364,160.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,930.000	SF
WHITE WORD MESSAGE "STOP AHEAD" -PERM.PVMT.MARKING	1.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,821.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	980,231.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	432.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,103.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	12,904.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	911,602.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	120.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,623.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	185.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	208,679.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	42,240.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	216.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,390.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,399.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,505.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	160,511.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	20,502.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	4.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,657.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	820.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	80.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	200.000	LF
15" SMOOTH WALL PIPE	272.000	LF
18" SMOOTH WALL PIPE	176.000	LF
24" SMOOTH WALL PIPE	96.000	LF
36" SMOOTH WALL PIPE	8.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	8.000	EA
CONCRETE COLLAR FOR UP TO 36" PIPE	1.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	19.000	SY
DETECTABLE WARNING MATERIAL	25.000	SF
CONCRETE MEDIAN	25.000	SY
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY



Call No.: 300

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
RIP-RAP (CLASS B)	112.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	91.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,310.000	LF
MT3 LEADING END TREATMENT TL3	16.000	EA
MGS3 GR STANDARD SHOULDER	825.000	LF
MGS3CS GR COMPRESSED SHOULDER	1,562.500	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	1,887.500	LF
PREMASH THRIE STRONG POST GUARDRAIL	77.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH GUARDRAIL BRACKET TO BRIDGE	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	21.000	EA
RESET FENCE	850.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	17.270	ACRE
SILT FENCE	6,000.000	LF
REPLACE/REPAIR SILT FENCE	2,500.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	3,500.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	60.000	TON
TRANSVERSE RUMBLE STRIPES	240.000	LF



Call No.: 310 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5464500	PCN: P040827	Project No.: P040827
DBE Goal Percent: 0.00%	PCN: P040828	Project No.: P040828
	PCN: P041358	Project No.: P041358

Approx. Length (miles): 15.6700 **Description:** MILL, CMRB, PATCH, HMA
CO(S): Chesterfield Lancaster

Completion Date: 11/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	251.110	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	2.500	CY
UNCLASSIFIED EXCAVATION	3,172.000	CY
ROCK EXCAVATION	24.000	CY
BORROW EXCAVATION	2,027.000	CY
STATION GRADING	125.790	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	1,889.000	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	25,644.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	146,699.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,773.000	TON
MAINTENANCE STONE	283.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,022.208	TON
LIQUID ASPHALT BINDER PG64-22	2,220.155	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	3,380.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	30.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	2,300.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	28,978.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	11,782.000	SY
MILLED-IN RUMBLE STRIP	19.060	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	7,648.960	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,393.920	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,298.574	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,514.780	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	5,422.560	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,410.750	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	172,343.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,504.000	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	70.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,878.000	LF



Call No.: 310

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	475,277.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	618.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,662.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,386.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	461,082.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,781.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	124,906.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	518.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,821.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,386.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	107,879.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	12.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,140.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,800.000	LF
SAWCUT FOR LOOP DETECTOR	1,140.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
18" SMOOTH WALL PIPE	128.000	LF
24" SMOOTH WALL PIPE	8.000	LF
CLEANING EXISTING PIPE	32.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	4.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	155.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	155.000	SY
DETECTABLE WARNING MATERIAL	137.500	SF
PEDESTRIAN RAMP CONSTRUCTION	275.000	SY
RIP-RAP (CLASS B)	3.000	CY
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	8.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,912.000	LF
MT3 LEADING END TREATMENT TL3	10.000	EA
MGS3CS GR COMPRESSED SHOULDER	887.500	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	8.000	EA
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.120	ACRE



Call No.: 320 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5564540	PCN: P041302	Project No.: P041302
DBE Goal Percent: 0.00%	PCN: P041311	Project No.: P041311
	PCN: P042089	Project No.: P042089
	PCN: P042090	Project No.: P042090
	PCN: P042094	Project No.: P042094

Approx. Length (miles): 21.5600 **Description:** 2023 RECONSTRUCTION MARION WILLIAMSBURG
CO(S): Marion Williamsburg
Completion Date: 11/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	4,312.000	CY
EXCAVATION FOR SHOULDER PAVING	887.072	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	887.072	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	194,985.200	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,750.210	TON
MAINTENANCE STONE	142.350	TON
HMA SHOULDER WIDENING COURSE	5,438.400	TON
LIQUID ASPHALT BINDER PG64-22	2,248.785	TON
ARAMID FIBER	3,463.680	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	14,235.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,200.000	SY
MILLED-IN RUMBLE STRIP	43.120	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,409.840	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	25,796.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	3,345.408	TON
DRIVEWAY PAVING-SURFACE TYPE D	872.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,816.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,640.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	683,382.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,965.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	57,480.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	316,425.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,880.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	227,794.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	655.000	LF



Call No.: 320

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	19,160.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	105,475.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,320.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	605.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	60.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	185.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	13.598	ACRE



Call No.: 330 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5664390 PCN: P041587 Project No.: P041587
DBE Goal Percent: 0.00% PCN: P042061 Project No.: P042061
PCN: P042062 Project No.: P042062
PCN: P042063 Project No.: P042063

Approx. Length (miles): 10.9200 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Charleston Dorchester DISTRICT 6

Completion Date: 11/30/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 4 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, EXCAVATION, ASPHALT, and PAINTING with their respective quantities and units.



Call No.: 330

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	25,080.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	252,726.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	721.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	41.670	SY
CONCRETE SIDEWALK(6" UNIFORM)	55.570	SY
DETECTABLE WARNING MATERIAL	50.000	SF
SURFACE APPLIED DETECTABLE WARNING	50.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	100.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	100.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL2 LEADING 25FT	1.000	EA
PREMASH TYPE T TL3 LEADING 50'	7.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.590	ACRE
SILT FENCE	900.000	LF



Call No.: 340 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5764720	PCN: P038949	Project No.: P038949
DBE Goal Percent: 0.00%	PCN: P042126	Project No.: P042126
	PCN: P042127	Project No.: P042127
	PCN: P042130	Project No.: P042130

Approx. Length (miles): **Description:** CMRB;SURFCOURSE;FDP;MILLFILL
CO(S): Bamberg Orangeburg
Completion Date: 6/30/2026 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	85.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	120.000	LF
UNCLASSIFIED EXCAVATION	410.000	CY
BORROW EXCAVATION	6,564.000	CY
EXCAVATION FOR SHOULDER PAVING	2,903.976	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	2,903.976	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	5,590.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	83,750.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,940.000	TON
MAINTENANCE STONE	740.050	TON
HMA SHOULDER WIDENING COURSE	14,961.813	TON
LIQUID ASPHALT BINDER PG64-22	3,871.337	TON
ARAMID FIBER	7,920.000	LB
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	65,660.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	7,940.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	205.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	9,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	17,200.000	SY
STRESS ABSORBING MEMBRANE INTERLAYER (SAMI)	299,520.000	SY
MILLED-IN RUMBLE STRIP	89.650	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	46,045.421	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,570.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,851.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,048.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	65,528.000	LF



Call No.: 340

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	275,680.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,378.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	32,270.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	182,025.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	196,024.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	729,480.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,926.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	85,930.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	523,585.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	380.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,215.000	EA
CONCRETE CURB (TRANSITION)	132.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	10.000	SY
DETECTABLE WARNING MATERIAL	47.500	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
SURFACE APPLIED DETECTABLE WARNING	130.000	SF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,725.000	LF
PREMASH THRIE WITH BASE PL 6.25 SPACE	317.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	3,025.000	LF
PREMASH W-TO-THRIE BRIDGE CONN WTBBC	24.000	EA
PREMASH TYPE T TL3 LEADING 50'	48.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	30.833	ACRE



Call No.: 350 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8862400 **PCN:** P041432 **Project No.:** P041432
DBE Goal Percent: 0.00%
Approx. Length (miles):0.0600 **Description:** S-42-804 (EAST CROFT CIRCLE) CULVERT REPAIR
CO(S): Spartanburg
Completion Date: 8/30/2024 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
SELECTED CLEARING	1.000	LS
UNCLASSIFIED EXCAVATION	3,300.000	CY
BORROW EXCAVATION	3,600.000	CY
MUCK EXCAVATION	125.000	CY
GEOTEXTILE, SEPARATION	188.000	SY
STONE BRIDGE LIFT MATERIAL	212.500	TON
FINE GRADING	840.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	93.000	TON
LIQUID ASPHALT BINDER PG64-22	13.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	100.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	66.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	109.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	94.000	SF
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-EPOXY) 4" WHITE BROKEN LINES	35.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	40.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	35.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	500.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	40.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	600.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10.000	EA
RIP-RAP (CLASS C)	405.000	TON



Call No.: 350

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	275.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	500.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	8.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.250	ACRE
TEMPORARY COVER	0.250	ACRE
COMPOST	7.000	CY
FERTILIZER (NITROGEN)	25.000	LB
FERTILIZER (PHOSPHORIC ACID)	25.000	LB
FERTILIZER (POTASH)	25.000	LB
AGRICULTURAL GRANULAR LIME	500.000	LB
MOWING	1.000	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.660	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	1.000	ACRE
SILT FENCE	1,700.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
CORRUGATED ALUMINUM STRUCTURAL PLATE	1.000	LS



Call No.: 360 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8864761 PCN: P039800 Project No.: P039800

DBE Goal Percent: 0.00%

Approx. Length (miles): Description: I-85 MP 0-18.7 11/1/2022 2:20:33 PM

CO(S): Anderson Oconee

Completion Date: 9/30/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, ASPHALT PAVEMENT, and SIGNAGE with their respective quantities and units.



Call No.: 360

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	239,009.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	3,008.000	EA
PARTIAL DEPTH PATCHING OF EXISTING DECK	1,650.000	SY
POLYMER MODIFIED ASPHALT EXPANSION JOINT	3,140.000	LF



Call No.: 370 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8868110 PCN: P042921 Project No.: P042921

DBE Goal Percent: 0.00%

Approx. Length (miles):NA

Description: OVERHEAD SIGN REPLACEMENT

CO(S): Statewide (multiple counties)

Completion Date: 12/31/2024 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	500.000	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	17,500.000	SF
MODIFICATION OF OVERHEAD SIGN STRUCTURE NO.(____) 001	10.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.(____) 002	40.000	EA

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS.

CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Jennifer Taylor
Contract Administrator

DBE OUTREACH

I-26 CORRIDOR IMPROVEMENT MILE MARKER 125 TO MILE MARKER 139



DECEMBER 5, 2023



2PM



[CLICK HERE TO REGISTER](#)

THIS MEETING WILL BE HELD VIRTUALLY VIA ZOOM

SCDOT'S DIVISION OF MINORITY & SMALL BUSINESS AFFAIRS AND THE DIRECTOR OF CONSTRUCTION IS HOSTING A NON-MANDATORY VIRTUAL PRE-BID/DBE OUTREACH EVENT FOR AN UPCOMING LETTING TO IMPROVE APPROXIMATELY 9 MILES ON I-26 INCLUDING TWO INTERCHANGES AND 3 BRIDGES FROM EXIT 125 AT OLD SANDY ROAD TO EXIT 136 AT CAW CAW ROAD.

ABOUT THE PROJECT

THE IMPROVEMENTS WILL FOCUS ON INCREASING CAPACITY TO RELIEVE CONGESTION, ENHANCING SAFETY, AND IMPROVING FREIGHT MOBILITY ALONG THE 9-MILE CORRIDOR. TWO (2) INTERCHANGES AND THE ASSOCIATED FRONTAGE ROAD ACCESS POINTS WILL BE RECONSTRUCTED, AND THREE (3) OVERPASS BRIDGES WILL BE REPLACED.

THE PURPOSE AND NEED FOR THE PROJECT IS TO INCREASE CAPACITY WITHIN THE PROJECT STUDY LIMITS TO ALLEVIATE EXISTING AND FUTURE CONGESTION, ADDRESS GEOMETRIC DEFICIENCIES ALONG I-26 AND AT THE INTERCHANGES BY BRINGING THEM UP TO CURRENT INTERSTATE DESIGN STANDARDS, AND IMPROVE CORRIDOR SAFETY BY ADDRESSING GEOMETRIC DEFICIENCIES THAT CONTRIBUTE TO THE CORRIDOR'S CRASH RATE.

PROJECT REQUIREMENTS

Please visit the link below to view more information about this project:



<https://scdot-environmental-project-site-scdot.hub.arcgis.com/pages/interstate-26-widening-mm-125-136-in-calhoun-and-lexington-counties>

REVISED 60 DAY AD

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS For February 13, 2024

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on December 11, 2023 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>) for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below). **REVISION - SCDOT's Division of Minority & Small Business Affairs and the Director of Construction will hold a "non-mandatory" virtual pre-bid meeting to be held December 5, 2023 at 2pm. Interested individuals can email LinnGS@scdot.org for details. Registration and login information provided above.**



South Carolina Department of Transportation

12/6/2023

Letting Date: February 13, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8865761 PCN: P040014 Project No.: P040014
 DBE Goal Percent: 7.50%
 Approx. Length (miles): 20.8080 Description: I-26 CORRIDOR IMPROVEMENT FROM
 CO(S): Calhoun Lexington EXIT 125 TO EXIT 136
 Completion Date: 9/30/2027 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	1,000.000	HR
TEMPORARY SHORING	25,591.900	SF
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	174.000	EA
REMOVAL & DISPOSAL OF EXISTING MANHOLE	3.000	EA
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	211,388.000	SY
REMOVAL OF EXIST. GUARDRAIL	34,643.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 002	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 003	1.000	EA
REMOVAL & DISPOSAL OF EXISTING TRIPLE CULVERT(____)'X(____) 001	1.000	EA
REMOVAL & DISPOSAL OF EXISTING TRIPLE CULVERT(____)'X(____) 004	1.000	EA
REMOVAL & DISPOSAL OF EXISTING QUADRUPLE CULVERT(____)' X(____) 002	1.000	EA
CULVERT EXTENSION PREPARATION	3.000	EA
UNCLASSIFIED EXCAVATION	1,010,112.000	CY
BORROW EXCAVATION	1,597,175.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	178,000.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	5,044.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,003.000	LF



Letting Date: February 13, 2024 Letting Time: 2:00 P.M. Page: 2

Description	Quantity	Units
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,595.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	11.000	LF
GEOTEXTILE, SEPARATION	9,150.000	SY
GEOGRID STABILIZATION	6,400.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	20,935.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	18,115.000	CY
DEWATERING SYSTEM NO. 001	1.000	LS
DEWATERING SYSTEM NO. 002	1.000	LS
DEWATERING SYSTEM NO. 003	1.000	LS
DEWATERING SYSTEM NO. 004	1.000	LS
DEWATERING SYSTEM NO. 005	1.000	LS
DEWATERING SYSTEM NO. 006	1.000	LS
WET & DRY EXCAVATION FOR BRIDGES	757.000	CY
TEMPORARY SHORING WALL	3,253.900	LF
NO. 57 STONE FOR BACKFILL	11,135.000	TON
STONE BRIDGE LIFT MATERIAL	3,300.000	TON
GRANULAR BRIDGE LIFT MATERIAL	5,271.000	CY
OVERHAUL	423,384.474	CYHM
FINE GRADING	598,678.000	SY
FLOWABLE FILL	1,989.910	CY
MAINTENANCE STONE	570.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	278,295.202	TON
HMA SHOULDER WIDENING COURSE	300.000	TON
PRIME COAT	14,525.895	GAL
LIQUID ASPHALT BINDER PG64-22	24,573.588	TON
LIQUID ASPHALT BINDER PG76-22	6,006.557	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	3,952.646	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,784.791	SY
MILLED-IN RUMBLE STRIP	41.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	71,752.092	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	102,854.240	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	96,870.273	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,873.970	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,200.644	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	4,005.753	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	38,347.810	TON
TEMPORARY CONSTRUCTION SIGNS (BARRICADE MOUNTED)	2,540.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	7,681.000	SF
DETOUR SIGNS	2,245.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH)	20.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 70MPH	18.000	EA
TEMPORARY CONCRETE BARRIER	127,450.000	LF



Description	Quantity	Units
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	9.000	EA
2.0" SCHEDULE 80 PVC CONDUIT	7,228.600	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	17.000	EA
TEMPORARY GLARE SCREENS FOR TRAFFIC CONTROL	127,450.000	LF
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC) 4" WHITE BROKEN LINES	66.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.BROKEN PREF.	124.000	LF
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC) 6" WHITE BROKEN LINES	67,210.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-4"WHITE SOLID LINE	33,669.000	LF
PAVEMENT MARKING(TEMP.-THERMOPLASTIC)4" YELLOW SOLID LINES	53,794.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	1,124.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	2,262.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-6"WHITE SOLID LINE	271,552.000	LF
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC)-6" YELLOW SOLID LINES	272,249.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)12"WHITE SOLID LINE	6,407.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)24"WHITE SOLID LINE	577.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-WHITE SINGLE ARROW	16.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	16,190.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,546.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	311.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	65,621.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	53,315.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	146,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	3,436.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,698.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	9.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	242.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	58,207.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	140,872.000	LF
6"YELLOW SOLID LINES ON CURB/MED.-HIGH BUILD PAINT-25 MIL.	654.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6,454.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,134.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	1,444.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	2,853.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	722.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	2,988.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	722.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,373.630	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	394.920	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	141.260	SF
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	611.000	SF



Letting Date: February 13, 2024 Letting Time: 2:00 P.M. Page: 4

Description	Quantity	Units
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	1,002.000	SF
RELOCATION OF OVERHEAD SIGN NO.(____) ON STRUCT. NO.(____) 011	1.000	EA
REMOVAL OF OVERHEAD SIGN NO.(____)ON STRUC.NO.(____) 012	1.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	306.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	2,194.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	528.000	LF
BREAK-AWAY SIGN SUPPORTS	11,919.000	LB
4" X 6" TREATED WOOD POST	32.000	LF
REMOVAL OF I-BEAM SUPPORTS	64.000	EA
REMOVAL OF WOOD POST	4.000	EA
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	163.000	EA
FLEXIBLE DELINEATOR POST, 4"X12", TYPE 4 SHEETING REFLECTOR	2.000	EA
DELINEATORS, DOUBLE, MONO., INCL. SUPPORTS	45.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-02	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-03	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-04	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-05	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-06	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-07	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-08	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-09	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-10	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 2A	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) DMS-11	1.000	EA
BARRICADE - PERMANENT WITH TYPE III SHEETING	24.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
2" SCHEDULE 80 HDPE CONDUIT	300.000	LF
16 IN. ABOVE GROUND UTILITY MARKER	6.000	EA
ELECTRICAL SERVICE FOR ITS - IN EXCESS OF 50FT.	2.000	EA
17"X30"X28"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	4.000	EA
30"X48"X30"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	2.000	EA
VARIABLE MESSAGE SIGN (PERMANENT WITH STRUCTURE)	2.000	EA
INSTALL ITS CABINET - BASE MOUNTED	2.000	EA
WORK ZONE ITS	1.000	LS
CONC. FOR STRUCTURES - CLASS 4000	5,856.000	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	199.600	CY
SPALL REPAIR	113.000	SF
GROOVED SURFACE FINISH	9,373.000	SY
SOIL NAILING WALL WITH CONCRETE FACE	41,564.130	SF
REINF. STEEL FOR STRUCTURES (ROADWAY)	18,651.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	1,300,590.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	11,114.000	LB



Letting Date: February 13, 2024 Letting Time: 2:00 P.M. Page: 5

Description	Quantity	Units
PRESTRESSED CONC. BEAM (TYPE II)	2,205.000	LF
PRESTRESSED CONCRETE BULB TEE BEAM(54"MOD.)	813.700	LF
P.S.CONC.BULB TEE BEAM(63")MODIFIED	6,222.000	LF
PRESTRESSED CONCRETE BULB TEE BEAM(72" MODIFIED)	1,441.700	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	3,586.700	LF
56" CONCRETE MEDIAN BARRIER (TL-5)-BRIDGE 003	361.000	LF
PILE DRIVING SET-UP	285.000	EA
PREST. CONC. PILING (24"SQ.)	1,520.000	LF
PRESTRESSED PILE POINT (HP12X53)	798.000	LF
STEEL H BEARING PILING (HP14 X 89)	12,019.000	LF
STEEL H BEARING PILING (HP14 X 117)	2,108.000	LF
PREFABRICATED CONCRETE MODULAR WALL	20,850.000	SF
MECH. STAB.EARTH RETAINING WALL BACKFILL(STONE)	20,630.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	24,302.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	1,795.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	220.000	LF
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	84.000	LF
18" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,670.000	LF
24" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	3,246.000	LF
30" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,516.000	LF
36" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	541.000	LF
42" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	490.000	LF
48" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	597.000	LF
18" SMOOTH WALL PIPE	36,434.000	LF
24" SMOOTH WALL PIPE	5,724.000	LF
30" SMOOTH WALL PIPE	2,529.000	LF
36" SMOOTH WALL PIPE	1,938.000	LF
42" SMOOTH WALL PIPE	820.000	LF
48" SMOOTH WALL PIPE	84.000	LF
54" SMOOTH WALL PIPE	380.000	LF
18" SMOOTH WALL PIPE 45 DEG BEND	2.000	EA
CLEANING EXISTING PIPE	500.000	LF
CATCH BASIN -TYPE 9	1.220	EA
CATCH BASIN TYPE 25 - SINGLE 4' X 6' BOX	29.000	EA
CATCH BASIN TYPE 25 - DOUBLE 4' X 8' BOX	70.000	EA
CATCH BASIN TYPE 25 - DOUBLE RETROFIT	50.000	EA
DROP INLET (24" X 36")	7.000	EA
DROP INLET TYPE 112	95.000	EA
MANHOLE	42.000	EA
36" X 36" JUNCTION BOX	35.000	EA
48" X 48" JUNCTION BOX	10.000	EA
60" X 60" JUNCTION BOX	3.000	EA



Letting Date: February 13, 2024 Letting Time: 2:00 P.M. Page: 6

Description	Quantity	Units
PRECAST CONCRETE RISER - 48" DIAMETER	51.200	LF
PRECAST CONCRETE RISER - 60" DIAMETER	1.500	LF
PRECAST CONCRETE RISER - 72" DIAMETER	1.500	LF
PRECAST CONCRETE DRAINAGE BASE - 48"	11.000	EA
PRECAST CONCRETE DRAINAGE BASE - 60" DIAMETER	2.000	EA
PRECAST CONCRETE DRAINAGE BASE - 72" DIAMETER	3.000	EA
EXTRA DEPTH OF BOX	85.130	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	24.000	EA
CONCRETE COLLAR FOR UP TO 36" PIPE	6.000	EA
ADJUST CATCH BASIN	4.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	7.000	EA
DROP INLET (24" X 36") - CONVERT JUNCTION BOX	1.000	EA
BEVELING OF PIPE END	33.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	731.500	LF
CONCRETE MEDIAN	1,059.000	SY
DECK JOINT STRIP SEAL	134.100	LF
ELASTOMERIC BEARING	224.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	2,401.000	TON
RIP-RAP (CLASS A)	3,164.000	TON
RIP-RAP (CLASS B)	7,034.000	TON
RIP-RAP (CLASS C)	2,196.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	3,965.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	15,185.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	3,487.500	LF
MT3 LEADING END TREATMENT TL3	57.000	EA
MT2 LEADING END TREATMENT TL2	4.000	EA
MB TRAILING END TREATMENT	32.000	EA
MGS3 GR STANDARD SHOULDER	48,787.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	3.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	6.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	22.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	14.000	EA
PREMASH W-BEAM TIGHT CURVED SYSTEM	242.150	LF
PREMASH W-BEAM MEDIUM SHOP BENT SYSTEM	162.500	LF
PREMASH TYPE T TL2 LEADING 25FT	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
2' CRASH CUSHION 3A	4.000	EA
36SS REINFORCED BARRIER WALL	14,000.000	LF
46SS REINFORCED BARRIER WALL	33,831.000	LF
56SS REINFORCED BARRIER WALL	12,080.000	LF
RIGID VF BURIED MOMENT SLAB SHOULDER APPLICATION	2,052.200	LF



Letting Date: February 13, 2024 Letting Time: 2:00 P.M. Page: 7

Description	Quantity	Units
56ZOI VF BARRIER MEDIAN SYSTEM	933.000	LF
FRENCH DRAIN AND WEEP SYSTEM	2,002.000	LF
WOVEN WIRE FENCE - TYPE 6 WITH 2 STRANDS BARBED	24,111.000	LF
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE	37,551.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	9,115.000	LF
RESET CHAIN-LINK FENCE	14,000.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	209.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	163.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	307.420	ACRE
TEMPORARY COVER	153.760	ACRE
FERTILIZER (NITROGEN)	30,742.000	LB
FERTILIZER (PHOSPHORIC ACID)	30,742.000	LB
FERTILIZER (POTASH)	30,742.000	LB
AGRICULTURAL GRANULAR LIME	614,840.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	1,072.000	ACRE
WATERPROOFING (SECOND METHOD)	152.700	SY
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	861.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	25.343	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.180	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	324.314	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	590.910	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	197.300	ACRE
HYDR.EROS.CONTRL.PROD.(HECP) - TYPE 1 AS TRACER UNDER TRM	137.790	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	690.000	LF



Letting Date: February 13, 2024

Letting Time: 2:00 P.M.

Page: 8

Description	Quantity	Units
SEDIMENT TUBES FOR DITCH CHECKS	27,139.000	LF
SILT FENCE	94,268.000	LF
REPLACE/REPAIR SILT FENCE	9,426.600	LF
CLEANING SILT BASINS	17,057.000	CY
POROUS BAFFLE	1.000	LF
FLOATING SKIMMER	1.000	EA
REMOVAL OF SILT RETAINED BY SILT FENCE	23,567.000	LF
INLET FILTER CLEANING	333.000	EA
TEMPORARY DIVERSION DIKE	21,697.000	LF
INLET STRUCTURE FILTER - TYPE D1	104.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	156.000	EA
INLET STRUCTURE FILTER - TYPE B	6.000	EA
INLET STRUCTURE FILTER - TYPE D2	18.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	54.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	180.000	TON
STABILIZED CONSTRUCTION ENTRANCE	21,225.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 8"	7,494.000	LF
TEMPORARY 30"X24"SEDIMENT CONTROL STRUCTURE	1.000	EA
AGGREGATE DIAPHRAGM	10.000	CY
4'X6' P.C. BOX CULVERT {ASTM C1577} FH=13'	14.000	LF
4'X6' P.C. BOX CULVERT {ASTM C1577} FH=9'	56.000	LF
6'X6' P.C. BOX CULVERT {ASTM C1577} FH=10'	263.000	LF
7'X7' P.C. BOX CULVERT {ASTM C1577} FH=6'	30.000	LF
12'X12' P.C. BOX CULVERT {ASTM C1577} FH=21'	642.000	LF
12'X12' P.C. BOX CULVERT {ASTM C1577} FH=34'	265.000	LF
VARIABLE HEIGHT REIN CONC BARRIER	4,951.000	LF
BAT EXCLUSION DEVICE	16.000	SF
ON-THE-JOB TRAINEE (ROADWAY)	24,440.000	HR
ON-THE-JOB TRAINEE (BRIDGE)	6,240.000	HR

CALHOUN COUNTY
WATER SYSTEM RELOCATIONS
INTERSTATE 26 – MM 125-137

SCDOT Project No. P040014

HPG File No. 22055

Date: March 21, 2023

Preferred Contractors:

1. Barwick Plumbing Co., LLC
15 E Clark Street
Pinewood, South Carolina 29125
(803) 452-5755
Contact: Adam Barwick

2. CBG Inc.
500 State Road 424
Gaston, South Carolina 29053
(803) 791-8457
Contact: Kyle Godley

3. Lake Murray Utilities
1300 Peace Haven Road
Post Office Box 1089
Chapin, South Carolina 29036
(803) 730-7652
Contact: Jennings Parker

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS.

CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Jennifer Taylor
Contract Administrator