

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For January 10, 2023

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on December 13, 2022 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 0163160	PCN: P040854	Project No.: P040854
DBE Goal Percent: 0.00%	PCN: P040855	Project No.: P040855
	PCN: P040856	Project No.: P040856

Approx. Length (miles): 18.4500 Description: RECONSTRUCTION/REHABILITATION -
 CO(S): Abbeville ABBEVILLE CO

Completion Date: 6/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
BORROW EXCAVATION	3,535.000	CY
EXCAVATION FOR SHOULDER PAVING	1,212.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,212.000	STA
MAINTENANCE STONE	264.950	TON
HMA SHOULDER WIDENING COURSE	5,750.653	TON
LIQUID ASPHALT BINDER PG64-22	2,503.966	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	2,540.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	8,245.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,090.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	310.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	3,150.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	111,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.5"	2,040.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	69,697.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	16,620.000	SY
MILLED-IN RUMBLE STRIP	28.560	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	8,700.533	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	328.533	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	26,884.523	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,481.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,784.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,816.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	552,836.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	990.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,308.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	25,305.000	LF



Call No.: 010

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	543,396.000	LF
WHITE WORD MESSAGE "STOP AHEAD"-FAST DRY PAINT	6.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,686.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	189,498.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	330.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,174.000	LF
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,045.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	187,353.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,233.000	EA
ADJUST MANHOLE	5.000	EA
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	200.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	325.000	LF
MT3 LEADING END TREATMENT TL3	20.000	EA
MGS3 GR STANDARD SHOULDER	100.000	LF
MGS3CS GR COMPRESSED SHOULDER	2,412.500	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	17.143	ACRE



Call No.: 020 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 0857130 PCN: P039388 Project No.: P039388
 DBE Goal Percent: 12.00%
 Approx. Length (miles):0.3140 Description: INTERSECTION IMPROVEMENTS - US 176
 CO(S): Berkeley (BERKELEY CO)
 Completion Date: 11/15/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF HIGH LEVEL CONTAMINATED SOIL	50.000	TON
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,550.000	SY
UNCLASSIFIED EXCAVATION	530.000	CY
BORROW EXCAVATION	2,110.000	CY
FLOWABLE FILL	10.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	900.000	TON
LIQUID ASPHALT BINDER PG64-22	220.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,140.000	SY
MILLED-IN RUMBLE STRIP	0.315	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	220.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,680.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	520.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	304.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	4,060.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	8,740.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	210.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	440.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 12"X18" WHITE TRIANGLE YIELD BAR	140.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,170.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,030.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	105.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	70.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	180.000	LF



Call No.: 020

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,370.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	23.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	65.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	140.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	358.000	LF
REFLECTIVE SIGN POST PANELS	120.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 001	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	11.000	EA
18" SMOOTH WALL PIPE	388.000	LF
24" SMOOTH WALL PIPE	32.000	LF
30" SMOOTH WALL PIPE	276.000	LF
CATCH BASIN -TYPE 16	5.000	EA
DROP INLET (24" X 36")	1.000	EA
DROP INLET (24" X 36") WITH STANDARD 4' X 4' BOX	2.000	EA
BEVELING OF PIPE END	8.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	84.000	LF
CONCRETE CURB (9" X 15")	170.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,342.000	LF
CONCRETE MEDIAN	310.000	SY
RIP-RAP (CLASS B)	105.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	69.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	125.000	SY
MOVING ITEM NO. 002	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	13.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.500	ACRE
TEMPORARY COVER	3.000	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	4.500	ACRE
SEEDING - ERAGROSTIS CURVULA - WEEPING LOVEGRASS	0.182	MSY
FERTILIZER (NITROGEN)	150.000	LB
FERTILIZER (PHOSPHORIC ACID)	150.000	LB
FERTILIZER (POTASH)	150.000	LB
AGRICULTURAL GRANULAR LIME	3,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	9.000	ACRE
DOUBLE-SHREDDED HARDWOOD MULCH	531.000	SF
MUHLENBERGIA CAPILLARIS (PINK MUHLY GRASS) #1 CONT.	61.000	EA
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	80.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	80.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	216.000	LF
SILT FENCE	820.000	LF
INLET STRUCTURE FILTER - TYPE B	3.000	EA



Call No.: 020

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 3

Description	Quantity	Units
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 030 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 1362720 PCN: P040819 Project No.: P040819
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 4.6900 Description: RECONSTRUCTION/REHABILITATION - CHESTERFIELD CO
 CO(S): Chesterfield
 Completion Date: 9/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	6.000	SY
BORROW EXCAVATION	938.000	CY
MAINTENANCE STONE	49.000	TON
LIQUID ASPHALT BINDER PG64-22	2,002.526	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	2,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	184,108.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,685.000	SY
MILLED-IN RUMBLE STRIP	18.760	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	18,159.680	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	18,159.680	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	120.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	247.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	496.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	44,355.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	148,590.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,100.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	80.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	62.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	26.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,306.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	148,590.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	802.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	14,785.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	49,530.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	690.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	40.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	31.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	13.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,102.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	49,530.000	LF



Call No.: 030

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	650.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	2,321.000	LF
MT3 LEADING END TREATMENT TL3	8.000	EA
MB TRAILING END TREATMENT	6.000	EA
MGS3 GR STANDARD SHOULDER	1,587.500	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.820	ACRE



Call No.: 040 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 1662900	PCN: P041279	Project No.: P041279
DBE Goal Percent: 0.00%	PCN: P041280	Project No.: P041280
	PCN: P041281	Project No.: P041281
	PCN: P041282	Project No.: P041282

Approx. Length (miles): 10.3300 Description: RECONSTRUCTION/REHABILITATION - DARLINGTON CO

Completion Date: 11/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,350.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,050.000	LF
BORROW EXCAVATION	2,014.000	CY
EXCAVATION FOR SHOULDER PAVING	394.944	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	394.944	STA
MAINTENANCE STONE	215.000	TON
HMA SHOULDER WIDENING COURSE	1,974.720	TON
LIQUID ASPHALT BINDER PG64-22	1,376.798	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	18,500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	3,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	46,845.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,625.000	SY
MILLED-IN RUMBLE STRIP	15.280	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,099.147	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	8,202.716	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	770.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	704.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,748.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	24,240.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	292,395.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	11,205.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,530.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	60.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	30.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.) FAST DRY PAINT	30.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	19,710.000	LF



Call No.: 040

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	215,130.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	440.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,080.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	97,465.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,735.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	80.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,510.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	20.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,570.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	71,710.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	395.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	653.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	170.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,020.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	400.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,380.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,042.000	LF
SAWCUT FOR LOOP DETECTOR	1,981.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	23.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	7.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	50.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	1,000.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	750.000	SY
DETECTABLE WARNING MATERIAL	500.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,600.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,000.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.348	ACRE



Call No.: 050 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 1864740 PCN: P037073 Project No.: P037073

DBE Goal Percent: 0.00%

Approx. Length (miles):8.9850

Description: SAFETY IMPROVEMENTS - US 17A
(DORCHESTER CO)

CO(S): Dorchester

Completion Date: 6/30/2024

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	265.000	SY
REMOVAL OF EXIST. GUARDRAIL	4,635.000	LF
UNCLASSIFIED EXCAVATION	3,075.000	CY
BORROW EXCAVATION	54,100.000	CY
MUCK EXCAVATION	21,815.000	CY
EXCAVATION FOR SHOULDER PAVING	953.412	STA
STONE BRIDGE LIFT MATERIAL	21,815.000	TON
HAULING OF EXCAVATED SHOULDER MATERIAL	953.412	STA
MAINTENANCE STONE	60.000	TON
HMA SHOULDER WIDENING COURSE	6,080.000	TON
LIQUID ASPHALT BINDER PG64-22	1,046.300	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	540.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,555.000	SY
MILLED-IN RUMBLE STRIP	26.610	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	11,260.000	TON
DRIVEWAY PAVING-SURFACE TYPE C NON-RESURFACING PROJECT	160.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	560.000	SF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,291.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	190,712.200	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	408.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	28.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	28.000	EA
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	18,100.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	82,740.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	400.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	645.500	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	95,356.100	LF



Call No.: 050

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	204.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	14.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	14.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,050.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	41,370.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	31.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	665.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	485.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	540.000	LF
REFLECTIVE SIGN POST PANELS	305.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,750.000	LF
SAWCUT FOR LOOP DETECTOR	1,056.000	LF
36" RC PIPE CUL.-CLASS III	450.000	LF
18" SMOOTH WALL PIPE	384.000	LF
24" SMOOTH WALL PIPE	600.000	LF
30" SMOOTH WALL PIPE	96.000	LF
CLEANING EXISTING PIPE	450.000	LF
BEVELING OF PIPE END	13.000	EA
RIP-RAP (CLASS B)	60.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	68.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	11,937.500	LF
MT3 LEADING END TREATMENT TL3	56.000	EA
MGS3 GR STANDARD SHOULDER	21,237.500	LF
MGS3CS GR COMPRESSED SHOULDER	3,437.500	LF
PREMASH RESET TYPE T TL3 LEADING 50'	9.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	10.000	EA
PREMASH MOMENT SLAB FOR GUARDRAIL	100.000	LF
TEMPORARY BARRIER FENCE	37,940.000	LF
PERMANENT COVER	62.800	ACRE
TEMPORARY COVER	31.400	ACRE
FERTILIZER (NITROGEN)	62,800.000	LB
FERTILIZER (PHOSPHORIC ACID)	62,800.000	LB
FERTILIZER (POTASH)	62,800.000	LB
AGRICULTURAL GRANULAR LIME	125,600.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	188.400	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	5.000	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	57.628	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	46.000	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	2,260.000	LF
SILT FENCE	120,000.000	LF



Call No.: 050

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 3

Description	Quantity	Units
REPLACE/REPAIR SILT FENCE	12,000.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	30,000.000	LF
STABILIZED CONSTRUCTION ENTRANCE	275.000	SY



Call No.: 060 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 2164250 PCN: P041985 Project No.: P041985
DBE Goal Percent: 0.00%
Approx. Length (miles):6.0100 Description: REHABILITATION - FLORENCE COUNTY
CO(S): Florence
Completion Date: 6/30/2024 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,202.000	CY
EXCAVATION FOR SHOULDER PAVING	120.380	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	120.380	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	53,857.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,589.000	TON
MAINTENANCE STONE	42.000	TON
HMA SHOULDER WIDENING COURSE	601.920	TON
LIQUID ASPHALT BINDER PG64-22	535.575	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	450.000	SY
MILLED-IN RUMBLE STRIP	9.560	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,298.020	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	295.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	443.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,031.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	690.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	152,820.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	765.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	7,605.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	99,450.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	230.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	50,940.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	255.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,535.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	33,150.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	412.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.010	ACRE



Call No.: 070 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 2663230 PCN: P041295 Project No.: P041295

DBE Goal Percent: 0.00%

Approx. Length (miles): 15.1700 Description: REHABILITATION - HORRY COUNTY

CO(S): Horry

Completion Date: 6/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	4,302.000	CY
EXCAVATION FOR SHOULDER PAVING	1,683.264	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,683.264	STA
MAINTENANCE STONE	205.500	TON
HMA SHOULDER WIDENING COURSE	11,221.760	TON
LIQUID ASPHALT BINDER PG64-22	4,755.501	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	15,050.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	5,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	231,791.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,280.000	SY
MILLED-IN RUMBLE STRIP	60.420	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	74,871.931	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,060.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	116.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,712.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	85,650.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	95,520.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	312,555.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	194,670.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	24,690.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	18,000.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	135.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	48.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	1,530.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	299,880.000	LF
6" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	198,345.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	545.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	600.000	LF
4" WHITE BROKEN LINES (GAPS EXCL.) THERMOPLASTIC- 90 MIL.	7,870.000	LF



Call No.: 070

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	52,520.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	21,575.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	147,500.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	8,230.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	75.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	6,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	45.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	16.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	510.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	17,350.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	123,510.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	3,647.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	32.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	3,290.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	12,295.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)8"WH.SOLID	580.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)24"WH.SOL	75.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	12,075.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	330.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	350.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,108.000	LF
SAWCUT FOR LOOP DETECTOR	670.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	19.157	ACRE



Call No.: 080 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 2663890	PCN: P041651	Project No.: P041651
DBE Goal Percent: 0.00%	PCN: P041652	Project No.: P041652
Approx. Length (miles):5.9900	Description: REHABILITATION - HORRY COUNTY	
CO(S): Horry		
Completion Date: 6/30/2024	Funding: CTC	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,198.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	36,373.332	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	53,012.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,815.760	TON
MAINTENANCE STONE	1.250	TON
LIQUID ASPHALT BINDER PG64-22	502.535	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	125.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,050.000	SY
MILLED-IN RUMBLE STRIP	11.980	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,584.680	TON
DRIVEWAY PAVING-SURFACE TYPE D	380.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	550.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	705.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	190,215.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	480.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,960.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	151,170.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	235.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	63,405.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	160.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,320.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	50,390.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	475.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.782	ACRE



Call No.: 090 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 3864210	PCN: P041493	Project No.: P041493
DBE Goal Percent: 0.00%	PCN: P041494	Project No.: P041494
	PCN: P041495	Project No.: P041495
	PCN: P041505	Project No.: P041505

Approx. Length (miles): 21.6300 Description: RECONSTRUCTION/REHABILITATION - ORANGEBURG CO
CO(S): Orangeburg

Completion Date: 6/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	975.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	5.000	CY
BORROW EXCAVATION	2,632.000	CY
EXCAVATION FOR SHOULDER PAVING	894.696	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	894.696	STA
MAINTENANCE STONE	97.400	TON
HMA SHOULDER WIDENING COURSE	4,609.440	TON
LIQUID ASPHALT BINDER PG64-22	3,071.787	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	3,135.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	6,605.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	26,820.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	28,910.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	268,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	31,500.000	SY
MILLED-IN RUMBLE STRIP	20.630	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	33,538.520	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,894.740	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	8,019.060	TON
DRIVEWAY PAVING-SURFACE TYPE B	36.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	2,540.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,860.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	15,948.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	143,160.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	3,920.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	110.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	3,473.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	30.000	EA



Call No.: 090

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	13.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	11.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	15.000	EA
HANDICAP SYMBOL - PERM.PVMT MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	13,960.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	213,580.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	40.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	31,676.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	285,360.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	7,840.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,946.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	56.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	24.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	22.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	30.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	27,920.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	426,200.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,900.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	80.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT	120.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	490.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,260.000	LF
8"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT	200.000	LF
24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT	40.000	LF
WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT) EPOXY PAINT	2.000	EA
WHITE WORD MESSAGE "ONLY" - EPOXY PAINT	1.000	EA
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	3,120.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	874.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	762.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,562.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	430.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	18,750.000	LF
SAWCUT FOR LOOP DETECTOR	4,780.000	LF
CATCH BASIN - TYPE 9(TOP ONLY)	1.000	EA
ADJUST DROP INLET ADJUST D. I.	8.000	EA
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	140.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	50.000	SY
DETECTABLE WARNING MATERIAL	568.500	SF
PEDESTRIAN RAMP CONSTRUCTION	925.000	SY
SURFACE APPLIED DETECTABLE WARNING	480.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	250.000	LF



Call No.: 090

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 3

Description	Quantity	Units
PREMASH TYPE T TL3 LEADING 50'	5.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.677	ACRE

This Project has a List of Qualified Contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

12/5/2022

Call No.: 100 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 3957150 PCN: P039384 Project No.: P039384
 DBE Goal Percent: 7.00%
 Approx. Length (miles): 0.3550 Description: SAFETY IMPROVEMENTS - SC 135 / S-95
 CO(S): Pickens (PICKENS CO)
 Completion Date: 5/31/2024 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	900.000	SY
UNCLASSIFIED EXCAVATION	3,396.000	CY
BORROW EXCAVATION	3,951.000	CY
FINE GRADING	2,140.000	SY
FLOWABLE FILL	7.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	728.000	TON
LIQUID ASPHALT BINDER PG64-22	128.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,180.000	SY
MILLED-IN RUMBLE STRIP	0.250	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	186.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	699.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	521.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	264.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	435.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	440.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	12,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	12,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	200.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	270.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	7,500.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,200.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	75.000	LF



Call No.: 100

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	325.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	75.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,400.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	30.000	EA
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	221.950	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	384.000	LF
REFLECTIVE SIGN POST PANELS	180.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 002	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	9.000	EA
15" SMOOTH WALL PIPE	112.000	LF
18" SMOOTH WALL PIPE	688.000	LF
CLEANING EXISTING PIPE	90.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	3.000	EA
CATCH BASIN -TYPE 17	4.000	EA
CATCH BASIN -TYPE 18	2.000	EA
DROP INLET (24" X 36")	3.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	1.000	EA
BEVELING OF PIPE END	15.000	EA
CONCRETE CURB (9" X 15")	235.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,350.000	LF
CONCRETE MEDIAN	315.000	SY
4" PERFORATED PIPE UNDERDRAIN	225.000	LF
RIP-RAP (CLASS B)	95.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	119.000	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MGS2C GR BEHIND CURB	50.000	LF
RESET FENCE	850.000	LF
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	23.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.551	ACRE
TEMPORARY COVER	0.775	ACRE
SEEDING - ERAGROSTIS CURVULA - WEEPING LOVEGRASS	0.150	MSY
FERTILIZER (NITROGEN)	156.000	LB
FERTILIZER (PHOSPHORIC ACID)	156.000	LB
FERTILIZER (POTASH)	156.000	LB
AGRICULTURAL GRANULAR LIME	3,102.000	LB
SELECTIVE WATERING	54,300.000	GAL



Call No.: 100

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 3

Description	Quantity	Units
MOWING	4.653	ACRE
DOUBLE-SHREDDED HARDWOOD MULCH	2,180.000	SF
MUHLENBERGIA CAPILLARIS (PINK MUHLY GRASS) #1 CONT.	322.000	EA
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.422	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	3.102	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	150.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	150.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	480.000	LF
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
INLET FILTER CLEANING	30.000	EA
INLET STRUCTURE FILTER - TYPE B	2.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

DACUSVILLE-CEDAR ROCK WATER COMPANY

P.O. Box 853

Pickens, South Carolina 29671

Telephone (864) 878-4085

FAX (864) 878-0536

SC 135 & S-95 Intersection Improvement

Dacusville-Cedar Rock Water Company Pre-Approved Contractors

Gar-Con, Inc.

Anders, Inc.

McConnell Grading & Utilities

Payne, McGinn, Cummins

Don Moorhead Construction, Inc.

HDH Construction

J&M Construction Inc.

Arrowood General Contracting, Inc.

L.W., Inc.

Long & Sons Utility Co., LLC

Tugaloo Pipeline, Inc.

Young Plumbing Co., Inc.



Call No.: 110 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 4250100	PCN: P037181	Project No.: P037181
DBE Goal Percent: 12.50%	PCN: P037182	Project No.: P037182
	PCN: P037184	Project No.: P037184

Approx. Length (miles): 1.6670 Description: INTERSECTION IMPROVEMENTS - SC 358/US
CO(S): Spartanburg 29/SC 129

Completion Date: 6/30/2024 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	698.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	3,375.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,082.000	SY
UNCLASSIFIED EXCAVATION	15,126.000	CY
BORROW EXCAVATION	8,028.000	CY
FINE GRADING	14,363.000	SY
MAINTENANCE STONE	751.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	7,188.000	TON
LIQUID ASPHALT BINDER PG64-22	1,066.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	42,032.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	7,010.000	SY
MILLED-IN RUMBLE STRIP	2.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,664.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,845.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,038.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	938.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,368.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	15,751.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	95,025.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	101,779.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	7,764.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	4,445.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	59.000	EA



Call No.: 110

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	2.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE LANE DROP ARROWS	2.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	56.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	172.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	293.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	4,751.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	14,025.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	2,764.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,990.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	59.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	56.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	20,779.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,300.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	172.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	293.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	527.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	65.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	191.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	177.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	954.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	35.000	LF
REFLECTIVE SIGN POST PANELS	20.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	490.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,245.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	200.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	4,145.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,185.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	3,285.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,150.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,105.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,065.000	LF
SAWCUT FOR LOOP DETECTOR	410.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
MOD. EXIST ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	3.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	37.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	4.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	12.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	1,905.000	LF



Call No.: 110

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 3

Description	Quantity	Units
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	1,905.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	12.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	4.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	4.000	EA
F&I LOOP DETECTOR AMPLIFIER W/HARNESS 2-CHANNEL W/DEL/EXT TIMING	3.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	11.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	13.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	57.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	24.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	24.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	105.000	EA
REMOVE FOUNDATION OF STEEL STRAIN POLE - 18" BELOW GRADE	2.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	2.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	2.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	4.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	8.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR STOP BAR DETECTION	2.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR STOP BAR DETECTION	16.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	2.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	4.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SETBACK DETECTION	12.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SETBACK DETECTION	4.000	EA
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	820.000	LF
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	1,365.000	LF
18" SMOOTH WALL PIPE	2,700.000	LF
24" SMOOTH WALL PIPE	1,732.000	LF
30" SMOOTH WALL PIPE	204.000	LF
36" SMOOTH WALL PIPE	556.000	LF
CLEANING EXISTING PIPE	1,164.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	11.000	EA
CATCH BASIN -TYPE 16	24.000	EA
CATCH BASIN -TYPE 18	5.000	EA
DROP INLET (24" X 24")	6.000	EA



Call No.: 110

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 4

Description	Quantity	Units
DROP INLET (24" X 36")	4.000	EA
MANHOLE	5.000	EA
PRECAST CONCRETE RISER - 48" DIAMETER	11.000	LF
PRECAST CONCRETE DRAINAGE BASE - 48"	1.000	EA
PRECAST CONCRETE DRAINAGE BASE - 60" DIAMETER	2.000	EA
PRECAST CONCRETE TRANSITION SECTION - FLAT SLAB (60" TO 48")	2.000	EA
EXTRA DEPTH OF BOX	31.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	3.000	EA
BEVELING OF PIPE END	22.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	3,945.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,510.000	SY
DETECTABLE WARNING MATERIAL	288.000	SF
CONCRETE DRIVEWAY(8" UNIFORM)	143.000	SY
CONCRETE MEDIAN	828.000	SY
PEDESTRIAN RAMP CONSTRUCTION	575.000	SY
RIP-RAP (CLASS B)	337.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	421.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	98.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	8.915	ACRE
TEMPORARY COVER	4.458	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	15.624	ACRE
FERTILIZER (NITROGEN)	891.456	LB
FERTILIZER (PHOSPHORIC ACID)	891.456	LB
FERTILIZER (POTASH)	891.456	LB
AGRICULTURAL GRANULAR LIME	17,829.130	LB
SELECTIVE WATERING	162,900.000	GAL
MOWING	26.744	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	58.291	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	4.285	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	11.121	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	640.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	640.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	2,546.000	LF
SILT FENCE	3,725.000	LF
REPLACE/REPAIR SILT FENCE	273.000	LF
CLEANING SILT BASINS	7.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	683.000	LF
INLET FILTER CLEANING	60.000	EA
INLET STRUCTURE FILTER - TYPE D1	24.000	EA
INLET STRUCTURE FILTER - TYPE B	36.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	3.000	TON



Call No.: 110

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 5

Description	Quantity	Units
STABILIZED CONSTRUCTION ENTRANCE	2,475.000	SY
FURNISH & INSTALL 20' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	6.000	EA



Call No.: 120 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 4264400 PCN: P040989 Project No.: P040989
 DBE Goal Percent: 0.00% PCN: P042074 Project No.: P042074
 Approx. Length (miles):5.9600 Description: REHABILITATION - SPARTANBURG CO
 CO(S): Spartanburg
 Completion Date: 10/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,462.000	SY
BORROW EXCAVATION	620.000	CY
EXCAVATION FOR SHOULDER PAVING	297.264	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	297.264	STA
MAINTENANCE STONE	128.150	TON
HMA SHOULDER WIDENING COURSE	489.280	TON
LIQUID ASPHALT BINDER PG64-22	1,458.816	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	12,815.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	174,625.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,353.000	SY
MILLED-IN RUMBLE STRIP	6.020	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	19,611.432	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,137.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	671.600	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	4,477.440	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,696.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	39,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	101,486.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	360.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,178.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	38.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	34,440.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	195,756.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,020.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	942.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	942.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,950.000	LF



Call No.: 120

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	39,549.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	180.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	24.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	589.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	19.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,610.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	48,939.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	493.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	550.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,017.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	420.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,540.000	LF
SAWCUT FOR LOOP DETECTOR	2,740.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	200.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	1,050.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.632	ACRE



Call No.: 130 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 4564660	PCN: P041308	Project No.: P041308
DBE Goal Percent: 0.00%	PCN: P041309	Project No.: P041309
	PCN: P041310	Project No.: P041310

Approx. Length (miles): 19.6000 Description: RECONSTRUCTION/REHABILITATION - WILLIAMSBURG CO

Completion Date: 6/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	2,372.000	CY
EXCAVATION FOR SHOULDER PAVING	1,252.414	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,252.414	STA
MAINTENANCE STONE	127.000	TON
HMA SHOULDER WIDENING COURSE	11,639.760	TON
LIQUID ASPHALT BINDER PG64-22	3,443.555	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,700.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	7,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	296,910.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	550.000	SY
MILLED-IN RUMBLE STRIP	45.990	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	43,334.829	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,298.740	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	330.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	921.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,184.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	71,910.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	620,955.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	1,020.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,425.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	60.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	60.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	93,510.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	383,685.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	880.000	LF
4" WHITE BROKEN LINES (GAPS EXCL.) THERMOPLASTIC- 90 MIL.	23,520.000	LF
6" WHITE BROKEN LINES (GAPS EXCL.) THERMOPLASTIC- 90 MIL.	450.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	135,275.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	71,710.000	LF



Call No.: 130

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	340.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	475.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	18.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	18.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	22,980.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,190.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	105,430.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	22,465.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,343.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	866.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,949.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	190.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	560.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	140.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	560.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	800.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	150.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,384.000	LF
SAWCUT FOR LOOP DETECTOR	1,012.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.478	ACRE



Call No.: 140 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 4662360 PCN: P040833 Project No.: P040833
 DBE Goal Percent: 0.00%
 Approx. Length (miles):5.3800 Description: RECONSTRUCTION/REHABILITATION - YORK COUNTY
 CO(S): York
 Completion Date: 11/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	825.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	880.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	129.000	CY
BORROW EXCAVATION	504.000	CY
EXCAVATION FOR SHOULDER PAVING	349.530	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	349.530	STA
HMA SHOULDER WIDENING COURSE	2,524.426	TON
LIQUID ASPHALT BINDER PG64-22	2,176.418	TON
LIQUID ASPHALT BINDER PG76-22	64.515	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	6,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	5,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	117,260.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	43,465.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	93,070.000	SY
MILLED-IN RUMBLE STRIP	10.180	MI
HOT MIX ASPHALT SURFACE COURSE TYPE A	1,173.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	35,877.036	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	680.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	490.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	36.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,268.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	116.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	48,939.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	83,969.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	38,491.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	22,717.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	375.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	228.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	44.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	9.000	EA



Call No.: 140

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,446.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	62,796.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	11,010.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	180.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	18,947.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	35,667.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	15,828.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	116.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	12,915.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	148.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	94.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	14.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,482.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	32,944.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	865.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	170.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	190.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	105.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	410.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	410.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,086.000	LF
SAWCUT FOR LOOP DETECTOR	1,521.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	7.000	EA
PARTIAL DEPTH PATCHING OF EXISTING DECK	350.000	SY
CATCH BASIN - TYPE 17 (TOP ONLY)	11.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	17.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	5.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	420.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	159.000	SY
DETECTABLE WARNING MATERIAL	412.500	SF
PEDESTRIAN RAMP CONSTRUCTION	825.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	6,065.000	LF
MT3 LEADING END TREATMENT TL3	7.000	EA
MB TRAILING END TREATMENT	5.000	EA
MGS3 GR STANDARD SHOULDER	1,150.000	LF
MGS3CS GR COMPRESSED SHOULDER	3,762.500	LF
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.700	ACRE



Call No.: 150 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 4664130 PCN: P041321 Project No.: P041321

DBE Goal Percent: 0.00%

Approx. Length (miles): 2.1500 Description: REHABILITATION - YORK COUNTY

CO(S): York

Completion Date: 11/30/2023 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	650.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	5.000	CY
UNCLASSIFIED EXCAVATION	406.000	CY
BORROW EXCAVATION	370.000	CY
STATION GRADING	28.340	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD A	3,820.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	16,600.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	710.000	TON
MAINTENANCE STONE	78.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	513.333	TON
LIQUID ASPHALT BINDER PG64-22	366.048	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,630.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	90.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	2,360.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,100.000	SY
MILLED-IN RUMBLE STRIP	1.180	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	2,051.163	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,962.127	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	145.493	TON
DRIVEWAY PAVING-SURFACE TYPE C	670.875	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	16,600.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,090.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	655.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	59,306.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	940.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,418.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA



Call No.: 150

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	1.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	68,466.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	590.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	15,765.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	450.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	679.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	20,315.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	3.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	164.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,200.000	LF
SAWCUT FOR LOOP DETECTOR	460.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
CLEANING EXISTING PIPE	50.000	LF
ADJUST DROP INLET ADJUST D. I.	3.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	45.000	SY
DETECTABLE WARNING MATERIAL	325.000	SF
PEDESTRIAN RAMP CONSTRUCTION	650.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.560	ACRE



Call No.: 160 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 5663350	PCN: P041490	Project No.: P041490
DBE Goal Percent: 0.00%	PCN: P041588	Project No.: P041588
	PCN: P041693	Project No.: P041693
	PCN: P041694	Project No.: P041694

Approx. Length (miles): 5.0900 Description: RECONSTRUCTION/REHABILITATION - CHARLESTON COUNTY
CO(S): Charleston Dorchester
Completion Date: 10/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	6.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,610.990	SY
REMOVAL & DISPOSAL OF EXISTING CURB	110.000	LF
BORROW EXCAVATION	563.000	CY
EXCAVATION FOR SHOULDER PAVING	107.700	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	107.700	STA
MAINTENANCE STONE	63.420	TON
LIQUID ASPHALT BINDER PG64-22	1,278.188	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	494.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,848.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	7,204.260	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	73,414.456	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	53,702.469	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,650.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	244.053	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,324.080	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,082.200	TON
DRIVEWAY PAVING-SURFACE TYPE C	548.625	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	7,952.567	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,488.000	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	45.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	13,407.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	19,324.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	224.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,947.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	15.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	930.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	111.000	EA



Call No.: 160

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	102.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	1,890.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	56,263.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	32,649.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	64,620.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	672.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,911.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,520.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	318.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	291.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,670.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	167,949.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,116.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	638.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	248.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	787.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,000.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	15,000.000	LF
SAWCUT FOR LOOP DETECTOR	6,250.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	10.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	110.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	959.554	SY
CONCRETE SIDEWALK(6" UNIFORM)	22.220	SY
DETECTABLE WARNING MATERIAL	30.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	309.887	SY
CONCRETE MEDIAN	40.000	SY
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.744	ACRE



Call No.: 170 Letting Date: January 10, 2023 Letting Time: 0200 PM Page: 1

SC File NO(S): 5764010	PCN: P041092	Project No.: P041092
DBE Goal Percent: 0.00%	PCN: P041262	Project No.: P041262
	PCN: P041345	Project No.: P041345
	PCN: P041346	Project No.: P041346
	PCN: P041347	Project No.: P041347
	PCN: P041348	Project No.: P041348
	PCN: P041489	Project No.: P041489

Approx. Length (miles): 24.1600 Description: RECONSTRUCTION/REHABILITATION - DISTRICT 7
 CO(S): Allendale Hampton
 Completion Date: 6/30/2024 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,905.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	445.000	LF
BORROW EXCAVATION	4,867.000	CY
EXCAVATION FOR SHOULDER PAVING	994.752	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	994.752	STA
MAINTENANCE STONE	73.370	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,727.440	TON
HMA SHOULDER WIDENING COURSE	4,404.693	TON
LIQUID ASPHALT BINDER PG64-22	3,215.627	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	3,837.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	6,830.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	3,780.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.5"	15,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	4,250.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.5"	16,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	66,860.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	33,250.000	SY
MILLED-IN RUMBLE STRIP	19.190	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10,018.880	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,194.540	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,099.083	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	17,267.300	TON
DRIVEWAY PAVING-SURFACE TYPE D	2,098.750	TON



Call No.: 170

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 2

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	8,972.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	7,710.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	124,470.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	620.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	540.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	34.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	3,609.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	7.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	2.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	7,530.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	101,090.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	390.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	230.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	22,638.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	280,010.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,860.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,280.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	7,358.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	20.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	11.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	16,880.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	229,710.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,170.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,080.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	460.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT	102.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	414.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	154.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,841.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	445.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	140.000	SY
DETECTABLE WARNING MATERIAL	740.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	465.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,300.000	SY
SURFACE APPLIED DETECTABLE WARNING	210.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,010.000	LF
MT3 LEADING END TREATMENT TL3	2.000	EA



Call No.: 170

Letting Date: January 10, 2023

Letting Time: 0200 PM

Page: 3

Description	Quantity	Units
MB TRAILING END TREATMENT	2.000	EA
MGS3CS GR COMPRESSED SHOULDER	900.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	25.942	ACRE

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator