

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For January 12, 2021

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on December 15, 2020 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0256320	PCN: P039506	Project No.: P039506
DBE Goal Percent: 0.00%	PCN: P039507	Project No.: P039507
	PCN: P039584	Project No.: P039584
	PCN: P040102	Project No.: P040102

Approx. Length (miles):21.1000 Description: REHABILITATION - AIKEN COUNTY
CO(S): Aiken
Completion Date: 11/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	850.000	SY
BORROW EXCAVATION	2,090.000	CY
EXCAVATION FOR SHOULDER PAVING	1,371.744	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	378.048	STA
MAINTENANCE STONE	89.550	TON
HMA SHOULDER WIDENING COURSE	6,648.106	TON
LIQUID ASPHALT BINDER PG64-22	2,493.278	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	7,060.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,895.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	17,850.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	5,190.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	83,260.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,525.000	SY
MILLED-IN RUMBLE STRIP	22.460	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	25,800.883	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,906.456	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	8,455.260	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,370.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,108.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	8,766.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	147,070.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,761.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	62.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	2,389.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	29.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	8.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	5.000	EA



Call No.: 010

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	7,550.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	144,700.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	500.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	17,452.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	269,580.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,851.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,412.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	29.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,140.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	287,260.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,435.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	500.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	330.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	580.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,890.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	573.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	138.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,646.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,404.000	LF
SAWCUT FOR LOOP DETECTOR	410.000	LF
ADJUST DROP INLET ADJUST D. I.	2.000	EA
DETECTABLE WARNING MATERIAL	425.000	SF
PEDESTRIAN RAMP CONSTRUCTION	850.000	SY
SURFACE APPLIED DETECTABLE WARNING	290.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	2,310.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,600.000	LF
PREMASH THRIE WITH BASE PL 6.25 SPACE	580.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	11.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.363	ACRE



Call No.: 020 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1157180 PCN: P039951 Project No.: P039951
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 1.6000 Description: REHABILITATION - SC 150 (CHEROKEE COUNTY)
 CO(S): Cherokee
 Completion Date: 8/31/2021 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	925.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	310.000	LF
UNCLASSIFIED EXCAVATION	22.000	CY
BORROW EXCAVATION	17.000	CY
MAINTENANCE STONE	66.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	42.500	TON
LIQUID ASPHALT BINDER PG64-22	244.897	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,070.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	37,448.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,550.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,776.324	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	350.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	364.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,108.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	837.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,632.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	8,860.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,126.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	32.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	18.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	35,562.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	240.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	436.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,316.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	4,436.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,083.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA



Call No.: 020

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	17,786.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	120.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	137.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	140.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,010.000	LF
SAWCUT FOR LOOP DETECTOR	1,980.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	310.000	LF
DETECTABLE WARNING MATERIAL	462.500	SF
PEDESTRIAN RAMP CONSTRUCTION	925.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.160	ACRE



Call No.: 030 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2156680	PCN: P039555	Project No.: P039555
DBE Goal Percent: 0.00%	PCN: P039556	Project No.: P039556
	PCN: P039558	Project No.: P039558
	PCN: P039998	Project No.: P039998

Approx. Length (miles): 10.4300 Description: RECONSTRUCTION/REHABILITATION - FLORENCE COUNTY
CO(S): Florence

Completion Date: 6/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	9,280.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	2,690.000	LF
BORROW EXCAVATION	1,085.200	CY
EXCAVATION FOR SHOULDER PAVING	318.176	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	318.176	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	40,914.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,475.000	TON
MAINTENANCE STONE	161.700	TON
HMA SHOULDER WIDENING COURSE	1,773.520	TON
LIQUID ASPHALT BINDER PG64-22	1,478.766	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	11,170.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	181,683.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,425.000	SY
MILLED-IN RUMBLE STRIP	8.060	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	23,795.561	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,093.983	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	415.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	559.375	TON
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	3,800.000	SY
DIAMOND GRINDING OF CONCRETE PAVEMENT	7,500.000	SY
CLEAN & SEAL LONGITUDINAL JOINTS	3,700.000	LF
CLEAN & SEAL TRANS. JOINTS	1,665.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,194.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	48,510.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	190,424.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	7,420.000	LF



Call No.: 030

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,150.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	223.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	166.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	26.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	15,725.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	310,230.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	495.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	465.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	6,800.000	LF
24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT	40.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	340.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	3,660.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	16,170.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	59,772.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,520.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,430.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	75.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	56.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,065.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	102,105.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	155.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	805.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	185.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,120.000	EA
REMOVAL OF PAVEMENT MARKINGS	33,920.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,775.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	13,291.000	LF
SAWCUT FOR LOOP DETECTOR	5,268.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	14.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	73.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	25.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	560.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	960.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	1,170.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,950.000	SY
DETECTABLE WARNING MATERIAL	1,750.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	3,830.000	SY
PEDESTRIAN RAMP CONSTRUCTION	3,500.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.904	ACRE



Call No.: 040 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2255310	PCN: P039481	Project No.: P039481
DBE Goal Percent: 0.00%	PCN: P039483	Project No.: P039483
Approx. Length (miles): 3.4700	Description: REHABILITATION - GEORGETOWN COUNTY	
CO(S): Georgetown		
Completion Date: 8/31/2021	Funding: CTC	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	694.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	50,450.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,920.000	TON
LIQUID ASPHALT BINDER PG64-22	333.302	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	700.000	SY
MILLED-IN RUMBLE STRIP	6.940	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,456.457	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	670.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	376.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	834.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	240.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	110,070.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	225.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	8,460.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	70,200.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	80.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	36,690.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	75.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,820.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	23,400.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	245.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.186	ACRE



Call No.: 050 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2355270	PCN: P039370	Project No.: P039370
DBE Goal Percent: 0.00%	PCN: P039372	Project No.: P039372
	PCN: P039423	Project No.: P039423
	PCN: P039991	Project No.: P039991

Approx. Length (miles): 13.4300 Description: RECONSTRUCTION/REHABILITATION - GREENVILLE CO.
CO(S): Greenville

Completion Date: 08/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	12,038.000	SY
BORROW EXCAVATION	2,452.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	19,507.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	10,853.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,214.000	TON
MAINTENANCE STONE	466.630	TON
LIQUID ASPHALT BINDER PG64-22	3,135.325	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	36,663.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	4,640.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	389,965.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	620.000	SY
MILLED-IN RUMBLE STRIP	18.760	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	45,533.091	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,656.663	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,865.675	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	5,013.496	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,784.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	107,040.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	267,362.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	600.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,480.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	52.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	71,600.000	LF



Call No.: 050

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	681,184.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,090.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,090.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	26,760.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	129,774.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	300.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,210.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	26.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	17,900.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	166,389.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,390.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,790.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,775.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	420.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,540.000	LF
FURNISH & INSTALL FLUSH MOUNTED WIRELESS SENSOR	12.000	EA
SAWCUT FOR LOOP DETECTOR	2,740.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	475.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	6,075.000	LF
PREMASH TYPE T TL3 LEADING 50'	19.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.889	ACRE



Call No.: 060 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2656740	PCN: P039560	Project No.: P039560
DBE Goal Percent: 0.00%	PCN: P039562	Project No.: P039562
	PCN: P040002	Project No.: P040002

Approx. Length (miles): 16.6400 Description: RECONSTRUCTION/REHABILITATION - Horry COUNTY
 CO(S): Horry

Completion Date: 6/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,560.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	605.000	LF
BORROW EXCAVATION	3,099.000	CY
EXCAVATION FOR SHOULDER PAVING	204.864	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	204.864	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	20,712.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	756.000	TON
MAINTENANCE STONE	241.500	TON
HMA SHOULDER WIDENING COURSE	1,024.300	TON
LIQUID ASPHALT BINDER PG64-22	2,463.613	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,450.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	16,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	5,192.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	264,742.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,500.000	SY
MILLED-IN RUMBLE STRIP	23.880	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,811.360	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,734.443	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	462.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	6,870.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,803.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,920.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	32,820.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	417,075.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	13,701.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,040.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	171.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	114.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.) FAST DRY PAINT	36.000	EA



Call No.: 060

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	18,630.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	462,585.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	800.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,890.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,160.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,780.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	58,325.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	80,700.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	4,567.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,680.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	57.000	EA
WHITE WORD MESSAGE"YIELD"-THERMO-125MIL	10.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	30.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,040.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,170.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	81,025.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	73,170.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	630.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	515.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,485.000	EA
REMOVAL OF PAVEMENT MARKINGS	46,580.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	470.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,420.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	700.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	2,600.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	21,152.000	LF
SAWCUT FOR LOOP DETECTOR	8,224.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	51.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	3.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	450.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	155.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	105.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	530.000	SY
DETECTABLE WARNING MATERIAL	487.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,950.000	SY
PEDESTRIAN RAMP CONSTRUCTION	975.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.920	ACRE



Call No.: 070 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2956270 PCN: P039443 Project No.: P039443
DBE Goal Percent: 0.00% PCN: P039445 Project No.: P039445
Approx. Length (miles): 7.5100 Description: RECONSTRUCTION/REHABILITATION - LANCEASTER CO
CO(S): Lancaster
Completion Date: 10/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
UNCLASSIFIED EXCAVATION	757.000	CY
BORROW EXCAVATION	2,777.000	CY
STATION GRADING	85.678	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	59,086.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	47,679.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,318.000	TON
MAINTENANCE STONE	164.000	TON
LIQUID ASPHALT BINDER PG64-22	998.721	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	480.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	380.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	38,854.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,395.000	SY
MILLED-IN RUMBLE STRIP	8.740	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	2,074.454	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,182.508	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,737.270	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,145.125	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	106,765.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,863.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,258.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	302,438.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	911.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,040.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	286,989.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	944.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	79,232.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	639.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,040.000	LF



Call No.: 070

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	67,281.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	532.000	EA
30" SMOOTH WALL PIPE	32.000	LF
36" SMOOTH WALL PIPE	32.000	LF
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
RIP-RAP (CLASS A)	190.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	248.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	3,764.000	LF
MT3 LEADING END TREATMENT TL3	25.000	EA
MT2 LEADING END TREATMENT TL2	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	2,362.500	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.990	ACRE
SILT FENCE	11,400.000	LF
REPLACE/REPAIR SILT FENCE	2,900.000	LF
CLEANING SILT BASINS	151.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	760.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	95.000	TON



Call No.: 080 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3755250 PCN: P039151 Project No.: P039151
 DBE Goal Percent: 0.00% PCN: P039365 Project No.: P039365
 Approx. Length (miles):6.8200 Description: RECONSTRUCTION - OCONEE COUNTY
 CO(S): Oconee
 Completion Date: 11/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
UNCLASSIFIED EXCAVATION	1,299.600	CY
BORROW EXCAVATION	1,362.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	343.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	8,765.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	116,361.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,007.000	TON
MAINTENANCE STONE	145.000	TON
LIQUID ASPHALT BINDER PG64-22	1,338.826	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	4,869.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	16,531.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,671.000	SY
MILLING - VARIABLE - 2' WIDTH	1,080.000	SY
MILLED-IN RUMBLE STRIP	9.120	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	18,962.961	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,633.787	TON
DRIVEWAY PAVING-SURFACE TYPE C	929.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,124.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	780.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	51,326.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	137,055.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	6,750.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,220.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	15,960.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	308,190.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	450.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	760.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	760.000	LF



Call No.: 080

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	130.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	24,660.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	45,685.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,330.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	30.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,030.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,660.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	60,335.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	24.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	17.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	44.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	495.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	420.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,540.000	LF
SAWCUT FOR LOOP DETECTOR	2,740.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	4.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,250.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	9,540.000	LF
PREMASH TYPE T TL3 LEADING 50'	50.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.605	ACRE

Voluntary In-Person and Virtual Pre-Bid Conference : Tuesday, December 22, 2020 at 10:00 AM (see below information)



South Carolina Department of Transportation

12/3/2020

Call No.: 090 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4056981 PCN: P029873 (V2) Project No.: P029873
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 0.7580 Description: ENHANCEMENT - S-3054 RICHLAND COUNTY
 CO(S): Richland
 Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	5,000.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,950.000	SY
SITE EXCAVATION	1.000	LS
PERMANENT SHORING WALL	660.000	LF
FINE GRADING	19,700.000	SY
MAINTENANCE STONE	170.000	TON
LIQUID ASPHALT BINDER PG64-22	98.580	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	15,520.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,860.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	1,560.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	760.000	SF
STANDARD TRAFFIC CONE - WITH RETROREFLECTIVE TAPE/COLLAR	170.000	EA
BARRICADE - TYPE 3	348.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	300.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	660.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	5,800.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	7,500.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,140.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	120.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,510.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	52.000	EA



Call No.: 090

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	10.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	18.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	74.000	EA
PAINT - SHARROW SYMBOL - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	120.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	12,400.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	330.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	8,400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,750.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	5,870.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,455.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
DROP INLET-SPECIAL	30.000	EA
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,660.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	15,100.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	37.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	26.000	EA
SHARROW W/ARROW - PREFORMED THERMO - 60MIL	1.000	EA
REMOVAL OF PAVEMENT MARKINGS	12,000.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	300.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	117.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	21.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	6.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	563.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 001	1.000	LS
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	975.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,240.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	265.000	LF
FURNISH & INSTALL 3" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	2,290.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,910.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,145.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,700.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	3,600.000	LF
FURNISH & INSTALL FIBER OPTIC MODEM	4.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
30"X48"X24"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	25.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	19.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 002	4.000	EA



Call No.: 090

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FURNISH & INSTALL SOLAR POWERED FLASHER ASSEM - DUAL BEACON	4.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 003	34.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	30.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	30.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	30.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
INTEGRATION	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	15.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	4.000	EA
POWDERCOATING PER MAST ARM OVER BASE	15.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 001	1.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	13.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	19.000	EA
CONC. FOR STRUCTURES - CLASS 4000(ROADWAY)	2.000	CY
PERMANENT CONCRETE BOLLARD	4.000	EA
REINF. STEEL FOR STRUCTURES (ROADWAY)	850.000	LB
18" SMOOTH WALL PIPE	2,432.000	LF
CLEANING EXISTING PIPE	1,300.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 16	21.000	EA
CATCH BASIN - TYPE 16 - SPECIAL	1.000	EA
CATCH BASIN -TYPE 17	1.000	EA
DROP INLET (24" X 36")	4.000	EA
60" X 60" JUNCTION BOX	15.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	14.000	EA
ACCESSIBLE DRAINAGE GRATE FOR ADA	2.000	EA
CONCRETE CURB (TRANSITION)	96.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	5,375.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	7,850.000	SY
DETECTABLE WARNING MATERIAL	1,120.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,120.000	SY
PEDESTRIAN RAMP CONSTRUCTION	635.000	SY
46SS REINFORCED BARRIER WALL	340.000	LF
TEMPORARY BARRIER FENCE	360.000	LF
SELECT MATERIAL	250.000	CY
LANDSCAPING ITEM NO. 002	7.000	EA
LANDSCAPING ITEM NO. 003	4.000	EA
LANDSCAPING ITEM NO. 004	8.000	EA
LANDSCAPING ITEM NO. 005	13.000	EA
LANDSCAPING ITEM NO. 006	10.000	EA



Call No.: 090

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
LANDSCAPING ITEM NO. 007	4.000	EA
LANDSCAPING ITEM NO. 008	4.000	EA
LANDSCAPING ITEM NO. 009	7.000	EA
LANDSCAPING ITEM NO. 010	6.000	EA
LANDSCAPING ITEM NO. 011	4.000	EA
LANDSCAPING ITEM NO. 012	6.000	EA
LANDSCAPING ITEM NO. 013	21.000	EA
LANDSCAPING ITEM NO. 014	32.000	EA
LANDSCAPING ITEM NO. 015	114.000	EA
LANDSCAPING ITEM NO. 016	144.000	EA
LANDSCAPING ITEM NO. 017	209.000	EA
LANDSCAPING ITEM NO. 018	343.000	EA
LANDSCAPING ITEM NO. 019	93.000	EA
LANDSCAPING ITEM NO. 020	142.000	EA
LANDSCAPING ITEM NO. 021	68.000	EA
LANDSCAPING ITEM NO. 022	80.000	EA
LANDSCAPING ITEM NO. 023	247.000	EA
LANDSCAPING ITEM NO. 024	26.000	EA
LANDSCAPING ITEM NO. 025	71.000	EA
LANDSCAPING ITEM NO. 026	36.000	EA
LANDSCAPING ITEM NO. 027	41.000	EA
LANDSCAPING ITEM NO. 028	3,604.000	EA
LANDSCAPING ITEM NO. 029	2,386.000	EA
LANDSCAPING ITEM NO. 030	3,559.000	EA
LANDSCAPING ITEM NO. 031	948.000	EA
DOUBLE-SHREDDED HARDWOOD MULCH	175.000	SF
ROOT BARRIER	336.000	LF
IRRIGATION SYSTEM COMPLETE	1.000	LS
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	200.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	200.000	LF
SILT FENCE	300.000	LF
CLEANING INLET STRUCTURE FILTERS	150.000	EA
INLET STRUCTURE FILTER - TYPE B	30.000	EA
STABILIZED CONSTRUCTION ENTRANCE	110.000	SY
BRICK PAVERS (INCLUDE THE BASE AND SAND)	5,600.000	SF
PRECAST SEATWALL	525.000	LF
PRECAST CONCRETE BENCH (TYPE 1)	9.000	EA
PRECAST CONCRETE BENCH (TYPE 2)	9.000	EA
PRECAST CONCRETE BENCH (TYPE 3)	16.000	EA
PRECAST CONCRETE STAIR	82.000	EA
COMMUNICATION DUCT BANK	1.000	LS
DOMINION DUCT BANK	1.000	LS



Call No.: 090 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 5

Description	Quantity	Units
SITE ELECTRICAL AND LIGHTING - COMPLETE	1.000	LS
TEMPORARY BOLLARD	2.000	EA
BICYCLE PARKING RACK	12.000	EA

VOLUNTARY IN-PERSON AND VIRTUAL PRE-BID CONFERENCE:

The Contractor is advised that a voluntary Pre-Bid Conference will be held on Tuesday, December 22, 2020 at 10:00 am. Conference attendance is not mandatory. Attendance to the virtual meeting is strongly encouraged but an in-person option is available for anyone who does not have the capability or desire to meet virtually.

- Contractors can join the Pre-Bid Conference at the following link:

https://teams.microsoft.com//meetup-join/19%3ameeting_NTFINGMzYWQNTY0Mi00YjY4LWFIM2YtNjI4NDViMGYzODM0%40thread.v2/0?context=%7b%22Tid%22%3a%2216ed5ab4-2b59-4e40-806d-8a30bdc9cf26%22%2c%22Oid%22%3a%223704b890-decc-4dcd-b974-e75a7c134672%22%7d

- Contractors may also join the meeting via phone at the following number: 1-803-587-9315 (Local), Access Code - 404 335 906#
1-877-286-5733 (USA), Access Code - 404 335 906#

- Contractors can attend the Pre-Bid Conference in person at the AECOM Columbia Office:

101 Research Drive, Columbia, SC 29203

Social distancing and masks are mandatory in the conference room. Each contractor (primes and subs) should limit attendance to 2 people. District staff reserves the right to limit entry into the conference room to 1 per contractor based on total number of attendees.

Contractors who do not attend this Pre-Bid Conference will still be allowed to submit a Bid Proposal for this project.



Call No.: 100 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5157540	PCN: P039529	Project No.: P039529
DBE Goal Percent: 0.00%	PCN: P039583	Project No.: P039583
	PCN: P039767	Project No.: P039767
	PCN: P040045	Project No.: P040045

Approx. Length (miles): 17.9700 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Kershaw Lee DISTRICT 1

Completion Date: 6/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,726.840	SY
BORROW EXCAVATION	2,986.000	CY
EXCAVATION FOR SHOULDER PAVING	334.752	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	334.752	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	113,125.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,055.500	TON
MAINTENANCE STONE	49.500	TON
HMA SHOULDER WIDENING COURSE	2,510.640	TON
LIQUID ASPHALT BINDER PG64-22	1,851.216	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,300.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,650.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	11,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	118,300.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	11,120.000	SY
MILLED-IN RUMBLE STRIP	17.080	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,510.734	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,944.660	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,878.880	TON
DRIVEWAY PAVING-SURFACE TYPE C	821.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	25.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,653.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	26,640.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	575,670.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	8,400.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	7,890.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,943.000	LF



Call No.: 100

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	42.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	42.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	27.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	21.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	48,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	456,360.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	600.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	400.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,180.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	50.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	22,520.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,320.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,100.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	14.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	38,330.000	LF
8" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	200.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	7.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	14.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	441.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	810.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,844.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	724.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	153,200.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	370.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)SC HYBRIDIZED POLYMER- 20MIL 002	40.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	839.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	8,550.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	107,620.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	385.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	390.000	LF



Call No.: 100

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	325.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	9,474.000	LF
SAWCUT FOR LOOP DETECTOR	3,249.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	145.000	LF
CATCH BASIN TYPE 1 (TOP ONLY)	1.000	EA
ADJUST DROP INLET ADJUST D. I.	3.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	2,735.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,117.000	SY
DETECTABLE WARNING MATERIAL	1,075.000	SF
PEDESTRIAN RAMP CONSTRUCTION	2,150.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.547	ACRE



Call No.: 110 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5157930	PCN: P039530	Project No.: P039530
DBE Goal Percent: 0.00%	PCN: P039769	Project No.: P039769
	PCN: P039770	Project No.: P039770
	PCN: P039772	Project No.: P039772
	PCN: P040117	Project No.: P040117
	PCN: P040118	Project No.: P040118

Approx. Length (miles):20.4100 Description: RECONSTRUCTION/REHABILITATION - DISTRICT 1
CO(S): Lexington Richland
Completion Date: 8/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,093.000	SY
UNCLASSIFIED EXCAVATION	75.000	CY
BORROW EXCAVATION	3,876.000	CY
EXCAVATION FOR SHOULDER PAVING	782.862	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	782.862	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	15,050.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	33,160.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	52,400.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,766.000	TON
MAINTENANCE STONE	67.450	TON
HMA SHOULDER WIDENING COURSE	3,917.760	TON
LIQUID ASPHALT BINDER PG64-22	2,766.780	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,445.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,100.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	8,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	136,625.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,675.000	SY
MILLED-IN RUMBLE STRIP	14.320	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10,795.867	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	16,939.841	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	11,042.050	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	4,456.700	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,414.750	TON
DRIVEWAY PAVING-SURFACE TYPE D	544.500	TON



Call No.: 110

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,139.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	34,985.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	484,802.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,280.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	1,440.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	11,450.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	71.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	41.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	9.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	27,270.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	465,457.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,710.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	97,340.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	670.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	480.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,515.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	22.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	12.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,880.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	76,330.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	427.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	70.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,210.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	295.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	53,205.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	135.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	980.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	1.000	EA
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	78,760.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	150.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	9,542.000	LF
SAWCUT FOR LOOP DETECTOR	3,307.000	LF
ADJUST DROP INLET ADJUST D. I.	1.000	EA
DETECTABLE WARNING MATERIAL	412.500	SF
PEDESTRIAN RAMP CONSTRUCTION	825.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	18.793	ACRE



Call No.: 110

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
MOWING	1.910	ACRE



Call No.: 120 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5255940	PCN: P039140	Project No.: P039140
DBE Goal Percent: 0.00%	PCN: P039143	Project No.: P039143
	PCN: P039150	Project No.: P039150
	PCN: P039332	Project No.: P039332
	PCN: P039884	Project No.: P039884
	PCN: P039890	Project No.: P039890

Approx. Length (miles):24.6900 Description: RECONSTRUCTION/REHABILITATION - DISTRICT 2
CO(S): Laurens Newberry
Completion Date: 9/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	8.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	125.000	SY
BORROW EXCAVATION	8,978.000	CY
EXCAVATION FOR SHOULDER PAVING	841.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	841.000	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	54,475.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	13,376.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	149,667.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	8,526.000	TON
MAINTENANCE STONE	69.900	TON
HMA SHOULDER WIDENING COURSE	3,768.747	TON
LIQUID ASPHALT BINDER PG64-22	2,572.186	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	320.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	6,550.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	40.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	80.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	6,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	113,068.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,435.000	SY
MILLED-IN RUMBLE STRIP	37.000	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	16,739.573	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	22,484.920	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	658.844	TON
DRIVEWAY PAVING-SURFACE TYPE B	621.250	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,209.250	TON
DRIVEWAY PAVING-SURFACE TYPE D	26.550	TON



Call No.: 120

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
ASPHALT SURFACE TREATMENT (DOUBLE TREATMENT) TYPE 4	29,430.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,120.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,193.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	979,834.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,954.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	45,620.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	894,432.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	926.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	267,194.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	823.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	12,330.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	244,489.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,642.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	17.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	350.000	LF
SAWCUT FOR LOOP DETECTOR	110.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	1.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
DETECTABLE WARNING MATERIAL	62.500	SF
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	90.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	9,917.500	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,400.000	LF
MT3 LEADING END TREATMENT TL3	48.000	EA
MGS3 GR STANDARD SHOULDER	350.000	LF
MGS3CS GR COMPRESSED SHOULDER	4,595.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	100.000	LF
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	22.101	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	400.000	LF
SILT FENCE	4,620.000	LF
REPLACE/REPAIR SILT FENCE	467.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,163.000	LF



Call No.: 130 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5456090	PCN: P039431	Project No.: P039431
DBE Goal Percent: 0.00%	PCN: P039433	Project No.: P039433
	PCN: P039446	Project No.: P039446
	PCN: P039448	Project No.: P039448

Approx. Length (miles): 10.3000 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Cherokee Union DISTRICT 4

Completion Date: 11/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	12.500	CY
UNCLASSIFIED EXCAVATION	680.000	CY
BORROW EXCAVATION	2,834.000	CY
STATION GRADING	97.680	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	23,660.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	26,612.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	40,865.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,165.000	TON
MAINTENANCE STONE	333.000	TON
LIQUID ASPHALT BINDER PG64-22	1,746.475	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,300.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	290.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	83,875.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	12,567.000	SY
MILLED-IN RUMBLE STRIP	14.260	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	11,882.346	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,126.534	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,926.447	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	465.387	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,910.500	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	91,137.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,482.000	SF
WHITE WORD MESSAGE "STOP AHEAD" -PERM.PVMT.MARKING	2.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	16,863.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	309,042.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	100.000	LF



Call No.: 130

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	240.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,873.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	20.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	16.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,825.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	266,925.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	595.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,888.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	101,731.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	50.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	70.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,040.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,825.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	79,562.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	332.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	558.000	EA
15" SMOOTH WALL PIPE	730.000	LF
36" SMOOTH WALL PIPE	8.000	LF
CONCRETE COLLAR FOR UP TO 36" PIPE	2.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
CONCRETE MEDIAN	75.000	SY
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
RIP-RAP (CLASS B)	40.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	50.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	650.000	LF
PREMASH TYPE T TL3 LEADING 50'	13.000	EA
RESET FENCE	1,162.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.230	ACRE



Call No.: 140 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5457920	PCN: P039392	Project No.: P039392
DBE Goal Percent: 0.00%	PCN: P039393	Project No.: P039393
	PCN: P039394	Project No.: P039394
	PCN: P039395	Project No.: P039395
	PCN: P039396	Project No.: P039396
	PCN: P039397	Project No.: P039397
	PCN: P039398	Project No.: P039398

Approx. Length (miles):0.8200

Description: DRAINAGE - DISTRICT 7

CO(S): Cherokee Chester
Chesterfield Fairfield
Lancaster Union York

Completion Date: 6/15/2021

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
DROP INLET (24" X 36") WITH STANDARD 4' X 4' BOX	1.000	EA
CATCH BASIN - TYPE 9(TOP ONLY)	1.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	2.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	112.000	SY
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	20.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	156.000	LF
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	9.000	EA
CATCH BASIN - TYPE 16 (TOP ONLY)	2.000	EA
CATCH BASIN -TYPE 17	2.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	16.000	EA
BORROW EXCAVATION	3.000	CY
CATCH BASIN -TYPE 16	1.000	EA
CATCH BASIN TYPE 1 (TOP ONLY)	1.000	EA
ADDITIONAL LENGTH CATCH BASIN	3.000	LF
ADJUST CATCH BASIN	9.000	EA
CATCH BASIN -TYPE 9	3.000	EA
CATCH BASIN - TYPE 17 (TOP ONLY)	6.000	EA
UNCLASSIFIED EXCAVATION	38.000	CY
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	6.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CURB	136.000	LF
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	112.000	SY
TRAFFIC CONTROL	1.000	LS
BONDS AND INSURANCE	1.000	LS
MOBILIZATION	1.000	LS



Call No.: 150

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE B	28,388.549	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,643.650	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	424.200	TON
DRIVEWAY PAVING-SURFACE TYPE B	9.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,358.000	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	88.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,480.000	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	128.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	7,328.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	169,291.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	7,779.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	32.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	3,207.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	51.000	EA
WHITE WORD MESSAGE "YIELD"-PERM.PVMT.MARKING	1.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	48.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	4.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	13,180.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	114,463.000	LF
12" YELLOW SOLID LINES - PERM.PVMT.MARKING	50.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	25,422.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	574,536.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	24,886.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	9,612.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	178.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	170.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	16.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	21.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	46,750.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	370,815.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,204.000	LF
12" YELLOW SOLID LINES - FAST DRY PAINT	150.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	621.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	86.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,851.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	630.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	260.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	300.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	17,916.000	LF
FURNISH & INSTALL FLUSH MOUNTED WIRELESS SENSOR	32.000	EA
SAWCUT FOR LOOP DETECTOR	6,901.000	LF



Call No.: 150

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	11.000	EA
REMOVE FLUSH MOUNTED WIRELESS SENSOR	64.000	EA
ADJUST DROP INLET ADJUST D. I.	3.000	EA
CONCRETE CURB AND GUTTER(1'-6") OGEE	105.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	63.360	SY
CONCRETE SIDEWALK(6" UNIFORM)	28.000	SY
DETECTABLE WARNING MATERIAL	340.000	SF
CONCRETE FLUME	1.000	EA
PEDESTRIAN RAMP CONSTRUCTION	468.000	SY
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	20.111	ACRE
SILT FENCE	3,900.000	LF



Call No.: 160 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5757660	PCN: P039075	Project No.: P039075
DBE Goal Percent: 0.00%	PCN: P039170	Project No.: P039170
	PCN: P039412	Project No.: P039412
	PCN: P039634	Project No.: P039634
	PCN: P039637	Project No.: P039637
	PCN: P039642	Project No.: P039642

Approx. Length (miles): 19.2900 Description: RECONSTRUCTION/REHABILITATION - ALLENDALE & HAMPTON CO
CO(S): Allendale Hampton
Completion Date: 8/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,525.000	SY
UNCLASSIFIED EXCAVATION	1,022.000	CY
BORROW EXCAVATION	3,732.000	CY
EXCAVATION FOR SHOULDER PAVING	85.008	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	85.008	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	86,150.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	67,000.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,365.000	TON
MAINTENANCE STONE	46.020	TON
HMA SHOULDER WIDENING COURSE	405.035	TON
LIQUID ASPHALT BINDER PG64-22	1,854.060	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,390.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	212.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	12,890.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	13,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	23,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	21,500.000	SY
MILLED-IN RUMBLE STRIP	21.860	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,571.741	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	14,663.366	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	11,584.197	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,395.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,664.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	1,718.000	LF



Call No.: 160

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	67,630.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	442.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	58.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	2,139.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	6,290.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	44,044.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,878.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	313,060.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	884.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,561.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	31,050.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	146,348.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	50.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	39,100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	180.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	40.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	460.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	10,900.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	109.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,288.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
ADJUST DROP INLET ADJUST D. I.	9.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	260.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	400.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	25.000	SY
DETECTABLE WARNING MATERIAL	780.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,500.000	SY
SURFACE APPLIED DETECTABLE WARNING	180.000	SF
RIP-RAP (CLASS B)	120.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	300.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	4,230.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	5,000.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	12.000	EA
NON-MOW STRIP UNDER GUARDRAIL	300.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	18.353	ACRE



Call No.: 170 Letting Date: January 12, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8891002 PCN: 0030640X Project No.: BR88043
DBE Goal Percent: 0.50%
Approx. Length (miles):0.7230 Description: BRIDGE MAINT - US 17 SB & S SANTEE RIVER
CO(S): Charleston Georgetown
Completion Date: 10/31/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,245.000	SY
UNCLASSIFIED EXCAVATION	1,662.000	CY
BORROW EXCAVATION	510.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE A	1,950.000	TON
LIQUID ASPHALT BINDER PG64-22	215.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	12,415.000	SY
MILLED-IN RUMBLE STRIP	1.700	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	650.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,891.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	388.000	SF
PREF.FLEX.RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID	7,720.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID	7,720.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	4.000	EA
TEMPORARY CONCRETE BARRIER	8,210.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	85.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	9,780.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	10,210.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	20.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR. - 4"X4"	105.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	1,380.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	4,530.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	4.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	3.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	270.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	6,610.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	400.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR. - 4"X4"	150.000	EA



Call No.: 170

Letting Date: January 12, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	1,910.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	7,625.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	7,625.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	48.000	LF
PARTIAL DEPTH PATCHING OF EXISTING DECK	235.000	SY
SPALL REPAIR	115.000	SF
EPOXY CRACK INJECTION	400.000	LF
COMPRESSION SEAL JOINT	35.000	LF
STRUCTURAL STEEL	472,060.000	LB
ENVIRONMENTAL AND WORKER PROTECTION	1.000	LS
SMALL FINGER EXPANSION JOINT	27.000	LF
CLEANING AND PAINTING EXISTING STEEL BEARINGS	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
18" SMOOTH WALL PIPE	660.000	LF
DROP INLET TYPE 112	1.000	EA
CONCRETE OVERLAY (EPOXY) 001	11,034.000	SY
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	5.500	CY
RESEAL DECK EXPANSION JOINT	2,622.000	LF
CLEAN OUT OF EXISTING DECK DRAIN	341.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	1,740.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	2.100	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	200.000	LF
SILT FENCE	155.000	LF
INLET FILTER CLEANING	9.000	EA
INLET STRUCTURE FILTER - TYPE B	9.000	EA
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator