

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION  
NOTICE TO CONTRACTORS  
For January 14, 2020

Letting Location:  
SCDOT Headquarters Building  
Conference Room 331  
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on December 14, 2019 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website ([www.bidx.com](http://www.bidx.com))
- Construction Standards can be found under Business via SCDOT web site ([www.scdot.org](http://www.scdot.org))

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email [PlanStorage@scdot.org](mailto:PlanStorage@scdot.org) /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 0152400	<b>PCN:</b> P033604	<b>Project No.:</b> P033604
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P036788	<b>Project No.:</b> P036788
	<b>PCN:</b> P038252	<b>Project No.:</b> P038252

**Approx. Length (miles):** 14.2700      **Description:** RECONSTRUCTION - ABBEVILLE COUNTY  
**CO(S):** Abbeville

**Completion Date:** 5/31/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	12,217.000	CY
EXCAVATION FOR SHOULDER PAVING	286.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	286.000	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	74,740.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	30,977.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,510.000	TON
MAINTENANCE STONE	49.500	TON
HMA SHOULDER WIDENING COURSE	712.800	TON
LIQUID ASPHALT BINDER PG64-22	994.617	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	450.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,980.000	SY
MILLED-IN RUMBLE STRIP	11.600	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	15,114.670	TON
DRIVEWAY PAVING-SURFACE TYPE C	868.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,670.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	769.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	480,022.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,104.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	11,850.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	466,132.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	235.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	89,139.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	6.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	240.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,950.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	84,509.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	939.000	EA



Call No.: 010

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	61,568.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	108.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	61,568.000	LF
MT3 LEADING END TREATMENT TL3	54.000	EA
MGS3 GR STANDARD SHOULDER	825.000	LF
MGS3CS GR COMPRESSED SHOULDER	7,400.000	LF
MO350 W-BEAM 9'P COMPRESSED SHOULDER SYSTEM	1,725.000	LF
MO350 THRIE-BEAM STRONG POST SYSTEM	100.000	LF
MO350 LEADING TYPE T TL3 (50')	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	13.844	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	3,800.000	LF
SILT FENCE	12,780.000	LF
REPLACE/REPAIR SILT FENCE	1,530.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	3,825.000	LF



Call No.: 020      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 0452390      PCN: P036791      Project No.: P036791  
DBE Goal Percent: 0.00%  
Approx. Length (miles): 12.5100      Description: RECONSTRUCTION - ANDERSON COUNTY  
CO(S): Anderson  
Completion Date: 6/30/2021      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
BORROW EXCAVATION	4,969.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	190,366.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	9,236.000	TON
MAINTENANCE STONE	7.000	TON
LIQUID ASPHALT BINDER PG64-22	1,507.982	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	5,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,330.000	SY
MILLED-IN RUMBLE STRIP	24.820	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	8,580.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	20,279.413	TON
DRIVEWAY PAVING-SURFACE TYPE B	809.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,206.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,972.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	424,603.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	184.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,316.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	18,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	460,439.000	LF
WHITE WORD MESSAGE "STOP"-FAST DRY PAINT	6.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,630.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	121,752.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	46.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	640.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA



Call No.: 020

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	19,350.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	130,174.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	8.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	885.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	500.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,500.000	LF
SAWCUT FOR LOOP DETECTOR	404.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	1.000	EA
ADJUST DROP INLET ADJUST D. I.	5.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	2,850.000	LF
MO350 W-BEAM STRONG POST SYSTEM	512.500	LF
MT3 LEADING END TREATMENT TL3	16.000	EA
MGS3 GR STANDARD SHOULDER	275.000	LF
MGS3CS GR COMPRESSED SHOULDER	2,362.500	LF
MO350 W-BEAM 9'P COMPRESSED SHOULDER SYSTEM	187.500	LF
MO350 LEADING TYPE T TL3 (50')	27.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.135	ACRE
SILT FENCE	3,600.000	LF
REPLACE/REPAIR SILT FENCE	360.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	903.000	LF



Call No.: 030      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 0452560	<b>PCN:</b> P036814	<b>Project No.:</b> P036814
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P038453	<b>Project No.:</b> P038453
	<b>PCN:</b> P038474	<b>Project No.:</b> P038474

**Approx. Length (miles):** 13.8100      **Description:** RECONSTRUCTION/REHABILITATION - ANDERSON COUNTY  
**CO(S):** Anderson

**Completion Date:** 10/31/2020      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
BORROW EXCAVATION	4,946.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	157,972.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	7,630.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,798.000	TON
MAINTENANCE STONE	20.900	TON
LIQUID ASPHALT BINDER PG64-22	917.612	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	890.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	14,030.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	575.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,317.360	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,273.640	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	180.096	TON
DRIVEWAY PAVING-SURFACE TYPE B	87.500	TON
DRIVEWAY PAVING-SURFACE TYPE C	578.750	TON
DRIVEWAY PAVING-SURFACE TYPE D	10.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,228.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,392.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	547,960.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	712.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,790.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	33,600.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	538,068.000	LF
WHITE WORD MESSAGE "STOP"-FAST DRY PAINT	16.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,098.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	136,990.000	LF



Call No.: 030

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	238.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,240.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,400.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	137,778.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	3.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	914.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	34.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	726.000	LF
SAWCUT FOR LOOP DETECTOR	227.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	1.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	13.354	ACRE



Call No.: 040      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 0952720	<b>PCN:</b> P038352	<b>Project No.:</b> P038352
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P038426	<b>Project No.:</b> P038426
	<b>PCN:</b> P038515	<b>Project No.:</b> P038515
	<b>PCN:</b> P038520	<b>Project No.:</b> P038520
	<b>PCN:</b> P039187	<b>Project No.:</b> P039187

**Approx. Length (miles):** 11.2700      **Description:** REHABILITATION - CALHOUN COUNTY  
**CO(S):** Calhoun  
**Completion Date:** 6/30/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	625.000	SY
BORROW EXCAVATION	2,134.600	CY
EXCAVATION FOR SHOULDER PAVING	336.864	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	336.864	STA
MAINTENANCE STONE	136.250	TON
HMA SHOULDER WIDENING COURSE	1,711.893	TON
LIQUID ASPHALT BINDER PG64-22	1,100.324	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	12,190.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,435.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	1,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	6,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	8,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,025.000	SY
MILLED-IN RUMBLE STRIP	15.730	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,685.227	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	7,135.749	TON
DRIVEWAY PAVING-SURFACE TYPE D	823.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,332.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	77,520.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	355.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	270.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,890.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	60,270.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	426.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	88,520.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	930.000	LF





Call No.: 040

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,760.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	7,780.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	132,240.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	827.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	100.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	10,000.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	110.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	635.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	11,700.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,200.000	LF
SAWCUT FOR LOOP DETECTOR	400.000	LF
ADJUST DROP INLET ADJUST D. I.	7.000	EA
DETECTABLE WARNING MATERIAL	312.500	SF
PEDESTRIAN RAMP CONSTRUCTION	625.000	SY
SURFACE APPLIED DETECTABLE WARNING	250.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,500.000	LF
MO350 W-BEAM STRONG POST SYSTEM	150.000	LF
MT3 LEADING END TREATMENT TL3	9.000	EA
MOP350 THRIE WITH BASE PL 6.25 SPACE	475.000	LF
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	300.000	LF
MGS3CS GR COMPRESSED SHOULDER	2,125.000	LF
MO350 W-BEAM 9'P COMPRESSED SHOULDER SYSTEM	1,950.000	LF
MO350 THRIE-BEAM STRONG POST SYSTEM	60.000	LF
MO350 TBBC THRIE BRIDGE CONNECTOR TL3	8.000	EA
MO350 LEADING TYPE T TL3 (50')	5.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.349	ACRE



Call No.: 050      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 1054350      **PCN:** P039147      **Project No.:** P039147  
**DBE Goal Percent:** 0.00%  
**Approx. Length (miles):**2.9500      **Description:** REHABILITATION - CHARLESTON COUNTY  
**CO(S):** Charleston  
**Completion Date:** 11/30/2020      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	114.000	CY
BORROW EXCAVATION	843.000	CY
EXCAVATION FOR SHOULDER PAVING	428.700	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	428.700	STA
MAINTENANCE STONE	119.600	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	3,072.960	TON
LIQUID ASPHALT BINDER PG64-22	770.152	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	11,960.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	70,094.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	30,639.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	800.000	SY
MILLED-IN RUMBLE STRIP	8.120	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	11,566.560	TON
DRIVEWAY PAVING-SURFACE TYPE C	314.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,280.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	9,710.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	24,350.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	754.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	28.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	28.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	302.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	25,700.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	19,060.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	47,300.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	200.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,508.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	56.000	EA



Call No.: 050

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	56.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	604.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	50,000.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,240.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	588.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	34.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	510.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	11,830.000	LF
SAWCUT FOR LOOP DETECTOR	3,930.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	4.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	435.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.043	ACRE



Call No.: 060      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 1252760      PCN: P038223      Project No.: P038223  
DBE Goal Percent: 0.00%  
Approx. Length (miles):2.3500      Description: RECONSTRUCTION - CHESTER COUNTY  
CO(S): Chester  
Completion Date: 8/31/2020      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	5.500	SY
UNCLASSIFIED EXCAVATION	6,000.000	CY
BORROW EXCAVATION	315.000	CY
MAINTENANCE STONE	21.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	18,336.270	TON
LIQUID ASPHALT BINDER PG64-22	1,243.701	TON
MILLING EXISTING ASPHALT PAVEMENT 6.0"	38,603.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	350.000	SY
MILLED-IN RUMBLE STRIP	4.700	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,865.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,860.266	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	90.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	191.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	488.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	864.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	76,000.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	250.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	7,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	35,000.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	25,152.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	250.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,300.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	11,300.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	155.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.310	ACRE



Call No.: 070      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 1352810	<b>PCN:</b> P038224	<b>Project No.:</b> P038224
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P038499	<b>Project No.:</b> P038499
	<b>PCN:</b> P038518	<b>Project No.:</b> P038518

**Approx. Length (miles):** 15.1100      **Description:** REHABILITATION/RECONSTRUCTION - CHESTERFIELD COUNTY

**CO(S):** Chesterfield

**Completion Date:** 11/30/2020      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,300.000	SY
UNCLASSIFIED EXCAVATION	969.960	CY
BORROW EXCAVATION	3,322.000	CY
EXCAVATION FOR SHOULDER PAVING	885.950	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	885.950	STA
MAINTENANCE STONE	85.000	TON
HMA SHOULDER WIDENING COURSE	6,022.133	TON
LIQUID ASPHALT BINDER PG64-22	2,933.938	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,535.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,175.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	4,945.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	46,689.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,209.080	SY
MILLED-IN RUMBLE STRIP	23.250	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	7,884.800	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,689.600	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	16,047.453	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	14,357.706	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	5,370.960	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,499.750	TON
FULL DEPTH CONCRETE PAVEMENT PATCH - 8"	400.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,460.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,327.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	408,620.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	870.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,466.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	11,920.000	LF



Call No.: 070

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	267,962.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	176.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	131,550.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	110.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	11,840.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	72,151.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	33.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,064.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	2,759.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	37,797.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,290.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,052.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	8.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	3.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2,050.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	46,445.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	110.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,672.000	LF
SAWCUT FOR LOOP DETECTOR	1,625.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	100.000	LF
DETECTABLE WARNING MATERIAL	650.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,300.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.125	ACRE



Call No.: 080      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 1452600	<b>PCN:</b> P038510	<b>Project No.:</b> P038510
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P038516	<b>Project No.:</b> P038516
	<b>PCN:</b> P038517	<b>Project No.:</b> P038517
	<b>PCN:</b> P039186	<b>Project No.:</b> P039186

**Approx. Length (miles):**9.5200      **Description:** REHABILITATION - CLARENDON COUNTY  
**CO(S):** Clarendon  
**Completion Date:** 11/30/2020      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	350.000	SY
BORROW EXCAVATION	1,744.000	CY
EXCAVATION FOR SHOULDER PAVING	332.640	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	332.640	STA
MAINTENANCE STONE	131.350	TON
HMA SHOULDER WIDENING COURSE	1,663.200	TON
LIQUID ASPHALT BINDER PG64-22	930.754	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	7,455.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,680.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	23,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	6,150.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	29,625.000	SY
MILLED-IN RUMBLE STRIP	8.660	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,856.853	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	724.944	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	6,986.196	TON
DRIVEWAY PAVING-SURFACE TYPE D	850.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,971.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	534.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	48,950.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	450.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	455.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,600.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	28,670.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,252.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	164,060.000	LF



Call No.: 080

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,396.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,992.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	3.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	1.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	1.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	124,700.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	510.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	510.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	16.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	702.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	134.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	33,080.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	248.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	578.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1.000	EA
WHITE COMBINATION ARROW (STRAIGHT&RIGHT OR STRAIGHT&LEFT) - SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 002	1.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	1,400.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	33,680.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,000.000	LF
SAWCUT FOR LOOP DETECTOR	700.000	LF
ADJUST DROP INLET ADJUST D. I.	9.000	EA
DETECTABLE WARNING MATERIAL	175.000	SF
PEDESTRIAN RAMP CONSTRUCTION	350.000	SY
SURFACE APPLIED DETECTABLE WARNING	250.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	350.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MOP350 THRIE WITH BASE PL 6.25 SPACE	600.000	LF
MO350 W-BEAM 9'P COMPRESSED SHOULDER SYSTEM	4,100.000	LF
MO350 THRIE-BEAM STRONG POST SYSTEM	250.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
MO350 LEADING TYPE T TL3 (50')	8.000	EA





Call No.: 080

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.455	ACRE



Call No.: 090      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 2052000      **PCN:** P032337      **Project No.:** P032337  
**DBE Goal Percent:** 4.00%  
**Approx. Length (miles):**0.1430      **Description:** BRIDGE REPLACEMENT -S-43 (SAWNEY'S CREEK)  
**CO(S):** Fairfield  
**Completion Date:** 8/31/2020      **Funding:** FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	1,174.000	CY
BORROW EXCAVATION	6,185.000	CY
WET & DRY EXCAVATION FOR BRIDGES	500.000	CY
FINE GRADING	2,129.000	SY
MAINTENANCE STONE	50.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	580.000	TON
LIQUID ASPHALT BINDER PG64-22	47.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	490.000	SY
MILLED-IN RUMBLE STRIP	0.240	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	249.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	171.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	25.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,185.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,185.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	19.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	327.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	327.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	58.000	SF



Call No.: 090

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
U-SECTION POST FOR SIGN SUPPORTS - 3P	24.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	658.000	LF
CONC. FOR STRUCTURES - CLASS 4000	458.100	CY
CONC. FOR STRUCTURES - CLASS 4000S	85.000	CY
COMPRESSION SEAL JOINT	78.400	LF
GROOVED SURFACE FINISH	437.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	85,574.000	LB
P.S.CONC.BULB TEE BEAM(63")MODIFIED	609.100	LF
CONCRETE BRIDGE BARRIER PARAPET	262.500	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	40.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	181.000	LF
ELASTOMERIC BEARING	10.000	EA
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	2.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	185.000	TON
RIP-RAP (CLASS A)	36.000	TON
RIP-RAP (CLASS B)	156.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	427.000	SY
MT2 LEADING END TREATMENT TL2	4.000	EA
MGS3 GR STANDARD SHOULDER	350.000	LF
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	350.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	22.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.740	ACRE
TEMPORARY COVER	0.370	ACRE
COMPOST	20.000	CY
FERTILIZER (NITROGEN)	74.000	LB
FERTILIZER (PHOSPHORIC ACID)	74.000	LB
FERTILIZER (POTASH)	74.000	LB
AGRICULTURAL GRANULAR LIME	1,480.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.220	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	72.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.720	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.550	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 3	0.110	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.540	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	0.300	ACRE
SILT FENCE	924.000	LF
REPLACE/REPAIR SILT FENCE	93.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	231.000	LF



Call No.: 090

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
DITCH CHECK	88.000	TON
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	200.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 100      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 2152670	<b>PCN:</b> P038542	<b>Project No.:</b> P038542
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P038543	<b>Project No.:</b> P038543
	<b>PCN:</b> P038544	<b>Project No.:</b> P038544

**Approx. Length (miles):**21.9500      **Description:** RECONSTRUCTION/REHABILITATION - FLORENCE COUNTY  
**CO(S):** Florence

**Completion Date:** 7/31/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,700.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,300.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	288.000	CY
BORROW EXCAVATION	3,928.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	288,732.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	10,401.000	TON
MAINTENANCE STONE	32.500	TON
LIQUID ASPHALT BINDER PG64-22	1,916.421	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	3,250.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	109,449.000	SY
MILLED-IN RUMBLE STRIP	37.080	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,094.107	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,634.433	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,196.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,896.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,340.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	631,122.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,340.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,080.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	65,910.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	242,205.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	400.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	100.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,780.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	210,374.000	LF



Call No.: 100

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	780.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	360.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	21,970.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	80,735.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	2.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,527.000	EA
2.0" SCHEDULE 40 PVC CONDUIT BODY	50.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	180.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,690.000	LF
SAWCUT FOR LOOP DETECTOR	1,015.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,300.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	750.000	SY
DETECTABLE WARNING MATERIAL	875.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,200.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,750.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.150	ACRE



Call No.: 110      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 2652680	<b>PCN:</b> P038548	<b>Project No.:</b> P038548
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P038549	<b>Project No.:</b> P038549
	<b>PCN:</b> P038550	<b>Project No.:</b> P038550
	<b>PCN:</b> P038551	<b>Project No.:</b> P038551

**Approx. Length (miles):**22.1900      **Description:** REHABILITATION/RECONSTRUCTION - HORRY COUNTY  
**CO(S):** Horry

**Completion Date:** 8/31/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,275.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	400.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	84.000	CY
BORROW EXCAVATION	3,736.000	CY
EXCAVATION FOR SHOULDER PAVING	709.632	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	709.632	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	112,077.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,092.000	TON
MAINTENANCE STONE	215.950	TON
HMA SHOULDER WIDENING COURSE	3,548.160	TON
LIQUID ASPHALT BINDER PG64-22	2,770.367	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,540.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	18,055.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	240,193.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,148.000	SY
MILLED-IN RUMBLE STRIP	40.400	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	32,355.313	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,301.800	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	600.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,622.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,320.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	49,110.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	586,545.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,055.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,530.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	54.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	42.000	EA



Call No.: 110

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	16.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	46,845.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	498,525.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	1,515.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	6,610.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	6,610.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	20,870.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	195,615.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	685.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	510.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	24.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	18.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	8.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	15,615.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	166,175.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,008.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	342.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,610.000	EA
REMOVAL OF PAVEMENT MARKINGS	115,470.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,470.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,578.000	LF
SAWCUT FOR LOOP DETECTOR	2,507.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	400.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	300.000	SY
DETECTABLE WARNING MATERIAL	337.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	300.000	SY
PEDESTRIAN RAMP CONSTRUCTION	700.000	SY
MO350 TBBC THRIE BRIDGE CONNECTOR TL3	4.000	EA
MO350 LEADING TYPE T TL3 (50')	4.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	3.850	ACRE
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.660	ACRE





Call No.: 120      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 2951990      **PCN:** P032336      **Project No.:** P032336  
**DBE Goal Percent:** 7.00%  
**Approx. Length (miles):**0.2590      **Description:** S-764 (THREE CS ROAD) BRIDGE  
**CO(S):** Lancaster      **REPLACEMENT OVER HANGING ROCK C**  
**Completion Date:** 6/30/2021      **Funding:** FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,100.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	3,338.000	CY
BORROW EXCAVATION	1,656.000	CY
FINE GRADING	3,200.000	SY
FLOWABLE FILL	30.000	CY
MAINTENANCE STONE	20.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	878.000	TON
LIQUID ASPHALT BINDER PG64-22	72.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	225.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	270.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	259.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	16.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4" PERM. YEL.	18.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	2,740.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	2,740.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	42.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	99.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	724.000	LF
CONC. FOR STRUCTURES - CLASS 4000	151.600	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	59,235.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	3,961.000	LB
3'-0" x 2'-0" CORED SLABS	1,815.200	LF



Call No.: 120

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
CONCRETE BRIDGE BARRIER PARAPET	296.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
PILE DRIVING SET-UP	10.000	EA
REINF. PILE TIPS (HP14 X 73)	10.000	EA
STEEL H BEARING PILING (HP14 X 73)	401.000	LF
DRILLED SHAFT SET-UP	4.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 36" DIAMETER	29.000	LF
DRILLED SHAFT WITH ROCK EXCAVATION - 36" DIAMETER	32.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	102.600	LF
CONSTRUCTION CASING - 42" DIAMETER	110.600	LF
18" SMOOTH WALL PIPE	36.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	60.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	140.000	LF
ELASTOMERIC BEARING	78.000	EA
CROSSHOLE SONIC LOGGING SETUP	4.000	EA
RIP-RAP (CLASS A)	140.000	TON
RIP-RAP (CLASS B)	40.000	TON
RIP-RAP (CLASS C)	628.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	260.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	654.000	SY
MT2 LEADING END TREATMENT TL2	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	212.500	LF
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	290.000	SY
TEMPORARY BARRIER FENCE	400.000	LF
PERMANENT COVER	1.140	ACRE
TEMPORARY COVER	0.570	ACRE
COMPOST	340.000	CY
FERTILIZER (NITROGEN)	114.000	LB
FERTILIZER (PHOSPHORIC ACID)	114.000	LB
FERTILIZER (POTASH)	114.000	LB
AGRICULTURAL GRANULAR LIME	2,280.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.420	ACRE
WATERPROOFING (BRIDGE DECK)	607.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.424	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	4.194	MSY
SILT FENCE	1,100.000	LF
REPLACE/REPAIR SILT FENCE	550.000	LF
CLEANING SILT BASINS	300.000	CY



Call No.: 120

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
REMOVAL OF SILT RETAINED BY SILT FENCE	550.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	40.000	TON



Call No.: 130      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 3652630	<b>PCN:</b> P030459	<b>Project No.:</b> P030459
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P037832	<b>Project No.:</b> P037832
	<b>PCN:</b> P037834	<b>Project No.:</b> P037834
	<b>PCN:</b> P037837	<b>Project No.:</b> P037837

**Approx. Length (miles):** 14.2600      **Description:** REHABILITATION/RECONSTRUCTION - NEWBERRY COUNTY  
**CO(S):** Newberry

**Completion Date:** 6/30/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
BORROW EXCAVATION	5,222.000	CY
EXCAVATION FOR SHOULDER PAVING	229.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	229.000	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	169,923.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	7,989.000	TON
MAINTENANCE STONE	61.300	TON
HMA SHOULDER WIDENING COURSE	1,013.760	TON
LIQUID ASPHALT BINDER PG64-22	1,284.936	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,180.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,300.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	50.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	11,805.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	30,413.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,325.000	SY
MILLED-IN RUMBLE STRIP	20.680	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,693.160	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	15,969.870	TON
DRIVEWAY PAVING-SURFACE TYPE B	341.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,037.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,382.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,160.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	522,665.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,884.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	17,590.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	527,439.000	LF



Call No.: 130

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	940.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	113,535.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	514.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,780.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	117,241.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	7.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	947.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	31,900.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	22.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	31,900.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	68.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,452.000	LF
SAWCUT FOR LOOP DETECTOR	454.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	2.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	100.000	LF
MO350 W-BEAM STRONG POST SYSTEM	650.000	LF
MT3 LEADING END TREATMENT TL3	16.000	EA
MOP350 THRIE WITH BASE PL 3.13 SPACE	150.000	LF
MGS3 GR STANDARD SHOULDER	525.000	LF
MGS3CS GR COMPRESSED SHOULDER	500.000	LF
MO350 W-BEAM 9'P COMPRESSED SHOULDER SYSTEM	200.000	LF
MO350 LEADING TYPE T TL3 (50')	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	13.737	ACRE
SILT FENCE	1,840.000	LF
REPLACE/REPAIR SILT FENCE	190.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	790.000	LF



Call No.: 140      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 3752140	<b>PCN:</b> P038035	<b>Project No.:</b> P038035
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P038135	<b>Project No.:</b> P038135
	<b>PCN:</b> P038136	<b>Project No.:</b> P038136

**Approx. Length (miles):** 7.7800      **Description:** REHABILITATION/RECONSTRUCTION - OCONEE COUNTY  
**CO(S):** Oconee

**Completion Date:** 6/30/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,556.000	CY
EXCAVATION FOR SHOULDER PAVING	36.008	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	36.008	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	31,398.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	96,614.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,892.000	TON
MAINTENANCE STONE	151.000	TON
HMA SHOULDER WIDENING COURSE	239.360	TON
LIQUID ASPHALT BINDER PG64-22	1,457.742	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	10,566.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,425.000	SY
MILLED-IN RUMBLE STRIP	15.560	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	21,642.426	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,893.840	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,084.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,304.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	101,272.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	121,653.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,180.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	18.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	13,320.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	411,188.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	220.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	220.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	41,607.000	LF



Call No.: 140

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	40,551.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	415.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,220.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	76,381.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	13.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	14.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	15.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	28.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	667.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	210.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,770.000	LF
SAWCUT FOR LOOP DETECTOR	1,370.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,600.000	LF
RESET350 W-BEAM STRONG POST SYSTEM	17,630.000	LF
RESET350 QUALIFIED LEADING TYPE T TL3 (50')	1.000	EA
MO350 LEADING TYPE T TL3 (50')	61.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.545	ACRE



Call No.: 150      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 4054190      **PCN:** P039116      **Project No.:** P039116  
**DBE Goal Percent:** 0.00%      **PCN:** P039117      **Project No.:** P039117  
**Approx. Length (miles):**5.0000      **Description:** REHABILITATION - RICHLAND COUNTY  
**CO(S):** Richland  
**Completion Date:** 9/30/2020      **Funding:** CTC

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	425.500	SY
BORROW EXCAVATION	842.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	18,910.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	8,885.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	803.000	TON
MAINTENANCE STONE	19.600	TON
LIQUID ASPHALT BINDER PG64-22	532.483	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,580.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	380.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	29,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,425.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,843.120	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,488.993	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	384.400	TON
DRIVEWAY PAVING-SURFACE TYPE C	451.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	129.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,646.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,380.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	75,680.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,720.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,160.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	21.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,030.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	114,880.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	150.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,130.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	40.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,435.000	LF





Call No.: 150

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	664.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	7.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	310.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	8,610.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	145.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	56.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	573.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	70.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	28,850.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	300.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	512.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	550.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	36,110.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	85.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,750.000	LF
SAWCUT FOR LOOP DETECTOR	887.000	LF
ADJUST CATCH BASIN	6.000	EA
ADJUST DROP INLET ADJUST D. I.	8.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	68.000	SY
DETECTABLE WARNING MATERIAL	162.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	25.000	SY
PEDESTRIAN RAMP CONSTRUCTION	325.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.871	ACRE
MOWING	3.130	ACRE



Call No.: 160      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 4253940      PCN: P038333      Project No.: P038333  
DBE Goal Percent: 0.00%  
Approx. Length (miles):3.0700      Description: RECONSTRUCTION - SPARTANBURG COUNTY  
CO(S): Spartanburg  
Completion Date: 8/31/2020      Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	486.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	34,214.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,368.000	TON
MAINTENANCE STONE	55.000	TON
LIQUID ASPHALT BINDER PG64-22	485.830	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	15,310.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	550.000	SY
MILLED-IN RUMBLE STRIP	4.860	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,421.440	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,923.307	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	493.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	347.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	484.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	860.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	90,499.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,760.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	470.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	32.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	187,036.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	430.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	32,419.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,380.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	210.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	35,351.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	43.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	354.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	210.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	100.000	LF



Call No.: 160

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
SAWCUT FOR LOOP DETECTOR	1,300.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.340	ACRE



Call No.: 170      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

---

SC File NO(S): 4353930      PCN: P038443      Project No.: P038443  
DBE Goal Percent: 0.00%  
Approx. Length (miles):7.9300      Description: US 15 SAFETY IMPROVEMENTS  
CO(S): Sumter  
Completion Date: 9/30/2020      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	250.000	SY
UNCLASSIFIED EXCAVATION	200.000	CY
BORROW EXCAVATION	3,751.000	CY
EXCAVATION FOR SHOULDER PAVING	837.400	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	837.400	STA
MAINTENANCE STONE	25.000	TON
HMA SHOULDER WIDENING COURSE	11,165.400	TON
LIQUID ASPHALT BINDER PG64-22	1,566.600	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	113,654.400	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	750.000	SY
MILLED-IN RUMBLE STRIP	23.800	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	15,037.300	TON
DRIVEWAY PAVING-SURFACE TYPE D	770.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	856.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	800.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	13,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	167,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	167,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,700.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	83,750.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	850.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,800.000	LF



Call No.: 170

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	29,500.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	600.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	368.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	234.000	LF
REFLECTIVE SIGN POST PANELS	234.000	LF
GUARDRAIL DELINEATOR - WHITE	200.000	EA
15" SMOOTH WALL PIPE	1,000.000	LF
18" SMOOTH WALL PIPE	1,200.000	LF
24" SMOOTH WALL PIPE	1,000.000	LF
CLEANING EXISTING PIPE	500.000	LF
DROP INLET (24" X 24")	4.000	EA
DROP INLET (24" X 36")	4.000	EA
BEVELING OF PIPE END	390.000	EA
CONCRETE DRIVEWAY(6" UNIFORM)	100.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	800.000	LF
MT3 LEADING END TREATMENT TL3	8.000	EA
MGS3 GR STANDARD SHOULDER	1,475.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	11.600	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	3,500.000	MSY
SILT FENCE	675.000	LF



Call No.: 180      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 4654210      PCN: P038436      Project No.: P038436

DBE Goal Percent: 0.00%

Approx. Length (miles):6.6800

Description: REHABILITATION - YORK COUNTY

CO(S): York

Completion Date: 10/31/2020

Funding: CTC

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	797.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	810.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	13.500	CY
UNCLASSIFIED EXCAVATION	5,273.500	CY
BORROW EXCAVATION	902.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD A	47,253.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	11,400.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,004.480	TON
MAINTENANCE STONE	340.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	3,935.146	TON
LIQUID ASPHALT BINDER PG64-22	842.138	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	850.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	13,361.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	12,038.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,196.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,481.403	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,455.537	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	2,426.240	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,131.625	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	11,338.000	SY
ROLLER COMPACTED CONCRETE PAVEMENT - 9" UNIFORM	11,811.000	SY
PORTLAND CEMENT CONCRETE (SPECIAL USE)	250.000	CY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,454.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,188.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	117,581.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,290.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,648.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA



Call No.: 180

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	178,146.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,476.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	49,430.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,170.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,401.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	154,571.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	65.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	452.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,840.000	LF
SAWCUT FOR LOOP DETECTOR	750.000	LF
ADJUST CATCH BASIN	8.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	470.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	340.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	23.000	SY
DETECTABLE WARNING MATERIAL	324.000	SF
PEDESTRIAN RAMP CONSTRUCTION	750.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.160	ACRE



Call No.: 190      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 4654420      PCN: P039231      Project No.: P039231

DBE Goal Percent: 0.00%

Approx. Length (miles): 105.0000      Description: LONG LINE PAVEMENT MARKINGS - YORK CO.  
CO(S): York

Completion Date: 6/30/2020      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	25,663.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	880,983.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	59,371.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	960,270.000	LF





Call No.: 200      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 5652980	<b>PCN:</b> P037421	<b>Project No.:</b> P037421
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P038525	<b>Project No.:</b> P038525
	<b>PCN:</b> P038660	<b>Project No.:</b> P038660
	<b>PCN:</b> P038662	<b>Project No.:</b> P038662

**Approx. Length (miles):**9.8400      **Description:** REHABILITATION/RECONSTRUCTION - DISTRICT 6  
**CO(S):** Charleston Dorchester

**Completion Date:** 6/30/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	8.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	16.000	SY
UNCLASSIFIED EXCAVATION	50.000	CY
BORROW EXCAVATION	2,788.000	CY
EXCAVATION FOR SHOULDER PAVING	190.100	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	190.100	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	145.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	29,427.199	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,030.280	TON
MAINTENANCE STONE	140.320	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	950.400	TON
LIQUID ASPHALT BINDER PG64-22	1,772.197	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,252.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	9,830.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	58,552.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	75,817.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,780.000	SY
MILLED-IN RUMBLE STRIP	5.740	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	11,240.654	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,510.667	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,026.726	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,188.760	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,061.900	TON
DRIVEWAY PAVING-SURFACE TYPE C	791.875	TON
DRIVEWAY PAVING-SURFACE TYPE D	499.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,632.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	6,296.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	83,547.000	LF



Call No.: 200

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,840.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	4,930.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	49.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	45.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,670.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	57,325.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	24,622.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	278,351.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	6,360.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	17,242.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	184.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	170.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	11,010.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	233,203.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	665.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	649.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	64.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	331.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	22,884.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	500.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,912.000	LF
SAWCUT FOR LOOP DETECTOR	5,118.000	LF
INSTALL FLUSH MOUNTED WIRELESS SENSOR	56.000	EA
REMOVE FLUSH MOUNTED WIRELESS SENSOR	56.000	EA
ADJUST CATCH BASIN	2.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	5.000	SY
CONCRETE DRIVEWAY(6" UNIFORM)	11.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	264.000	LF
MO350 W-BEAM STRONG POST SYSTEM	106.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MO350 TBBC THRIE BRIDGE CONNECTOR TL3	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.895	ACRE
SILT FENCE	300.000	LF



Call No.: 210      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 5653051	<b>PCN:</b> P038595	<b>Project No.:</b> P038595
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P038599	<b>Project No.:</b> P038599
	<b>PCN:</b> P038600	<b>Project No.:</b> P038600
	<b>PCN:</b> P038697	<b>Project No.:</b> P038697
	<b>PCN:</b> P038698	<b>Project No.:</b> P038698
	<b>PCN:</b> P038774	<b>Project No.:</b> P038774

**Approx. Length (miles):** 12.2600      **Description:** RECONSTRUCTION/REHABILITATION - BEAUFORT & JASPER CO.

**CO(S):** Beaufort Jasper

**Completion Date:**      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	10.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	490.000	SY
UNCLASSIFIED EXCAVATION	135.000	CY
BORROW EXCAVATION	3,386.000	CY
EXCAVATION FOR SHOULDER PAVING	322.100	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	322.100	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	1,320.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	20,093.330	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	62,706.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,106.560	TON
MAINTENANCE STONE	125.720	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,610.400	TON
LIQUID ASPHALT BINDER PG64-22	1,921.497	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,270.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	6,302.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	29,405.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	9,615.600	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	51,616.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	54,010.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,300.000	SY
MILLED-IN RUMBLE STRIP	20.260	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	4,232.147	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	17,374.223	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,854.057	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,841.249	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,015.500	TON



Call No.: 210

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
DRIVEWAY PAVING-SURFACE TYPE D	18.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,496.000	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	146.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	984.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	60,860.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	282.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	19.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	18.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	2,832.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	50,920.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	860.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,952.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	333,940.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	860.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	80.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,242.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	59.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	54.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	21,886.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	233,956.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	140.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	669.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	880.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	56.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	36.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,056.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	1,200.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	51,210.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	430.000	LF
12" WHITE SOLID LINES-(GORE MARKINGS)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	80.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)SC HYBRIDIZED POLYMER-20MIL 001	73.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	634.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1.000	EA



Call No.: 210

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
WHITE COMBINATION ARROW (STRAIGHT&RIGHT OR STRAIGHT&LEFT) - SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 002	1.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	4,550.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	32,293.000	LF
6" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS 003	70.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	800.000	LF
SAWCUT FOR LOOP DETECTOR	400.000	LF
INSTALL FLUSH MOUNTED WIRELESS SENSOR	8.000	EA
REMOVE FLUSH MOUNTED WIRELESS SENSOR	8.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	140.000	SY
DETECTABLE WARNING MATERIAL	185.000	SF
PEDESTRIAN RAMP CONSTRUCTION	350.000	SY
SURFACE APPLIED DETECTABLE WARNING	150.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	320.000	LF
MO350 W-BEAM STRONG POST SYSTEM	186.080	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MO350 TBBC THRIE BRIDGE CONNECTOR TL3	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.209	ACRE



Call No.: 220      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 5753320	<b>PCN:</b> P029875	<b>Project No.:</b> P029875
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P038423	<b>Project No.:</b> P038423
	<b>PCN:</b> P038440	<b>Project No.:</b> P038440
	<b>PCN:</b> P038444	<b>Project No.:</b> P038444
	<b>PCN:</b> P038447	<b>Project No.:</b> P038447
	<b>PCN:</b> P038448	<b>Project No.:</b> P038448
	<b>PCN:</b> P039194	<b>Project No.:</b> P039194
	<b>PCN:</b> P039201	<b>Project No.:</b> P039201

**Approx. Length (miles):**24.3200      **Description:** REHABILITATION - BAMBERG & BARNWELL COUNTIES  
**CO(S):** Bamberg Barnwell  
**Completion Date:** 9/30/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,621.000	SY
BORROW EXCAVATION	4,300.000	CY
EXCAVATION FOR SHOULDER PAVING	1,480.512	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,480.512	STA
MAINTENANCE STONE	122.810	TON
HMA SHOULDER WIDENING COURSE	7,004.214	TON
LIQUID ASPHALT BINDER PG64-22	2,853.467	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	9,836.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,445.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	1,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	3,785.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	36,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	62,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	44,200.000	SY
MILLED-IN RUMBLE STRIP	25.510	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	24,843.785	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,595.660	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	11,899.449	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,605.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,532.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	4,484.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	163,195.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,070.000	LF



Call No.: 220

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,405.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	12.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)PERM.PVMT.MARKING	4.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	14,375.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	103,055.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	8,328.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	272,450.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	60.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,492.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,093.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	3.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	29,250.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	219,150.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	194.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,888.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	120.000	LF
6" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	60.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	202.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,186.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	3.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	250.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	6,795.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	400.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,200.000	LF
SAWCUT FOR LOOP DETECTOR	1,900.000	LF
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	141.000	SY
DETECTABLE WARNING MATERIAL	932.500	SF
PEDESTRIAN RAMP CONSTRUCTION	1,525.000	SY
SURFACE APPLIED DETECTABLE WARNING	830.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	830.000	LF
MT3 LEADING END TREATMENT TL3	12.000	EA
MGS3CS GR COMPRESSED SHOULDER	2,150.000	LF



Call No.: 220

Letting Date: January 14, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
MO350 THRIE-BEAM STRONG POST SYSTEM	375.000	LF
MO350 LEADING TYPE T TL3 (50')	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	20.853	ACRE





Call No.: 230      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 8854330      PCN: P039203      Project No.: P039203

DBE Goal Percent: 0.00%

Approx. Length (miles): 348.5000

Description: INTERSTATE RPMS - UPPERSTATE

CO(S): STATEWIDE

Completion Date: 5/31/2020

Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEAR MONODIRECTION REPLACEMENT REFLECTOR	3,700.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	530.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	93,050.000	EA



Call No.: 240      Letting Date: January 14, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 8854340      PCN: P039204      Project No.: P039204

DBE Goal Percent: 0.00%

Approx. Length (miles):501.3000

Description: INTERSTATE RPMS - LOWER STATE

CO(S): STATEWIDE

Completion Date: 5/31/2020

Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	4,625.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	101,500.000	EA

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

**STATUTES, CODES, AND REGULATIONS.** The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

**PREQUALIFICATION.** The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Cory Pope at (803)737-4459 or Popeck@scdot.org.

**BID BONDS FOR SCDOT WORK.** Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

**SUBMISSION OF BID BONDS.** Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
  - (a) alteration of a part of bid item except for the unit price; or
  - (b) failure to enter a bid item unit price; or
  - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
  - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

J.Brian Parnell  
Contract Administrator