

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION  
NOTICE TO CONTRACTORS  
For January 14, 2025

Letting Location:  
SCDOT Headquarters Building  
Conference Room 331  
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on December 14, 2024 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website ([www.bidx.com](http://www.bidx.com))
- Construction Standards can be found under Business via SCDOT web site ([www.scdot.org](http://www.scdot.org))

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email [PlanStorage@scdot.org](mailto:PlanStorage@scdot.org) /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.



Call No.: 010      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 0869500	<b>PCN:</b> P043308	<b>Project No.:</b> P043308
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043309	<b>Project No.:</b> P043309
	<b>PCN:</b> P043310	<b>Project No.:</b> P043310
	<b>PCN:</b> P043311	<b>Project No.:</b> P043311

**Approx. Length (miles):** 15.0100      **Description:** 2025 BERKELEY REHAB-RECONSTRUCTION  
**CO(S):** Berkeley

**Completion Date:** 8/31/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	12.000	EA
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	51.111	SY
REMOVAL OF EXIST. GUARDRAIL	550.000	LF
UNCLASSIFIED EXCAVATION	503.000	CY
BORROW EXCAVATION	4,635.000	CY
EXCAVATION FOR SHOULDER PAVING	179.480	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	179.480	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	713.750	TON
MAINTENANCE STONE	232.700	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	19,489.070	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	52,513.229	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,487.880	TON
LIQUID ASPHALT BINDER PG64-22	3,818.005	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	895.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	14,509.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,866.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	188,038.670	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	30,758.360	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	10,748.780	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	188,038.670	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	35,073.200	SY
MILLING EXISTING ASPHALT PAVEMENT 5.0"	3,520.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	13,675.000	SY
ASPHALT SURFACE COURSE TYPE B	27,830.707	TON
ASPHALT SURFACE COURSE TYPE C	3,365.250	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,372.125	TON
ASPHALT SURFACE TREAT(SINGLE TREAT TYPE A)	72,002.299	SY
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	35,664.015	TON



Call No.: 010

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,931.313	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	42.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	121,594.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	530,704.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,600.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	5,946.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,282.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	261.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	261.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	24.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	8.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	48,420.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	457,347.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	410.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	15,665.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	86.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	140,250.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	18,179.600	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,512.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	14.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,125.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	68.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	68.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)PERM.PVMT.MARKING	6.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	2.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	11,680.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	1,050.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	111,691.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	10,877.600	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	754.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	656.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,505.000	EA
MILLED-IN RUMBLE STRIP	21.560	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	600.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,875.000	LF
SAWCUT FOR LOOP DETECTOR	3,894.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS



Call No.: 010

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
CONCRETE SIDEWALK(4" UNIFORM)	25.000	SY
CONCRETE DRIVEWAY(6" UNIFORM)	31.111	SY
SURFACE APPLIED DETECTABLE WARNING	50.000	SF
PREMASH RESET W-BEAM STRONG POST SYSTEM	1,700.000	LF
PREMASH RESET TYPE T TL3 LEADING 50'	4.000	EA
PREMASH RESET THRIEBEAM BRDG CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	11.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	15.840	ACRE
SILT FENCE	450.000	LF



Call No.: 020      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 1268970	<b>PCN:</b> P043085	<b>Project No.:</b> P043085
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043086	<b>Project No.:</b> P043086
	<b>PCN:</b> P043087	<b>Project No.:</b> P043087
	<b>PCN:</b> P043268	<b>Project No.:</b> P043268

**Approx. Length (miles):** 10.2000      **Description:** 2025 CHESTER COUNTY REHAB-RECONSTRUCTION  
**CO(S):** Chester

**Completion Date:** 9/30/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	743.880	SY
REMOVAL & DISPOSAL OF EXISTING CURB	595.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	400.000	SY
REMOVAL OF EXIST. GUARDRAIL	2,205.000	LF
UNCLASSIFIED EXCAVATION	1,899.000	CY
BORROW EXCAVATION	1,120.000	CY
STATION GRADING	90.810	STA
EXCAVATION FOR SHOULDER PAVING	152.060	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	152.060	STA
MAINTENANCE STONE	166.250	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	42,533.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	26,840.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,841.000	TON
HMA SHOULDER WIDENING COURSE	1,098.600	TON
LIQUID ASPHALT BINDER PG64-22	1,635.901	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,140.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	9,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	93,350.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	33,700.000	SY
ASPHALT SURFACE COURSE TYPE B	20,252.413	TON
ASPHALT SURFACE COURSE TYPE C	6,627.940	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,196.375	TON
ASPHALT SURFACE TREAT(SINGLE TREAT TYPE A)	69,373.000	SY
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,396.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	13,378.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	230,681.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	5,286.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,406.000	LF



Call No.: 020

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	70.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	38.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	8,630.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	279,188.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,380.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	5,360.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,958.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	83,396.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,538.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	135.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,565.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	35.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	19.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,400.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	100,294.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	5,120.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	307.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	340.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,005.000	EA
MILLED-IN RUMBLE STRIP	9.960	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,200.000	LF
SAWCUT FOR LOOP DETECTOR	1,990.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	4.000	EA
18" SMOOTH WALL PIPE	48.000	LF
24" SMOOTH WALL PIPE	24.000	LF
CATCH BASIN -TYPE 16	1.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	21.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	7.000	EA
CONCRETE CURB (9" X 15")	520.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	75.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	81.000	SY
DETECTABLE WARNING MATERIAL	362.500	SF
PEDESTRIAN RAMP CONSTRUCTION	725.000	SY
SURFACE APPLIED DETECTABLE WARNING	25.000	SF
MT3 LEADING END TREATMENT TL3	24.000	EA



Call No.: 020

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
PREMASH THRIE WITH BASE PL 3.125 SPACING	150.000	LF
PREMASH W-BEAM BRIDGE CONN TL2 WBBC2	8.000	EACH
MGS3LS16 GUARDRAIL LONG SPAN 16FT CLEAR	100.000	LF
MGS3CS GR COMPRESSED SHOULDER	2,075.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	600.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	1,050.000	LF
PREMASH TYPE T TL3 LEADING 50'	10.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.910	ACRE



Call No.: 030      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

**SC File NO(S):** 1370220      **PCN:** P043090      **Project No.:** P043090  
**DBE Goal Percent:** 0.00%      **PCN:** P043091      **Project No.:** P043091  
**Approx. Length (miles):** 7.4500      **Description:** 2025 CHESTERFIELD RECONSTRUCTION  
**CO(S):** Chesterfield  
**Completion Date:** 6/30/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2.000	SY
REMOVAL OF EXIST. GUARDRAIL	280.000	LF
UNCLASSIFIED EXCAVATION	514.000	CY
BORROW EXCAVATION	478.000	CY
MAINTENANCE STONE	196.000	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	75,388.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,922.000	TON
LIQUID ASPHALT BINDER PG64-22	714.244	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	30.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,100.000	SY
ASPHALT SURFACE COURSE TYPE C	9,035.330	TON
ASPHALT SURFACE COURSE TYPE E	1,355.200	TON
DRIVEWAY PAVING-SURFACE TYPE C	903.625	TON
ASPHALT SURFACE TREAT(SINGLE TREAT TYPE A)	75,388.000	SY
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	730.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	615.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	211,623.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,128.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,575.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	185,868.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	615.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	78,680.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	531.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,575.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	52,920.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	520.000	EA
MILLED-IN RUMBLE STRIP	4.840	MI
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA





Call No.: 030

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.430	ACRE



Call No.: 040      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 1669240      PCN: P043170      Project No.: P043170  
 DBE Goal Percent: 0.00%      PCN: P043171      Project No.: P043171  
    PCN: P043172      Project No.: P043172

Approx. Length (miles): 19.9600      Description: 2025 DARLINGTON  
 CO(S): Darlington      REHAB/RECONSTRUCTION  
 Completion Date: 7/31/2026 Days      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	3,992.000	CY
EXCAVATION FOR SHOULDER PAVING	1,120.416	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,120.416	STA
MAINTENANCE STONE	129.500	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	86,826.672	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,605.600	TON
HMA SHOULDER WIDENING COURSE	7,089.280	TON
LIQUID ASPHALT BINDER PG64-22	2,235.608	TON
ARAMID FIBER	1,249.820	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,750.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	5,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	157,105.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,100.000	SY
ASPHALT SURFACE COURSE TYPE B	24,907.173	TON
ASPHALT SURFACE COURSE TYPE C	6,519.450	TON
ASPHALT SURFACE COURSE TYPE D	619.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	927.500	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,281.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,930.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	749,334.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	5,145.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,279.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	48.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	48.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	42,765.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	352,587.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	50.000	LF



Call No.: 040

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,310.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	249,778.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,715.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	102.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,093.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	16.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	14,255.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	117,529.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	85.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,474.000	EA
MILLED-IN RUMBLE STRIP	35.410	MI
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	980.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	75.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	380.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	970.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,000.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,172.000	LF
SAWCUT FOR LOOP DETECTOR	1,490.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.460	ACRE



Call No.: 050      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 1769250	<b>PCN:</b> P043184	<b>Project No.:</b> P043184
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043185	<b>Project No.:</b> P043185
	<b>PCN:</b> P043186	<b>Project No.:</b> P043186

**Approx. Length (miles):** 10.2000      **Description:** 2025 DILLON REHAB/RECONSTRUCTION  
**CO(S):** Dillon

**Completion Date:** 6/30/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	6,775.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,400.000	LF
BORROW EXCAVATION	1,936.000	CY
EXCAVATION FOR SHOULDER PAVING	111.936	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	111.936	STA
MAINTENANCE STONE	94.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	78,818.699	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,089.120	TON
HMA SHOULDER WIDENING COURSE	559.680	TON
LIQUID ASPHALT BINDER PG64-22	1,051.790	TON
ARAMID FIBER	1,860.194	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	8,400.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	10,844.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	18,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	14,131.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,563.000	SY
ASPHALT SURFACE COURSE TYPE B	13,224.880	TON
ASPHALT SURFACE COURSE TYPE C	3,669.103	TON
ASPHALT SURFACE COURSE TYPE D	475.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	529.375	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,306.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,495.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	305,737.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	10,635.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,789.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	24,290.000	LF



Call No.: 050

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	161,435.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,165.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	101,913.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,545.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,263.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,730.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	54,585.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	12.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	750.000	EA
MILLED-IN RUMBLE STRIP	15.832	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	90.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	90.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	500.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,720.000	LF
SAWCUT FOR LOOP DETECTOR	1,102.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	7.000	EA
CATCH BASIN -TYPE 17	17.000	EA
CATCH BASIN -TYPE 18	4.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	200.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	200.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	600.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	2,100.000	SY
DETECTABLE WARNING MATERIAL	825.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	2,575.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,650.000	SY
PREMASH RESET W-BEAM STRONG POST SYSTEM	490.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.700	ACRE



Call No.: 060      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 3069970	<b>PCN:</b> P042114	<b>Project No.:</b> P042114
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P042115	<b>Project No.:</b> P042115
	<b>PCN:</b> P042152	<b>Project No.:</b> P042152
	<b>PCN:</b> P043403	<b>Project No.:</b> P043403

**Approx. Length (miles):** 14.8100      **Description:** 2025 LAURENS COUNTY REHB  
**CO(S):** Laurens

**Completion Date:** 9/30/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
REMOVAL OF EXIST. GUARDRAIL	3,275.000	LF
BORROW EXCAVATION	8,040.000	CY
EXCAVATION FOR SHOULDER PAVING	1,336.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,336.000	STA
MAINTENANCE STONE	569.750	TON
HMA SHOULDER WIDENING COURSE	5,105.995	TON
LIQUID ASPHALT BINDER PG64-22	1,998.485	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	19,425.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	22,650.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	4,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	25,715.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	129,585.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	51,475.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	29,760.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	11,250.000	SY
ASPHALT SURFACE COURSE TYPE B	5,216.826	TON
ASPHALT SURFACE COURSE TYPE C	21,915.759	TON
DRIVEWAY PAVING-SURFACE TYPE B	7.875	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,211.875	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,634.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	12,430.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	744.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	229,835.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	210,060.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,820.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,365.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	14.000	EA



Call No.: 060

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	19,400.000	LF
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,550.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	280,325.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	202,830.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	80.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,125.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,794.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	248.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	71,825.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	70,020.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	490.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	740.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,000.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,850.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	87,180.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	67,610.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	300.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	181.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	276.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,358.000	EA
MILLED-IN RUMBLE STRIP	26.490	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	155.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,418.000	LF
SAWCUT FOR LOOP DETECTOR	1,078.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
ADJUST MANHOLE	1.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,012.500	LF
MT3 LEADING END TREATMENT TL3	66.000	EA
MGS3 GR STANDARD SHOULDER	225.000	LF
MGS3CS GR COMPRESSED SHOULDER	4,712.500	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	2,875.000	LF
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	13.090	ACRE
SILT FENCE	1,300.000	LF



Call No.: 060

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
REPLACE/REPAIR SILT FENCE	325.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	130.000	LF





Call No.: 070 Letting Date: January 14, 2025 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3270680 PCN: P043242 Project No.: P043242

DBE Goal Percent: 0.00%

Approx. Length (miles): 10.8700

Description: 2025 LEXINGTON COUNTY REHAB.

CO(S): Lexington

Completion Date: 11/30/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	663.990	SY
UNCLASSIFIED EXCAVATION	98.000	CY
BORROW EXCAVATION	1,258.000	CY
EXCAVATION FOR SHOULDER PAVING	651.100	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	651.100	STA
MAINTENANCE STONE	35.250	TON
HMA SHOULDER WIDENING COURSE	4,337.080	TON
LIQUID ASPHALT BINDER PG64-22	2,698.445	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,525.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	294,510.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	23,455.000	SY
ASPHALT INTERMEDIATE COURSE TYPE B	11,454.907	TON
ASPHALT SURFACE COURSE TYPE B	33,287.866	TON
DRIVEWAY PAVING-SURFACE TYPE C	511.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,220.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	49,690.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	270,700.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	23,510.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,080.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	223.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	75.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	18.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	26,960.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	267,200.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	5,200.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	16,430.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	78,080.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	8,710.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	90.000	LF



Call No.: 070

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,970.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	89.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	28.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	4.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,090.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	89,700.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	879.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	636.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,039.000	EA
MILLED-IN RUMBLE STRIP	20.990	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	680.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,920.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	200.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	5,120.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	15,680.000	LF
SAWCUT FOR LOOP DETECTOR	5,080.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	40.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
ADJUST CATCH BASIN	15.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	40.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	1.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	4.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	400.000	LF
CONCRETE CURB AND GUTTER(1'-6") - SLOPING FACE	50.000	LF
CONCRETE CURB AND GUTTER (2'-6") - SLOPING FACE	50.000	LF
DETECTABLE WARNING MATERIAL	112.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	50.000	SY
PEDESTRIAN RAMP CONSTRUCTION	225.000	SY
PREMASH RESET TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.090	ACRE



Call No.: 080      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 3470670      PCN: P043445      Project No.: P043445

DBE Goal Percent: 0.00%

Approx. Length (miles):0.9700

Description: 2024 DISTRICT 5 CTC RESURFACING

CO(S): Marion

Completion Date: 8/31/2025 Days

Funding: CTC

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	650.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	150.000	LF
BORROW EXCAVATION	156.000	CY
MAINTENANCE STONE	14.600	TON
LIQUID ASPHALT BINDER PG64-22	81.843	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,460.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	4,345.200	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	75.000	SY
ASPHALT SURFACE COURSE TYPE C	1,057.040	TON
ASPHALT SURFACE COURSE TYPE D	54.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	180.625	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	769.000	SF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	180.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	60.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	150.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	200.000	SY
DETECTABLE WARNING MATERIAL	125.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	200.000	SY
PEDESTRIAN RAMP CONSTRUCTION	250.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.615	ACRE



Call No.: 090      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 3870820      PCN: P043080      Project No.: P043080

DBE Goal Percent: 0.00%      PCN: P043717      Project No.: P043717

Approx. Length (miles): 22.9300

Description: 2025 ORANGEBURG  
REHAB/RECONSTRUCTION

CO(S): Orangeburg

Completion Date: 6/30/2026 Days

Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	165.000	SY
UNCLASSIFIED EXCAVATION	980.000	CY
BORROW EXCAVATION	4,530.000	CY
EXCAVATION FOR SHOULDER PAVING	1,358.016	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,358.016	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	5,750.000	TON
MAINTENANCE STONE	48.100	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	189,535.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,635.000	TON
HMA SHOULDER WIDENING COURSE	14,711.840	TON
LIQUID ASPHALT BINDER PG64-22	3,072.202	TON
ARAMID FIBER	5,015.000	LB
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	4,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	360.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	450.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	5,920.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,500.000	SY
ASPHALT SURFACE COURSE TYPE B	30,797.149	TON
ASPHALT SURFACE COURSE TYPE C	7,400.920	TON
ASPHALT SURFACE COURSE TYPE D	1,335.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,384.375	TON
CLEAN & SEAL TRANS. JOINTS AT BRIDGE	80.000	LF
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,592.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,690.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	581,800.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,760.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	62,810.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	126,310.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	1,020.000	LF



Call No.: 090

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	239,200.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	880.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	25,560.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	56,590.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,560.000	EA
MILLED-IN RUMBLE STRIP	66.060	MI
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	81.000	SF
SQUARE TUBING POST 12 GAUGE - 2" X 2" X 8	112.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	40.000	SY
DETECTABLE WARNING MATERIAL	112.500	SF
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
MT3 LEADING END TREATMENT TL3	12.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	66.000	LF
MGS3LS22 GUARDRAIL LONG SPAN 22FT CLEAR	125.000	LF
MGS3LS16 GUARDRAIL LONG SPAN 16FT CLEAR	100.000	LF
MGS3CS GR COMPRESSED SHOULDER	1,075.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	350.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	22.650	ACRE



Call No.: 100 Letting Date: January 14, 2025 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3870830 PCN: P043689 Project No.: P043689

DBE Goal Percent: 0.00%

Approx. Length (miles): 4.3000

Description: ORANGEBURG CTC RESURFACING

CO(S): Orangeburg

Completion Date: 11/30/2025 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	85.000	SY
REMOVAL OF EXIST. GUARDRAIL	110.000	LF
BORROW EXCAVATION	812.000	CY
EXCAVATION FOR SHOULDER PAVING	238.656	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	238.656	STA
MAINTENANCE STONE	16.550	TON
HMA SHOULDER WIDENING COURSE	1,988.800	TON
LIQUID ASPHALT BINDER PG64-22	290.569	TON
ARAMID FIBER	265.000	LB
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,445.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	210.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	3,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,800.000	SY
ASPHALT SURFACE COURSE TYPE C	958.044	TON
ASPHALT SURFACE COURSE TYPE D	1,674.940	TON
DRIVEWAY PAVING-SURFACE TYPE D	336.875	TON
ASPHALT SURFACE TREAT(SINGLE TREAT TYPE A)	31,830.000	SY
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	940.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	160.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	33,830.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	700.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	825.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,260.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	45,420.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	60.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	4,980.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	350.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	405.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	10,050.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	286.000	EA



Call No.: 100

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
CONCRETE SIDEWALK(4" UNIFORM)	10.000	SY
DETECTABLE WARNING MATERIAL	47.500	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
SURFACE APPLIED DETECTABLE WARNING	90.000	SF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	1,000.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	300.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.060	ACRE



Call No.: 110      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 3969290	<b>PCN:</b> P043164	<b>Project No.:</b> P043164
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043165	<b>Project No.:</b> P043165
	<b>PCN:</b> P043166	<b>Project No.:</b> P043166

**Approx. Length (miles):** 12.6700      **Description:** 2025 PICKENS REHAB-RECONSTRUCTION  
**CO(S):** Pickens

**Completion Date:** 10/31/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	195.000	SY
REMOVAL OF EXIST. GUARDRAIL	400.000	LF
UNCLASSIFIED EXCAVATION	200.000	CY
BORROW EXCAVATION	1,242.000	CY
STATION GRADING	125.664	STA
EXCAVATION FOR SHOULDER PAVING	226.512	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	352.176	STA
MAINTENANCE STONE	520.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	10,743.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	430.000	TON
HMA SHOULDER WIDENING COURSE	2,347.840	TON
LIQUID ASPHALT BINDER PG64-22	2,123.338	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	27,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	68,637.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	213,543.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	30,403.000	SY
ASPHALT SURFACE COURSE TYPE B	23,941.156	TON
ASPHALT SURFACE COURSE TYPE C	10,433.693	TON
DRIVEWAY PAVING-SURFACE TYPE C	505.700	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	7,980.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	58,120.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	139,300.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	24,458.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,974.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	104.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	4.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	28.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA





Call No.: 110

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	8.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	20,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	782,008.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT SLOW CURE	80.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT SLOW CURE	388.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT SLOW CURE	80.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT SLOW CURE	748.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	14,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	68,224.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	12,229.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,472.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	52.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	14.000	EA
WHITE WORD MESSAGE "SCHOOL" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	4.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	138,951.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	2.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	2.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	778.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	394.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,828.000	EA
MILLED-IN RUMBLE STRIP	6.420	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	2,730.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	49,010.000	LF
SAWCUT FOR LOOP DETECTOR	17,810.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	39.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	13.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	20.000	SY
DETECTABLE WARNING MATERIAL	87.500	SF
PEDESTRIAN RAMP CONSTRUCTION	175.000	SY
SURFACE APPLIED DETECTABLE WARNING	90.000	SF
PREMASH RESET W-BEAM STRONG POST SYSTEM	1,575.000	LF
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.362	ACRE



Call No.: 120      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 4071450      PCN: P027709      Project No.: P027709

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.6070

Description: INSTALL SIDEWALK AND BIKE LANE ON BLUFF RD.

CO(S): Richland

Completion Date: 11/30/2025 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	100.000	SY
UNCLASSIFIED EXCAVATION	1,242.000	CY
BORROW EXCAVATION	712.000	CY
FINE GRADING	3,736.000	SY
FLOWABLE FILL	530.000	CY
MAINTENANCE STONE	250.000	TON
LIQUID ASPHALT BINDER PG64-22	28.000	TON
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,292.000	SY
ASPHALT SURFACE COURSE TYPE B	455.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	40.000	TON
TRAFFIC CONTROL	1.000	LS
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	5,800.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	6,800.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	6.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	11.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	60.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	22.500	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	46.000	LF
18" SMOOTH WALL PIPE	928.000	LF
24" SMOOTH WALL PIPE	24.000	LF
30" SMOOTH WALL PIPE	160.000	LF
CATCH BASIN -TYPE 16	11.000	EA
DROP INLET (24" X 36")	1.000	EA
MANHOLE	2.000	EA
30" X 30" JUNCTION BOX	1.000	EA



Call No.: 120

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
BEVELING OF PIPE END	22.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	8.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	3,020.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,350.000	SY
DETECTABLE WARNING MATERIAL	100.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	396.000	SY
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
RIP-RAP (CLASS B)	824.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,032.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	2,000.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	28.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.365	ACRE
TEMPORARY COVER	0.683	ACRE
FERTILIZER (NITROGEN)	136.500	LB
FERTILIZER (PHOSPHORIC ACID)	136.500	LB
FERTILIZER (POTASH)	136.500	LB
AGRICULTURAL GRANULAR LIME	2,730.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	4.096	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.627	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.468	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	112.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	80.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	110.000	LF
SILT FENCE	6,401.000	LF
REPLACE/REPAIR SILT FENCE	641.000	LF
CLEANING SILT BASINS	90.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,601.000	LF
INLET FILTER CLEANING	11.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 130      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 4165410      PCN: P042228      Project No.: P042228  
DBE Goal Percent: 0.00%  
Approx. Length (miles): 10.5000      Description: SC 121 RRSP PROJECT SALUDA COUNTY  
CO(S): Saluda  
Completion Date: 6/30/2026 Days      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,028.000	SY
REMOVAL OF EXIST. GUARDRAIL	14,157.000	LF
UNCLASSIFIED EXCAVATION	468.000	CY
BORROW EXCAVATION	4,900.000	CY
EXCAVATION FOR SHOULDER PAVING	1,035.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,035.000	STA
MAINTENANCE STONE	148.000	TON
HMA SHOULDER WIDENING COURSE	6,900.000	TON
LIQUID ASPHALT BINDER PG64-22	1,313.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	15,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	175,930.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,423.000	SY
ASPHALT SURFACE COURSE TYPE B	17,447.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	723.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,044.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,662.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	28,320.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,200.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	131,481.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	554.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	108,942.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	400.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,440.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	43,827.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,386.000	EA
MILLED-IN RUMBLE STRIP	30.000	MI
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	190.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	351.000	LF
REFLECTIVE SIGN POST PANELS	135.000	LF
GUARDRAIL DELINEATOR - WHITE	680.000	EA



Call No.: 130

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
MT3 LEADING END TREATMENT TL3	52.000	EA
MGS3 GR STANDARD SHOULDER	250.000	LF
MGS3CS GR COMPRESSED SHOULDER	9,775.000	LF
PREMASH TYPE T TL3 LEADING 50'	12.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.730	ACRE
SILT FENCE	14,760.000	LF



Call No.: 140      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 4165420      PCN: P042229      Project No.: P042229

DBE Goal Percent: 0.00%

Approx. Length (miles): 3.5300      Description: SC 121 RRSP PROJECT SALUDA COUNTY

CO(S): Saluda

Completion Date: 11/30/2025 Days      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	572.000	SY
UNCLASSIFIED EXCAVATION	132.000	CY
BORROW EXCAVATION	1,176.000	CY
EXCAVATION FOR SHOULDER PAVING	311.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	311.000	STA
MAINTENANCE STONE	42.000	TON
HMA SHOULDER WIDENING COURSE	3,105.000	TON
LIQUID ASPHALT BINDER PG64-22	461.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	50,710.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,334.000	SY
ASPHALT SURFACE COURSE TYPE B	5,485.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	239.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	740.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	960.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	93,141.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	372.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	9.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,500.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	83,100.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	320.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	31,047.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	124.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,500.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	27,700.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	389.000	EA
MILLED-IN RUMBLE STRIP	9.000	MI



Call No.: 140

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	312.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	650.000	LF
REFLECTIVE SIGN POST PANELS	50.000	LF
GUARDRAIL DELINEATOR - WHITE	340.000	EA
MT3 LEADING END TREATMENT TL3	22.000	EA
MGS3CS GR COMPRESSED SHOULDER	1,750.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	575.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.560	ACRE
SILT FENCE	5,902.000	LF



Call No.: 150      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 4565130      PCN: P038116      Project No.: P038116

DBE Goal Percent: 0.00%

Approx. Length (miles): 10.0000      Description: US 521 RRSP PROJECT

CO(S): Williamsburg

Completion Date: 6/30/2026 Days      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,937.000	SY
REMOVAL OF EXIST. GUARDRAIL	4,150.000	LF
UNCLASSIFIED EXCAVATION	447.000	CY
BORROW EXCAVATION	4,000.000	CY
EXCAVATION FOR SHOULDER PAVING	1,056.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,056.000	STA
MAINTENANCE STONE	141.000	TON
HMA SHOULDER WIDENING COURSE	6,759.000	TON
LIQUID ASPHALT BINDER PG64-22	1,264.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	14,080.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	175,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,689.000	SY
ASPHALT SURFACE COURSE TYPE B	17,200.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	696.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	688.000	SF
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	100.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,214.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	311,139.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,158.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	21,900.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	168,519.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	738.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	103,713.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	386.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	8.000	EA





Call No.: 150

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,300.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	56,173.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	25.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,320.000	EA
MILLED-IN RUMBLE STRIP	30.000	MI
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	90.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	221.000	LF
REFLECTIVE SIGN POST PANELS	85.000	LF
GUARDRAIL DELINEATOR - WHITE	670.000	EA
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	125.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	3,225.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.690	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	5.000	MSY
SILT FENCE	5,323.000	LF



Call No.: 160      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 4565470      PCN: P042232      Project No.: P042232

DBE Goal Percent: 0.00%

Approx. Length (miles): 7.0000

Description: SC 261 RRSP IMPROVEMENTS

CO(S): Williamsburg

Completion Date: 11/30/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,938.000	SY
REMOVAL OF EXIST. GUARDRAIL	200.000	LF
UNCLASSIFIED EXCAVATION	678.000	CY
BORROW EXCAVATION	481.000	CY
EXCAVATION FOR SHOULDER PAVING	1,820.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	481.000	STA
MAINTENANCE STONE	70.000	TON
HMA SHOULDER WIDENING COURSE	3,204.000	TON
LIQUID ASPHALT BINDER PG64-22	621.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	6,941.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	70,791.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,378.000	SY
ASPHALT SURFACE COURSE TYPE B	8,169.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	500.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	976.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,745.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	190,080.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,950.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	19,500.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	142,500.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	915.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	63,360.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	650.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,500.000	LF



Call No.: 160

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	47,500.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	660.000	EA
REMOVAL OF PAVEMENT MARKINGS	39,072.000	LF
MILLED-IN RUMBLE STRIP	16.000	MI
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	44.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	91.000	LF
REFLECTIVE SIGN POST PANELS	35.000	LF
GUARDRAIL DELINEATOR - WHITE	112.000	EA
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3LS16 GUARDRAIL LONG SPAN 16FT CLEAR	50.000	LF
MGS3CS GR COMPRESSED SHOULDER	75.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	24.000	LF
PREMASH TYPE T TL3 LEADING 50'	5.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.820	ACRE
SILT FENCE	500.000	LF



Call No.: 170      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 5269960	<b>PCN:</b> P042116	<b>Project No.:</b> P042116
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P042118	<b>Project No.:</b> P042118
	<b>PCN:</b> P042931	<b>Project No.:</b> P042931
	<b>PCN:</b> P042932	<b>Project No.:</b> P042932
	<b>PCN:</b> P042933	<b>Project No.:</b> P042933

**Approx. Length (miles):**      **Description:** 2025 EDGEFIELD-MCCORMICK REHABILITATION  
**CO(S):** Edgefield McCormick

**Completion Date:** 11/30/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
REMOVAL OF EXIST. GUARDRAIL	450.000	LF
BORROW EXCAVATION	2,791.000	CY
EXCAVATION FOR SHOULDER PAVING	1,256.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,256.000	STA
MAINTENANCE STONE	367.000	TON
HMA SHOULDER WIDENING COURSE	4,875.575	TON
LIQUID ASPHALT BINDER PG64-22	2,021.006	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	12,280.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	15,120.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	4,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	136,365.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	70,420.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	21,410.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	11,810.000	SY
ASPHALT INTERMEDIATE COURSE TYPE B	6,016.853	TON
ASPHALT SURFACE COURSE TYPE B	6,854.853	TON
ASPHALT SURFACE COURSE TYPE C	16,008.707	TON
DRIVEWAY PAVING-SURFACE TYPE B	413.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	699.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,072.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	13,804.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	390,585.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,340.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,704.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	19.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	10.000	EA



Call No.: 170

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	15,320.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	439,051.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,628.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	132,910.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	585.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	579.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	5.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,320.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	145,834.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	175.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,314.000	EA
MILLED-IN RUMBLE STRIP	27.260	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	80.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,920.000	LF
SAWCUT FOR LOOP DETECTOR	920.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	12.500	SY
SURFACE APPLIED DETECTABLE WARNING	270.000	SF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	800.000	LF
MT3 LEADING END TREATMENT TL3	28.000	EA
MGS3 GR STANDARD SHOULDER	6,175.000	LF
PREMASH TYPE T TL3 LEADING 50'	9.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.175	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	20.000	LF
SILT FENCE	200.000	LF
REPLACE/REPAIR SILT FENCE	20.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	50.000	LF



Call No.: 180      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 5470150	<b>PCN:</b> P043097	<b>Project No.:</b> P043097
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043102	<b>Project No.:</b> P043102
	<b>PCN:</b> P043104	<b>Project No.:</b> P043104
	<b>PCN:</b> P043105	<b>Project No.:</b> P043105

**Approx. Length (miles):**      **Description:** 2025 LANCASTER-YORK REHAB-RECONSTRUCTION  
**CO(S):** Lancaster York

**Completion Date:** 6/30/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	753.700	SY
REMOVAL & DISPOSAL OF EXISTING CURB	918.000	LF
REMOVAL OF EXIST. GUARDRAIL	578.000	LF
UNCLASSIFIED EXCAVATION	4,356.000	CY
BORROW EXCAVATION	715.000	CY
STATION GRADING	64.420	STA
MAINTENANCE STONE	222.500	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	22,924.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	723.000	TON
LIQUID ASPHALT BINDER PG64-22	1,404.130	TON
LIQUID ASPHALT BINDER PG76-22	374.440	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,770.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	5,250.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	63,160.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	58,374.000	SY
ASPHALT INTERMEDIATE COURSE TYPE B	5,892.480	TON
ASPHALT SURFACE COURSE TYPE A	6,808.008	TON
ASPHALT SURFACE COURSE TYPE B	19,229.117	TON
ASPHALT SURFACE COURSE TYPE C	770.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	999.000	TON
ASPHALT SURFACE TREAT(SINGLE TREAT TYPE A)	22,924.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 8"	450.000	SY
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,014.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	17,734.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,640.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	178,139.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	9,150.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	5,385.000	LF



Call No.: 180

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,342.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	125.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	102.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	32.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,465.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	198,290.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	6,900.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	9,200.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,230.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,009.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,310.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	70,421.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	6,525.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,795.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	54.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,253.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	77.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	61.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	14.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,321.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	82,855.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,700.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	630.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	334.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	125.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	761.000	EA
MILLED-IN RUMBLE STRIP	12.930	MI
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	510.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	45.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	330.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	90.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,430.000	LF
SAWCUT FOR LOOP DETECTOR	1,320.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	3.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	4.000	EA
15" SMOOTH WALL PIPE	648.000	LF
18" SMOOTH WALL PIPE	64.000	LF
CLEANING EXISTING PIPE	350.000	LF



Call No.: 180

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
CATCH BASIN TYPE 1 (TOP ONLY)	3.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	368.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	50.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	500.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,030.000	SY
DETECTABLE WARNING MATERIAL	312.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	29.000	SY
CONCRETE MEDIAN	10.000	SY
PEDESTRIAN RAMP CONSTRUCTION	625.000	SY
PREMASH THRIEBEAM BRIDGE CONN TBBC3	6.000	EA
LOW MAINT WARNING MARKER POST 36YYW(FWMP)	11.000	EA
PREMASH TYPE T TL3 LEADING 50'	7.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.330	ACRE





Call No.: 190      Letting Date: January 14, 2025      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 5770780	<b>PCN:</b> P042982	<b>Project No.:</b> P042982
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043020	<b>Project No.:</b> P043020
	<b>PCN:</b> P043021	<b>Project No.:</b> P043021
	<b>PCN:</b> P043022	<b>Project No.:</b> P043022
	<b>PCN:</b> P043023	<b>Project No.:</b> P043023

**Approx. Length (miles):** 17.5600      **Description:** 2025 AIKEN, ALLENDALE, BARNWELL REHABILITATION  
**CO(S):** Aiken Allendale Barnwell  
**Completion Date:** 6/30/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	950.000	LF
BORROW EXCAVATION	3,512.000	CY
EXCAVATION FOR SHOULDER PAVING	1,528.032	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,528.032	STA
MAINTENANCE STONE	99.500	TON
HMA SHOULDER WIDENING COURSE	7,308.108	TON
LIQUID ASPHALT BINDER PG64-22	1,993.129	TON
ARAMID FIBER	5,570.000	LB
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	3,270.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,030.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	650.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	8,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,300.000	SY
ASPHALT SURFACE COURSE TYPE C	22,984.628	TON
ASPHALT SURFACE COURSE TYPE D	2,042.600	TON
DRIVEWAY PAVING-SURFACE TYPE D	721.875	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,460.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	363,060.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,420.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	21,960.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	255,980.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	181,530.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	710.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	1.000	EA



Call No.: 190

Letting Date: January 14, 2025

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	10,980.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	127,990.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,203.000	EA
MILLED-IN RUMBLE STRIP	39.060	MI
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
MT3 LEADING END TREATMENT TL3	8.000	EA
MGS3 GR STANDARD SHOULDER	900.000	LF
MGS3LS16 GUARDRAIL LONG SPAN 16FT CLEAR	100.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	650.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	12.000	EA
PREMASH TYPE T TL3 LEADING 50'	12.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	17.560	ACRE

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

**STATUTES, CODES, AND REGULATIONS.** The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

**PREQUALIFICATION.** The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or [Prequal@scdot.org](mailto:Prequal@scdot.org).

**BID BONDS FOR SCDOT WORK.** Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

**SUBMISSION OF BID BONDS.** Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
  - (a) alteration of a part of bid item except for the unit price; or
  - (b) failure to enter a bid item unit price; or
  - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
  - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers  
Contract Administrator

# 60 DAY AD

## SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS For February 11, 2025

Letting Location:  
SCDOT Headquarters Building  
Conference Room 331  
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on January 11, 2025 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website ([www.bidx.com](http://www.bidx.com))
- Construction Standards can be found under Business via SCDOT web site ([www.scdot.org](http://www.scdot.org))

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>) for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email [PlanStorage@scdot.org](mailto:PlanStorage@scdot.org) /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

## Notice

**Call Number: 010**

**SC File Number: 2764170**

---

**60 DAY AD:** In Contract Utility with list of qualified contractors

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see next page)

# LOCAL UTILITY CONTRACTOR LIST

Please be advised that contractors approved for water and sewer work within the BJWSA service area are not limited to the list below. At BJWSA's discretion, any utility contractor licensed in SC with a WL classification may be approved to perform water and sewer work within the BJWSA service area.

Cleland Site Prep, Inc.  
Donn Nelson  
PO Box 3822  
Bluffton, SC 29910  
843-987-0500  
843-987-0600 fax

Cross Contracting, LLC  
Stephen Cross  
PO Box 30634  
Savannah, GA 31410  
912-486-4632

J H Hiers Construction, LLC  
Jeff Hiers  
715 Green Pond Hwy  
Walterboro, SC 29488  
843-542-2687

JS Construction  
John Lopat  
PO Box 1497  
Bluffton, SC 29910  
843-645-3900  
843-645-3901 fax

Jordan Construction of HHI  
Zeke Jordan, President  
PO Box 1747  
Hilton Head, SC 29925  
843-784-4151  
843-784-4056 fax

Potter Construction, LLC  
Mark Potter  
540 Shearhouse Road  
Guyton, GA 31312  
912-663-6969  
912-728-4156 fax

Stansell Construction Company  
Dick Stansell  
PO Box 208  
Sheldon, SC 29941  
843-846-4265  
843-846-8880

Lee Contracting Co., Inc.  
Terry R Lee, President  
PO Box 1788  
Hardeeville, SC 29927  
843-784-5288  
843-784-5287 fax

Malphrus Utilities  
Rob Malphrus  
PO Box 352  
Ridgeland, SC 29936  
843-247-4431  
843-726-2197 fax

Dobbs Mechanical & Utility, LLC  
Timothy Dobbs  
3016 Hickory Street  
Beaufort, SC 29906  
843-252-4749  
TDobbs@DobbsMU.com



Call No.: 010      Letting Date: February 11, 2025      Letting Time: 2:00pm      Page: 1

**SC File NO(S):** 2764170      **PCN:** P030481      **Project No.:** P030481  
**DBE Goal Percent:** 5.00%      **PCN:** P040106      **Project No.:** P040106  
**Approx. Length (miles):** 17.8810      **Description:** I-95 WIDENING GA STATE LINE TO EXIT 8  
**CO(S):** Jasper  
**Completion Date:**      **Funding:** FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE 001	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 1	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 1	1.000	EA
LAW ENFORCEMENT OFFICER (DPS)	10,000.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
REMOVE AND RESET EXISTING SPCL GUIDE SIGN, GROUND MOUNTED, COMPLETE-IN-PLACE	1.000	EA
TRAFFIC CONTROL, RAISED PAVEMENT MARKERS, ALL TYPES	1,650.000	EA
TRAFFIC CONTROL, SOLID TRAFFIC STRIPE, 5 IN, WHITE	12.024	LaMi
TRAFFIC CONTROL, SOLID TRAFFIC STRIPE, 5 IN, YELLOW	10.765	LaMi
TRAFFIC CONTROL, SKIP TRAFFIC STRIPE, 5 IN, WHITE	10.789	LaMi
TRAFFIC CONTROL -	1.000	LS
TRAFFIC CONTROL - WORKZONE LAW ENFORCEMENT (CONTRACTOR BIDS)	500.000	HR
MOBILIZATION	1.000	LS
INSTALL, MAINTAIN, AND REMOVE IMPAIRED STREAM PROJECT INFO SIGN	1.000	EA
TEMPORARY GRASSING	5.000	ACRE
MULCH	160.000	TON
CONSTRUCT AND REMOVE CONSTRUCTION EXITS	4.000	EA
CONSTRUCTION EXIT TIRE CLEANING STATION (PER DAY)	30.000	EA
CONSTRUCT AND REMOVE TEMPORARY PIPE SLOPE DRAIN	800.000	LF
CONSTRUCT AND REMOVE FABRIC CHECK DAM - TYPE C SILT FENCE	120.000	LF
CONSTRUCT AND REMOVE INLET SEDIMENT TRAP	15.000	EA
CONSTRUCT AND REMOVE COMPOST FILTER SOCK, 18 IN	230.000	LF
MAINTENANCE OF TEMPORARY SILT FENCE, TP C	4,176.000	LF
MAINTENANCE OF CONSTRUCTION EXIT	4.000	EA
MAINTENANCE OF INLET SEDIMENT TRAP	15.000	EA
MAINTENANCE OF CONSTRUCTION EXIT TIRE WASH AREA (PER EACH)	4.000	EA
FLOATING SILT RETENTION BARRIER	845.000	LF





Description	Quantity	Units
TEMPORARY SILT FENCE, TYPE C	8,352.000	LF
CLEARING & GRUBBING	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	1,500.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	246,084.000	SY
REMOVAL OF EXIST. GUARDRAIL	30,491.000	LF
REMOVAL & DISPOSAL OF CABLE BARRIER	33,400.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CULVERT( )'X( ) 6'X4'	2.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT( )'X( ) 8'X4'	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT( )'X( ) 6'X4'	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DOUBLE CULVERT( )'X( ) 6'X4'	2.000	EA
REMOVAL & DISPOSAL OF EXISTING DOUBLE CULVERT( )'X( ) 6'X4'	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DOUBLE CULVERT( )'X( ) 6'X6'	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DOUBLE CULVERT( )'X( ) 6'X4'	1.000	EA
UNCLASSIFIED EXCAVATION	314,137.000	CY
BORROW EXCAVATION	1,139,712.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	240,814.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	3,498.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	3,181.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	556.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	754.000	LF
42" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	169.000	LF
48" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	379.000	LF
GEOTEXTILE, SEPARATION	33,360.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	7,730.000	SY
GEOGRID STABILIZATION	72,804.000	SY
CHANNEL RELOCATION	323.000	LF
STRUCTURE EXCAVATION FOR CULVERTS	11,899.000	CY
TEMPORARY SHORING SYSTEM NO. 1	2,445.000	LF
TEMPORARY SHORING SYSTEM NO. 2	8,421.000	LF



Description	Quantity	Units
TEMPORARY SHORING SYSTEM NO. 3	2,920.000	LF
UNCLASS EXCAV	12,623.000	CY
NO. 57 STONE FOR BACKFILL	16,967.000	TON
STONE BRIDGE LIFT MATERIAL	5,098.000	TON
GRANULAR BRIDGE LIFT MATERIAL	112,375.000	CY
EARTHQUAKE DRAINS	535,840.000	LF
BORROW EXCAV, INCL MATL	30,277.000	CY
FINE GRADING	565,596.000	SY
GRADING COMPLETE -	1.000	LS
FLOWABLE FILL	2,464.000	CY
DEWATERING SYSTEM NO. 1	1.000	LS
DEWATERING SYSTEM NO. 2	1.000	LS
DEWATERING SYSTEM NO. 3	1.000	LS
DEWATERING SYSTEM NO. 4	1.000	LS
DEWATERING SYSTEM NO. 5	1.000	LS
DEWATERING SYSTEM NO. 6	1.000	LS
DEWATERING SYSTEM NO. 7	1.000	LS
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	453,436.000	SY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	4,839.000	SY
GRADED AGGREGATE BASE COURSE (10" UNIFORM)	41,388.000	SY
MAINTENANCE STONE	1,000.000	TON
GR AGGR BASE CRS, 12 INCH, INCL MATL	14,758.000	SY
PRIME COAT	164,093.000	GAL
LIQUID ASPHALT BINDER PG64-22	31,642.000	TON
LIQUID ASPHALT BINDER PG76-22	4,568.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	250.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,408.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	9,781.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	19,601.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	945.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	60,197.000	SY
ASPHALT BASE COURSE - TYPE A	237,373.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	335,604.000	TON
ASPHALT SURFACE COURSE TYPE B	23,336.000	TON
ASPHALT SURFACE COURSE TYPE C	697.000	TON
ASPHALT SURFACE COURSE TYPE E	5,363.000	TON
ASPHALT SURFACE COURSE FOR DITCH PAVING	222.000	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	21,292.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	73,648.000	TON
MILL ASPH CONC PVMT, 2 IN DEPTH	12,414.000	SY
MILL ASPH CONC PVMT, VARIABLE DEPTH	6,435.000	SY



Description	Quantity	Units
REINF CONC APPROACH SLAB, INCL SLOPED EDGE	992.000	SY
CONC SPILLWAY, TP 1	8.000	EA
FILTER FABRIC FOR EMBANKMENT STABILIZATION	20,980.000	EA
INDENTATION RUMBLE STRIPS - GROUND-IN-PLACE (CONTINUOUS)	1.350	LM
GROOVED CONCRETE	44,256.000	SY
SUPERSTR CONCRETE, CL D, BR NO - 1 () LT (7555)	1.000	LS
SUPERSTR CONCRETE, CL D, BR NO - 1 () RT (7607)	1.000	LS
CONCRETE BARRIER	11,356.000	LF
CLASS AA CONCRETE	10,237.000	CY
STAINED CONCRETE PAVEMENT (8" UNIFORM)	724.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	2,400.000	SY
BRIDGE TIMBER, COMPOSITE MARINE	6,505.000	LF
PLASTIC BRIDGE TIMBER	6.000	MBM
PSC BEAMS, FIB 84", BR NO - 1	62,216.000	LF
BAR REINF STEEL	3,152,093.000	LB
SUPERSTR REINF STEEL, BR NO-1 () LT (1,531,301)	1.000	LS
SUPERSTR REINF STEEL, BR NO-1 () RT (1,535,770)	1.000	LS
PILING IN PLACE, STEEL H, HP 14X73	1,545.000	LF
LOAD TEST, STEEL H, HP 14X73 (IF REQD)	2.000	EA
COMPOSITE MARINE PILING - 16 IN (FRP PIPE PILE)	7,808.000	LF
SHORING	1.000	LS
DYNAMIC PILE TEST	4.000	EA
DRILLED CAISSON - () IN 102 IN	3,936.000	LF
DRILLED CAISSON - () IN 42 IN	1,977.000	LF
DRILLED CAISSON - () IN 96 IN	5,486.000	LF
LOAD TEST, CAISSON - 78 IN	1.000	EA
DEMONSTATION TEST, CAISSON - 102 IN	1.000	EA
FURNISH DRILLING AND SUPPORT EQUIPMENT LT	1.000	LS
FURNISH DRILLING AND SUPPORT EQUIPMENT RT	1.000	LS
NAVIGATION LIGHTING, BR NO -1 () LT	1.000	LS
NAVIGATION LIGHTING, BR NO -1 () RT	1.000	LS
REMOVAL OF EXISTING BR, NO.1 LT	1.000	LS
REMOVAL OF EXISTING BR, NO.1 RT	1.000	LS
SIDE DRAIN PIPE, 18 IN, H 1-10	652.000	LF
SIDE DRAIN PIPE, 18 IN, H 15-20	316.000	LF
SIDE DRAIN PIPE, 30 IN, H 1-10	36.000	LF
STORM DRAIN PIPE, 15 IN, CLASS III, TEMPORARY	853.000	LF
FLOWABLE FILL	21.000	CY
TRAFFIC CONTROL	1.000	LS
MAINTENANCE OF TRAFFIC	1.000	LS
STN PLAIN RIP RAP, 24 IN	12,833.000	SY



Description	Quantity	Units
PLASTIC FILTER FABRIC	12,833.000	SY
BARRICADE - TYPE III	336.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,316.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	280.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	4.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3	34.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 70MPH	67.000	EA
TEMPORARY CONCRETE BARRIER	91,607.000	LF
TEMP CONC BARRIER WITH ANCHORAGE FOR BRIDGE DECKS	16,737.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	8.000	EA
TYPE B - FLASHING LIGHT	64.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"WH.BROKEN	12,170.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"WH.SOLID PREF.	48,638.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"YEL.SOLID PREF.	48,639.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD	22.000	LF
BAR		
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	5,266.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	80.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	640.000	EA
REM GUARDRAIL	687.500	LF
REM GUARDRAIL DBL FACE	1,975.000	LF
REM GUARDRAIL ANCH, ALL TYPES	8.000	EA
REM ASPH PVMT INCL BASE	16,844.000	SY
REM CONC APPROACH SLAB	743.000	SY
REM CONC DITCH PAVING	1,216.000	SY
REM CONC SPILLWAY	8.000	EA
REM DROP INLET	10.000	EA
REM HIGHWAY SIGN, SPCL ROADSIDE	4.000	EA
JACK OR BORE PIPE - 30 IN	108.000	LF
JACK OR BORE PIPE - 24 IN	276.000	LF
TEMPORARY BARRIER, METHOD NO. 1	7,870.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	27,996.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	424,555.000	LF
6" BLACK BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	970.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	188,709.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,729,567.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,525.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	44,845.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	11,242.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	614.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	410.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	108.000	EA



Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	63.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	149,490.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,607,124.000	LF
WHITE COMBINATION FISH HOOK ARROW FAST DRY PAINT	48.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	3,692.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	53,393.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	37,850.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	117,448.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	4,165.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	8,685.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	6,210.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	110.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	75.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)PERM.PVMT.MARKING	17.000	EA
WHITE COMBINATION FISH HOOK ARROW PERM.PVMT.MARKING	8.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	863.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	41,983.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	109,699.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	705.000	LF
6" BLACK BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT FAST CURE	970.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	166.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	198.000	LF
6"YELLOW SOLID LINES ON CURB/MED.-HIGH BUILD PAINT-25 MIL.	2,961.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	220.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	416.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	652.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	2,689.000	EA
REMOVAL OF PAVEMENT MARKINGS	597,957.000	LF
CHANGEABLE MESSAGE SIGN, PORTABLE, TYPE 3	1.000	EA
MILLED-IN RUMBLE STRIP	32.690	MI
HIGHWAY SIGNS, TP 1 MATL, REFL SHEETING, TP 9	52.000	SF
HIGHWAY SIGNS, TP 1 MATL, REFL SHEETING, TP 11	64.000	SF
HIGHWAY SIGNS, ALUM EXTRUDED PANELS, REFL SHEETING, TP 3	473.000	SF
GALV STEEL POSTS, TP 7	74.000	LF
GALV STEEL POSTS, TP 8	200.000	LF
GALV STEEL STR SHAPE POST	3,288.610	LB
MILEPOST SIGNS	2.000	EA
GUARDRAIL, TP T	103.250	LF
GUARDRAIL, TP W	1,962.500	LF
DBL FACED GUARDRAIL, TP W	1,700.000	LF



Description	Quantity	Units
GUARDRAIL ANCHORAGE, TP 1	1.000	EA
GUARDRAIL TERMINAL, TP 12A, 31 IN, TANGENT, ENERGY-ABSORBING	3.000	EA
GUARDRAIL TERMINAL, TP 10D, 31 IN	3.000	EA
BARRIER FENCE (ORANGE), 4 FT	3,936.000	LF
IMPACT ATTENUATOR UNIT, TYPE P -	5.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	3,110.550	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	115.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	17.000	EA
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	4,423.250	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	7,869.750	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	180.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	5,073.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	283.000	LF
THERMOPLASTIC SOLID TRAF STRIPE, 6 IN, WHITE	0.739	LaMi
THERMOPLASTIC SOLID TRAF STRIPE, 6 IN, YELLOW	0.739	LaMi
THERMOPLASTIC SKIP TRAF STRIPE, 6 IN, WHITE	1.434	LaMi
RAISED PVMT MARKERS TP 3	480.000	EA
BREAK-AWAY SIGN SUPPORTS	30,037.670	LB
REMOVAL OF I-BEAM SUPPORTS	88.000	EA
REMOVE EXIST SOLID TRAF STRIPE, 5 IN, PAINT	7,064.000	LF
REMOVE EXIST SOLID TRAF STRIPE, 5 IN, THERMOPLASTIC	4,552.000	LF
REMOVE EXIST SKIP TRAF STRIPE, 5 IN, PAINT	2,663.000	LF
REMOVE EXIST SKIP TRAF STRIPE, 5 IN, THERMOPLASTIC	1,161.000	LF
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	255.000	EA
DELINEATORS, DOUBLE, MONO., INCL. SUPPORTS	125.000	EA
REMOVE EXIST TRAF MARKINGS -	4.000	EA
REMOVE EXIST SOLID TRAF STRIPE, 5 IN, PREFORMED PLASTIC	1.713	LaMi
REMOVE EXIST SKIP TRAF STRIPE, 5 IN, PREFORMED PLASTIC	0.914	LaMi
PREFORMED PLASTIC SOLID PVMT MKG, 5IN, WHITE, TP TR	19.543	LaMi
OVERHEAD SIGN STRUCTURE NO.(____) 1	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 10	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 11	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 12	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 13	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 14	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 15	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 16	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 17	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 18	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 19	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 2	1.000	EA



Description	Quantity	Units
OVERHEAD SIGN STRUCTURE NO.(____) 20	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 21	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 22	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 23	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 24	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 25	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 26	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 27	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 28	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 29	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 3	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 30	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 4	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 5	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 6	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 7	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 8	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 9	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 041	3.000	EA
PREFORMED PLASTIC SKIP PVMT MKG, 5IN, WHITE, TP TR	19.461	LaMi
PREFORMED PLASTIC SOLID PVMT MKG, 5IN, YELLOW, TP TR	19.500	LaMi
WET REFLECTIVE PREFORMED SOLID PAVEMENT MARKINGS, 9 IN, CONTRAST (BLACK-YELLOW)	1.078	LaMi
WET REFLECTIVE PREFORMED SOLID PAVEMENT MARKINGS, 9 IN, CONTRAST (BLACK-WHITE)	1.078	LaMi
WET REFLECTIVE PREFORMED SKIP PAVEMENT MARKINGS, 6 INCH WIDE, WHITE	2.178	LaMi
WET REFLECTIVE PREFORMED SKIP PAVEMENT MARKINGS, 6 INCH WIDE, BLACK	2.178	LaMi
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM NO. 1 - EXIT 8, WEST SIDE	1.000	LS
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM NO. 2 - EXIT 8, INTERCHANGE	1.000	LS
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM NO. 3 - EXIT 8, EAST SIDE AND ROUNDABOUT	1.000	LS
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM NO. 4 - EXIT 5, ROUNDABOUT	1.000	LS
HIGH MAST LIGHT STANDARD-120'HT.(GALV.STEEL)T.L.LOW.DEV.	4.000	EA
PORTABLE DRIVE MOTOR FOR HIGH MAST LOWERING DEVICE	2.000	EA
SGL.LT.STD.35'HT.AL.POLE 8'SGL.ARM-GROUND MNT.W/FOUNDATION	44.000	EA
DROP INLET, GP 2	13.000	EA
STORM SEWER MANHOLE, TP 2	1.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	455.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	14,709.400	LF



Description	Quantity	Units
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	210.000	LF
2" SCHEDULE 80 HDPE CONDUIT	2,030.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	3,100.000	LF
16 IN. ABOVE GROUND UTILITY MARKER	4.000	EA
NO. 4 BARE COPPER WIRE GROUND	45.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	815.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	790.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	7,145.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	915.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,255.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	2,795.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	13.000	EA
FURNISH & INSTALL FIBER OPTIC MODEM	2.000	EA
FURNISH & INSTALL WIRELESS NETWORK COMMUNICATIONS LINK BETWEEN TWO SIGNALS (2 RADIOS)	1.000	EA
NETWORK SWITCH	2.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	5.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	16.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	27.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	6.000	EA
CONDUIT, RIGID, 2 IN	1,900.000	LF
CONDUIT, FLEXIBLE - 2" DIAMETER	50.000	LF
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 046	5.000	EA
FURNISH AND INSTALL BATTERY BACK-UP INCLUDING FOUNDATION	5.000	EA
CLOSED CIRCUIT TV CAMERA-HIGHWAY USE	2.000	EA
CAMERA LOWERING DEVICE	2.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	4.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 047	36.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	10.000	EA
AUDIBLE PEDESTRIAN SYSTEM(APS) INCLUDING PEDESTRIAN HEAD & BUTTON ASSEMBLY W/ SIGN	4.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	10.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	43.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	43.000	EA
F&I-PEDESTRIAN TRAF. SIGNAL HEAD MOUNTING ASSEM FOR POST TOP	2.000	EA
F&I - PED TRAF. SIGNAL HEAD MOUNTING ASSEMBLY FOR SIDE POLE	2.000	EA
REMOVE FOUNDATION OF STEEL STRAIN POLE - 18" BELOW GRADE	2.000	EA
REMOVAL, SALVAGE, & DISPOSAL OF EXISTING ITS COMPONENTS	1.000	LS
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	6.000	EA
TEMPORARY TIMING ADJUSTMENTS PER SITE VISIT	12.000	EA





Description	Quantity	Units
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	3.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	2.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	10.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR RADAR DETECTION	15.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	10.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SETBACK DETECTION	14.000	EA
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	2,909.000	LF
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	2.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 048	2.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	12.000	EA
WORK ZONE ITS	1.000	LS
PERMANENT GRASSING	10.000	ACRE
FERTILIZER MIXED GRADE	103.000	TON
FERTILIZER NITROGEN CONTENT	565.000	LB
SOD	6,292.000	SY
AGRICULTURAL LIME	20.000	TON
CONC. FOR STRUCTURES - CLASS 4000	19,019.800	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	2,332.000	CY
STRAIGHT HEADWALL FOR 36" CIRCULAR PIPE-2 LINES	1.000	EA
GROOVED SURFACE FINISH	34,160.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	391,317.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	6,423,282.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	545,487.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	12,723.500	LF
PRESTRESSED CONC. BEAM (TYPE IV)	12,478.000	LF
PRESTRESSED CONCRETE BULB TEE BEAM(63"MOD.)	1,741.900	LF
PRESTRESSED CONCRETE BULB TEE BEAM(74"MOD.)	2,000.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL HAND FORMED 001	643.700	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	8,746.500	LF
56" CONCRETE MEDIAN BARRIER (TL-5)-BRIDGE 002	174.500	LF
STRUCTURAL STEEL	3,401,708.000	LB
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	38.000	EA
PILE DRIVING SET-UP	240.000	EA
STEEL H BEARING PILING (HP14 X 117)	18,371.000	LF
STEEL H BEARING INDEX PILING (HP14X 117)	1,523.000	LF
DRILLED SHAFT SET-UP	167.000	EA
CROSSHOLE SONIC LOGGING SETUP	167.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	1,218.000	LF



Description	Quantity	Units
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	4,412.800	LF
CONSTRUCTION CASING - 48" DIAMETER	746.800	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	3,769.700	LF
CONSTRUCTION CASING - 54" DIAMETER	3,769.700	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 72" DIAMETER	1,080.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 78" DIAMETER	1,314.000	LF
CONSTRUCTION CASING - 78" DIAMETER	1,314.000	LF
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	76.000	LF
18" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	172.000	LF
24" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	3,668.000	LF
30" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	2,136.000	LF
36" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,396.000	LF
42" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	440.000	LF
18" SMOOTH WALL PIPE	15,780.000	LF
24" SMOOTH WALL PIPE	8,388.000	LF
30" SMOOTH WALL PIPE	1,564.000	LF
36" SMOOTH WALL PIPE	396.000	LF
42" SMOOTH WALL PIPE	1,608.000	LF
48" SMOOTH WALL PIPE	632.000	LF
CLEANING EXISTING PIPE	3,031.000	LF
12" CORR.HDPE PIPE TYPE (C OR S) TEMP.	933.000	LF
15" CORR.HDPE PIPE TYPE (C OR S) TEMP.	2,364.000	LF
18" CORR.HDPE PIPE TYPE (C OR S) TEMP.	423.000	LF
24" CORR.HDPE PIPE TYPE (C OR S) TEMP.	1,016.000	LF
30" CORR.HDPE PIPE TYPE (C OR S) TEMP.	50.000	LF
CATCH BASIN - TYPE 1 SPECIAL	1.000	EA
DROP INLET 113 CONVERT FROM 3X4 BOX	12.000	EA
DROP INLET TYPE 125 SINGLE 4'X2' BOX	26.000	EA
CATCH BASIN TYPE 25 - SINGLE 4' X 6' BOX	51.000	EA
CATCH BASIN TYPE 25 - DOUBLE 4' X 8' BOX	114.000	EA
CATCH BASIN -TYPE 16	21.000	EA
CATCH BASIN -TYPE 18	6.000	EA
DROP INLET (24" X 24")	64.000	EA
DROP INLET (24" X 24") WITH STANDARD 4' X 4' BOX	3.000	EA
DROP INLET (24" X 24") WITH STANDARD 5' X 5' BOX	1.000	EA
CLOSED FLUME INLET TYPE-16	12.000	EA
CLOSED FLUME INLET TYPE-18	4.000	EA
MANHOLE	18.000	EA
24" X 24" JUNCTION BOX	6.000	EA
PRECAST CONCRETE DRAINAGE STRUCTURE - 4' X 4'	1.000	EA
EXTRA DEPTH OF BOX	245.000	LF



Description	Quantity	Units
24" X 24" JUNCTION BOX (TOP ONLY)	4.000	EA
60" X 60" JUNCTION BOX (TOP ONLY)	3.000	EA
72" X 72" JUNCTION BOX (TOP ONLY)	6.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	13.000	EA
ADJUST CATCH BASIN	1.000	EA
ADJUST DROP INLET ADJUST D. I.	21.000	EA
PIPE END STRUCTURE - 36"	1.000	EA
PIPE END STRUCTURE (SPECIAL) - 42"	1.000	EA
BEVELING OF PIPE END	34.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	2,054.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	356.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	12,026.000	LF
CONCRETE CURB AND GUTTER (2'-0") OGEE	1,125.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	4,727.000	SY
DETECTABLE WARNING MATERIAL	313.000	SF
CONCRETE MEDIAN	3,592.000	SY
PEDESTRIAN RAMP CONSTRUCTION	701.000	SY
SURFACE APPLIED DETECTABLE WARNING	110.000	SF
DECK JOINT STRIP SEAL	2,069.200	LF
ELASTOMERIC BEARING	758.000	EA
CLEAN OUT OF EXISTING DECK DRAIN	232.000	EA
WATERPROOFING	527.200	SY
SOUND BARRIER WALL	173,820.000	SF
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	4,431.000	TON
PLANTED MEDIAN SUBSURFACE DRAINAGE	171.000	SY
RIP-RAP (CLASS A)	831.000	TON
RIP-RAP (CLASS B)	3,541.000	TON
RIP-RAP (CLASS C)	7,985.000	TON
SLOPE PROTECTION-4" CONCRETE	1,985.000	SY
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	12,692.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE D	13,007.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	6,715.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	500.000	LF
GUARDRAIL BLOCKOUT	26.000	EA
MT3 LEADING END TREATMENT TL3	55.000	EA
MEDIAN CABLE BARRIER	3,261.000	LF
MB TRAILING END TREATMENT	40.000	EA
MGS3 GR STANDARD SHOULDER	22,647.500	LF
CABLE BARRIER END ANCHOR	6.000	EA
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	62.500	LF
PREMASH THRIE STRONG POST GUARDRAIL	162.500	LF



Description	Quantity	Units
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	51.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	32.000	EA
NON-MOW STRIP UNDER GUARDRAIL	10,119.000	SY
PREMASH GUARDRAIL BRACKET TO BRIDGE	26.000	EA
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
2' CRASH CUSHION 3A	3.000	EA
56SS REINFORCED BARRIER WALL	26,033.000	LF
56 VERTICAL FACE REINFORCED BARRIER WALL	661.000	LF
RIGID VF BURIED MOMENT SLAB SHOULDER APPLICATION	1,376.000	LF
56ZOI VF BARRIER MEDIAN SYSTEM	794.000	LF
56ZOI VF BARRIER ROADSIDE SYSTEM	735.000	LF
CONC BARRIER TOE DRAIN	10.000	EA
FRENCH DRAIN AND WEEP SYSTEM	693.000	LF
CONC BARR TRANSITION BETWEEN TWO SHAPES	575.000	LF
WOVEN WIRE FENCE - TYPE 1 WITHOUT BARBED WIRE	2,065.000	LF
BRIDGE FENCE	1.000	LS
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE	289.000	LF
12' WIDE - CHAIN LINK FENCE GATE (48"HT)	1.000	EA
12' WIDE - CHAIN LINK FENCE GATE (72"HT)	1.000	EA
TEMPORARY BARRIER FENCE (ORANGE)	94,137.000	LF
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	28.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	90.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	201.510	ACRE
TEMPORARY COVER	101.260	ACRE
FERTILIZER (NITROGEN)	30,227.000	LB
FERTILIZER (PHOSPHORIC ACID)	10,076.000	LB
FERTILIZER (POTASH)	50,377.000	LB
AGRICULTURAL GRANULAR LIME	403,014.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	605.530	ACRE
SODDING	3.000	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.925	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	341.735	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	365.750	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	239.780	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,890.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,920.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	6,760.000	LF
SILT FENCE	248,023.000	LF
REPLACE/REPAIR SILT FENCE	24,803.000	LF



Call No.: 010

Letting Date: February 11, 2025

Letting Time: 2:00pm

Page: 14

Description	Quantity	Units
FLOATING TURBIDITY BARRIER-HEAVY DUTY(5'DEPTH)	1,300.000	LF
DEWATERING BAGS	5.000	EA
CLEANING SILT BASINS	3,259.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	62,006.000	LF
INLET FILTER CLEANING	2,146.000	EA
TEMPORARY DIVERSION DIKE	1,209.000	LF
INLET STRUCTURE FILTER - TYPE D1	81.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	81.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	3.000	EA
SEDIMENT DAM RIPRAP	1,467.000	TON
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	1,175.000	TON
STABILIZED CONSTRUCTION ENTRANCE	6,258.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 10"	4,800.000	LF
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 24"	158.000	LF
PERMANENT SEDIMENT CONTROL STRUCTURE	1.000	EA
AGGREGATE DIAPHRAGM	0.700	CY
REINFORCED BARRIER WALL (SPECIAL DESIGN)	1,200.000	LF
REINFORCED BARRIER WALL WITH HEAL (SPECIAL DESIGN)	9,330.000	LF
VOID REDUCING ASPHALT MEMBRANE	48,339.000	LF
ORNAMENTAL PED FENCE (BRIDGE MOUNTED)	288.100	LF
BR016 - TEE BEAM SADDLE TYPE A	135.000	EA
SOUND BARRIER WALL (BRIDGE MOUNTED)	1,773.000	SF
MILLING EXISTING CONCRETE PAV.(VARIABLE)	9,118.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	34,320.000	HR
ON-THE-JOB TRAINEE (BRIDGE)	37,440.000	HR

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

**STATUTES, CODES, AND REGULATIONS.** The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

**PREQUALIFICATION.** The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or [Prequal@scdot.org](mailto:Prequal@scdot.org).

**BID BONDS FOR SCDOT WORK.** Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

**SUBMISSION OF BID BONDS.** Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
  - (a) alteration of a part of bid item except for the unit price; or
  - (b) failure to enter a bid item unit price; or
  - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
  - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers  
Contract Administrator