

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For February 11, 2020

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on January 11, 2020 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0253600	PCN: P038616	Project No.: P038616
DBE Goal Percent: 0.00%	PCN: P038749	Project No.: P038749
	PCN: P038767	Project No.: P038767

Approx. Length (miles):3.0100 **Description:** PRESERVATION - AIKEN COUNTY
CO(S): Aiken
Completion Date: 7/31/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	110.000	SY
BORROW EXCAVATION	358.000	CY
MAINTENANCE STONE	11.700	TON
LIQUID ASPHALT BINDER PG64-22	189.657	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	150.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,020.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	44,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,375.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,976.683	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	26,394.134	SY
DRIVEWAY PAVING-SURFACE TYPE D	33.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,980.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	4,300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	1,750.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	3,185.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	35.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	700.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	8.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	6.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,350.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	17,900.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	8,660.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	3,850.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,670.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,770.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA



Call No.: 010

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	4.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	6,700.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	35,800.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,730.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	175.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	320.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	471.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	30.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	350.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	185.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,200.000	LF
SAWCUT FOR LOOP DETECTOR	2,350.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	60.000	SY
DETECTABLE WARNING MATERIAL	85.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
SURFACE APPLIED DETECTABLE WARNING	450.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.736	ACRE



Call No.: 020 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0289920 PCN: P026870 Project No.: P026870

DBE Goal Percent: 8.00%

Approx. Length (miles):0.4990

Description: BRIDGE REPLACEMENT US 1 (SOUTH EDISTO)

CO(S): Aiken

Completion Date: 1/31/2022

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
TEMPORARY SHORING	305.000	SF
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,652.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	1,789.000	CY
BORROW EXCAVATION	15,817.000	CY
GEOTEXTILE SOIL REINFORCEMENT	630.000	SY
TEMPORARY SHORING WALL	130.000	LF
FINE GRADING	8,039.000	SY
MAINTENANCE STONE	131.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	495.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	2,618.000	TON
LIQUID ASPHALT BINDER PG64-22	280.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,317.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,512.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	245.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,104.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	232.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,618.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,618.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4" PERM. YEL.	71.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	6.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	8.000	EA



Call No.: 020

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	4.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 4"WH.SOLID PREF.	660.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE4"YEL.SOLID PREF.	660.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	165.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	660.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	31.000	SF
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	16.500	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	32.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,324.000	LF
CONC. FOR STRUCTURES - CLASS 4000	783.600	CY
COMPRESSION SEAL JOINT	93.400	LF
GROOVED SURFACE FINISH	1,539.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	227,049.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	7,964.000	LB
PRESTRESSED CONCRETE FLORIDA I-BEAM(36")	1,430.000	LF
CONCRETE BRIDGE BARRIER PARAPET	596.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	3.000	EA
PILE DRIVING SET-UP	16.000	EA
REINF. PILE TIPS (HP12 X 53)	16.000	EA
STEEL H BEARING PILING (HP12 X 53)	323.000	LF
STEEL H BEARING INDEX PILING (HP12 X 53)	75.000	LF
DRILLED SHAFT SET-UP	9.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 42" DIAMETER	102.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	180.000	LF
CONSTRUCTION CASING - 48" DIAMETER	198.000	LF
18" SMOOTH WALL PIPE	112.000	LF
CATCH BASIN -TYPE 16	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	58.000	LF
ELASTOMERIC BEARING	40.000	EA
CROSSHOLE SONIC LOGGING SETUP	9.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	142.000	TON
RIP-RAP (CLASS A)	12.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	28.000	SY
MT3 LEADING END TREATMENT TL3	8.000	EA
MGS3CS GR COMPRESSED SHOULDER	612.500	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
TEMPORARY BARRIER FENCE	1,330.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
PROPERTY RIGHT OF WAY MARKER (REBAR & CAP)	23.000	EA
RIGHT OF WAY PLAT	1.000	LS



Call No.: 020

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
PERMANENT COVER	4.108	ACRE
TEMPORARY COVER	2.054	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	4.108	ACRE
FERTILIZER (NITROGEN)	410.800	LB
FERTILIZER (PHOSPHORIC ACID)	410.800	LB
FERTILIZER (POTASH)	410.800	LB
AGRICULTURAL GRANULAR LIME	8,216.000	LB
SELECTIVE WATERING	8,216.000	GAL
MOWING	12.314	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	31.800	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	310.000	SY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	24.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	350.000	LF
SILT FENCE	4,500.000	LF
REPLACE/REPAIR SILT FENCE	450.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,125.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 030 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0449380 PCN: P032168 Project No.: P032168
DBE Goal Percent: 17.50%
Approx. Length (miles):0.2460 Description: SIDEWALK INSTALLATION - L-390 ANDERSON
CO(S): Anderson CO
Completion Date: 8/31/2020 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
SITE EXCAVATION	1.000	LS
MAINTENANCE STONE	50.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	150.000	SF
REMOVAL OF PAVEMENT MARKINGS(HIGH PRESSURE WATER)(LINES)(TRAFFIC CONTROL)	2,403.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	220.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	548.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	1.000	EA
LONGITUDINAL DELINEATOR SYSTEM	120.000	LF
6.0" SCHEDULE 40 PVC CONDUIT	24.000	LF
CONC. FOR STRUCTURES - CLASS 4000	1.000	CY
18" SMOOTH WALL PIPE	72.000	LF
CATCH BASIN -TYPE 9	1.000	EA
DROP INLET (24" X 36")	2.000	EA
TRENCH DRAIN-4" INTERIOR DIMENSION (DRIVEWAY APPLICATION)	25.000	LF
DROP INLET (24" X 36") TOP ONLY	1.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	652.000	SY
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
4' WIDE - CHAIN LINK FENCE GATE (48"HT)	1.000	EA
RESET CHAIN-LINK FENCE	175.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	0.954	ACRE
TEMPORARY COVER	0.477	ACRE
SELECTIVE WATERING	54,300.000	GAL



Call No.: 030

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
MOWING	1.584	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.421	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	120.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	440.000	LF
SILT FENCE	500.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 040 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0953630 PCN: P038871 Project No.: P038871

DBE Goal Percent: 0.00%

Approx. Length (miles):0.8900

Description: PRESERVATION - CALHOUN COUNTY

CO(S): Calhoun

Completion Date: 7/31/2020

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	178.000	CY
MAINTENANCE STONE	4.150	TON
LIQUID ASPHALT BINDER PG64-22	74.262	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	415.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,044.400	TON
DRIVEWAY PAVING-SURFACE TYPE D	134.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	96.000	SF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	130.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	59.000	EA
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	65.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.863	ACRE



Call No.: 050 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1191630 PCN: P027884 Project No.: P027884

DBE Goal Percent: 7.50%

Approx. Length (miles):0.1467

Description: GAFFNEY T-BRIDGE IMPROVEMENTS

CO(S): Cherokee

Completion Date: 3/31/2021

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	400.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	730.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	290.000	SY
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
SITE EXCAVATION	1.000	LS
HOT MIX ASPHALT BASE COURSE - TYPE A	64.000	TON
LIQUID ASPHALT BINDER PG64-22	4.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	16.000	TON
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	110.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	96.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	50.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,784.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	25.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	24.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	18.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	70.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,530.000	LF
CONC. FOR STRUCTURES - CLASS 4000	450.000	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	44,741.000	LB
CONCRETE SIDEWALK(4" UNIFORM)	45.000	SY
DETECTABLE WARNING MATERIAL	22.500	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
PREMASH THRIEBEAM BRIDGE CONN TBBC3	1.000	EA
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
120" CHAIN LINK FENCE	210.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	0.140	ACRE
SILT FENCE	180.000	LF
REPAIR CLEAN AND PAINT EXISTING RAILINGS	1.000	LS



Call No.: 060 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1453610 PCN: P038809 Project No.: P038809
DBE Goal Percent: 0.00%
Approx. Length (miles): 1.7700 Description: PRESERVATION - CLARENDON COUNTY
CO(S): Clarendon
Completion Date: 7/31/2020 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	0.200	TON
LIQUID ASPHALT BINDER PG64-22	0.630	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	20.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	10.000	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	22,844.801	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	192.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	160.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	37,400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	140.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,260.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	29,040.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	117.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	80.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	18,700.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	70.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	630.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	14,520.000	LF



Call No.: 070 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2304950 **PCN:** 0027178X **Project No.:** BR23013
DBE Goal Percent: 10.00%
Approx. Length (miles):0.3550 **Description:** BRIDGE REPLACEMENT - S-164 (ENOREE RIVER)
CO(S): Greenville
Completion Date: 150 Days **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
GRINDING AND SCREENING OF VEGETATIVE MATERIAL 01	4,382.000	CY
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	9,330.000	CY
BORROW EXCAVATION	12,141.000	CY
FINE GRADING	527.000	SY
FLOWABLE FILL	3.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,017.000	TON
LIQUID ASPHALT BINDER PG64-22	141.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	445.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	512.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	589.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	4.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	181.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,720.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,860.000	LF
BARRICADE - TYPE 3	120.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	7,440.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	7,440.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	240.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	24.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,064.000	LF
CONC. FOR STRUCTURES - CLASS 4000	563.600	CY



Call No.: 070

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
GROOVED SURFACE FINISH	1,049.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	145,503.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	5,329.000	LB
PRESTRESSED CONC. BEAM (TYPE IV)	1,333.000	LF
CONCRETE BRIDGE BARRIER PARAPET	466.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
PILE DRIVING SET-UP	11.000	EA
REINF. PILE TIPS (HP14 X 73)	11.000	EA
STEEL H BEARING PILING (HP14 X 73)	322.000	LF
DRILLED SHAFT SET-UP	6.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 36" DIAMETER	36.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	183.000	LF
CONSTRUCTION CASING - 42" DIAMETER	183.000	LF
18" SMOOTH WALL PIPE	972.000	LF
30" SMOOTH WALL PIPE	760.000	LF
DROP INLET (24" X 36")	2.000	EA
TRENCH DRAIN-12" INTERIOR DIMENSION (DRIVEWAY APPLICATION)	64.000	LF
MANHOLE	11.000	EA
EXTRA DEPTH OF BOX	1.000	LF
BEVELING OF PIPE END	10.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	98.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	66.000	LF
ELASTOMERIC BEARING	36.000	EA
CROSSHOLE SONIC LOGGING SETUP	6.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	142.000	TON
RIP-RAP (CLASS A)	101.000	TON
RIP-RAP (CLASS B)	1,727.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,221.000	SY
MT2 LEADING END TREATMENT TL2	8.000	EA
MGS3 GR STANDARD SHOULDER	212.500	LF
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
NON-MOW STRIP UNDER GUARDRAIL	50.000	SY
TEMPORARY BARRIER FENCE	400.000	LF
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	40.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	5.433	ACRE
TEMPORARY COVER	2.716	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	5.433	ACRE



Call No.: 070

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FERTILIZER (NITROGEN)	543.247	LB
FERTILIZER (PHOSPHORIC ACID)	543.247	LB
FERTILIZER (POTASH)	543.247	LB
AGRICULTURAL GRANULAR LIME	10,864.933	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	16.297	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	30.300	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	4.141	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	2.870	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.632	MSY
SEDIMENT TUBES FOR DITCH CHECKS	300.000	LF
SPREADING OF WOOD CHIPS FOR EROSION CONTROL	13.147	MSY
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
CLEANING SILT BASINS	2,293.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
TEMPORARY DIVERSION DIKE WITH DITCH	625.000	LF
CLEANING INLET STRUCTURE FILTERS	10.000	EA
INLET STRUCTURE FILTER - TYPE A	25.000	LF
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	91.000	SY
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 080 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3853670 PCN: P038899 Project No.: P038899
DBE Goal Percent: 0.00%
Approx. Length (miles): 1.6900 Description: PRESERVATION - ORANGEBURG COUNTY
CO(S): Orangeburg
Completion Date: 7/31/2020 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	1.450	TON
LIQUID ASPHALT BINDER PG64-22	0.819	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	145.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	13.000	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	23,750.399	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	652.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	80.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	10,110.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	474.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	640.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	11,144.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	115.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	40.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	5,055.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	237.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	320.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	5,572.000	LF
SURFACE APPLIED DETECTABLE WARNING	50.000	SF



Call No.: 090 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4054400 PCN: P039080 Project No.: P039080
 DBE Goal Percent: 0.00% PCN: P039081 Project No.: P039081
 Approx. Length (miles): 11.6300 Description: PRESERVATION - RICHLAND COUNTY
 CO(S): Richland
 Completion Date: 9/30/2020 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
MAINTENANCE STONE	5.750	TON
LIQUID ASPHALT BINDER PG64-22	52.920	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	575.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	840.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	136,910.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,181.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	221,725.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	928.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	217,050.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	785.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	110,800.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	464.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	4.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	700.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	108,800.000	LF



Call No.: 100 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4055220 **PCN:** P037149 **Project No.:** P037149
DBE Goal Percent: 0.00%
Approx. Length (miles):0.2660 **Description:** BRIDGE REPLACEMENT - S-1575 CARY'S LAKE DAM
CO(S): Richland
Completion Date: 7/31/2022 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,040.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	18.000	CY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	240.000	CY
BORROW EXCAVATION	1,840.000	CY
MUCK EXCAVATION	100.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	95.000	CY
DEWATERING SYSTEM NO. 001	1.000	LS
FLOWABLE FILL	2.000	CY
MAINTENANCE STONE	10.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	220.000	TON
LIQUID ASPHALT BINDER PG64-22	30.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	181.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	100.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	125.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	105.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	48.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	40.000	SF
BARRICADE - TYPE 3	120.000	LF
2.0" SCHEDULE 80 PVC CONDUIT	1,717.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,792.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	22.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,840.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	12.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	17.813	SF



Call No.: 100

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
U-SECTION POST FOR SIGN SUPPORTS - 3P	52.000	LF
CONC. FOR STRUCTURES - CLASS 4000	325.400	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	144,583.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	31,520.000	LB
3'-0" x 2'-0" CORED SLABS	4,300.300	LF
3'-0" X 2'-0" SLABS	139.500	LF
CONCRETE BRIDGE BARRIER PARAPET	790.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
DRILLED SHAFT SET-UP	24.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 36" DIAMETER	776.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	400.700	LF
CONSTRUCTION CASING - 42" DIAMETER	400.700	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL(STONE)	115.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	394.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	45.000	LF
18" SMOOTH WALL PIPE	207.000	LF
CATCH BASIN -TYPE 16	3.000	EA
DROP INLET (24" X 36")	1.000	EA
48" X 48" JUNCTION BOX	1.000	EA
BEVELING OF PIPE END	1.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	11.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	240.000	LF
CONCRETE DRIVEWAY(6" UNIFORM)	91.000	SY
ELASTOMERIC BEARING	242.000	EA
CROSSHOLE SONIC LOGGING SETUP	24.000	EA
RIP-RAP (CLASS A)	25.000	TON
RIP-RAP (CLASS B)	104.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	430.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	217.000	SY
MT3 LEADING END TREATMENT TL3	1.000	EA
MT2 LEADING END TREATMENT TL2	1.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	25.000	LF
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
ORNAMENTAL STEEL PICKET FENCE - 54"	85.000	LF
MOVING ITEM NO. 001	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	21.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.447	ACRE
TEMPORARY COVER	0.447	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	0.800	ACRE
FERTILIZER (NITROGEN)	45.000	LB



Call No.: 100

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FERTILIZER (PHOSPHORIC ACID)	45.000	LB
FERTILIZER (POTASH)	45.000	LB
AGRICULTURAL GRANULAR LIME	894.000	LB
MOWING	1.788	ACRE
WATERPROOFING (BRIDGE DECK)	1,260.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.484	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	18.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	18.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	72.000	LF
SILT FENCE	791.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY	1,080.000	SF
REMOVAL OF SILT RETAINED BY SILT FENCE	198.000	LF
CLEANING INLET STRUCTURE FILTERS	4.000	EA
INLET STRUCTURE FILTER - TYPE B	1.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
SLUICE GATE CONTROL ACCESS LADDER AND FENCE	1.000	LS
CONSTRUCTION REQUIREMENTS FOR DAM PROTECTION	1.000	LS



Call No.: 110 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4612490 PCN: P030847 Project No.: P030847

DBE Goal Percent: 17.50%

Approx. Length (miles): 1.3470

Description: BIKE/PED: SC 55 YORK COUNTY

CO(S): York

Completion Date: 9/30/2020

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	117.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	9.500	CY
REMOVAL OF EXIST. GUARDRAIL	584.900	LF
SITE EXCAVATION	1.000	LS
MAINTENANCE STONE	110.000	TON
LIQUID ASPHALT BINDER PG64-22	1.800	TON
DRIVEWAY PAVING-SURFACE TYPE C NON-RESURFACING PROJECT	28.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	200.000	SF
REMOVAL OF PAVEMENT MARKINGS(HIGH PRESSURE WATER)(LINES)(TRAFFIC CONTROL)	200.000	SF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	435.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	212.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	225.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	85.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	6,078.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	50.000	SY
DETECTABLE WARNING MATERIAL	220.000	SF
PEDESTRIAN RAMP CONSTRUCTION	550.000	SY
RIP-RAP (CLASS A)	43.500	TON
RIP-RAP (CLASS B)	50.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	300.000	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	525.000	LF
NON-MOW STRIP UNDER GUARDRAIL	320.000	SY
PERMANENT COVER	5.500	ACRE
TEMPORARY COVER	5.000	ACRE



Call No.: 110

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
FERTILIZER (NITROGEN)	550.000	LB
FERTILIZER (PHOSPHORIC ACID)	550.000	LB
FERTILIZER (POTASH)	550.000	LB
AGRICULTURAL GRANULAR LIME	11,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	21.000	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	5.000	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	570.000	LF
SILT FENCE	7,455.000	LF
REPLACE/REPAIR SILT FENCE	746.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,865.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	13.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 120 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4653460	PCN: P038577	Project No.: P038577
DBE Goal Percent: 0.00%	PCN: P038584	Project No.: P038584
	PCN: P038591	Project No.: P038591

Approx. Length (miles): 4.7300 **Description:** PRESERVATION - YORK COUNTY
CO(S): York
Completion Date: 9/30/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIQUID ASPHALT BINDER PG64-22	2.925	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	2,095.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,495.000	SY
MILLED-IN RUMBLE STRIP	6.000	MI
HOT MIX ASPHALT SURFACE COURSE TYPE E	45.000	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	108,330.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,164.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	46,790.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	66,430.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,420.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,314.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	68.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	44.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	15,160.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	115,268.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	300.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	22,050.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,500.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,210.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	565.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	28.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	16.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,580.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	26,000.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	398.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	198.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	604.000	EA
REMOVAL OF ALL PAVEMENT MARKINGS	10.310	LM
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	1,320.000	LF



Call No.: 120

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	34,300.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	92.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	6.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	6.000	EA
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	34,200.000	LF



Call No.: 130 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5154520	PCN: P038656	Project No.: P038656
DBE Goal Percent: 0.00%	PCN: P039083	Project No.: P039083
	PCN: P039252	Project No.: P039252
	PCN: P039253	Project No.: P039253
	PCN: P039255	Project No.: P039255
	PCN: P039257	Project No.: P039257

Approx. Length (miles):9.9900

Description: PRESERVATION - DISTRICT 1

CO(S): Kershaw Lee Sumter

Completion Date: 9/30/2020

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	300.000	CY
MAINTENANCE STONE	7.000	TON
LIQUID ASPHALT BINDER PG64-22	213.890	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	700.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	700.000	SY
MILLED-IN RUMBLE STRIP	6.100	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	3,320.083	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	88,200.000	SY
DRIVEWAY PAVING-SURFACE TYPE D	75.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	908.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	460.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	208,300.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	450.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	15,880.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	100,820.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	32,300.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	105.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	27,600.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	680.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	240.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	47,800.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	130.000	LF



Call No.: 130

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	3,840.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	24,270.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO. PROFILE	25,600.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.480	ACRE



Call No.: 140 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5154530 **PCN:** P039085 **Project No.:** P039085
DBE Goal Percent: 0.00% **PCN:** P039086 **Project No.:** P039086
Approx. Length (miles):3.6200 **Description:** PRESERVATION - LEXINGTON/RICHLAND COUNTIES
CO(S): Lexington Richland
Completion Date: 7/31/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
BORROW EXCAVATION	182.000	CY
EXCAVATION FOR SHOULDER PAVING	96.100	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	96.100	STA
MAINTENANCE STONE	9.500	TON
HMA SHOULDER WIDENING COURSE	694.026	TON
LIQUID ASPHALT BINDER PG64-22	93.145	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	950.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	11,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,225.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	832.050	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	46,830.000	SY
DRIVEWAY PAVING-SURFACE TYPE D	95.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	968.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	325.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	86,130.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	750.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	86,130.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	13.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	247.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	225.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	38,260.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	345.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	6.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	4.000	EA



Call No.: 140

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	38,260.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,452.000	LF
SAWCUT FOR LOOP DETECTOR	454.000	LF
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.882	ACRE



Call No.: 150 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5154760 PCN: P039307 Project No.: P039307

DBE Goal Percent: 0.00%

Approx. Length (miles): 750.0000

Description: RAISED PAVEMENT MARKING - DISTRICT 1

CO(S): DISTRICT 1

Completion Date: 8/30/2020

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	17,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	10,400.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	60,000.000	EA



Call No.: 160 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5253200	PCN: P038626	Project No.: P038626
DBE Goal Percent: 0.00%	PCN: P038629	Project No.: P038629
	PCN: P038631	Project No.: P038631
	PCN: P038633	Project No.: P038633
	PCN: P038635	Project No.: P038635
	PCN: P038638	Project No.: P038638
	PCN: P038784	Project No.: P038784
	PCN: P039296	Project No.: P039296
	PCN: P039297	Project No.: P039297

Approx. Length (miles):20.2400 **Description:** PRESERVATION - DISTRICT 2
CO(S): Anderson Edgefield
Greenwood Newberry
Saluda

Completion Date: 11/30/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 00	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	175.000	SY
BORROW EXCAVATION	743.000	CY
MAINTENANCE STONE	125.770	TON
LIQUID ASPHALT BINDER PG64-22	204.969	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	687.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	5,990.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,375.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	150.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	14,970.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	22,730.000	SY
MILLED-IN RUMBLE STRIP	31.512	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,966.732	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	242,517.000	SY
DRIVEWAY PAVING-SURFACE TYPE D	146.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,272.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	10,750.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	584,960.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	6,088.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,800.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	40.000	EA



Call No.: 160

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	24.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,740.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	599,118.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,600.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,089.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	193,380.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,525.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,757.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,090.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	198,205.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	198.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	6.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,515.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	153.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,676.000	LF
SAWCUT FOR LOOP DETECTOR	843.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	3.000	EA
24" SMOOTH WALL PIPE	48.000	LF
DETECTABLE WARNING MATERIAL	87.500	SF
PEDESTRIAN RAMP CONSTRUCTION	175.000	SY
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.887	ACRE



Call No.: 170 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5254770 PCN: P039308 Project No.: P039308
DBE Goal Percent: 0.00%
Approx. Length (miles): 750.0000 Description: RAISED PAVEMENT MARKING - DISTRICT 2
CO(S): DISTRICT2
Completion Date: 8/30/2020 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	7,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	6,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	70,000.000	EA



Call No.: 180 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5354780 PCN: P039309 Project No.: P039309

DBE Goal Percent: 0.00%

Approx. Length (miles): 825.0000

Description: RAISED PAVEMENT MARKING - DISTRICT 3

CO(S): DISTRICT3

Completion Date: 8/30/2020

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	19,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	12,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	75,000.000	EA



Call No.: 190 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5453470	PCN: P038572	Project No.: P038572
DBE Goal Percent: 0.00%	PCN: P038573	Project No.: P038573
	PCN: P038574	Project No.: P038574
	PCN: P038575	Project No.: P038575
	PCN: P038581	Project No.: P038581
	PCN: P038587	Project No.: P038587
	PCN: P038588	Project No.: P038588

Approx. Length (miles):9.6000 **Description:** PRESERVATION - DISTRICT 4
CO(S): Chester Chesterfield
Fairfield Lancaster

Completion Date: 9/30/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIQUID ASPHALT BINDER PG64-22	9.919	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,675.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	560.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,100.000	SY
MILLED-IN RUMBLE STRIP	9.880	MI
HOT MIX ASPHALT SURFACE COURSE TYPE E	152.600	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	189,871.731	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,340.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	23,980.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	176,668.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,910.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	300.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	595.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	46.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	10.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	39,274.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	197,584.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	11,090.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	61,406.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,200.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	300.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	267.000	LF



Call No.: 190

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	36.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	5.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	11,582.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	68,690.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	268.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,029.000	EA
REMOVAL OF ALL PAVEMENT MARKINGS	21.900	LM
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	725.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	21,120.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	30.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	8,055.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	15,588.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,350.000	LF
MT3 LEADING END TREATMENT TL3	6.000	EA
MGS3CS GR COMPRESSED SHOULDER	625.000	LF



Call No.: 200 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5453500	PCN: P038571	Project No.: P038571
DBE Goal Percent: 0.00%	PCN: P038576	Project No.: P038576
	PCN: P038578	Project No.: P038578
	PCN: P038585	Project No.: P038585
	PCN: P038590	Project No.: P038590

Approx. Length (miles): 3.4900 **Description:** PRESERVATION - DISTRICT 4
CO(S): Cherokee Union
Completion Date: 8/31/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	150.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	3.000	CY
BORROW EXCAVATION	15.000	CY
EXCAVATION FOR SHOULDER PAVING	14.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	14.000	STA
HMA SHOULDER WIDENING COURSE	137.280	TON
LIQUID ASPHALT BINDER PG64-22	8.489	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	900.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	2,300.000	SY
MILLED-IN RUMBLE STRIP	3.180	MI
HOT MIX ASPHALT SURFACE COURSE TYPE E	25.000	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	72,428.597	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,346.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	24,432.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	57,065.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	549.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	26.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	20.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,800.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	82,039.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	120.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	11,315.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	7,200.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	185.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	9.000	EA



Call No.: 200

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	500.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	20,652.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	171.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	617.000	EA
REMOVAL OF ALL PAVEMENT MARKINGS	7.180	LM
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	901.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	21,333.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	88.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	4.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	4.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	400.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	20,368.000	LF
DETECTABLE WARNING MATERIAL	75.000	SF
PEDESTRIAN RAMP CONSTRUCTION	150.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.100	ACRE



Call No.: 210 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5454790 PCN: P039310 Project No.: P039310
DBE Goal Percent: 0.00%
Approx. Length (miles): 765.0000 Description: RAISED PAVEMENT MARKING - DISTRICT 4
CO(S): DISTRICT4
Completion Date: 8/30/2020 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10,200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	6,200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	58,000.000	EA



Call No.: 220 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5454930 **PCN:** P039305 **Project No.:** P039305
DBE Goal Percent: 0.00% **PCN:** P039344 **Project No.:** P039344
Approx. Length (miles): NA **Description:** PAINT LONG LINE - DISTRICT 4
CO(S): Cherokee Chesterfield
Completion Date: 6/30/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,320.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,052,452.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	199,886.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,782,336.000	LF



Call No.: 230 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5554670	PCN: P039039	Project No.: P039039
DBE Goal Percent: 0.00%	PCN: P039040	Project No.: P039040
	PCN: P039041	Project No.: P039041
	PCN: P039059	Project No.: P039059
	PCN: P039060	Project No.: P039060

Approx. Length (miles):7.0600

Description: PRESERVATION - DISTRICT 5

CO(S): Darlington Marlboro

Completion Date: 8/31/2020

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,412.000	CY
MAINTENANCE STONE	19.750	TON
LIQUID ASPHALT BINDER PG64-22	431.530	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,975.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,000.000	SY
MILLED-IN RUMBLE STRIP	11.120	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	6,520.901	TON
DRIVEWAY PAVING-SURFACE TYPE D	328.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,456.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	149,150.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	170.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	15,630.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	80,230.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	120.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	20.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	850.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	74,575.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	85.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,815.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	40,115.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	494.000	EA



Call No.: 230

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
REMOVAL OF PAVEMENT MARKINGS	106,765.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.800	ACRE



Call No.: 240 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5554680	PCN: P039047	Project No.: P039047
DBE Goal Percent: 0.00%	PCN: P039048	Project No.: P039048
	PCN: P039049	Project No.: P039049
	PCN: P039061	Project No.: P039061
	PCN: P039063	Project No.: P039063

Approx. Length (miles): 11.2500 **Description:** PRESERVATION - DISTRICT 5
CO(S): Florence Williamsburg
Completion Date: 9/30/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,378.000	CY
MAINTENANCE STONE	49.000	TON
LIQUID ASPHALT BINDER PG64-22	483.257	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	40,007.000	SY
MILLED-IN RUMBLE STRIP	6.280	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	7,213.867	TON
DRIVEWAY PAVING-SURFACE TYPE D	456.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,624.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	8,919.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	176,645.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,295.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	11.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	18,500.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	117,220.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,050.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,123.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	113,230.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	665.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	5.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	12,950.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	56,785.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	100.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	70.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	888.000	EA



Call No.: 240

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
REMOVAL OF PAVEMENT MARKINGS	35,190.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.608	ACRE



Call No.: 250 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5554700	PCN: P039050	Project No.: P039050
DBE Goal Percent: 0.00%	PCN: P039052	Project No.: P039052
	PCN: P039054	Project No.: P039054
	PCN: P039055	Project No.: P039055
	PCN: P039056	Project No.: P039056

Approx. Length (miles):5.8600 **Description:** PRESERVATION - DISTRICT 5
CO(S): Georgetown Horry
Completion Date: 9/30/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	400.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	200.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	50.000	CY
BORROW EXCAVATION	1,004.000	CY
MAINTENANCE STONE	55.500	TON
LIQUID ASPHALT BINDER PG64-22	606.418	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	21,802.000	SY
MILLED-IN RUMBLE STRIP	8.684	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	9,210.684	TON
DRIVEWAY PAVING-SURFACE TYPE D	415.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,412.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	24,900.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	121,485.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,460.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,559.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	19,540.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	134,331.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	590.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	48,535.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	730.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	598.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA



Call No.: 250

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,270.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	56,687.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	400.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	332.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	765.000	EA
REMOVAL OF PAVEMENT MARKINGS	71,105.000	LF
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	6.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	200.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	150.000	SY
DETECTABLE WARNING MATERIAL	25.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	200.000	SY
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.736	ACRE



Call No.: 260 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5554840	PCN: P039043	Project No.: P039043
DBE Goal Percent: 0.00%	PCN: P039045	Project No.: P039045
	PCN: P039053	Project No.: P039053
	PCN: P039057	Project No.: P039057
	PCN: P039058	Project No.: P039058

Approx. Length (miles):21.8100 **Description:** PRESERVATION - DILLON & MARION CO(S): Dillon Marion COUNTIES

Completion Date: 10/31/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	460.000	CY
MAINTENANCE STONE	25.500	TON
LIQUID ASPHALT BINDER PG64-22	174.514	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	20,384.000	SY
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	54.680	LaMi
MILLED-IN RUMBLE STRIP	7.860	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,562.550	TON
DRIVEWAY PAVING-SURFACE TYPE D	207.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,388.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	62,200.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	30.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	28,120.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	48,320.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	35.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,060.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	23,080.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	100.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	352.000	EA
REMOVAL OF PAVEMENT MARKINGS	34,675.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.550	ACRE



Call No.: 270 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5654450 PCN: P038922 Project No.: P038922
DBE Goal Percent: 0.00% PCN: P038928 Project No.: P038928
Approx. Length (miles):4.1000 Description: PRESERVATION - DISTRICT 6
CO(S): Beaufort Jasper
Completion Date: 7/31/2020 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	215.000	CY
MAINTENANCE STONE	8.750	TON
LIQUID ASPHALT BINDER PG76-22	301.939	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	875.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	600.000	SY
MILLED-IN RUMBLE STRIP	11.820	MI
HOT MIX ASPHALT SURFACE COURSE TYPE E	4,645.192	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	600.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	4,830.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	43,300.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	48.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	2.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	2,790.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	27,390.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	9,660.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	86,600.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	96.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,580.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	54,780.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	244.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	151.000	EA
REMOVAL OF ALL PAVEMENT MARKINGS	11.820	LM



Call No.: 280 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5654490	PCN: P038681	Project No.: P038681
DBE Goal Percent: 0.00%	PCN: P039018	Project No.: P039018
	PCN: P039024	Project No.: P039024
	PCN: P039031	Project No.: P039031
	PCN: P039034	Project No.: P039034

Approx. Length (miles):7.8700

Description: PRESERVATION - DISTRICT 6

CO(S): Colleton Dorchester

Completion Date: 7/31/2020

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	362.000	CY
MAINTENANCE STONE	17.750	TON
LIQUID ASPHALT BINDER PG76-22	433.244	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,775.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,820.000	SY
MILLED-IN RUMBLE STRIP	5.630	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,445.500	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	5,200.612	TON
DRIVEWAY PAVING-SURFACE TYPE D	65.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,720.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	3,094.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	39,230.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	36.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	9.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	1,840.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	37,352.000	LF
8" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	85.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,248.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	104,120.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	85.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	180.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	14.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	6,360.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	71,404.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	1,000.000	LF



Call No.: 280

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	150.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	872.000	EA
REMOVAL OF PAVEMENT MARKINGS	30.000	LF
REMOVAL OF ALL PAVEMENT MARKINGS	11.900	LM
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	30.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	12,830.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	54.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	1,340.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	3,630.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	600.000	LF
SAWCUT FOR LOOP DETECTOR	300.000	LF



Call No.: 290 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5654620	PCN: P039025	Project No.: P039025
DBE Goal Percent: 0.00%	PCN: P039029	Project No.: P039029
	PCN: P039030	Project No.: P039030
	PCN: P039035	Project No.: P039035

Approx. Length (miles): 12.4400 **Description:** PRESERVATION - DISTRICT 6
CO(S): Berkeley Charleston
Completion Date: 8/31/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	350.000	CY
MAINTENANCE STONE	22.140	TON
LIQUID ASPHALT BINDER PG64-22	288.569	TON
LIQUID ASPHALT BINDER PG76-22	251.352	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,214.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	54,446.900	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	650.000	SY
MILLED-IN RUMBLE STRIP	9.860	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,444.690	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	3,866.940	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,468.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	12,728.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	54,584.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	82.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	6.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,340.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	38,864.000	LF
8" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	136.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	180.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	12,966.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	105,100.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	128.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	6,680.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	74,560.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	360.000	LF



Call No.: 290

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	533.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	500.000	EA
REMOVAL OF ALL PAVEMENT MARKINGS	9.860	LM
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,000.000	LF
FURNISH & INSTALL EPOXY TUBES	4.000	EA
FURNISH EPOXY APPLICATOR	4.000	EA
SAWCUT FOR LOOP DETECTOR	1,400.000	LF
INSTALL FLUSH MOUNTED WIRELESS SENSOR	28.000	EA
REMOVE FLUSH MOUNTED WIRELESS SENSOR	28.000	EA
ROOT BARRIER	70.000	LF



Call No.: 300 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5753640	PCN: P038893	Project No.: P038893
DBE Goal Percent: 0.00%	PCN: P038934	Project No.: P038934
	PCN: P039010	Project No.: P039010

Approx. Length (miles):6.0600 **Description:** PRESERVATION - DISTRICT 7

CO(S): Allendale Hampton

Completion Date: 7/31/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	352.000	CY
EXCAVATION FOR SHOULDER PAVING	185.856	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	185.856	STA
MAINTENANCE STONE	10.200	TON
HMA SHOULDER WIDENING COURSE	1,239.040	TON
LIQUID ASPHALT BINDER PG64-22	72.032	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,020.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,750.000	SY
MILLED-IN RUMBLE STRIP	7.300	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	160.000	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	89,791.730	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	664.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	240.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	40,850.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	30.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	110.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,800.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	15,490.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	41,000.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	253.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,900.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	55,980.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	423.000	EA
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT	33.000	LF
HYBRIDIZED POLYMER-20 MILS		



Call No.: 300

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	1,150.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	12,500.000	LF
PREMASH THRIE WITH BASE PL 3.125 SPACING	400.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	800.000	LF
PREMASH THRIE STONG POST GUARDRAIL	250.000	LF
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.707	ACRE



Call No.: 310 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5753650	PCN: P038889	Project No.: P038889
DBE Goal Percent: 0.00%	PCN: P038890	Project No.: P038890
	PCN: P038942	Project No.: P038942
	PCN: P039019	Project No.: P039019
	PCN: P039032	Project No.: P039032

Approx. Length (miles):6.6000 **Description:** PRESERVATION - DISTRICT 7
CO(S): Bamberg Barnwell
Completion Date: 8/31/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	125.000	SY
BORROW EXCAVATION	146.000	CY
EXCAVATION FOR SHOULDER PAVING	38.544	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	38.544	STA
MAINTENANCE STONE	4.500	TON
HMA SHOULDER WIDENING COURSE	203.427	TON
LIQUID ASPHALT BINDER PG64-22	100.161	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	210.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	240.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	6,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	8,450.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,900.000	SY
MILLING - VARIABLE - 2' WIDTH	5,300.000	SY
MILLED-IN RUMBLE STRIP	5.850	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,425.283	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	108,127.740	SY
DRIVEWAY PAVING-SURFACE TYPE D	3.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,200.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	944.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	45,650.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	820.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	494.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	10.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	8.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,580.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	44,320.000	LF



Call No.: 310

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	680.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,628.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	49,380.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,480.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	869.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	10.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	7,160.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	96,860.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,270.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	72.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	54.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	606.000	EA
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	50.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	4,710.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	325.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,350.000	LF
SAWCUT FOR LOOP DETECTOR	280.000	LF
DETECTABLE WARNING MATERIAL	62.500	SF
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	80.000	SF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	100.000	LF
MGS3CS GR COMPRESSED SHOULDER	800.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.708	ACRE



Call No.: 320 Letting Date: February 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5787560	PCN: P028047	Project No.: P028047
DBE Goal Percent: 12.00%	PCN: P029466	Project No.: P029466
	PCN: P029469	Project No.: P029469

Approx. Length (miles):7.5970 **Description:** INTERSECTION IMPROVEMENT - US 278

CO(S): Allendale Barnwell

Completion Date: 11/30/2021 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,660.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,790.000	SY
REMOVAL OF EXIST. GUARDRAIL	1,500.000	LF
UNCLASSIFIED EXCAVATION	24,532.000	CY
BORROW EXCAVATION	3,313.000	CY
MUCK EXCAVATION	70.000	CY
15" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	20.000	LF
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	96.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	20.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	16.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	20.000	LF
GEOTEXTILE, SEPARATION	190.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	383.000	CY
TEMPORARY SHORING WALL	28.000	LF
NO. 57 STONE FOR BACKFILL	130.000	TON
FINE GRADING	39,271.000	SY
FLOWABLE FILL	40.000	CY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	1,204.000	SY
MAINTENANCE STONE	540.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	327.000	TON
HMA SHOULDER WIDENING COURSE	7,150.000	TON
PRIME COAT	325.000	GAL
LIQUID ASPHALT BINDER PG64-22	679.300	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,664.000	SY
MILLED-IN RUMBLE STRIP	14.000	MI



Call No.: 320

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	596.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,699.300	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	382.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	452.000	SF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	800.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	660.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10.000	EA
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	200.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	80.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	2,148.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	624.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	175.000	LF
PAVEMENT MARKINGS(TEMP.-PAINT)-WH.RAILROAD XING SYMBOLS	2.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	77,298.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	396.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	6,822.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	34,608.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	80,498.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	621.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,822.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	36,708.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	495.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	308.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	618.000	LF
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	32.200	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	3,657.000	LB
15" SMOOTH WALL PIPE	212.000	LF
18" SMOOTH WALL PIPE	1,004.000	LF
24" SMOOTH WALL PIPE	128.000	LF
30" SMOOTH WALL PIPE	112.000	LF
36" SMOOTH WALL PIPE	52.000	LF
BEVELING OF PIPE END	2.000	EA
DETECTABLE WARNING MATERIAL	63.000	SF
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
8'X 4' P.C. BOX CULVERT {AASHTO M-273} FH < 2 8' X 4'	144.000	LF
GEOTEXTILE FOR DRAINAGE FILTRATION (FABRIC PROTECTED)CLASS 1	40.000	SY
RIP-RAP (CLASS B)	58.000	TON



Call No.: 320

Letting Date: February 11, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
RIP-RAP (CLASS C)	190.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	190.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	23.000	SY
MOP350 NEST W WITH MOMENT SLAB 6.25 SP	300.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	9,375.000	LF
MT3 LEADING END TREATMENT TL3	6.000	EA
MT2 LEADING END TREATMENT TL2	2.000	EA
MGS3 GR STANDARD SHOULDER	1,737.500	LF
MGS3CS GR COMPRESSED SHOULDER	75.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	700.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH GUARDRAIL BRACKET TO BRIDGE	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	28.000	EA
TEMPORARY BARRIER FENCE	1,500.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	16.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	29.633	ACRE
TEMPORARY COVER	15.372	ACRE
COMPOST	257.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	0.880	ACRE
FERTILIZER (NITROGEN)	2,963.430	LB
FERTILIZER (PHOSPHORIC ACID)	2,963.430	LB
FERTILIZER (POTASH)	2,963.430	LB
AGRICULTURAL GRANULAR LIME	59,266.000	LB
SELECTIVE WATERING	325,800.000	GAL
MOWING	89.848	ACRE
LAGERSTROEMIA XFAUREI "NATCHEZ" (CRAPE MYRTLE) 8-10', B&B, #20 CONT	6.000	EA
TURF REINFORCEMENT MATTING (TRM) TYPE 1	15.560	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.814	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	2.640	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	10.788	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.600	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	3,604.000	LF
SILT FENCE	44,450.000	LF
REPLACE/REPAIR SILT FENCE	4,416.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	11,038.000	LF
STABILIZED CONSTRUCTION ENTRANCE	1,650.000	SY

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Cory Pope at (803)737-4459 or Popeck@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

J.Brian Parnell
Contract Administrator