

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For February 11, 2025

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on January 11, 2025 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

Notice

Call Number: 010

SC File Number: 2764170

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see next page)

LOCAL UTILITY CONTRACTOR LIST

Please be advised that contractors approved for water and sewer work within the BJWSA service area are not limited to the list below. At BJWSA's discretion, any utility contractor licensed in SC with a WL classification may be approved to perform water and sewer work within the BJWSA service area.

Cleland Site Prep, Inc.
Donn Nelson
PO Box 3822
Bluffton, SC 29910
843-987-0500
843-987-0600 fax

Cross Contracting, LLC
Stephen Cross
PO Box 30634
Savannah, GA 31410
912-486-4632

J H Hiers Construction, LLC
Jeff Hiers
715 Green Pond Hwy
Walterboro, SC 29488
843-542-2687

JS Construction
John Lopat
PO Box 1497
Bluffton, SC 29910
843-645-3900
843-645-3901 fax

Jordan Construction of HHI
Zeke Jordan, President
PO Box 1747
Hilton Head, SC 29925
843-784-4151
843-784-4056 fax

Potter Construction, LLC
Mark Potter
540 Shearhouse Road
Guyton, GA 31312
912-663-6969
912-728-4156 fax

Stansell Construction Company
Dick Stansell
PO Box 208
Sheldon, SC 29941
843-846-4265
843-846-8880

Lee Contracting Co., Inc.
Terry R Lee, President
PO Box 1788
Hardeeville, SC 29927
843-784-5288
843-784-5287 fax

Malphrus Utilities
Rob Malphrus
PO Box 352
Ridgeland, SC 29936
843-247-4431
843-726-2197 fax

Dobbs Mechanical & Utility, LLC
Timothy Dobbs
3016 Hickory Street
Beaufort, SC 29906
843-252-4749
TDobbs@DobbsMU.com



Call No.: 010 Letting Date: February 11, 2025 Letting Time: 2:00pm Page: 1

SC File NO(S): 2764170 **PCN:** P030481 **Project No.:** P030481
DBE Goal Percent: 5.00% **PCN:** P040106 **Project No.:** P040106
Approx. Length (miles): 17.8810 **Description:** I-95 WIDENING GA STATE LINE TO EXIT 8
CO(S): Jasper
Completion Date: **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE 001	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 1	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 1	1.000	EA
LAW ENFORCEMENT OFFICER (DPS)	10,000.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
REMOVE AND RESET EXISTING SPCL GUIDE SIGN, GROUND MOUNTED, COMPLETE-IN-PLACE	1.000	EA
TRAFFIC CONTROL, RAISED PAVEMENT MARKERS, ALL TYPES	1,650.000	EA
TRAFFIC CONTROL, SOLID TRAFFIC STRIPE, 5 IN, WHITE	12.024	LaMi
TRAFFIC CONTROL, SOLID TRAFFIC STRIPE, 5 IN, YELLOW	10.765	LaMi
TRAFFIC CONTROL, SKIP TRAFFIC STRIPE, 5 IN, WHITE	10.789	LaMi
TRAFFIC CONTROL -	1.000	LS
TRAFFIC CONTROL - WORKZONE LAW ENFORCEMENT (CONTRACTOR BIDS)	500.000	HR
MOBILIZATION	1.000	LS
INSTALL, MAINTAIN, AND REMOVE IMPAIRED STREAM PROJECT INFO SIGN	1.000	EA
TEMPORARY GRASSING	5.000	ACRE
MULCH	160.000	TON
CONSTRUCT AND REMOVE CONSTRUCTION EXITS	4.000	EA
CONSTRUCTION EXIT TIRE CLEANING STATION (PER DAY)	30.000	EA
CONSTRUCT AND REMOVE TEMPORARY PIPE SLOPE DRAIN	800.000	LF
CONSTRUCT AND REMOVE FABRIC CHECK DAM - TYPE C SILT FENCE	120.000	LF
CONSTRUCT AND REMOVE INLET SEDIMENT TRAP	15.000	EA
CONSTRUCT AND REMOVE COMPOST FILTER SOCK, 18 IN	230.000	LF
MAINTENANCE OF TEMPORARY SILT FENCE, TP C	4,176.000	LF
MAINTENANCE OF CONSTRUCTION EXIT	4.000	EA
MAINTENANCE OF INLET SEDIMENT TRAP	15.000	EA
MAINTENANCE OF CONSTRUCTION EXIT TIRE WASH AREA (PER EACH)	4.000	EA
FLOATING SILT RETENTION BARRIER	845.000	LF



Description	Quantity	Units
TEMPORARY SILT FENCE, TYPE C	8,352.000	LF
CLEARING & GRUBBING	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	1,500.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	246,084.000	SY
REMOVAL OF EXIST. GUARDRAIL	30,491.000	LF
REMOVAL & DISPOSAL OF CABLE BARRIER	33,400.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CULVERT()'X() 6'X4'	2.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT()'X() 8'X4'	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT()'X() 6'X4'	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DOUBLE CULVERT()'X() 6'X4'	2.000	EA
REMOVAL & DISPOSAL OF EXISTING DOUBLE CULVERT()'X() 6'X4'	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DOUBLE CULVERT()'X() 6'X6'	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DOUBLE CULVERT()'X() 6'X4'	1.000	EA
UNCLASSIFIED EXCAVATION	314,137.000	CY
BORROW EXCAVATION	1,139,712.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	240,814.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	3,498.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	3,181.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	556.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	754.000	LF
42" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	169.000	LF
48" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	379.000	LF
GEOTEXTILE, SEPARATION	33,360.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	7,730.000	SY
GEOGRID STABILIZATION	72,804.000	SY
CHANNEL RELOCATION	323.000	LF
STRUCTURE EXCAVATION FOR CULVERTS	11,899.000	CY
TEMPORARY SHORING SYSTEM NO. 1	2,445.000	LF
TEMPORARY SHORING SYSTEM NO. 2	8,421.000	LF



Call No.: 010

Letting Date: February 11, 2025

Letting Time: 2:00pm

Page: 3

Description	Quantity	Units
TEMPORARY SHORING SYSTEM NO. 3	2,920.000	LF
UNCLASS EXCAV	12,623.000	CY
NO. 57 STONE FOR BACKFILL	16,967.000	TON
STONE BRIDGE LIFT MATERIAL	5,098.000	TON
GRANULAR BRIDGE LIFT MATERIAL	112,375.000	CY
EARTHQUAKE DRAINS	535,840.000	LF
BORROW EXCAV, INCL MATL	30,277.000	CY
FINE GRADING	565,596.000	SY
GRADING COMPLETE -	1.000	LS
FLOWABLE FILL	2,464.000	CY
DEWATERING SYSTEM NO. 1	1.000	LS
DEWATERING SYSTEM NO. 2	1.000	LS
DEWATERING SYSTEM NO. 3	1.000	LS
DEWATERING SYSTEM NO. 4	1.000	LS
DEWATERING SYSTEM NO. 5	1.000	LS
DEWATERING SYSTEM NO. 6	1.000	LS
DEWATERING SYSTEM NO. 7	1.000	LS
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	453,436.000	SY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	4,839.000	SY
GRADED AGGREGATE BASE COURSE (10" UNIFORM)	41,388.000	SY
MAINTENANCE STONE	1,000.000	TON
GR AGGR BASE CRS, 12 INCH, INCL MATL	14,758.000	SY
PRIME COAT	164,093.000	GAL
LIQUID ASPHALT BINDER PG64-22	31,642.000	TON
LIQUID ASPHALT BINDER PG76-22	4,568.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	250.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,408.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	9,781.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	19,601.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	945.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	60,197.000	SY
ASPHALT BASE COURSE - TYPE A	237,373.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	335,604.000	TON
ASPHALT SURFACE COURSE TYPE B	23,336.000	TON
ASPHALT SURFACE COURSE TYPE C	697.000	TON
ASPHALT SURFACE COURSE TYPE E	5,363.000	TON
ASPHALT SURFACE COURSE FOR DITCH PAVING	222.000	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	21,292.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	73,648.000	TON
MILL ASPH CONC PVMT, 2 IN DEPTH	12,414.000	SY
MILL ASPH CONC PVMT, VARIABLE DEPTH	6,435.000	SY



Description	Quantity	Units
REINF CONC APPROACH SLAB, INCL SLOPED EDGE	992.000	SY
CONC SPILLWAY, TP 1	8.000	EA
FILTER FABRIC FOR EMBANKMENT STABILIZATION	20,980.000	EA
INDENTATION RUMBLE STRIPS - GROUND-IN-PLACE (CONTINUOUS)	1.350	LM
GROOVED CONCRETE	44,256.000	SY
SUPERSTR CONCRETE, CL D, BR NO - 1 () LT (7555)	1.000	LS
SUPERSTR CONCRETE, CL D, BR NO - 1 () RT (7607)	1.000	LS
CONCRETE BARRIER	11,356.000	LF
CLASS AA CONCRETE	10,237.000	CY
STAINED CONCRETE PAVEMENT (8" UNIFORM)	724.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	2,400.000	SY
BRIDGE TIMBER, COMPOSITE MARINE	6,505.000	LF
PLASTIC BRIDGE TIMBER	6.000	MBM
PSC BEAMS, FIB 84", BR NO - 1	62,216.000	LF
BAR REINF STEEL	3,152,093.000	LB
SUPERSTR REINF STEEL, BR NO-1 () LT (1,531,301)	1.000	LS
SUPERSTR REINF STEEL, BR NO-1 () RT (1,535,770)	1.000	LS
PILING IN PLACE, STEEL H, HP 14X73	1,545.000	LF
LOAD TEST, STEEL H, HP 14X73 (IF REQD)	2.000	EA
COMPOSITE MARINE PILING - 16 IN (FRP PIPE PILE)	7,808.000	LF
SHORING	1.000	LS
DYNAMIC PILE TEST	4.000	EA
DRILLED CAISSON - () IN 102 IN	3,936.000	LF
DRILLED CAISSON - () IN 42 IN	1,977.000	LF
DRILLED CAISSON - () IN 96 IN	5,486.000	LF
LOAD TEST, CAISSON - 78 IN	1.000	EA
DEMONSTATION TEST, CAISSON - 102 IN	1.000	EA
FURNISH DRILLING AND SUPPORT EQUIPMENT LT	1.000	LS
FURNISH DRILLING AND SUPPORT EQUIPMENT RT	1.000	LS
NAVIGATION LIGHTING, BR NO -1 () LT	1.000	LS
NAVIGATION LIGHTING, BR NO -1 () RT	1.000	LS
REMOVAL OF EXISTING BR, NO.1 LT	1.000	LS
REMOVAL OF EXISTING BR, NO.1 RT	1.000	LS
SIDE DRAIN PIPE, 18 IN, H 1-10	652.000	LF
SIDE DRAIN PIPE, 18 IN, H 15-20	316.000	LF
SIDE DRAIN PIPE, 30 IN, H 1-10	36.000	LF
STORM DRAIN PIPE, 15 IN, CLASS III, TEMPORARY	853.000	LF
FLOWABLE FILL	21.000	CY
TRAFFIC CONTROL	1.000	LS
MAINTENANCE OF TRAFFIC	1.000	LS
STN PLAIN RIP RAP, 24 IN	12,833.000	SY



Description	Quantity	Units
PLASTIC FILTER FABRIC	12,833.000	SY
BARRICADE - TYPE III	336.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,316.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	280.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	4.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3	34.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 70MPH	67.000	EA
TEMPORARY CONCRETE BARRIER	91,607.000	LF
TEMP CONC BARRIER WITH ANCHORAGE FOR BRIDGE DECKS	16,737.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER TYPE B - FLASHING LIGHT	8.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"WH.BROKEN	64.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"WH.SOLID PREF.	12,170.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"YEL.SOLID PREF.	48,638.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	48,639.000	LF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	22.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	5,266.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	80.000	EA
REM GUARDRAIL	640.000	EA
REM GUARDRAIL DBL FACE	687.500	LF
REM GUARDRAIL ANCH, ALL TYPES	1,975.000	LF
REM ASPH PVMT INCL BASE	8.000	EA
REM CONC APPROACH SLAB	16,844.000	SY
REM CONC DITCH PAVING	743.000	SY
REM CONC SPILLWAY	1,216.000	SY
REM DROP INLET	8.000	EA
REM HIGHWAY SIGN, SPCL ROADSIDE	10.000	EA
JACK OR BORE PIPE - 30 IN	4.000	EA
JACK OR BORE PIPE - 24 IN	108.000	LF
TEMPORARY BARRIER, METHOD NO. 1	276.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,870.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	27,996.000	LF
6" BLACK BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	424,555.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	970.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	188,709.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,729,567.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	2,525.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	44,845.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	11,242.000	LF
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	614.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	410.000	EA
	108.000	EA



Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	63.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	149,490.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,607,124.000	LF
WHITE COMBINATION FISH HOOK ARROW FAST DRY PAINT	48.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	3,692.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	53,393.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	37,850.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	117,448.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	4,165.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	8,685.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	6,210.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	110.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	75.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	17.000	EA
WHITE COMBINATION FISH HOOK ARROW PERM.PVMT.MARKING	8.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	863.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	41,983.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	109,699.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	705.000	LF
6" BLACK BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT FAST CURE	970.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	166.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	198.000	LF
6"YELLOW SOLID LINES ON CURB/MED.-HIGH BUILD PAINT-25 MIL.	2,961.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	220.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	416.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	652.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	2,689.000	EA
REMOVAL OF PAVEMENT MARKINGS	597,957.000	LF
CHANGEABLE MESSAGE SIGN, PORTABLE, TYPE 3	1.000	EA
MILLED-IN RUMBLE STRIP	32.690	MI
HIGHWAY SIGNS, TP 1 MATL, REFL SHEETING, TP 9	52.000	SF
HIGHWAY SIGNS, TP 1 MATL, REFL SHEETING, TP 11	64.000	SF
HIGHWAY SIGNS, ALUM EXTRUDED PANELS, REFL SHEETING, TP 3	473.000	SF
GALV STEEL POSTS, TP 7	74.000	LF
GALV STEEL POSTS, TP 8	200.000	LF
GALV STEEL STR SHAPE POST	3,288.610	LB
MILEPOST SIGNS	2.000	EA
GUARDRAIL, TP T	103.250	LF
GUARDRAIL, TP W	1,962.500	LF
DBL FACED GUARDRAIL, TP W	1,700.000	LF



Description	Quantity	Units
GUARDRAIL ANCHORAGE, TP 1	1.000	EA
GUARDRAIL TERMINAL, TP 12A, 31 IN, TANGENT, ENERGY-ABSORBING	3.000	EA
GUARDRAIL TERMINAL, TP 10D, 31 IN	3.000	EA
BARRIER FENCE (ORANGE), 4 FT	3,936.000	LF
IMPACT ATTENUATOR UNIT, TYPE P -	5.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	3,110.550	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	115.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	17.000	EA
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	4,423.250	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	7,869.750	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	180.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	5,073.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	283.000	LF
THERMOPLASTIC SOLID TRAF STRIPE, 6 IN, WHITE	0.739	LaMi
THERMOPLASTIC SOLID TRAF STRIPE, 6 IN, YELLOW	0.739	LaMi
THERMOPLASTIC SKIP TRAF STRIPE, 6 IN, WHITE	1.434	LaMi
RAISED PVMT MARKERS TP 3	480.000	EA
BREAK-AWAY SIGN SUPPORTS	30,037.670	LB
REMOVAL OF I-BEAM SUPPORTS	88.000	EA
REMOVE EXIST SOLID TRAF STRIPE, 5 IN, PAINT	7,064.000	LF
REMOVE EXIST SOLID TRAF STRIPE, 5 IN, THERMOPLASTIC	4,552.000	LF
REMOVE EXIST SKIP TRAF STRIPE, 5 IN, PAINT	2,663.000	LF
REMOVE EXIST SKIP TRAF STRIPE, 5 IN, THERMOPLASTIC	1,161.000	LF
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	255.000	EA
DELINEATORS, DOUBLE, MONO., INCL. SUPPORTS	125.000	EA
REMOVE EXIST TRAF MARKINGS -	4.000	EA
REMOVE EXIST SOLID TRAF STRIPE, 5 IN, PREFORMED PLASTIC	1.713	LaMi
REMOVE EXIST SKIP TRAF STRIPE, 5 IN, PREFORMED PLASTIC	0.914	LaMi
PREFORMED PLASTIC SOLID PVMT MKG, 5IN, WHITE, TP TR	19.543	LaMi
OVERHEAD SIGN STRUCTURE NO.(____) 1	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 10	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 11	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 12	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 13	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 14	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 15	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 16	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 17	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 18	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 19	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 2	1.000	EA



Description	Quantity	Units
OVERHEAD SIGN STRUCTURE NO.(____) 20	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 21	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 22	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 23	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 24	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 25	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 26	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 27	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 28	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 29	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 3	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 30	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 4	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 5	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 6	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 7	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 8	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 9	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 041	3.000	EA
PREFORMED PLASTIC SKIP PVMT MKG, 5IN, WHITE, TP TR	19.461	LaMi
PREFORMED PLASTIC SOLID PVMT MKG, 5IN, YELLOW, TP TR	19.500	LaMi
WET REFLECTIVE PREFORMED SOLID PAVEMENT MARKINGS, 9 IN, CONTRAST (BLACK-YELLOW)	1.078	LaMi
WET REFLECTIVE PREFORMED SOLID PAVEMENT MARKINGS, 9 IN, CONTRAST (BLACK-WHITE)	1.078	LaMi
WET REFLECTIVE PREFORMED SKIP PAVEMENT MARKINGS, 6 INCH WIDE, WHITE	2.178	LaMi
WET REFLECTIVE PREFORMED SKIP PAVEMENT MARKINGS, 6 INCH WIDE, BLACK	2.178	LaMi
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM NO. 1 - EXIT 8, WEST SIDE	1.000	LS
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM NO. 2 - EXIT 8, INTERCHANGE	1.000	LS
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM NO. 3 - EXIT 8, EAST SIDE AND ROUNDABOUT	1.000	LS
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM NO. 4 - EXIT 5, ROUNDABOUT	1.000	LS
HIGH MAST LIGHT STANDARD-120'HT.(GALV.STEEL)T.L.LOW.DEV.	4.000	EA
PORTABLE DRIVE MOTOR FOR HIGH MAST LOWERING DEVICE	2.000	EA
SGL.LT.STD.35'HT.AL.POLE 8'SGL.ARM-GROUND MNT.W/FOUNDATION	44.000	EA
DROP INLET, GP 2	13.000	EA
STORM SEWER MANHOLE, TP 2	1.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	455.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	14,709.400	LF



Description	Quantity	Units
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	210.000	LF
2" SCHEDULE 80 HDPE CONDUIT	2,030.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	3,100.000	LF
16 IN. ABOVE GROUND UTILITY MARKER	4.000	EA
NO. 4 BARE COPPER WIRE GROUND	45.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	815.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	790.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	7,145.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	915.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,255.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	2,795.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	13.000	EA
FURNISH & INSTALL FIBER OPTIC MODEM	2.000	EA
FURNISH & INSTALL WIRELESS NETWORK COMMUNICATIONS LINK BETWEEN TWO SIGNALS (2 RADIOS)	1.000	EA
NETWORK SWITCH	2.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	5.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	16.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	27.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	6.000	EA
CONDUIT, RIGID, 2 IN	1,900.000	LF
CONDUIT, FLEXIBLE - 2" DIAMETER	50.000	LF
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 046	5.000	EA
FURNISH AND INSTALL BATTERY BACK-UP INCLUDING FOUNDATION	5.000	EA
CLOSED CIRCUIT TV CAMERA-HIGHWAY USE	2.000	EA
CAMERA LOWERING DEVICE	2.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	4.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 047	36.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	10.000	EA
AUDIBLE PEDESTRIAN SYSTEM(APS) INCLUDING PEDESTRIAN HEAD & BUTTON ASSEMBLY W/ SIGN	4.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	10.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	43.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	43.000	EA
F&I-PEDESTRIAN TRAF. SIGNAL HEAD MOUNTING ASSEM FOR POST TOP	2.000	EA
F&I - PED TRAF. SIGNAL HEAD MOUNTING ASSEMBLY FOR SIDE POLE	2.000	EA
REMOVE FOUNDATION OF STEEL STRAIN POLE - 18" BELOW GRADE	2.000	EA
REMOVAL, SALVAGE, & DISPOSAL OF EXISTING ITS COMPONENTS	1.000	LS
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	6.000	EA
TEMPORARY TIMING ADJUSTMENTS PER SITE VISIT	12.000	EA



Description	Quantity	Units
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	3.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	2.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	10.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR RADAR DETECTION	15.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	10.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SETBACK DETECTION	14.000	EA
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	2,909.000	LF
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	2.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 048	2.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	12.000	EA
WORK ZONE ITS	1.000	LS
PERMANENT GRASSING	10.000	ACRE
FERTILIZER MIXED GRADE	103.000	TON
FERTILIZER NITROGEN CONTENT	565.000	LB
SOD	6,292.000	SY
AGRICULTURAL LIME	20.000	TON
CONC. FOR STRUCTURES - CLASS 4000	19,019.800	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	2,332.000	CY
STRAIGHT HEADWALL FOR 36" CIRCULAR PIPE-2 LINES	1.000	EA
GROOVED SURFACE FINISH	34,160.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	391,317.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	6,423,282.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	545,487.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	12,723.500	LF
PRESTRESSED CONC. BEAM (TYPE IV)	12,478.000	LF
PRESTRESSED CONCRETE BULB TEE BEAM(63"MOD.)	1,741.900	LF
PRESTRESSED CONCRETE BULB TEE BEAM(74"MOD.)	2,000.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL HAND FORMED 001	643.700	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	8,746.500	LF
56" CONCRETE MEDIAN BARRIER (TL-5)-BRIDGE 002	174.500	LF
STRUCTURAL STEEL	3,401,708.000	LB
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	38.000	EA
PILE DRIVING SET-UP	240.000	EA
STEEL H BEARING PILING (HP14 X 117)	18,371.000	LF
STEEL H BEARING INDEX PILING (HP14X 117)	1,523.000	LF
DRILLED SHAFT SET-UP	167.000	EA
CROSSHOLE SONIC LOGGING SETUP	167.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	1,218.000	LF



Description	Quantity	Units
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	4,412.800	LF
CONSTRUCTION CASING - 48" DIAMETER	746.800	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	3,769.700	LF
CONSTRUCTION CASING - 54" DIAMETER	3,769.700	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 72" DIAMETER	1,080.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 78" DIAMETER	1,314.000	LF
CONSTRUCTION CASING - 78" DIAMETER	1,314.000	LF
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	76.000	LF
18" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	172.000	LF
24" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	3,668.000	LF
30" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	2,136.000	LF
36" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,396.000	LF
42" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	440.000	LF
18" SMOOTH WALL PIPE	15,780.000	LF
24" SMOOTH WALL PIPE	8,388.000	LF
30" SMOOTH WALL PIPE	1,564.000	LF
36" SMOOTH WALL PIPE	396.000	LF
42" SMOOTH WALL PIPE	1,608.000	LF
48" SMOOTH WALL PIPE	632.000	LF
CLEANING EXISTING PIPE	3,031.000	LF
12" CORR.HDPE PIPE TYPE (C OR S) TEMP.	933.000	LF
15" CORR.HDPE PIPE TYPE (C OR S) TEMP.	2,364.000	LF
18" CORR.HDPE PIPE TYPE (C OR S) TEMP.	423.000	LF
24" CORR.HDPE PIPE TYPE (C OR S) TEMP.	1,016.000	LF
30" CORR.HDPE PIPE TYPE (C OR S) TEMP.	50.000	LF
CATCH BASIN - TYPE 1 SPECIAL	1.000	EA
DROP INLET 113 CONVERT FROM 3X4 BOX	12.000	EA
DROP INLET TYPE 125 SINGLE 4'X2' BOX	26.000	EA
CATCH BASIN TYPE 25 - SINGLE 4' X 6' BOX	51.000	EA
CATCH BASIN TYPE 25 - DOUBLE 4' X 8' BOX	114.000	EA
CATCH BASIN -TYPE 16	21.000	EA
CATCH BASIN -TYPE 18	6.000	EA
DROP INLET (24" X 24")	64.000	EA
DROP INLET (24" X 24") WITH STANDARD 4' X 4' BOX	3.000	EA
DROP INLET (24" X 24") WITH STANDARD 5' X 5' BOX	1.000	EA
CLOSED FLUME INLET TYPE-16	12.000	EA
CLOSED FLUME INLET TYPE-18	4.000	EA
MANHOLE	18.000	EA
24" X 24" JUNCTION BOX	6.000	EA
PRECAST CONCRETE DRAINAGE STRUCTURE - 4' X 4'	1.000	EA
EXTRA DEPTH OF BOX	245.000	LF



Description	Quantity	Units
24" X 24" JUNCTION BOX (TOP ONLY)	4.000	EA
60" X 60" JUNCTION BOX (TOP ONLY)	3.000	EA
72" X 72" JUNCTION BOX (TOP ONLY)	6.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	13.000	EA
ADJUST CATCH BASIN	1.000	EA
ADJUST DROP INLET ADJUST D. I.	21.000	EA
PIPE END STRUCTURE - 36"	1.000	EA
PIPE END STRUCTURE (SPECIAL) - 42"	1.000	EA
BEVELING OF PIPE END	34.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	2,054.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	356.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	12,026.000	LF
CONCRETE CURB AND GUTTER (2'-0") OGEE	1,125.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	4,727.000	SY
DETECTABLE WARNING MATERIAL	313.000	SF
CONCRETE MEDIAN	3,592.000	SY
PEDESTRIAN RAMP CONSTRUCTION	701.000	SY
SURFACE APPLIED DETECTABLE WARNING	110.000	SF
DECK JOINT STRIP SEAL	2,069.200	LF
ELASTOMERIC BEARING	758.000	EA
CLEAN OUT OF EXISTING DECK DRAIN	232.000	EA
WATERPROOFING	527.200	SY
SOUND BARRIER WALL	173,820.000	SF
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	4,431.000	TON
PLANTED MEDIAN SUBSURFACE DRAINAGE	171.000	SY
RIP-RAP (CLASS A)	831.000	TON
RIP-RAP (CLASS B)	3,541.000	TON
RIP-RAP (CLASS C)	7,985.000	TON
SLOPE PROTECTION-4" CONCRETE	1,985.000	SY
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	12,692.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE D	13,007.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	6,715.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	500.000	LF
GUARDRAIL BLOCKOUT	26.000	EA
MT3 LEADING END TREATMENT TL3	55.000	EA
MEDIAN CABLE BARRIER	3,261.000	LF
MB TRAILING END TREATMENT	40.000	EA
MGS3 GR STANDARD SHOULDER	22,647.500	LF
CABLE BARRIER END ANCHOR	6.000	EA
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	62.500	LF
PREMASH THRIE STRONG POST GUARDRAIL	162.500	LF



Description	Quantity	Units
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	51.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	32.000	EA
NON-MOW STRIP UNDER GUARDRAIL	10,119.000	SY
PREMASH GUARDRAIL BRACKET TO BRIDGE	26.000	EA
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
2' CRASH CUSHION 3A	3.000	EA
56SS REINFORCED BARRIER WALL	26,033.000	LF
56 VERTICAL FACE REINFORCED BARRIER WALL	661.000	LF
RIGID VF BURIED MOMENT SLAB SHOULDER APPLICATION	1,376.000	LF
56ZOI VF BARRIER MEDIAN SYSTEM	794.000	LF
56ZOI VF BARRIER ROADSIDE SYSTEM	735.000	LF
CONC BARRIER TOE DRAIN	10.000	EA
FRENCH DRAIN AND WEEP SYSTEM	693.000	LF
CONC BARR TRANSITION BETWEEN TWO SHAPES	575.000	LF
WOVEN WIRE FENCE - TYPE 1 WITHOUT BARBED WIRE	2,065.000	LF
BRIDGE FENCE	1.000	LS
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE	289.000	LF
12' WIDE - CHAIN LINK FENCE GATE (48"HT)	1.000	EA
12' WIDE - CHAIN LINK FENCE GATE (72"HT)	1.000	EA
TEMPORARY BARRIER FENCE (ORANGE)	94,137.000	LF
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	28.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	90.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	201.510	ACRE
TEMPORARY COVER	101.260	ACRE
FERTILIZER (NITROGEN)	30,227.000	LB
FERTILIZER (PHOSPHORIC ACID)	10,076.000	LB
FERTILIZER (POTASH)	50,377.000	LB
AGRICULTURAL GRANULAR LIME	403,014.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	605.530	ACRE
SODDING	3.000	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.925	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	341.735	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	365.750	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	239.780	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,890.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,920.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	6,760.000	LF
SILT FENCE	248,023.000	LF
REPLACE/REPAIR SILT FENCE	24,803.000	LF



Call No.: 010

Letting Date: February 11, 2025

Letting Time: 2:00pm

Page: 14

Description	Quantity	Units
FLOATING TURBIDITY BARRIER-HEAVY DUTY(5'DEPTH)	1,300.000	LF
DEWATERING BAGS	5.000	EA
CLEANING SILT BASINS	3,259.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	62,006.000	LF
INLET FILTER CLEANING	2,146.000	EA
TEMPORARY DIVERSION DIKE	1,209.000	LF
INLET STRUCTURE FILTER - TYPE D1	81.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	81.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	3.000	EA
SEDIMENT DAM RIPRAP	1,467.000	TON
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	1,175.000	TON
STABILIZED CONSTRUCTION ENTRANCE	6,258.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 10"	4,800.000	LF
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 24"	158.000	LF
PERMANENT SEDIMENT CONTROL STRUCTURE	1.000	EA
AGGREGATE DIAPHRAGM	0.700	CY
REINFORCED BARRIER WALL (SPECIAL DESIGN)	1,200.000	LF
REINFORCED BARRIER WALL WITH HEAL (SPECIAL DESIGN)	9,330.000	LF
VOID REDUCING ASPHALT MEMBRANE	48,339.000	LF
ORNAMENTAL PED FENCE (BRIDGE MOUNTED)	288.100	LF
BR016 - TEE BEAM SADDLE TYPE A	135.000	EA
SOUND BARRIER WALL (BRIDGE MOUNTED)	1,773.000	SF
MILLING EXISTING CONCRETE PAV.(VARIABLE)	9,118.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	34,320.000	HR
ON-THE-JOB TRAINEE (BRIDGE)	37,440.000	HR



Call No.: 020 Letting Date: February 11, 2025 Letting Time: 2:00pm Page: 1

SC File NO(S): 0370441 PCN: P043012 Project No.: P043012
DBE Goal Percent: 0.00% PCN: P043013 Project No.: P043013
PCN: P043014 Project No.: P043014
PCN: P043278 Project No.: P043278

Approx. Length (miles): 8.2500 Description: 2025 ALLENDALE REHABILITATION AND CTC
CO(S): Allendale

Completion Date: 10/31/2025 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, ASPHALT SURFACE COURSE, etc.



Call No.: 020

Letting Date: February 11, 2025

Letting Time: 2:00pm

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	62,830.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	425.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	383.000	EA
MILLED-IN RUMBLE STRIP	17.770	MI
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	50.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.260	ACRE



Call No.: 030 Letting Date: February 11, 2025 Letting Time: 2:00pm Page: 1

SC File NO(S): 0671390 PCN: P043644 Project No.: P043644

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.0600

Description: 2024 BARNWELL CTC RESURAFING

CO(S): Barnwell

Completion Date: 8/31/2025 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	75.000	SY
BORROW EXCAVATION	212.000	CY
MAINTENANCE STONE	3.700	TON
LIQUID ASPHALT BINDER PG64-22	99.391	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	370.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,300.000	SY
ASPHALT SURFACE COURSE TYPE D	1,302.200	TON
DRIVEWAY PAVING-SURFACE TYPE D	226.875	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	456.000	SF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	440.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	220.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	86.000	EA
DETECTABLE WARNING MATERIAL	37.500	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.060	ACRE



Call No.: 040 Letting Date: February 11, 2025 Letting Time: 2:00pm Page: 1

SC File NO(S): 0771420 PCN: P039801 Project No.: P039801
DBE Goal Percent: 17.50%
Approx. Length (miles):0.2350 Description: OLD SHELL ROAD SIDEWALK IMPROVMENTS
CO(S): Beaufort
Completion Date: 10/31/2025 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
SITE EXCAVATION	1.000	LS
MAINTENANCE STONE	20.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	156.000	SF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	140.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	686.000	SY
DETECTABLE WARNING MATERIAL	40.000	SF
BARBED WIRE FENCE - 3 STRANDS	845.000	LF
96" SECURITY CHAIN LINK FENCE	845.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	5.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.052	ACRE
TEMPORARY COVER	0.078	ACRE
COMPOST	7.000	CY
FERTILIZER (NITROGEN)	5.180	LB
FERTILIZER (PHOSPHORIC ACID)	5.180	LB
FERTILIZER (POTASH)	5.180	LB
AGRICULTURAL GRANULAR LIME	103.600	LB
MOWING	0.260	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.520	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	48.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	200.000	LF
SILT FENCE	1,720.000	LF
CLEANING INLET STRUCTURE FILTERS	5.000	EA

Notice

Call Number: 050

SC File Number: 1057101

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)

North Charleston Sewer District Prequalified Contractor List:

1. Triad Engineering and Construction
2. Azalea Utilities
3. MJL, Inc.
4. Level Utilities
5. Eadie's Construction
6. Groundhog Utilities



Call No.: 050 Letting Date: February 11, 2025 Letting Time: 2:00pm Page: 1

SC File NO(S): 1057101 PCN: P039389 Project No.: P039389
DBE Goal Percent: 17.50%
Approx. Length (miles):0.3050 Description: SAFETY IMPROVEMENT AT S-169 / S-881
CO(S): Charleston
Completion Date: 5/30/2026 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE 001	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 002	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
RELOCATE SELECTED TREES&SHRUBS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,154.000	SY
UNCLASSIFIED EXCAVATION	3,229.000	CY
BORROW EXCAVATION	5,244.000	CY
FINE GRADING	7,387.000	SY
FLOWABLE FILL	20.000	CY
MAINTENANCE STONE	14.000	TON
LIQUID ASPHALT BINDER PG64-22	148.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,476.000	SY
ASPHALT BASE COURSE - TYPE A	1,677.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	445.000	TON
ASPHALT SURFACE COURSE TYPE B	718.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	492.000	SY
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	66.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	198.000	SF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	6,966.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	8,184.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	96.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	3,220.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	287.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	2,920.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	1,172.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	48.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	26.000	LF



Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	60.000	EA
MILLED-IN RUMBLE STRIP	0.610	MI
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	175.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	250.000	LF
REFLECTIVE SIGN POST PANELS	100.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 003	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	8.000	EA
15" SMOOTH WALL PIPE	320.000	LF
18" SMOOTH WALL PIPE	1,300.000	LF
24" SMOOTH WALL PIPE	52.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	11.000	EA
MANHOLE	3.000	EA
BEVELING OF PIPE END	7.000	EA
CONCRETE CURB (9" X 15")	352.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,025.000	LF
CONCRETE MEDIAN	352.000	SY
RIP-RAP (CLASS B)	30.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	60.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	750.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	16.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.033	ACRE
TEMPORARY COVER	2.033	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	2.916	ACRE
FERTILIZER (NITROGEN)	203.300	LB
FERTILIZER (PHOSPHORIC ACID)	203.300	LB
FERTILIZER (POTASH)	203.300	LB
AGRICULTURAL GRANULAR LIME	4,066.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	8.132	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.723	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.183	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	4,100.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	4,100.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	500.000	LF
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
INLET FILTER CLEANING	11.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 060 Letting Date: February 11, 2025 Letting Time: 2:00pm Page: 1

SC File NO(S): 1470210 PCN: P042201 Project No.: P042201

DBE Goal Percent: 0.00%

Approx. Length (miles):0.2290

Description: IMPROVEMENTS ON S-14-23 OLD GEORGETOWN RD. AND S-14-516

CO(S): Clarendon

Completion Date: 8/8/2025 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, EXCAVATION, GRADING, ASPHALT COURSES, and MARKINGS with their respective quantities and units.



Call No.: 060

Letting Date: February 11, 2025

Letting Time: 2:00pm

Page: 2

Description	Quantity	Units
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
18" RC PIPE CUL.-CLASS III	1,089.000	LF
CATCH BASIN -TYPE 16	4.000	EA
DROP INLET (24" X 36")	4.000	EA
MANHOLE	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	684.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	20.000	SY
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
RIP-RAP (CLASS A)	10.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	13.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	8.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.645	ACRE
TEMPORARY COVER	0.968	ACRE
COMPOST	260.000	CY
FERTILIZER (NITROGEN)	65.530	LB
FERTILIZER (PHOSPHORIC ACID)	65.530	LB
FERTILIZER (POTASH)	65.530	LB
AGRICULTURAL GRANULAR LIME	12.600	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.227	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.227	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	42.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	42.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	48.000	LF
SILT FENCE	1,250.000	LF
REPLACE/REPAIR SILT FENCE	125.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	313.000	LF
CLEANING INLET STRUCTURE FILTERS	7.000	EA
INLET STRUCTURE FILTER - TYPE B	1.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 070 Letting Date: February 11, 2025 Letting Time: 2:00pm Page: 1

SC File NO(S): 4470330 **PCN:** P043622 **Project No.:** P043622
DBE Goal Percent: 10.00%
Approx. Length (miles):4.8700 **Description:** SC 49 (LOCKHART HIGHWAY) MP 20.35 - 25.22
CO(S): Union UNION COUNTY
Completion Date: 5/31/2026 Days **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	2,375.000	LF
BORROW EXCAVATION	1,725.000	CY
EXCAVATION FOR SHOULDER PAVING	77.090	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	77.090	STA
MAINTENANCE STONE	81.650	TON
HMA SHOULDER WIDENING COURSE	556.747	TON
LIQUID ASPHALT BINDER PG64-22	972.894	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	8,165.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,387.000	SY
ASPHALT SURFACE COURSE TYPE B	15,999.574	TON
ASPHALT SURFACE COURSE TYPE C	320.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	840.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	612.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	410.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	155,500.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	233.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,618.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,780.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	130,889.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	410.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	51,432.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	233.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	30.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	809.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,780.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	28,025.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	350.000	EA
MILLED-IN RUMBLE STRIP	14.610	MI



Call No.: 070

Letting Date: February 11, 2025

Letting Time: 2:00pm

Page: 2

Description	Quantity	Units
REFLECTIVE SIGN POST PANELS	200.000	LF
GUARDRAIL DELINEATOR - WHITE	300.000	EA
PREMASH W-BEAM STRONG POST SYSTEM WSP3	2,825.000	LF
MT3 LEADING END TREATMENT TL3	8.000	EA
PREMASH THRIE WITH BASE PL 3.125 SPACING	650.000	LF
MGS3 GR STANDARD SHOULDER	1,275.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	1,700.000	LF
PREMASH TYPE T TL3 LEADING 50'	16.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.550	ACRE



Call No.: 080 Letting Date: February 11, 2025 Letting Time: 2:00pm Page: 1

SC File NO(S): 5370651 PCN: P038361 Project No.: P038361
DBE Goal Percent: 0.00%
Approx. Length (miles):4.8100 Description: SC 14 RRSP PROJECT GREENVILLE/SPARTANBURG COUNTY
CO(S): Greenville Spartanburg
Completion Date: 9/30/2026 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 4 columns: Description, Quantity, Units, and Item Name. Lists various construction items like MOBILIZATION, BONDING, EXCAVATION, GRADING, PAVEMENT, and SIGNAGE with their respective quantities and units.



Call No.: 080

Letting Date: February 11, 2025

Letting Time: 2:00pm

Page: 2

Description	Quantity	Units
30" SMOOTH WALL PIPE	24.000	LF
CONCRETE DRIVEWAY(6" UNIFORM)	268.000	SY
RIP-RAP (CLASS B)	1,511.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,797.000	SY
MT3 LEADING END TREATMENT TL3	26.000	EA
MGS3 GR STANDARD SHOULDER	5,662.500	LF
MGS3CS GR COMPRESSED SHOULDER	1,187.500	LF
PERMANENT COVER	18.000	ACRE
TEMPORARY COVER	36.000	ACRE
FERTILIZER (NITROGEN)	1,800.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,800.000	LB
FERTILIZER (POTASH)	1,800.000	LB
AGRICULTURAL GRANULAR LIME	3,600.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	108.000	ACRE
ENHANCED STACKED DITCH CHECKS	1,079.000	LF
TURF REINFORCEMENT MATTING (TRM) TYPE 1	15.090	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	63.260	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	54.000	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	54.000	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	3,302.000	LF
SILT FENCE	20,990.000	LF
REPLACE/REPAIR SILT FENCE	2,099.000	LF
CLEANING SILT BASINS	5,580.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	5,247.500	LF
STABILIZED CONSTRUCTION ENTRANCE	2,750.000	SY



Call No.: 090 Letting Date: February 11, 2025 Letting Time: 2:00pm Page: 1

SC File NO(S): 5569231	PCN: P042059	Project No.: P042059
DBE Goal Percent: 0.00%	PCN: P042060	Project No.: P042060
	PCN: P043031	Project No.: P043031
	PCN: P043051	Project No.: P043051
	PCN: P043052	Project No.: P043052
	PCN: P043068	Project No.: P043068
	PCN: P043069	Project No.: P043069
	PCN: P043070	Project No.: P043070

Approx. Length (miles): 94.5800 **Description:** 2025 GEORGETOWN, HORRY, WILLIAMSBURG PRESERVATION
CO(S): Georgetown Horry
 Williamsburg

Completion Date: 10/31/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
MAINTENANCE STONE	47.500	TON
LIQUID ASPHALT BINDER PG64-22	19.240	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,750.000	SY
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	190.180	LaMi
ASPHALT SURFACE COURSE TYPE D	296.000	TON
TRAFFIC CONTROL	1.000	LS
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	295.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,770.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	999,203.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	165.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,441.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	24.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	126,109.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	420,220.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	95.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	6,315.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	300.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	300.000	LF



Call No.: 100 Letting Date: February 11, 2025 Letting Time: 2:00pm Page: 1

SC File NO(S): 5571560 PCN: P043546 Project No.: P043546

DBE Goal Percent: 0.00% PCN: P043788 Project No.: P043788

Approx. Length (miles): 10.2500 Description: 2025 DISTRICT 5 RESURFACING

CO(S): Darlington Florence

Completion Date: 6/30/2026 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE AND FLAGGING SCRF	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	915.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	185.000	LF
BORROW EXCAVATION	2,013.000	CY
EXCAVATION FOR SHOULDER PAVING	265.058	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	265.058	STA
MAINTENANCE STONE	100.500	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	49,133.328	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,449.433	TON
HMA SHOULDER WIDENING COURSE	1,325.280	TON
LIQUID ASPHALT BINDER PG64-22	950.098	TON
ARAMID FIBER	870.950	LB
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,650.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,900.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	4,742.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	14,839.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,065.000	SY
ASPHALT SURFACE COURSE TYPE B	6,731.160	TON
ASPHALT SURFACE COURSE TYPE C	6,328.400	TON
ASPHALT SURFACE COURSE TYPE D	500.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,268.125	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,192.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	690.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	199,275.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,820.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,980.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	15.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	9.000	EA



Call No.: 100

Letting Date: February 11, 2025

Letting Time: 2:00pm

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,220.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	111,855.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	110.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	230.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	55,020.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	11,405.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	940.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	680.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	5.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,740.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	37,285.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	632.000	EA
MILLED-IN RUMBLE STRIP	11.720	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	220.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,088.000	LF
SAWCUT FOR LOOP DETECTOR	530.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	3.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	30.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	155.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	350.000	SY
DETECTABLE WARNING MATERIAL	162.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	240.000	SY
PEDESTRIAN RAMP CONSTRUCTION	325.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.729	ACRE



Call No.: 110 Letting Date: February 11, 2025 Letting Time: 2:00pm Page: 1

SC File NO(S): 8868791 PCN: P041860 Project No.: P041860

DBE Goal Percent: 0.00%

Approx. Length (miles): 16.4700

Description: I-26 MM 43.74-60.21 INTERSTATE PRESERVATION

CO(S): Laurens Spartanburg

Completion Date: 11/30/2026 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	900.000	HR
LIQUID ASPHALT BINDER PG64-22	1,159.600	TON
LIQUID ASPHALT BINDER PG76-22	5,020.232	TON
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	198,240.000	SY
SURFACE PLANE ASPHALT PAVEMENT 1.5"	695,692.813	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	809,714.829	SY
ASPHALT SURFACE COURSE TYPE E	17,840.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	80,971.484	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	820.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	3.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	135,848.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	606,529.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	13,125.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	390.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	9.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	9.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	9.000	EA
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	606,529.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	21,090.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	45,283.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	202,176.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	4,375.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	130.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	202,176.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	730.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	2,537.000	EA



Call No.: 110

Letting Date: February 11, 2025

Letting Time: 2:00pm

Page: 2

Description	Quantity	Units
MILLED-IN RUMBLE STRIP	65.880	MI

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers
Contract Administrator