

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For February 13, 2024

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on January 13, 2024 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>) for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below).



Call No.: 010 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 8865761 PCN: P040014 Project No.: P040014
 DBE Goal Percent: 6.50%
 Approx. Length (miles): 20.8080 Description: I-26 CORRIDOR IMPROVEMENT FROM EXIT 125 TO EXIT 136
 CO(S): Calhoun Lexington
 Completion Date: 9/30/2027 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	500.000	HR
LAW ENFORCEMENT OFFICER (DPS)	500.000	HR
TEMPORARY SHORING	25,591.900	SF
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	174.000	EA
REMOVAL & DISPOSAL OF EXISTING MANHOLE	3.000	EA
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	211,388.000	SY
REMOVAL OF EXIST. GUARDRAIL	34,643.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)X(____) 002	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)X(____) 003	1.000	EA
REMOVAL & DISPOSAL OF EXISTING TRIPLE CULVERT(____)X(____) 001	1.000	EA
REMOVAL & DISPOSAL OF EXISTING TRIPLE CULVERT(____)X(____) 004	1.000	EA
REMOVAL & DISPOSAL OF EXISTING QUADRUPLE CULVERT(____) X(____) 002	1.000	EA
CULVERT EXTENSION PREPARATION	3.000	EA
UNCLASSIFIED EXCAVATION	1,010,112.000	CY
BORROW EXCAVATION	1,599,375.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	178,000.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	5,044.000	LF



Call No.: 010

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,003.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,595.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	11.000	LF
GEOTEXTILE, SEPARATION	10,490.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	8,225.000	SY
GEOGRID STABILIZATION	6,400.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	20,935.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	18,115.000	CY
DEWATERING SYSTEM NO. 005	1.000	LS
WET & DRY EXCAVATION FOR BRIDGES	757.000	CY
TEMPORARY SHORING WALL	3,253.900	LF
NO. 57 STONE FOR BACKFILL	1,680.000	TON
STONE BRIDGE LIFT MATERIAL	3,300.000	TON
GRANULAR BRIDGE LIFT MATERIAL	5,271.000	CY
OVERHAUL	423,384.470	CYHM
FINE GRADING	598,678.000	SY
FLOWABLE FILL	1,989.910	CY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	53,799.610	SY
MAINTENANCE STONE	570.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	278,295.200	TON
HMA SHOULDER WIDENING COURSE	300.000	TON
PRIME COAT	14,525.890	GAL
LIQUID ASPHALT BINDER PG64-22	24,573.580	TON
LIQUID ASPHALT BINDER PG76-22	6,006.550	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	3,952.640	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,784.790	SY
MILLED-IN RUMBLE STRIP	41.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	71,752.090	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	102,854.240	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	96,870.270	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,873.960	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,200.640	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	4,005.750	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	38,347.810	TON
TEMPORARY CONSTRUCTION SIGNS (BARRICADE MOUNTED)	2,540.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	7,681.000	SF
DETOUR SIGNS	2,245.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH)	20.000	EA
TEMPORARY CONCRETE BARRIER	127,450.000	LF
2.0" SCHEDULE 80 PVC CONDUIT	7,228.600	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	17.000	EA
TEMPORARY GLARE SCREENS FOR TRAFFIC CONTROL	127,450.000	LF



Call No.: 010

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 3

Description	Quantity	Units
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	16,190.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,546.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	311.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	65,621.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	53,315.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	146,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	3,436.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,698.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	9.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	242.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	58,207.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	140,872.000	LF
6"YELLOW SOLID LINES ON CURB/MED.-HIGH BUILD PAINT-25 MIL.	654.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6,454.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,134.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	1,444.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	2,853.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	722.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	2,988.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	722.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,373.630	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	394.920	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	141.260	SF
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	611.000	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	1,002.000	SF
RELOCATION OF OVERHEAD SIGN NO.(____) ON STRUCT. NO.(____) 011	1.000	EA
REMOVAL OF OVERHEAD SIGN NO.(____)ON STRUC.NO.(____) 012	1.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	306.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	2,194.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	528.000	LF
BREAK-AWAY SIGN SUPPORTS	11,919.000	LB
4" X 6" TREATED WOOD POST	32.000	LF
REMOVAL OF I-BEAM SUPPORTS	64.000	EA
REMOVAL OF WOOD POST	4.000	EA
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	163.000	EA
FLEXIBLE DELINEATOR POST, 4"X12", TYPE 4 SHEETING REFLECTOR	2.000	EA
DELINEATORS, DOUBLE, MONO., INCL. SUPPORTS	45.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 013	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 022	1.000	EA
BARRICADE - PERMANENT WITH TYPE III SHEETING	24.000	LF



Call No.: 010

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 4

Description	Quantity	Units
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
2" SCHEDULE 80 HDPE CONDUIT	300.000	LF
16 IN. ABOVE GROUND UTILITY MARKER	6.000	EA
ELECTRICAL SERVICE FOR ITS - IN EXCESS OF 50FT.	2.000	EA
17"X30"X28"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	4.000	EA
30"X48"X30"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	2.000	EA
VARIABLE MESSAGE SIGN (PERMANENT WITH STRUCTURE)	2.000	EA
INSTALL ITS CABINET - BASE MOUNTED	2.000	EA
WORK ZONE ITS	1.000	LS
CONC. FOR STRUCTURES - CLASS 4000	5,856.000	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	199.600	CY
SPALL REPAIR	113.000	SF
GROOVED SURFACE FINISH	9,373.000	SY
SOIL NAILING WALL WITH CONCRETE FACE	41,564.130	SF
REINF. STEEL FOR STRUCTURES (ROADWAY)	18,651.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	1,300,171.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	11,114.000	LB
PRESTRESSED CONC. BEAM (TYPE II)	2,205.000	LF
PRESTRESSED CONCRETE BULB TEE BEAM(54"MOD.)	813.700	LF
P.S.CONC.BULB TEE BEAM(63")MODIFIED	6,222.000	LF
PRESTRESSED CONCRETE BULB TEE BEAM(72" MODIFIED)	1,441.700	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	3,586.700	LF
56" CONCRETE MEDIAN BARRIER (TL-5)-BRIDGE 003	361.000	LF
PILE DRIVING SET-UP	285.000	EA
PREST. CONC. PILING (24"SQ.)	1,520.000	LF
PRESTRESSED PILE POINT (HP12X53)	798.000	LF
STEEL H BEARING PILING (HP14 X 89)	12,019.000	LF
STEEL H BEARING PILING (HP14 X 117)	2,108.000	LF
PREFABRICATED CONCRETE MODULAR WALL	20,850.000	SF
MECH. STAB.EARTH RETAINING WALL BACKFILL(STONE)	20,630.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	24,302.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	1,795.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	220.000	LF
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	84.000	LF
18" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,670.000	LF
24" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	3,246.000	LF
30" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,516.000	LF
36" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	541.000	LF
42" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	490.000	LF
48" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	597.000	LF
18" SMOOTH WALL PIPE	36,434.000	LF
24" SMOOTH WALL PIPE	5,724.000	LF



Call No.: 010

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 5

Description	Quantity	Units
30" SMOOTH WALL PIPE	2,529.000	LF
36" SMOOTH WALL PIPE	1,938.000	LF
42" SMOOTH WALL PIPE	820.000	LF
48" SMOOTH WALL PIPE	84.000	LF
54" SMOOTH WALL PIPE	380.000	LF
18" SMOOTH WALL PIPE 45 DEG BEND	2.000	EA
CLEANING EXISTING PIPE	500.000	LF
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN TYPE 25 - SINGLE 4' X 6' BOX	74.000	EA
CATCH BASIN TYPE 25 - DOUBLE 4' X 8' BOX	120.000	EA
DROP INLET (24" X 36")	7.000	EA
DROP INLET TYPE 112	95.000	EA
MANHOLE	42.000	EA
36" X 36" JUNCTION BOX	35.000	EA
48" X 48" JUNCTION BOX	10.000	EA
60" X 60" JUNCTION BOX	3.000	EA
PRECAST CONCRETE RISER - 48" DIAMETER	51.200	LF
PRECAST CONCRETE RISER - 60" DIAMETER	1.500	LF
PRECAST CONCRETE RISER - 72" DIAMETER	1.500	LF
PRECAST CONCRETE DRAINAGE BASE - 48"	11.000	EA
PRECAST CONCRETE DRAINAGE BASE - 60" DIAMETER	2.000	EA
PRECAST CONCRETE DRAINAGE BASE - 72" DIAMETER	3.000	EA
EXTRA DEPTH OF BOX	85.130	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	24.000	EA
CONCRETE COLLAR FOR UP TO 36" PIPE	6.000	EA
ADJUST CATCH BASIN	4.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	7.000	EA
DROP INLET (24" X 36") - CONVERT JUNCTION BOX	1.000	EA
BEVELING OF PIPE END	33.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	731.500	LF
CONCRETE MEDIAN	1,059.000	SY
DECK JOINT STRIP SEAL	134.100	LF
ELASTOMERIC BEARING	224.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	2,401.000	TON
RIP-RAP (CLASS A)	3,164.000	TON
RIP-RAP (CLASS B)	7,034.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	3,965.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	15,185.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	3,487.500	LF
MT3 LEADING END TREATMENT TL3	57.000	EA
MT2 LEADING END TREATMENT TL2	4.000	EA
MB TRAILING END TREATMENT	32.000	EA



Call No.: 010

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 6

Description	Quantity	Units
MGS3 GR STANDARD SHOULDER	48,787.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	3.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	6.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	22.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	14.000	EA
PREMASH W-BEAM TIGHT CURVED SYSTEM	242.150	LF
PREMASH W-BEAM MEDIUM SHOP BENT SYSTEM	162.500	LF
PREMASH TYPE T TL2 LEADING 25FT	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
2' CRASH CUSHION 3A	4.000	EA
36SS REINFORCED BARRIER WALL	14,000.000	LF
46SS REINFORCED BARRIER WALL	33,831.000	LF
56SS REINFORCED BARRIER WALL	12,080.000	LF
RIGID VF BURIED MOMENT SLAB SHOULDER APPLICATION	2,052.200	LF
56ZOI VF BARRIER MEDIAN SYSTEM	933.000	LF
FRENCH DRAIN AND WEEP SYSTEM	2,002.000	LF
WOVEN WIRE FENCE - TYPE 6 WITH 2 STRANDS BARBED	24,111.000	LF
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE	37,551.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	9,115.000	LF
RESET CHAIN-LINK FENCE	14,000.000	LF
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	209.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	163.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	307.420	ACRE
TEMPORARY COVER	153.760	ACRE
FERTILIZER (NITROGEN)	30,742.000	LB
FERTILIZER (PHOSPHORIC ACID)	30,742.000	LB
FERTILIZER (POTASH)	30,742.000	LB
AGRICULTURAL GRANULAR LIME	614,840.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	1,072.000	ACRE
WATERPROOFING (SECOND METHOD)	152.700	SY
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	861.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	25.343	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.180	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	324.314	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	590.910	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	197.300	ACRE
HYDR.EROS.CONTRL.PROD.(HECP) - TYPE 1 AS TRACER UNDER TRM	137.790	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	690.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	27,139.000	LF



Call No.: 010

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 7

Description	Quantity	Units
SILT FENCE	94,268.000	LF
REPLACE/REPAIR SILT FENCE	9,426.600	LF
CLEANING SILT BASINS	17,057.000	CY
POROUS BAFFLE	1.000	LF
FLOATING SKIMMER	1.000	EA
REMOVAL OF SILT RETAINED BY SILT FENCE	23,567.000	LF
INLET FILTER CLEANING	333.000	EA
TEMPORARY DIVERSION DIKE	21,697.000	LF
INLET STRUCTURE FILTER - TYPE D1	104.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	156.000	EA
INLET STRUCTURE FILTER - TYPE B	6.000	EA
INLET STRUCTURE FILTER - TYPE D2	18.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	54.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	180.000	TON
STABILIZED CONSTRUCTION ENTRANCE	21,225.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 8"	7,494.000	LF
TEMPORARY 30"X24"SEDIMENT CONTROL STRUCTURE	1.000	EA
AGGREGATE DIAPHRAGM	10.000	CY
4'X6' P.C. BOX CULVERT {ASTM C1577} FH=13'	14.000	LF
4'X6' P.C. BOX CULVERT {ASTM C1577} FH=9'	56.000	LF
6'X6' P.C. BOX CULVERT {ASTM C1577} FH=10'	263.000	LF
7'X7' P.C. BOX CULVERT {ASTM C1577} FH=6'	30.000	LF
12'X12' P.C. BOX CULVERT {ASTM C1577} FH=21'	642.000	LF
12'X12' P.C. BOX CULVERT {ASTM C1577} FH=34'	265.000	LF
VARIABLE HEIGHT REIN CONC BARRIER	4,951.000	LF
BAT EXCLUSION DEVICE	16.000	SF

CALHOUN COUNTY
WATER SYSTEM RELOCATIONS
INTERSTATE 26 – MM 125-137

SCDOT Project No. P040014

HPG File No. 22055

Date: March 21, 2023

Preferred Contractors:

1. Barwick Plumbing Co., LLC
15 E Clark Street
Pinewood, South Carolina 29125
(803) 452-5755
Contact: Adam Barwick

2. CBG Inc.
500 State Road 424
Gaston, South Carolina 29053
(803) 791-8457
Contact: Kyle Godley

3. Lake Murray Utilities
1300 Peace Haven Road
Post Office Box 1089
Chapin, South Carolina 29036
(803) 730-7652
Contact: Jennings Parker



Call No.: 020 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 0268150	PCN: P042173	Project No.: P042173
DBE Goal Percent: 0.00%	PCN: P042376	Project No.: P042376
	PCN: P042501	Project No.: P042501
	PCN: P042503	Project No.: P042503

Approx. Length (miles): 14.2100 **Description:** SURFCOURSE;FDP;SHLDDPAV;MILLFILL
CO(S): Aiken

Completion Date: 5/31/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	345.000	SY
BORROW EXCAVATION	2,280.000	CY
EXCAVATION FOR SHOULDER PAVING	954.624	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	954.624	STA
MAINTENANCE STONE	34.000	TON
HMA SHOULDER WIDENING COURSE	5,757.547	TON
LIQUID ASPHALT BINDER PG64-22	1,764.298	TON
ARAMID FIBER	1,380.000	LB
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,610.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,790.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	45,270.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	34,840.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	32,850.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	12,200.000	SY
MILLED-IN RUMBLE STRIP	23.600	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,909.840	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,151.924	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,960.466	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,051.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,220.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	3,080.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	121,470.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,440.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	2,360.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	25.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	11.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA



Call No.: 020

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	5,120.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	116,710.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	260.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,894.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	242,940.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,880.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,720.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	50.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	22.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,240.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	233,420.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	630.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	520.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	174.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,264.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	80.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,400.000	LF
SAWCUT FOR LOOP DETECTOR	1,800.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	100.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	10.000	SY
DETECTABLE WARNING MATERIAL	132.500	SF
CONCRETE DRIVEWAY(8" UNIFORM)	110.000	SY
PEDESTRIAN RAMP CONSTRUCTION	225.000	SY
SURFACE APPLIED DETECTABLE WARNING	240.000	SF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	1,650.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.060	ACRE



Call No.: 030 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 1066940 PCN: P042309 Project No.: P042309

DBE Goal Percent: 0.00%

Approx. Length (miles):7.8800

Description: STB, FDP, MILL, INTM B SPEC

CO(S): Charleston

Completion Date: 5/31/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,355.420	SY
REMOVAL & DISPOSAL OF EXISTING CURB	440.000	LF
BORROW EXCAVATION	234.450	CY
MAINTENANCE STONE	73.360	TON
LIQUID ASPHALT BINDER PG64-22	2,476.406	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,336.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	982.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	26,076.980	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	189,111.227	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,358.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	20,014.828	TON
DRIVEWAY PAVING-SURFACE TYPE C	225.750	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	25,210.442	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,344.375	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	39.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	21,672.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	16,477.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	8,875.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	13.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	2,832.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	67.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	59.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	21.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	5,020.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	49,042.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	52,248.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	28,305.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	25,179.000	LF



Call No.: 030

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	7,959.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	180.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	168.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	51.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	24.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	15,060.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	122,877.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,853.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,158.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	502.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	793.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,700.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	25,500.000	LF
SAWCUT FOR LOOP DETECTOR	12,750.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	17.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	15.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	420.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,413.410	SY
CONCRETE SIDEWALK(6" UNIFORM)	270.550	SY
DETECTABLE WARNING MATERIAL	140.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	476.000	SY
PEDESTRIAN RAMP CONSTRUCTION	375.000	SY
SURFACE APPLIED DETECTABLE WARNING	80.000	SF
POLYMER MODIFIED ASPHALT EXPANSION JOINT	408.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.761	ACRE
SILT FENCE	2,518.000	LF



Call No.: 040 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 1068160 **PCN:** P042945 **Project No.:** P042945
DBE Goal Percent: 5.00%
Approx. Length (miles):3.6400 **Description:** S-881 (LINCOLNVILLE ROAD) MP 0.00 - 3.64
CO(S): Charleston CHARLESTON COUNTY
Completion Date: 4/30/2025 Days **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	728.000	SY
UNCLASSIFIED EXCAVATION	168.000	CY
BORROW EXCAVATION	1,456.000	CY
EXCAVATION FOR SHOULDER PAVING	384.380	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	384.380	STA
MAINTENANCE STONE	53.800	TON
LIQUID ASPHALT BINDER PG64-22	432.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,698.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,800.000	SY
MILLED-IN RUMBLE STRIP	7.280	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,552.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	210.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	55,522.000	SY
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	2,563.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	568.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	57,500.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	900.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,800.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	56,800.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	600.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	18,930.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	300.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,268.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	18,931.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	250.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LF
REFLECTIVE SIGN POST PANELS	50.000	LF



Call No.: 040

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
GUARDRAIL DELINEATOR - WHITE	20.000	EA
MT3 LEADING END TREATMENT TL3	2.000	EA
MGS3 GR STANDARD SHOULDER	437.500	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.530	ACRE
SILT FENCE	500.000	LF
REPLACE/REPAIR SILT FENCE	50.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	125.000	LF



Call No.: 050 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 1265650 PCN: P042177 Project No.: P042177

DBE Goal Percent: 0.00%

Approx. Length (miles): 10.0400

Description: MILL, UNCLASSIFIED, WIDEN, HMA

CO(S): Chester

Completion Date: 7/31/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
UNCLASSIFIED EXCAVATION	14,512.000	CY
BORROW EXCAVATION	2,875.000	CY
STATION GRADING	141.460	STA
GEOGRID REINFORCEMENT (BIAXIAL)	6,432.000	SY
MAINTENANCE STONE	1,826.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	48,928.880	TON
LIQUID ASPHALT BINDER PG64-22	3,736.156	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	850.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	101,060.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,450.000	SY
MILLED-IN RUMBLE STRIP	19.400	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	12,237.867	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,047.623	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,400.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	596.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	405.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	283,536.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	825.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	8,054.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	249,659.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	405.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	113,308.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	341.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,054.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	61,301.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	698.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	1,280.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	55.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	860.000	LF



Call No.: 050

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
15" SMOOTH WALL PIPE	408.000	LF
18" SMOOTH WALL PIPE	48.000	LF
24" SMOOTH WALL PIPE	32.000	LF
30" SMOOTH WALL PIPE	16.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	10.000	EA
CONCRETE COLLAR FOR UP TO 36" PIPE	2.000	EA
RIP-RAP (CLASS A)	100.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	400.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,109.000	LF
MT3 LEADING END TREATMENT TL3	8.000	EA
PREMASH THRIE WITH BASE PL 3.125 SPACING	420.000	LF
PREMASH W-BEAM BRIDGE CONN TL2 WBBC2	4.000	EACH
MGS3CS GR COMPRESSED SHOULDER	612.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	1,487.500	LF
PREMASH W-BEAM TIGHT CURVED SYSTEM	12.500	LF
PREMASH TYPE T TL3 LEADING 50'	7.000	EA
BARBED WIRE FENCE - 5 STRANDS	1,060.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.210	ACRE
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	5.000	MSY



Call No.: 060 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 1665830 PCN: P042159 Project No.: P042159
DBE Goal Percent: 0.00%
Approx. Length (miles):9.7200 Description: SW; FDP; MILL; ASPHALT; LOOPS; CONC ITEMS
CO(S): Darlington
Completion Date: 8/15/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	4,350.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	3,940.000	LF
BORROW EXCAVATION	1,372.000	CY
EXCAVATION FOR SHOULDER PAVING	724.416	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	724.416	STA
MAINTENANCE STONE	163.500	TON
HMA SHOULDER WIDENING COURSE	4,829.440	TON
LIQUID ASPHALT BINDER PG64-22	1,534.127	TON
ARAMID FIBER	1,116.060	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	12,850.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	3,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	145,010.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	470.000	SY
MILLED-IN RUMBLE STRIP	13.720	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	21,964.227	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	685.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	616.875	TON
MILLING EXISTING CONCRETE PAV. 2.0"	3,000.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,477.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,385.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	226,260.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	5,925.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,115.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	105.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	75.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	9.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	19,455.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	237,321.000	LF



Call No.: 060

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,102.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,795.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	75,420.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,975.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	35.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,705.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	33.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	25.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,485.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	79,107.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	443.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	115.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,142.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	400.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	400.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	17,226.000	LF
SAWCUT FOR LOOP DETECTOR	6,622.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	22.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	46.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	6.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	3,120.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	820.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,750.000	SY
DETECTABLE WARNING MATERIAL	700.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,200.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,400.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.500	ACRE



Call No.: 070 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 2168130 PCN: P042895 Project No.: P042895

DBE Goal Percent: 0.00%

Approx. Length (miles): 11.1700

Description: 2023 CTC RESURFACING

CO(S): Florence

Completion Date: 5/31/2025 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	50.000	LF
BORROW EXCAVATION	2,233.000	CY
EXCAVATION FOR SHOULDER PAVING	1,041.216	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,041.216	STA
MAINTENANCE STONE	178.000	TON
HMA SHOULDER WIDENING COURSE	5,206.080	TON
LIQUID ASPHALT BINDER PG64-22	1,286.279	TON
ARAMID FIBER	1,671.200	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	17,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	350.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,075.000	SY
MILLED-IN RUMBLE STRIP	22.330	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,316.773	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,439.771	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,100.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	666.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,520.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,255.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	353,730.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	525.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,788.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	38,325.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	132,105.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,085.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	117,910.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	175.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	596.000	LF



Call No.: 070

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	12,775.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	44,035.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	793.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	280.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	280.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,884.000	LF
SAWCUT FOR LOOP DETECTOR	912.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	2.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	50.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.150	ACRE



Call No.: 080 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 2265880 PCN: P042042 Project No.: P042042

DBE Goal Percent: 0.00%

Approx. Length (miles):8.6500

Description: SW; FDP; MILL; SURFACE

CO(S): Georgetown

Completion Date: 6/30/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	2,020.000	CY
EXCAVATION FOR SHOULDER PAVING	153.120	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	153.120	STA
MAINTENANCE STONE	290.000	TON
HMA SHOULDER WIDENING COURSE	1,276.000	TON
LIQUID ASPHALT BINDER PG64-22	2,050.458	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	29,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,100.000	SY
MILLED-IN RUMBLE STRIP	34.600	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	33,563.137	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,690.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	474.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,492.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	95,760.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	283,884.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,540.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	7,698.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	72.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	72.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,300.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	272,505.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	225.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	31,920.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	79,308.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	15,320.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,180.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,566.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	24.000	EA



Call No.: 080

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	24.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	90,835.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,857.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	8.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	220.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	60.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	220.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.899	ACRE



Call No.: 090 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 2366090	PCN: P042399	Project No.: P042399
DBE Goal Percent: 0.00%	PCN: P042400	Project No.: P042400
	PCN: P042402	Project No.: P042402

Approx. Length (miles): 13.5700 **Description:** RESURFACING - REHAB
CO(S): Greenville

Completion Date: 7/31/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	310.000	SY
BORROW EXCAVATION	1,464.000	CY
EXCAVATION FOR SHOULDER PAVING	522.720	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	522.720	STA
MAINTENANCE STONE	515.250	TON
HMA SHOULDER WIDENING COURSE	3,484.800	TON
LIQUID ASPHALT BINDER PG64-22	2,709.648	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	29,925.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	1,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	335,015.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	19,067.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	22,631.000	SY
MILLED-IN RUMBLE STRIP	2.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,906.667	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	40,010.058	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,071.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,609.800	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,558.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	77,660.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	169,116.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	29,060.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	9,411.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	248.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	132.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.) FAST DRY PAINT	21.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	33,192.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	623,148.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	8,520.000	LF



Call No.: 090

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	960.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	240.000	LF
WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT) EPOXY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY" - EPOXY PAINT	8.000	EA
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	710.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	23,210.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	77,688.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	14,530.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	92.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	4,683.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	124.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	66.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	11.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,230.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	151,655.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,355.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	573.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,303.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	5,460.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	98,020.000	LF
SAWCUT FOR LOOP DETECTOR	35,620.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	78.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	26.000	EA
DETECTABLE WARNING MATERIAL	150.000	SF
PEDESTRIAN RAMP CONSTRUCTION	300.000	SY
SURFACE APPLIED DETECTABLE WARNING	120.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	2,450.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	6,975.000	LF
PREMASH TYPE T TL3 LEADING 50'	49.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.000	ACRE



Call No.: 100 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 2649280 **PCN:** P037636 **Project No.:** P037636
DBE Goal Percent: 10.00%
Approx. Length (miles):0.2340 **Description:** HORRY S-472 BRIDGE REPLACEMENT OVER KINGSTON LAKE
CO(S): Horry
Completion Date: 11/30/2024 Days **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	184.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	512.000	CY
BORROW EXCAVATION	10,852.000	CY
MUCK EXCAVATION	2,789.000	CY
GEOTEXTILE, SEPARATION	5,794.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	1,100.000	SY
GEOGRID STABILIZATION	1,744.000	SY
STONE BRIDGE LIFT MATERIAL	387.000	TON
GRANULAR BRIDGE LIFT MATERIAL	2,867.000	CY
FINE GRADING	1,104.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	408.000	TON
LIQUID ASPHALT BINDER PG64-22	82.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
MILLED-IN RUMBLE STRIP	1.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	816.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	316.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	18.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	64.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	90.500	SF
DETOUR SIGNS	92.000	SF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	24.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,408.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,302.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	15.000	EA



Call No.: 100

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	36.250	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	12.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	300.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	444.000	LF
CONC. FOR STRUCTURES - CLASS 4000	99.600	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	29,204.000	LB
3'-0" x 2'-0" CORED SLABS	838.500	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	220.000	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	2.000	EA
PILE DRIVING SET-UP	14.000	EA
STEEL H BEARING PILING (HP14 X 73)	887.000	LF
24" RC PIPE CUL.-CLASS III	64.000	LF
15" RC PIPE CUL.-CLASS IV	24.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	80.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	132.000	LF
ELASTOMERIC BEARING	24.000	EA
RIP-RAP (CLASS A)	20.000	TON
RIP-RAP (CLASS B)	398.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	23.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	562.000	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	2.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	50.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	1,347.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	22.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.052	ACRE
TEMPORARY COVER	2.104	ACRE
COMPOST	1,300.000	CY
FERTILIZER (NITROGEN)	105.200	LB
FERTILIZER (PHOSPHORIC ACID)	105.200	LB
FERTILIZER (POTASH)	105.200	LB
AGRICULTURAL GRANULAR LIME	2,104.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.312	ACRE
WATERPROOFING (BRIDGE DECK)	263.100	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	3.914	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	3.492	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	2.820	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	158.000	LF
SILT FENCE	1,700.000	LF



Call No.: 100

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 3

Description	Quantity	Units
REPLACE/REPAIR SILT FENCE	855.000	LF
CLEANING SILT BASINS	10.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	855.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	3.500	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 110 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 2667910 PCN: P042883 Project No.: P042883

DBE Goal Percent: 0.00%

Approx. Length (miles): Description: ADVANCE CLEARING & GRUBBING FOR US
CO(S): Horry 701 NORTH WIDENING

Completion Date: 11/30/2024 Days Funding: OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF HIGH LEVEL CONTAMINATED SOIL	100.000	TON
REMOVAL & DISPOSAL OF CONTAMINATED LIQUIDS	500.000	GAL
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 012	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 013	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 014	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 015	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 016	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 017	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 018	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 019	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 020	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 021	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 022	1.000	LS



Call No.: 110

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
REMOVAL & DISPOSAL ITEM NO. 023	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 024	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 025	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 026	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 027	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 028	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 029	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 030	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 031	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 032	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 033	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 034	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 035	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 036	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 037	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 038	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 039	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 040	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 041	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 042	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 043	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 044	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 045	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 046	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 047	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 048	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 049	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 050	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 2	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 3	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,348.000	SY
BORROW EXCAVATION	10,000.000	CY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,080.000	SF
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE	360.000	LF
12' WIDE - CHAIN LINK FENCE GATE (72"HT)	1.000	EA
TEMPORARY BARRIER FENCE (ORANGE)	10,203.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS



Call No.: 110

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 3

Description	Quantity	Units
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	308.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	38.000	ACRE
TEMPORARY COVER	19.000	ACRE
COMPOST	1,200.000	CY
FERTILIZER (NITROGEN)	3,800.000	LB
FERTILIZER (PHOSPHORIC ACID)	3,800.000	LB
FERTILIZER (POTASH)	3,800.000	LB
AGRICULTURAL GRANULAR LIME	76,000.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	111.900	ACRE
SODDING	5.000	MSY
ENHANCED STACKED DITCH CHECKS	168.000	LF
TEMPORARY EROSION CONTROL BLANKET (ECB)	10.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	111.900	ACRE
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	96.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	4,716.000	LF
SILT FENCE	29,080.000	LF
REPLACE/REPAIR SILT FENCE	2,908.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY	750.000	SF
CLEANING SILT BASINS	180.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	7,270.000	LF
INLET FILTER CLEANING	254.000	EA
INLET STRUCTURE FILTER - TYPE B	17.000	EA
STABILIZED CONSTRUCTION ENTRANCE	2,750.000	SY



Call No.: 120 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 2868120	PCN: P042237	Project No.: P042237
DBE Goal Percent: 0.00%	PCN: P042238	Project No.: P042238
	PCN: P042403	Project No.: P042403
	PCN: P042404	Project No.: P042404

Approx. Length (miles): 16.7000 **Description:** 2024 KERSHAW COUNTY REHABILITATION
CO(S): Kershaw
Completion Date: 8/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	260.000	SY
BORROW EXCAVATION	3,172.000	CY
EXCAVATION FOR SHOULDER PAVING	503.700	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	503.700	STA
MAINTENANCE STONE	196.450	TON
HMA SHOULDER WIDENING COURSE	2,708.640	TON
LIQUID ASPHALT BINDER PG64-22	2,551.301	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	5,495.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	14,150.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	650.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	170,150.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,650.000	SY
MILLED-IN RUMBLE STRIP	24.850	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	15,379.493	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	17,529.093	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,829.373	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,385.038	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,054.250	TON
DRIVEWAY PAVING-SURFACE TYPE D	501.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,880.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,280.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	514,564.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,600.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,590.000	LF
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	57,010.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	204,664.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	450.000	LF



Call No.: 120

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,020.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	146,467.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	920.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,585.000	LF
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	15,830.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	61,562.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	150.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	240.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,245.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,400.000	LF
SAWCUT FOR LOOP DETECTOR	430.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	60.000	SY
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	250.000	LF
PREMASH TYPE T TL3 LEADING 50'	10.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	15.410	ACRE



Call No.: 130 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 3068050 PCN: P042515 Project No.: P042515
DBE Goal Percent: 0.00%
Approx. Length (miles):7.1400 Description: 2022 CTC LAURENS COUNTY - RESURFACING
CO(S): Laurens
Completion Date: 8/31/2025 Days Funding: OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 1	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	150.000	SY
BORROW EXCAVATION	1,600.000	CY
EXCAVATION FOR SHOULDER PAVING	448.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	448.000	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	24,438.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	795.000	TON
MAINTENANCE STONE	88.450	TON
HMA SHOULDER WIDENING COURSE	1,052.187	TON
LIQUID ASPHALT BINDER PG64-22	699.802	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	920.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,905.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	20.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	57,340.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,045.000	SY
MILLED-IN RUMBLE STRIP	7.960	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	9,595.650	TON
DRIVEWAY PAVING-SURFACE TYPE C	677.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,858.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,546.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	218,800.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	800.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,688.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	14.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	259,955.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	474.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	63,070.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	200.000	LF



Call No.: 130

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	876.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	75,450.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	476.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	68.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,460.000	LF
SAWCUT FOR LOOP DETECTOR	460.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
DETECTABLE WARNING MATERIAL	75.000	SF
PEDESTRIAN RAMP CONSTRUCTION	150.000	SY
SURFACE APPLIED DETECTABLE WARNING	170.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.257	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	100.000	LF
SILT FENCE	800.000	LF
REPLACE/REPAIR SILT FENCE	100.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	200.000	LF



Call No.: 140 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 3465900	PCN: P042035	Project No.: P042035
DBE Goal Percent: 0.00%	PCN: P042165	Project No.: P042165
	PCN: P042360	Project No.: P042360
	PCN: P042370	Project No.: P042370

Approx. Length (miles): **Description:** SW; FDP; MILL; SURFACE; ADA; CONC ITEMS
CO(S): Marion

Completion Date: 8/31/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,165.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	625.000	LF
BORROW EXCAVATION	2,818.000	CY
EXCAVATION FOR SHOULDER PAVING	1,435.712	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,435.712	STA
MAINTENANCE STONE	263.000	TON
HMA SHOULDER WIDENING COURSE	8,740.160	TON
LIQUID ASPHALT BINDER PG64-22	2,254.614	TON
ARAMID FIBER	9,051.294	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	14,750.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	11,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	105,964.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,240.000	SY
MILLED-IN RUMBLE STRIP	32.330	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	18,646.680	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,580.810	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	4,832.467	TON
DRIVEWAY PAVING-SURFACE TYPE D	974.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,152.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,405.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	416,715.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	480.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,631.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	29,130.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	241,635.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	260.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,805.000	LF



Call No.: 140

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	135,315.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,590.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	160.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	70.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	876.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,710.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	80,545.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	153.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	927.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	660.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	660.000	LF
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	425.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	200.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	685.000	SY
DETECTABLE WARNING MATERIAL	475.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	530.000	SY
PEDESTRIAN RAMP CONSTRUCTION	950.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.480	ACRE



Call No.: 150 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 3761350	PCN: P041005	Project No.: P041005
DBE Goal Percent: 0.00%	PCN: P041019	Project No.: P041019
	PCN: P042407	Project No.: P042407

Approx. Length (miles): **Description:** RESURFACING - REHAB
CO(S): Oconee

Completion Date: 5/31/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 1	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	175.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	20.000	CY
BORROW EXCAVATION	1,686.000	CY
EXCAVATION FOR SHOULDER PAVING	856.416	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	856.416	STA
MAINTENANCE STONE	536.250	TON
HMA SHOULDER WIDENING COURSE	3,895.467	TON
LIQUID ASPHALT BINDER PG64-22	1,179.221	TON
ARAMID FIBER	3,053.000	LB
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	22,200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,625.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	4,822.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	36,438.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,695.000	SY
MILLED-IN RUMBLE STRIP	15.460	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	15,872.357	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,156.240	TON
DRIVEWAY PAVING-SURFACE TYPE C	613.100	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,340.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,060.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	182,300.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	5,360.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,664.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,440.000	LF



Call No.: 150

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	378,720.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	600.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	40.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	300.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	480.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	91,150.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,680.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	832.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,110.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	94,680.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	4.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	633.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	630.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	11,310.000	LF
SAWCUT FOR LOOP DETECTOR	4,110.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
SURFACE APPLIED DETECTABLE WARNING	90.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,100.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	2,963.000	LF
PREMASH TYPE T TL3 LEADING 50'	22.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.174	ACRE



Call No.: 160 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 3867920 **PCN:** P042547 **Project No.:** P042547
DBE Goal Percent: 0.00% **PCN:** P042681 **Project No.:** P042681
Approx. Length (miles):13.2700 **Description:** SURFCOURSE;FDP;SHLDPAV;MILLFILL
CO(S): Orangeburg
Completion Date: 6/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 1	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
BORROW EXCAVATION	2,568.000	CY
EXCAVATION FOR SHOULDER PAVING	1,706.496	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,706.496	STA
MAINTENANCE STONE	147.500	TON
HMA SHOULDER WIDENING COURSE	7,646.614	TON
LIQUID ASPHALT BINDER PG64-22	2,392.949	TON
ARAMID FIBER	3,735.000	LB
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	14,150.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	6,870.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	16,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	38,000.000	SY
MILLED-IN RUMBLE STRIP	26.910	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,885.471	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	7,290.820	TON
DRIVEWAY PAVING-SURFACE TYPE D	892.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,536.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	21,464.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	102,320.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	610.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,059.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	15.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	7.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	5.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	2,128.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	95,150.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	42,904.000	LF



Call No.: 160

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	204,640.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,220.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,118.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	15.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	7.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	5.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,256.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	183,200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,113.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	305.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	36.000	SF
SQUARE TUBING POST 12 GAUGE - 2" X 2" X 8	96.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,500.000	LF
SAWCUT FOR LOOP DETECTOR	500.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	25.000	SY
DETECTABLE WARNING MATERIAL	87.500	SF
PEDESTRIAN RAMP CONSTRUCTION	175.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	640.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	250.000	LF
MT3 LEADING END TREATMENT TL3	6.000	EA
PREMASH NEST W-BEAM W BASE PL 6.25 SPACING	12.500	LF
MB TRAILING END TREATMENT	6.000	EA
MGS3 GR STANDARD SHOULDER	525.000	LF
MGS3CS GR COMPRESSED SHOULDER	200.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH THRIE STRONG POST GUARDRAIL	90.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	5.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	18.840	ACRE

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below).



South Carolina Department of Transportation

1/8/2024

Call No.: 170 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 4036140 PCN: P027198 Project No.: P027198
 DBE Goal Percent: 0.00%
 Approx. Length (miles): Description: ENHANCEMENT/SAFETY IMPROVEMENTS - RICHLAND CO
 CO(S): Richland
 Completion Date: 4/30/2025 Days Funding: OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 014	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	904.000	SY
UNCLASSIFIED EXCAVATION	349.000	CY
BORROW EXCAVATION	486.000	CY
FLOWABLE FILL	85.000	CY
MAINTENANCE STONE	10.000	TON
LIQUID ASPHALT BINDER PG64-22	8.200	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	25.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	150.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	828.000	SF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	700.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	360.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	48.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	64.000	LF
18" SMOOTH WALL PIPE	1,736.000	LF
24" SMOOTH WALL PIPE	652.000	LF
36" SMOOTH WALL PIPE	152.000	LF
42" SMOOTH WALL PIPE	512.000	LF
CLEANING EXISTING PIPE	54.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN -TYPE 16	8.000	EA




Call No.: 170

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
CATCH BASIN -TYPE 16B (6X6 BOX)	2.000	EA
DROP INLET (24" X 36")	4.000	EA
MANHOLE	4.000	EA
MANHOLE WITH STANDARD 5' X 5' BOX	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,601.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,751.000	SY
DETECTABLE WARNING MATERIAL	175.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	340.000	SY
PEDESTRIAN RAMP CONSTRUCTION	350.000	SY
SURFACE APPLIED DETECTABLE WARNING	90.000	SF
RIP-RAP (CLASS B)	38.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	76.000	SY
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	30.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.642	ACRE
TEMPORARY COVER	0.321	ACRE
COMPOST	173.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	0.321	ACRE
FERTILIZER (NITROGEN)	64.240	LB
FERTILIZER (PHOSPHORIC ACID)	64.240	LB
FERTILIZER (POTASH)	64.240	LB
AGRICULTURAL GRANULAR LIME	1,284.800	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	1.927	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.321	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	98.500	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	8.000	LF
SILT FENCE	3,450.000	LF
REPLACE/REPAIR SILT FENCE	345.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	861.000	LF
CLEANING INLET STRUCTURE FILTERS	18.000	EA
INLET STRUCTURE FILTER - TYPE A	52.500	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

Engineering Department	APPROVED CONTRACTORS LIST					
Last Revised 10/4/2022	MAIN LINE TAPS AND METER INSTALLATION					
Company Name	Contact	Contact Numbers	Tap Size	Meter Size	Asbestos Certified	
Armstrong Contractors, LLC.	Michael Armstrong	803-730-5955 803-788-1190 Ext. 14 (office)	none	2"-8"	No	PO Box 291053, Columbia, SC 29229 Email: Mike@armstrongcontractors.com
Babcock Construction, LLC.	Jackson Babcock	803-600-6861	3/4"-12"	3/4"-10"	Yes	1122 Three Dog Road, Chapin SC 29036 babcockconst@bellsouth.net
CBG Inc.	Kyle Holladay	803-309-5323 803-791-8457	6"-24"	3/4"-8"	Yes	500 Frontage Rd, Gaston, SC 29053 kholladay@cbgsitework.com
Carolina Tap and Bore	Richard Young	803-600-5363 803-739-7056 803-791-1407	3/4"-20"	3/4"-10"	Yes	2430 Morningside Dr, W Cola 29169 Email: ryoung@carolinatapandbore.com
Conder Construction	John W. Conder, II	(803) 438-8221 (803) 934-6880	3/4" - 16"	3/4" - 20"	No	waltconder@yahoo.com; Conder Construction Email: dianec.conder@gmail.com
Corley Construction	Todd Corley	803-513-1269 803-917-0207 803-750-6070	none	4"-10"	No	366 Firetower Rd., Irmo, SC 29063 Email: corleyconst88915@bellsouth.net
C.R. Jackson, Inc.	E. Davis	803-750-1356 (Fax)	3/4"-12"	3/4"-8"	No	PO Box 8023 Columbia, SC 29202 EDavis@crjackson.com thawkings@crjackson.com
Derrick Plumbing, Inc.	Billy Derrick	803-359-2827 803-532-3301	1-1/2"-16"	3/4"-10"	No	2226 Ridge Rd, Leesville 29070 Email: billy@derrickplumbing.com
FRC Construction, LLC.	Frankie Thomas	803-518-4287	3/4"-8"	3/4"-8"	No	107 Wagon Wheel Court, Pelion SC 29123 Email: rebeccascodycat@aol.com
GH Smith Construction, Inc.	Jerry H. Smith	803-622-5139	up to 24"	3/4"-8"	Yes	430 Shuler Ct., Columbia, SC 29212 Email: ghsmithconst@aol.com
Hammerhead Utilities	Bill Head	803-960-3046	3/4"-8"	3/4"-8"	Yes	11701 Broad River Road Chapin, SC 29036 Email: Bill Head bill@hhulc.com
LAD Construction, LLC	Brad Sox	803-739-4483 803-309-3922	all	3/4"-10"	No	PO Box 1129 Swansea SC 29160 Email: bsox@ladconstructionllc.com
Lake Murray Utility Co., Inc.	Jennings Parker	803-732-7849 (Office) 803-730-7652 (Cell)	3/4"-20"	3/4"-8"	No	PO Box 1089, Chapin 29036 cherylgootee@bellsouth.net
McClam & Associates	Wayne Bye Wende Grimes	803-513-6065 803-345-9194	3/4"-24"	3/4"-10"	Yes	1316 Washington St., Columbia 29201 Email: rcm@mclam.net/wgrimes@mclam.net
Owens Fisher Construction Co.	Charlie Meetze	803-951-3927 (Office) 803-513-3429 (Cell)	1.5" - 12"	3/4" - 6"	No	303 McLee Rd, Lexington SC 29073 Email: charlie@owens-fisher.com
Patriot Construction Co Inc	Ted McDaniel	(803) 788-7770	3/4" - 24"	3/4"-10"	No	108 Weir Drive Columbia, SC 29223 Email: patriot_inc@bellsouth.net
Shady Grove Construction	Tim Richardson	803-513-4592 803-781-2516	3/4"-12"	3/4"-10"	Yes	1540 Dutch Fork Road, Irmo, SC 29063 tkrideal2@aol.com ericasgc2@aol.com
Stutts & Williams LLC	Joey Williams	803-814-3753	3/4" to 12"	5/8"-12"	Yes	PO Box 2046, Lexington SC 29071 Email: joey@stuttswilliams.com
TBC- Tom Brigman Contractors, Inc.	Blake Brigman	803-924-5568 803-276-4083	3/4"-12"	3/4"-10"	No	1509 Sunset Ave., PO Box 336 Newberry, SC 29108 bbrigman@tbcontr.com
TCO Construction, Inc.	Pam Cox	803-607-0563 803-495-4420	3/4"-24"	3/4"-10"	No	3410 Myrtle Beach Hwy., Sumter, SC 29153 pcox@tcoconstruction.com

**COLUMBIA WATER WILL ALLOW SOUTH CAROLINA LICENSED, INSURED AND BONDED WATER CONTRACTORS TO CONSTRUCT WATER LINES WITHIN THEIR SYSTEM. WHEN TYING ONTO CITY OF COLUMBIA'S ACTIVE WATER SYSTEM, THE CONTRACTOR, IF NOT ON THE COLUMBIA WATER'S APPROVED CONTRACTORS LIST, MUST HIRE ONE OF THE QUALIFIED AND APPROVED CONTRACTORS TO COMPLETE THAT SPECIFIC WORK FROM THE LIST ABOVE. 1) WORK ON ABESTOS (AC) PIPE, 2) MAKE TAPS ONTO COLUMBIA WATER'S SYSTEM, 3) INSTALL WATER METERS.



Call No.: 180 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 4067930 **PCN:** P042243 **Project No.:** P042243
DBE Goal Percent: 0.00% **PCN:** P042244 **Project No.:** P042244
Approx. Length (miles): 12.0200 **Description:** FDP; MILL; SURFACE; LOOPS; ADA; GRAIL
CO(S): Richland
Completion Date: 7/31/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	339.990	SY
MAINTENANCE STONE	80.300	TON
LIQUID ASPHALT BINDER PG64-22	1,549.268	TON
LIQUID ASPHALT BINDER PG76-22	1,011.611	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	8,030.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	464,140.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,700.000	SY
MILLED-IN RUMBLE STRIP	14.440	MI
HOT MIX ASPHALT SURFACE COURSE TYPE A	18,392.930	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	27,002.426	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,018.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,944.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	44,988.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	36,225.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	184,605.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	133,320.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	21,525.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	12,750.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	29,610.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	271.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	174.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	26.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	30,180.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	278,055.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	124,440.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	15,010.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	750.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	530.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	720.000	LF



Call No.: 180

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
6" BLACK BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	360.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	790.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	3,020.000	LF
8"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT	560.000	LF
24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT	320.000	LF
WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT) EPOXY PAINT	2.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT) EPOXY PAINT	4.000	EA
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,500.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	3,020.000	LF
EPOXY PAINT 4" BLACK BROKEN LINES -(GAPS EXCLUDED)	265.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	14,996.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	12,075.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	61,535.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	44,440.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	7,175.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	4,250.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	115.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	9,870.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	95.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	61.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	24,680.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	77,765.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	41,480.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	250.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,060.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	2,283.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,854.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	600.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,275.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	9,225.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	275.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	9,600.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	375.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	29,400.000	LF
SAWCUT FOR LOOP DETECTOR	9,525.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	75.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	15.000	EA
ADJUST CATCH BASIN	3.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	180.000	LF
DETECTABLE WARNING MATERIAL	150.000	SF



Call No.: 180

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 3

Description	Quantity	Units
PEDESTRIAN RAMP CONSTRUCTION	300.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	400.000	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	275.000	LF



Call No.: 190 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 4163612 PCN: P041790 Project No.: P041790

DBE Goal Percent: 0.00%

Approx. Length (miles):1.1200

Description: REHABILITATION S-252 S-40 - SALUDA COUNTY

CO(S): Saluda

Completion Date: 5/31/2025 Days

Funding: OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	224.000	CY
EXCAVATION FOR SHOULDER PAVING	119.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	119.000	STA
MAINTENANCE STONE	82.300	TON
HMA SHOULDER WIDENING COURSE	394.240	TON
LIQUID ASPHALT BINDER PG64-22	193.021	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	8,030.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,045.000	SY
MILLED-IN RUMBLE STRIP	2.240	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,576.960	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,441.090	TON
DRIVEWAY PAVING-SURFACE TYPE C	33.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	314.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	336.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	47,320.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	336.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	47,320.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	84.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	11,830.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	84.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	11,830.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	74.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.090	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	100.000	LF
SILT FENCE	1,000.000	LF
REPLACE/REPAIR SILT FENCE	100.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	250.000	LF



Call No.: 200 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 5168340 PCN: P043034 Project No.: P043034

DBE Goal Percent: 0.00%

Approx. Length (miles): 750.0000

Description: DISTRICT 1 RPMS

CO(S): District 1 (multiple counties)

Completion Date: 10/31/2024 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	17,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	10,400.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	60,000.000	EA



Call No.: 210 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 5266140	PCN: P041384	Project No.: P041384
DBE Goal Percent: 0.00%	PCN: P041994	Project No.: P041994
	PCN: P041996	Project No.: P041996
	PCN: P042609	Project No.: P042609

Approx. Length (miles): 20.0400 **Description:** 2023-2024 PAVEMENT IMPROVEMENT PROGRAM
CO(S): Abbeville Anderson

Completion Date: 6/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 1	1.000	LS
BORROW EXCAVATION	7,661.000	CY
EXCAVATION FOR SHOULDER PAVING	1,602.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,602.000	STA
MAINTENANCE STONE	517.300	TON
HMA SHOULDER WIDENING COURSE	7,136.947	TON
LIQUID ASPHALT BINDER PG64-22	2,577.546	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	10,730.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	28,005.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	4,215.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	42,275.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	164,376.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	37,760.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	36,520.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	12,325.000	SY
MILLED-IN RUMBLE STRIP	24.460	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,361.493	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,306.919	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	23,725.660	TON
DRIVEWAY PAVING-SURFACE TYPE B	389.375	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,123.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,408.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	13,324.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	654,537.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	4,512.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,013.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	39.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	21.000	EA



Call No.: 210

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	19,344.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	666,137.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	50.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,335.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	202,538.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,504.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,288.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	13.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,150.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	211,900.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	252.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,504.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	750.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	90.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	284.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,440.000	LF
SAWCUT FOR LOOP DETECTOR	2,060.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
SURFACE APPLIED DETECTABLE WARNING	70.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	960.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	475.000	LF
MT3 LEADING END TREATMENT TL3	58.000	EA
MGS3 GR STANDARD SHOULDER	1,587.500	LF
MGS3CS GR COMPRESSED SHOULDER	3,325.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	18.166	ACRE



Call No.: 220 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 5266290	PCN: P041373	Project No.: P041373
DBE Goal Percent: 0.00%	PCN: P041993	Project No.: P041993
	PCN: P042101	Project No.: P042101
	PCN: P042102	Project No.: P042102
	PCN: P042104	Project No.: P042104

Approx. Length (miles): 17.2300 **Description:** FDP, MILLING, SW; PAVING, GRAIL
CO(S): Abbeville Anderson
Laurens

Completion Date: 10/31/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	125.000	SY
BORROW EXCAVATION	9,290.000	CY
EXCAVATION FOR SHOULDER PAVING	1,532.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,532.000	STA
MAINTENANCE STONE	429.450	TON
HMA SHOULDER WIDENING COURSE	5,431.588	TON
LIQUID ASPHALT BINDER PG64-22	2,302.016	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	28,770.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	6,525.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	85,257.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	153,935.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	35,815.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,925.000	SY
MILLED-IN RUMBLE STRIP	30.050	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	4,547.840	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	22,012.401	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	8,108.740	TON
DRIVEWAY PAVING-SURFACE TYPE B	829.065	TON
DRIVEWAY PAVING-SURFACE TYPE C	281.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,950.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	15,634.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	144.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	481,105.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	63,870.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	2,026.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,637.000	LF



Call No.: 220

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	44.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	20.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	26,520.000	LF
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,930.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	509,835.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	58,290.000	LF
WHITE WORD MESSAGE "STOP AHEAD"-FAST DRY PAINT	9.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,240.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	48.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	152,005.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	19,750.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	622.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,314.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	14.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,980.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,310.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	156,717.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	17,890.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	257.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	100.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,309.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	208.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,102.000	LF
SAWCUT FOR LOOP DETECTOR	1,604.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
DETECTABLE WARNING MATERIAL	62.500	SF
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	110.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	450.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	487.500	LF
MT3 LEADING END TREATMENT TL3	76.000	EA
MGS3 GR STANDARD SHOULDER	1,012.500	LF
MGS3CS GR COMPRESSED SHOULDER	7,875.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	7.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.420	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	50.000	LF



Call No.: 220

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 3

Description	Quantity	Units
SILT FENCE	500.000	LF
REPLACE/REPAIR SILT FENCE	50.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	125.000	LF



Call No.: 230 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 5268350 PCN: P043035 Project No.: P043035

DBE Goal Percent: 0.00%

Approx. Length (miles): 750.0000

Description: DISTRICT 2 RPMS

CO(S): District 2 (multiple counties)

Completion Date: 10/31/2024 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	7,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	6,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	70,000.000	EA



Call No.: 240 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 5368360 PCN: P043036 Project No.: P043036

DBE Goal Percent: 0.00%

Approx. Length (miles):825.0000

Description: DISTRICT 3 RPMS

CO(S): District 3 (multiple counties)

Completion Date: 10/31/2024 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	19,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	12,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	75,000.000	EA



Call No.: 250 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 5465040	PCN: P042175	Project No.: P042175
DBE Goal Percent: 0.00%	PCN: P042176	Project No.: P042176
	PCN: P042270	Project No.: P042270

Approx. Length (miles):5.5700 **Description:** STA, PATCH, CMRB, HMA
CO(S): Cherokee York

Completion Date: 5/15/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	20.000	CY
UNCLASSIFIED EXCAVATION	5,905.000	CY
BORROW EXCAVATION	670.000	CY
STATION GRADING	92.918	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	32,853.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,100.000	TON
MAINTENANCE STONE	139.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	10,154.000	TON
LIQUID ASPHALT BINDER PG64-22	1,003.203	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	30.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,800.000	SY
MILLED-IN RUMBLE STRIP	4.480	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,398.480	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,576.960	TON
DRIVEWAY PAVING-SURFACE TYPE C	645.500	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	32,853.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	694.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	403.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	166,427.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	641.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	166,427.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	403.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	59,558.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	264.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	59,558.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	388.000	EA
15" SMOOTH WALL PIPE	120.000	LF
MT3 LEADING END TREATMENT TL3	8.000	EA



Call No.: 250

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
MGS3CS GR COMPRESSED SHOULDER	437.500	LF
RESET FENCE	150.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.140	ACRE



Call No.: 260 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 5465960	PCN: P042179	Project No.: P042179
DBE Goal Percent: 0.00%	PCN: P042195	Project No.: P042195
	PCN: P042196	Project No.: P042196

Approx. Length (miles): 14.9400 **Description:** CMRB, STA GRADE, HMA
CO(S): Chester York

Completion Date: 6/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	300.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	4.000	CY
UNCLASSIFIED EXCAVATION	1,539.000	CY
BORROW EXCAVATION	2,139.000	CY
STATION GRADING	80.778	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	17,128.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	90,687.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,194.000	TON
MAINTENANCE STONE	360.300	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,035.000	TON
LIQUID ASPHALT BINDER PG64-22	2,016.834	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	220.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	420.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	120.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	3,286.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	36,350.000	SY
MILLED-IN RUMBLE STRIP	13.320	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	10,516.822	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	16,961.278	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	2,499.200	TON
DRIVEWAY PAVING-SURFACE TYPE C	3,220.500	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	127,373.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,479.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,258.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	477,862.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,416.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA



Call No.: 260

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,454.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	470,478.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,258.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	157,875.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,454.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	150,491.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,038.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	420.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	420.000	LF
15" SMOOTH WALL PIPE	480.000	LF
18" SMOOTH WALL PIPE	104.000	LF
CONCRETE CURB AND GUTTER (2'-0") OGEE	300.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	575.000	LF
MT3 LEADING END TREATMENT TL3	10.000	EA
PREMASH THRIE WITH BASE PL 3.125 SPACING	112.000	LF
PREMASH W-BEAM BRIDGE CONN TL2 WBBC2	4.000	EACH
MGS3CS GR COMPRESSED SHOULDER	737.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	837.500	LF
PREMASH TYPE T TL3 LEADING 50'	7.000	EA
RESET FENCE	1,950.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.940	ACRE



Call No.: 270 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 5468370 PCN: P043037 Project No.: P043037

DBE Goal Percent: 0.00%

Approx. Length (miles): 765.0000

Description: DISTRICT 4 RPMS

CO(S): District 4 (multiple counties)

Completion Date: 8/31/2024 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10,200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	6,200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	58,000.000	EA



Call No.: 280 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 5568030	PCN: P041583	Project No.: P041583
DBE Goal Percent: 0.00%	PCN: P041915	Project No.: P041915
	PCN: P042673	Project No.: P042673
	PCN: P042891	Project No.: P042891

Approx. Length (miles): **Description:** 2022-2023 CTC RESURFACING
CO(S): Horry Marion

Completion Date: 5/15/2025 Days **Funding:** OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 1	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,125.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	100.000	LF
BORROW EXCAVATION	1,138.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	45,397.200	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,430.012	TON
MAINTENANCE STONE	51.200	TON
LIQUID ASPHALT BINDER PG64-22	533.659	TON
ARAMID FIBER	766.760	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,820.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	300.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,527.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	7,198.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	605.000	SY
MILLED-IN RUMBLE STRIP	5.580	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,526.400	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	299.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	616.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,402.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,965.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	149,400.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,880.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,301.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	8,295.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	100,320.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	675.000	LF



Call No.: 280

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	49,800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	960.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	767.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,765.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	33,440.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	9.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	405.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	50.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	50.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	400.000	SY
DETECTABLE WARNING MATERIAL	362.500	SF
PEDESTRIAN RAMP CONSTRUCTION	725.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.878	ACRE



Call No.: 290 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 5768090	PCN: P041509	Project No.: P041509
DBE Goal Percent: 0.00%	PCN: P042084	Project No.: P042084
	PCN: P042456	Project No.: P042456
	PCN: P042880	Project No.: P042880
	PCN: P042881	Project No.: P042881
	PCN: P042911	Project No.: P042911
	PCN: P042913	Project No.: P042913
	PCN: P042915	Project No.: P042915

Approx. Length (miles):30.6400 **Description:** SURFCOURSE;FDP;SHLDPAV;MILLFILL
CO(S): Allendale Hampton
Completion Date: 11/15/2025 Days **Funding:** OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	655.000	SY
BORROW EXCAVATION	5,892.000	CY
EXCAVATION FOR SHOULDER PAVING	2,872.036	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	2,872.036	STA
MAINTENANCE STONE	189.050	TON
HMA SHOULDER WIDENING COURSE	20,312.274	TON
LIQUID ASPHALT BINDER PG64-22	4,288.480	TON
ARAMID FIBER	5,050.000	LB
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	7,740.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	9,335.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,830.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	52,060.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	19,400.000	SY
MILLED-IN RUMBLE STRIP	51.260	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	17,817.066	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	28,349.882	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	6,432.220	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,370.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,508.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	8,580.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	289,990.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,105.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	1,000.000	LF



Call No.: 290

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,894.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	1.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	8.000	EA
HANDICAP SYMBOL - PERM.PVMT MARKING	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	21,920.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	192,600.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	16,920.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	493,280.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,210.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	2,000.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,698.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	14.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	43,660.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	385,200.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,900.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,762.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	140.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	682.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	435.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	280.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,359.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	27.000	SF
SQUARE TUBING POST 12 GAUGE - 2" X 2" X 8	48.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	950.000	LF
SAWCUT FOR LOOP DETECTOR	350.000	LF
PRECAST CONCRETE CURB STOP (6'LONG)	96.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	80.000	SY
DETECTABLE WARNING MATERIAL	377.500	SF
PEDESTRIAN RAMP CONSTRUCTION	575.000	SY
SURFACE APPLIED DETECTABLE WARNING	100.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,180.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	700.000	LF
MT3 LEADING END TREATMENT TL3	16.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	682.000	LF
MGS3 GR STANDARD SHOULDER	400.000	LF
MGS3LS16 GUARDRAIL LONG SPAN 16FT CLEAR	100.000	LF
MGS3CS GR COMPRESSED SHOULDER	175.000	LF



Call No.: 290

Letting Date: February 13, 2024

Letting Time: 2:00PM

Page: 3

Description	Quantity	Units
PREMASH THRIE STRONG POST GUARDRAIL	290.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	16.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	12.000	EA
PREMASH TYPE T TL3 LEADING 50'	16.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	30.870	ACRE



Call No.: 300 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 8868200 PCN: P042955 Project No.: P042955

DBE Goal Percent: 0.00%

Approx. Length (miles): 38.6500

Description: INSTALL MEDIAN CABLE BARRIER ON I-77 FROM MP 21.3 - MP 60.0

CO(S): Chester Fairfield Richland

Completion Date: 6/30/2025 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	22.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	26.000	LF
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	20.000	EA
MEDIAN CABLE BARRIER	203,600.000	LF
CABLE BARRIER END ANCHOR	250.000	EA



Call No.: 310 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 8868320 PCN: P043032 Project No.: P043032

DBE Goal Percent: 0.00%

Approx. Length (miles):348.5000

Description: 2024 UPPER STATE INTERSTATE RPMS

CO(S): Statewide (multiple counties)

Completion Date: 9/30/2024 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEAR MONODIRECTION REPLACEMENT REFLECTOR	3,700.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR. - 4"X4"	530.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	93,050.000	EA



Call No.: 320 Letting Date: February 13, 2024 Letting Time: 2:00PM Page: 1

SC File NO(S): 8868330 **PCN:** P043033 **Project No.:** P043033
DBE Goal Percent: 0.00%
Approx. Length (miles):501.3000 **Description:** 2024 LOWER STATE INTERSTATE RPMS
CO(S): Statewide (multiple counties)
Completion Date: 9/30/2024 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	4,625.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	101,500.000	EA

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS.

CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers
Contract Administrator