

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION  
NOTICE TO CONTRACTORS  
For March 10, 2020

Letting Location:  
SCDOT Headquarters Building  
Conference Room 331  
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on February 10, 2020 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website ([www.bidx.com](http://www.bidx.com))
- Construction Standards can be found under Business via SCDOT web site ([www.scdot.org](http://www.scdot.org))

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email [PlanStorage@scdot.org](mailto:PlanStorage@scdot.org) /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 0554500      **PCN:** P039095      **Project No.:** P039095  
**DBE Goal Percent:** 0.00%  
**Approx. Length (miles):**4.7600      **Description:** REHABILITATION - BAMBERG COUNTY  
**CO(S):** Bamberg  
**Completion Date:** 10/31/2020      **Funding:** CTC

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	225.000	SY
BORROW EXCAVATION	946.000	CY
EXCAVATION FOR SHOULDER PAVING	310.464	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	310.464	STA
MAINTENANCE STONE	12.840	TON
HMA SHOULDER WIDENING COURSE	1,638.560	TON
LIQUID ASPHALT BINDER PG64-22	408.423	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,284.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	960.000	SY
MILLED-IN RUMBLE STRIP	5.880	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	4,851.754	TON
DRIVEWAY PAVING-SURFACE TYPE D	330.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	792.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	50.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	62,230.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	130.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	697.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	31,540.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	250.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	347.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	25.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	31,115.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	65.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	362.000	LF



Call No.: 010

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	4.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	500.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	15,770.000	LF
ADJUST DROP INLET ADJUST D. I.	1.000	EA
DETECTABLE WARNING MATERIAL	112.500	SF
PEDESTRIAN RAMP CONSTRUCTION	225.000	SY
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.587	ACRE



Call No.: 020      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 0655090      PCN: P037842      Project No.: P037842  
DBE Goal Percent: 0.00%  
Approx. Length (miles):4.4000      Description: REHABILITATION - BARNWELL COUNTY  
CO(S): Barnwell  
Completion Date: 11/30/2020      Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	880.000	CY
EXCAVATION FOR SHOULDER PAVING	291.456	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	291.456	STA
MAINTENANCE STONE	19.000	TON
HMA SHOULDER WIDENING COURSE	1,457.280	TON
LIQUID ASPHALT BINDER PG64-22	396.203	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,365.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	123.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	4,660.660	TON
DRIVEWAY PAVING-SURFACE TYPE D	354.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,296.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	80.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	29,150.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	175.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	1,790.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	11,420.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	58,740.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,050.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,580.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	28,840.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	480.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	480.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	281.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	20.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	220.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	400.000	LF



Call No.: 020

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	3,000.000	LF
ADJUST DROP INLET ADJUST D. I.	2.000	EA
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	260.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	75.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.267	ACRE



Call No.: 030      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 1154150      **PCN:** P038439      **Project No.:** P038439  
**DBE Goal Percent:** 0.00%  
**Approx. Length (miles):**0.9700      **Description:** RECONSTRUCTION/REHABILITATION - CHEROKEE COUNTY  
**CO(S):** Cherokee  
**Completion Date:** 10/31/2020      **Funding:** CTC

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	602.000	SY
UNCLASSIFIED EXCAVATION	1,319.000	CY
BORROW EXCAVATION	148.500	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	5,645.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	255.000	TON
MAINTENANCE STONE	10.000	TON
LIQUID ASPHALT BINDER PG64-22	148.735	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	630.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,936.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	7,745.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	200.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,885.840	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	570.820	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	195.947	TON
DRIVEWAY PAVING-SURFACE TYPE C	30.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	5,645.000	SY
ROLLER COMPACTED CONCRETE PAVEMENT - 8" UNIFORM	6,806.000	SY
PORTLAND CEMENT CONCRETE (SPECIAL USE)	50.000	CY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,088.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	220.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	9,938.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	80.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	385.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,060.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	25,850.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	105.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,800.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	120.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	700.000	LF



Call No.: 030

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	6,250.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	128.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	48.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	900.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	80.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	105.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	3,012.000	LF
18" SMOOTH WALL PIPE	56.000	LF
CATCH BASIN -TYPE 16	1.000	EA
ADJUST CATCH BASIN	8.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	6.000	SY
DETECTABLE WARNING MATERIAL	262.500	SF
PEDESTRIAN RAMP CONSTRUCTION	575.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.350	ACRE



Call No.: 040      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 1553120	<b>PCN:</b> P037453	<b>Project No.:</b> P037453
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P037534	<b>Project No.:</b> P037534
	<b>PCN:</b> P038811	<b>Project No.:</b> P038811

**Approx. Length (miles):** 18.3400      **Description:** RECONSTRUCTION/REHABILITATION - COLLETON CO.

**CO(S):** Colleton

**Completion Date:** 6/30/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	18.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	647.000	SY
UNCLASSIFIED EXCAVATION	255.000	CY
BORROW EXCAVATION	5,176.000	CY
EXCAVATION FOR SHOULDER PAVING	486.900	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	486.900	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	2,085.250	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	71,455.998	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	64,793.030	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,880.480	TON
MAINTENANCE STONE	109.270	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,897.280	TON
LIQUID ASPHALT BINDER PG64-22	1,907.575	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,431.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,231.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	21,309.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	18,225.800	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	23,710.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	45,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,895.000	SY
MILLED-IN RUMBLE STRIP	22.240	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,414.994	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	14,685.984	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	10,065.688	TON
DRIVEWAY PAVING-SURFACE TYPE C	608.125	TON
DRIVEWAY PAVING-SURFACE TYPE D	656.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,944.000	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	90.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	1,850.000	LF





Call No.: 040

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	93,396.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,260.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	30.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	809.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	10.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	8,670.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	49,290.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,764.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	345,694.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,780.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,645.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	30.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	30.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	30,020.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	252,862.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,100.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	2,830.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	96.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	152.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,352.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	118.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	32,244.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	140.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	577.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2,680.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	40,274.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	300.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,500.000	LF
SAWCUT FOR LOOP DETECTOR	2,120.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	616.000	SY
DETECTABLE WARNING MATERIAL	10.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	21.000	SY
PEDESTRIAN RAMP CONSTRUCTION	10.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.309	ACRE
SILT FENCE	2,600.000	LF



Call No.: 050      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 1649840      **PCN:** P028980      **Project No.:** P028980  
**DBE Goal Percent:** 14.50%  
**Approx. Length (miles):**0.3440      **Description:** INTERSECTION IMPROVEMENTS US 52 & S-528  
**CO(S):** Darlington  
**Completion Date:** 11/30/2020      **Funding:** FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
UNCLASSIFIED EXCAVATION	2,350.000	CY
BORROW EXCAVATION	6,100.000	CY
MUCK EXCAVATION	1,500.000	CY
FINE GRADING	5,449.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,760.000	TON
LIQUID ASPHALT BINDER PG64-22	358.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,249.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	500.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,136.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,380.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	552.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	6,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	23,200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	14,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	3,800.000	LF
REMOVABLE PAINT 24" WHITE SOLID LINES	800.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	200.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	7,000.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,700.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	5,800.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	950.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	200.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA



Call No.: 050

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE U-TURN ARROW THERMO-125MIL	4.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,600.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	250.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	70.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	290.210	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	494.000	LF
REFLECTIVE SIGN POST PANELS	252.000	LF
18" SMOOTH WALL PIPE	1,040.000	LF
CLEANING EXISTING PIPE	204.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	20.000	EA
MANHOLE	1.000	EA
CONCRETE MEDIAN	1,250.000	SY
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	29.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.944	ACRE
TEMPORARY COVER	0.500	ACRE
FERTILIZER (NITROGEN)	94.422	LB
FERTILIZER (PHOSPHORIC ACID)	94.422	LB
FERTILIZER (POTASH)	94.422	LB
AGRICULTURAL GRANULAR LIME	1,888.441	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	1.888	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	1.888	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	150.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	150.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	1,860.000	LF
SILT FENCE	1,000.000	LF
INLET STRUCTURE FILTER - TYPE B	13.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 060      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 2352280	<b>PCN:</b> P037806	<b>Project No.:</b> P037806
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P038184	<b>Project No.:</b> P038184
	<b>PCN:</b> P038185	<b>Project No.:</b> P038185
	<b>PCN:</b> P038186	<b>Project No.:</b> P038186
	<b>PCN:</b> P039149	<b>Project No.:</b> P039149

**Approx. Length (miles):** 13.3800      **Description:** REHABILITATION - GREENVILLE COUNTY  
**CO(S):** Greenville  
**Completion Date:** 11/30/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	475.000	SY
BORROW EXCAVATION	602.000	CY
EXCAVATION FOR SHOULDER PAVING	62.304	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	62.304	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	35,951.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,726.000	TON
MAINTENANCE STONE	702.540	TON
HMA SHOULDER WIDENING COURSE	415.360	TON
LIQUID ASPHALT BINDER PG64-22	2,882.941	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	54,904.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	5,350.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	404,795.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,954.000	SY
MILLED-IN RUMBLE STRIP	4.520	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,849.174	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	46,422.263	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,017.920	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,103.775	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,924.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	123,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	174,074.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION)-FAST DRY PAINT	33,366.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	994.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	13,126.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	168.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	78.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.)-FAST DRY PAINT	56.000	EA



Call No.: 060

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	35,880.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	688,606.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,740.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	110.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,670.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,670.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	30,690.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	80,595.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	16,683.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	497.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	40.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	6,613.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	84.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	39.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	28.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,760.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	170,758.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,749.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	936.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,894.000	EA
DELINEATORS, SINGLE, BI., INCL. SUPPORTS	50.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	4,200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	75,400.000	LF
SAWCUT FOR LOOP DETECTOR	27,400.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	60.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	47.000	EA
ADJUST DROP INLET ADJUST D. I.	18.000	EA
DETECTABLE WARNING MATERIAL	237.500	SF
PEDESTRIAN RAMP CONSTRUCTION	475.000	SY
SURFACE APPLIED DETECTABLE WARNING	870.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	775.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	1,805.000	LF
PREMASH RESET TYPE T TL3 LEADING 50'	1.000	EA
PREMASH TYPE T TL3 LEADING 50'	30.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.918	ACRE



Call No.: 070      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 2454140      PCN: P039132      Project No.: P039132  
DBE Goal Percent: 0.00%  
Approx. Length (miles): 0.6500      Description: REHABILITATION - GREENWOOD COUNTY  
CO(S): Greenwood  
Completion Date: 8/31/2020      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
MAINTENANCE STONE	39.500	TON
LIQUID ASPHALT BINDER PG64-22	148.618	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	3,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	26,685.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,800.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,804.107	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	932.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	8,440.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,600.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,120.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,640.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	36.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	16.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,920.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	30,960.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,110.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	400.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	780.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	410.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	9.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	480.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	7,740.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	159.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	42.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	182.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	229.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,312.000	LF
SAWCUT FOR LOOP DETECTOR	1,352.000	LF



Call No.: 070

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	4.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	170.000	SF



Call No.: 080      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 2654540      PCN: P039269      Project No.: P039269

DBE Goal Percent: 0.00%

Approx. Length (miles):3.0000

Description: REHABILITATION - HORRY COUNTY

CO(S): Horry

Completion Date: 10/31/2020

Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	600.000	CY
MAINTENANCE STONE	47.000	TON
LIQUID ASPHALT BINDER PG64-22	523.872	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	4,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	95,040.000	SY
MILLED-IN RUMBLE STRIP	6.000	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,504.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	320.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	304.000	SF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	23,760.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	47,520.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	47,520.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	550.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,070.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	1,070.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,920.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	15,840.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	15,840.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	396.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.000	ACRE





Call No.: 090      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 2654640      **PCN:** P039292      **Project No.:** P039292  
**DBE Goal Percent:** 0.00%      **PCN:** P039293      **Project No.:** P039293  
**Approx. Length (miles):** 16.6000      **Description:** SC 22 SAFETY IMPROVEMENTS IN HORRY COUNTY  
**CO(S):** Horry  
**Completion Date:** 11/30/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	12,480.000	CY
EXCAVATION FOR SHOULDER PAVING	3,344.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	3,344.000	STA
MAINTENANCE STONE	100.000	TON
HMA SHOULDER WIDENING COURSE	26,339.000	TON
LIQUID ASPHALT BINDER PG64-22	5,299.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	549,266.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,000.000	SY
MILLED-IN RUMBLE STRIP	66.400	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	63,203.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,000.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	83,426.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	447,696.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	350,592.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	9,245.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	21,020.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	21,020.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	41,713.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	203,045.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	154,493.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	2,220.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
GUARDRAIL DELINEATOR - WHITE	1,950.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	37,200.000	LF
MT3 LEADING END TREATMENT TL3	25.000	EA
MB TRAILING END TREATMENT	31.000	EA
MGS3 GR STANDARD SHOULDER	25,900.000	LF
MGS3CS GR COMPRESSED SHOULDER	20,000.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	80.000	EA



Call No.: 090

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PREMASH IMPACT ATTENUATOR IA CLASS D3	25.000	EA
PERMANENT COVER	12.800	ACRE
PERMANENT GRASSING FOR SMALL PROJECTS	19.400	ACRE



Call No.: 100      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 2952800	<b>PCN:</b> P038226	<b>Project No.:</b> P038226
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P038279	<b>Project No.:</b> P038279
	<b>PCN:</b> P038473	<b>Project No.:</b> P038473

**Approx. Length (miles):** 13.5400      **Description:** RECONSTRUCTION/REHABILITATION - LANCASTER CO.  
**CO(S):** Lancaster

**Completion Date:** 6/30/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	1,546.500	CY
BORROW EXCAVATION	4,154.810	CY
STATION GRADING	33.250	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	45,312.200	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	117,487.670	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	24,647.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	7,204.150	TON
MAINTENANCE STONE	292.000	TON
LIQUID ASPHALT BINDER PG64-22	1,757.897	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,630.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,085.000	SY
MILLED-IN RUMBLE STRIP	12.760	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,771.413	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	11,268.693	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,391.253	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,391.716	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,423.625	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	187,448.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,036.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,384.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	393,820.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,406.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,500.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	391,986.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	25,980.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	56,528.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	535.000	LF



Call No.: 100

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,300.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	43,794.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	964.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	2,974.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	74,992.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	986.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	6,500.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	74,432.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	10.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	310.000	LF
SAWCUT FOR LOOP DETECTOR	120.000	LF
MT3 LEADING END TREATMENT TL3	14.000	EA
MGS3 GR STANDARD SHOULDER	1,095.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.151	ACRE



Call No.: 110      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 3052380      **PCN:** P037755      **Project No.:** P037755  
**DBE Goal Percent:** 0.00%  
**Approx. Length (miles):**9.6500      **Description:** RECONSTRUCTION/REHABILITATION - LAURENS COUNTY  
**CO(S):** Laurens  
**Completion Date:** 8/31/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	2,867.000	CY
EXCAVATION FOR SHOULDER PAVING	1,023.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,023.000	STA
MAINTENANCE STONE	145.500	TON
HMA SHOULDER WIDENING COURSE	4,528.127	TON
LIQUID ASPHALT BINDER PG64-22	1,097.945	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	10,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	136,181.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,440.000	SY
MILLED-IN RUMBLE STRIP	19.300	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	16,028.448	TON
DRIVEWAY PAVING-SURFACE TYPE B	415.625	TON
ASPHALT SURFACE TREATMENT (DOUBLE TREATMENT) TYPE 4	136,181.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	640.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	796.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	407,680.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	704.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	36,840.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	373,900.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	199.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	101,920.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	176.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,210.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	93,475.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	639.000	EA
CONC. FOR STRUCTURES - CLASS 4000	13.000	CY
PARTIAL DEPTH REMOVAL OF UNSOUND CONCRETE	77.000	SY
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	35.000	CY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	100.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	112.500	LF



Call No.: 110

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
MT3 LEADING END TREATMENT TL3	28.000	EA
MGS3CS GR COMPRESSED SHOULDER	3,275.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	12.500	LF
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.386	ACRE
SILT FENCE	5,155.000	LF
REPLACE/REPAIR SILT FENCE	580.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	2,045.000	LF



Call No.: 120      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 3052510      **PCN:** P037769      **Project No.:** P037769  
**DBE Goal Percent:** 0.00%      **PCN:** P037770      **Project No.:** P037770  
**Approx. Length (miles):**8.8600      **Description:** RECONSTRUCTION/REHABILITATION - LAURENS COUNTY  
**CO(S):** Laurens  
**Completion Date:** 11/30/2020      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	300.000	SY
BORROW EXCAVATION	3,030.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	27,984.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	65,567.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,042.000	TON
MAINTENANCE STONE	6.400	TON
LIQUID ASPHALT BINDER PG64-22	564.412	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	540.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12" UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	6,675.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,215.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	8,542.860	TON
DRIVEWAY PAVING-SURFACE TYPE C	864.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,738.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	864.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	293,905.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	724.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	303,135.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	240.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	88,930.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	275.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	93,545.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	585.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	44.000	SY
DETECTABLE WARNING MATERIAL	150.000	SF



Call No.: 120

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PEDESTRIAN RAMP CONSTRUCTION	300.000	SY
SURFACE APPLIED DETECTABLE WARNING	50.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	287.500	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	275.000	LF
MT3 LEADING END TREATMENT TL3	16.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	87.500	LF
MGS3 GR STANDARD SHOULDER	687.500	LF
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.230	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	80.000	LF
SILT FENCE	400.000	LF
REPLACE/REPAIR SILT FENCE	40.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	100.000	LF





Call No.: 130      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 3254880	<b>PCN:</b> P039088	<b>Project No.:</b> P039088
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P039279	<b>Project No.:</b> P039279
	<b>PCN:</b> P039280	<b>Project No.:</b> P039280
	<b>PCN:</b> P039281	<b>Project No.:</b> P039281

**Approx. Length (miles):**21.0100      **Description:** RECONSTRUCTION/REHABILITATION - LEXINGTON CO.  
**CO(S):** Lexington

**Completion Date:** 6/30/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,020.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	100.000	SY
UNCLASSIFIED EXCAVATION	85.000	CY
BORROW EXCAVATION	3,368.000	CY
EXCAVATION FOR SHOULDER PAVING	406.570	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	406.570	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	3,500.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	59,770.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	112,550.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,951.000	TON
MAINTENANCE STONE	113.500	TON
HMA SHOULDER WIDENING COURSE	1,016.400	TON
LIQUID ASPHALT BINDER PG64-22	2,435.292	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,350.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	900.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	121,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	15,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,975.000	SY
MILLED-IN RUMBLE STRIP	22.480	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	6,324.267	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,417.227	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	17,246.003	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	509.360	TON
DRIVEWAY PAVING-SURFACE TYPE C	3,573.875	TON
DRIVEWAY PAVING-SURFACE TYPE D	262.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,822.000	SF



Call No.: 130

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	656,345.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	540.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,190.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,063.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	57.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	24,810.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	553,340.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	630.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	126,255.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	180.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	730.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,220.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	19.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,080.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	55,250.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	510.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	82.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,529.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	700.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	129,010.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	831.000	LF
WHITE WORD MESSAGE "STOP AHEAD" -SC HYBRIDIZED POLYMER -20 MIL.	1.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2,840.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	118,380.000	LF
PLASTIC CURBING WITH DUAL POST	21.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	240.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	10,086.000	LF
SAWCUT FOR LOOP DETECTOR	3,139.000	LF
ADJUST DROP INLET ADJUST D. I.	1.000	EA
DETECTABLE WARNING MATERIAL	375.000	SF
PEDESTRIAN RAMP CONSTRUCTION	750.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	200.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.380	ACRE



Call No.: 140      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 3954920      PCN: P039152      Project No.: P039152  
DBE Goal Percent: 0.00%  
Approx. Length (miles):0.0600      Description: INTERSECTION IMPROVEMENTS - US 123  
CO(S): Pickens  
Completion Date: 8/31/2020      Funding: CTC

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	45.000	CY
BORROW EXCAVATION	40.000	CY
MAINTENANCE STONE	50.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	44.000	TON
LIQUID ASPHALT BINDER PG64-22	4.303	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	31.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	304.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	60.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	290.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	435.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	420.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	60.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	290.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	435.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	38.000	EA
REMOVAL OF PAVEMENT MARKINGS	1.000	EA
CONCRETE MEDIAN	425.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.011	ACRE



Call No.: 150      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 4654260      PCN: P039190      Project No.: P039190  
DBE Goal Percent: 0.00%  
Approx. Length (miles): 13.7600      Description: RECONSTRUCTION/PRESERVATION - YORK COUNTY  
CO(S): York  
Completion Date: 6/30/2021      Funding: OTHR

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	625.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	400.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	3.000	CY
REMOVAL OF EXIST. GUARDRAIL	4,076.000	LF
UNCLASSIFIED EXCAVATION	4,387.000	CY
SITE EXCAVATION	1.000	LS
BORROW EXCAVATION	1,955.000	CY
STATION GRADING	93.540	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD A	7,347.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	149,314.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	36,920.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	8,060.000	TON
MAINTENANCE STONE	370.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	6,883.280	TON
LIQUID ASPHALT BINDER PG64-22	1,522.849	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	717.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	11,616.000	SY
MILLING EXISTING ASPHALT PAVEMENT 6.0"	7,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,490.000	SY
MILLED-IN RUMBLE STRIP	18.620	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	750.933	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,315.520	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	14,402.379	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	324.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,464.625	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	36,920.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,716.000	SF



Call No.: 150

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,978.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	408,686.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,920.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	12,480.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	379,053.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	801.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	136,228.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	712.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,290.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	130,240.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	950.000	EA
15" SMOOTH WALL PIPE	275.000	LF
30" SMOOTH WALL PIPE	24.000	LF
CLEANING EXISTING PIPE	600.000	LF
CATCH BASIN -TYPE 9	2.000	EA
CATCH BASIN -TYPE 17	1.000	EA
CATCH BASIN - TYPE 9(TOP ONLY)	1.000	EA
ADJUST CATCH BASIN	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,850.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	400.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	30.000	SY
DETECTABLE WARNING MATERIAL	62.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	500.000	SY
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
RIP-RAP (CLASS A)	220.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	510.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	800.000	LF
MT3 LEADING END TREATMENT TL3	22.000	EA
MGS3CS GR COMPRESSED SHOULDER	4,225.000	LF
PREMASH TYPE T TL3 LEADING 50'	12.000	EA
WOVEN WIRE FENCE - TYPE 5 WITH 1 STRAND BARBED	1,100.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	22.032	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	1,650.000	LF
SILT FENCE	6,300.000	LF
REPLACE/REPAIR SILT FENCE	1,230.000	LF
CLEANING SILT BASINS	210.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,530.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	110.000	TON



Call No.: 160      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 4654280      **PCN:** P039189      **Project No.:** P039189  
**DBE Goal Percent:** 0.00%  
**Approx. Length (miles):** 11.1500      **Description:** RECONSTRUCTION/PRESERVATION - YORK COUNTY  
**CO(S):** York  
**Completion Date:** 6/30/2021      **Funding:** OTHR

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	625.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	450.000	LF
REMOVAL OF EXIST. GUARDRAIL	415.000	LF
UNCLASSIFIED EXCAVATION	1,028.000	CY
BORROW EXCAVATION	2,557.000	CY
STATION GRADING	222.840	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD A	29,775.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	118,578.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,630.000	TON
MAINTENANCE STONE	385.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	25.000	TON
LIQUID ASPHALT BINDER PG64-22	1,070.518	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	2,425.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	12,508.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	18,774.000	SY
MILLED-IN RUMBLE STRIP	19.860	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,496.853	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,610.493	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,430.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,479.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	118,578.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,106.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,542.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	269,491.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	580.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,417.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	1.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	1.000	EA



Call No.: 160

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,912.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	292,156.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	120.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,264.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	106,080.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	575.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,148.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,912.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	109,796.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	120.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	8.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	770.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,580.000	LF
SAWCUT FOR LOOP DETECTOR	1,050.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)JHD	3.000	EA
18" SMOOTH WALL PIPE	372.000	LF
24" SMOOTH WALL PIPE	32.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	450.000	LF
DETECTABLE WARNING MATERIAL	312.500	SF
PEDESTRIAN RAMP CONSTRUCTION	625.000	SY
RIP-RAP (CLASS A)	190.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	450.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	225.000	LF
MT3 LEADING END TREATMENT TL3	8.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	450.000	LF
MGS3CS GR COMPRESSED SHOULDER	288.000	LF
PREMASH THRIE STONG POST GUARDRAIL	100.000	LF
PREMASH TYPE T TL3 LEADING 50'	10.000	EA
WOVEN WIRE FENCE - TYPE 1 WITH 1 STRAND BARBED	800.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.180	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	1,050.000	LF
SILT FENCE	3,300.000	LF
REPLACE/REPAIR SILT FENCE	600.000	LF
CLEANING SILT BASINS	165.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	90.000	TON



Call No.: 170      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

**SC File NO(S):** 4690011      **PCN:** P027986      **Project No.:** P027986  
**DBE Goal Percent:** 12.00%  
**Approx. Length (miles):**0.2790      **Description:** INTERSECTION IMPROVEMENTS - S-96/US 21  
**CO(S):** York  
**Completion Date:** 10/31/2020      **Funding:** FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	1,156.000	LF
REMOVAL & DISPOSAL OF EXISTING CONC. PAVEMENT(REHAB)RAMP	2.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	50.000	CY
UNCLASSIFIED EXCAVATION	512.000	CY
FINE GRADING	865.000	SY
FLOWABLE FILL	10.000	CY
MAINTENANCE STONE	25.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	330.000	TON
LIQUID ASPHALT BINDER PG64-22	65.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,252.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	692.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	75.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	867.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	152.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,519.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	795.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	130.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,072.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	17.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	30.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	4.000	EA





Call No.: 170

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
U-SECTION POST FOR SIGN SUPPORTS - 2P	20.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	88.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	217.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	46.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	547.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	274.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,208.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,109.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,584.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	1.000	EA
SAWCUT FOR LOOP DETECTOR	1,028.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	5.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 1	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD 1	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD 1	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 1	8.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	8.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	8.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	10.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
POWDERCOATING PER MAST ARM OVER GALVANIZED	2.000	EA
LUMINAIRE OPTION FOR MAST ARM - TO ACCOUNT FOR TALLER POLE	2.000	EA
INSTALL FOUNDATION FOR MAST ARM INCLUDING CONCRETE AND REBAR	12.000	CY
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS WITHOUT FOUNDATION 2	2.000	EA
18" SMOOTH WALL PIPE	584.000	LF
CATCH BASIN -TYPE 16	4.000	EA
CATCH BASIN -TYPE 18	1.000	EA
MANHOLE	3.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	500.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	940.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	682.000	SY
DETECTABLE WARNING MATERIAL	162.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	157.000	SY
CONCRETE MEDIAN	50.000	SY
PEDESTRIAN RAMP CONSTRUCTION	325.000	SY
RIP-RAP (CLASS A)	50.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	25.000	SY



Call No.: 170

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
RIGHT OF WAY MARKER(REBAR AND CAP)	24.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT GRASSING FOR SMALL PROJECTS	0.100	ACRE
TEMPORARY COVER	0.050	ACRE
SELECTIVE WATERING	54,300.000	GAL
MOWING	0.300	ACRE
SODDING	1.000	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	60.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	100.000	LF
SILT FENCE	700.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	50.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
PARKING BLOCK	7.000	EACH



Call No.: 180      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 5154370	<b>PCN:</b> P038649	<b>Project No.:</b> P038649
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P039087	<b>Project No.:</b> P039087
	<b>PCN:</b> P039210	<b>Project No.:</b> P039210
	<b>PCN:</b> P039212	<b>Project No.:</b> P039212
	<b>PCN:</b> P039213	<b>Project No.:</b> P039213

**Approx. Length (miles):**5.6100

**CO(S):** Kershaw Lee Sumter

**Completion Date:** 6/30/2021

**Description:** RECONSTRUCTION/REHABILITATION - DISTRICT 1

**Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,090.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,000.000	LF
BORROW EXCAVATION	2,944.000	CY
EXCAVATION FOR SHOULDER PAVING	1,059.845	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,059.845	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	37,000.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,095.000	TON
MAINTENANCE STONE	83.250	TON
HMA SHOULDER WIDENING COURSE	5,155.040	TON
LIQUID ASPHALT BINDER PG64-22	2,868.029	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	8,125.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	63,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	109,810.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,418.000	SY
MILLED-IN RUMBLE STRIP	19.620	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10,067.946	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,830.400	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	15,112.959	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,969.610	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	7,260.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,540.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,200.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,420.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	583,426.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,600.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,660.000	LF



Call No.: 180

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	14.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	14.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	43,080.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	459,675.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	6,435.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,450.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	66,600.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,400.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,525.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	14.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	14.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,630.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	26,790.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	363.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,586.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	560.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	95,789.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	400.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)SC HYBRIDIZED POLYMER- 20MIL 001	42.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	785.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	8,600.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	46,019.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	615.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,560.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,510.000	LF
SAWCUT FOR LOOP DETECTOR	2,370.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	1,000.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	840.000	SY
DETECTABLE WARNING MATERIAL	212.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	175.000	SY
PEDESTRIAN RAMP CONSTRUCTION	425.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,137.500	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	200.000	LF
MT3 LEADING END TREATMENT TL3	12.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	100.000	LF
MGS3 GR STANDARD SHOULDER	650.000	LF



Call No.: 180

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.604	ACRE



Call No.: 190      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

<b>SC File NO(S):</b> 5452790	<b>PCN:</b> P037274	<b>Project No.:</b> P037274
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P037279	<b>Project No.:</b> P037279
	<b>PCN:</b> P038222	<b>Project No.:</b> P038222
	<b>PCN:</b> P038227	<b>Project No.:</b> P038227
	<b>PCN:</b> P038275	<b>Project No.:</b> P038275
	<b>PCN:</b> P038280	<b>Project No.:</b> P038280
	<b>PCN:</b> P038619	<b>Project No.:</b> P038619
	<b>PCN:</b> P039133	<b>Project No.:</b> P039133

**Approx. Length (miles):** 19.7900      **Description:** RECONSTRUCTION/REHABILITATION - DISTRICT 4  
**CO(S):** Cherokee Union

**Completion Date:** 10/31/2021      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,956.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	476.000	LF
REMOVAL OF EXIST. GUARDRAIL	4,187.500	LF
UNCLASSIFIED EXCAVATION	4,963.000	CY
BORROW EXCAVATION	4,506.000	CY
STATION GRADING	85.840	STA
EXCAVATION FOR SHOULDER PAVING	740.510	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	740.510	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	71,246.670	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	51,862.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,054.550	TON
MAINTENANCE STONE	358.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	913.000	TON
HMA SHOULDER WIDENING COURSE	5,107.520	TON
LIQUID ASPHALT BINDER PG64-22	2,609.698	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	10,200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,965.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	8,624.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	5,837.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	156,377.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	16,896.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,102.330	SY



Call No.: 190

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
MILLED-IN RUMBLE STRIP	20.780	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	8,821.120	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	19,110.374	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,468.918	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,009.250	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	123,025.870	SY
ROLLER COMPACTED CONCRETE PAVEMENT - 8" UNIFORM	16,900.000	SY
PORTLAND CEMENT CONCRETE (SPECIAL USE)	50.000	CY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,904.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,408.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	566,099.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	418.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,793.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	8,680.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	464,617.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,834.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	141,894.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	170.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	847.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,280.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	103,955.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	4.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,392.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	3,290.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	74,256.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	150.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,524.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	1,400.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	77,023.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,480.000	LF
SAWCUT FOR LOOP DETECTOR	564.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
15" SMOOTH WALL PIPE	352.000	LF



Call No.: 190

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
18" SMOOTH WALL PIPE	88.000	LF
CLEANING EXISTING PIPE	300.000	LF
DROP INLET (24" X 24")	1.000	EA
ADJUST CATCH BASIN	18.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	426.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	50.000	LF
DETECTABLE WARNING MATERIAL	1,025.000	SF
PEDESTRIAN RAMP CONSTRUCTION	2,050.000	SY
MT3 LEADING END TREATMENT TL3	54.000	EA
MGS3 GR STANDARD SHOULDER	7,012.500	LF
RESET FENCE	950.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.751	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	500.000	LF
SILT FENCE	4,600.000	LF
REPLACE/REPAIR SILT FENCE	1,000.000	LF





Call No.: 200      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 5554800      PCN: P039311      Project No.: P039311

DBE Goal Percent: 0.00%

Approx. Length (miles): 1,000.

Description: DISTRICT 5 RPMS

CO(S): DISTRICT5      0000

Completion Date: 9/30/2020

Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE 00	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	24,100.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	10,300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	77,900.000	EA



Call No.: 210      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 5653301      PCN: P038502      Project No.: P038502  
DBE Goal Percent: 0.00%  
Approx. Length (miles):      Description: SITE SPECIFIC DECK REPAIRS - DISTRICT 6  
CO(S): Berkeley Charleston  
         Colleton Dorchester Jasper  
Completion Date: 6/30/2021      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
LAW ENFORCEMENT OFFICER	450.000	HR
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL8"WH.CONTRAST BROKEN	3,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	3,000.000	LF
PARTIAL DEPTH PATCHING OF EXISTING DECK	1,122.000	SY
COMPRESSION SEAL JOINT	1,760.000	LF
DECK JOINT STRIP SEAL	1,500.000	LF
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	3.000	CY
HOT-POURED ELASTIC FILLER JOINT	5,000.000	LF



Call No.: 220      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 5653840      PCN: P039066      Project No.: P039066

DBE Goal Percent: 2.50%

Approx. Length (miles):9.3600

Description: DISTRICT 6 INTERSTATE PATCHING

CO(S): Berkeley Charleston  
Dorchester

Completion Date: 8/31/2020

Funding: FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIQUID ASPHALT BINDER PG64-22	71.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	12,050.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,326.000	TON
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,350.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	9,400.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	740.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	9,400.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,350.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	9,400.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	740.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	9,400.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	165.000	EA



Call No.: 230      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

---

SC File NO(S): 5654320      PCN: P039178      Project No.: P039178  
 DBE Goal Percent: 0.00%      PCN: P039183      Project No.: P039183  
 Approx. Length (miles):5.0500      Description: RECONSTRUCTION/REHABILITATION - DISTRICT 6  
 CO(S): Beaufort Jasper  
 Completion Date: 11/30/2020      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
BORROW EXCAVATION	943.000	CY
MAINTENANCE STONE	51.540	TON
LIQUID ASPHALT BINDER PG64-22	927.262	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	290.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,864.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	12,940.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	86,694.400	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,825.000	SY
MILLED-IN RUMBLE STRIP	7.300	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	7,577.618	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,862.159	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,454.487	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	234.300	TON
DRIVEWAY PAVING-SURFACE TYPE C	348.250	TON
DRIVEWAY PAVING-SURFACE TYPE D	18.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,972.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	1,340.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	42,430.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,256.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	112.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	260.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	39.000	EA
WHITE SINGLE FISH HOOK ARROW PERM.PVMT.MARKING	6.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	39.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)PERM.PVMT.MARKING	4.000	EA
WHITE COMBINATION FISH HOOK ARROW PERM.PVMT.MARKING	10.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	4.000	EA



Call No.: 230

Letting Date: March 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	165.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	37,690.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	340.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,880.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	140,060.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,316.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,325.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	117.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	117.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	11.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	495.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	133,348.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,020.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT	48.000	LF
WHITE SINGLE FISH HOOK ARROW FAST DRY PAINT	16.000	EA
WHITE COMBINATION FISH HOOK ARROW FAST DRY PAINT	28.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	68.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	425.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	6,770.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	644.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	297.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2.000	EA
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	10,918.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,000.000	LF
SAWCUT FOR LOOP DETECTOR	1,415.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	25.000	SY
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
SURFACE APPLIED DETECTABLE WARNING	50.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.564	ACRE
ROOT BARRIER	74.000	LF



Call No.: 240      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 5654810      PCN: P039312      Project No.: P039312

DBE Goal Percent: 0.00%

Approx. Length (miles): 710.0000      Description: 2020 DISTRICT 6 RPMS

CO(S): DISTRICT6

Completion Date: 9/30/2020

Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE 001	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	16,200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	7,300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	57,000.000	EA



Call No.: 250      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 5754820      PCN: P039313      Project No.: P039313

DBE Goal Percent: 0.00%

Approx. Length (miles):900.0000

Description: DISTRICT 7 RPMS

CO(S): DISTRICT7

Completion Date: 9/30/2020

Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	13,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	5,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	65,000.000	EA



Call No.: 260      Letting Date: March 10, 2020      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 8854090      PCN: P039153      Project No.: P039153  
DBE Goal Percent: 0.00%  
Approx. Length (miles):37.1900      Description: I-95 ASPHALT PATCHING - DISTRICTS 5 & 7  
CO(S): Dillon Florence  
          Orangeburg  
Completion Date: 8/31/2020      Funding: FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIQUID ASPHALT BINDER PG64-22	43.200	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	7,410.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	815.100	TON
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,430.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,800.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	2,800.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,430.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,800.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,800.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	80.000	EA



Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

**STATUTES, CODES, AND REGULATIONS.** The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

**PREQUALIFICATION.** The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Cory Pope at (803)737-4459 or Popeck@scdot.org.

**BID BONDS FOR SCDOT WORK.** Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

**SUBMISSION OF BID BONDS.** Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
  - (a) alteration of a part of bid item except for the unit price; or
  - (b) failure to enter a bid item unit price; or
  - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
  - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

J.Brian Parnell  
Contract Administrator