

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For March 10, 2026

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet immediately after bids are opened.

The following items will be made available on February 10, 2026 unless otherwise noted:

- Proposal bid forms on the Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>) for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Contractors do not have to buy plans to be able to bid
- o The Voluntary Plan Holders List is available on BIDX.

Please contact the Contract Administration Office at (803)737-7469 with all Letting related questions.



Call No.: 010 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 0276160 PCN: P042976 Project No.: P042976
DBE Goal Percent: 0.00% PCN: P044645 Project No.: P044645
PCN: P044915 Project No.: P044915
PCN: P044918 Project No.: P044918
PCN: P044919 Project No.: P044919

Approx. Length (miles): 12.4400 Description: 2026 AIKEN REHAB/PM 10/31/2025 2:58:08 PM
CO(S): Aiken

Completion Date: 6/30/2027 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, PAVEMENT REMOVAL, ASPHALT SURFACE COURSE, etc.



Call No.: 010

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	42.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	28.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	26.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	16,900.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	243,420.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,425.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,000.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	1,400.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	47,130.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	23,930.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	610.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,550.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	44.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	13.000	EA
WHITE WORD MESSAGE "STOP" -PERM.PVMT.MARKING	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	1,350.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	85,850.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	500.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,430.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	550.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	31,850.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	190.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	710.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	35,150.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	600.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	730.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,792.000	EA
MILLED-IN RUMBLE STRIP	16.170	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	140.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	10,200.000	LF
SAWCUT FOR LOOP DETECTOR	3,400.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	5.000	EA
CONCRETE CURB AND GUTTER(2'-0") SLOPING FACE	40.000	LF
CONCRETE SIDEWALK(6" UNIFORM)	10.000	SY



Call No.: 010

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
DETECTABLE WARNING MATERIAL	37.500	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
MT3 LEADING END TREATMENT TL3	12.000	EA
MB TRAILING END TREATMENT	4.000	EA
MGS3 GR STANDARD SHOULDER	350.000	LF
MGS3CS GR COMPRESSED SHOULDER	3,350.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.890	ACRE



Call No.: 020 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 0676010 PCN: P044933 Project No.: P044933
DBE Goal Percent: 0.00% PCN: P044934 Project No.: P044934
PCN: P044935 Project No.: P044935

Approx. Length (miles): 10.4500 Description: 2026 BARNWELL PAVEMENT IMPROVEMENT
CO(S): Barnwell

Completion Date: 6/30/2027 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, PAVING, etc.



Call No.: 020

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	460.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	10,590.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	75,090.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,630.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	15.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,795.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	10.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	5.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	10,070.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	70,000.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT SLOW CURE	40.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT SLOW CURE	160.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT SLOW CURE	160.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	542.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	888.000	EA
MILLED-IN RUMBLE STRIP	12.590	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	80.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	12,000.000	LF
SAWCUT FOR LOOP DETECTOR	4,000.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	4.000	EA
DETECTABLE WARNING MATERIAL	387.500	SF
PEDESTRIAN RAMP CONSTRUCTION	775.000	SY
SURFACE APPLIED DETECTABLE WARNING	70.000	SF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	250.000	LF
MT3 LEADING END TREATMENT TL3	1.000	EA
PREMASH MEDIAN DOUBLE FACE W-BEAM W/RUB	100.000	LF
MB TRAILING END TREATMENT	1.000	EA
MGS3 GR STANDARD SHOULDER	575.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	6.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.820	ACRE



Call No.: 030 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 0676350 PCN: P044754 Project No.: P044754

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.2400

Description: 2026 BARNWELL CTC RESURFACING

CO(S): Barnwell

Completion Date: 10/31/2026 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
BORROW EXCAVATION	248.000	CY
MAINTENANCE STONE	2.900	TON
LIQUID ASPHALT BINDER PG64-22	106.468	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	290.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	900.000	SY
ASPHALT SURFACE COURSE TYPE D	1,497.320	TON
DRIVEWAY PAVING-SURFACE TYPE D	140.625	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	312.000	SF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	200.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	100.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	86.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.240	ACRE



Call No.: 040 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1063020 PCN: P030449 Project No.: P030449
DBE Goal Percent: 0.00%
Approx. Length (miles):0.2500 Description: S-390 (TOOGODOO RD) BRIDGE REPLACEMENT OVER SWINTON CREEK
CO(S): Charleston
Completion Date: 6/30/2027 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 4 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, EXCAVATION, PAVEMENT, etc.



Call No.: 040

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
REINF. STEEL FOR STRUCTURES (BRIDGE)	25,148.000	LB
GALVANIZED REINF. STEEL FOR STRUCTURES (BRIDGE)	173,667.000	LB
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	520.000	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	10.000	EA
PILE DRIVING SET-UP	72.000	EA
PREST. CONC. PILING (24"SQ.)	1,967.000	LF
PILE BUILD-UP PREPARATION (24"SQ)	5.000	EA
PRESTRESSED INDEX PILING (24" SQUARE)	166.000	LF
PRESTRESSED PILE POINT (HP12X53)	340.000	LF
STEEL H BEARING PILING (HP14 X 117)	1,315.000	LF
STEEL H BEARING INDEX PILING (HP14X 117)	97.000	LF
18" RC PIPE CUL.-CLASS III	20.000	LF
18" RC PIPE CUL.-CLASS IV	70.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	36.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	237.000	LF
COMPRESSION SEAL JOINT	41.000	LF
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	8.000	EA
RIP-RAP (CLASS B)	477.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	591.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	262.500	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
NON-MOW STRIP UNDER GUARDRAIL	538.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	18.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.764	ACRE
TEMPORARY COVER	1.146	ACRE
COMPOST	206.000	CY
FERTILIZER (NITROGEN)	76.400	LB
FERTILIZER (PHOSPHORIC ACID)	76.400	LB
FERTILIZER (POTASH)	76.400	LB
AGRICULTURAL GRANULAR LIME	1,528.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.820	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.820	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	200.000	LF
SILT FENCE	4,368.000	LF
REPLACE/REPAIR SILT FENCE	437.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY(5'DEPTH)	400.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,092.000	LF



South Carolina Department of Transportation

Call No.: 040

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 050 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1076430	PCN: P045009	Project No.: P045009
DBE Goal Percent: 0.00%	PCN: P045086	Project No.: P045086
	PCN: P045087	Project No.: P045087
	PCN: P045089	Project No.: P045089
	PCN: P045090	Project No.: P045090
	PCN: P045091	Project No.: P045091

Approx. Length (miles): 15.3200 **Description:** 2026 CHARLESTON PAVEMENT IMPROVEMENT
CO(S): Charleston
Completion Date: 6/30/2028 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	13.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	468.999	SY
REMOVAL OF EXIST. GUARDRAIL	350.000	LF
BORROW EXCAVATION	1,659.400	CY
MAINTENANCE STONE	344.852	TON
LIQUID ASPHALT BINDER PG64-22	3,166.263	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,126.140	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	33,359.630	SY
SURFACE PLANE ASPHALT PAVEMENT 1.0"	300.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	82,025.770	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	151,654.731	SY
MILLING EXISTING ASPHALT PAVEMENT 3.5"	80,785.180	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	36,949.769	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	38,485.000	SY
ASPHALT SURFACE COURSE TYPE B	23,560.207	TON
ASPHALT SURFACE COURSE TYPE C	12,682.322	TON
ASPHALT SURFACE COURSE TYPE E	13.500	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,886.250	TON
DRIVEWAY PAVING-SURFACE TYPE D	350.000	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	17,203.799	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,318.313	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	60.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	73,438.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	546.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	222,333.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	39,502.000	LF



Call No.: 050

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	124,669.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	13,586.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	364.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	93.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	319.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	160.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	21.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	54.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	15,732.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	392,119.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	8,132.000	LF
WHITE WORD MESSAGE"YIELD"-FAST DRY PAINT	6.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	23,327.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	182.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	65,062.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	12,976.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	11,392.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	4,470.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	128.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	105.000	EA
WHITE WORD MESS "LANE ENDS X FT" – 3 LINES -PERM.PVMT.MKG	1.000	EA
WHITE WORD MESSAGE "STOP" -PERM.PVMT.MARKING	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	54.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	5,244.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	123,218.000	LF
6'X15' INTERSTATE ID SHIELD - THERMOPLASTIC - 125 MIL.	2.000	EA
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	18.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	23.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,145.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	514.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,666.000	EA
MILLED-IN RUMBLE STRIP	0.340	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	2,850.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	37,880.000	LF
SAWCUT FOR LOOP DETECTOR	12,193.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JHD	27.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	224.444	SY
CONCRETE SIDEWALK(6" UNIFORM)	40.670	SY
DETECTABLE WARNING MATERIAL	60.000	SF



Call No.: 050

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
CONCRETE DRIVEWAY(6" UNIFORM)	38.886	SY
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.149	ACRE

Notice

Call Number: 060

SC File Number: 1362870

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see the next page)

See list below for 3 contractors.

1) RWF Construction, LLC
712 S Walnut Street
Pamplico, SC 29583
843 662-4109

2) Complete Utilities
1671 McKnight Rd
Scranton, SC 29591
843 210-7473

3) Four S Construction
834 Cane Mill Crossing
Cheraw, SC 29520
843 921-1885



Call No.: 060 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1362870 **PCN:** P041521 **Project No.:** P041521
DBE Goal Percent: 0.00% **PCN:** P041522 **Project No.:** P041522
Approx. Length (miles):0.4330 **Description:** INTERSECTION IMPROVEMENTS
CO(S): Chesterfield CHESTERFIELD COUNTY
Completion Date: 5/31/2027 Days **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 01	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	181.287	SY
UNCLASSIFIED EXCAVATION	1,742.000	CY
BORROW EXCAVATION	9,989.000	CY
FINE GRADING	7,291.000	SY
FLOWABLE FILL	20.000	CY
MAINTENANCE STONE	80.000	TON
LIQUID ASPHALT BINDER PG64-22	172.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	312.000	SY
ASPHALT BASE COURSE - TYPE B	2,386.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	457.000	TON
ASPHALT SURFACE COURSE TYPE C	636.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	84.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	560.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	5,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	5,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	60.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,270.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	60.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,270.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	31.000	EA
48" RC PIPE CUL.-CLASS III	112.000	LF



Call No.: 060

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
15" RC PIPE CUL.-CLASS IV	24.000	LF
18" RC PIPE CUL.-CLASS IV	102.000	LF
18" SMOOTH WALL PIPE	52.000	LF
BEVELING OF PIPE END	5.000	EA
CONCRETE DRIVEWAY(6" UNIFORM)	92.000	SY
RIP-RAP (CLASS A)	62.500	TON
RIP-RAP (CLASS B)	148.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	70.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	304.600	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MGS3 GR STANDARD SHOULDER	662.500	LF
TEMPORARY BARRIER FENCE (ORANGE)	1,400.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	34.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.750	ACRE
TEMPORARY COVER	1.880	ACRE
COMPOST	101.000	CY
FERTILIZER (NITROGEN)	375.000	LB
FERTILIZER (PHOSPHORIC ACID)	375.000	LB
FERTILIZER (POTASH)	375.000	LB
AGRICULTURAL GRANULAR LIME	7,496.000	LB
SELECTIVE WATERING	108,600.000	GAL
MOWING	11.280	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	1.472	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.431	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	2.400	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	130.000	LF
SILT FENCE	4,821.000	LF
REPLACE/REPAIR SILT FENCE	335.000	LF
CLEANING SILT BASINS	68.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	838.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	29.600	TON
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY



Call No.: 070 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1374080 PCN: P043894 Project No.: P043894

DBE Goal Percent: 0.00%

Approx. Length (miles): 5.0400

Description: 2026 YORK PAVEMENT IMPROVEMENT

CO(S): Chesterfield

Completion Date: 6/30/2027 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	7,877.000	LF
BORROW EXCAVATION	1,262.000	CY
MAINTENANCE STONE	50.000	TON
LIQUID ASPHALT BINDER PG64-22	2,148.303	TON
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	5,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	193,669.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,000.000	SY
ASPHALT INTERMEDIATE COURSE TYPE B	19,367.039	TON
ASPHALT SURFACE COURSE TYPE B	19,367.039	TON
ASPHALT SURFACE COURSE TYPE C	90.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	502.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	584.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	414,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	493,376.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	902.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,095.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	22.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	14.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	330.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	13,810.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	106,444.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	902.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,095.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	22.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	14.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	700.000	EA
MILLED-IN RUMBLE STRIP	20.160	MI
RESEAL DECK EXPANSION JOINT	180.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	2,537.500	LF
MT3 LEADING END TREATMENT TL3	11.000	EA



Call No.: 070

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
MB TRAILING END TREATMENT	11.000	EA
MGS3 GR STANDARD SHOULDER	3,600.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	2.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	8.000	EA
PREMASH IMPACT ATTENUATOR IA CLASS D3	1.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.890	ACRE

Notice

Call Number: 080

SC File Number: 1663790

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see the next page)

CITY OF HARTSVILLE - WASHINGTON STREET ROUNDABOUT UTILITY RELOCATIONS
PREQUALIFIED CONTRACTOR LIST
PROJECT NUMBER: 25151

Number	Contractor	Point of Contact	Email Address	Office Phone	Cell Phone	Address
1	RWF Construction, LLC	Wade Finklea	wade@rwfconstruction.net	843-662-4109	843-687-7309	PO Box 69 Effingham, SC 29541
2	Four S Construction	Sam Hickson	foursconst@aol.com	843-921-1885	843-910-4629	834 Cane Mill Crossing Road Cheraw, SC 29520
3	Barwick Plumbing	Cindy	cindy@barwickplumbingco.com	803-452-5755		15 Clark Street Pinewood, SC 29125
4	Southern Fiber	Ethan Beeks	ethan@wmetts.com	803-937-3717		121 Bridge Street Branchville, SC 29432
5	Maxcy Hicks & Sons	Al Hicks	alhicks@ftc-i.net		843-610-7227	PO Box 53 New Zion, SC 29111
6	RCB Contractors	Fred Richardson	fred@rbpsc.com	843-455-6260		1375 Huggins Shortcut Rd Galivants Ferry, SC 29544
7	LW, Inc.	Lindi Brooks	lindi@lwincorporated.com	864-617-8497		1410 Highmarket Street PMB #328 Georgetown, SC 29585
8	Driggers Construction, LLC	Eric Driggers	eric@driggersconstruction.com	843-841-0891	910-610-9385	3536 McNeil Farm Road Hamer, SC 29547
9	Frank Horne Construction, Inc	Willis Harper	hcf40@yahoo.com	910-649-7803		PO Box 338 Fair Bluff, NC 28439



Call No.: 080 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1663790 PCN: P041510 Project No.: P041510
DBE Goal Percent: 0.00%
Approx. Length (miles):0.2800 Description: INTERSECTION IMPROVEMENT - S-16-102 (14TH STREET) & S-16-155
CO(S): Darlington
Completion Date: 8/31/2027 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, ASPHALT SURFACE COURSE, and PAVEMENT MARKINGS with their respective quantities and units.



Call No.: 080

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	40.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	2,450.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	183.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	203.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	99.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	48.000	LF
WHITE WORD MESSAGE"YIELD"-THERMO-125MIL	3.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,450.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	183.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	14.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	162.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	126.000	LF
REFLECTIVE SIGN POST PANELS	75.000	LF
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	10.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 1	1.000	LS
FURNISH & INSTALL 2.0" GALVANIZED RIGID CONDUIT	55.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,310.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	180.000	LF
NO. 2 COPPER WIRE, 1 CONDUCTOR, 600V,TYPE RHH,RHW,USE	175.000	LF
NO. 8 COPPER WIRE, 1 CONDUCTOR, 600V,TYPE RHH,RHW,USE	4,590.000	LF
17"X30"X18"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	5.000	EA
18" SMOOTH WALL PIPE	1,060.000	LF
24" SMOOTH WALL PIPE	452.000	LF
30" SMOOTH WALL PIPE	284.000	LF
CATCH BASIN -TYPE 16	16.000	EA
DROP INLET (24" X 36")	8.000	EA
MANHOLE	2.000	EA
36" X 48" JUNCTION BOX	1.000	EA
48" X 48" JUNCTION BOX	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,114.000	LF
CONCRETE DRIVEWAY(6" UNIFORM)	120.000	SY
CONCRETE MEDIAN	95.000	SY
RIP-RAP (CLASS B)	26.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	33.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	13.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.500	ACRE
TEMPORARY COVER	0.750	ACRE
FERTILIZER (NITROGEN)	150.000	LB
FERTILIZER (PHOSPHORIC ACID)	150.000	LB
FERTILIZER (POTASH)	150.000	LB



Call No.: 080

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
AGRICULTURAL GRANULAR LIME	3,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	4.500	ACRE
SODDING	2.780	MSY
SEDIMENT TUBES FOR DITCH CHECKS	50.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 090 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1673460 PCN: P044391 Project No.: P044391
DBE Goal Percent: 0.00% PCN: P044392 Project No.: P044392
PCN: P044393 Project No.: P044393

Approx. Length (miles):22.8900 Description: 2026 DARLINGTON PAVEMENT IMPROVEMENT
CO(S): Darlington

Completion Date: 9/30/2027 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, EXCAVATION, ASPHALT SURFACE COURSE, etc.



Call No.: 090

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	241,740.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	440.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	456.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	14.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	20,990.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	117,695.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	222.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	110.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,740.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	85.000	EA
MILLED-IN RUMBLE STRIP	45.780	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	180.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	660.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	360.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,336.000	LF
SAWCUT FOR LOOP DETECTOR	904.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	5.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	550.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.550	ACRE



Call No.: 100 **Letting Date:** March 10, 2026 **Letting Time:** 2:00 pm **Page:** 1
SC File NO(S): 2173480 **PCN:** P044398 **Project No.:** P044398
DBE Goal Percent: 0.00% **PCN:** P044400 **Project No.:** P044400
Approx. Length (miles):9.2200 **Description:** 2026 PIPP RESURFACING 9/23/2025 2:18:12 PM
CO(S): Florence
Completion Date: 6/30/2027 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE AND FLAGGING CSX	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,420.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,060.000	LF
BORROW EXCAVATION	1,554.000	CY
EXCAVATION FOR SHOULDER PAVING	820.512	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	820.512	STA
MAINTENANCE STONE	42.250	TON
HMA SHOULDER WIDENING COURSE	4,102.560	TON
LIQUID ASPHALT BINDER PG64-22	1,105.370	TON
ARAMID FIBER	2,533.770	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,725.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	7,728.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	40,049.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	555.000	SY
ASPHALT SURFACE COURSE TYPE B	4,004.853	TON
ASPHALT SURFACE COURSE TYPE C	9,652.480	TON
ASPHALT SURFACE COURSE TYPE D	235.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	870.625	TON
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	3,000.000	SY
CLEAN & SEAL LONGITUDINAL JOINTS	13,625.000	LF
CLEAN & SEAL TRANS. JOINTS	8,675.000	LF
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,412.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,295.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	255,525.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,755.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,305.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA



Call No.: 100

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	28,200.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	87,495.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,600.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,765.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	85,175.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	585.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	435.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,400.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	29,165.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	155.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	82.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	694.000	EA
MILLED-IN RUMBLE STRIP	17.620	MI
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	900.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	1,990.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	60.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	4,230.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	150.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,280.000	LF
SAWCUT FOR LOOP DETECTOR	2,109.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	10.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	5.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	600.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	460.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	335.000	SY
DETECTABLE WARNING MATERIAL	350.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	370.000	SY
CONCRETE MEDIAN	15.000	SY
PEDESTRIAN RAMP CONSTRUCTION	700.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.050	ACRE



Call No.: 110 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2473910 PCN: 0030746X Project No.: 0030746X

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.4230

Description: S-24-102 OVER NINETY SIX CREEK BRIDGE REPLACEMENT ASSET 2547

CO(S): Greenwood

Completion Date: 7/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
SELECTED CLEARING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,837.000	SY
REMOVAL OF EXIST. GUARDRAIL	763.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	4,197.000	CY
BORROW EXCAVATION	26,935.000	CY
BORROW PIT SET-UP	1.000	LS
GEOGRID REINFORCEMENT (UNIAXIAL)	6,960.000	SY
FINE GRADING	4,804.000	SY
MAINTENANCE STONE	100.000	TON
LIQUID ASPHALT BINDER PG64-22	110.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	318.000	SY
ASPHALT BASE COURSE - TYPE B	658.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	480.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	429.000	TON
ASPHALT SURFACE COURSE TYPE D	470.000	TON
ASPHALT SURFACE COURSE TYPE E	24.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	84.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	94.000	SF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	4,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	4,500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,500.000	LF



Call No.: 110

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,500.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	54.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,588.000	LF
CONC. FOR STRUCTURES - CLASS 4000	808.100	CY
GROOVED SURFACE FINISH	1,422.200	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	205,975.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	10,943.000	LB
PRESTRESSED CONCRETE FLORIDA I-BEAM(45")	1,752.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	792.000	LF
PILE DRIVING SET-UP	12.000	EA
REINF. PILE TIPS (HP14 X 73)	12.000	EA
STEEL H BEARING PILING (HP14 X 73)	380.000	LF
DRILLED SHAFT SET-UP	6.000	EA
CROSSHOLE SONIC LOGGING SETUP	6.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 48" DIAMETER	136.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	179.000	LF
CONSTRUCTION CASING - 54" DIAMETER	179.000	LF
18" SMOOTH WALL PIPE	48.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	64.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	129.000	LF
COMPRESSION SEAL JOINT	77.700	LF
ELASTOMERIC BEARING	40.000	EA
WATERPROOFING	25.900	SY
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	136.000	TON
12" TEMPORARY PIPE SLOPE DRAIN	205.000	LF
RIP-RAP (CLASS A)	239.000	TON
RIP-RAP (CLASS B)	1,091.000	TON
RIP-RAP (CLASS C)	280.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE A	1,685.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,523.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	1,287.500	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
NON-MOW STRIP UNDER GUARDRAIL	104.000	SY
WOVEN WIRE FENCE - TYPE 1 WITH 1 STRAND BARBED	1,114.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	2,325.000	LF
MOVING ITEM NO. 01	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	12.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.300	ACRE



Call No.: 110

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
TEMPORARY COVER	6.600	ACRE
COMPOST	89.000	CY
FERTILIZER (NITROGEN)	990.000	LB
FERTILIZER (PHOSPHORIC ACID)	990.000	LB
FERTILIZER (POTASH)	990.000	LB
AGRICULTURAL GRANULAR LIME	6,600.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	19.800	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	3.498	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	5.075	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	1.950	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	7.950	ACRE
SILT FENCE	2,160.000	LF
REPLACE/REPAIR SILT FENCE	216.000	LF
SILT BASINS	678.000	CY
CLEANING SILT BASINS	713.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	750.000	LF
INLET FILTER CLEANING	4.000	EA
INLET STRUCTURE FILTER - TYPE B	14.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	100.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY



Call No.: 120 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2657420 PCN: P037883 Project No.: P037883

DBE Goal Percent: 0.00%

Approx. Length (miles): 4.3180 Description: SAFETY IMPROVEMENTS/RSA US 17 BUS (MP 9.56 - 13.4)

CO(S): Horry

Completion Date: 11/30/2027 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,663.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,315.000	SY
SITE EXCAVATION	1.000	LS
MUCK EXCAVATION	2,000.000	CY
FINE GRADING	3,575.000	SY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	1,390.000	SY
MAINTENANCE STONE	100.000	TON
LIQUID ASPHALT BINDER PG64-22	967.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	5,924.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	166,035.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,000.000	SY
ASPHALT SURFACE COURSE TYPE B	17,582.250	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,598.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	34,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	39,450.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	4,570.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	20,630.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	22,870.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"YELLOW SOLID LINES	1,110.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	204.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	4.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	156.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	26,800.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	17,400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	19,725.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	10,315.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	756.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	11,435.000	LF



Call No.: 120

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	102.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	78.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,285.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	555.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	750.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,030.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,023.250	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	10.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	112.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	2.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	1,562.000	LF
REFLECTIVE SIGN POST PANELS	685.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	200.000	LF
FURNISH & INSTALL 20' BREAK-AWAY ALUMINUM PEDESTAL POLE AND BASE	10.000	EA
FURNISH AND INSTALL SOLAR POWERED FLASHER ASSEMBLY	10.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 01	3.000	EA
F&I - PEDESTRIAN PUSH BUTTON AND SIGN (CUSTOM MESSAGE)	10.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	3.000	EA
DROP INLET (24" X 24")	1.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	200.000	LF
CONCRETE CURB (9" X 15")	12,700.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	4,362.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	48.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	181.000	SY
DETECTABLE WARNING MATERIAL	135.000	SF
CONCRETE MEDIAN	2,750.000	SY
PEDESTRIAN RAMP CONSTRUCTION	105.000	SY
SURFACE APPLIED DETECTABLE WARNING	165.000	SF
ORNAMENTAL STEEL PICKET FENCE - 42"	505.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	2.300	ACRE
SELECT MATERIAL	815.000	CY
SILT FENCE	975.000	LF
INLET STRUCTURE FILTER - TYPE B	2.000	EA
STABILIZED CONSTRUCTION ENTRANCE	2,475.000	SY
IMPRINTED ASPHALT	336.000	SY

Notice

Call Number: 130

SC File Number: 2664350

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see the next page)

BUCKSPORT WATER SYSTEM

PO Box 1032
Conway, South Carolina 29528
(843) 248-3195

PREQUALIFIED CONTRACTORS

Lawrimore Construction
6240 Cypress Swamp Road
Conway, SC 29527
843-397-4499
lawconinc@gmail.com

Richardson & Richardson
PO Box 259
Conway, SC 29528

Express Construction, LLC.
653 Horry Road
Conway, SC 29526

Hwy 701 S Corridor Improvements
GSWSA Prequalified Contractors List

R.H. Moore Company, Inc. P.O. Box 830 Murrells Inlet, SC 29576	Richardson & Richardson, Inc. P.O. Box 259 Conway, SC 29528	Lawrimore Construction, Inc. 6240 Cypress Swamp Rd Conway, SC 29527
King Construction Services 111 White Oak Place Conway, SC 29527	RWF Construction, LLC P.O. Box 69 Effingham, SC 29541	Gar-Con, Inc. 125 Farris Bridge Rd. Pickens, SC 29671
RCB Contractors 1375 Huggins Shortcut Rd Galivants Ferry, SC 29544		



Call No.: 130 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2664350 PCN: P037075 Project No.: P037075

DBE Goal Percent: 0.00%

Approx. Length (miles): 10.2100 Description: SAFETY IMPROVEMENTS - US 701

CO(S): Horry

Completion Date: 7/31/2027 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 01	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 01	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	57.531	ACRE
REMOVAL & DISPOSAL ITEM NO. 01	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 02	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	4,477.958	LF
UNCLASSIFIED EXCAVATION	14,186.000	CY
BORROW EXCAVATION	10,180.000	CY
MUCK EXCAVATION	1,230.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	320.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	26.400	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	12.800	LF
FINE GRADING	36,380.096	SY
HMA SHOULDER WIDENING COURSE	17,520.000	TON
LIQUID ASPHALT BINDER PG64-22	2,091.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	13,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
ASPHALT SURFACE COURSE TYPE B	23,160.000	TON
ASPHALT SURFACE COURSE TYPE D	500.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,450.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,000.000	SF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,800.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	253,620.000	LF
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	26,340.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	70,500.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	900.000	LF



Call No.: 130

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	126,810.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	990.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	13.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	13,170.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	35,250.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	65.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	920.000	EA
MILLED-IN RUMBLE STRIP	30.150	MI
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	250.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	120.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	696.000	LF
REFLECTIVE SIGN POST PANELS	110.000	LF
18" RC PIPE CUL.-CLASS III	1,600.000	LF
24" RC PIPE CUL.-CLASS III	132.000	LF
30" RC PIPE CUL.-CLASS III	64.000	LF
18" R. C. PIPE CUL. BEVELED END SECTN-CL 3	60.000	EA
24" R. C. PIPE CUL. BEVELED END SECTN-CL 3	9.000	EA
30" R. C. PIPE CUL. BEVELED END SECTN-CL 3	2.000	EA
CLEANING EXISTING PIPE	1,420.000	LF
30" X 30" JUNCTION BOX	4.000	EA
36" X 36" JUNCTION BOX	2.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
BEVELING OF PIPE END	479.000	EA
RIP-RAP (CLASS B)	180.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	120.000	SY
MT3 LEADING END TREATMENT TL3	24.000	EA
MGS3CS GR COMPRESSED SHOULDER	6,187.000	LF
PREMASH RESET TYPE T TL3 LEADING 50'	4.000	EA
TEMPORARY BARRIER FENCE (ORANGE)	8,770.000	LF
MOVING ITEM NO. 01	1.000	LS
MOVING ITEM NO. 02	1.000	LS
MOVING ITEM NO. 03	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	68.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	32.090	ACRE
TEMPORARY COVER	64.180	ACRE
COMPOST	8,664.300	CY
STRAW OR HAY MULCH WITH TACKIFIER	140.169	ACRE
FERTILIZER (NITROGEN)	3,209.000	LB



Call No.: 130

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
FERTILIZER (PHOSPHORIC ACID)	3,209.000	LB
FERTILIZER (POTASH)	3,209.000	LB
AGRICULTURAL GRANULAR LIME	64,180.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	192.540	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	13.303	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	10.590	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	9.627	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	3,508.000	LF
SILT FENCE	77,171.000	LF
REPLACE/REPAIR SILT FENCE	7,717.100	LF
INLET STRUCTURE FILTER - TYPE A	216.000	LF
STABILIZED CONSTRUCTION ENTRANCE	6,050.000	SY



Call No.: 140 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2673540 PCN: P044407 Project No.: P044407
DBE Goal Percent: 0.00%
Approx. Length (miles): 16.9600 Description: 2026 HORRY PAVEMENT IMPROVEMENT
CO(S): Horry
Completion Date: 6/30/2027 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, PAVING, and PAINTING with their respective quantities and units.



Call No.: 140

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	387,475.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,706.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,360.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	157,294.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	400.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,385.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	75.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,295.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	18.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	18.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	6.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	12,950.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	129,155.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	425.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,903.000	EA
MILLED-IN RUMBLE STRIP	12.260	MI
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	300.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	80.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,072.000	LF
SAWCUT FOR LOOP DETECTOR	2,888.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	7.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	600.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,375.000	SY
DETECTABLE WARNING MATERIAL	700.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	200.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,400.000	SY
PREMASH RESET W-BEAM STRONG POST SYSTEM	100.000	LF
PREMASH RESET TYPE T TL3 LEADING 50'	1.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.380	ACRE



Call No.: 150 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2974520	PCN: P043902	Project No.: P043902
DBE Goal Percent: 0.00%	PCN: P043903	Project No.: P043903
	PCN: P043904	Project No.: P043904
	PCN: P043905	Project No.: P043905

Approx. Length (miles): 11.1800 **Description:** 2026 DISTRICT 4 PAVEMENT IMPROVEMENT
CO(S): Lancaster
Completion Date: 5/31/2028 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
SELECTED CLEARING	0.140	ACRE
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,902.500	SY
REMOVAL & DISPOSAL OF EXISTING CURB	260.000	LF
REMOVAL OF EXIST. GUARDRAIL	600.000	LF
UNCLASSIFIED EXCAVATION	1,088.000	CY
BORROW EXCAVATION	914.500	CY
STATION GRADING	5.300	STA
MAINTENANCE STONE	246.500	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	29,963.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	29,187.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	20,973.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,269.000	TON
LIQUID ASPHALT BINDER PG64-22	1,820.223	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	465.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	3,250.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12" UNIF	650.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	167,970.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,255.000	SY
ASPHALT INTERMEDIATE COURSE TYPE B	4,815.360	TON
ASPHALT SURFACE COURSE TYPE B	21,451.465	TON
ASPHALT SURFACE COURSE TYPE C	3,869.609	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,167.875	TON
ASPHALT SURFACE TREAT (SINGLE TREATMENT)	80,123.330	SY
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,296.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	20,988.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	206,862.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	4,734.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,390.000	LF



Call No.: 150

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	94.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	48.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	44.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,190.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	294,619.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,210.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	249.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	11,090.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	65,215.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,300.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,595.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	64.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	33.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	24.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,976.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	99,467.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	606.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	813.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,308.000	EA
MILLED-IN RUMBLE STRIP	11.190	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	540.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	29,969.000	LF
SAWCUT FOR LOOP DETECTOR	11,365.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	10.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	15.000	EA
CATCH BASIN - TYPE 9(TOP ONLY)	1.000	EA
CATCH BASIN - TYPE 17 (TOP ONLY)	1.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	5.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	260.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	200.000	SY
DETECTABLE WARNING MATERIAL	575.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	155.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,150.000	SY
CONCRETE CLASS 4000 FOR PARTIAL DEPTH DECK PATCHING	150.000	SY
RESEAL DECK EXPANSION JOINT	560.000	LF
RIP-RAP (CLASS B)	2.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	2.000	SY
PREMASH TRAILING W-BEAM TYPE B 12.5'	4.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	8.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA



Call No.: 150

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.195	ACRE
SILT FENCE	550.000	LF
INLET STRUCTURE FILTER - TYPE A	10.000	LF



Call No.: 160 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 3574820 PCN: P043320 Project No.: P043320

DBE Goal Percent: 0.00%

Approx. Length (miles):0.8600 Description: US 15/401 SIDEWALK

CO(S): Marlboro

Completion Date: 10/31/2026 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	455.000	SY
UNCLASSIFIED EXCAVATION	507.000	CY
MAINTENANCE STONE	50.000	TON
LIQUID ASPHALT BINDER PG64-22	1.500	TON
ASPHALT SURFACE COURSE TYPE E	27.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	200.000	SF
CLEANING EXISTING PIPE	1,500.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,492.000	SY
PEDESTRIAN RAMP RETROFIT	4.000	EA
DETECTABLE WARNING MATERIAL	40.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	466.000	SY
RIP-RAP (CLASS B)	25.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	50.000	SY
PERMANENT COVER	1.510	ACRE
TEMPORARY COVER	0.755	ACRE
COMPOST	41.000	CY
FERTILIZER (NITROGEN)	151.000	LB
FERTILIZER (PHOSPHORIC ACID)	151.000	LB
FERTILIZER (POTASH)	151.000	LB
AGRICULTURAL GRANULAR LIME	3,020.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	4.530	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	1.510	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.510	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	40.000	LF
SILT FENCE	4,338.000	LF
REPLACE/REPAIR SILT FENCE	434.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,085.000	LF



Call No.: 160

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 170 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 3876420 PCN: P044707 Project No.: P044707
DBE Goal Percent: 0.00% PCN: P045250 Project No.: P045250
Approx. Length (miles): 18.8500 Description: 2026 ORANGEBURG CTC RESURFACING
CO(S): Orangeburg
Completion Date: 7/31/2027 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, ASPHALT PAVING, and TRAFFIC CONTROL with their respective quantities and units.



Call No.: 170

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	7,990.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	134,270.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,304.000	EA
MILLED-IN RUMBLE STRIP	3.580	MI
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	100.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	100.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	12.000	SF
SQUARE TUBING POST 12 GAUGE - 2" X 2" X 8	20.000	LF
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	350.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	50.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	100.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	18.650	ACRE



Call No.: 180 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 3964560 PCN: P041351 Project No.: P041351

DBE Goal Percent: 0.00%

Approx. Length (miles):0.4130

Description: TOWN OF CENTRAL PEDESTRIAN/BIKE CONNECTOR

CO(S): Pickens

Completion Date: 11/30/2026 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	549.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	250.000	SY
UNCLASSIFIED EXCAVATION	546.000	CY
MAINTENANCE STONE	100.000	TON
TRAFFIC CONTROL	1.000	LS
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	425.000	LF
CONC. FOR STRUCTURES - CLASS 4000	101.100	CY
REINF. STEEL FOR STRUCTURES (RETAINING WALL)	6,418.000	LB
18" SMOOTH WALL PIPE	120.000	LF
DROP INLET (24" X 36")	1.000	EA
MANHOLE	2.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	1,612.000	SY
DETECTABLE WARNING MATERIAL	140.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	335.000	SY
PEDESTRIAN RAMP CONSTRUCTION	109.000	SY
WATERPROOFING	69.700	SY
RESET FENCE	278.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	13.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.448	ACRE
TEMPORARY COVER	0.224	ACRE
FERTILIZER (NITROGEN)	45.000	LB
FERTILIZER (PHOSPHORIC ACID)	45.000	LB
FERTILIZER (POTASH)	45.000	LB
AGRICULTURAL GRANULAR LIME	896.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	0.448	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.448	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	38.000	LF
SILT FENCE	1,116.000	LF



Call No.: 180

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
REPLACE/REPAIR SILT FENCE	279.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	112.000	LF
CLEANING INLET STRUCTURE FILTERS	15.000	EA
INLET STRUCTURE FILTER - TYPE B	1.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 190 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 3974750	PCN: P044895	Project No.: P044895
DBE Goal Percent: 0.00%	PCN: P044896	Project No.: P044896
	PCN: P044897	Project No.: P044897
	PCN: P044898	Project No.: P044898

Approx. Length (miles): 14.1000 **Description:** 2026 PICKENS COUNTY PAVEMENTS 8/14/2025
CO(S): Pickens 9:17:14 AM

Completion Date: 7/31/2027 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	3,450.000	LF
BORROW EXCAVATION	2,820.000	CY
EXCAVATION FOR SHOULDER PAVING	149.952	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	149.952	STA
MAINTENANCE STONE	295.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	69,549.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,747.000	TON
HMA SHOULDER WIDENING COURSE	999.680	TON
LIQUID ASPHALT BINDER PG64-22	2,121.033	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	9,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	200,437.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,860.000	SY
ASPHALT INTERMEDIATE COURSE TYPE C	4,692.160	TON
ASPHALT SURFACE COURSE TYPE B	15,750.053	TON
ASPHALT SURFACE COURSE TYPE C	14,393.595	TON
DRIVEWAY PAVING-SURFACE TYPE C	931.738	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,460.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	32,620.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	331,038.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,620.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,056.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	14.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,080.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	567,864.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT SLOW CURE	430.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT SLOW CURE	430.000	LF



Call No.: 190

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	149,520.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	810.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	65.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	472.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	7.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,270.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	139,590.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	416.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	804.000	EA
MILLED-IN RUMBLE STRIP	37.570	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	420.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,540.000	LF
SAWCUT FOR LOOP DETECTOR	2,740.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	6.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	18,950.000	LF
PREMASH RESET TYPE T TL3 LEADING 50'	6.000	EA
PREMASH TYPE T TL3 LEADING 50'	69.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.174	ACRE



Call No.: 200 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4076400 PCN: P045171 Project No.: P045171
DBE Goal Percent: 0.00% PCN: P045172 Project No.: P045172
Approx. Length (miles): 16.5200 Description: 2026 RICHLAND PAVEMENT IMPROVEMENT
CO(S): Richland
Completion Date: 8/31/2027 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, PAVING, and PAINTING with their respective quantities and units.



Call No.: 200

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	950.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	105,515.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	622.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,865.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	7.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,610.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	82,545.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	25.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,114.000	EA
MILLED-IN RUMBLE STRIP	14.520	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	25.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,075.000	LF
SAWCUT FOR LOOP DETECTOR	330.000	LF
ADJUST CATCH BASIN	13.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") OGEE	1,360.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	25.000	SY
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.920	ACRE



Call No.: 210 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4373181 PCN: P039636 Project No.: P039636

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.0000 Description: INTERSECTION IMPROVEMENT-US 378 AND S-490 IN SUMTER COUNTY

CO(S): Sumter

Completion Date: 4/30/2027 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,399.000	SY
FLOWABLE FILL	50.000	CY
LIQUID ASPHALT BINDER PG64-22	2.000	TON
ASPHALT BASE COURSE - TYPE A	15.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	4.000	TON
ASPHALT SURFACE COURSE TYPE B	4.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	18.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	5,365.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	645.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	8.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	8.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,544.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	640.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	81.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,838.000	LF
6"YELLOW SOLID LINES ON CURB/MED.-HIGH BUILD PAINT-25 MIL.	4,083.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	91.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	30.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	8.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	120.000	LF
REFLECTIVE SIGN POST PANELS	48.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,400.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	260.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	10.000	LF
FURNISH & INSTALL 2.0" SCHED 80 PVC CONDUIT (DIRECTION.BORED)	260.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	180.000	LF



Call No.: 210

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,470.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,450.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE, 1-CONDUCTOR FOR LOOP WIRE	1,335.000	LF
PRE-EMPTION DETECTOR CABLE (200'/TYPICAL DETECTOR) 1	4.000	EA
PRE-EMPTION DETECTOR	2.000	EA
PRE-EMPTION DETECTOR MOUNTING HARDWARE	2.000	EA
SAWCUT FOR LOOP DETECTOR	1,225.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
F&I 13"X32' STEEL STRAIN POLE-POWDER COATED AND FOUNDATION	2.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	108.059	LF
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 1	1.000	EA
FURNISH AND INSTALL BATTERY BACK-UP INCLUDING FOUNDATION	1.000	EA
INSTALL 2070L CONTROLLER UNIT &/OR CONFLICT MONITOR IN EXISTING CABINET	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 1	8.000	EA
F&I - 12" 1-WAY-1 SECTION(GREEN)VEHICLE TRAFFIC SIGNAL	2.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	10.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
INSTALL FLAT SHEET FIXED SIZE & MESSAGE SIGN-SPANWIRE MOUNT	59.000	SF
15" RC PIPE CUL.-CLASS III	72.000	LF
18" RC PIPE CUL.-CLASS III	952.000	LF
30" RC PIPE CUL.-CLASS III	76.000	LF
CATCH BASIN - TYPE 1 SPECIAL	10.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") SLOPING FACE	1,736.000	LF
CONCRETE MEDIAN	790.000	SY
10" PERFORATED PIPE UNDERDRAIN W/ GEOTEXTILE	806.000	LF
IRRIGATION SYSTEM COMPLETE	1.000	LS
SODDING	1.188	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	60.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	60.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 220 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4466030 PCN: P037614 Project No.: P037614

DBE Goal Percent: 0.00%

Approx. Length (miles):0.0600

Description: SC 49 SIDEWALK IN UNION

CO(S): Union

Completion Date: 12/15/2026 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION 1031000	1.000	LS
BONDS AND INSURANCE 1032010	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES 1050800	1.000	EA
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT 2023000	106.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB 2024100	238.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT 2025000	53.000	SY
UNCLASSIFIED EXCAVATION 2031000	193.000	CY
FINE GRADING 2081001	53.000	SY
LIQUID ASPHALT BINDER PG64-22 4011004	1.000	TON
MILLING EXISTING ASPHALT PAVEMENT 1.5" 4013115	119.000	SY
ASPHALT SURFACE COURSE TYPE C 4040340	15.000	TON
TRAFFIC CONTROL 6011000	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	152.000	SF
CONC. FOR STRUCTURES - CLASS 3000(ROADWAY) 7011100	17.200	CY
ALUMINUM PIPE HANDRAILING 7055020	25.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE 7203310	239.000	LF
CONCRETE SIDEWALK(4" UNIFORM) 7204100	116.000	SY
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP) 8091010	8.000	EA
RIGHT OF WAY PLAT 8091050	1.000	LS
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.040	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.120	ACRE
STABILIZED CONSTRUCTION ENTRANCE 8156490	550.000	SY



Call No.: 230 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4675590 PCN: P043979 Project No.: P043979

DBE Goal Percent: 0.00%

Approx. Length (miles): 4.3900

Description: 2026 YORK CTC
RESURFACING/RECONSTRUCTION

CO(S): York

Completion Date: 8/31/2027 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,391.500	SY
REMOVAL & DISPOSAL OF EXISTING CURB	135.000	LF
UNCLASSIFIED EXCAVATION	1,467.100	CY
BORROW EXCAVATION	314.400	CY
STATION GRADING	17.540	STA
MAINTENANCE STONE	186.000	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	19,620.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	20,211.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,139.500	TON
LIQUID ASPHALT BINDER PG64-22	537.119	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	220.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	720.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	132.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	13,097.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	704.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	4,373.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,987.000	SY
ASPHALT BASE COURSE - TYPE A	2,164.584	TON
ASPHALT BASE COURSE - TYPE B	106.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	253.440	TON
ASPHALT SURFACE COURSE TYPE B	507.690	TON
ASPHALT SURFACE COURSE TYPE C	5,278.407	TON
DRIVEWAY PAVING-SURFACE TYPE C	985.750	TON
ASPHALT SURFACE TREAT (SINGLE TREATMENT)	39,831.000	SY
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,140.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	20.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,210.000	LF



Call No.: 230

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	32,004.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,169.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,659.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	360.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	35,517.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	430.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	12.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	866.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	56.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	10,961.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	122.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	957.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	40.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,333.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	360.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	12,801.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	6.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	14.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	378.000	EA
15" SMOOTH WALL PIPE	176.000	LF
24" SMOOTH WALL PIPE	24.000	LF
CLEANING EXISTING PIPE	360.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	110.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	45.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	313.000	SY
DETECTABLE WARNING MATERIAL	475.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	152.200	SY
PEDESTRIAN RAMP CONSTRUCTION	950.000	SY
RIP-RAP (CLASS B)	19.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	26.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.810	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.220	MSY



Call No.: 240 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 5273760	PCN: P043817	Project No.: P043817
DBE Goal Percent: 0.00%	PCN: P043818	Project No.: P043818
	PCN: P043819	Project No.: P043819
	PCN: P043821	Project No.: P043821
	PCN: P044949	Project No.: P044949

Approx. Length (miles): 17.3600 **Description:** 2026 DISTRICT 2 PAVEMENT IMPROVEMENT
CO(S): Newberry Saluda
Completion Date: 9/30/2027 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
RAILROAD INSURANCE AND FLAGGING NS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
BORROW EXCAVATION	11,988.000	CY
EXCAVATION FOR SHOULDER PAVING	1,091.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,091.000	STA
MAINTENANCE STONE	484.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	21,900.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	822.000	TON
HMA SHOULDER WIDENING COURSE	4,399.174	TON
LIQUID ASPHALT BINDER PG64-22	2,251.624	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	14,480.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	14,910.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	8,620.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	32,295.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	189,232.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	12,705.000	SY
ASPHALT SURFACE COURSE TYPE B	22,462.787	TON
ASPHALT SURFACE COURSE TYPE C	7,822.935	TON
ASPHALT SURFACE COURSE TYPE E	3,446.080	TON
DRIVEWAY PAVING-SURFACE TYPE B	957.250	TON
DRIVEWAY PAVING-SURFACE TYPE C	389.250	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,444.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	9,162.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	330.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	509,860.000	LF



Call No.: 240

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	68,310.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	480.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,030.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	29,650.000	LF
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,955.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	559,115.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	64,515.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,922.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	110.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	153,900.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	22,770.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	160.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,286.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,200.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,985.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	170,365.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	21,505.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	78.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	54.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,390.000	EA
MILLED-IN RUMBLE STRIP	26.720	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	130.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,330.000	LF
SAWCUT FOR LOOP DETECTOR	730.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	120.000	SF
MT3 LEADING END TREATMENT TL3	70.000	EA
MGS3CS GR COMPRESSED SHOULDER	10,037.500	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.046	ACRE



Call No.: 250 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 5474310	PCN: P043886	Project No.: P043886
DBE Goal Percent: 0.00%	PCN: P043891	Project No.: P043891
	PCN: P043895	Project No.: P043895
	PCN: P043911	Project No.: P043911

Approx. Length (miles): 9.7000 **Description:** 2026 DISTRICT 4 PAVEMENT IMPROVEMENT
CO(S): Cherokee York
Completion Date: 11/30/2027 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	105.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	186.000	LF
REMOVAL OF EXIST. GUARDRAIL	15,306.250	LF
UNCLASSIFIED EXCAVATION	860.000	CY
BORROW EXCAVATION	2,114.000	CY
STATION GRADING	42.990	STA
MAINTENANCE STONE	202.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	26,107.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	112,970.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,661.500	TON
LIQUID ASPHALT BINDER PG64-22	1,677.182	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	310.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	100.000	SY
FULL DEPTH ASPH. PAV. PATCHING 14"UNIF	700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	42,874.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,063.000	SY
ASPHALT INTERMEDIATE COURSE TYPE C	10,907.307	TON
ASPHALT SURFACE COURSE TYPE B	4,319.160	TON
ASPHALT SURFACE COURSE TYPE C	12,477.534	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,556.750	TON
ASPHALT SURFACE TREAT (SINGLE TREATMENT)	139,077.000	SY
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,312.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,256.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	338,146.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	390.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,638.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	28.000	EA



Call No.: 250

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	28.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,210.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	335,997.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT SLOW CURE	80.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT SLOW CURE	280.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT SLOW CURE	80.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT SLOW CURE	280.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,690.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	90,186.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	195.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	666.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	14.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	14.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,770.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	77,962.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	180.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	887.000	EA
MILLED-IN RUMBLE STRIP	19.920	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	520.000	LF
SAWCUT FOR LOOP DETECTOR	200.000	LF
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
15" SMOOTH WALL PIPE	184.000	LF
18" SMOOTH WALL PIPE	64.000	LF
24" SMOOTH WALL PIPE	8.000	LF
CLEANING EXISTING PIPE	296.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
ADJUST CATCH BASIN	3.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	181.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	22.500	SY
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
CONCRETE CLASS 4000 FOR PARTIAL DEPTH DECK PATCHING	112.000	SY
REHABILITATE EXISTING EXPANSION JOINT - COMPRESSION SEAL	2.000	EA
RESEAL DECK EXPANSION JOINT	204.000	LF
RIP-RAP (CLASS B)	17.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	20.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,525.000	LF
MT3 LEADING END TREATMENT TL3	65.000	EA
MB TRAILING END TREATMENT	5.000	EA



Call No.: 250

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
MGS3 GR STANDARD SHOULDER	3,750.000	LF
MGS3CS GR COMPRESSED SHOULDER	5,893.750	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	5.000	EA
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	687.500	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	8.000	EA
PREMASH TYPE T TL3 LEADING 50'	5.000	EA
RESET FENCE	528.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.520	ACRE



Call No.: 260 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 5474320 **PCN:** P043887 **Project No.:** P043887
DBE Goal Percent: 0.00% **PCN:** P043907 **Project No.:** P043907
Approx. Length (miles):6.9200 **Description:** 2026 DISTRICT 4 PAVEMENT IMPROVEMENT
CO(S): Cherokee Union
Completion Date: 10/31/2027 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	5,725.000	LF
UNCLASSIFIED EXCAVATION	5,360.000	CY
BORROW EXCAVATION	1,495.000	CY
STATION GRADING	68.570	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	6,891.100	TON
MAINTENANCE STONE	160.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	115,348.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,368.500	TON
LIQUID ASPHALT BINDER PG64-22	1,301.284	TON
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	212.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	3,599.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,745.000	SY
ASPHALT INTERMEDIATE COURSE TYPE C	11,367.254	TON
ASPHALT SURFACE COURSE TYPE C	10,258.847	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,194.375	TON
ASPHALT SURFACE TREAT (SINGLE TREATMENT)	115,348.000	SY
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	779.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	308.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	219,540.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	504.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,610.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	200,285.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	308.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	73,080.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	310.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,610.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	54,135.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	470.000	EA
MILLED-IN RUMBLE STRIP	16.210	MI



Call No.: 260

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
15" SMOOTH WALL PIPE	48.000	LF
RESEAL DECK EXPANSION JOINT	616.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,050.000	LF
MT3 LEADING END TREATMENT TL3	14.000	EA
MGS3 GR STANDARD SHOULDER	800.000	LF
MGS3CS GR COMPRESSED SHOULDER	2,025.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	725.000	LF
PREMASH W-TO-THRIE BRIDGE CONN WTBBC	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
RESET FENCE	185.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.300	ACRE



Call No.: 270 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 5576220 PCN: P045267 Project No.: P045267

DBE Goal Percent: 0.00%

Approx. Length (miles): 1,000.
CO(S): District 5 0000

Description: 2026 RAISED PAVEMENT MARKERS -
DISTRICT 5

Completion Date: 10/15/2026 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	9,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	63,000.000	EA



Call No.: 280 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 5676230 PCN: P045268 Project No.: P045268

DBE Goal Percent: 0.00%

Approx. Length (miles):0.0000

Description: 2026 RAISED PAVEMENT MARKERS - DISTRICT 6

CO(S): District 6

Completion Date: 10/15/2026 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	12,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	5,800.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	45,000.000	EA



Call No.: 290 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 5776240 PCN: P045269 Project No.: P045269

DBE Goal Percent: 0.00%

Approx. Length (miles): 900.0000

Description: 2026 RAISED PAVEMENT MARKERS - DISTRICT 7

CO(S): District 7

Completion Date: 9/30/2026 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	9,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	4,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	55,000.000	EA

Notice

Call Number: 300

SC File Number: 8872120

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see the next page)

Prequalified Contractors List

*Water Company, District
or Municipality:*

Southside Rural Community Water

Preferred Contractors

Gar-Con, Inc.

L.W., Inc.

HDH Construction, Inc

Long & Sons Utility Co., LLC

J & M Construction Inc.

McConnell Grading & Utilities

Young Plumbing Co., Inc.

Payne, McGinn, Cummins



Call No.: 300 Letting Date: March 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 8872120 PCN: P041050 Project No.: P041050
DBE Goal Percent: 0.00%
Approx. Length (miles):0.4240 Description: INTERSECTION IMPROVEMENT US 178 @ S-73/S-27
CO(S): Anderson Pickens
Completion Date: 6/30/2027 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, EXCAVATION, PAVEMENT, and MARKINGS with their respective quantities and units.



Call No.: 300

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	90.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	40,300.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	300.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	1,300.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	160.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,200.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	200.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,300.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
REMOVAL OF PAVEMENT MARKINGS	6,763.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	248.580	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	517.000	LF
REFLECTIVE SIGN POST PANELS	100.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM No. 1	1.000	EACH
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	8.000	EA
18" SMOOTH WALL PIPE	920.000	LF
24" SMOOTH WALL PIPE	32.000	LF
30" SMOOTH WALL PIPE	56.000	LF
CLEANING EXISTING PIPE	120.000	LF
CATCH BASIN-TYPE 1 SPECIAL(MODIFIED FOR CONC.MEDIAN BARRIER)	6.000	EA
CATCH BASIN -TYPE 16	12.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	1.000	EA
MANHOLE WITH STANDARD 5' X 5' BOX	2.000	EA
EXTRA DEPTH OF BOX	13.000	LF
BEVELING OF PIPE END	14.000	EA
CONCRETE CURB (TRANSITION)	80.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,650.000	LF
CONCRETE MEDIAN	390.000	SY
PLANTED MEDIAN SUBSURFACE DRAINAGE	140.000	SY
RIP-RAP (CLASS A)	250.000	TON
RIP-RAP (CLASS B)	570.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,100.000	SY
RESET FENCE	564.000	LF
MOVING ITEM NO. 01	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	37.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	5.000	ACRE
TEMPORARY COVER	10.000	ACRE
SEEDING - ERAGROSTIS CURVULA - WEEPING LOVEGRASS	0.500	MSY
FERTILIZER (NITROGEN)	500.000	LB



Call No.: 300

Letting Date: March 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
FERTILIZER (PHOSPHORIC ACID)	500.000	LB
FERTILIZER (POTASH)	500.000	LB
AGRICULTURAL GRANULAR LIME	10,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	30.000	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	2.100	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.300	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	5.200	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	6.750	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	8.250	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	540.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	540.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	1,100.000	LF
SILT FENCE	2,030.000	LF
REPLACE/REPAIR SILT FENCE	203.000	LF
CLEANING SILT BASINS	10.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	508.000	LF
INLET FILTER CLEANING	57.000	EA
INLET STRUCTURE FILTER - TYPE A	840.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	160.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2025, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal).

SUBMISSION OF BID BONDS. Bid Bonds must be submitted electronically, utilizing the Bid Bonds feature within the BidX Bid Form. The Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers
Contract Administrator