

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION  
NOTICE TO CONTRACTORS  
For April 13, 2021

Letting Location:  
SCDOT Headquarters Building  
Conference Room 331  
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on March 16, 2021 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website ([www.bidx.com](http://www.bidx.com))
- Construction Standards can be found under Business via SCDOT web site ([www.scdot.org](http://www.scdot.org))

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email [PlanStorage@scdot.org](mailto:PlanStorage@scdot.org) /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010

Letting Date: April 13, 2021

Letting Time: 2:00 P.M.

Page: 1

SC File NO(S): 0449370

DBE Goal Percent: 12.00%

Approx. Length (miles): 0.4760

Description: INTERSECTION IMPROVEMENT-SC  
187/WHITEHALL RD EXT

CO(S): Anderson Completion

Date: 5/31/2022

Funding: FED

**This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION**

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 00	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	4,186.000	SY
UNCLASSIFIED EXCAVATION	2,708.000	CY
BORROW EXCAVATION	1,419.000	CY
FINE GRADING	7,100.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	5,620.000	TON
LIQUID ASPHALT BINDER PG64-22	509.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	3,182.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	384.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,859.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,046.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	52.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	1,045.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	432.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	95.000	SF
DETOUR SIGNS	251.000	SF
BARRICADE - TYPE 3	84.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	1.000	EA
TEMPORARY CONCRETE BARRIER	330.000	LF
TYPE B - FLASHING LIGHT	12.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	570.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	16,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	32,970.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,081.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	1,990.000	LF



Call No.: 010

Letting Date: April 13, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,700.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	175.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	75.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,300.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	450.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	80.000	EA
10" SMOOTH WALL PIPE	40.000	LF
15" SMOOTH WALL PIPE	32.000	LF
18" SMOOTH WALL PIPE	476.000	LF
24" SMOOTH WALL PIPE	56.000	LF
30" SMOOTH WALL PIPE	904.000	LF
42" SMOOTH WALL PIPE	36.000	LF
48" SMOOTH WALL PIPE	48.000	LF
60" SMOOTH WALL PIPE	24.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	2.000	EA
CATCH BASIN -TYPE 9	5.000	EA
CATCH BASIN -TYPE 16	8.000	EA
CATCH BASIN -TYPE 17	1.000	EA
MANHOLE	6.000	EA
36" X 36" JUNCTION BOX	1.000	EA
EXTRA DEPTH OF BOX	13.000	LF
CONCRETE COLLAR FOR UP TO 60" PIPE	1.000	EA
CONCRETE CURB (9" X 15")	908.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,049.000	LF
CONCRETE DRIVEWAY(6" UNIFORM)	143.000	SY
CONCRETE MEDIAN	460.000	SY
6" PERFORATED PIPE UNDERDRAIN WITH GEOTEXTILE	308.000	LF
RIP-RAP (CLASS A)	300.000	TON
RIP-RAP (CLASS B)	141.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	487.000	SY
MOVING ITEM NO. 01	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	11.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.600	ACRE
TEMPORARY COVER	1.800	ACRE
FERTILIZER (NITROGEN)	360.000	LB
FERTILIZER (PHOSPHORIC ACID)	360.000	LB
FERTILIZER (POTASH)	360.000	LB
AGRICULTURAL GRANULAR LIME	7,200.000	LB



Call No.: 010

Letting Date: April 13, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
SELECTIVE WATERING	54,300.000	GAL
MOWING	10.800	ACRE
SODDING	0.610	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	2.700	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	7.018	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.600	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	195.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	195.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	360.000	LF
SILT FENCE	2,635.000	LF
REPLACE/REPAIR SILT FENCE	264.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	659.000	LF
CLEANING INLET STRUCTURE FILTERS	90.000	EA
INLET STRUCTURE FILTER - TYPE B	3.000	EA
INLET STRUCTURE FILTER - TYPE D2	2.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	10.000	EA
INLET STRUCTURE FILTER - TYPE A	342.000	LF
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY



Call No.: 020      Letting Date: April 13, 2021      Letting Time: 2:00 P.M.      Page: 1

---

SC File NO(S): 1456861      PCN: P029352A      Project No.: P029352A  
DBE Goal Percent: 0.00%  
Approx. Length (miles): 0.1290      Description: EMERGENCY REPAIR - S-315 GUNTER ROAD  
CO(S): Clarendon      POND DAM  
Completion Date: 11/30/2021      Funding: ST

## ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	200.000	SY
UNCLASSIFIED EXCAVATION	57.000	CY
BORROW EXCAVATION	1,756.000	CY
MUCK EXCAVATION	963.000	CY
GEOTEXTILE, SEPARATION	2,621.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	2.000	EA
SETTLEMENT MONITORING	1.000	LS
DEWATERING SYSTEM NO. 001	1.000	LS
GRANULAR BRIDGE LIFT MATERIAL	1,240.000	CY
FINE GRADING	880.000	SY
MAINTENANCE STONE	50.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	108.000	TON
LIQUID ASPHALT BINDER PG64-22	24.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	200.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	67.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	252.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	94.000	SF
DETOUR SIGNS	93.000	SF
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,400.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,400.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	9.000	EA
24" SMOOTH WALL PIPE	90.000	LF



Call No.: 020

Letting Date: April 13, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
CLEANING EXISTING PIPE	100.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
BEVELING OF PIPE END	2.000	EA
RIP-RAP (CLASS B)	513.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	510.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	312.500	LF
NON-MOW STRIP UNDER GUARDRAIL	390.000	SY
TEMPORARY BARRIER FENCE	200.000	LF
RESET FENCE	200.000	LF
PERMANENT COVER	0.430	ACRE
TEMPORARY COVER	0.220	ACRE
FERTILIZER (NITROGEN)	43.000	LB
FERTILIZER (PHOSPHORIC ACID)	43.000	LB
FERTILIZER (POTASH)	43.000	LB
AGRICULTURAL GRANULAR LIME	860.000	LB
MOWING	1.300	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.560	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.090	ACRE
SILT FENCE	1,720.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 8"	57.000	LF



Call No.: 030      Letting Date: April 13, 2021      Letting Time: 2:00 P.M.      Page: 1

---

SC File NO(S): 2058460      PCN: P040212      Project No.: P040212

DBE Goal Percent: 0.00%

Approx. Length (miles):6.5100      Description: RECONSTRUCTION/REHABILITATION - FAIRFIELD COUNTY

CO(S): Fairfield

Completion Date: 11/30/2021      Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	525.000	CY
EXCAVATION FOR SHOULDER PAVING	687.450	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	687.450	STA
MAINTENANCE STONE	180.000	TON
HMA SHOULDER WIDENING COURSE	4,964.960	TON
LIQUID ASPHALT BINDER PG64-22	1,387.529	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	91,661.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,300.000	SY
MILLED-IN RUMBLE STRIP	13.020	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	9,170.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	10,693.760	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	180.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	708.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	560.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,064.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	206,237.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,174.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	6,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	174,682.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	532.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	68,750.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	587.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	37,190.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	435.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	570.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	650.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	148.000	LF



Call No.: 030

Letting Date: April 13, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PREMASH TYPE T TL3 LEADING 50'	10.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.750	ACRE





Call No.: 040      Letting Date: April 13, 2021      Letting Time: 2:00 P.M.      Page: 1

---

SC File NO(S): 2657800      PCN: P039988      Project No.: P039988  
DBE Goal Percent: 0.00%  
Approx. Length (miles): 0.2400      Description: BRIDGE REHAB - US 501 BUS & SCL RR L-123  
CO(S): Horry  
Completion Date: 10/31/2021      Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CONC. FOR STRUCTURES - CLASS 4000	1.500	CY
SPALL REPAIR	30.000	SF
REINF. STEEL FOR STRUCTURES (BRIDGE)	243.000	LB
STRUCTURAL STEEL	1.000	LS
ENVIRONMENTAL AND WORKER PROTECTION	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
60" CHAIN LINK FENCE	820.000	LF
12' WIDE - CHAIN LINK FENCE GATE (60"HT)	2.000	EA
24' WIDE- CHAIN LINK FENCE GATE (60"HT) DOUBLE SWING GATES	2.000	EA



Call No.: 050      Letting Date: April 13, 2021      Letting Time: 2:00 P.M.      Page: 1

---

SC File NO(S): 3058390      PCN: P040266      Project No.: P040266

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.8400      Description: RESURFACE S-309 & S-34 LAURENS

CO(S): Laurens

Completion Date: 11/30/2021      Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	570.000	CY
EXCAVATION FOR SHOULDER PAVING	90.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	90.000	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	13,500.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	628.000	TON
MAINTENANCE STONE	0.400	TON
HMA SHOULDER WIDENING COURSE	199.467	TON
LIQUID ASPHALT BINDER PG64-22	179.443	TON
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	40.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	11,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	490.000	SY
MILLED-IN RUMBLE STRIP	3.680	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,724.560	TON
DRIVEWAY PAVING-SURFACE TYPE C	96.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	362.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	77,760.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	360.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	77,760.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	19,440.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	90.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	19,440.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	123.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.784	ACRE



Call No.: 060      Letting Date: April 13, 2021      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 3858530      PCN: P039351      Project No.: P039351  
 DBE Goal Percent: 0.00%  
 Approx. Length (miles):7.3300      Description: REHABILITATION - ORANGEBURG COUNTY  
 CO(S): Orangeburg  
 Completion Date: 11/30/2021      Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	150.000	SY
BORROW EXCAVATION	1,400.000	CY
EXCAVATION FOR SHOULDER PAVING	638.880	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	638.880	STA
MAINTENANCE STONE	5.900	TON
HMA SHOULDER WIDENING COURSE	3,194.400	TON
LIQUID ASPHALT BINDER PG64-22	702.451	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	565.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	25.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,760.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	2,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,350.000	SY
MILLED-IN RUMBLE STRIP	10.580	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	252.607	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	7,687.320	TON
DRIVEWAY PAVING-SURFACE TYPE D	470.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,540.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	130.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	64,150.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	150.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	642.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	4,420.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	51,765.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	130.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	128,300.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	300.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,284.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	1.000	EA



Call No.: 060

Letting Date: April 13, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	8,840.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	103,530.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	494.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	510.000	LF
SAWCUT FOR LOOP DETECTOR	170.000	LF
ADJUST DROP INLET ADJUST D. I.	3.000	EA
DETECTABLE WARNING MATERIAL	75.000	SF
PEDESTRIAN RAMP CONSTRUCTION	150.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.730	ACRE



Call No.: 070      Letting Date: April 13, 2021      Letting Time: 2:00 P.M.      Page: 1

---

SC File NO(S): 5156661      PCN: P038034      Project No.: P038034  
DBE Goal Percent: 10.00%  
Approx. Length (miles):24.0000      Description: SAFETY IMPROVEMENTS I-20 DISTRICT1  
CO(S): Kershaw Richland  
Completion Date: 10/31/2021      Funding: FED

## ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	100.000	HR
SELECTED CLEARING	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	600.000	LF
GROOVING OF CONCRETE PAVEMENT	15,488.000	SY
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	1,660.000	LF
6" BLACK BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	830.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	6,500.000	LF
12" WHITE SOLID LINES (GORE MARKINGS) EPOXY PAINT	400.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	6,500.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	100.000	EA
PREMASH W-BEAM STRONG POST SYSTEM WSP3	2,975.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MB TRAILING END TREATMENT	4.000	EA
MGS3 GR STANDARD SHOULDER	3,437.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	5.000	EA
PREMASH TYPE T TL3 LEADING 50'	7.000	EA
PERMANENT COVER	3.000	ACRE
FERTILIZER (NITROGEN)	300.000	LB
FERTILIZER (PHOSPHORIC ACID)	300.000	LB
FERTILIZER (POTASH)	300.000	LB
AGRICULTURAL GRANULAR LIME	6,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.000	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	6.000	ACRE



Call No.: 080      Letting Date: April 13, 2021      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 5257460	PCN: P039874	Project No.: P039874
DBE Goal Percent: 0.00%	PCN: P039877	Project No.: P039877
	PCN: P039879	Project No.: P039879
	PCN: P039880	Project No.: P039880
	PCN: P039883	Project No.: P039883
	PCN: P039885	Project No.: P039885
	PCN: P039886	Project No.: P039886
	PCN: P039892	Project No.: P039892
	PCN: P039895	Project No.: P039895

Approx. Length (miles):3.0900      Description: RECONSTRUCTION/REHABILITATION -  
CO(S): Abbeville Anderson      DISTRICT 2  
Edgefield Greenwood  
Laurens Newberry Saluda

Completion Date: 5/31/2022      Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	225.000	SY
BORROW EXCAVATION	750.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	5,400.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	10,264.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	556.000	TON
MAINTENANCE STONE	19.350	TON
LIQUID ASPHALT BINDER PG64-22	258.857	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	440.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	945.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	11,988.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,775.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,310.000	SY
MILLING - VARIABLE - 2' WIDTH	38.000	SY
MILLED-IN RUMBLE STRIP	1.400	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,061.136	TON
DRIVEWAY PAVING-SURFACE TYPE C	327.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,322.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,234.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	53,247.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	516.000	LF



Call No.: 080

Letting Date: April 13, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	959.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	3.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	78,601.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	414.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	18,314.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	188.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	349.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	28,032.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	46.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	221.000	EA
CATCH BASIN - TYPE 18 (TOP ONLY)	2.000	EA
ADJUST CATCH BASIN	1.000	EA
ADJUST MANHOLE	2.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
DETECTABLE WARNING MATERIAL	112.500	SF
PEDESTRIAN RAMP CONSTRUCTION	225.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
MT3 LEADING END TREATMENT TL3	2.000	EA
MGS3CS GR COMPRESSED SHOULDER	100.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.641	ACRE
SILT FENCE	250.000	LF
REPLACE/REPAIR SILT FENCE	25.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	65.000	LF



Call No.: 090      Letting Date: April 13, 2021      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 5758310	PCN: P026935	Project No.: P026935
DBE Goal Percent: 0.00%	PCN: P029888	Project No.: P029888
	PCN: P029889	Project No.: P029889
	PCN: P039171	Project No.: P039171
	PCN: P040184	Project No.: P040184
	PCN: P040185	Project No.: P040185
	PCN: P040186	Project No.: P040186
	PCN: P040194	Project No.: P040194
	PCN: P040262	Project No.: P040262
	PCN: P040263	Project No.: P040263
	PCN: P040264	Project No.: P040264
	PCN: P040265	Project No.: P040265

Approx. Length (miles): 18.4700      Description: PRESERVATION - DISTRICT 7

CO(S): Allendale Bamberg  
Barnwell Hampton

Completion Date: 5/31/2022

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	220.000	SY
BORROW EXCAVATION	198.000	CY
MAINTENANCE STONE	7.900	TON
LIQUID ASPHALT BINDER PG64-22	64.949	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	790.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,450.000	SY
MILLED-IN RUMBLE STRIP	30.504	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	924.350	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	278,238.660	SY
DRIVEWAY PAVING-SURFACE TYPE D	75.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,136.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	316.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	184,287.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	222.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	464.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	8.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -PERM.PVMT.MARKING	1.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	1.000	EA





Call No.: 090

Letting Date: April 13, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	11,785.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	127,960.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	2,963.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	438.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	188,579.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	444.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	801.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	23,570.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	255,920.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	5,926.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	300.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,700.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	19.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,308.000	EA
REMOVAL OF PAVEMENT MARKINGS	5,950.000	LF
ADJUST DROP INLET ADJUST D. I.	6.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	20.000	SY
DETECTABLE WARNING MATERIAL	120.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
SURFACE APPLIED DETECTABLE WARNING	120.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	520.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	300.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	800.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	60.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	11.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.960	ACRE



Call No.: 100      Letting Date: April 13, 2021      Letting Time: 2:00 P.M.      Page: 1

SC File NO(S): 5758330	PCN: P040246	Project No.: P040246
DBE Goal Percent: 0.00%	PCN: P040250	Project No.: P040250
	PCN: P040251	Project No.: P040251
	PCN: P040256	Project No.: P040256
	PCN: P040257	Project No.: P040257
	PCN: P040268	Project No.: P040268

Approx. Length (miles): 15.4300      Description: PRESERVATION - DISTRICT 7  
CO(S): Calhoun Orangeburg  
Completion Date: 11/30/2021      Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	168.000	CY
EXCAVATION FOR SHOULDER PAVING	52.800	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	52.800	STA
MAINTENANCE STONE	13.900	TON
HMA SHOULDER WIDENING COURSE	278.667	TON
LIQUID ASPHALT BINDER PG64-22	78.891	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,390.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,200.000	SY
MILLED-IN RUMBLE STRIP	24.380	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	912.466	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	213,083.190	SY
DRIVEWAY PAVING-SURFACE TYPE D	86.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,092.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	362.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	130,830.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	259.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	7,870.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	111,660.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	442.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	130,880.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	383.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	15,740.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	223,320.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	12.000	EA



Call No.: 100

Letting Date: April 13, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,050.000	EA
REMOVAL OF ALL PAVEMENT MARKINGS	5.220	LM
ADJUST DROP INLET ADJUST D. I.	2.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	780.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	525.000	LF
PREMASH THRIE WITH BASE PL 6.25 SPACE	130.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	8.000	EA
PREMASH TYPE T TL3 LEADING 50'	12.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.815	ACRE

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

**STATUTES, CODES, AND REGULATIONS.** The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

**PREQUALIFICATION.** The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

**BID BONDS FOR SCDOT WORK.** Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

**SUBMISSION OF BID BONDS.** Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
  - (a) alteration of a part of bid item except for the unit price; or
  - (b) failure to enter a bid item unit price; or
  - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
  - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor  
Contract Administrator