

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For April 14, 2020

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on March 14, 2020 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 **Letting Date:** April 14, 2020 **Letting Time:** 2:00 P.M. **Page:** 1
SC File NO(S): 0854440 **PCN:** P039197 **Project No.:** P039197
DBE Goal Percent: 0.00% **PCN:** P039198 **Project No.:** P039198
Approx. Length (miles):2.6000 **Description:** RECONSTRUCTION/REHABILITATION - BERKELEY COUNTY
CO(S): Berkeley
Completion Date: 11/30/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	300.000	SY
BORROW EXCAVATION	712.000	CY
MAINTENANCE STONE	33.400	TON
LIQUID ASPHALT BINDER PG64-22	573.201	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,080.000	SY
FULL DEPTH ASPH. PAV. PATCHING 9"UNIF	1,260.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	31,540.400	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	12,744.000	SY
MILLED-IN RUMBLE STRIP	3.020	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	6,307.920	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,580.043	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	86.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	52.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,088.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	2,470.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	8,698.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,070.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,030.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	16.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	16.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	1.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	380.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	16,708.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	33.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	9,840.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	34,732.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,720.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,488.000	LF



Call No.: 010

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	60.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	60.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	860.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	49,652.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	496.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	132.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	154.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	80.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,000.000	LF
SAWCUT FOR LOOP DETECTOR	1,500.000	LF
CONCRETE MEDIAN	300.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.988	ACRE
SILT FENCE	200.000	LF



Call No.: 020 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0883730 **PCN:** 0042913RD01 **Project No.:** SA08016
DBE Goal Percent: 6.00%
Approx. Length (miles):0.8410 **Description:** INTERSECTION IMPROVEMENTS - US17 A/S-48/S-97/S-40
CO(S): Berkeley
Completion Date: 11/30/2020 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,580.000	SY
CULVERT EXTENSION PREPARATION	2.000	EA
UNCLASSIFIED EXCAVATION	400.000	CY
BORROW EXCAVATION	2,800.000	CY
MUCK EXCAVATION	321.000	CY
60" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	61.000	LF
GEOTEXTILE FOR SEPARATION OF SUBGRADE&SUBBASE/BASE CR	250.000	SY
GEOGRID REINFORCEMENT (BIAXIAL)	282.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	185.000	CY
COFFERDAM	2.000	EA
TEMPORARY SHORING WALL	140.000	LF
FINE GRADING	1,980.000	SY
FLOWABLE FILL	80.000	CY
MAINTENANCE STONE	200.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	527.000	TON
LIQUID ASPHALT BINDER PG64-22	135.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,620.000	SY
MILLED-IN RUMBLE STRIP	1.147	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	135.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,724.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	180.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	500.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	35.000	SF
BARRICADE - TYPE 3	42.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	4.000	EA
TEMPORARY CONCRETE BARRIER	650.000	LF
TYPE B - FLASHING LIGHT	8.000	EA



Call No.: 020

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	1,100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	19,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	21,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	22.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	22.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	100.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,025.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	125.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	11.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	11.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,075.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	50.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	157.000	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	27,455.000	LB
18" SMOOTH WALL PIPE	368.000	LF
24" SMOOTH WALL PIPE	134.000	LF
60" SMOOTH WALL PIPE	61.000	LF
DROP INLET (24" X 24")	1.000	EA
MANHOLE	2.000	EA
BEVELING OF PIPE END	8.000	EA
AGGREGATE UNDERDRAIN (AGGR.NO. 57)	260.000	CY
RIP-RAP (CLASS B)	75.000	TON
RIP-RAP (CLASS C)	360.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	222.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	94.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	200.000	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
MGS3 GR STANDARD SHOULDER	250.000	LF
MGS3CS GR COMPRESSED SHOULDER	669.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
NON-MOW STRIP UNDER GUARDRAIL	372.000	SY
PREMASH W-BEAM TIGHT CURVED SYSTEM	25.000	LF
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	27.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.161	ACRE
FERTILIZER (NITROGEN)	217.000	LB
FERTILIZER (PHOSPHORIC ACID)	217.000	LB
FERTILIZER (POTASH)	217.000	LB



Call No.: 020

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
AGRICULTURAL GRANULAR LIME	4,323.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	4.322	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	4.322	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	30.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	630.000	LF
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
CLEANING INLET STRUCTURE FILTERS	5.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 030 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1312880 PCN: P030665 Project No.: P030665

DBE Goal Percent: 9.00%

Approx. Length (miles):0.4750 Description: INTERSECTION IMPROVEMENT AT US 601/SC
CO(S): Chesterfield 9

Completion Date: 11/30/2020 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	5,000.000	SY
UNCLASSIFIED EXCAVATION	6,398.000	CY
FINE GRADING	6,061.000	SY
MAINTENANCE STONE	228.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,574.000	TON
LIQUID ASPHALT BINDER PG64-22	299.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	994.000	SY
MILLED-IN RUMBLE STRIP	0.820	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,063.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,276.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,021.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	39.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	186.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	276.000	SF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	15,100.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	45.000	LF
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	9.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	12.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	15,100.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,900.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	75.000	LF



Call No.: 030

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	7,800.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	90.000	EA
18" SMOOTH WALL PIPE	364.000	LF
24" SMOOTH WALL PIPE	52.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	2.000	EA
BEVELING OF PIPE END	28.000	EA
RIP-RAP (CLASS A)	4.000	TON
RIP-RAP (CLASS B)	456.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	603.000	SY
WOVEN WIRE FENCE - TYPE 3 WITH 1 STRAND BARBED	100.000	LF
WOVEN WIRE FENCE - TYPE 3 WITH 3 STRANDS BARBED	710.000	LF
RESET FENCE	1,049.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	40.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.001	ACRE
TEMPORARY COVER	2.001	ACRE
COMPOST	108.000	CY
FERTILIZER (NITROGEN)	401.000	LB
FERTILIZER (PHOSPHORIC ACID)	401.000	LB
FERTILIZER (POTASH)	401.000	LB
AGRICULTURAL GRANULAR LIME	8,002.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	12.003	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	1.466	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	10.586	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	8.002	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	605.000	LF
SILT FENCE	79.000	LF
CLEANING SILT BASINS	251.000	CY
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	25.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 040 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1504711 PCN: P028448 Project No.: P028448
DBE Goal Percent: 3.00%
Approx. Length (miles): 0.6130 Description: BRIDGE REPLACEMENT - US-21 SANDY RUN CREEK
CO(S): Colleton
Completion Date: 9/30/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	8,619.000	SY
REMOVAL OF EXIST. GUARDRAIL	158.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	5,076.000	CY
BORROW EXCAVATION	56,704.000	CY
MUCK EXCAVATION	18,416.000	CY
GEOTEXTILE FOR SEPARATION OF SUBGRADE&SUBBASE/BASE CR	10,013.000	SY
GEOGRID REINFORCEMENT (BIAXIAL)	14,566.000	SY
TEMPORARY SHORING WALL	115.000	LF
PERMANENT SHORING WALL	54.000	LF
STONE BRIDGE LIFT MATERIAL	9,519.000	TON
GRANULAR BRIDGE LIFT MATERIAL	100.000	CY
FINE GRADING	9,875.000	SY
FLOWABLE FILL	50.000	CY
MAINTENANCE STONE	50.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	2,503.000	TON
LIQUID ASPHALT BINDER PG64-22	272.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	100.000	SY
MILLED-IN RUMBLE STRIP	1.174	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,864.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,167.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	184.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	8.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	2.000	EA
TEMPORARY CONCRETE BARRIER	7,300.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	300.000	LF



Call No.: 040

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	4.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 4"WH.SOLID PREF.	800.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE4"YEL.SOLID PREF.	720.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	30,000.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	200.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	6,700.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	700.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,600.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	60.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	32,000.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	120.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	31,000.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	704.000	LF
CONC. FOR STRUCTURES - CLASS 4000	226.900	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	45,499.000	LB
3'-0" x 1'-9" CORED SLABS	2,017.800	LF
3'-0" X 1'-9" SLABS	134.600	LF
CONCRETE BRIDGE BARRIER PARAPET	286.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	2.000	EA
PILE DRIVING SET-UP	43.000	EA
PREST. CONC. PILING (20"SQ.)	1,431.000	LF
PILE BUILD-UP PREPARATION (20"SQ)	3.000	EA
PREDRILLING FOR PREST. CONC. PILING (20"SQ.)	1,215.000	LF
PRESTRESSED PILE POINT (HP10X57)	229.500	LF
REINF. PILE TIPS (HP10 X 57)	27.000	EA
REINF. PILE TIPS (HP14 X 73)	16.000	EA
STEEL H BEARING PILING (HP14 X 73)	824.000	LF
BRIDGE APPROACH CONCRETE CURB AND GUTTER(1'-10")	1,003.000	LF
CONCRETE FLUME	187.000	LF
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	128.000	EA
RIP-RAP (CLASS B)	400.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	800.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	612.500	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	1,284.000	SY
TEMPORARY BARRIER FENCE	500.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	15.000	EA



Call No.: 040

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.380	ACRE
TEMPORARY COVER	8.760	ACRE
COMPOST	1,179.000	CY
FERTILIZER (NITROGEN)	439.000	LB
FERTILIZER (PHOSPHORIC ACID)	439.000	LB
FERTILIZER (POTASH)	439.000	LB
AGRICULTURAL GRANULAR LIME	8,768.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	26.304	ACRE
WATERPROOFING (BRIDGE DECK)	672.500	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	2.439	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.171	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.056	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	395.000	LF
SILT FENCE	8,800.000	LF
REPLACE/REPAIR SILT FENCE	880.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	2,200.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	1,040.000	HR



Call No.: 050 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1548571 PCN: P028128 Project No.: P028128

DBE Goal Percent: 12.50%

Approx. Length (miles):0.6300 Description: INTERSECTION IMPROVEMENT - US-15/S-130/S-754

CO(S): Colleton

Completion Date: 6/30/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
CLEARING & GRUBBING DITCHES	0.050	ACRE
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	319.000	SY
SITE EXCAVATION	1.000	LS
BORROW EXCAVATION	5,761.000	CY
MUCK EXCAVATION	4,115.000	CY
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	59.800	LF
60" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	87.500	LF
FINE GRADING	5,780.000	SY
FLOWABLE FILL	110.000	CY
MAINTENANCE STONE	250.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,119.000	TON
LIQUID ASPHALT BINDER PG64-22	372.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	250.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	999.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	4,019.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,855.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	285.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	416.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	2.000	EA
TEMPORARY CONCRETE BARRIER	300.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	2,350.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	26,200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	30,650.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	420.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	9,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	8.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	4.000	EA



Call No.: 050

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	115.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	160.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	6,600.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	175.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	10,400.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	70.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	160.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	156.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	926.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,423.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	938.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,955.000	LF
SAWCUT FOR LOOP DETECTOR	671.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	8.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	8.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	3.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
38"X 60" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	121.000	LF
15" SMOOTH WALL PIPE	78.000	LF
18" SMOOTH WALL PIPE	2,163.000	LF
24" SMOOTH WALL PIPE	315.000	LF
30" SMOOTH WALL PIPE	345.000	LF
36" SMOOTH WALL PIPE	164.000	LF
CLEANING EXISTING PIPE	200.000	LF
CATCH BASIN -TYPE 1 WITH STANDARD 6' X 6' BOX	1.000	EA
DROP INLET (24" X 24")	11.000	EA
DROP INLET (24" X 24") WITH STANDARD 4' X 4' BOX	7.000	EA
DROP INLET (24" X 24") WITH STANDARD 5' X 5' BOX	3.000	EA
DROP INLET (24" X 24") WITH STANDARD 6' X 6' BOX	1.000	EA
DROP INLET (24" X 36")	1.000	EA



Call No.: 050

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
36" X 36" JUNCTION BOX	3.000	EA
72" X 72" JUNCTION BOX	1.000	EA
EXTRA DEPTH OF BOX	3.000	LF
BEVELING OF PIPE END	5.000	EA
CONCRETE MEDIAN	91.000	SY
RIP-RAP (CLASS B)	146.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	187.000	SY
TEMPORARY BARRIER FENCE	500.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	25.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.055	ACRE
TEMPORARY COVER	4.110	ACRE
FERTILIZER (NITROGEN)	206.000	LB
FERTILIZER (PHOSPHORIC ACID)	206.000	LB
FERTILIZER (POTASH)	206.000	LB
AGRICULTURAL GRANULAR LIME	4,110.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	12.330	ACRE
SODDING - CENTIPEDE GRASS	150.000	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.484	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	12.330	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	2,307.000	LF
SILT FENCE	6,600.000	LF
REPLACE/REPAIR SILT FENCE	660.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,650.000	LF
CLEANING INLET STRUCTURE FILTERS	100.000	EA
INLET STRUCTURE FILTER - TYPE D2	22.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	22.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 060 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2254910 PCN: P037080 Project No.: P037080

DBE Goal Percent: 0.00%

Approx. Length (miles):6.3800 Description: SAFETY IMPROVEMENTS - US 17

CO(S): Georgetown

Completion Date: 6/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
UNCLASSIFIED EXCAVATION	100.000	CY
BORROW EXCAVATION	2,700.000	CY
EXCAVATION FOR SHOULDER PAVING	1,351.700	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,351.700	STA
MAINTENANCE STONE	200.000	TON
HMA SHOULDER WIDENING COURSE	23,728.000	TON
LIQUID ASPHALT BINDER PG64-22	2,752.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	209,604.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,000.000	SY
MILLED-IN RUMBLE STRIP	25.600	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	24,653.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	200.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	336.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	36,450.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	1,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	135,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	135,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	500.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	18,225.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	67,500.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	19.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	6.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	900.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	67,500.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	850.000	EA



Call No.: 060

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	140.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	202.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	100.000	LF
REFLECTIVE SIGN POST PANELS	102.000	LF
GUARDRAIL DELINEATOR - WHITE	50.000	EA
18" SMOOTH WALL PIPE	300.000	LF
24" SMOOTH WALL PIPE	100.000	LF
CLEANING EXISTING PIPE	100.000	LF
CATCH BASIN - TYPE 9(TOP ONLY)	2.000	EA
BEVELING OF PIPE END	40.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,200.000	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
MGS3 GR STANDARD SHOULDER	1,500.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	2.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	9.300	ACRE
SILT FENCE	1,500.000	LF



Call No.: 070 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2384090 PCN: 0041471RD01 Project No.: SU23009

DBE Goal Percent: 12.00% PCN: 0041472RD01 Project No.: SU23010

Approx. Length (miles): 2.9300 Description: S-183 WIDENING

CO(S): Greenville

Completion Date: 11/30/2022 Funding: FED

MIMIMUM REQUIRED QUARTERLY CPS: 73.1 (Period Ending on December 31, 2019)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	33.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	1.000	EA
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	4,729.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	8,582.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	80.000	CY
REMOVAL OF EXIST. GUARDRAIL	400.000	LF
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)X(____) 001	1.000	EA
CULVERT EXTENSION PREPARATION	2.000	EA
UNCLASSIFIED EXCAVATION	21,954.000	CY
BORROW EXCAVATION	18,433.000	CY
BORROW EXCAVATION - (AASHTO TYPE A-1 SAND)	669.000	TON
MUCK EXCAVATION	1,832.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,409.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	264.000	LF



Call No.: 070

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	482.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	234.000	LF
GEOTEXTILE, SEPARATION	205.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	5.000	EA
STRUCTURE EXCAVATION FOR CULVERTS	285.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	643.000	CY
TEMPORARY SHORING WALL	641.000	LF
NO. 57 STONE FOR BACKFILL	120.000	TON
STONE BRIDGE LIFT MATERIAL	170.000	TON
FINE GRADING	49,507.000	SY
FLOWABLE FILL	250.000	CY
MAINTENANCE STONE	2,410.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	19,603.000	TON
LIQUID ASPHALT BINDER PG64-22	2,166.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,417.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	37,228.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	4,444.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	20,175.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,484.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	12.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	4.000	EA
TEMPORARY CONCRETE BARRIER	3,110.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	2,600.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	3,500.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	850.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	34,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	61,000.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 4"WH.SOLID PREF.	480.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE4"YEL.SOLID PREF.	480.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	15,900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	4,200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	960.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	47.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	9.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	29.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	230.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	520.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,050.000	EA



Call No.: 070

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,400.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	630.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	9,624.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	11,300.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,660.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,060.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	34.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	25.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	24.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	2.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	41.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,880.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	27,104.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	400.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,700.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,060.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,470.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	19,300.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	4,760.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,540.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	58.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	39.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	5.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,680.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	36,600.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	41.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	65.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	172.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	360.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	730.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	240.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	60.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	240.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	725.580	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	11.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	1,743.000	LF
2.0" SCHEDULE 40 PVC CONDUIT	200.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	958.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	13,593.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	95.000	LF



Call No.: 070

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	195.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	323.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	228.000	LF
FURNISH & INSTALL 3" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	826.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	4,459.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	6,879.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	4,028.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	3,493.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	16,184.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	11,523.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	5.000	EA
FURNISH & INSTALL FIBER OPTIC MODEM	5.000	EA
SAWCUT FOR LOOP DETECTOR	5,212.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
MOD. EXIST ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	69.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	15.000	EA
F&I 13 X28' STEEL STRAIN POLE-POWDER COATED AND FOUNDATION	16.000	EA
F&I 13"X32' STEEL STRAIN POLE-POWDER COATED AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,031.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	2.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	5.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	5.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	5.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	7.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	33.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	30.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	30.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	45.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
INTEGRATION	1.000	LS
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	4.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	5.000	EA
POWDERCOATING OPTION FOR 4' ALUMINUM PEDESTAL POLE	2.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	5.000	EA
CONC. FOR STRUCTURES - CLASS 4000	418.100	CY
CONC. FOR STRUCTURES - CLASS 4000(RETAINING WALL)	295.100	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	120.000	CY
CONC. FOR STRUCTURES - CLASS 4000(ROADWAY)	29.000	CY
SPALL REPAIR	20.000	SF
STRAIGHT HEADWALL FOR 18" CIRCULAR PIPE-1 LINE	1.000	EA



Call No.: 070

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
STRAIGHT HEADWALL FOR 30" CIRCULAR PIPE-1 LINE	1.000	EA
STRAIGHT HEADWALL FOR 36" CIRCULAR PIPE-1 LINE	3.000	EA
SOLDIER PILE WALL & LAGGING SYSTEM(CANTILEVER)	2,110.000	SF
ARCHITECTURAL FINISH 1SIDE MONO PAINT	1,917.000	SF
ARCHITECTURAL FINISH 1SIDE MUTLICOLOR	1,419.000	SF
GROOVED SURFACE FINISH	469.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	26,471.000	LB
REINF. STEEL FOR STRUCTURES (RETAINING WALL)	57,105.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	97,657.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	630.800	LF
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	240.000	LF
ALUMINUM PIPE HANDRAILING	90.000	LF
PILE DRIVING SET-UP	9.000	EA
REINF. PILE TIPS (HP14 X 89)	9.000	EA
PREDRILLING FOR STEEL PILE (HP14 X 89)	2.000	LF
STEEL H BEARING PILING (HP14 X 89)	387.000	LF
DRILLED PILE SET-UP	9.000	EA
SOIL EXCAVATION FOR DRILLED PILE FOUNDATIONS - 30" DIAMETER	52.000	LF
ROCK EXCAVATION FOR DRILLED PILE FOUNDATIONS - 30" DIAMETER	100.000	LF
DRILLED PILE FOUNDATION CONCRETE (CLASS 4000DS)	8.300	CY
MECH. STAB.EARTH RETAINING WALL BACKFILL	325.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) R	731.000	SF
COPING FOR MSE RETAINING WALL(ROADWAY)	94.000	LF
24"X 38" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	52.000	LF
15" SMOOTH WALL PIPE	427.000	LF
18" SMOOTH WALL PIPE	13,485.000	LF
24" SMOOTH WALL PIPE	342.000	LF
30" SMOOTH WALL PIPE	2,090.000	LF
36" SMOOTH WALL PIPE	1,631.000	LF
CLEANING EXISTING PIPE	1,000.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	5.000	EA
CATCH BASIN -TYPE 1 WITH STANDARD 4' X 4' BOX	1.000	EA
CATCH BASIN -TYPE 1 WITH STANDARD 6' X 6' BOX	3.000	EA
CATCH BASIN -TYPE 9 MH	3.000	EA
CATCH BASIN -TYPE 16	23.000	EA
CATCH BASIN -TYPE 17	92.000	EA
CATCH BASIN -TYPE 18	10.000	EA
ADDITIONAL LENGTH CATCH BASIN	32.000	LF
DROP INLET (24" X 24")	6.000	EA
DROP INLET (24" X 36")	12.000	EA
DROP INLET (24" X 36") WITH STANDARD 4' X 4' BOX	2.000	EA
MANHOLE	31.000	EA



Call No.: 070

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 6

Description	Quantity	Units
36" X 36" JUNCTION BOX	2.000	EA
EXTRA DEPTH OF BOX	131.000	LF
CATCH BASIN - TYPE 17 (TOP ONLY)	1.000	EA
ADJUST CATCH BASIN	1.000	EA
CBT-9 CONVERT JUNCTION BOX 36" X 36"	1.000	EA
JUNCTION BOX - CONVERT CB T-16	1.000	EA
MANHOLE-CONVERT CB T-9	2.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	990.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	14,751.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	10,266.000	SY
DETECTABLE WARNING MATERIAL	795.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,615.000	SY
CONCRETE MEDIAN	160.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,106.000	SY
SURFACE APPLIED DETECTABLE WARNING	39.000	SF
ELASTOMERIC BEARING	16.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	202.000	TON
4" PERFORATED PIPE UNDERDRAIN WITH GEOTEXTILE	443.000	LF
RIP-RAP (CLASS A)	150.000	TON
RIP-RAP (CLASS B)	320.000	TON
RIP-RAP (CLASS C)	1,390.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	179.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,416.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	821.000	LF
MT3 LEADING END TREATMENT TL3	3.000	EA
MB TRAILING END TREATMENT	5.000	EA
MGS3CS GR COMPRESSED SHOULDER	88.000	LF
MGS2C GR BEHIND CURB	382.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	4.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	3.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
SACRIFICIAL FLEXIBLE WARNING MARKER POST (FWMP) 48Y/Y	2.000	EA
PREMASH W-BEAM TIGHT CURVED SYSTEM	152.900	LF
PREMASH W-BEAM CURVED SPECIAL ANCHOR	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE	12.000	LF
ORNAMENTAL STEEL PICKET FENCE - 42"	130.000	LF
TEMPORARY BARRIER FENCE	400.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS



Call No.: 070

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 7

Description	Quantity	Units
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS
MOVING ITEM NO. 017	1.000	LS
MOVING ITEM NO. 018	1.000	LS
MOVING ITEM NO. 019	1.000	LS
MOVING ITEM NO. 020	1.000	LS
MOVING ITEM NO. 021	1.000	LS
MOVING ITEM NO. 022	1.000	LS
MOVING ITEM NO. 023	1.000	LS
MOVING ITEM NO. 024	1.000	LS
MOVING ITEM NO. 025	1.000	LS
MOVING ITEM NO. 026	1.000	LS
MOVING ITEM NO. 027	1.000	LS
MOVING ITEM NO. 028	1.000	LS
MOVING ITEM NO. 029	1.000	LS
MOVING ITEM NO. 030	1.000	LS
MOVING ITEM NO. 031	1.000	LS
MOVING ITEM NO. 032	1.000	LS
RIGHT OF WAY REPORT	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	266.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	6.155	ACRE
TEMPORARY COVER	3.078	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	3.806	ACRE
FERTILIZER (NITROGEN)	611.800	LB
FERTILIZER (PHOSPHORIC ACID)	611.800	LB
FERTILIZER (POTASH)	611.800	LB
AGRICULTURAL GRANULAR LIME	12,336.000	LB
SELECTIVE WATERING	108,600.000	GAL
MOWING	18.466	ACRE
WATERPROOFING (SECOND METHOD)	157.300	SY
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	39.400	SY



Call No.: 070

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 8

Description	Quantity	Units
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.631	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.980	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	7.321	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	7.873	ACRE
HYDR.EROS.CONTRL.PROD.(HECP) - TYPE 1 AS TRACER UNDER TRM	4.156	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,392.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,392.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	1,114.000	LF
SILT FENCE	19,800.000	LF
REPLACE/REPAIR SILT FENCE	1,980.000	LF
SILT BASINS	97.770	CY
CLEANING SILT BASINS	543.920	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	4,950.000	LF
CLEANING INLET STRUCTURE FILTERS	160.000	EA
INLET STRUCTURE FILTER - TYPE B	20.000	EA
INLET STRUCTURE FILTER - TYPE A	100.000	LF
SEDIMENT DAM RIPRAP	1.000	TON
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	58.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,925.000	SY
AGGREGATE DIAPHRAGM	2.250	CY
ANTI GRAFFITI COATING ANTI GRAFITI COATING	4,812.000	SF
STORMWATER BASIN RISERS	1.000	EA
BRIDGE SCUPPER WITH FRAME AND GRATE	8.000	EA
WATERLINE VERTICAL OFFSET	6.000	EACH
ON-THE-JOB TRAINEE (ROADWAY)	3,640.000	HR



Call No.: 080 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3253221 PCN: P038031 Project No.: P038031

DBE Goal Percent: 9.00%

Approx. Length (miles): 11.0000 Description: SAFETY IMPROVEMENTS - I-26

CO(S): Lexington

Completion Date: 12/31/2020 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	50.000	HR
SELECTED CLEARING	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	300.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	750.000	LF
MT3 LEADING END TREATMENT TL3	5.000	EA
MB TRAILING END TREATMENT	5.000	EA
MGS3 GR STANDARD SHOULDER	1,525.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	2.000	EA
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	300.000	LF
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
WOVEN WIRE FENCE - TYPE 3 WITH 2 STRANDS BARBED	1,000.000	LF
PERMANENT COVER	1.000	ACRE
FERTILIZER (NITROGEN)	100.000	LB
FERTILIZER (PHOSPHORIC ACID)	100.000	LB
FERTILIZER (POTASH)	100.000	LB
AGRICULTURAL GRANULAR LIME	2,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.000	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	2.000	ACRE



Call No.: 090 **Letting Date:** April 14, 2020 **Letting Time:** 2:00 P.M. **Page:** 1
SC File NO(S): 4054560 **PCN:** P039267 **Project No.:** P039267
DBE Goal Percent: 0.00% **PCN:** P039268 **Project No.:** P039268
Approx. Length (miles):5.4200 **Description:** REHABILITATION/RECONSTRUCTION - RICHLAND COUNTY
CO(S): Richland **Funding:** ST
Completion Date: 11/30/2020

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
BORROW EXCAVATION	958.000	CY
EXCAVATION FOR SHOULDER PAVING	349.500	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	349.500	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	20,850.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	751.000	TON
MAINTENANCE STONE	34.500	TON
HMA SHOULDER WIDENING COURSE	2,563.264	TON
LIQUID ASPHALT BINDER PG64-22	612.498	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,450.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	56,350.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	150.000	SY
MILLED-IN RUMBLE STRIP	9.580	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,477.227	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,857.900	TON
DRIVEWAY PAVING-SURFACE TYPE C	376.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	873.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	385.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	168,290.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	825.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	12,760.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	84,775.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	30.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	220.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	40,475.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	14.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	215.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA



Call No.: 090

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,170.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	16,925.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	365.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	15,630.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	60.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	1,080.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	11,340.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	10.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	726.000	LF
SAWCUT FOR LOOP DETECTOR	227.000	LF
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
SURFACE APPLIED DETECTABLE WARNING	25.000	SF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	1,125.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.645	ACRE
MOWING	4.645	ACRE



Call No.: 100 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4055221 PCN: P037149 Project No.: P037149
DBE Goal Percent: 0.00%
Approx. Length (miles):0.1710 Description: EMERGENCY REPLACEMENT S-1575/CARY'S LAKE DAM
CO(S): Richland
Completion Date: 7/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
LEVEL 3 - EARTH-BORNE VIBRATION MONITORING	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,040.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	18.000	CY
REMOVAL OF EXIST. GUARDRAIL	115.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	240.000	CY
BORROW EXCAVATION	2,170.000	CY
MUCK EXCAVATION	100.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	180.000	LF
STRUCTURE EXCAVATION FOR RETAINING WALL	95.000	CY
FLOWABLE FILL	3.000	CY
MAINTENANCE STONE	10.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	220.000	TON
LIQUID ASPHALT BINDER PG64-22	25.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	220.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	100.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	125.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	30.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	96.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	40.000	SF
BARRICADE - TYPE 3	120.000	LF
2.0" SCHEDULE 80 PVC CONDUIT	1,717.000	LF
TYPE B - FLASHING LIGHT	22.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,792.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	22.000	LF



Call No.: 100

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,840.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	12.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	29.813	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	100.000	LF
CONC. FOR STRUCTURES - CLASS 4000	325.400	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	144,583.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	31,520.000	LB
3'-0" x 2'-0" CORED SLABS	4,300.300	LF
3'-0" X 2'-0" SLABS	139.500	LF
CONCRETE BRIDGE BARRIER PARAPET	790.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
DRILLED SHAFT SET-UP	24.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 36" DIAMETER	776.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	400.700	LF
CONSTRUCTION CASING - 42" DIAMETER	400.700	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL(STONE)	115.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	394.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	45.000	LF
18" SMOOTH WALL PIPE	212.000	LF
CATCH BASIN -TYPE 16	3.000	EA
DROP INLET (24" X 36")	1.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	1.000	EA
EXTRA DEPTH OF BOX	5.000	LF
BEVELING OF PIPE END	1.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	9.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	180.000	LF
CONCRETE DRIVEWAY(6" UNIFORM)	91.000	SY
ELASTOMERIC BEARING	242.000	EA
CROSSHOLE SONIC LOGGING SETUP	24.000	EA
RIP-RAP (CLASS A)	25.000	TON
RIP-RAP (CLASS B)	206.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	430.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	494.000	SY
MT3 LEADING END TREATMENT TL3	1.000	EA
MT2 LEADING END TREATMENT TL2	1.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	25.000	LF
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	1.000	EA
NON-MOW STRIP UNDER GUARDRAIL	100.000	SY
ORNAMENTAL STEEL PICKET FENCE - 54"	85.000	LF
MOVING ITEM NO. 001	1.000	LS



Call No.: 100

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
RIGHT OF WAY MARKER(REBAR AND CAP)	21.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.447	ACRE
TEMPORARY COVER	0.447	ACRE
FERTILIZER (NITROGEN)	45.000	LB
FERTILIZER (PHOSPHORIC ACID)	45.000	LB
FERTILIZER (POTASH)	45.000	LB
AGRICULTURAL GRANULAR LIME	894.000	LB
MOWING	1.788	ACRE
WATERPROOFING (BRIDGE DECK)	1,260.000	SY
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	0.789	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.580	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	18.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	18.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	72.000	LF
SILT FENCE	791.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY	1,080.000	SF
CLEANING INLET STRUCTURE FILTERS	4.000	EA
INLET STRUCTURE FILTER - TYPE B	1.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
SLUICE GATE CONTROL ACCESS LADDER AND FENCE	1.000	LS
CONSTRUCTION REQUIREMENTS FOR DAM PROTECTION	1.000	LS



Call No.: 110 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4152410 PCN: P037839 Project No.: P037839
 DBE Goal Percent: 0.00% PCN: P037841 Project No.: P037841
 PCN: P038266 Project No.: P038266

Approx. Length (miles): 10.5100 Description: REHABILITATION/RECONSTRUCTION - SALUDA COUNTY
 CO(S): Saluda

Completion Date: 6/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	3,676.400	CY
EXCAVATION FOR SHOULDER PAVING	412.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	412.000	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	15,747.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	29,430.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	30,180.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,087.000	TON
MAINTENANCE STONE	54.300	TON
HMA SHOULDER WIDENING COURSE	1,369.280	TON
LIQUID ASPHALT BINDER PG64-22	1,209.760	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,335.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12" UNIF	1,095.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	63,787.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,500.000	SY
MILLED-IN RUMBLE STRIP	9.620	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	7,291.094	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,481.094	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,586.880	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,130.229	TON
DRIVEWAY PAVING-SURFACE TYPE B	617.750	TON
DRIVEWAY PAVING-SURFACE TYPE C	157.500	TON
DRIVEWAY PAVING-SURFACE TYPE D	79.100	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,548.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,090.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	410,225.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,392.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	20,880.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	351,680.000	LF



Call No.: 110

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	785.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	111,010.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	372.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,220.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	96,370.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	698.000	EA
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,450.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	662.500	LF
MT3 LEADING END TREATMENT TL3	14.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	150.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	657.500	LF
MGS3 GR STANDARD SHOULDER	612.500	LF
PREMASH TYPE T TL3 LEADING 50'	17.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.188	ACRE
SILT FENCE	1,750.000	LF
REPLACE/REPAIR SILT FENCE	175.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	440.000	LF



Call No.: 120 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1
SC File NO(S): 4454830 PCN: P039266 Project No.: P039266
DBE Goal Percent: 0.00%
Approx. Length (miles):2.0100 Description: REHABILITATION - UNION COUNTY
CO(S): Union
Completion Date: 10/31/2020 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	315.000	SY
UNCLASSIFIED EXCAVATION	244.000	CY
BORROW EXCAVATION	420.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD A	21,499.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	694.000	TON
MAINTENANCE STONE	146.500	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	175.000	TON
LIQUID ASPHALT BINDER PG64-22	240.577	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	450.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	715.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,025.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,085.700	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,028.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	835.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	543.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	365.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	34,235.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	420.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	34,235.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	365.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	20,775.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	300.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	20,775.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	144.000	EA
DETECTABLE WARNING MATERIAL	37.500	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
BITUMINOUS CURB	670.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.591	ACRE



Call No.: 130 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4654100 PCN: P039138 Project No.: P039138

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.7800 Description: REHABILITATION - YORK COUNTY - SC 5

CO(S): York

Completion Date: 11/30/2020 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	4,500.000	CY
BORROW EXCAVATION	525.000	CY
FLOWABLE FILL	3,486.000	CY
LIQUID ASPHALT BINDER PG64-22	738.550	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,600.000	SY
MILLED-IN RUMBLE STRIP	3.560	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,335.667	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	3,638.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	121.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	376.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	14,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	48,650.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	412.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	720.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,420.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	55,238.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	18,850.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	250.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	360.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,460.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	22,350.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	285.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	318.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	434.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	270.000	LF



Call No.: 130

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	8,200.000	LF
SAWCUT FOR LOOP DETECTOR	3,100.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.280	ACRE



Call No.: 140 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5154650 **PCN:** P039282 **Project No.:** P039282
DBE Goal Percent: 4.00% **PCN:** P039283 **Project No.:** P039283
Approx. Length (miles):9.4000 **Description:** INTERSTATE PRESERVATION - 1-20 - DISTRICT
CO(S): Lexington Richland 1
Completion Date: 4/30/2021 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	1,500.000	HR
LIQUID ASPHALT BINDER PG76-22	3,006.270	TON
MILLING EXISTING ASPHALT PAVEMENT 3.0"	594,054.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,200.000	SY
MILLED-IN RUMBLE STRIP	36.520	MI
HOT MIX ASPHALT SURFACE COURSE TYPE A	60,125.389	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	820.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	157,650.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	289,230.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	36,330.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,480.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	289,230.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	52,550.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	96,410.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	12,110.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,740.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	96,410.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	3,437.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL8"WH.CONTRAST BROKEN	3,170.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	6,180.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	6,180.000	LF



Call No.: 150 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5252540	PCN: P036880	Project No.: P036880
DBE Goal Percent: 0.00%	PCN: P037496	Project No.: P037496
	PCN: P037733	Project No.: P037733
	PCN: P037820	Project No.: P037820
	PCN: P037830	Project No.: P037830

Approx. Length (miles): 17.0700 **Description:** REHABILITATION/RECONSTRUCTION - EDGEFIELD/MCCORMICK COUNTIES
CO(S): Edgefield McCormick
Completion Date: 9/30/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
BORROW EXCAVATION	6,328.000	CY
EXCAVATION FOR SHOULDER PAVING	586.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	586.000	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	75,867.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,378.000	TON
MAINTENANCE STONE	229.200	TON
HMA SHOULDER WIDENING COURSE	2,538.800	TON
LIQUID ASPHALT BINDER PG64-22	1,941.228	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,900.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	14,950.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	80,175.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	60,332.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,100.000	SY
MILLED-IN RUMBLE STRIP	21.370	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,187.946	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	3,318.187	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,267.946	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	19,601.642	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,166.389	TON
DRIVEWAY PAVING-SURFACE TYPE B	181.750	TON
DRIVEWAY PAVING-SURFACE TYPE C	831.750	TON
DRIVEWAY PAVING-SURFACE TYPE D	189.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,800.000	SF



Call No.: 150

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,998.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	490,955.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,948.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	22,360.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	483,217.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,176.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	159,656.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	784.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,030.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	170,541.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,134.000	EA
ADJUST MANHOLE	1.000	EA
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
MT3 LEADING END TREATMENT TL3	18.000	EA
MGS3 GR STANDARD SHOULDER	3,425.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.387	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	3,140.000	LF
SILT FENCE	7,900.000	LF
REPLACE/REPAIR SILT FENCE	1,015.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	2,525.000	LF



Call No.: 160 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5452770	PCN: P037210	Project No.: P037210
DBE Goal Percent: 0.00%	PCN: P037469	Project No.: P037469
	PCN: P038225	Project No.: P038225
	PCN: P038276	Project No.: P038276
	PCN: P038519	Project No.: P038519

Approx. Length (miles): 15.5700 **Description:** REHABILITATION/RECONSTRUCTION - CHESTER/FAIRFIELD COUNTIES
CO(S): Chester Fairfield
Completion Date: 8/31/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	325.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	60.000	LF
UNCLASSIFIED EXCAVATION	2,325.500	CY
BORROW EXCAVATION	2,092.320	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	70,712.730	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	70,125.602	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	46,487.461	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,388.050	TON
MAINTENANCE STONE	50.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	3,294.720	TON
LIQUID ASPHALT BINDER PG64-22	1,715.303	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	550.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	495.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	3,670.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	55,081.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,069.000	SY
MILLED-IN RUMBLE STRIP	16.106	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,258.580	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,463.340	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,942.250	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	187,272.191	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,928.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,864.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	454,648.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,492.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA



Call No.: 160

Letting Date: April 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,050.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	468,933.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	50.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	730.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	55,257.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	28,550.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	656.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	700.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,350.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	40,415.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	21,807.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	7.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,047.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	844.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	74,491.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,059.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	3.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2,500.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	88,442.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	60.000	LF
DETECTABLE WARNING MATERIAL	150.000	SF
PEDESTRIAN RAMP CONSTRUCTION	325.000	SY
MT3 LEADING END TREATMENT TL3	40.000	EA
MGS3 GR STANDARD SHOULDER	4,650.000	LF
MGS3CS GR COMPRESSED SHOULDER	375.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.375	ACRE



Call No.: 170 Letting Date: April 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5453211 PCN: P038030 Project No.: P038030
DBE Goal Percent: 8.00%
Approx. Length (miles):31.0000 Description: SAFETY IMPROVEMENTS - I-77 - DISTRICT 4
CO(S): Chester York
Completion Date: 4/30/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	400.000	HR
SELECTED CLEARING	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	600.000	LF
BORROW EXCAVATION	2,600.000	CY
RIP-RAP (CLASS B)	150.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	450.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	9,925.000	LF
MT3 LEADING END TREATMENT TL3	12.000	EA
MEDIAN CABLE BARRIER	78,000.000	LF
MB TRAILING END TREATMENT	12.000	EA
MGS3 GR STANDARD SHOULDER	4,387.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	10.000	EA
CABLE BARRIER END ANCHOR	78.000	EA
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	600.000	LF
PREMASH TYPE T TL3 LEADING 50'	23.000	EA
WOVEN WIRE FENCE - TYPE 3 WITH 2 STRANDS BARBED	2,525.000	LF
PERMANENT COVER	20.000	ACRE
FERTILIZER (NITROGEN)	2,000.000	LB
FERTILIZER (PHOSPHORIC ACID)	2,000.000	LB
FERTILIZER (POTASH)	2,000.000	LB
AGRICULTURAL GRANULAR LIME	40,000.000	LB
SELECTIVE WATERING	135,749.000	GAL
MOWING	355.000	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	40.000	ACRE
ON-THE-JOB TRAINEE (ROADWAY)	520.000	HR

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Cory Pope at (803)737-4459 or Popeck@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

J.Brian Parnell
Contract Administrator