

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For April 14, 2026

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet immediately after bids are opened.

The following items will be made available on March 14, 2026 unless otherwise noted:

- Proposal bid forms on the Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>) for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Contractors do not have to buy plans to be able to bid
- o The Voluntary Plan Holders List is available on BIDX.

Please contact the Contract Administration Office at (803)737-7469 with all Letting related questions.



Call No.: 010 Letting Date: April 14, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 0260470 PCN: P040848 Project No.: P040848

DBE Goal Percent: 0.00%

Approx. Length (miles):0.3000

Description: TYPE II TRAFFIC SIGNAL UPGRADES IN DISTRICT 7

CO(S): Aiken

Completion Date: 4/30/2028 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, TRAFFIC CONTROL, and various materials with their respective quantities and units.



Call No.: 010

Letting Date: April 14, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	4.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	3.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	2.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR RADAR DETECTION	1.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	2.000	EA
DETECTABLE WARNING MATERIAL	75.000	SF
PEDESTRIAN RAMP CONSTRUCTION	150.000	SY



Call No.: 020 **Letting Date:** April 14, 2026 **Letting Time:** 2:00 pm **Page:** 1
SC File NO(S): 1976490 **PCN:** P045184 **Project No.:** P045184
DBE Goal Percent: 0.00% **PCN:** P045186 **Project No.:** P045186
Approx. Length (miles): 1.7000 **Description:** 2026 EDGEFIELD CTC RESURFACING
CO(S): Edgefield
Completion Date: 7/31/2027 Days **Funding:** CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
BORROW EXCAVATION	340.000	CY
EXCAVATION FOR SHOULDER PAVING	139.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	139.000	STA
MAINTENANCE STONE	40.100	TON
HMA SHOULDER WIDENING COURSE	653.253	TON
LIQUID ASPHALT BINDER PG64-22	177.998	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	510.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,650.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	700.000	SY
ASPHALT SURFACE COURSE TYPE C	2,183.157	TON
DRIVEWAY PAVING-SURFACE TYPE C	123.750	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	446.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	35,920.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	180.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	920.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	35,460.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	90.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	17,960.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	90.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	460.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	17,730.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	113.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.650	ACRE



Call No.: 030 Letting Date: April 14, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2372300 PCN: P041423 Project No.: P041423

DBE Goal Percent: 0.00%

Approx. Length (miles):0.2410

Description: INTERSECTION IMPROVEMENT S-540 @ L-1969

CO(S): Greenville

Completion Date: 7/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	240.000	SY
UNCLASSIFIED EXCAVATION	185.000	CY
BORROW EXCAVATION	1,225.000	CY
FINE GRADING	1,300.000	SY
MAINTENANCE STONE	60.000	TON
LIQUID ASPHALT BINDER PG64-22	119.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	150.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	3,875.000	SY
ASPHALT BASE COURSE - TYPE A	341.000	TON
ASPHALT BASE COURSE - TYPE B	113.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	1,710.000	TON
ASPHALT SURFACE COURSE TYPE E	108.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	368.000	SF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	10.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	20.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	60.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	690.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	390.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,380.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,535.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	8,700.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	230.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	130.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	460.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	845.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,900.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA



Call No.: 030

Letting Date: April 14, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	60.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	10.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	24.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	320.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	700.000	LF
FURNISH & INSTALL 6.0" SCHEDULE 80 PVC CONDUIT	70.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,350.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,360.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	500.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,630.000	LF
SAWCUT FOR LOOP DETECTOR	630.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	7.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	350.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	4.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 123	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 123	8.000	EA
F&I - 1-WAY-1SECT.HAND/MAN COUNTDOWN PEDESTRIAN SIGNAL HEAD	8.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	8.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	8.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
18" R. C. PIPE CUL. BEVELED END SECTN-CL 3	2.000	EA
18" SMOOTH WALL PIPE	488.000	LF
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN -TYPE 16	7.000	EA
MANHOLE	1.000	EA
36" X 60" JUNCTION BOX (TOP ONLY)	2.000	EA
60" X 60" JUNCTION BOX (TOP ONLY)	1.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	32.000	LF
CONCRETE CURB (9" X 15")	12.000	LF
CONCRETE CURB (TRANSITION)	12.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,060.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	580.000	SY
DETECTABLE WARNING MATERIAL	105.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	150.000	SY
PEDESTRIAN RAMP CONSTRUCTION	170.000	SY
RIP-RAP (CLASS B)	30.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	36.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	19.000	EA



Call No.: 030

Letting Date: April 14, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
RIGHT OF WAY PLAT	1.000	LS
PERMANENT GRASSING FOR SMALL PROJECTS	0.600	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.830	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.830	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	56.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	56.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	80.000	LF
SILT FENCE	1,700.000	LF
CLEANING SILT BASINS	196.000	CY
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 040 Letting Date: April 14, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2375350 PCN: P043707 Project No.: P043707

DBE Goal Percent: 0.00%

Approx. Length (miles):0.3000

Description: BRIDGE REPAIR US 29 OVER ENOREE RIVER IN GREENVILLE COUNTY

CO(S): Greenville

Completion Date: 12/31/2026 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BRIDGE CONSTRUCTION ACCESS, etc.



Call No.: 040

Letting Date: April 14, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
DEMO EXISTING PILE ENCASEMENT	72.000	EA
BR006 - REINFORCED CONCRETE TEE-BEAM REPAIR TYPE A	204.000	CF
BRIDGE PILE WRAP	940.000	LF
CLEANING & PAINTING EXISTING STEEL PILING	144.000	EA

Notice

Call Number: 050

SC File Number: 3270840

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see the next page)

Town of Chapin

Approved Contractor List

Lad Corporation – P.O. Box 2634, West Columbia, SC 29171

McClam and Associates – 1642 Holy Trinity Church Rd, Little Mountain, SC 29075

Tom Brigman - 1509 Sunset Ave, Newberry, SC 29108



Call No.: 050 Letting Date: April 14, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 3270840 **PCN:** 0042383RD01 **Project No.:** 0042383RD01
DBE Goal Percent: 0.00%
Approx. Length (miles):4.0300 **Description:** IMPROVEMENTS TO S-48 (COLUMBIA AVE) IN CHAPIN
CO(S): Lexington
Completion Date: 10/31/2029 Days **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 01	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 01	1.000	EA
ARCHAEOLOGIST	40.000	HR
RAILROAD INSURANCE AND FLAGGING 01	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 01	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 02	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 03	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 04	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 05	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 06	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 07	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 08	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 09	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 10	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 11	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 12	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 13	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 14	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 15	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 16	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 17	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 18	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 19	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 20	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 21	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 22	1.000	LS

Engineering Department	APPROVED CONTRACTORS LIST					
MAIN LINE TAPS AND METER INSTALLATION						
Company Name	Contact	Contact Numbers	Tap Size	Meter Size	Asbestos Certified	
Armstrong Contractors, LLC.	Michael Armstrong	803-730-5955 803-788-1190 Ext. 14 (office)	none	2"-8"	No	PO Box 291053, Columbia, SC 29229 Email: Mike@armstrongcontractors.com
Babcock Construction, LLC.	Jackson Babcock	803-600-6861	3/4"-12"	3/4"-10"	Yes	1122 Three Dog Road, Chapin SC 29036 babcockconst@bellsouth.net
CBG Inc.	Kyle Holladay	803-309-5323 803-791-8457	6"-24"	3/4"-8"	Yes	500 Frontage Rd, Gaston, SC 29053 kholladay@cbgsitework.com
Carolina Tap and Bore	Richard Young	803-600-5363 803-739-7056 803-791-1407	3/4"-20"	3/4"-10"	Yes	2430 Morningside Dr, W Cola 29169 Email: ryoung@carolinatapandbore.com
Conder Construction	John W. Conder, II	(803) 438-8221 (803) 934-6880	3/4" - 16"	3/4" - 20"	No	waltconder@yahoo.com; Conder Construction Email: dianec.conder@gmail.com
Corley Construction	Todd Corley	803-513-1269 803-917-0207 803-750-6070 803-750-1356 (Fax)	none	4"-10"	No	366 Firetower Rd., Irmo, SC 29063 Email: corleyconst88915@bellsouth.net PO Box 8023 Columbia, SC 29202 EDavis@crjackson.com thawkings@crjackson.com
Derrick Plumbing, Inc.	Billy Derrick	803-359-2827 803-532-3301	1-1/2"-16"	3/4"-10"	No	2226 Ridge Rd, Leesville 29070 Email: billy@derrickplumbing.com
FRC Construction, LLC.	Frankie Thomas	803-518-4287	3/4"-8"	3/4"-8"	No	107 Wagon Wheel Court, Pelion SC 29123 Email: rebeccascodycat@aol.com
GH Smith Construction, Inc.	Jerry H. Smith	803-622-5139	up to 24"	3/4"-8"	Yes	430 Shuler Ct., Columbia, SC 29212 Email: ghsmithconst@aol.com
Hammerhead Utilities	Bill Head	803-960-3046	3/4"-8"	3/4"-8"	Yes	11701 Broad River Road Chapin, SC 29036 Email: Bill Head bill@hhullc.com
LAD Construction, LLC	Brad Sox	803-739-4483 803-309-3922	all	3/4"-10"	No	PO Box 1129 Swansea SC 29160 Email: bsox@ladconstructionllc.com
Lake Murray Utility Co., Inc.	Jennings Parker	803-732-7849 (Office) 803-730-7652 (Cell)	3/4"-20"	3/4"-8"	No	PO Box 1089, Chapin, SC 29036 cherylgootee@yahoo.com josh.lmu@yahoo.com
McClam & Associates	Wayne Bye Wende Grimes	803-513-6065 803-345-9194	3/4"-24"	3/4"-10"	Yes	1316 Washington St., Columbia 29021 Email: rcm@mcclam.net/wgrimes@mcclam.net
OF Construction Co.	Charlie Meetze	803-951-3927 (Office) 803-513-3429 (Cell)	1.5" - 12"	3/4" - 6"	No	303 McLee Rd, Lexington SC 29073 Email: charlie@owens-fisher.com
Patriot Construction Co Inc	Ted McDaniel	(803) 788-7770	3/4" - 24"	3/4"-10"	No	108 Weir Drive Columbia, SC 29223 Email: patriot_inc@bellsouth.net
Shady Grove Construction	Tim Richardson	803-513-4592 803-781-2516	3/4"-12"	3/4"-10"	Yes	1540 Dutch Fork Road, Irmo, SC 29063 tkideal2@aol.com ericasgc2@aol.com
Williams Infrastructure	Joey Williams	803-814-3753	3/4" to 12"	5/8"-12"	Yes	PO Box 2046, Lexington SC 29071 Email: joey@stuttwilliams.com
TBC- Tom Brigman Contractors, Inc.	Blake Brigman	803-924-5568 803-276-4083	3/4"-12"	3/4"-10"	No	1509 Sunset Ave., PO Box 336 Newberry, SC 29108 bbrigman@tbcontr.com
TCO Construction, Inc.	Pam Cox	803-607-0563 803-495-4420	3/4"-24"	3/4"-10"	No	3410 Myrtle Beach Hwy., Sumter, SC 29153 pcox@tcoconstruction.com

****COLUMBIA WATER WILL ALLOW SOUTH CAROLINA LICENSED, INSURED AND BONDED WATER CONTRACTORS TO CONSTRUCT WATER LINES WITHIN THEIR SYSTEM. WHEN TYING ONTO CITY OF COLUMBIA'S ACTIVE WATER SYSTEM, THE CONTRACTOR, IF NOT ON THE COLUMBIA WATER'S APPROVED CONTRACTORS LIST, MUST HIRE ONE OF THE QUALIFIED AND APPROVED CONTRACTORS TO COMPLETE THAT SPECIFIC WORK FROM THE LIST ABOVE. 1) WORK ON ABESTOS (AC) PIPE, 2) MAKE TAPS ONTO COLUMBIA WATER'S SYSTEM, 3) INSTALL WATER METERS.**



Call No.: 050

Letting Date: April 14, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
REMOVAL & DISPOSAL ITEM NO. 23	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 24	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 25	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 26	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 27	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 28	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 29	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 30	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 31	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 32	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 33	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 34	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 35	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 36	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 37	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 38	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 39	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,802.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	3,800.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	12,735.000	SY
UNCLASSIFIED EXCAVATION	62,754.000	CY
BORROW EXCAVATION	68,840.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	52,000.000	CY
GEOTEXTILE, SEPARATION	39,100.000	SY
GEOTEXTILE, STABILIZATION	39,100.000	SY
STONE BRIDGE LIFT MATERIAL	46,800.000	TON
FINE GRADING	99,258.911	SY
FLOWABLE FILL	100.000	CY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	87,306.000	SY
MAINTENANCE STONE	900.000	TON
LIQUID ASPHALT BINDER PG64-22	2,590.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	4,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	33,762.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,700.000	SY
ASPHALT BASE COURSE - TYPE A	24,395.480	TON
ASPHALT INTERMEDIATE COURSE TYPE A	6,893.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	10,208.400	TON
ASPHALT SURFACE COURSE TYPE B	12,480.000	TON
ASPHALT SURFACE COURSE TYPE E	590.000	TON



Call No.: 050

Letting Date: April 14, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
STAINED CONCRETE PAVEMENT (8" UNIFORM)	570.000	SY
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	816.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	20,392.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	2,300.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	996.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	11,840.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	125,900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	41,700.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	21,172.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	4,804.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	280.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	232.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	176.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WH.RAILROAD XING SYMBOLS	16.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	596.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	476.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	28.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	26.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,098.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	249.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,960.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	10,425.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	5,293.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	70.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,201.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	58.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	44.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	575.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	31,475.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	26.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	28.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	199.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	30.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	519.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	518.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	489.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	69.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	34.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	1,149.000	LF



Description	Quantity	Units
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 01	1.000	EACH
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	8.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 01	1.000	LS
FURNISH & INSTALL 2.0" GALVANIZED RIGID CONDUIT	105.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,115.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,025.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	740.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	4,320.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	2,160.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	3,115.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,885.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	6,530.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,995.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	5,140.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	1.000	EA
FURNISH & INSTALL FIBER OPTIC MODEM	1.000	EA
NETWORK SWITCH	6.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	6.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	32.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	5,140.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	30.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 01	6.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 01	42.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	42.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	42.000	EA
FURNISH & INSTALL INTERNALLY ILLUMINATED STREET NAME SIGN, INCLUDING MAST ARM MOUNTING	2.000	EACH
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	45.000	EA
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	6.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	15.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	6.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	3.000	EA
POWDERCOATING PER MAST ARM OVER BASE	21.000	EA
DECORATIVE OPTION PER MAST ARM	21.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 01	2.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	17.000	EA
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	140.000	CY
STRAIGHT HEADWALL FOR 60" CIRCULAR PIPE-2 LINES	4.000	EA



Description	Quantity	Units
REINF. STEEL FOR STRUCTURES (ROADWAY)	12,919.000	LB
18" RC PIPE CUL.-CLASS V	168.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-IV	31.000	LF
36" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	122.000	LF
15" SMOOTH WALL PIPE	168.000	LF
18" SMOOTH WALL PIPE	15,808.000	LF
24" SMOOTH WALL PIPE	3,631.000	LF
30" SMOOTH WALL PIPE	1,098.000	LF
36" SMOOTH WALL PIPE	368.000	LF
60" SMOOTH WALL PIPE	236.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	11.000	EA
CATCH BASIN - TYPE 1 SPECIAL	2.000	EA
CATCH BASIN -TYPE 9	24.000	EA
CATCH BASIN -TYPE 9 WITH STANDARD 3' X 6' BOX	2.000	EA
CATCH BASIN -TYPE 16	139.000	EA
CATCH BASIN -TYPE 18	13.000	EA
DROP INLET (24" X 24")	24.000	EA
DROP INLET (24" X 24") WITH STANDARD 4' X 4' BOX	1.000	EA
DROP INLET (24" X 36")	2.000	EA
MANHOLE	5.000	EA
24" X 24" JUNCTION BOX	4.000	EA
24" X 36" JUNCTION BOX	2.000	EA
36" X 36" JUNCTION BOX	4.000	EA
48" X 48" JUNCTION BOX	1.000	EA
CATCH BASIN - TYPE 9(TOP ONLY)	1.000	EA
CONCRETE CURB (9" X 15")	5,509.000	LF
CONCRETE CURB (TRANSITION)	100.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,300.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	42,965.000	LF
CONCRETE CURB AND GUTTER (2'-0") OGEE	72.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	14,913.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	40.000	SY
DETECTABLE WARNING MATERIAL	1,613.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	2,445.000	SY
CONCRETE MEDIAN	2,463.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,675.000	SY
6'X 8' P.C. BOX CULVERT {AASHTO M-259} FH = 9'	104.000	LF
PLANTED MEDIAN SUBSURFACE DRAINAGE	6,900.000	SY
6" PERFORATED PIPE UNDERDRAIN W/ GEOTEXTILE	2,821.000	LF
RIP-RAP (CLASS B)	2,061.000	TON
RIP-RAP (CLASS C)	139.000	TON



Description	Quantity	Units
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,500.000	SY
MT3 LEADING END TREATMENT TL3	8.000	EA
MB TRAILING END TREATMENT	8.000	EA
MGS3 GR STANDARD SHOULDER	3,712.500	LF
MGS3CS GR COMPRESSED SHOULDER	100.000	LF
WOVEN WIRE FENCE - TYPE 1 WITHOUT BARBED WIRE	3,550.000	LF
12' WIDE - CHAIN LINK FENCE GATE (72"HT)	4.000	EA
TEMPORARY BARRIER FENCE (ORANGE)	2,000.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	234.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	20.293	ACRE
TEMPORARY COVER	30.440	ACRE
SELECT MATERIAL	290.000	CY
COMPOST	5,457.000	CY
FERTILIZER (NITROGEN)	2,029.300	LB
FERTILIZER (PHOSPHORIC ACID)	2,029.300	LB
FERTILIZER (POTASH)	2,029.300	LB
AGRICULTURAL GRANULAR LIME	40,586.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	101.465	ACRE
ARBORIST	80.000	HR
TEMPORARY EROSION CONTROL BLANKET (ECB)	19.895	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	18.462	SY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	18.466	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	1.827	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,450.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,450.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	1,238.000	LF
SILT FENCE	21,087.000	LF
REPLACE/REPAIR SILT FENCE	2,109.300	LF
CLEANING SILT BASINS	9,439.000	CY
POROUS BAFFLE	600.000	LF
FLOATING SKIMMER	4.000	EA
REMOVAL OF SILT RETAINED BY SILT FENCE	5,271.000	LF
CLEANING INLET STRUCTURE FILTERS	875.000	EA
INLET STRUCTURE FILTER - TYPE D1	65.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	38.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	50.000	TON
STABILIZED CONSTRUCTION ENTRANCE	7,200.000	SY
DETENTION POND	1.000	LS
AGGREGATE DIAPHRAGM	30.000	CY



Call No.: 050

Letting Date: April 14, 2026

Letting Time: 2:00 pm

Page: 7

Description	Quantity	Units
ON-THE-JOB TRAINEE (ROADWAY)	26,520.000	HR



Call No.: 060 Letting Date: April 14, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 3675740 PCN: P044704 Project No.: P044704

DBE Goal Percent: 0.00%

Approx. Length (miles): 3.8700

Description: 2026 NEWBERRY CTC RESURFACING

CO(S): Newberry

Completion Date: 8/31/2027 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	10.000	EA
BORROW EXCAVATION	1,102.600	CY
EXCAVATION FOR SHOULDER PAVING	4.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	4.000	STA
MAINTENANCE STONE	57.460	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	1,467.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	18,252.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	14,090.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,165.000	TON
HMA SHOULDER WIDENING COURSE	20.064	TON
LIQUID ASPHALT BINDER PG64-22	436.803	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	340.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,716.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	225.000	SY
SURFACE PLANE ASPHALT PAVEMENT 1.0"	5,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	19,212.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	11,590.000	SY
ASPHALT SURFACE COURSE TYPE C	6,413.354	TON
DRIVEWAY PAVING-SURFACE TYPE C	504.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,960.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	360.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	80,900.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,292.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,560.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	91,510.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	22,180.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	744.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	788.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	25,470.000	LF



Call No.: 060

Letting Date: April 14, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	260.000	EA
MILLED-IN RUMBLE STRIP	1.120	MI
ADJUST DROP INLET ADJUST D. I.	1.000	EA
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.101	ACRE



Call No.: 070 Letting Date: April 14, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 3872110 PCN: P041026 Project No.: P041026

DBE Goal Percent: 0.00%

Approx. Length (miles):0.4650

Description: ORANGEBURG SC 389 @ SC 394 INT. IMPROVEMENT

CO(S): Orangeburg

Completion Date: 11/30/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, EXCAVATION, PAVING, etc.



Call No.: 070

Letting Date: April 14, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	30.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	310.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	130.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	352.000	LF
REFLECTIVE SIGN POST PANELS	352.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 001	1.000	EACH
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	10.000	EA
24" R. C. PIPE CUL. BEVELED END SECTN-CL 3	2.000	EA
30" R. C. PIPE CUL. BEVELED END SECTN-CL 3	4.000	EA
42" R. C. PIPE CUL. BEVELED END SECTN-CL 3	2.000	EA
24" SMOOTH WALL PIPE	92.000	LF
30" SMOOTH WALL PIPE	172.000	LF
42" SMOOTH WALL PIPE	68.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	265.000	LF
CONCRETE CURB (9" X 15")	204.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,730.000	LF
CONCRETE MEDIAN	630.000	SY
RIP-RAP (CLASS B)	152.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	113.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	384.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	91.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	28.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.720	ACRE
TEMPORARY COVER	5.440	ACRE
COMPOST	734.400	CY
STRAW OR HAY MULCH WITH TACKIFIER	7.100	ACRE
SEEDING - ERAGROSTIS CURVULA - WEEPING LOVEGRASS	0.190	MSY
FERTILIZER (NITROGEN)	272.000	LB
FERTILIZER (PHOSPHORIC ACID)	272.000	LB
FERTILIZER (POTASH)	272.000	LB
AGRICULTURAL GRANULAR LIME	5,440.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	8.160	ACRE
LANDSCAPING ITEM NO. No. 1	14.000	EA
DOUBLE-SHREDDDED HARDWOOD MULCH	113.100	SF
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.679	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	1.880	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	0.200	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.800	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	409.000	LF



Call No.: 070

Letting Date: April 14, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
SILT FENCE	1,415.000	LF
REPLACE/REPAIR SILT FENCE	141.500	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	355.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 080 Letting Date: April 14, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4675770 PCN: P045103 Project No.: P045103

DBE Goal Percent: 0.00%

Approx. Length (miles): 7.9300

CO(S): York

Description: RESURFACING MCGILL ROAD (S-40) FROM MP 1.01 TO 8.94 (WOODLAWN STREET TO SC 5), YORK COUNTY

Completion Date: 6/30/2027 Days

Funding: OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	42.000	SY
UNCLASSIFIED EXCAVATION	1,003.000	CY
BORROW EXCAVATION	342.000	CY
STATION GRADING	60.140	STA
MAINTENANCE STONE	181.500	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	89,320.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,725.000	TON
LIQUID ASPHALT BINDER PG64-22	579.278	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	145.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,330.000	SY
ASPHALT SURFACE COURSE TYPE C	8,242.285	TON
ASPHALT SURFACE COURSE TYPE E	357.867	TON
DRIVEWAY PAVING-SURFACE TYPE C	583.375	TON
ASPHALT SURFACE TREAT (SINGLE TREATMENT)	89,320.000	SY
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	576.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	248.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	243,304.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	416.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	243,304.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	218.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	83,742.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	219.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	83,742.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	550.000	EA
15" SMOOTH WALL PIPE	88.000	LF
18" SMOOTH WALL PIPE	72.000	LF
CLEANING EXISTING PIPE	284.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	100.000	LF



Call No.: 080

Letting Date: April 14, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
PREMASH THRIE WITH BASE PL 3.125 SPACING	550.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
RESET FENCE	1,114.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.850	ACRE

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2025, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal).

SUBMISSION OF BID BONDS. Bid Bonds must be submitted electronically, utilizing the Bid Bonds feature within the BidX Bid Form. The Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers
Contract Administrator