

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For May 12, 2026

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet immediately after bids are opened.

The following items will be made available on April 12, 2026 unless otherwise noted:

- Proposal bid forms on the Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>) for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Contractors do not have to buy plans to be able to bid
- o The Voluntary Plan Holders List is available on BIDX.

Please contact the Contract Administration Office at (803)737-7469 with all Letting related questions.



Call No.: 010 Letting Date: May 12, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 0274010 PCN: P043424 Project No.: P043424

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.0570

CO(S): Aiken

Description: EMERGENCY CULVERT REPLACEMENT – ALTEES CORBETT RD. (S-2-111) IN AIKEN COUNTY

Completion Date: 8/31/2027 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	250.000	SY
UNCLASSIFIED EXCAVATION	588.000	CY
BORROW EXCAVATION	855.000	CY
GEOTEXTILE, SEPARATION	610.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	570.000	CY
NO. 57 STONE FOR BACKFILL	710.000	TON
FINE GRADING	433.000	SY
FLOWABLE FILL	6.900	CY
LIQUID ASPHALT BINDER PG64-22	8.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	194.000	SY
ASPHALT BASE COURSE - TYPE B	63.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	35.000	TON
ASPHALT SURFACE COURSE TYPE D	41.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	84.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
TYPE B - FLASHING LIGHT	16.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	8.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	18.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	100.000	LF
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	39.400	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	4,560.000	LB
8'X 8' P.C. BOX CULVERT ?AASHTO M-259! FH = 5	120.000	LF
RIP-RAP (CLASS C)	116.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	324.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	300.000	LF



Call No.: 010

Letting Date: May 12, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
RIGHT OF WAY MARKER(REBAR AND CAP)	12.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.300	ACRE
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
FLOATING TURBIDITY BARRIER-LIGHT DUTY(10'DEPTH)	225.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 020 Letting Date: May 12, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 0876380 PCN: P044553 Project No.: P044553

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.4940

Description: SIDEWALK IMPROVEMENTS IN MONCKS CORNER

CO(S): Berkeley

Completion Date: 5/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	440.000	SY
SITE EXCAVATION	1.000	LS
BORROW EXCAVATION	180.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	240.000	SY
MAINTENANCE STONE	150.000	TON
LIQUID ASPHALT BINDER PG64-22	20.000	TON
ASPHALT BASE COURSE - TYPE B	215.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	60.000	TON
ASPHALT SURFACE COURSE TYPE B	60.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	444.000	SF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,660.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	320.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	50.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	44.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	60.000	LF
ALUMINUM PIPE HANDRAILING	610.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	224.000	LF
15" SMOOTH WALL PIPE	12.000	LF
18" SMOOTH WALL PIPE	712.000	LF
24" SMOOTH WALL PIPE	64.000	LF
CATCH BASIN -TYPE 9	6.000	EA
CATCH BASIN -TYPE 16	1.000	EA
36" X 36" JUNCTION BOX	1.000	EA
BEVELING OF PIPE END	6.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	470.000	LF
CONCRETE CURB AND GUTTER (2'-0") OGEE	130.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	4,238.000	SY
DETECTABLE WARNING MATERIAL	255.000	SF



Call No.: 020

Letting Date: May 12, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
CONCRETE DRIVEWAY(6" UNIFORM)	134.000	SY
CONCRETE MEDIAN	39.000	SY
PEDESTRIAN RAMP CONSTRUCTION	175.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
RIP-RAP (CLASS B)	40.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	48.000	SY
PERMANENT COVER	2.000	ACRE
TEMPORARY COVER	4.000	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	6.000	ACRE
FERTILIZER (NITROGEN)	200.000	LB
FERTILIZER (PHOSPHORIC ACID)	200.000	LB
FERTILIZER (POTASH)	200.000	LB
AGRICULTURAL GRANULAR LIME	4,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	12.000	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 3	0.018	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	75.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	315.000	LF
SILT FENCE	6,950.000	LF
REPLACE/REPAIR SILT FENCE	695.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,738.000	LF
INLET STRUCTURE FILTER - TYPE B	10.000	EA



Call No.: 030 Letting Date: May 12, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1173631 PCN: P041747 Project No.: P041747

DBE Goal Percent: 0.00%

Approx. Length (miles):0.0740

Description: BRIDGE REPAIR S-11-286 (INDIAN SPRINGS RD) OVER KINGS CREEK

CO(S): Cherokee

Completion Date: 5/30/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	171.600	CY
FLOWABLE FILL	9.400	CY
LIQUID ASPHALT BINDER PG64-22	3.600	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	534.000	SY
ASPHALT SURFACE COURSE TYPE B	58.800	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	96.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	586.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	511.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	3.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	580.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	580.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	580.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	580.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	9.000	EA
CONC. FOR STRUCTURES - CLASS 4000	1.400	CY
SPALL REPAIR	2.500	SF
EPOXY CRACK INJECTION	22.000	LF
REINF. STEEL FOR STRUCTURES (BRIDGE)	536.000	LB
REMOVAL OF EPOXY, ASPHALT & FOREIGN OVERLAY	242.000	SY
POLYMER MODIFIED ASPHALT EXPANSION JOINT	66.000	LF
RIP-RAP (CLASS B)	455.800	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	389.500	SY
COMPOSITE FIBER T-BISCUIT	285.000	EA
SHEAR KEY REPAIR, HIGH EARLY STRENGTH CONCRETE	900.000	LF



Call No.: 040 Letting Date: May 12, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1876500 PCN: P038365 Project No.: P038365

DBE Goal Percent: 0.00%

Approx. Length (miles):4.7530

Description: SC 165 RURAL ROAD SAFETY IMPROVEMENTS

CO(S): Dorchester

Completion Date: 10/31/2027 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 01	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 02	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,345.000	SY
UNCLASSIFIED EXCAVATION	12,600.000	CY
BORROW EXCAVATION	26,100.000	CY
MUCK EXCAVATION	3,512.000	CY
EXCAVATION FOR SHOULDER PAVING	110.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	110.000	STA
FLOWABLE FILL	207.000	CY
MAINTENANCE STONE	30.000	TON
HMA SHOULDER WIDENING COURSE	6,260.000	TON
LIQUID ASPHALT BINDER PG64-22	839.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,570.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	300.000	SY
ASPHALT BASE COURSE - TYPE B	580.000	TON
ASPHALT SURFACE COURSE TYPE B	9,160.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	400.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	152.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	95,400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	142.200	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,443.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	41,694.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	51,400.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	47.400	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,481.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	19,550.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 040

Letting Date: May 12, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,840.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	950.000	EA
MILLED-IN RUMBLE STRIP	20.559	MI
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	21.500	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	13.438	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	180.000	LF
REFLECTIVE SIGN POST PANELS	67.188	LF
GUARDRAIL DELINEATOR - WHITE	260.000	EA
18" RC PIPE CUL.-CLASS III	13.000	LF
30" RC PIPE CUL.-CLASS III	72.000	LF
15" RC PIPE CUL.-CLASS IV	1,381.000	LF
18" RC PIPE CUL.-CLASS IV	423.000	LF
15" RC PIPE CUL.-CLASS V	11.500	LF
24" RC PIPE CUL.-CLASS V	105.000	LF
24"X 38" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	58.000	LF
CLEANING EXISTING PIPE	500.000	LF
DROP INLET (24" X 24")	2.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	20.000	EA
BEVELING OF PIPE END	117.000	EA
RIP-RAP (CLASS B)	31.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	37.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	613.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	4.000	EA
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	300.000	LF
PREMASH W-BEAM TIGHT CURVED SYSTEM	100.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	13,865.000	LF
PERMANENT COVER	11.133	ACRE
TEMPORARY COVER	33.399	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	32.829	ACRE
FERTILIZER (NITROGEN)	1,113.300	LB
FERTILIZER (PHOSPHORIC ACID)	1,113.300	LB
FERTILIZER (POTASH)	1,113.300	LB
AGRICULTURAL GRANULAR LIME	22,266.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	44.532	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.535	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.570	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	1,224.000	LF
SILT FENCE	16,216.000	LF
REPLACE/REPAIR SILT FENCE	1,622.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	4,054.000	LF



Call No.: 040

Letting Date: May 12, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
CLEANING INLET STRUCTURE FILTERS	2.000	EA
INLET STRUCTURE FILTER - TYPE A	20.000	LF
STABILIZED CONSTRUCTION ENTRANCE	500.000	SY



Call No.: 050 Letting Date: May 12, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2575620 PCN: P037118 Project No.: P037118

DBE Goal Percent: 0.00%

Approx. Length (miles):0.1510

Description: BRIDGE REPLACEMENT - ROCK SPRING ROAD (S-25-51) OVER MILL CREEK

CO(S): Hampton

Completion Date: 5/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	251.000	CY
BORROW EXCAVATION	4,893.000	CY
MUCK EXCAVATION	1,274.000	CY
GEOTEXTILE, SEPARATION	1,038.000	SY
GEOGRID REINFORCEMENT (BIAXIAL)	1,663.000	SY
STONE BRIDGE LIFT MATERIAL	998.000	TON
GRANULAR BRIDGE LIFT MATERIAL	100.000	CY
FINE GRADING	1,175.000	SY
FLOWABLE FILL	50.000	CY
MAINTENANCE STONE	10.000	TON
HMA SHOULDER WIDENING COURSE	80.000	TON
LIQUID ASPHALT BINDER PG64-22	40.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	100.000	SY
ASPHALT BASE COURSE - TYPE B	163.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	319.000	TON
ASPHALT SURFACE COURSE TYPE D	191.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	96.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	402.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	119.000	SF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	1,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	1,500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,900.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,300.000	LF



Call No.: 050

Letting Date: May 12, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	30.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	404.000	LF
CONC. FOR STRUCTURES - CLASS 4000	88.800	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	31,138.000	LB
3'-0" x 2'-0" CORED SLABS	718.500	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	200.000	LF
PILE DRIVING SET-UP	12.000	EA
STEEL H BEARING PILING (HP14 X 73)	642.000	LF
15" SMOOTH WALL PIPE	32.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	30.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	52.000	LF
ELASTOMERIC BEARING	24.000	EA
WATERPROOFING	225.600	SY
RIP-RAP (CLASS B)	283.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	312.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	50.000	SY
MT3 LEADING END TREATMENT TL3	3.000	EA
MT2 LEADING END TREATMENT TL2	1.000	EA
MGS3 GR STANDARD SHOULDER	62.500	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	3.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	1.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
NON-MOW STRIP UNDER GUARDRAIL	191.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	1,000.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	13.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.465	ACRE
TEMPORARY COVER	0.698	ACRE
COMPOST	125.000	CY
FERTILIZER (NITROGEN)	46.500	LB
FERTILIZER (PHOSPHORIC ACID)	46.500	LB
FERTILIZER (POTASH)	46.500	LB
AGRICULTURAL GRANULAR LIME	930.000	LB
MOWING	2.500	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	6.978	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	210.000	LF
SILT FENCE	2,600.000	LF
REPLACE/REPAIR SILT FENCE	260.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY(5'DEPTH)	400.000	LF
CLEANING SILT BASINS	1.000	CY



Call No.: 050

Letting Date: May 12, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
REMOVAL OF SILT RETAINED BY SILT FENCE	650.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 060 Letting Date: May 12, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4059900 PCN: P039239 Project No.: P039239
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 0.1720 Description: SAFETY IMPROVEMENT - SC 764 (RICHLAND CO)
 CO(S): Richland
 Completion Date: 4/30/2027 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	14.000	SY
UNCLASSIFIED EXCAVATION	315.000	CY
BORROW EXCAVATION	399.000	CY
FLOWABLE FILL	12.000	CY
MAINTENANCE STONE	25.000	TON
LIQUID ASPHALT BINDER PG64-22	1.105	TON
ASPHALT INTERMEDIATE COURSE TYPE C	5.000	TON
ASPHALT SURFACE COURSE TYPE C	10.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	176.000	SF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	131.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	18.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	32.000	LF
18" SMOOTH WALL PIPE	292.000	LF
DROP INLET (24" X 24")	4.000	EA
DROP INLET (24" X 24") WITH STANDARD 4' X 4' BOX	4.000	EA
BEVELING OF PIPE END	5.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	478.000	SY
CONCRETE DRIVEWAY(6" UNIFORM)	14.000	SY
PEDESTRIAN RAMP CONSTRUCTION	150.000	SY
SURFACE APPLIED DETECTABLE WARNING	75.000	SF
RIP-RAP (CLASS B)	66.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	81.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	4.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.249	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.498	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	60.000	LF
SILT FENCE	1,397.000	LF
CLEANING SILT BASINS	12.000	CY



Call No.: 060

Letting Date: May 12, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
CLEANING INLET STRUCTURE FILTERS	8.000	EA
INLET STRUCTURE FILTER - TYPE B	8.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 070 **Letting Date:** May 12, 2026 **Letting Time:** 2:00 pm **Page:** 1
SC File NO(S): 4277020 **PCN:** P043679 **Project No.:** P043679
DBE Goal Percent: 0.00% **PCN:** P043680 **Project No.:** P043680
Approx. Length (miles): 15.2400 **Description:** SPARTANBURG COUNTY SALES TAX TIER 2
CO(S): Spartanburg PH. 1 AND 2 RESURFACINGS
Completion Date: 7/31/2028 Days **Funding:** OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION 1031000	1.000	LS
BONDS AND INSURANCE 1032010	1.000	LS
MAINTENANCE STONE 3059900	83.000	TON
LIQUID ASPHALT BINDER PG64-22 4011004	3,303.200	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF. 4012060	10,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF 4012080	43,942.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75" 4013117	85,885.400	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0" 4013120	435,523.630	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE) 4013990	3,500.000	SY
ASPHALT INTERMEDIATE COURSE TYPE B 4030320	29,315.780	TON
ASPHALT SURFACE COURSE TYPE B 4040320	18,221.920	TON
ASPHALT SURFACE COURSE TYPE C 4040340	10,542.120	TON
DRIVEWAY PAVING-SURFACE TYPE C 4047220	883.920	TON
TRAFFIC CONTROL 6011000	1.000	LS
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT 6240005	111,913.270	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 6240010	280,942.280	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT 6240015	51,725.620	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT 6240025	33,751.040	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT 6240030	864.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT 6240035	112.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT 6240040	108.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT 6240043	16.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT 6240105	42,449.940	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT 6240110	717,380.120	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL. 6271005	28,065.820	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL. 6271010	70,235.570	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 6271015	12,931.410	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL 6271025	8,437.760	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL. 6271030	216.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL. 6271035	30.000	EA
WHITE WORD MESSAGE "STOP" -THERMOPLASTIC - 125 MIL. 6271039	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL 6271040	27.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL 6271043	4.000	EA



Call No.: 070

Letting Date: May 12, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL. 6271064	10,611.490	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL. 6271074	179,345.040	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4" 6300005	2,559.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4" 6301100	3,334.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT 6750275	5,520.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT 6750278	1,290.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY 6770389	8,600.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY) 6770394	8,600.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE 6770413	84,410.000	LF
SAWCUT FOR LOOP DETECTOR 6780495	30,160.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JHD 6800518	43.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT 6885993	31.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE 7203110	1,100.000	LF
CONCRETE SIDEWALK(4" UNIFORM) 7204100	4,000.000	SY
DETECTABLE WARNING MATERIAL 7204900	1,350.000	SF
PEDESTRIAN RAMP CONSTRUCTION 7209000	506.250	SY
GUARDRAIL POST 8051120	280.000	EA
MT3 LEADING END TREATMENT TL3 8051151	4.000	EA
MB TRAILING END TREATMENT 8051710	4.000	EA
MGS3 GR STANDARD SHOULDER 8052100	1,600.000	LF



Call No.: 080 Letting Date: May 12, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4373182 PCN: P039636 Project No.: P039636
DBE Goal Percent: 0.00%
Approx. Length (miles):0.3750 Description: INTERSECTION IMPROVEMENT-US 378 AND S-490 IN SUMTER COUNTY
CO(S): Sumter Funding: FED
Completion Date: 9/30/2027 Days

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	278.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,122.000	SY
FLOWABLE FILL	50.000	CY
LIQUID ASPHALT BINDER PG64-22	2.000	TON
ASPHALT BASE COURSE - TYPE A	15.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	4.000	TON
ASPHALT SURFACE COURSE TYPE B	4.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	18.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	5,365.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	645.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	8.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	8.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,544.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	640.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	81.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,838.000	LF
6"YELLOW SOLID LINES ON CURB/MED.-HIGH BUILD PAINT-25 MIL.	4,083.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	91.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	30.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	8.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	120.000	LF
REFLECTIVE SIGN POST PANELS	48.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,400.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	260.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	10.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	260.000	LF



Call No.: 080

Letting Date: May 12, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	180.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,470.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,450.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,335.000	LF
PRE-EMPTION DETECTOR CABLE (200'/TYPICAL DETECTOR) 1	4.000	EA
PRE-EMPTION DETECTOR	2.000	EA
PRE-EMPTION DETECTOR MOUNTING HARDWARE	2.000	EA
SAWCUT FOR LOOP DETECTOR	1,225.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
F&I 13"X32' STEEL STRAIN POLE-POWDER COATED AND FOUNDATION	2.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	108.059	LF
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 1	1.000	EA
FURNISH AND INSTALL BATTERY BACK-UP INCLUDING FOUNDATION	1.000	EA
INSTALL 2070L CONTROLLER UNIT &/OR CONFLICT MONITOR IN EXISTING CABINET	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 1	8.000	EA
F&I - 12" 1-WAY-1 SECTION(GREEN)VEHICLE TRAFFIC SIGNAL	2.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	10.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
INSTALL FLAT SHEET FIXED SIZE & MESSAGE SIGN-SPANWIRE MOUNT	59.000	SF
15" RC PIPE CUL.-CLASS III	72.000	LF
18" RC PIPE CUL.-CLASS III	952.000	LF
30" RC PIPE CUL.-CLASS III	76.000	LF
CATCH BASIN - TYPE 1 SPECIAL	10.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") SLOPING FACE	1,736.000	LF
CONCRETE MEDIAN	790.000	SY
10" PERFORATED PIPE UNDERDRAIN W/ GEOTEXTILE	806.000	LF
IRRIGATION SYSTEM COMPLETE	1.000	LS
SODDING	1.188	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	60.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	60.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2025, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal).

SUBMISSION OF BID BONDS. Bid Bonds must be submitted electronically, utilizing the Bid Bonds feature within the BidX Bid Form. The Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers
Contract Administrator