

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For June 08, 2021

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on May 11, 2021 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5505980	PCN: P029700	Project No.: P029700
DBE Goal Percent: 0.00%	PCN: P039725	Project No.: P039725
Approx. Length (miles):23.4870	Description: REHABILITATION/PRESERVATION - I-95	
CO(S): Dillon Florence		
Completion Date: 6/30/2024	Funding: ST	

MINIMUM REQUIRED QUARTERLY CPS: 68.8 (Period ending on December 31, 2020)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	1,600.000	HR
WRECKER SERVICE	14.000	DAY
ADDITIONAL WRECKER SERVICE	8.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING DROP INLET	2.000	EA
REMOVAL OF EXIST. GUARDRAIL	55,814.000	LF
REMOVAL & DISPOSAL OF EXISTING QUADRUPLE CULVERT(____)' X(____) 001	2.000	EA
UNCLASSIFIED EXCAVATION	40,072.000	CY
BORROW EXCAVATION	98,670.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	3,584.000	CY
GEOTEXTILE, SEPARATION	10,528.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	844.400	SY
GEOGRID STABILIZATION	10,528.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	4.000	EA
TEMPORARY SHORING WALL	796.500	LF
PERMANENT SHORING WALL	270.000	LF
STONE BRIDGE LIFT MATERIAL	3,950.000	TON
GRANULAR BRIDGE LIFT MATERIAL	2,237.000	CY
OVERHAUL	919.000	CYHM
FINE GRADING	43,353.000	SY
FLOWABLE FILL	90.000	CY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	40,256.000	SY
HOT MIX ASPHALT BASE COURSE - TYPE A	25,005.000	TON
PRIME COAT	10,064.000	GAL
LIQUID ASPHALT BINDER PG64-22	8,721.000	TON



Call No.: 010

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
LIQUID ASPHALT BINDER PG76-22	6,100.753	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	9,440.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	21,555.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	515,421.844	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	12,053.000	SY
MILLED-IN RUMBLE STRIP	41.164	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	9,394.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	43,571.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,856.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	59,184.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE SMA	100,161.983	TON
MILLING EXISTING CONCRETE PAV.(VARIABLE)	47,320.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	5,000.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	608.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	838.000	SF
DETOUR SIGNS	662.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH)	6.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 70MPH	8.000	EA
TEMPORARY CONCRETE BARRIER	25,550.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	9.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	106,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	462,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	462,000.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"WH.SOLID PREF.	3,390.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"YEL.SOLID PREF.	3,150.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	3,520.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	125.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	20.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	16,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	1.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	1.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	2,000.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	57,923.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	231,490.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	4,200.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	231,490.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	58,361.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	236,945.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	6,625.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	25.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	300.000	LF



Call No.: 010

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	235,045.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	3,180.000	EA
REMOVAL OF EXISTING RAISED PAVEMENT MARKERS	340.000	EA
REMOVAL OF PAVEMENT MARKINGS	11,000.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL8"WH.CONTRAST BROKEN	2,720.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	9,870.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	9,870.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	3,528.000	LF
WORK ZONE ITS	1.000	LS
CONC. FOR STRUCTURES - CLASS 4000	2,094.400	CY
CONCRETE,CLASS 4000 FOR FULL DEPTH PATCHING	4.000	CY
PARTIAL DEPTH PATCHING OF EXISTING DECK	346.000	SY
GROOVED SURFACE FINISH	4,529.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	842,564.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	72,384.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	4,740.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL 002	1,728.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	8.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	8.000	EA
PILE DRIVING SET-UP	48.000	EA
STEEL H BEARING PILING (HP14 X 73)	2,431.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	229.000	LF
DRILLED SHAFT SET-UP	24.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	918.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 60" DIAMETER	858.000	LF
CONSTRUCTION CASING - 60" DIAMETER	858.000	LF
18" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	144.000	LF
18" SMOOTH WALL PIPE	24.000	LF
24" SMOOTH WALL PIPE	156.000	LF
DROP INLET TYPE 112	8.000	EA
COVERT DROP INLET TYPE 112 FROM CB-9	50.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	80.000	LF
CONCRETE FLUME	1,800.000	LF
BITUMINOUS CURB	3,000.000	LF
DECK JOINT STRIP SEAL	184.000	LF
ELASTOMERIC BEARING	120.000	EA
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	4.000	EA
MACHINE PREPARATION OF EXISTING SURFACE	621.000	SY
HYDRO-DEMOLITION OF EXISTING SURFACE	621.000	SY



Call No.: 010

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
BLAST CLEANING	663.000	SY
CONCRETE OVERLAY (LATEX)	34.500	CY
CONCRETE OVERLAY (EPOXY) 001	12,557.270	SY
EPOXY-SAND SLURRY	375.000	SF
RESEAL DECK EXPANSION JOINT	3,608.100	LF
CROSSHOLE SONIC LOGGING SETUP	24.000	EA
RIP-RAP (CLASS A)	27.000	TON
RIP-RAP (CLASS B)	1,642.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	1,819.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	1,650.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	39,487.500	LF
MT3 LEADING END TREATMENT TL3	32.000	EA
MB TRAILING END TREATMENT	25.000	EA
MGS3 GR STANDARD SHOULDER	8,862.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	6.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	26.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	15.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	8.000	EA
NON-MOW STRIP UNDER GUARDRAIL	30,810.000	SY
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
46SS REINFORCED BARRIER WALL	690.000	LF
56SS REINFORCED BARRIER WALL	430.000	LF
PERMANENT COVER	114.592	ACRE
TEMPORARY COVER	57.296	ACRE
COMPOST	3,081.000	CY
FERTILIZER (NITROGEN)	11,459.200	LB
FERTILIZER (PHOSPHORIC ACID)	11,459.200	LB
FERTILIZER (POTASH)	11,459.200	LB
AGRICULTURAL GRANULAR LIME	229,184.000	LB
SELECTIVE WATERING	543,000.000	GAL
MOWING	343.776	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	58.000	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	6.415	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	229.184	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	2,790.000	LF
SILT FENCE	226,400.000	LF
REPLACE/REPAIR SILT FENCE	22,640.000	LF
CLEANING SILT BASINS	311.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	56,600.000	LF
INLET FILTER CLEANING	52.000	EA
INLET STRUCTURE FILTER - TYPE D2	2.000	EA
STABILIZED CONSTRUCTION ENTRANCE	12,100.000	SY



Call No.: 010

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
TEMPORARY BOLLARD	29.000	EA

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (See below list of approved contractors)



South Carolina Department of Transportation

5/3/2021

Call No.: 020 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2350861 PCN: P030817 Project No.: P030817

DBE Goal Percent: 11.00%

Approx. Length (miles):0.2420 Description: SAFETY IMPROVEMENTS AT S-279

CO(S): Greenville

Completion Date: 9/30/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
SMALL PUBLIC SEWER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
UNCLASSIFIED EXCAVATION	650.000	CY
BORROW EXCAVATION	3,327.000	CY
FINE GRADING	1,875.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	610.000	TON
LIQUID ASPHALT BINDER PG64-22	98.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
MILLED-IN RUMBLE STRIP	0.483	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	167.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	406.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	282.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	282.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	232.000	SF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	10,200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	10,200.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,550.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	5,800.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	950.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	200.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,550.000	LF



Call No.: 020

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
18" SMOOTH WALL PIPE	448.000	LF
CLEANING EXISTING PIPE	130.000	LF
DROP INLET (24" X 36") WITH STANDARD 4' X 4' BOX	4.000	EA
MANHOLE	1.000	EA
BEVELING OF PIPE END	3.000	EA
RIP-RAP (CLASS A)	30.000	TON
RIP-RAP (CLASS B)	196.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	3,000.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	201.000	SY
MT2 LEADING END TREATMENT TL2	2.000	EA
MGS3 GR STANDARD SHOULDER	700.000	LF
NON-MOW STRIP UNDER GUARDRAIL	3,500.000	SY
RESET CHAIN-LINK FENCE	275.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	19.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.206	ACRE
TEMPORARY COVER	0.603	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	2.414	ACRE
FERTILIZER (NITROGEN)	121.000	LB
FERTILIZER (PHOSPHORIC ACID)	121.000	LB
FERTILIZER (POTASH)	121.000	LB
AGRICULTURAL GRANULAR LIME	2,413.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.412	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.440	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.326	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	28.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	588.000	LF
SILT FENCE	900.000	LF
CLEANING SILT BASINS	600.000	CY
INLET FILTER CLEANING	6.000	EA
INLET STRUCTURE FILTER - TYPE D1	56.000	EA
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	100.000	SY
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

Upstate Sewer Utility Contractors

<u>Contractor</u>	<u>Address</u>	<u>Phone</u>	<u>Fax</u>
1. B&C Construction (Danny Taylor)	4320 Wade Hampton Blvd. Taylors, SC 29687 Danny@bcconstructions.com	(864) 244-4859	(864) 244-4904
2. Holmes Underground, Inc. (Melany Holmes Hickerson) (Lance Holmes – cell (864) 505-4861)	5220 Locust Hill Rd Travelers Rest, SC 29690 mhhickerson@holmesundergroundinc.com	(864) 895-8280	(864) 895-3078
3. Moorhead Construction (Don Moorhead, Kevin) (ACIPCO)	1513 Anderson St. Belton, SC 29627 office@moorheadconstruction.com	(864) 338-0888	(864) 338-1444
4. Osteen Construction, Inc. (Bill Osteen – cell 864-444-7007) bill@osteenconstruction.com	616 Pace Bridge Rd. Marietta, SC 29661	(864) 836-3756	
5. Payne, McGinn, & Cummins, Inc.	2017 N. Hwy 25 Travelers Rest, SC 29690	(864) 834-8221	(864) 834-5175
6. Roper Brothers, Inc. (David Roper – cell 864-303-4772) (John Roper – cell 864-303-4771)	1061 McCarter Rd. Fountain Inn, SC 29644 roperbrothersinc@bellsouth.net	(864) 862-1263	(864) 862-2066



Call No.: 030 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2758850 PCN: P039598 Project No.: P039598
 DBE Goal Percent: 0.00% PCN: P040129 Project No.: P040129
 Approx. Length (miles):5.8500 Description: REHABILITATION - JASPER COUNTY
 CO(S): Jasper
 Completion Date: 6/30/2022 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	6.000	EA
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	125.000	CY
BORROW EXCAVATION	2,566.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	911.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	79,657.610	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,305.780	TON
MAINTENANCE STONE	45.800	TON
LIQUID ASPHALT BINDER PG64-22	502.207	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	80.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,250.000	SY
MILLED-IN RUMBLE STRIP	9.680	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,214.041	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	187.400	TON
DRIVEWAY PAVING-SURFACE TYPE C	576.250	TON
DRIVEWAY PAVING-SURFACE TYPE D	30.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,068.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	24.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	57,007.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	290.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	172.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,230.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	39,291.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	72.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	171,021.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	810.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	502.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,690.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	117,873.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	382.000	EA
RIP-RAP (CLASS B)	6.000	TON



Call No.: 030

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.671	ACRE
ROOT BARRIER	40.000	LF



Call No.: 040 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3158920 PCN: P039565 Project No.: P039565

DBE Goal Percent: 0.00%

Approx. Length (miles):3.5400 Description: REHABILITATION - LEE COUNTY

CO(S): Lee

Completion Date: 4/30/2022 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,184.200	SY
BORROW EXCAVATION	623.000	CY
MAINTENANCE STONE	7.150	TON
LIQUID ASPHALT BINDER PG64-22	325.856	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	615.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	2,925.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,400.000	SY
MILLING - VARIABLE - 2' WIDTH	110.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,201.100	TON
DRIVEWAY PAVING-SURFACE TYPE C	971.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,494.000	SF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	145.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	950.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	200.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	26,020.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	270.000	EA
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	145.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	950.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	200.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	26,020.000	LF
ADJUST DROP INLET ADJUST D. I.	11.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	60.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	200.000	SY
DETECTABLE WARNING MATERIAL	487.500	SF



Call No.: 040

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PEDESTRIAN RAMP CONSTRUCTION	975.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.023	ACRE

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (See below list of approved contractors)



South Carolina Department of Transportation

5/3/2021

Call No.: 050 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3683560 PCN: 0033592RD01 Project No.: BR36020

DBE Goal Percent: 8.00%

Approx. Length (miles):0.2220

Description: BRIDGE REPLACEMENT - S-90

CO(S): Newberry

Completion Date: 11/30/2023

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY RELOCATION NO. ____ 001	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
SMALL PUBLIC SEWER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 012	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 013	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 014	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 015	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 016	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 017	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 018	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,160.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,200.000	SY
REMOVAL OF EXIST. GUARDRAIL	150.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS



Call No.: 050

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
FURNISH AND INSTALL MAILBOX	9.000	EA
UNCLASSIFIED EXCAVATION	1,076.000	CY
BORROW EXCAVATION	5,426.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	3,190.000	CY
FINE GRADING	4,200.000	SY
FLOWABLE FILL	100.000	CY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	370.000	SY
MAINTENANCE STONE	200.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,160.000	TON
HMA SHOULDER WIDENING COURSE	10.000	TON
PRIME COAT	100.000	GAL
LIQUID ASPHALT BINDER PG64-22	80.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	480.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	380.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	420.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
DETOUR SIGNS	469.000	SF
TEMPORARY CONCRETE BARRIER	50.000	LF
BARRICADE - TYPE 3	84.000	LF
PERMANENT TERMINAL IMPACT ATTENUATOR	1.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	2,450.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	50.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	180.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	50.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,600.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	15.000	EA
REMOVAL OF PAVEMENT MARKINGS	100.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	350.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	122.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	259.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,140.000	LF
INSTALL STREET LIGHT LUMINAIRE	4.000	EA
CONC. FOR STRUCTURES - CLASS 4000	337.100	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	66,175.000	LB
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	291.900	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	4.000	EA
PILE DRIVING SET-UP	14.000	EA



Call No.: 050

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
REINF. PILE TIPS (HP14 X 73)	14.000	EA
STEEL H BEARING PILING (HP14 X 73)	846.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	141.000	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL(GRANULAR)	4,460.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	8,021.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	368.000	LF
15" SMOOTH WALL PIPE	30.000	LF
18" SMOOTH WALL PIPE	920.000	LF
CATCH BASIN -TYPE 17	7.000	EA
CATCH BASIN -TYPE 18	3.000	EA
DROP INLET (24" X 24")	2.000	EA
DROP INLET (24" X 36")	1.000	EA
MANHOLE	1.000	EA
24" X 36" JUNCTION BOX	1.000	EA
BEVELING OF PIPE END	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,510.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	990.000	SY
DETECTABLE WARNING MATERIAL	90.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	260.000	SY
CONCRETE MEDIAN OVERLAY	15.000	SY
PEDESTRIAN RAMP CONSTRUCTION	175.000	SY
ELASTOMERIC BEARING	12.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	170.000	TON
AGGREGATE UNDERDRAIN (AGGR.NO. 57)	100.000	CY
6" PERFORATED PIPE UNDERDRAIN	100.000	LF
RIP-RAP (CLASS B)	60.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	365.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	15.000	SY
MT3 LEADING END TREATMENT TL3	1.000	EA
MB TRAILING END TREATMENT	1.000	EA
MGS2C GR BEHIND CURB	25.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	2.000	EA
ORNAMENTAL STEEL PICKET FENCE - 60"	207.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	35.000	EA
RIGHT OF WAY PLAT	1.000	LS



Call No.: 050

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
PERMANENT COVER	1.200	ACRE
TEMPORARY COVER	2.400	ACRE
FERTILIZER (NITROGEN)	200.000	LB
FERTILIZER (PHOSPHORIC ACID)	200.000	LB
FERTILIZER (POTASH)	200.000	LB
AGRICULTURAL GRANULAR LIME	4,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.000	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	26.500	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.900	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.600	ACRE
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	140.000	LF
SILT FENCE	2,350.000	LF
REPLACE/REPAIR SILT FENCE	240.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	590.000	LF
INLET STRUCTURE FILTER - TYPE D1	4.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	4.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	1.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 17)	4.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 18)	3.000	EA
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	300.000	SY
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 12"	200.000	LF
INSTALLATION OF MONITORING EQUIPMENT	1.000	LS
ANTI GRAFFITI COATING ANTI GRAFITI COATING	5,185.000	SF
PRESTRESSED CONCRETE COMPOSITE DECKED BEAM (TYPE III)	627.600	LF
LATEX MODIFIED CONCRETE	9.100	CY

City of Newberry
Boundary St. Water and Sewer Replacement
HMW No. NEW 005

Payne, McGinn & Cummins, Inc.
P.O. Box 820
Travelers Rest, SC 29690
Phone: (864) 834-8221
Fax: (864) 834-5175
Email: court@pmandc.us

McClam & Associates, Inc.
1642 Holy Trinity Church Rd.
Little Mountain, SC 29075
Phone: (803) 345-9194
Fax: (803) 345-5362
Mobile (Jesse McClam): (803) 603-6888
Email: jmccclam@mcclam.net

Tom Brigman Contractors, Inc.
P.O. Box 336
Newberry, SC 29108
Phone: (803) 276-4083
Fax: (803) 276-1050
Email: candaced@tombrigmancontractors.com



Call No.: 060 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4657850 PCN: P040065 Project No.: P040065
 DBE Goal Percent: 0.00% PCN: P040066 Project No.: P040066
 PCN: P040067 Project No.: P040067

Approx. Length (miles):9.7200 Description: REHABILITATION - YORK COUNTY
 CO(S): York

Completion Date: 6/30/2022 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	805.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	220.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	8.800	CY
UNCLASSIFIED EXCAVATION	1,871.750	CY
BORROW EXCAVATION	1,160.000	CY
STATION GRADING	56.840	STA
GEOGRID REINFORCEMENT (UNIAXIAL)	388.000	SY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	20,845.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	15,533.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	44,525.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,526.000	TON
MAINTENANCE STONE	472.500	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,400.000	TON
LIQUID ASPHALT BINDER PG64-22	1,201.066	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	395.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	3,110.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	130.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,300.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	5,540.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	25,710.000	SY
MILLED-IN RUMBLE STRIP	7.700	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	6,179.813	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,862.040	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	4,455.330	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,719.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	72,316.330	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,567.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	180.000	LF



Call No.: 060

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,627.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	278,456.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,828.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,280.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	27.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	14.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	9.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,210.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	312,723.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	500.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	400.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,912.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	88,279.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	774.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	90.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,354.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	20.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	5.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,210.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	98,355.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	44.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	752.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	33.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	60.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	135.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	370.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,869.000	LF
SAWCUT FOR LOOP DETECTOR	1,110.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	4.000	EA
CATCH BASIN - TYPE 16 (TOP ONLY)	1.000	EA
ADJUST CATCH BASIN	1.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	20.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	20.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	180.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	102.550	SY
DETECTABLE WARNING MATERIAL	387.500	SF



Call No.: 060

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
PEDESTRIAN RAMP CONSTRUCTION	775.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
BITUMINOUS CURB	225.000	LF
PREMASH THRIE WITH BASE PL 3.125 SPACING	235.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.850	ACRE
SILT FENCE	1,000.000	LF
REPLACE/REPAIR SILT FENCE	250.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF



Call No.: 070 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5457921	PCN: P039392	Project No.: P039392
DBE Goal Percent: 0.00%	PCN: P039393	Project No.: P039393
	PCN: P039394	Project No.: P039394
	PCN: P039395	Project No.: P039395
	PCN: P039396	Project No.: P039396
	PCN: P039397	Project No.: P039397
	PCN: P039398	Project No.: P039398

Approx. Length (miles):0.8200 Description: DRAINAGE - DISTRICT 7
CO(S): Cherokee Chester
 Chesterfield Fairfield
 Lancaster Union York

Completion Date: 5/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	6.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	1.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	112.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	136.000	LF
UNCLASSIFIED EXCAVATION	38.000	CY
BORROW EXCAVATION	3.000	CY
CATCH BASIN -TYPE 9	3.000	EA
CATCH BASIN -TYPE 16	1.000	EA
CATCH BASIN -TYPE 17	2.000	EA
ADDITIONAL LENGTH CATCH BASIN	3.000	LF
DROP INLET (24" X 36") WITH STANDARD 4' X 4' BOX	1.000	EA
CATCH BASIN TYPE 1 (TOP ONLY)	1.000	EA
CATCH BASIN - TYPE 9(TOP ONLY)	1.000	EA
CATCH BASIN - TYPE 16 (TOP ONLY)	2.000	EA
CATCH BASIN - TYPE 17 (TOP ONLY)	6.000	EA
ADJUST CATCH BASIN	9.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	2.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	16.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	9.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	156.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	20.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	112.000	SY



Call No.: 080 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5558790	PCN: P039924	Project No.: P039924
DBE Goal Percent: 0.00%	PCN: P040130	Project No.: P040130
	PCN: P040238	Project No.: P040238
	PCN: P040280	Project No.: P040280
	PCN: P040347	Project No.: P040347

Approx. Length (miles):9.1800 Description: REHABILITATION - DISTRICT 5
CO(S): Horry Marion Williamsburg

Completion Date: 6/30/2022 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,836.000	CY
EXCAVATION FOR SHOULDER PAVING	378.048	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	378.048	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	57,259.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,019.000	TON
MAINTENANCE STONE	39.100	TON
HMA SHOULDER WIDENING COURSE	1,890.240	TON
LIQUID ASPHALT BINDER PG64-22	918.903	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,910.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,560.000	SY
MILLED-IN RUMBLE STRIP	13.680	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,191.783	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,335.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	708.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,008.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	201,500.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	360.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	300.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	20,820.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	113,650.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	79,800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	120.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	200.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	47,350.000	LF



Call No.: 080

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	645.000	EA
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.844	ACRE



Call No.: 090 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5558800	PCN: P039964	Project No.: P039964
DBE Goal Percent: 0.00%	PCN: P040277	Project No.: P040277
	PCN: P040377	Project No.: P040377

Approx. Length (miles): 10.2700 Description: REHABILITATION - DARLINGTON/FLORENCE
CO(S): Darlington Florence CO

Completion Date: 6/30/2022 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	2,055.000	CY
EXCAVATION FOR SHOULDER PAVING	340.032	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	340.032	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	47,080.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,390.000	TON
MAINTENANCE STONE	73.800	TON
HMA SHOULDER WIDENING COURSE	1,700.160	TON
LIQUID ASPHALT BINDER PG64-22	921.734	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,380.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	950.000	SY
MILLED-IN RUMBLE STRIP	12.860	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	11,465.023	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,105.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	990.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,144.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	780.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	169,930.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	120.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	630.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	17,340.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	69,330.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	310.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	68,010.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	40.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	305.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,180.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	27,110.000	LF



Call No.: 090

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	701.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.711	ACRE



Call No.: 100 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5558810 PCN: P040378 Project No.: P040378

DBE Goal Percent: 0.00%

Approx. Length (miles):NA

Description: PAVEMENT MARKINGS - DISTRICT 5

CO(S): DISTRICT5

Completion Date: 5/31/2022

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	207,150.000	EA



Call No.: 110 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5658021	PCN: P040035	Project No.: P040035
DBE Goal Percent: 0.00%	PCN: P040036	Project No.: P040036
	PCN: P040037	Project No.: P040037
	PCN: P040046	Project No.: P040046
	PCN: P040048	Project No.: P040048
	PCN: P040049	Project No.: P040049

Approx. Length (miles):7.5000 Description: PRESERVATION - DISTRICT 6
CO(S): Colleton Dorchester
Completion Date: 6/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
BORROW EXCAVATION	180.000	CY
MAINTENANCE STONE	22.579	TON
LIQUID ASPHALT BINDER PG76-22	455.935	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,257.891	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	17,209.400	SY
MILLED-IN RUMBLE STRIP	6.080	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	820.375	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	6,031.994	TON
DRIVEWAY PAVING-SURFACE TYPE D	193.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,192.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	5,606.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	32,102.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	424.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	1.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	1.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	2,110.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	40,749.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	11,212.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	64,204.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	848.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA



Call No.: 110

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,220.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	81,498.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	1,970.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	143.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	104.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	859.000	EA
REMOVAL OF PAVEMENT MARKINGS	245.000	LF
REMOVAL OF ALL PAVEMENT MARKINGS	9.860	LM
DETECTABLE WARNING MATERIAL	10.000	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
ROOT BARRIER	614.000	LF



Call No.: 120 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S).: 5658830 PCN: P039688 Project No.: P039688
 DBE Goal Percent: 0.00% PCN: P040195 Project No.: P040195
 Approx. Length (miles):N/A Description: SIGNALS -
 CO(S).: Berkeley Charleston CHARESTON/BERKELEY/DORCHESTER
 Dorchester
 Completion Date: 10/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	12.000	SY
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,990.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,090.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	40.000	LF
REMOVAL OF PAVEMENT MARKINGS	1,130.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	38.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	30.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	5.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	4.000	EA
FURNISH & INSTALL 2.0" GALVANIZED RIGID CONDUIT	60.000	LF
FURNISH & INSTALL 1.0" FLEX.GALV.STEEL CONDUIT-WEATHER	130.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	420.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	3,020.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	170.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	490.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	1,420.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	4,285.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	7,075.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	8,930.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	9,645.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,050.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	9,360.000	LF
F&I CATEGORY 5 CABLE - SHIELDED	560.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	450.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	1.000	EA
FIBER OPTIC REPAIR SPLICE OH/UG	2.000	EA
SAWCUT FOR LOOP DETECTOR	3,230.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
MOD. EXIST ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA



Call No.: 120

Letting Date: June 08, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	32.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	2.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	1,640.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	15.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	5.000	EA
F&I LOOP DETECTOR AMPLIFIER W/HARNES 2-CHANNEL W/DEL/EXT TIMING	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	5.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	48.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	14.000	EA
F&I - 1-WAY-1SECT.HAND/MAN COUNTDOWN PEDESTRIAN SIGNAL HEAD	24.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	38.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	20.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	55.000	EA
F&I-PEDESTRIAN TRAF. SIGNAL HEAD MOUNTING ASSEM FOR POST TOP	1.000	EA
F&I-PED. TRAF. SIGNAL HEAD MOUNT. ASSY FOR DUAL POST TOP	2.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	4.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	1.000	EA
POWDERCOATING PER MAST ARM OVER GALVANIZED	7.000	EA
DECORATIVE OPTION PER MAST ARM	7.000	EA
DESIGN,FURNISH,INSTALL STEEL POLE W/ MAST ARM W/O FOUNDATION	5.000	EA
INSTALL FOUNDATION FOR MAST ARM INCLUDING CONCRETE AND REBAR	60.000	CY
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS WITHOUT FOUNDATION 001	1.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	3.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	6.000	SY
DETECTABLE WARNING MATERIAL	163.000	SF
PEDESTRIAN RAMP CONSTRUCTION	325.000	SY



Call No.: 130 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5758820 PCN: P040380 Project No.: P040380
DBE Goal Percent: 0.00%
Approx. Length (miles):24.1800 Description: FENCE REPLACEMENT - AIKEN/HAMPTON CO
CO(S): Aiken Hampton
Completion Date: 5/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
WOVEN WIRE FENCE - TYPE 1 WITH 2 STRANDS BARBED	134,300.000	LF
24' WIDE- CHAIN LINK FENCE GATE (48"HT) DOUBLE SWING GATES	5.000	EA



Call No.: 140 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5759020 PCN: P040463 Project No.: P040463

DBE Goal Percent: 0.00%

Approx. Length (miles):345.6100 Description: PAVEMENT MARKINGS - DISTRICT 7

CO(S): DISTRICT7

Completion Date: 5/31/2022

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,690.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,689,040.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	251,820.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	2,503,670.000	LF



Call No.: 150 Letting Date: June 08, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8858960 PCN: P039568 Project No.: P039568
DBE Goal Percent: 0.00%
Approx. Length (miles):51.4200 Description: FENCE REPLACEMENT - DISTRICTS 1 & 7
CO(S): Calhoun Clarendon
 Lexington Orangeburg
Completion Date: 5/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
WOVEN WIRE FENCE - TYPE 1 WITH 2 STRANDS BARBED	287,400.000	LF
24' WIDE- CHAIN LINK FENCE GATE (48"HT) DOUBLE SWING GATES	14.000	EA

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator