

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For June 09, 2020

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on May 12, 2020 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: June 09, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0208170 PCN: P028151 Project No.: P028151
 DBE Goal Percent: 0.00%
 Approx. Length (miles):0.8300 Description: INTERSECTION IMPROVEMENTS - S-144/S-33/S-780
 CO(S): Aiken
 Completion Date: 6/30/2021 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 00	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 01	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 02	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 03	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 04	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 05	1.000	LS
UNCLASSIFIED EXCAVATION	8,973.000	CY
FINE GRADING	13,508.000	SY
FLOWABLE FILL	13.000	CY
MAINTENANCE STONE	760.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	3,709.000	TON
LIQUID ASPHALT BINDER PG64-22	461.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	685.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	631.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	12,452.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,728.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,137.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,386.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	979.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	300.000	SF
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	108.000	EA
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	788.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	172.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	9,217.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	93.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA



Call No.: 010

Letting Date: June 09, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	8,630.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	741.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	868.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	7,757.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	418.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	505.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	12,350.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	23.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	52.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	222.000	EA
REMOVAL OF PAVEMENT MARKINGS	400.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	115.130	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	35.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	5.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	178.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	195.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	457.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	167.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,175.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,658.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,253.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	322.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,017.000	LF
SAWCUT FOR LOOP DETECTOR	742.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH AND INSTALL 13" X 30' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	506.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	3.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	9.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	4.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	12.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	1.000	EA



Call No.: 010

Letting Date: June 09, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
18" RC PIPE CUL.-CLASS III	811.000	LF
24" RC PIPE CUL.-CLASS III	121.000	LF
30" RC PIPE CUL.-CLASS III	77.000	LF
18" RC PIPE CUL.-CLASS IV	666.000	LF
24" RC PIPE CUL.-CLASS IV	93.000	LF
30" RC PIPE CUL.-CLASS IV	77.000	LF
18" RC PIPE CUL.-CLASS V	253.000	LF
24" RC PIPE CUL.-CLASS V	113.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	318.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-IV	150.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	2.000	EA
CATCH BASIN -TYPE 9	2.000	EA
CATCH BASIN -TYPE 16	10.000	EA
DROP INLET (24" X 36")	3.000	EA
TRENCH DRAIN-12" INTERIOR DIMENSION (DRIVEWAY APPLICATION)	67.000	LF
MANHOLE	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,300.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	624.000	SY
DETECTABLE WARNING MATERIAL	166.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	33.000	SY
CONCRETE MEDIAN	173.000	SY
PEDESTRIAN RAMP CONSTRUCTION	164.000	SY
RIP-RAP (CLASS A)	25.000	TON
RIP-RAP (CLASS B)	11.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	74.000	SY
MOVING ITEM NO. 01	1.000	LS
MOVING ITEM NO. 02	1.000	LS
MOVING ITEM NO. 03	1.000	LS
MOVING ITEM NO. 04	1.000	LS
MOVING ITEM NO. 06	1.000	LS
MOVING ITEM NO. 07	1.000	LS
MOVING ITEM NO. 08	1.000	LS
MOVING ITEM NO. 09	1.000	LS
MOVING ITEM NO. 10	1.000	LS
MOVING ITEM NO. 12	1.000	LS
MOVING ITEM NO. 13	1.000	LS
MOVING ITEM NO. 14	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	67.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.100	ACRE
TEMPORARY COVER	1.550	ACRE



Call No.: 010

Letting Date: June 09, 2020

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
COMPOST	1,251.000	CY
FERTILIZER (NITROGEN)	310.000	LB
FERTILIZER (PHOSPHORIC ACID)	310.000	LB
FERTILIZER (POTASH)	310.000	LB
AGRICULTURAL GRANULAR LIME	6,200.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	9.300	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	4.787	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	2.250	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	0.033	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.820	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	202.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	710.000	LF
SILT FENCE	2,300.000	LF
REPLACE/REPAIR SILT FENCE	230.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	575.000	LF
INLET STRUCTURE FILTER - TYPE D1	3.000	EA
STABILIZED CONSTRUCTION ENTRANCE	825.000	SY



Call No.: 020 Letting Date: June 09, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0255180 PCN: P038651 Project No.: P038651
DBE Goal Percent: 0.00%
Approx. Length (miles): 4.4000 Description: RESURFACE - AIKEN COUNTY
CO(S): Aiken
Completion Date: 6/30/2021 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	880.000	CY
EXCAVATION FOR SHOULDER PAVING	108.768	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	108.768	STA
MAINTENANCE STONE	32.000	TON
HMA SHOULDER WIDENING COURSE	543.840	TON
LIQUID ASPHALT BINDER PG64-22	484.713	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	3,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	775.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,522.453	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,670.773	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,200.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	548.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	628.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	1,035.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	41,077.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	352.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	1,560.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	41,077.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	82,157.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	352.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,560.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	112,356.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	4.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	302.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	800.000	LF
SAWCUT FOR LOOP DETECTOR	300.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.266	ACRE



Call No.: 030 Letting Date: June 09, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0405500 PCN: P028744 Project No.: P028744

DBE Goal Percent: 8.50% PCN: P037434 Project No.: P037434

Approx. Length (miles): 0.7390

Description: CORRIDOR IMPROVEMENTS - SC 153

CO(S): Anderson

Completion Date: 11/30/2021

Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 68.0 (Period ending on December 31, 2016)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	123.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	808.000	SY
REMOVAL OF EXIST. GUARDRAIL	277.000	LF
UNCLASSIFIED EXCAVATION	3,821.000	CY
ROCK EXCAVATION	100.000	CY
BORROW EXCAVATION	1,636.000	CY
MUCK EXCAVATION	125.000	CY
GEOTEXTILE, SEPARATION	185.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	690.000	CY
DEWATERING SYSTEM NO. 001	1.000	LS
NO. 57 STONE FOR BACKFILL	165.000	TON
FINE GRADING	7,262.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,750.000	TON
LIQUID ASPHALT BINDER PG64-22	444.000	TON
FULL DEPTH ASPH. PAV. PATCHING 12" UNIF	750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	420.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,477.000	SY
MILLED-IN RUMBLE STRIP	0.270	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,729.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,266.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	193.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	375.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,432.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
TEMPORARY CONCRETE BARRIER	340.000	LF



Call No.: 030

Letting Date: June 09, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
TEMPORARY WATER FILLED POLYETHYLENE BARRIER	500.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	1.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	3.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	6,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	22,900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	20,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	375.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,060.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	460.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	66.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	8.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	37.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	80.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	114.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	53.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	11,200.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	375.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,500.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	37.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	26.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	11,400.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	120.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	130.000	EA
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	61.000	SF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	462.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,999.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	80.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,614.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	4,210.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	2,073.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,059.000	LF
SAWCUT FOR LOOP DETECTOR	2,503.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	18.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	2.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	8.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	1,336.000	LF
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA



Call No.: 030

Letting Date: June 09, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 002	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	5.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	6.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	7.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 003	4.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	22.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	8.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	2.000	EA
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	14.000	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	1,355.000	LB
15" SMOOTH WALL PIPE	24.000	LF
18" SMOOTH WALL PIPE	484.000	LF
24" SMOOTH WALL PIPE	200.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	2.000	EA
DROP INLET (24" X 36")	3.000	EA
MANHOLE	1.000	EA
CONCRETE MEDIAN	174.000	SY
7'X 5' P.C. BOX CULVERT {AASHTO M-259} FH = 5	117.000	LF
10" PIPE SLOPE DRAIN	100.000	LF
RIP-RAP (CLASS B)	245.000	TON
RIP-RAP (CLASS C)	200.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	170.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	152.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	775.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MB TRAILING END TREATMENT	2.000	EA
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	6.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	28.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.742	ACRE
TEMPORARY COVER	0.872	ACRE
FERTILIZER (NITROGEN)	174.200	LB
FERTILIZER (PHOSPHORIC ACID)	174.200	LB
FERTILIZER (POTASH)	174.200	LB
AGRICULTURAL GRANULAR LIME	3,484.000	LB
SELECTIVE WATERING	108,600.000	GAL
MOWING	5.226	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	3.955	MSY



Call No.: 030

Letting Date: June 09, 2020

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
TURF REINFORCEMENT MATTING (TRM) TYPE 3	1.405	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	9.188	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.742	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	100.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	100.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	786.000	LF
SILT FENCE	2,349.000	LF
SILT BASINS	629.000	CY
CLEANING INLET STRUCTURE FILTERS	30.000	EA
INLET STRUCTURE FILTER - TYPE D2	1.000	EA
INLET STRUCTURE FILTER - TYPE A	98.000	LF
STABILIZED CONSTRUCTION ENTRANCE	2,200.000	SY



Call No.: 040 Letting Date: June 09, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0488410 PCN: P028261 Project No.: P028261
DBE Goal Percent: 17.50% PCN: P039067 Project No.: P039067
Approx. Length (miles): 1.2110 Description: CORRIDOR IMPROVEMENT S-403
CO(S): Anderson
Completion Date: 6/30/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
UNCLASSIFIED EXCAVATION	69.000	CY
BORROW EXCAVATION	751.000	CY
FLOWABLE FILL	25.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	9,850.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	478.000	TON
MAINTENANCE STONE	100.000	TON
LIQUID ASPHALT BINDER PG64-22	57.581	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	250.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	900.620	TON
DRIVEWAY PAVING-SURFACE TYPE C	59.063	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	156.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	282.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	104.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	18,930.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	140.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	18,800.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	52.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	9,465.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	70.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	9,400.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	59.000	EA
18" SMOOTH WALL PIPE	1,348.000	LF
CATCH BASIN -TYPE 16	8.000	EA
CATCH BASIN -TYPE 18	2.000	EA
MANHOLE	2.000	EA
BEVELING OF PIPE END	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,735.000	LF



Call No.: 040

Letting Date: June 09, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
CONCRETE SIDEWALK(4" UNIFORM)	969.000	SY
PEDESTRIAN RAMP RETROFIT	1.000	EA
DETECTABLE WARNING MATERIAL	37.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	35.000	SY
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
RIP-RAP (CLASS B)	7.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	9.000	SY
RESET FENCE	350.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.853	ACRE
TEMPORARY COVER	1.000	ACRE
MOWING	1.200	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.600	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	290.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	190.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	2,250.000	LF
SILT FENCE	4,150.000	LF
REPLACE/REPAIR SILT FENCE	250.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	625.000	LF
CLEANING INLET STRUCTURE FILTERS	45.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 050 Letting Date: June 09, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1855340 PCN: P038348 Project No.: P038348
DBE Goal Percent: 0.00% PCN: P038356 Project No.: P038356
Approx. Length (miles): 14.6500 Description: SAFETY IMPROVEMENTS - SC 61
CO(S): Dorchester
Completion Date: 11/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,140.000	SY
UNCLASSIFIED EXCAVATION	500.000	CY
BORROW EXCAVATION	6,705.000	CY
EXCAVATION FOR SHOULDER PAVING	1,014.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,014.000	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	163,445.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,947.000	TON
MAINTENANCE STONE	225.000	TON
HMA SHOULDER WIDENING COURSE	6,759.000	TON
LIQUID ASPHALT BINDER PG64-22	2,871.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	145,845.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,000.000	SY
MILLED-IN RUMBLE STRIP	44.250	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	16,345.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	22,791.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,034.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,172.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	80,160.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	311,640.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	142,700.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	600.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	155,820.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	300.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	15,080.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	71,350.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	545.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	460.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 050

Letting Date: June 09, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	254.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	133.000	LF
REFLECTIVE SIGN POST PANELS	90.000	LF
GUARDRAIL DELINEATOR - WHITE	106.000	EA
15" SMOOTH WALL PIPE	1,400.000	LF
18" SMOOTH WALL PIPE	1,720.000	LF
24" SMOOTH WALL PIPE	1,675.000	LF
CLEANING EXISTING PIPE	300.000	LF
BEVELING OF PIPE END	480.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	650.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	2,350.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	500.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	250.000	LF
MOP350 THRIE W MOMENT SLAB 6.25 SPACE	250.000	LF
PREMASH W-TO-THRIE BRIDGE CONN WTBBC	8.000	EA
PREMASH TYPE T TL3 LEADING 50'	28.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	12.700	ACRE
SILT FENCE	2,700.000	LF



Call No.: 060 Letting Date: June 09, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2603440 PCN: P029061 Project No.: P029061

DBE Goal Percent: 8.50%

Approx. Length (miles): 2.7640

Description: WIDEN US 501 SB

CO(S): Horry

Completion Date: 10/31/2022

Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 69.0 (Period ending on December 31, 2016)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	919.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,989.000	SY
REMOVAL OF EXIST. GUARDRAIL	1,464.000	LF
UNCLASSIFIED EXCAVATION	16,664.000	CY
BORROW EXCAVATION	53,510.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	3,850.000	CY
15" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	15.000	LF
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,000.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	570.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	320.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	350.000	LF
42" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	300.000	LF
48" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	465.000	LF
54" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	890.000	LF
60" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	580.000	LF
GEOTEXTILE, SEPARATION	4,450.000	SY
GEOGRID STABILIZATION	6,400.000	SY
STONE BRIDGE LIFT MATERIAL	7,300.000	TON
GRANULAR BRIDGE LIFT MATERIAL	5,100.000	CY
FINE GRADING	33,537.000	SY
FLOWABLE FILL	631.000	CY
MAINTENANCE STONE	1,648.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	17,561.000	TON
LIQUID ASPHALT BINDER PG64-22	2,416.000	TON



Call No.: 060

Letting Date: June 09, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
MILLING EXISTING ASPHALT PAVEMENT 2.0"	61,515.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,100.000	SY
MILLED-IN RUMBLE STRIP	5.434	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	20,348.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	10,957.000	TON
TEMPORARY CONSTRUCTION SIGNS (BARRICADE MOUNTED)	32.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	770.000	SF
DETOUR SIGNS	20.000	SF
BARRICADE - TYPE 3	30.000	LF
TEMPORARY CONCRETE BARRIER	200.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	1.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	3.000	EA
TYPE B - FLASHING LIGHT	8.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	24,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	76,710.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	66,120.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	291.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	24.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	66.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	550.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	27,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,600.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	16,075.000	LF
WHITE SINGLE FISH HOOK ARROW THERMO.-125 MIL.	58.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	59.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	28,400.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	480.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	30.000	EA
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	369.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	64.000	EA
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	31.500	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	1,276.750	SF
BREAK-AWAY SIGN SUPPORTS	247.000	LB
REMOVAL OF I-BEAM SUPPORTS	8.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 002	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 003	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 004	1.000	EA



Call No.: 060

Letting Date: June 09, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
OVERHEAD SIGN STRUCTURE NO.(____) 005	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 006	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 007	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 008	1.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,002.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,045.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	184.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	1,511.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	4,214.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	5,643.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	5,448.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	6,008.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	16,417.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	4.000	EA
SAWCUT FOR LOOP DETECTOR	5,759.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	51.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	15.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	3,074.000	LF
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 005	4.000	EA
F&I LOOP DETECTOR AMPLIFIER W/HARNESS 2-CHANNEL W/DEL/EXT TIMING	3.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	6.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	10.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 006	58.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	74.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	15.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	4.000	EA
15" SMOOTH WALL PIPE	60.000	LF
18" SMOOTH WALL PIPE	3,480.000	LF
24" SMOOTH WALL PIPE	1,888.000	LF
30" SMOOTH WALL PIPE	1,048.000	LF
36" SMOOTH WALL PIPE	1,144.000	LF
42" SMOOTH WALL PIPE	988.000	LF
48" SMOOTH WALL PIPE	1,544.000	LF
54" SMOOTH WALL PIPE	2,956.000	LF
60" SMOOTH WALL PIPE	1,932.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	4.000	EA
DROP INLET TYPE 112	67.000	EA
TRENCH DRAIN-12" MEDIAN APPLICATION	197.000	LF



Call No.: 060

Letting Date: June 09, 2020

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
JUNCTION BOX (SPECIAL) 001	1.000	EA
EXTRA DEPTH OF BOX	13.630	LF
BEVELING OF PIPE END	24.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	316.000	LF
CONCRETE MEDIAN	645.000	SY
RIP-RAP (CLASS B)	586.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	766.000	SY
MT3 LEADING END TREATMENT TL3	7.000	EA
MB TRAILING END TREATMENT	4.000	EA
RESETM MB TRAILING END	5.000	EA
MGS3 GR STANDARD SHOULDER	1,862.500	LF
46SS REINFORCED BARRIER WALL	10.000	LF
56SS REINFORCED BARRIER WALL	40.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	57.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	19.817	ACRE
TEMPORARY COVER	9.909	ACRE
COMPOST	533.000	CY
FERTILIZER (NITROGEN)	1,982.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,982.000	LB
FERTILIZER (POTASH)	1,982.000	LB
AGRICULTURAL GRANULAR LIME	39,634.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	59.451	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	13.359	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	16.167	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.651	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	430.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	30.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	7,165.000	LF
SILT FENCE	11,600.000	LF
REPLACE/REPAIR SILT FENCE	2,900.000	LF
CLEANING SILT BASINS	1,072.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,160.000	LF
INLET FILTER CLEANING	74.000	EA
INLET STRUCTURE FILTER - TYPE D1	70.000	EA
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	37.000	SY
STABILIZED CONSTRUCTION ENTRANCE	1,650.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	520.000	HR



Call No.: 070 Letting Date: June 09, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3049350 PCN: P030241 Project No.: P030241

DBE Goal Percent: 13.00%

Approx. Length (miles):0.4590 Description: INTERSECTION IMPROVEMENT-US 76 AT S-72

CO(S): Laurens

Completion Date: 6/30/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,850.000	SY
UNCLASSIFIED EXCAVATION	3,700.000	CY
BORROW EXCAVATION	8,700.000	CY
FINE GRADING	7,500.000	SY
FLOWABLE FILL	45.000	CY
MAINTENANCE STONE	300.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,500.000	TON
LIQUID ASPHALT BINDER PG64-22	162.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	150.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,300.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	800.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	913.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	69.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	868.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	472.000	SF
BARRICADE - TYPE 3	96.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	6,900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	11,700.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	650.000	LF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	64.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,300.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,300.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	150.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	64.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,900.000	LF



Call No.: 070

Letting Date: June 09, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	200.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	185.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	382.000	LF
REFLECTIVE SIGN POST PANELS	125.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 001	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	7.000	EA
15" SMOOTH WALL PIPE	248.000	LF
18" SMOOTH WALL PIPE	192.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	2.000	EA
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN -TYPE 16	1.000	EA
DROP INLET (24" X 24")	1.000	EA
BEVELING OF PIPE END	14.000	EA
CONCRETE CURB (9" X 15")	252.000	LF
CONCRETE GUTTER-TYPE 1	65.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,450.000	LF
CONCRETE MEDIAN	410.000	SY
AGGREGATE UNDERDRAIN AGGR. UNDERDRAIN	100.000	LF
4" PERFORATED PIPE UNDERDRAIN	100.000	LF
RIP-RAP (CLASS B)	80.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	75.000	SY
MT3 LEADING END TREATMENT TL3	1.000	EA
MB TRAILING END TREATMENT	1.000	EA
MGS3 GR STANDARD SHOULDER	462.500	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	30.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.000	ACRE
TEMPORARY COVER	2.000	ACRE
SEEDING - ERAGROSTIS CURVULA - WEEPING LOVEGRASS	0.503	MSY
FERTILIZER (NITROGEN)	400.000	LB
FERTILIZER (PHOSPHORIC ACID)	400.000	LB
FERTILIZER (POTASH)	400.000	LB
AGRICULTURAL GRANULAR LIME	800.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	12.000	ACRE
DOUBLE-SHREDDED HARDWOOD MULCH	315.000	SF
MUHLENBERGIA CAPILLARIS (PINK MUHLY GRASS) #1 CONT.	35.000	EA
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.500	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	4.000	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	2.000	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	32.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	32.000	LF



Call No.: 070

Letting Date: June 09, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
SEDIMENT TUBES FOR DITCH CHECKS	375.000	LF
SILT FENCE	1,500.000	LF
REPLACE/REPAIR SILT FENCE	50.000	LF
DITCH CHECK	25.000	TON
CLEANING INLET STRUCTURE FILTERS	8.000	EA
INLET STRUCTURE FILTER - TYPE B	2.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	50.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 080 Letting Date: June 09, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3853671 PCN: P038899 Project No.: P038899

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.6900 Description: PRESERVATION - ORANGEBURG COUNTY

CO(S): Orangeburg

Completion Date: 11/30/2020 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	1.450	TON
LIQUID ASPHALT BINDER PG64-22	0.819	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	145.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	13.000	TON
PREVENTATIVE MAINTENANCE SURFACE TREATMENT	23,750.399	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	652.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	80.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	10,110.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	474.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	640.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	11,144.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	115.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	40.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	5,055.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	237.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	320.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	5,572.000	LF
SURFACE APPLIED DETECTABLE WARNING	50.000	SF

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Cory Pope at (803)737-4459 or Popeck@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

J.Brian Parnell
Contract Administrator