

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For July 14, 2020

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on June 16, 2020 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: July 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0687590 PCN: P028052 Project No.: P028052
DBE Goal Percent: 8.00%
Approx. Length (miles):0.8460 Description: INTERSECTION IMPROVEMENT - US 278/SC
CO(S): Barnwell 300
Completion Date: 8/31/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING DROP INLET	5.000	EA
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,710.000	SY
UNCLASSIFIED EXCAVATION	10,177.000	CY
BORROW EXCAVATION	10,891.000	CY
MUCK EXCAVATION	1,150.000	CY
GEOTEXTILE, SEPARATION	560.000	SY
GEOGRID STABILIZATION	560.000	SY
STONE BRIDGE LIFT MATERIAL	195.000	TON
GRANULAR BRIDGE LIFT MATERIAL	195.000	CY
FINE GRADING	11,455.000	SY
MAINTENANCE STONE	1,100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,846.000	TON
LIQUID ASPHALT BINDER PG64-22	380.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,713.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,142.000	SY
MILLED-IN RUMBLE STRIP	2.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,514.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,319.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	352.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	660.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	17,426.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	68.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,204.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	22,628.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	330.000	LF



Call No.: 010

Letting Date: July 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	8,713.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	68.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	602.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	11,314.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	212.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	60.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	151.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	462.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	76.500	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	10.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	134.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	21.000	LF
SQUARE TUBING POST 12 GAUGE - 2" X 2" X 8	856.000	LF
18" SMOOTH WALL PIPE	2,279.000	LF
24" SMOOTH WALL PIPE	91.000	LF
30" SMOOTH WALL PIPE	108.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	2.000	EA
CATCH BASIN -TYPE 16	1.000	EA
CATCH BASIN -TYPE 17	5.000	EA
DROP INLET (24" X 24")	1.000	EA
BEVELING OF PIPE END	10.000	EA
CONCRETE CURB AND GUTTER(2'-0") SLOPING FACE	1,170.000	LF
CONCRETE DRIVEWAY(6" UNIFORM)	864.000	SY
RIP-RAP (CLASS A)	62.000	TON
RIP-RAP (CLASS B)	349.120	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	593.940	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MGS3 GR STANDARD SHOULDER	212.500	LF
TEMPORARY BARRIER FENCE	875.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	37.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	5.177	ACRE
TEMPORARY COVER	2.589	ACRE
FERTILIZER (NITROGEN)	517.720	LB
FERTILIZER (PHOSPHORIC ACID)	517.720	LB
FERTILIZER (POTASH)	517.720	LB
AGRICULTURAL GRANULAR LIME	10,354.400	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	15.532	ACRE



Call No.: 010

Letting Date: July 14, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.165	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	7.826	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	1.763	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.763	ACRE
HYDR.EROS.CONTRL.PROD.(HECP) - TYPE 1 AS TRACER UNDER TRM	1.651	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	80.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	80.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	258.000	LF
SILT FENCE	4,197.396	LF
REPLACE/REPAIR SILT FENCE	719.740	LF
SILT BASINS	914.810	CY
CLEANING SILT BASINS	2,131.610	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,049.349	LF
INLET STRUCTURE FILTER - TYPE B	1.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	11.235	TON
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY



Call No.: 020 Letting Date: July 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1712040 PCN: P030669 Project No.: P030669

DBE Goal Percent: 8.50%

Approx. Length (miles): 0.3640 Description: INTERSECTION IMPROVEMENT - S-25/US
CO(S): Dillon 301/501

Completion Date: 4/30/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	392.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,286.000	SY
UNCLASSIFIED EXCAVATION	682.000	CY
BORROW EXCAVATION	2,274.000	CY
MUCK EXCAVATION	1,000.000	CY
FINE GRADING	4,007.000	SY
MAINTENANCE STONE	300.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	657.000	TON
LIQUID ASPHALT BINDER PG64-22	83.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,420.000	SY
MILLED-IN RUMBLE STRIP	0.560	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	40.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	385.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	152.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	410.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	200.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	354.000	SF
DETOUR SIGNS	89.000	SF
BARRICADE - TYPE 3	138.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	800.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	490.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	3,887.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	7,154.000	LF



Call No.: 020

Letting Date: July 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	57.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	500.000	LF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	34.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	64.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	5,400.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	75.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	400.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	7,000.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	104.000	LF
15" SMOOTH WALL PIPE	136.000	LF
18" SMOOTH WALL PIPE	584.000	LF
DROP INLET (24" X 36")	4.000	EA
MANHOLE	1.000	EA
BEVELING OF PIPE END	6.000	EA
RIP-RAP (CLASS A)	4.700	TON
RIP-RAP (CLASS B)	142.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	191.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	29.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.043	ACRE
TEMPORARY COVER	1.522	ACRE
COMPOST	82.000	CY
FERTILIZER (NITROGEN)	305.000	LB
FERTILIZER (PHOSPHORIC ACID)	305.000	LB
FERTILIZER (POTASH)	305.000	LB
AGRICULTURAL GRANULAR LIME	6,086.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	9.129	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	6.090	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	275.000	LF
SILT FENCE	106.000	LF
CLEANING SILT BASINS	46.000	CY
INLET FILTER CLEANING	8.000	EA
INLET STRUCTURE FILTER - TYPE A	60.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	0.750	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 030 Letting Date: July 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2450630 PCN: P030237 Project No.: P030237
 DBE Goal Percent: 14.00%
 Approx. Length (miles): 0.3300 Description: INTERSECTION IMPROVEMENTS - SC 702/SC
 CO(S): Greenwood 246
 Completion Date: 6/30/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,351.000	SY
UNCLASSIFIED EXCAVATION	1,520.000	CY
BORROW EXCAVATION	3,923.000	CY
FINE GRADING	6,810.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	868.000	TON
LIQUID ASPHALT BINDER PG64-22	153.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	954.000	SY
MILLED-IN RUMBLE STRIP	0.660	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	243.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	793.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	719.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	241.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	324.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	10,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	11,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	150.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	8.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,410.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	84.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,850.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA



Call No.: 030

Letting Date: July 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	35.000	EA
18" SMOOTH WALL PIPE	104.000	LF
24" SMOOTH WALL PIPE	64.000	LF
MANHOLE	2.000	EA
MANHOLE-CONVERT D.I. 24"X 36"	1.000	EA
BEVELING OF PIPE END	3.000	EA
4" PIPE UNDERDRAIN	50.000	LF
4" PERFORATED PIPE UNDERDRAIN	150.000	LF
4" UNDERDRAIN END PROTECTOR	1.000	EA
RIP-RAP (CLASS A)	205.000	TON
RIP-RAP (CLASS B)	122.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	375.000	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MGS3 GR STANDARD SHOULDER	400.000	LF
NON-MOW STRIP UNDER GUARDRAIL	307.000	SY
RESET FENCE	90.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	16.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.909	ACRE
TEMPORARY COVER	2.909	ACRE
FERTILIZER (NITROGEN)	291.000	LB
FERTILIZER (PHOSPHORIC ACID)	291.000	LB
FERTILIZER (POTASH)	291.000	LB
AGRICULTURAL GRANULAR LIME	5,819.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	11.636	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.141	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.390	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	11.636	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	20.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	20.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	375.000	LF
SILT FENCE	3,900.000	LF
REPLACE/REPAIR SILT FENCE	390.000	LF
CLEANING SILT BASINS	17.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	975.000	LF
DITCH CHECK	40.000	TON
CLEANING INLET STRUCTURE FILTERS	4.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	302.500	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 040 Letting Date: July 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2756550 PCN: P038611 Project No.: P038611

DBE Goal Percent: 0.00%

Approx. Length (miles): 4.3100 Description: REHABILITATION - JASPER COUNTY

CO(S): Jasper

Completion Date: 6/30/2021 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,005.000	CY
EXCAVATION FOR SHOULDER PAVING	299.900	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	299.900	STA
MAINTENANCE STONE	66.160	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,999.360	TON
LIQUID ASPHALT BINDER PG64-22	600.455	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,616.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,100.000	SY
MILLED-IN RUMBLE STRIP	4.420	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,224.760	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,575.813	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	225.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	314.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,032.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	126.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	45,473.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	136.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	2,160.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	33,963.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	332.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	114,246.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	316.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	6,270.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	80,846.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	287.000	EA
RIP-RAP (CLASS B)	10.000	TON
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.179	ACRE
ROOT BARRIER	115.000	LF



Call No.: 050 Letting Date: July 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2856240 PCN: P039527 Project No.: P039527
DBE Goal Percent: 0.00%
Approx. Length (miles): 3.5300 Description: REHABILITATION/RECONSTRUCTION -
CO(S): Kershaw KERSHAW COUNTY
Completion Date: 6/30/2021 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	900.000	SY
BORROW EXCAVATION	614.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	14,500.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	392.000	TON
MAINTENANCE STONE	3.750	TON
LIQUID ASPHALT BINDER PG64-22	266.005	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	375.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	9,460.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,120.000	SY
MILLED-IN RUMBLE STRIP	2.060	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,848.893	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	285.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	285.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	873.500	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	80.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	65,710.000	LF
8" WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,750.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,360.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	3.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	68,650.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	2.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	259.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	40.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	21,965.000	LF



Call No.: 050

Letting Date: July 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	585.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	530.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1.000	EA
WHITE COMBINATION ARROW (STRAIGHT&RIGHT OR STRAIGHT&LEFT) - SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 002	1.000	EA
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	1,000.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	21,050.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,000.000	LF
SAWCUT FOR LOOP DETECTOR	600.000	LF
DETECTABLE WARNING MATERIAL	450.000	SF
PEDESTRIAN RAMP CONSTRUCTION	900.000	SY
SURFACE APPLIED DETECTABLE WARNING	50.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.977	ACRE



Call No.: 060 Letting Date: July 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3655330 PCN: P038113 Project No.: P038113
DBE Goal Percent: 0.00%
Approx. Length (miles):9.8000 Description: SAFETY IMPROVEMENTS - SC 34
CO(S): Newberry
Completion Date: 10/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	500.000	SY
UNCLASSIFIED EXCAVATION	1,296.000	CY
BORROW EXCAVATION	7,100.000	CY
EXCAVATION FOR SHOULDER PAVING	1,035.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,035.000	STA
MAINTENANCE STONE	325.000	TON
HMA SHOULDER WIDENING COURSE	12,355.200	TON
LIQUID ASPHALT BINDER PG64-22	1,792.300	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	6,324.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	131,296.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
MILLED-IN RUMBLE STRIP	29.400	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	18,397.900	TON
DRIVEWAY PAVING-SURFACE TYPE D	246.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	544.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	13,717.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	206,976.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	200,000.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,350.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	103,488.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	675.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	69,400.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	6,856.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	700.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	180.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	120.000	LF
REFLECTIVE SIGN POST PANELS	120.000	LF
GUARDRAIL DELINEATOR - WHITE	805.000	EA



Call No.: 060

Letting Date: July 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
15" SMOOTH WALL PIPE	650.000	LF
18" SMOOTH WALL PIPE	650.000	LF
24" SMOOTH WALL PIPE	200.000	LF
CLEANING EXISTING PIPE	500.000	LF
BEVELING OF PIPE END	164.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	8,600.000	LF
MT3 LEADING END TREATMENT TL3	82.000	EA
MGS3 GR STANDARD SHOULDER	1,375.000	LF
MGS3CS GR COMPRESSED SHOULDER	14,100.000	LF
MGS CURVED SYSTEM	25.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	7,000.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	300.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	30.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	4.800	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	200.000	LF
SILT FENCE	10,000.000	LF
REPLACE/REPAIR SILT FENCE	1,000.000	LF



Call No.: 070 Letting Date: July 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5155810 PCN: P037958 Project No.: P037958

DBE Goal Percent: 0.00%

Approx. Length (miles): Description: SIGNAL UPGRADES - DISTRICT 1

CO(S): Kershaw Lexington
Richland Sumter

Completion Date: 7/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	75.000	SY
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	62.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	485.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	15.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	239.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	150.000	LF
REMOVAL OF PAVEMENT MARKINGS	40.000	LF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	52.500	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FIXED SIZE & MSG.	47.500	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	4.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	28.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	84.000	LF
REMOVAL OF U-SECTION POST	2.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	230.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,770.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	230.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	290.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	345.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	13,675.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	6,570.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	245.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	11,428.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	200.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	1.000	EA
SAWCUT FOR LOOP DETECTOR	4,663.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	7.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	22.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	44.000	EA
17"X30"X18"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	7.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	27.000	EA



Call No.: 070

Letting Date: July 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,825.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	5.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	7.000	EA
FURNISH AND INSTALL SOLAR POWERED FLASHER ASSEMBLY	3.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	51.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	8.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	20.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	57.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	7.000	EA
DETECTABLE WARNING MATERIAL	62.500	SF
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF



Call No.: 080 Letting Date: July 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5255820 PCN: P037959 Project No.: P037959
DBE Goal Percent: 0.00%
Approx. Length (miles):0.0000 Description: SIGNAL UPGRADES - DISTRICT 2
CO(S): Anderson Greenwood
 Newberry
Completion Date: 9/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	625.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	75.000	LF
REMOVAL OF PAVEMENT MARKINGS	75.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	135.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	18.000	EA
RELOCATION OF MOUNT.ASSEMBLY FOR FS.SIGN ON SPAN WIRE	8.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,145.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	3,580.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	235.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,030.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	6,060.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	4,570.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	3,240.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	9,620.000	LF
SAWCUT FOR LOOP DETECTOR	3,700.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	7.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	42.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	7.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	6.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	8.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	3,140.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	2.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	11.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	7.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	18.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	54.000	EA
F&I - 1-WAY-1SECT.HAND/MAN COUNTDOWN PEDESTRIAN SIGNAL HEAD	20.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	24.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	74.000	EA



Call No.: 080

Letting Date: July 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	14.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	7.000	EA
RELOCATE EXISTING OVERHEAD SIGN TO NEW SPAN WIRE.	8.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	39.000	SY
DETECTABLE WARNING MATERIAL	50.000	SF
PEDESTRIAN RAMP CONSTRUCTION	6.000	SY



Call No.: 090 Letting Date: July 14, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5456140 PCN: P037961 Project No.: P037961
DBE Goal Percent: 0.00% PCN: P039513 Project No.: P039513
Approx. Length (miles): Description: SIGNAL UPGRADES - DISTRICT 4
CO(S): Chester Chesterfield
Fairfield Lancaster York
Completion Date: 7/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	120.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	910.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	460.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	15.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	2.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	2.000	EA
REMOVAL OF PAVEMENT MARKINGS	130.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	153.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	15.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	13.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	2.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	40.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	607.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,533.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	271.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	1,000.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	650.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	5,871.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	9,246.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	8,605.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	4,272.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	12,952.000	LF
SAWCUT FOR LOOP DETECTOR	4,077.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	9.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	25.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	32.000	EA
17"X30"X18"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	7.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	5.000	EA
FURNISH & INSTALL 13" X 26' STEEL STRAIN POLE AND FOUNDATION	4.000	EA



Call No.: 090

Letting Date: July 14, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	7.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	3.000	EA
FURNISH & INSTALL 35' CONCRETE STRAIN POLE	1.000	EA
FURNISH & INSTALL 40' CONCRETE STRAIN POLE	2.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	3,832.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	14.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	8.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	7.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	69.000	EA
F&I - 1-WAY-1SECT.HAND/MAN COUNTDOWN PEDESTRIAN SIGNAL HEAD	40.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	8.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	44.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	10.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	76.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	3.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	8.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 003	2.000	EA
DETECTABLE WARNING MATERIAL	218.000	SF
PEDESTRIAN RAMP CONSTRUCTION	150.000	SY

60 Day Ad in the July 14, 2020 Highway Letting

MINIMUM REQUIRED QUARTERLY CPS: 69.0 (Period ending on March 31, 2020)



South Carolina Department of Transportation

6/8/2020

Call No.: 10 Letting Date: August 11, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2783830 PCN: 0039168RD01 Project No.: RU27001
 DBE Goal Percent: 13.00%
 Approx. Length (miles): 4.1940 Description: WIDENING - US 17 - JASPER CO.
 CO(S): Jasper
 Completion Date: 6/30/2024 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	140.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	75,703.000	SY
CULVERT EXTENSION PREPARATION	4.000	EA
UNCLASSIFIED EXCAVATION	418,341.000	CY
BORROW EXCAVATION	563,430.000	CY
MUCK EXCAVATION	7,498.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	47,900.000	SY
GEOGRID REINFORCEMENT (BIAXIAL)	941.000	SY
GEOTEXTILE SOIL REINFORCEMENT	167,322.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	60.000	EA
MONITORING DEVICE – PIEZOMETER – VIBRATING-WIRE	21.000	EA
VIBRATING WIRE DATA COLLECTION CENTER	21.000	EA
STRUCTURE EXCAVATION FOR CULVERTS	290.000	CY
COFFERDAM	6.000	EA
TEMPORARY SHORING WALL	400.000	LF
GRANULAR BRIDGE LIFT MATERIAL	140,607.000	CY
FINE GRADING	181,740.000	SY
FLOWABLE FILL	361.000	CY
MAINTENANCE STONE	50.000	TON
CEMENT STAB. AGGR. BASE CR. (9" UNIF.)	170,060.000	SY
PORTLAND CEMENT FOR CEMENT STAB. AGGREGATE BASE COURSE POR.	3,656.000	TON
CEMENT FOR CEMENT STABILIZED AGGR. BASE COURSE		
LIQUID ASPHALT BINDER PG64-22	1,737.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	250.000	SY
MILLED-IN RUMBLE STRIP	15.810	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	17,898.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	17,625.000	TON



Call No.: 10

Letting Date: August 11, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
DRIVEWAY PAVING-SURFACE TYPE B	200.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	400.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	28.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	18.000	EA
TEMPORARY CONCRETE BARRIER	22,300.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	15,750.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	50.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	620,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	582,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	5,200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"YELLOW SOLID LINES	125.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	225.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	41,600.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING SYMBOLS) (TRAFFIC CONTROL)	100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	76.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	44.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	610.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	10,800.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	48,800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	900.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	25.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,725.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	50.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	45,400.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	125.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	8.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	12.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	490.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	328.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	15.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	27.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	45.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	550.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	177.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	642.000	LF



Call No.: 10

Letting Date: August 11, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	200.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	971.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,394.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	70.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,780.000	LF
SAWCUT FOR LOOP DETECTOR	658.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	562.000	LF
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	8.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	9.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	356.500	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	56,734.000	LB
18" SMOOTH WALL PIPE	13,828.000	LF
24" SMOOTH WALL PIPE	191.000	LF
36" SMOOTH WALL PIPE	148.000	LF
18" ELASTOMER/FABRIC BACKFLOW CHECK VALVE	28.000	EA
24" ELASTOMER/FABRIC BACKFLOW CHECK VALVE	3.000	EA
36" ELASTOMER/FABRIC BACKFLOW CHECK VALVE	4.000	EA
CATCH BASIN -TYPE 1 CB - TYPE 1	5.000	EA
DROP INLET TYPE 112	95.000	EA
BEVELING OF PIPE END	36.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	125.000	LF
CONCRETE MEDIAN	722.000	SY
5'X 5' P.C. BOX CULVERT {AASHTO M-259} FH = 10	276.000	LF
AGGREGATE UNDERDRAIN (AGGR.NO. 57)	1,360.000	CY
PREFABRICATED VERTICAL DRAIN WITH FABRIC	1,006,015.000	LF
RIP-RAP (CLASS B)	341.000	TON
RIP-RAP (CLASS C)	1,021.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	634.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	2,403.000	SY
MT3 LEADING END TREATMENT TL3	11.000	EA
MB TRAILING END TREATMENT	11.000	EA
MGS3 GR STANDARD SHOULDER	3,550.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	55.000	EA



Call No.: 10

Letting Date: August 11, 2020

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	91.550	ACRE
TEMPORARY COVER	45.775	ACRE
FERTILIZER (NITROGEN)	9,155.000	LB
FERTILIZER (PHOSPHORIC ACID)	9,155.000	LB
FERTILIZER (POTASH)	9,155.000	LB
AGRICULTURAL GRANULAR LIME	183,100.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	274.650	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	269.114	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	183.100	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	26,360.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	570.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	13,900.000	LF
SILT FENCE	170,944.000	LF
REPLACE/REPAIR SILT FENCE	12,821.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	32,052.000	LF
CLEANING INLET STRUCTURE FILTERS	500.000	EA
INLET STRUCTURE FILTER - TYPE A	38,000.000	LF
INLET STRUCTURE FILTER - TYPE G	655.000	EA
STABILIZED CONSTRUCTION ENTRANCE	2,750.000	SY
UNCLASSIFIED EXCAVATION SPECIAL NO. 1	68,348.000	CY
UNCLASSIFIED EXCAVATION SPECIAL NO. 2	68,348.000	CY
UNCLASSIFIED EXCAVATION SPECIAL NO. 3	68,348.000	CY
VIBRATING WIRE SETTLEMENT SENSOR	4.000	EA
MAGNETIC EXTENSOMETERS	21.000	EA
GROUNDWATER OBSERVATION WELL	21.000	EA

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Cory Pope at (803)737-4459 or Popeck@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Interim Contract Administrator