

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For August 10, 2021

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on July 13, 2021 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8805393	PCN: P029541	Project No.: P029541
DBE Goal Percent: 10.00%	PCN: P029938	Project No.: P029938
Approx. Length (miles):53.9760	Description: BRIDGE REHABILITATION/PRESERVATION - DORCHESTER/ORANGEBURG	
CO(S): Dorchester Orangeburg		
Completion Date: 10/31/2024	Funding: FED	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	13,435.000	LF
UNCLASSIFIED EXCAVATION	7,868.000	CY
BORROW EXCAVATION	202,800.000	CY
EXCAVATION FOR SHOULDER PAVING	2,417.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	2,417.000	STA
HMA SHOULDER WIDENING COURSE	15,684.000	TON
LIQUID ASPHALT BINDER PG64-22	7,447.000	TON
LIQUID ASPHALT BINDER PG76-22	6,113.000	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	4,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	171,039.000	SY
FULL DEPTH ASPH. PAV. PATCHING 14"UNIF	2,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 15"UNIF	20,534.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	868,193.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,979.000	SY
MILLED-IN RUMBLE STRIP	88.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	76,669.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	101,869.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	41,443.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	8,333.000	TON
DIAMOND GRINDING OF CONCRETE PAVEMENT	19,186.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,164.000	SF
DETOUR SIGNS	3,560.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	1.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	222,400.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"WH.BROKEN	660.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	48,400.000	LF



Call No.: 010

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	959,150.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	939,750.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"WH.SOLID PREF.	36,630.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 6"YEL.SOLID PREF.	40,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	52,420.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	12.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR. - 4"X4"	4,600.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	67,400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	21,000.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	292,050.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	16,095.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	550.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	11.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	285,700.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	3,740.000	EA
REMOVAL OF PAVEMENT MARKINGS	23,100.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	11,100.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	12,200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"BLUE.SOLID	1,350.000	LF
CLEANING EXISTING PIPE	11,500.000	LF
POLYMER MODIFIED ASPHALT EXPANSION JOINT	294.000	LF
MT3 LEADING END TREATMENT TL3	116.000	EA
MEDIAN CABLE BARRIER	4,770.000	LF
RESET MEDIAN CABLE BARRIER	10,535.000	LF
MB TRAILING END TREATMENT	32.000	EA
MGS3 GR STANDARD SHOULDER	34,525.000	LF
CABLE BARRIER END ANCHOR	5.000	EA
RESET CABLE BARRIER END ANCHOR	11.000	EA
NON-MOW STRIP UNDER GUARDRAIL	24,897.000	SY
2' CRASH CUSHION 3A	2.000	EA
TEMPORARY BARRIER FENCE	39,746.000	LF
PERMANENT COVER	194.532	ACRE
TEMPORARY COVER	97.267	ACRE
COMPOST	78,461.000	CY
FERTILIZER (NITROGEN)	19,453.200	LB
FERTILIZER (PHOSPHORIC ACID)	19,453.200	LB
FERTILIZER (POTASH)	19,453.200	LB
AGRICULTURAL GRANULAR LIME	389,064.000	LB



Call No.: 010

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
SELECTIVE WATERING	814,500.000	GAL
MOWING	583.596	ACRE
ENHANCED STACKED DITCH CHECKS	15,540.000	LF
TEMPORARY EROSION CONTROL BLANKET (ECB)	55.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	194.532	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	97.266	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	99,370.000	LF
SILT FENCE	551,868.000	LF
REPLACE/REPAIR SILT FENCE	55,187.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	137,900.000	LF
INLET FILTER CLEANING	105.000	EA
INLET STRUCTURE FILTER - TYPE D1	70.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	70.000	EA
INLET STRUCTURE FILTER - TYPE D2	35.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	35.000	EA
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	10,920.000	HR



Call No.: 020 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0754230 PCN: P032094 Project No.: P032094
DBE Goal Percent: 12.00%
Approx. Length (miles):0.7700 Description: SAFETY IMPROVEMENTS - US 278
CO(S): Beaufort
Completion Date: 6/30/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	1,220.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,521.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	48.000	CY
UNCLASSIFIED EXCAVATION	560.000	CY
BORROW EXCAVATION	2,229.000	CY
MUCK EXCAVATION	500.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	334.000	TON
LIQUID ASPHALT BINDER PG64-22	96.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,507.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	103.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,060.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	250.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	728.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	100.000	SF
DETOUR SIGNS	237.000	SF
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	8.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	4,191.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	579.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	10,479.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	2,931.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	1,485.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	2,307.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	5,730.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"YELLOW SOLID LINES	591.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 12"X18" WHITE TRIANGLE YIELD BAR	48.000	LF



Call No.: 020

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	21.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	2.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	16.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	199.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,397.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,493.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	495.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	769.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	16.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,910.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	21.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	16.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	193.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	977.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	197.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	1.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	2.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	58.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	6.000	EA
REMOVAL OF PAVEMENT MARKINGS	711.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	48.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	24.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	6.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	2.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	14.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	58.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	160.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	435.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	80.000	LF
FURNISH & INSTALL 3" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	355.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,410.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	10,240.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	6,710.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,466.000	LF
SAWCUT FOR LOOP DETECTOR	664.000	LF
MOD. EXIST ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	4.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	1.000	EA



Call No.: 020

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	1.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	480.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	6.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	13.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	4.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	4.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	9.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	19.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
POWDERCOATING PER MAST ARM OVER BASE	1.000	EA
LUMINAIRE OPTION FOR MAST ARM - TO ACCOUNT FOR TALLER POLE	1.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	1.000	EA
INSTALL CLOSED CIRCUIT TV CAMERA - HIGHWAY USAGE	1.000	EA
18" SMOOTH WALL PIPE	431.000	LF
24" SMOOTH WALL PIPE	540.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	2.000	EA
CATCH BASIN -TYPE 16	5.000	EA
CATCH BASIN -TYPE 17	1.000	EA
CATCH BASIN -TYPE 18	1.000	EA
DROP INLET (24" X 24")	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") OGEE	212.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,113.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	176.000	SY
DETECTABLE WARNING MATERIAL	38.000	SF
CONCRETE MEDIAN	153.000	SY
CONCRETE FLUME	1.000	EA
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
PERMANENT COVER	0.600	ACRE
TEMPORARY COVER	1.200	ACRE
SELECT MATERIAL	70.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	1.800	ACRE
FERTILIZER (NITROGEN)	60.000	LB
FERTILIZER (PHOSPHORIC ACID)	60.000	LB
FERTILIZER (POTASH)	60.000	LB
AGRICULTURAL GRANULAR LIME	1,200.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.600	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.200	SY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	120.000	LF



Call No.: 020

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	96.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	208.000	LF
SILT FENCE	228.000	LF
INLET FILTER CLEANING	25.000	EA
INLET STRUCTURE FILTER - TYPE B	3.000	EA
INLET STRUCTURE FILTER - TYPE A	1.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 030 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2259120 PCN: P038119 Project No.: P038119

DBE Goal Percent: 0.00%

Approx. Length (miles): 16.8000 Description: SAFETY IMPROVEMENTS - US 17A

CO(S): Georgetown

Completion Date: 8/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	600.000	SY
REMOVAL OF EXIST. GUARDRAIL	500.000	LF
UNCLASSIFIED EXCAVATION	150.000	CY
BORROW EXCAVATION	8,000.000	CY
EXCAVATION FOR SHOULDER PAVING	982.080	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	982.080	STA
MAINTENANCE STONE	200.000	TON
HMA SHOULDER WIDENING COURSE	7,267.400	TON
LIQUID ASPHALT BINDER PG64-22	1,513.700	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,200.000	SY
MILLED-IN RUMBLE STRIP	61.610	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	17,459.200	TON
DRIVEWAY PAVING-SURFACE TYPE D	800.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	744.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	500.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	29,070.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	197,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	101,930.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	500.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	250.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	95,800.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	250.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	14,535.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	50,965.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,150.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	416.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	228.000	LF



Call No.: 030

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
REFLECTIVE SIGN POST PANELS	252.000	LF
GUARDRAIL DELINEATOR - WHITE	616.000	EA
15" SMOOTH WALL PIPE	500.000	LF
18" SMOOTH WALL PIPE	1,500.000	LF
24" SMOOTH WALL PIPE	750.000	LF
CLEANING EXISTING PIPE	500.000	LF
MANHOLE WITH STANDARD 4' X 4' BOX	2.000	EA
BEVELING OF PIPE END	370.000	EA
RIP-RAP (CLASS B)	100.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	150.000	SY
MT3 LEADING END TREATMENT TL3	10.000	EA
MGS3CS GR COMPRESSED SHOULDER	1,575.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	6.700	ACRE
SILT FENCE	1,600.000	LF



Call No.: 040 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2659100 PCN: P037084 Project No.: P037084
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 7.3400 Description: SAFETY IMPROVEMENTS - SC 90 (HORRY CO)
 CO(S): Horry
 Completion Date: 7/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	250.000	SY
REMOVAL OF EXIST. GUARDRAIL	500.000	LF
UNCLASSIFIED EXCAVATION	50.000	CY
BORROW EXCAVATION	3,495.000	CY
EXCAVATION FOR SHOULDER PAVING	380.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	380.000	STA
MAINTENANCE STONE	200.000	TON
HMA SHOULDER WIDENING COURSE	5,069.000	TON
LIQUID ASPHALT BINDER PG64-22	391.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	6,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	118,272.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	625.000	SY
MILLED-IN RUMBLE STRIP	21.600	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,352.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	820.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	912.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	4,200.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	18,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	228,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	192,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	750.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	76,100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	250.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,000.000	LF



Call No.: 040

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	64,000.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	50.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	500.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	288.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	216.000	LF
REFLECTIVE SIGN POST PANELS	216.000	LF
GUARDRAIL DELINEATOR - WHITE	30.000	EA
15" SMOOTH WALL PIPE	2,000.000	LF
18" SMOOTH WALL PIPE	1,280.000	LF
24" SMOOTH WALL PIPE	400.000	LF
CLEANING EXISTING PIPE	300.000	LF
BEVELING OF PIPE END	430.000	EA
CONCRETE DRIVEWAY(6" UNIFORM)	54.000	SY
RIP-RAP (CLASS B)	100.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	150.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	400.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	6.900	ACRE
SILT FENCE	600.000	LF

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (See below list of approved contractors)



South Carolina Department of Transportation

7/6/2021

Call No.: 050 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3254380 PCN: P029660 Project No.: P029660

DBE Goal Percent: 10.00%

Approx. Length (miles):0.3470 Description: INTERSECTION IMPROVEMENTS - S-408 AND S-204

CO(S): Lexington

Completion Date: 10/31/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,870.000	SY
UNCLASSIFIED EXCAVATION	2,366.000	CY
BORROW EXCAVATION	2,539.000	CY
FINE GRADING	3,100.000	SY
FLOWABLE FILL	5.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	774.000	TON
LIQUID ASPHALT BINDER PG64-22	115.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,000.000	SY
MILLED-IN RUMBLE STRIP	0.090	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	217.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	629.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	436.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	146.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	540.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	368.000	SF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	11,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	11,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	50.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	100.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	940.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	75.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	100.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF



Call No.: 050

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	50.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,700.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	150.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	50.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	60.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	131.400	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	225.000	LF
REFLECTIVE SIGN POST PANELS	90.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 001	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	7.000	EA
18" SMOOTH WALL PIPE	1,576.000	LF
24" SMOOTH WALL PIPE	568.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	3.000	EA
CATCH BASIN -TYPE 16	14.000	EA
DROP INLET (24" X 36") WITH STANDARD 4' X 4' BOX	3.000	EA
MANHOLE	3.000	EA
BEVELING OF PIPE END	14.000	EA
CONCRETE CURB (9" X 15")	160.000	LF
CONCRETE CURB AND GUTTER(1'-6") OGEE	575.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,605.000	LF
CONCRETE MEDIAN	310.000	SY
RIP-RAP (CLASS B)	90.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	113.000	SY
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	21.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.520	ACRE
TEMPORARY COVER	1.520	ACRE
SEEDING - ERAGROSTIS CURVULA - WEEPING LOVEGRASS	0.160	MSY
FERTILIZER (NITROGEN)	152.000	LB
FERTILIZER (PHOSPHORIC ACID)	152.000	LB
FERTILIZER (POTASH)	152.000	LB
AGRICULTURAL GRANULAR LIME	3,040.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.080	ACRE
DOUBLE-SHREDDED HARDWOOD MULCH	315.000	SF
MUHLENBERGIA CAPILLARIS (PINK MUHLY GRASS) #1 CONT.	35.000	EA
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.099	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	3.040	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	208.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	208.000	LF



Call No.: 050

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
SEDIMENT TUBES FOR DITCH CHECKS	388.000	LF
SILT FENCE	811.000	LF
CLEANING INLET STRUCTURE FILTERS	34.000	EA
INLET STRUCTURE FILTER - TYPE B	50.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

Mandatory Approved Utility Contractors

Sean Walker
CR Jackson Inc.
POB 8023
Columbia, SC 29202

Joey Williams
Stutts and Willia111s
POB 2046
Lexington, South Carolina 29071

Wayne Bye
McClam & Associates
1642 Holy Trinity Road
Little Mountain, SC 29075

Greg Rickenbacker
LAD Construction LLC
POB 1129
Swansea, SC 29160



Call No.: 060 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3259370 PCN: P040452 Project No.: P040452
 DBE Goal Percent: 5.00% PCN: P040453 Project No.: P040453
 Approx. Length (miles): 10.9000 Description: SAFETY IMPROVEMENTS - LEXINGTON CO
 CO(S): Lexington
 Completion Date: 10/31/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING	1.000	LS
SELECTED REMOVAL OF MARKED TREES	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	4,300.000	SY
UNCLASSIFIED EXCAVATION	980.000	CY
BORROW EXCAVATION	4,400.000	CY
EXCAVATION FOR SHOULDER PAVING	1,161.600	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,161.600	STA
MAINTENANCE STONE	221.000	TON
HMA SHOULDER WIDENING COURSE	8,712.000	TON
LIQUID ASPHALT BINDER PG64-22	1,293.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	22,176.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,155.560	SY
MILLED-IN RUMBLE STRIP	33.000	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,109.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	20.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,125.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	992.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,000.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	114,438.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	228,876.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,200.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,949.000	LF
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	11,898.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	80,282.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	160,564.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,000.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	114,445.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,400.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,949.000	LF



Call No.: 060

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	80,282.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	800.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	153.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	325.000	LF
REFLECTIVE SIGN POST PANELS	125.000	LF
GUARDRAIL DELINEATOR - WHITE	115.000	EA
PREMASH W-BEAM STRONG POST SYSTEM WSP3	750.000	LF
MT3 LEADING END TREATMENT TL3	18.000	EA
MGS3 GR STANDARD SHOULDER	1,787.500	LF
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	10.670	ACRE
SILT FENCE	2,500.000	LF
REPLACE/REPAIR SILT FENCE	250.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	625.000	LF

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (See below list of approved contractors)



South Carolina Department of Transportation

7/6/2021

Call No.: 070 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3950220 PCN: P037693 Project No.: P037693
 DBE Goal Percent: 11.50% PCN: P037696 Project No.: P037696
 Approx. Length (miles):0.4410 Description: BRIDGE REPLACEMENTS - PICKENS COUNTY
 CO(S): Pickens
 Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,077.000	SY
REMOVAL OF EXIST. GUARDRAIL	428.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	3,628.000	CY
BORROW EXCAVATION	19,738.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	2,843.000	SY
MONITORING DEVICE - SETTLEMENT PLATE	2.000	EA
FINE GRADING	5,591.000	SY
MAINTENANCE STONE	150.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,629.000	TON
LIQUID ASPHALT BINDER PG64-22	159.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	494.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	828.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	730.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	4.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	256.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	188.000	SF
BARRICADE - TYPE 3	168.000	LF
TYPE B - FLASHING LIGHT	32.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	4,750.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	127,600.000	LF



Call No.: 070

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,750.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,750.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,525.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,049.000	LF
CONC. FOR STRUCTURES - CLASS 4000	469.900	CY
GROOVED SURFACE FINISH	506.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	105,390.000	LB
PRESTRESSED CONCRETE BULB TEE BEAM(72" MODIFIED)	595.000	LF
3'-0" x 2'-0" CORED SLABS	768.700	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL 001	520.000	LF
PILE DRIVING SET-UP	22.000	EA
REINF. PILE TIPS (HP14 X 73)	10.000	EA
REINF. PILE TIPS (HP14 X 89)	12.000	EA
STEEL H BEARING PILING (HP14 X 73)	387.000	LF
STEEL H BEARING PILING (HP14 X 89)	657.000	LF
18" SMOOTH WALL PIPE	128.000	LF
24" SMOOTH WALL PIPE	192.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	174.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	153.500	LF
ELASTOMERIC BEARING	32.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	192.000	TON
12" PIPE SLOPE DRAIN	380.000	LF
RIP-RAP (CLASS A)	280.000	TON
RIP-RAP (CLASS B)	945.000	TON
RIP-RAP (CLASS C)	1,331.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	583.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	546.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,597.000	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MT2 LEADING END TREATMENT TL2	3.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	187.500	LF
MGS3CS GR COMPRESSED SHOULDER	100.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	2.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	5.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	7.000	EA
NON-MOW STRIP UNDER GUARDRAIL	212.000	SY
2' CRASH CUSHION 2B	1.000	EA
MOVING ITEM NO. 001	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	43.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.166	ACRE



Call No.: 070

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
TEMPORARY COVER	8.840	ACRE
FERTILIZER (NITROGEN)	1,045.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,045.000	LB
FERTILIZER (POTASH)	1,045.000	LB
AGRICULTURAL GRANULAR LIME	39,780.000	LB
SELECTIVE WATERING	190,050.000	GAL
MOWING	19.000	MSY
MOWING	7.140	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	30.800	SY
WATERPROOFING (BRIDGE DECK)	239.400	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.744	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.956	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 3	0.071	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	13.243	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	5.186	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	810.000	LF
SILT FENCE	9,430.000	LF
REPLACE/REPAIR SILT FENCE	1,723.000	LF
SILT BASINS	926.000	CY
CLEANING SILT BASINS	480.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	2,808.000	LF
SILT DITCHES	19.000	CY
TEMPORARY DIVERSION DIKE WITH DITCH	150.000	LF
SEDIMENT DAM RIPRAP	206.000	TON
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	120.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,650.000	SY

Mandatory Preferred Utility Contractors:

- a. - Gar-Con, Inc
- b. - Anders, Inc
- c. - McConnel Grading & Utilities
- d. - Payne, McGinn, Cummins
- e. - Don Moorhead Construction, Inc
- f. - HDH Construction
- g. - J&M Construction Inc
- h. - Arrowood General Contracting, Inc
- i. - L.W., Inc
- j. - Long & Sons Utility Co., LLC
- k. - Tugaloo Pipeline, Inc
- l. - Young Plumbing Co., Inc



Call No.: 080 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4047740 PCN: P030001 Project No.: P030001

DBE Goal Percent: 0.00%

Approx. Length (miles):0.3170

Description: ENHANCEMENT - RICHLAND CO
(SPARKLEBERRY)

CO(S): Richland

Completion Date: 6/30/2022

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	745.000	SY
UNCLASSIFIED EXCAVATION	179.000	CY
FLOWABLE FILL	52.000	CY
MAINTENANCE STONE	50.000	TON
LIQUID ASPHALT BINDER PG64-22	7.717	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	140.312	TON
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,232.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	60.000	LF
18" SMOOTH WALL PIPE	792.000	LF
24" SMOOTH WALL PIPE	600.000	LF
CATCH BASIN -TYPE 16	9.000	EA
CATCH BASIN -TYPE 18	1.000	EA
MANHOLE	1.000	EA
48" X 48" JUNCTION BOX	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,673.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	698.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	259.000	SY
DETECTABLE WARNING MATERIAL	162.500	SF
PEDESTRIAN RAMP CONSTRUCTION	325.000	SY
RIP-RAP (CLASS B)	10.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	17.000	SY
SELECTIVE WATERING	54,300.000	GAL
MOWING	0.393	ACRE
SODDING	0.635	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	152.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	256.000	LF
SILT FENCE	910.000	LF



Call No.: 080

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 090 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4359690 PCN: P036852 Project No.: P036852
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 6.5490 Description: SAFETY IMPROVEMENTS - US 76 (SUMTER)
 CO(S): Sumter
 Completion Date: 4/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	10.673	ACRE
SELECTED CLEARING	50.513	ACRE
REMOVAL & DISPOSAL OF EXISTING CONCRETE	3.000	CY
REMOVAL OF EXIST. GUARDRAIL	9,293.000	LF
UNCLASSIFIED EXCAVATION	1,397.000	CY
BORROW EXCAVATION	13,911.000	CY
EXCAVATION FOR SHOULDER PAVING	1,384.000	STA
GEOGRID REINFORCEMENT (BIAXIAL)	300.000	SY
HAULING OF EXCAVATED SHOULDER MATERIAL	1,384.000	STA
MAINTENANCE STONE	325.000	TON
HMA SHOULDER WIDENING COURSE	3,180.000	TON
LIQUID ASPHALT BINDER PG64-22	1,452.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	116,042.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,095.000	SY
MILLED-IN RUMBLE STRIP	26.196	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	11,905.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,450.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	255.000	TON
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	32,440.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	122,400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	560.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,960.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	113,520.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,228.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,110.000	LF



Call No.: 090

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	30,600.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	140.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	490.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	28,380.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	307.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,168.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	731.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	207.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	418.000	LF
REMOVAL OF U-SECTION POST	26.000	EA
REFLECTIVE SIGN POST PANELS	336.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,800.000	LF
SAWCUT FOR LOOP DETECTOR	3,500.000	LF
12" SMOOTH WALL PIPE	4.000	LF
15" SMOOTH WALL PIPE	4.000	LF
18" SMOOTH WALL PIPE	202.000	LF
24" SMOOTH WALL PIPE	20.000	LF
CLEANING EXISTING PIPE	500.000	LF
DROP INLET TYPE 112	2.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	1.000	EA
CBT-9 CONVERT JUNCTION BOX 36" X 36"	26.000	EA
RIP-RAP (CLASS B)	582.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	743.000	SY
MT3 LEADING END TREATMENT TL3	29.000	EA
MB TRAILING END TREATMENT	17.000	EA
MGS3 GR STANDARD SHOULDER	12,637.500	LF
MGS3CS GR COMPRESSED SHOULDER	3,900.000	LF
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	16.000	EA
PERMANENT COVER	51.000	ACRE
TEMPORARY COVER	25.500	ACRE
FERTILIZER (NITROGEN)	5,100.000	LB
FERTILIZER (PHOSPHORIC ACID)	5,100.000	LB
FERTILIZER (POTASH)	5,100.000	LB
AGRICULTURAL GRANULAR LIME	102,000.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	459.000	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	40.000	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	19.946	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	33.660	ACRE



Call No.: 090

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	17.340	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	4,004.000	LF
SILT FENCE	28,625.000	LF
REPLACE/REPAIR SILT FENCE	2,862.500	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	7,156.250	LF
INLET FILTER CLEANING	33.000	EA
INLET STRUCTURE FILTER - TYPE A	528.000	LF
STABILIZED CONSTRUCTION ENTRANCE	4,125.000	SY



Call No.: 100 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4659130 PCN: P040488 Project No.: P040488
 DBE Goal Percent: 0.00%
 Approx. Length (miles):8.3500 Description: SAFETY IMPROVEMENTS - SC 5
 CO(S): York
 Completion Date: 10/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
UNCLASSIFIED EXCAVATION	150.000	CY
BORROW EXCAVATION	10,224.000	CY
STATION GRADING	20.000	STA
EXCAVATION FOR SHOULDER PAVING	1,349.600	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,349.600	STA
MAINTENANCE STONE	130.000	TON
HMA SHOULDER WIDENING COURSE	10,497.000	TON
LIQUID ASPHALT BINDER PG64-22	2,883.170	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	3,050.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	276,118.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.5"	60,984.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,000.000	SY
MILLED-IN RUMBLE STRIP	25.600	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	36,709.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	300.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	415.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,464.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	54,640.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	141,480.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	8,620.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	14.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	13,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	176,280.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	27,320.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	70,740.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	4,310.000	LF
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,500.000	LF



Call No.: 100

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	88,140.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	590.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	605.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	140.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	520.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	520.000	LF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	900.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	1,500.000	LF
REFLECTIVE SIGN POST PANELS	1,500.000	LF
GUARDRAIL DELINEATOR - WHITE	1,050.000	EA
15" SMOOTH WALL PIPE	100.000	LF
18" SMOOTH WALL PIPE	100.000	LF
24" SMOOTH WALL PIPE	100.000	LF
CLEANING EXISTING PIPE	500.000	LF
BEVELING OF PIPE END	10.000	EA
MT3 LEADING END TREATMENT TL3	3.000	EA
MB TRAILING END TREATMENT	3.000	EA
MGS3 GR STANDARD SHOULDER	1,500.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	9.600	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 2	6.000	MSY
SILT FENCE	1,000.000	LF



Call No.: 110 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4659360 PCN: P040451 Project No.: P040451
DBE Goal Percent: 2.50%
Approx. Length (miles): 2.1400 Description: SAFETY IMPROVEMENTS - S-31 (YORK)
CO(S): York
Completion Date: 6/30/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	871.000	SY
UNCLASSIFIED EXCAVATION	201.000	CY
BORROW EXCAVATION	856.000	CY
STATION GRADING	22.000	STA
EXCAVATION FOR SHOULDER PAVING	226.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	226.000	STA
MAINTENANCE STONE	80.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,135.000	TON
LIQUID ASPHALT BINDER PG64-22	328.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	3,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,200.000	SY
MILLED-IN RUMBLE STRIP	6.450	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,400.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,515.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	350.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	212.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	68,112.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	150.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	412.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	66,023.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	22,500.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	150.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	412.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	20,485.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	200.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PERMANENT GRASSING FOR SMALL PROJECTS	2.080	ACRE



Call No.: 120 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5158080	PCN: P039012	Project No.: P039012
DBE Goal Percent: 0.00%	PCN: P039575	Project No.: P039575
Approx. Length (miles):NA	Description: SIGNALS - SC-6 & S-91 (LEXINGTON CO)	
CO(S): Lexington Richland		
Completion Date: 11/30/2022	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	148.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	253.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	220.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	30.000	LF
REMOVAL OF PAVEMENT MARKINGS	161.000	LF
REMOVAL OF PAVEMENT MARKINGS	1.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	96.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	53.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	4.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	3.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	134.000	LF
REMOVAL OF U-SECTION POST	2.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	320.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,445.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	110.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	1,005.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	1,170.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	975.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	3,720.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,160.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	205.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,380.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	1,450.000	LF
FIBER OPTIC REPAIR SPLICE OH/UG	4.000	EA
SAWCUT FOR LOOP DETECTOR	1,714.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	3.000	EA



Call No.: 120

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	21.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	7.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	1,050.000	LF
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	790.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	4.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	3.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	19.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	8.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	10.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	21.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
INTEGRATION	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	1.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	1.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	3.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	2.000	EA
POWDERCOATING PER MAST ARM OVER GALVANIZED	3.000	EA
DECORATIVE OPTION PER MAST ARM	3.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 001	1.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	1.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	2.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	59.000	SY
DETECTABLE WARNING MATERIAL	38.000	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY



Call No.: 130 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5257461	PCN: P039874	Project No.: P039874
DBE Goal Percent: 0.00%	PCN: P039877	Project No.: P039877
	PCN: P039879	Project No.: P039879
	PCN: P039880	Project No.: P039880
	PCN: P039883	Project No.: P039883
	PCN: P039885	Project No.: P039885
	PCN: P039886	Project No.: P039886
	PCN: P039892	Project No.: P039892
	PCN: P039895	Project No.: P039895

Approx. Length (miles): 3.0900 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Abbeville Anderson DISTRICT 2
Edgefield Greenwood
Laurens Newberry Saluda

Completion Date: 6/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	250.000	SY
BORROW EXCAVATION	727.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	5,400.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	10,264.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	556.000	TON
MAINTENANCE STONE	20.950	TON
LIQUID ASPHALT BINDER PG64-22	258.009	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,345.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	3,520.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	11,988.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,775.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,155.000	SY
MILLED-IN RUMBLE STRIP	1.400	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,995.246	TON
DRIVEWAY PAVING-SURFACE TYPE C	322.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,180.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,234.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	53,247.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	516.000	LF



Call No.: 130

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,055.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	3.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	83,881.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	414.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	18,314.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	188.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	397.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	30,672.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	46.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	223.000	EA
CATCH BASIN - TYPE 18 (TOP ONLY)	2.000	EA
ADJUST CATCH BASIN	1.000	EA
ADJUST MANHOLE	2.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
DETECTABLE WARNING MATERIAL	125.000	SF
PEDESTRIAN RAMP CONSTRUCTION	250.000	SY
SURFACE APPLIED DETECTABLE WARNING	50.000	SF
MT3 LEADING END TREATMENT TL3	2.000	EA
MGS3CS GR COMPRESSED SHOULDER	100.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.612	ACRE
SILT FENCE	250.000	LF
REPLACE/REPAIR SILT FENCE	25.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	65.000	LF



Call No.: 140 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5259550 PCN: P040406 Project No.: P040406
DBE Goal Percent: 0.00%
Approx. Length (miles): 23.3200 Description: SAFETY IMPROVEMENTS - DISTRICT 2
CO(S): DISTRICT2
Completion Date: 4/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	577.500	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	74.000	EA
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	14,495.000	LF
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	74.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	76.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	189.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS



Call No.: 150 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5358540 PCN: P040313 Project No.: P040313
 DBE Goal Percent: 0.00%
 Approx. Length (miles):NA Description: SIGNAL UPGRADE - DISTRICT 3
 CO(S): Greenville Spartanburg
 Completion Date: 1/31/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	29.000	CY
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	330.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	255.000	LF
REMOVAL OF PAVEMENT MARKINGS	45.000	LF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	211.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	30.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,060.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	3,265.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	240.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	510.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,125.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	10,650.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	7,160.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	2,070.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,575.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	11,930.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	2.000	EA
SAWCUT FOR LOOP DETECTOR	4,625.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	7.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	40.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
F&I 13"X32' STEEL STRAIN POLE-POWDER COATED AND FOUNDATION	4.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	10.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	3.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,920.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	4.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - POLE MOUNTED	1.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	6.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA



Call No.: 150

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	8.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	57.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	16.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	30.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	66.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	2.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	5.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	1.000	EA
POWDERCOATING OPTION FOR 4' ALUMINUM PEDESTAL POLE	1.000	EA
DETECTABLE WARNING MATERIAL	120.000	SF
PEDESTRIAN RAMP CONSTRUCTION	167.000	SY



Call No.: 160 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5359390	PCN: P040455	Project No.: P040455
DBE Goal Percent: 14.00%	PCN: P040459	Project No.: P040459
Approx. Length (miles): 11.3700	Description: SAFETY IMPROVEMENTS - SPARTANBURG/GREENVILLE CO	
CO(S): Greenville Spartanburg		
Completion Date: 11/30/2022	Funding: FED	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING	1.100	ACRE
LIMB TRIMMING	1.000	LS
BORROW EXCAVATION	1,750.000	CY
EXCAVATION FOR SHOULDER PAVING	897.880	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	897.880	STA
MAINTENANCE STONE	87.000	TON
HMA SHOULDER WIDENING COURSE	8,544.800	TON
LIQUID ASPHALT BINDER PG64-22	1,747.262	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	5,200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	162,550.000	SY
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	3.000	LaMi
MILLED-IN RUMBLE STRIP	35.000	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	17,066.034	TON
DRIVEWAY PAVING-SURFACE TYPE C	596.000	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	3,843.840	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,580.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	10,500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	356,712.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,575.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,936.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	286,852.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,500.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	118,904.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,525.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,978.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	95,358.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	15.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	30.000	EA



Call No.: 160

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	930.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	423.250	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	689.000	LF
REFLECTIVE SIGN POST PANELS	265.000	LF
GUARDRAIL DELINEATOR - WHITE	460.000	EA
PREMASH W-BEAM STRONG POST SYSTEM WSP3	5,425.000	LF
MT3 LEADING END TREATMENT TL3	56.000	EA
MGS3 GR STANDARD SHOULDER	9,937.500	LF
PREMASH W-BEAM TIGHT CURVED SYSTEM	100.000	LF
PREMASH TYPE T TL2 LEADING 25FT	31.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	8.490	ACRE
SILT FENCE	11,500.000	LF
REPLACE/REPAIR SILT FENCE	1,150.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	2,875.000	LF



Call No.: 170 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5459090 PCN: P037085 Project No.: P037085
DBE Goal Percent: 0.00%
Approx. Length (miles): 14.2500 Description: SAFETY IMPROVEMENTS -
CO(S): Chesterfield Lancaster LANCASTER/CHESTERFIELD CO
Completion Date: 6/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES 001	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	0.750	ACRE
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	700.000	SY
UNCLASSIFIED EXCAVATION	300.000	CY
BORROW EXCAVATION	12,760.000	CY
STATION GRADING	50.000	STA
EXCAVATION FOR SHOULDER PAVING	1,499.500	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,499.500	STA
MAINTENANCE STONE	300.000	TON
HMA SHOULDER WIDENING COURSE	14,619.740	TON
LIQUID ASPHALT BINDER PG64-22	2,836.230	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	10,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	267,720.700	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	7,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,500.000	SY
MILLED-IN RUMBLE STRIP	42.600	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	6,758.400	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,658.100	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,500.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	390.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,560.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	449,700.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,000.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,000.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	27,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	334,500.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	700.000	LF



Call No.: 170

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	149,900.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	500.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,000.000	LF
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,000.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	111,500.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,120.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	1,390.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.BROKEN	140.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	500.000	LF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	320.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	240.000	LF
REFLECTIVE SIGN POST PANELS	240.000	LF
GUARDRAIL DELINEATOR - WHITE	860.000	EA
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,450.000	LF
SAWCUT FOR LOOP DETECTOR	955.000	LF
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
TEMPORARY TIMING ADJUSTMENTS PER SITE VISIT	1.000	EA
15" SMOOTH WALL PIPE	2,000.000	LF
18" SMOOTH WALL PIPE	2,000.000	LF
24" SMOOTH WALL PIPE	1,000.000	LF
CLEANING EXISTING PIPE	500.000	LF
BEVELING OF PIPE END	790.000	EA
CONCRETE DRIVEWAY(6" UNIFORM)	600.000	SY
MT3 LEADING END TREATMENT TL3	176.000	EA
MGS3CS GR COMPRESSED SHOULDER	18,825.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	10.300	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 2	8.500	MSY
SILT FENCE	7,500.000	LF
REPLACE/REPAIR SILT FENCE	750.000	LF



Call No.: 180 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5459620 PCN: P040407 Project No.: P040407

DBE Goal Percent: 0.00%

Approx. Length (miles): N/A

Description: SAFETY IMPROVEMENT - DISTRICT 4

CO(S): DISTRICT4

Completion Date: 4/30/2022

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	187.500	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	19.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	6.000	EA
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	4,570.000	LF
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	15.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	25.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	124.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS



Call No.: 190 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5756620 PCN: P039812 Project No.: P039812

DBE Goal Percent: 0.00%

Approx. Length (miles):N/A

Description: SIGNAL UPGRADES - DISTRICT 7

CO(S): Aiken Barnwell
Orangeburg

Completion Date: 11/30/2022

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	70.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,315.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	36.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	616.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
REMOVAL OF PAVEMENT MARKINGS	494.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	17.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	294.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	27.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	28.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	600.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,625.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	300.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	600.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	740.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	1,750.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	5,160.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	13,410.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	6,680.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	10,760.000	LF
SAWCUT FOR LOOP DETECTOR	4,404.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	6.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	63.000	EA
17"X30"X18"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	6.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,240.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	13.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	6.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA



Call No.: 190

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	7.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	52.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	40.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	32.000	EA
F&I NO RT/LT TURN SYMB LED BLANKOUT W/ SPANWIRE MNT	2.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	60.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	15.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	6.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	115.000	SY
PEDESTRIAN RAMP CONSTRUCTION	450.000	SY
SURFACE APPLIED DETECTABLE WARNING	15.000	SF



Call No.: 200 Letting Date: August 10, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5759460 PCN: P040553 Project No.: P040553
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 14.4000 Description: SAFETY IMPROVEMENTS -AIKEN/BARNWELL
 CO(S): Aiken Barnwell CO
 Completion Date: 11/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	500.000	SY
UNCLASSIFIED EXCAVATION	75.000	CY
BORROW EXCAVATION	6,205.000	CY
EXCAVATION FOR SHOULDER PAVING	1,062.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,062.000	STA
MAINTENANCE STONE	250.000	TON
HMA SHOULDER WIDENING COURSE	14,151.000	TON
LIQUID ASPHALT BINDER PG64-22	2,513.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	4,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	712.000	SY
MILLED-IN RUMBLE STRIP	43.200	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	24,405.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	540.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	384.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	200.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	40,857.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	435,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	252,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	750.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	21.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	15.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	67.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	145,200.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	250.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	7.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	200.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	13,619.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	84,000.000	LF



Call No.: 200

Letting Date: August 10, 2021

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	992.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	80.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	60.000	LF
REFLECTIVE SIGN POST PANELS	60.000	LF
GUARDRAIL DELINEATOR - WHITE	300.000	EA
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	500.000	LF
SAWCUT FOR LOOP DETECTOR	250.000	LF
15" SMOOTH WALL PIPE	900.000	LF
18" SMOOTH WALL PIPE	900.000	LF
24" SMOOTH WALL PIPE	400.000	LF
CLEANING EXISTING PIPE	450.000	LF
BEVELING OF PIPE END	270.000	EA
MT3 LEADING END TREATMENT TL3	24.000	EA
MGS3 GR STANDARD SHOULDER	5,800.000	LF
MGS3CS GR COMPRESSED SHOULDER	1,000.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	14.000	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 2	5.000	MSY
SILT FENCE	7,000.000	LF
REPLACE/REPAIR SILT FENCE	700.000	LF

60 Day Ad in the September 14, 2021 Highway Letting



South Carolina Department of Transportation

7/6/2021

Call No.: 10 Letting Date: September 14, 2021 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8886260 PCN: P027550 Project No.: P027550
 DBE Goal Percent: 15.00%
 Approx. Length (miles):72.3800 Description: RECONSTRUCTION - I-95 DISTRICTS 6 & 7
 CO(S): Colleton Hampton Jasper
 Completion Date: 8/31/2025 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	2,180.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
SELECTED CLEARING	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	15,517.000	LF
UNCLASSIFIED EXCAVATION	105,660.000	CY
BORROW EXCAVATION	15,321.000	CY
EXCAVATION FOR SHOULDER PAVING	3,822.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	3,822.000	STA
MAINTENANCE STONE	175.000	TON
HMA SHOULDER WIDENING COURSE	25,482.000	TON
LIQUID ASPHALT BINDER PG64-22	4,312.000	TON
LIQUID ASPHALT BINDER PG76-22	10,501.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	21,951.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	23,681.000	SY
MILLED-IN RUMBLE STRIP	146.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	259.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	174,966.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,525.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	33,891.000	TON
MILLING EXISTING CONCRETE PAV.(VARIABLE)	58,134.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	69,216.000	SY
PORTLAND CEMENT CONCRETE (SPECIAL USE)	640.000	CY
DIAMOND GRINDING OF CONCRETE PAVEMENT	3,630.000	SY
SPECIAL CRACK SEALANT	30,586.000	LB
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,060.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	288,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	1,152,000.000	LF



Call No.: 10

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	1,152,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	13,050.000	LF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	4,825.000	EA
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	34,000.000	LF
12" WHITE SOLID LINES (GORE MARKINGS) EPOXY PAINT	525.000	LF
WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT) EPOXY PAINT	6.000	EA
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	33,200.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	103,800.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	396,700.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	500.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	17,475.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	475.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	425.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	11.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	398,100.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	5,910.000	EA
REMOVAL OF PAVEMENT MARKINGS	85,900.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL8"WH.CONTRAST BROKEN	2,600.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	8,200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	8,200.000	LF
CONCRETE FOR SUPERSTRUCTURES - CLASS 4000 (DECK REPAIR)	500.000	CY
RESEAL DECK EXPANSION JOINT	4,500.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,500.000	LF
MT3 LEADING END TREATMENT TL3	36.000	EA
MEDIAN CABLE BARRIER	2,336.000	LF
RESET MEDIAN CABLE BARRIER	22,662.000	LF
MB TRAILING END TREATMENT	28.000	EA
MGS3 GR STANDARD SHOULDER	11,750.000	LF
CABLE BARRIER END ANCHOR	4.000	EA
CABLE BARRIER END ANCHOR(MAINTENANCE)	9.000	EA
RESET CABLE BARRIER END ANCHOR	23.000	EA
PREMASH THRIE STRONG POST GUARDRAIL	150.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	16.000	EA
NON-MOW STRIP UNDER GUARDRAIL	8,349.000	SY
PREMASH TYPE T TL3 LEADING 50'	16.000	EA
2' CRASH CUSHION 3A	2.000	EA
WOVEN WIRE FENCE - TYPE 1 WITH 3 STRANDS BARBED	75,978.000	LF
TEMPORARY BARRIER FENCE	1,500.000	LF
RESET FENCE	23,523.000	LF
PERMANENT COVER	381.359	ACRE
TEMPORARY COVER	572.039	ACRE



Call No.: 10

Letting Date: September 14, 2021 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
COMPOST	46,144.000	CY
FERTILIZER (NITROGEN)	38,135.900	LB
FERTILIZER (PHOSPHORIC ACID)	38,135.900	LB
FERTILIZER (POTASH)	38,135.900	LB
AGRICULTURAL GRANULAR LIME	762,718.000	LB
SELECTIVE WATERING	678,750.000	GAL
MOWING	1,911.795	ACRE
ENHANCED STACKED DITCH CHECKS	48,210.000	LF
TEMPORARY EROSION CONTROL BLANKET (ECB)	73.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	954.070	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	148,650.000	LF
SILT FENCE	609,270.000	LF
REPLACE/REPAIR SILT FENCE	60,926.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	152,318.000	LF
INLET STRUCTURE FILTER - TYPE D1	125.000	EA
STABILIZED CONSTRUCTION ENTRANCE	1,650.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	6,240.000	HR

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator