

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For August 11, 2026

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet immediately after bids are opened.

The following items will be made available on July 11, 2026 unless otherwise noted:

- Proposal bid forms on the Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>) for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Contractors do not have to buy plans to be able to bid
- o The Voluntary Plan Holders List is available on BIDX.

Please contact the Contract Administration Office at (803)737-7469 with all Letting related questions.



Call No.: 010 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1077530 PCN: P045653 Project No.: P045653

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.0000 Description: TYPE II SIGNAL REBUILDS DIST. 6

CO(S): Charleston

Completion Date: 10/31/2028 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	117.000	SY
TRAFFIC CONTROL	1.000	LS
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	750.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	271.000	LF
REMOVAL OF PAVEMENT MARKINGS	68.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	73.750	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	10.000	EA
RELOCATION OF MOUNT.ASSEMBLY FOR FS.SIGN ON SPAN WIRE	4.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	760.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,760.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	290.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	340.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	720.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	4,600.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	9,490.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	6,650.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,910.000	LF
SAWCUT FOR LOOP DETECTOR	1,550.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	6.000	EA
MOD. EXIST ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	10.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	32.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	7.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	13.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	6.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,390.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	5.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	7.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	5.000	EA



Call No.: 010

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	54.000	EA
F&I - 1-WAY-1SECT.HAND/MAN COUNTDOWN PEDESTRIAN SIGNAL HEAD	18.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	18.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	60.000	EA
REMOVE FOUNDATION OF STEEL STRAIN POLE - 18" BELOW GRADE	5.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	5.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	7.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	9.000	SY
DETECTABLE WARNING MATERIAL	60.000	SF
CONCRETE MEDIAN	4.000	SY
PEDESTRIAN RAMP CONSTRUCTION	150.000	SY
SURFACE APPLIED DETECTABLE WARNING	10.000	SF



Call No.: 020

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 1

SC File NO(S): 1477330

PCN: P044846

Project No.: P044846

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.7400

Description: 2026 CLARENDON CTC RESURFACING

CO(S): Clarendon

Completion Date: 4/30/2027 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
BORROW EXCAVATION	148.000	CY
MAINTENANCE STONE	0.750	TON
LIQUID ASPHALT BINDER PG64-22	73.485	TON
ARAMID FIBER	350.000	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	75.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	12,160.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
ASPHALT SURFACE COURSE TYPE B	1,255.573	TON
ASPHALT SURFACE COURSE TYPE D	25.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	43.125	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	248.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	120.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	15,640.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	110.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,980.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	2,580.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	60.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	7,820.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	55.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	990.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	1,290.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	55.000	EA
MILLED-IN RUMBLE STRIP	2.220	MI
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.740	ACRE



Call No.: 030 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1871410

PCN: P037128

Project No.: P037128

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.3010

Description: REPLACEMENT OF A 375 FOOT BRIDGE ON
HORSEFORD ROAD (S-56) OV

CO(S): Dorchester

Completion Date: 10/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,641.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	517.000	CY
BORROW EXCAVATION	19,308.000	CY
MUCK EXCAVATION	2,716.000	CY
GEOTEXTILE, SEPARATION	2,555.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	430.000	SY
GEOGRID STABILIZATION	3,894.000	SY
NO. 57 STONE FOR BACKFILL	2,197.000	TON
GRANULAR BRIDGE LIFT MATERIAL	100.000	CY
FINE GRADING	2,763.000	SY
FLOWABLE FILL	200.000	CY
MAINTENANCE STONE	20.000	TON
HMA SHOULDER WIDENING COURSE	191.000	TON
LIQUID ASPHALT BINDER PG64-22	64.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	320.000	SY
ASPHALT BASE COURSE - TYPE B	529.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	468.000	TON
ASPHALT SURFACE COURSE TYPE C	259.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	84.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
TYPE B - FLASHING LIGHT	16.000	EA



Call No.: 030

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	7,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	7,000.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,300.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,300.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	30.000	EA
MILLED-IN RUMBLE STRIP	0.500	MI
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	39.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	44.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	92.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,884.000	LF
CONC. FOR STRUCTURES - CLASS 4000	250.200	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	69,180.000	LB
3'-0" x 1'-9" CORED SLABS	957.000	LF
3'-0" x 2'-0" CORED SLABS	4,912.500	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	940.000	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	10.000	EA
PILE DRIVING SET-UP	48.000	EA
PREST. CONC. PILING (24"SQ.)	1,350.000	LF
PREDRILLING FOR PREST. CONC. PILING (24"SQ.)	912.000	LF
PRESTRESSED INDEX PILING (24" SQUARE)	138.000	LF
PRESTRESSED PILE POINT (HP12X74)	1,680.000	LF
STEEL H BEARING PILING (HP14 X 117)	363.000	LF
STEEL H BEARING INDEX PILING (HP14X 117)	83.000	LF
30" SMOOTH WALL PIPE	40.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	78.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	44.000	LF
ELASTOMERIC BEARING	168.000	EA
LIQUID MEMBRANE WATERPROOFING (BRIDGE DECK)	1,616.800	SY
RIP-RAP (CLASS B)	400.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	450.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	50.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	1,100.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
NON-MOW STRIP UNDER GUARDRAIL	634.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	650.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	16.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.169	ACRE



Call No.: 030

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
TEMPORARY COVER	3.253	ACRE
COMPOST	583.086	CY
FERTILIZER (NITROGEN)	216.850	LB
FERTILIZER (PHOSPHORIC ACID)	216.850	LB
FERTILIZER (POTASH)	216.850	LB
AGRICULTURAL GRANULAR LIME	4,337.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	10.843	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	4.568	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	10.844	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	570.000	LF
SILT FENCE	4,528.000	LF
REPLACE/REPAIR SILT FENCE	453.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY(7'DEPTH)	400.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,132.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
ON-THE-JOB TRAINEE (BRIDGE)	1,040.000	HR

PROPOSAL - SC File NO(S).: 2354270: This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see the list below)

1. CaJenn Construction & Rehabilitation Service, Inc.

Billy Jennings
P.O. Box 38
404 Bill Jacobs Rd.
Hoboken, Ga 31542

2. P&H Utilities, LLC

A.J. Hunt
109 W. Fieldsparrow Ct.
Greenville, SC 29615

3. Roper Brothers, Inc.

John Roper
P.O. Box 1949
Fountain Inn, SC 29644



Call No.: 040 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2354270

PCN: P030553

Project No.: P030553

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.7000

Description: BUTLER ROAD (S-107) (BRIDGES ROAD TO US 276)

CO(S): Greenville

Completion Date: 10/31/2029 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
SMALL PUBLIC SEWER RELOCATION NO. ____ 001	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	643.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,206.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	6,808.000	SY
REMOVAL & DISPOSAL OF EXISTING TRIPLE CULVERT(____)'X(____) 8x8	2.000	EA
UNCLASSIFIED EXCAVATION	24,923.000	CY
BORROW EXCAVATION	22,380.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	1,586.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	317.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	358.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	64.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	170.000	LF
60" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	94.000	LF
GEOTEXTILE, SEPARATION	4,365.000	SY
GEOGRID STABILIZATION	3,350.000	SY
TEMPORARY SHORING SYSTEM	200.000	LF
NO. 57 STONE FOR BACKFILL	1,240.000	TON
STONE BRIDGE LIFT MATERIAL	1,200.000	TON
GRANULAR BRIDGE LIFT MATERIAL	850.000	CY
FINE GRADING	35,669.000	SY
FLOWABLE FILL	421.000	CY
GRADED AGGREGATE BASE COURSE (10" UNIFORM)	10,826.200	SY
MAINTENANCE STONE	1,731.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	44,513.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,960.000	TON



Call No.: 040

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
PRIME COAT	2,923.000	GAL
LIQUID ASPHALT BINDER PG64-22	1,188.000	TON
ASPHALT BASE COURSE - TYPE B	3,698.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	9,233.000	TON
ASPHALT SURFACE COURSE TYPE B	8,347.000	TON
ASPHALT SURFACE COURSE TYPE E	944.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	366.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,416.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	455.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
TEMPORARY CONCRETE BARRIER - UNANCHORED	1,310.000	LF
TEMP CONC BARRIER WITH ANCHORAGE FOR BRIDGE DECKS	650.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	790.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	261.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,270.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,749.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,063.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	485.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,857.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	872.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	62.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	31.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,680.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	27,289.000	LF
6"YELLOW SOLID LINES ON CURB/MED.-HIGH BUILD PAINT-25 MIL.	3,750.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	70.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	261.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	550.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	70.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	280.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	412.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	460.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MEDIAN BARRIER	13.000	EA
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	50.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	2,495.000	LF
15' TRUSS ALUMINUM BRACKET ARM (MOUNTED ON STRAIN/MAST POLE)	4.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,300.000	LF



Call No.: 040

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	880.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	3,000.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,250.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	11,400.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	5,050.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	9,250.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	7.000	EA
RADIO RECEIVER AT INTERSECTION W/ ANTENNA/MOUNTING KIT	2.000	EA
SAWCUT FOR LOOP DETECTOR	575.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	3.000	EA
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	120.000	EA
FURNISH & INSTALL 40' WOOD POLE - CLASS II-CCA TREATED(0.60)	2.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	1,600.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	6.000	EA
FURNISH & INSTALL 20' BREAK-AWAY ALUMINUM PEDESTAL POLE AND BASE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - POLE MOUNTED	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 002	3.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	4.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 003	40.000	EA
F&I - 1-WAY-1SECT.HAND/MAN COUNTDOWN PEDESTRIAN SIGNAL HEAD	28.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	28.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	47.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	3.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	12.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	7.000	EA
CONC. FOR STRUCTURES - CLASS 4000	1,150.400	CY
CONC. FOR STRUCTURES - CLASS 4000DS	18.200	CY
STRAIGHT HEADWALL FOR 30" CIRCULAR PIPE-1 LINE	1.000	EA
GROOVED SURFACE FINISH	622.000	SY
GRINDING AND TEXTURING CONCRETE BRIDGE DECK	94.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	197,144.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	233.834	LB
PRESTRESSED CONC. BEAM (TYPE II)	1,380.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	440.000	LF
PILE DRIVING SET-UP	20.000	EA
REINF. PILE TIPS (HP14 X 89)	20.000	EA
STEEL H BEARING PILING (HP14 X 89)	1,078.000	LF
15" SMOOTH WALL PIPE	468.000	LF



Call No.: 040

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 4

Description	Quantity	Units
18" SMOOTH WALL PIPE	12,100.000	LF
24" SMOOTH WALL PIPE	3,832.000	LF
30" SMOOTH WALL PIPE	820.000	LF
36" SMOOTH WALL PIPE	1,720.000	LF
42" SMOOTH WALL PIPE	384.000	LF
48" SMOOTH WALL PIPE	800.000	LF
DRILLED PILE SET-UP	20.000	EA
SOIL EXCAVATION FOR DRILLED PILE FOUNDATIONS - 30" DIAMETER	260.600	LF
ROCK EXCAVATION FOR DRILLED PILE FOUNDATIONS - 30" DIAMETER	100.000	LF
CATCH BASIN -TYPE 9	9.000	EA
CATCH BASIN -TYPE 16	127.000	EA
CATCH BASIN -TYPE 16B (6X6 BOX)	6.000	EA
CATCH BASIN -TYPE 17	11.000	EA
CATCH BASIN -TYPE 18	14.000	EA
DROP INLET (24" X 36")	37.000	EA
MANHOLE	24.000	EA
PRECAST CONCRETE RISER - 48" DIAMETER	10.000	LF
EXTRA DEPTH OF BOX	145.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	5.000	EA
BEVELING OF PIPE END	13.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	22,799.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	14,867.000	SY
DETECTABLE WARNING MATERIAL	1,150.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	2,950.000	SY
CONCRETE MEDIAN	979.000	SY
PEDESTRIAN RAMP CONSTRUCTION	2,265.000	SY
SURFACE APPLIED DETECTABLE WARNING	70.000	SF
12'X 8' P.C. BOX CULVERT {AASHTO M-259} FH = 3	62.000	LF
ELASTOMERIC BEARING	40.000	EA
WATERPROOFING	69.200	SY
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	767.000	TON
RIP-RAP (CLASS B)	741.000	TON
RIP-RAP (CLASS C)	3,529.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	3,449.000	SY
MT2 LEADING END TREATMENT TL2	1.000	EA
MGS2C GR BEHIND CURB	25.000	LF
NON-MOW STRIP UNDER GUARDRAIL	59.000	SY
RESET FENCE	150.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	172.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	18.100	ACRE



Call No.: 040

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 5

Description	Quantity	Units
TEMPORARY COVER	9.050	ACRE
SELECT MATERIAL	115.000	CY
FERTILIZER (NITROGEN)	1,810.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,810.000	LB
FERTILIZER (POTASH)	1,810.000	LB
AGRICULTURAL GRANULAR LIME	36,200.000	LB
SELECTIVE WATERING	135,750.000	GAL
ON-THE-JOB TRAINEE (ROADWAY)	4,160.000	HR



Call No.: 050 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2970980

PCN: P038779

Project No.: P038779

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.6250

Description: S-55 (VAN WYCK RD) BRIDGE REPLACEMENT
OVER TWELVE MILE CREEK

CO(S): Lancaster

Completion Date: 5/31/2028 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	500.000	SY
REMOVAL OF EXIST. GUARDRAIL	112.500	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	9,891.000	CY
BORROW EXCAVATION	62,874.000	CY
BORROW PIT SET-UP	1.000	LS
GEOGRID REINFORCEMENT (UNIAXIAL)	1,799.000	SY
TEMPORARY SHORING SYSTEM NO. 1	425.000	LF
TEMPORARY SHORING SYSTEM NO. 2	1,210.000	LF
FINE GRADING	1,230.000	SY
FLOWABLE FILL	50.000	CY
MAINTENANCE STONE	100.000	TON
LIQUID ASPHALT BINDER PG64-22	328.400	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	100.000	SY
ASPHALT BASE COURSE - TYPE B	4,711.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	931.000	TON
ASPHALT SURFACE COURSE TYPE C	1,094.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	1,302.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	175.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	320.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3-60 MPH	4.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	2.000	EA
TEMP CONC. BARR W/ ANCHOR FOR ROADWAY SURFACES	1,636.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC) 4" WHITE BROKEN LINES	210.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	83.000	EA



Call No.: 050

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	5,200.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	5,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT FAST CURE	481.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT FAST CURE	6,125.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,062.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	75.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,530.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,060.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	83.000	EA
MILLED-IN RUMBLE STRIP	1.060	MI
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	160.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	170.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,124.000	LF
CONC. FOR STRUCTURES - CLASS 4000	587.400	CY
GROOVED SURFACE FINISH	1,067.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	197,455.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	10,153.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	1,421.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	560.000	LF
PILE DRIVING SET-UP	12.000	EA
REINF. PILE TIPS (HP14 X 73)	12.000	EA
STEEL H BEARING PILING (HP14 X 73)	604.000	LF
DRILLED SHAFT SET-UP	6.000	EA
CROSSHOLE SONIC LOGGING SETUP	6.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 42" DIAMETER	102.800	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	149.200	LF
CONSTRUCTION CASING - 48" DIAMETER	149.200	LF
15" RC PIPE CUL.-CLASS III	48.000	LF
18" RC PIPE CUL.-CLASS III	480.000	LF
24" RC PIPE CUL.-CLASS III	120.000	LF
DROP INLET (24" X 36")	3.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
ADJUST MANHOLE	1.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	218.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	142.000	LF
ELASTOMERIC BEARING	36.000	EA
WATERPROOFING	29.200	SY
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	162.000	TON
RIP-RAP (CLASS A)	160.000	TON
RIP-RAP (CLASS B)	2,021.000	TON



Call No.: 050

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	3,098.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	1,850.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
TEMPORARY BARRIER FENCE (ORANGE)	1,600.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	22.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	5.450	ACRE
TEMPORARY COVER	2.720	ACRE
COMPOST	1,464.000	CY
FERTILIZER (NITROGEN)	544.600	LB
FERTILIZER (PHOSPHORIC ACID)	544.600	LB
FERTILIZER (POTASH)	544.600	LB
AGRICULTURAL GRANULAR LIME	16.640	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	16.640	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	1.290	MSY
TEMPORARY EROSION CONTROL BLANKET (CLASS C)	14.923	MSY
SILT FENCE	7,200.000	LF
REPLACE/REPAIR SILT FENCE	720.000	LF
CLEANING SILT BASINS	172.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,800.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	41.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	1,560.000	HR



Call No.: 060 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2973030

PCN: P042284

Project No.: P042284

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.7430

Description: INTERSECTION IMPROVEMENT - SC 5 AT S-358 (STEEL HILL ROAD)

CO(S): Lancaster

Completion Date: 9/30/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	245.000	SY
REMOVAL OF EXIST. GUARDRAIL	275.000	LF
UNCLASSIFIED EXCAVATION	13,384.000	CY
BORROW EXCAVATION	100.000	CY
FINE GRADING	431.000	SY
MAINTENANCE STONE	14.000	TON
LIQUID ASPHALT BINDER PG64-22	242.382	TON
FULL DEPTH ASPH. PAV. PATCHING 15"UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	14,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,373.000	SY
ASPHALT BASE COURSE - TYPE A	1,873.200	TON
ASPHALT BASE COURSE - TYPE B	62.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	626.430	TON
ASPHALT SURFACE COURSE TYPE B	1,907.604	TON
ASPHALT SURFACE COURSE TYPE C	20.000	TON
ASPHALT SURFACE COURSE TYPE E	193.290	TON
DRIVEWAY PAVING-SURFACE TYPE C	103.020	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	276.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	310.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	51,780.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	51,780.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	200.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	300.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	540.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	9,900.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	86.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA



Call No.: 060

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	14,600.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
MILLED-IN RUMBLE STRIP	2.000	MI
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	110.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	55.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	359.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	28.000	LF
18" SMOOTH WALL PIPE	204.000	LF
DROP INLET TYPE 112	1.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
BEVELING OF PIPE END	4.000	EA
CONCRETE FLUME	35.000	LF
BITUMINOUS CURB	275.000	LF
RIP-RAP (CLASS A)	51.000	TON
RIP-RAP (CLASS B)	52.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	201.000	SY
PREMASH RESET W-BEAM STRONG POST SYSTEM	12.500	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	225.000	LF
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	5.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.900	ACRE
TEMPORARY COVER	1.450	ACRE
COMPOST	779.778	CY
FERTILIZER (NITROGEN)	290.000	LB
FERTILIZER (PHOSPHORIC ACID)	290.000	LB
FERTILIZER (POTASH)	290.000	LB
AGRICULTURAL GRANULAR LIME	5,800.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	8.700	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	4.575	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	8.700	ACRE
SILT FENCE	500.000	LF
CLEANING SILT BASINS	150.000	CY
CLEANING INLET STRUCTURE FILTERS	2.000	EA
INLET STRUCTURE FILTER - TYPE D2	1.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	1.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	13.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 070 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 3077260

PCN: P044356

Project No.: P044356

DBE Goal Percent: 0.00%

Approx. Length (miles): 2.6700

Description: 2026 LAURENS CTC RESURFACING

CO(S): Laurens

Completion Date: 7/31/2027 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE AND FLAGGING CSX	1.000	LS
BORROW EXCAVATION	613.000	CY
MAINTENANCE STONE	79.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	15,275.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	497.000	TON
HMA SHOULDER WIDENING COURSE	55.601	TON
LIQUID ASPHALT BINDER PG64-22	275.975	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	675.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	3,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	16,225.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,775.000	SY
ASPHALT SURFACE COURSE TYPE C	3,938.903	TON
DRIVEWAY PAVING-SURFACE TYPE C	441.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,934.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	572.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	34,190.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION)-FAST DRY PAINT	900.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,226.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	50,355.000	LF
RAILROAD CROSSING SYMBOLS - EPOXY PAINT SLOW CURE	12.000	EA
4" WHITE BROKEN LINES (GAPS EXCL.) THERMOPLASTIC - 90 MIL.	164.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO. - 90 MIL.	9,145.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	300.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	706.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW SOLID LINES (PVT. EDGE LINES) THERMO-90 MIL.	14,525.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	140.000	EA
MILLED-IN RUMBLE STRIP	1.280	MI
CONCRETE SIDEWALK (4" UNIFORM)	160.000	SY



Call No.: 070

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.170	ACRE



Call No.: 080 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 3276951

PCN: P044180

Project No.: P044180

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.0500

Description: REPLACE THE EXISTING CULVERT ALONG S-59 (DEVILS BACKBONE RD)

CO(S): Lexington

Completion Date: 6/30/2027 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
SELECTED CLEARING (NO GRUBBING)	0.154	ACRE
REMOVAL & DISPOSAL ITEM NO. 01	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	160.000	SY
REMOVAL OF EXIST. GUARDRAIL	278.000	LF
UNCLASSIFIED EXCAVATION	4,181.000	CY
BORROW EXCAVATION	1,517.000	CY
MUCK EXCAVATION	4,854.000	CY
GEOTEXTILE, SEPARATION	301.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	1,015.000	CY
NO. 57 STONE FOR BACKFILL	95.000	TON
FINE GRADING	178.000	SY
FLOWABLE FILL	9.600	CY
MAINTENANCE STONE	10.000	TON
LIQUID ASPHALT BINDER PG64-22	9.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	734.000	SY
ASPHALT BASE COURSE - TYPE B	43.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	18.000	TON
ASPHALT SURFACE COURSE TYPE D	67.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	18.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	84.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
TYPE B - FLASHING LIGHT	16.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	12.000	EA
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	43.600	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	8,434.000	LB
18" SMOOTH WALL PIPE	64.000	LF



Call No.: 080

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
9'X 9' P.C. BOX CULVERT {AASHTO M-259} FH = 10	148.000	LF
RIP-RAP (CLASS C)	144.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	254.000	SY
MT3 LEADING END TREATMENT TL3	3.000	EA
MT2 LEADING END TREATMENT TL2	1.000	EA
MGS3 GR STANDARD SHOULDER	150.000	LF
MGS3CS GR COMPRESSED SHOULDER	150.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	350.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	11.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.700	ACRE
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
FLOATING TURBIDITY BARRIER-LIGHT DUTY(10'DEPTH)	150.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 090 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 3577310 PCN: P044629 Project No.: P044629
DBE Goal Percent: 0.00% PCN: P045452 Project No.: P045452
Approx. Length (miles): 4.4200 Description: 2026 MARLBORO CTC RESURFACING
CO(S): Marlboro
Completion Date: 6/30/2027 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
BORROW EXCAVATION	884.000	CY
EXCAVATION FOR SHOULDER PAVING	371.712	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	371.712	STA
MAINTENANCE STONE	17.950	TON
HMA SHOULDER WIDENING COURSE	1,858.560	TON
LIQUID ASPHALT BINDER PG64-22	450.199	TON
ARAMID FIBER	1,390.140	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,845.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	375.000	SY
ASPHALT SURFACE COURSE TYPE C	5,295.780	TON
ASPHALT SURFACE COURSE TYPE D	138.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	235.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	688.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	390.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	108,660.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	150.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	11,550.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	43,500.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	130.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	36,220.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	50.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,850.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	14,500.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	226.000	EA
MILLED-IN RUMBLE STRIP	7.040	MI
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.761	ACRE



Call No.: 100 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 3873080

PCN: P043353

Project No.: P043353

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.2650

Description: REPLACEMENT OF A 60 FOOT BRIDGE ON S-92

CO(S): Orangeburg

Completion Date: 5/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,262.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	53.000	CY
BORROW EXCAVATION	11,561.000	CY
MUCK EXCAVATION	2,416.000	CY
GEOTEXTILE, STABILIZATION	1,698.000	SY
GEOGRID STABILIZATION	2,730.000	SY
NO. 57 STONE FOR BACKFILL	1,898.000	TON
GRANULAR BRIDGE LIFT MATERIAL	100.000	CY
FINE GRADING	2,598.000	SY
FLOWABLE FILL	200.000	CY
MAINTENANCE STONE	10.000	TON
HMA SHOULDER WIDENING COURSE	169.000	TON
LIQUID ASPHALT BINDER PG64-22	67.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	175.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	533.000	SY
ASPHALT BASE COURSE - TYPE B	345.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	579.000	TON
ASPHALT SURFACE COURSE TYPE C	344.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	84.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	2,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	2,800.000	LF



Call No.: 100

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,900.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,900.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
MILLED-IN RUMBLE STRIP	0.500	MI
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	18.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	44.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	20.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	524.000	LF
CONC. FOR STRUCTURES - CLASS 4000	97.800	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	32,490.000	LB
3'-0" X 2'-9" BOX BEAM	898.800	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	260.000	LF
PILE DRIVING SET-UP	12.000	EA
STEEL H BEARING INDEX PILING (HP14 X 89)	684.000	LF
24" SMOOTH WALL PIPE	44.000	LF
30" SMOOTH WALL PIPE	156.000	LF
36" SMOOTH WALL PIPE	88.000	LF
BEVELING OF PIPE END	8.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	35.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	44.000	LF
ELASTOMERIC BEARING	20.000	EA
WATERPROOFING	20.600	SY
LIQUID MEMBRANE WATERPROOFING (BRIDGE DECK)	279.000	SY
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	76.000	TON
RIP-RAP (CLASS B)	572.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	657.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	50.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	950.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
NON-MOW STRIP UNDER GUARDRAIL	565.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	492.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	16.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.711	ACRE
TEMPORARY COVER	1.066	ACRE
COMPOST	191.072	CY
FERTILIZER (NITROGEN)	71.060	LB
FERTILIZER (PHOSPHORIC ACID)	71.060	LB
FERTILIZER (POTASH)	71.060	LB



Call No.: 100

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
AGRICULTURAL GRANULAR LIME	1,421.200	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.553	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.556	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	200.000	LF
SILT FENCE	5,410.000	LF
REPLACE/REPAIR SILT FENCE	541.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY(5'DEPTH)	400.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,353.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 110 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4275670

PCN: P037419

Project No.: P037419

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.1890

Description: BRIDGE REPLACEMENT - S-234 OVER
TRIBUTARY TO ENOREE RIVER

CO(S): Spartanburg

Completion Date: 6/30/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	191.000	SY
REMOVAL OF EXIST. GUARDRAIL	205.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	2,392.000	CY
BORROW EXCAVATION	1,568.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	1,256.000	SY
FINE GRADING	733.000	SY
MAINTENANCE STONE	100.000	TON
LIQUID ASPHALT BINDER PG64-22	26.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,140.000	SY
ASPHALT BASE COURSE - TYPE B	102.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	120.000	TON
ASPHALT SURFACE COURSE TYPE C	232.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	84.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	2,100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	2,100.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	30.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,700.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,700.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	30.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	400.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	12.000	SF



Call No.: 110

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	8.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	20.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	20.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	744.000	LF
CONC. FOR STRUCTURES - CLASS 4000	326.800	CY
GROOVED SURFACE FINISH	514.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	89,163.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	2,287.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	715.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	370.000	LF
PILE DRIVING SET-UP	10.000	EA
REINF. PILE TIPS (HP14 X 89)	10.000	EA
STEEL H BEARING PILING (HP14 X 89)	236.000	LF
DRILLED SHAFT SET-UP	2.000	EA
CROSSHOLE SONIC LOGGING SETUP	2.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 42" DIAMETER	32.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	54.000	LF
CONSTRUCTION CASING - 48" DIAMETER	48.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	85.000	LF
ELASTOMERIC BEARING	20.000	EA
WATERPROOFING	24.800	SY
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	100.000	TON
12" TEMPORARY PIPE SLOPE DRAIN	230.000	LF
RIP-RAP (CLASS A)	347.000	TON
RIP-RAP (CLASS B)	413.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	459.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	397.000	SY
NON-MOW STRIP UNDER GUARDRAIL	55.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	2,025.000	LF
MOVING ITEM NO. 5x12 metal gate on two 8 inch diameter wood posts	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	15.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.242	ACRE
TEMPORARY COVER	0.621	ACRE
FERTILIZER (NITROGEN)	124.000	LB
FERTILIZER (PHOSPHORIC ACID)	124.000	LB
FERTILIZER (POTASH)	124.000	LB
AGRICULTURAL GRANULAR LIME	2,483.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	4.000	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.459	MSY



Call No.: 110

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.710	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.241	ACRE
SILT FENCE	1,881.000	LF
SILT BASINS	119.000	CY
CLEANING SILT BASINS	186.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	120.000	LF
INLET FILTER CLEANING	60.000	EA
INLET STRUCTURE FILTER - TYPE B	12.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	210.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 120 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4277290

PCN: P045590

Project No.: P045590

DBE Goal Percent: 0.00%

Approx. Length (miles): 7.0300

Description: RESURFACING - CMRB AND REHAB S-62
SPARTANBURG COUNTY

CO(S): Spartanburg

Completion Date: 9/30/2027 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	160.000	SY
REMOVAL OF EXIST. GUARDRAIL	550.000	LF
BORROW EXCAVATION	1,296.000	CY
EXCAVATION FOR SHOULDER PAVING	7.392	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	7.392	STA
MAINTENANCE STONE	56.500	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	86,492.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,374.000	TON
HMA SHOULDER WIDENING COURSE	49.280	TON
LIQUID ASPHALT BINDER PG64-22	694.581	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	650.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	11,088.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,030.000	SY
ASPHALT SURFACE COURSE TYPE C	10,259.974	TON
DRIVEWAY PAVING-SURFACE TYPE C	726.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,036.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,520.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	120.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	149,008.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	4,960.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION)-FAST DRY PAINT	2,220.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,180.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	10.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	4,120.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	285,156.000	LF
4" WHITE BROKEN LINES (GAPS EXCL.) THERMOPLASTIC- 90 MIL.	540.000	LF
6" WHITE BROKEN LINES (GAPS EXCL.) THERMOPLASTIC- 90 MIL.	60.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	74,504.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,480.000	LF



Call No.: 120

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	640.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,090.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	5.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,030.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	71,289.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	6.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	12.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	13.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	504.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	210.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,770.000	LF
SAWCUT FOR LOOP DETECTOR	1,370.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	775.000	LF
PREMASH RESET TRAIL W-BEAM TYPE B 12.5'	1.000	EA
PREMASH TYPE T TL3 LEADING 50'	11.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.283	ACRE



Call No.: 130 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4670730 PCN: P038682 Project No.: P038682

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.0000

Description: S-103 OVER TOOLS FORK CRK

CO(S): York

Completion Date: 8/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC SEWER RELOCATION NO. ____ 01	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,122.050	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	862.000	CY
BORROW EXCAVATION	855.000	CY
FINE GRADING	1,500.000	SY
FLOWABLE FILL	15.000	CY
MAINTENANCE STONE	18.000	TON
LIQUID ASPHALT BINDER PG64-22	33.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	315.000	SY
ASPHALT BASE COURSE - TYPE B	400.800	TON
ASPHALT INTERMEDIATE COURSE TYPE C	128.400	TON
ASPHALT SURFACE COURSE TYPE C	119.800	TON
DRIVEWAY PAVING-SURFACE TYPE C	13.900	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	132.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	206.000	SF
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,560.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	2,560.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT SLOW CURE	340.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT SLOW CURE	340.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	940.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	940.000	LF



Call No.: 130

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	52.500	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	8.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	40.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	86.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	684.000	LF
CONC. FOR STRUCTURES - CLASS 4000	114.200	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	46,203.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	2,611.000	LB
3'-0" x 1'-9" CORED SLABS	597.600	LF
3'-0" x 2'-0" CORED SLABS	698.800	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	340.000	LF
PILE DRIVING SET-UP	10.000	EA
REINF. PILE TIPS (HP14 X 73)	10.000	EA
STEEL H BEARING PILING (HP14 X 73)	245.000	LF
DRILLED SHAFT SET-UP	4.000	EA
CROSSHOLE SONIC LOGGING SETUP	4.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 36" DIAMETER	33.500	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	84.900	LF
CONSTRUCTION CASING - 42" DIAMETER	83.900	LF
15" SMOOTH WALL PIPE	40.000	LF
BEVELING OF PIPE END	2.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	50.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	130.000	LF
ELASTOMERIC BEARING	690.000	EA
WATERPROOFING	406.300	SY
RIP-RAP (CLASS A)	150.000	TON
RIP-RAP (CLASS B)	650.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	600.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	200.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	187.500	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
MGS3 GR STANDARD SHOULDER	312.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	2.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	2.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	2.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
NON-MOW STRIP UNDER GUARDRAIL	500.000	SY
PREMASH W-BEAM TIGHT CURVED SYSTEM	50.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	450.000	LF
PERMANENT COVER	1.000	ACRE



Call No.: 130

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
TEMPORARY COVER	0.500	ACRE
FERTILIZER (NITROGEN)	100.000	LB
FERTILIZER (PHOSPHORIC ACID)	100.000	LB
FERTILIZER (POTASH)	100.000	LB
AGRICULTURAL GRANULAR LIME	2,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.000	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.400	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	2.000	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	240.000	LF
SILT FENCE	3,510.000	LF
REPLACE/REPAIR SILT FENCE	351.000	LF
FLOATING TURBIDITY BARRIER-MEDIUM DUTY(5'DEPTH)	700.000	LF
CLEANING SILT BASINS	10.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	878.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	20.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 12"	90.000	LF



Call No.: 140 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4672240 PCN: P043479 Project No.: P043479

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.0980 Description: SC 274 NB OVER BIG ALLISON CREEK BRIDGE
CO(S): York REPAIR - YORK COUNTY

Completion Date: 6/30/2027 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION 1031000	1.000	LS
BRIDGE CONSTRUCTION ACCESS 1031200	1.000	LS
BONDS AND INSURANCE 1032010	1.000	LS
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE 2028200	1.000	LS
LIQUID ASPHALT BINDER PG64-22 4011004	3.700	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0" 4013120	489.000	SY
ASPHALT SURFACE COURSE TYPE B 4040320	59.200	TON
TRAFFIC CONTROL 6011000	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 6051120	256.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES 609105A	240.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES 609105B	4,680.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES 609115A	7,160.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES 609115B	6,520.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4" 6092155	163.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT FAST CURE 6262005	320.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT FAST CURE 6262010	320.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT FAST CURE 6262110	320.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL. 6271005	8,220.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL. 6271010	1,170.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL. 6271064	4,710.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL. 6271074	6,560.000	LF
REMOVAL OF PAVEMENT MARKINGS 6319505	39,250.000	LF
SPALL REPAIR 7013400	10.000	SF
EPOXY CRACK INJECTION 7013446	50.000	LF
REINF. STEEL FOR STRUCTURES (BRIDGE) 7031200	287.000	LB
STRUCTURAL STEEL 7091120	17,194.000	LB
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL 7101000	1.000	LS
MACHINE PREPARATION OF EXISTING SURFACE 7260200	1,565.000	SY
BLAST CLEANING 7260300	1,565.000	SY
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING 7260800	5.000	CY
CONCRETE CLASS 4000 FOR PARTIAL DEPTH DECK PATCHING 7260850	10.000	SY
JACKING BRIDGE 7262000	1.000	LS



Call No.: 140

Letting Date: August 11, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
RESETM MGS3 GR STANDARD SHOULDER 8052101	313.000	LF
BRIDGE PILE WRAP 8990017	312.000	LF
BR010 – DECK JOINT REPAIR TYPE 1 8990020	132.000	LF
BR018 - BEAM END WEB AND FLANGE REPAIR 8990022	57.000	LF
BR040 – CORROSION INHIBITING BONDING AGENT 8990023	100.000	SF
CLEANING & PAINTING EXISTING STEEL PILING 8990026	36.000	EA
POLYESTER POLYMER CONCRETE (PCC) OVERLAY 8990044	78.300	CY
PLACE & FINISH POLYESTER POLYMER CONCRETE (PCC) MATERIAL 8990045	1,565.000	SY



Call No.: 150 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 8876590

PCN: P045392

Project No.: P045392

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.4500

Description: S-73 (FISH HATCHERY ROAD) ROADWAY
DEPARTURE MITIGATION

CO(S): Lexington

Completion Date: 9/30/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
LIMB TRIMMING	1.000	LS
UNCLASSIFIED EXCAVATION	117.000	CY
BORROW EXCAVATION	580.000	CY
MAINTENANCE STONE	33.170	TON
LIQUID ASPHALT BINDER PG64-22	121.650	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,317.600	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	22,117.330	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,535.000	SY
ASPHALT SURFACE COURSE TYPE B	2,211.733	TON
DRIVEWAY PAVING-SURFACE TYPE D	146.250	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	232.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	51,543.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	60.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,749.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	40,374.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	50.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	17,181.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
MILLED-IN RUMBLE STRIP	4.350	MI
REFLECTIVE SIGN POST PANELS	50.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.410	ACRE



Call No.: 160 Letting Date: August 11, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 8876600

PCN: P045398

Project No.: P045398

DBE Goal Percent: 0.00%

Approx. Length (miles): 4.0100

Description: SC (OLD NUMBER SIX HWY) ROAD
DEPARTURE MITIGATION

CO(S): Orangeburg

Completion Date: 8/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
UNCLASSIFIED EXCAVATION	399.000	CY
BORROW EXCAVATION	1,604.000	CY
MAINTENANCE STONE	98.810	TON
LIQUID ASPHALT BINDER PG64-22	362.290	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	9,880.640	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	65,870.930	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,535.000	SY
ASPHALT SURFACE COURSE TYPE B	6,587.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	498.750	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	664.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,725.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	123,235.200	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	966.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	7,125.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	62,709.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	575.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	41,078.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	322.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,375.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	20,903.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	300.000	EA
MILLED-IN RUMBLE STRIP	12.030	MI
REFLECTIVE SIGN POST PANELS	100.000	LF
GUARDRAIL DELINEATOR - WHITE	12.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.890	ACRE

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2025, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal).

SUBMISSION OF BID BONDS. Bid Bonds must be submitted electronically, utilizing the Bid Bonds feature within the BidX Bid Form. The Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers
Contract Administrator