60 DAY AD

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS For August 12, 2025

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on July 12, 2025 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (https://www.scdot.org/business/constructionletting-extranet.aspx). for the following items:

- Proposals
- Plans
- Announcements
- · Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

Notice				
Call Number: 01	0 SC F	ile Number: 261	14790	
This project has a list of qualified co UTILITY RELOCATION (see the ne	ontractors for the I	n Contract Utility - S	ECTION 105: PUBL	IC

HIGHWAY 701 NORTH INFRASTRUCTURE RELOCATION RIDE III

CITY OF CONWAY

PREQUALIFIED CONTRACTORS

RH Moore Company Kent Skipper 10601 Highway 707 Myrtle Beach, SC 29588 kentskipper@rhmoorecompany.com 843-650-2155

Richardson Construction Grayson Gasque 6806 Monticello Road Columbia, SC 29203 (843) 992-1207

Express Construction Brian Squires 635 Horry Road Conway, SC 29526 (843) 458-3834

HIGHWAY 701 NORTH INFRASTRUCTURE RELOCATION RIDE III

GRAND STRAND WATER & SEWER AUTHROITY

PREQUALIFIED CONTRACTORS

RH Moore Company Kent Skipper 10601 Highway 707 Myrtle Beach, SC 29588 kentskipper@rhmoorecompany.com 843-650-2155

State Utility Contractors
David Lucas
4417 Old Charlotte Highway
Monroe, NC 28110
dlucas@sucontractors.com
704-289-6400

McClam & Associates Wayne Bye 1642 Holy Trinity Church Road Little Mountain, SC 29075 cwbye@mcclam.net 803-345-9194

TA Loving Company Tyler Sutton 400 Patetown Road Goldsboro, NC 27530 tsutton@taloving.com 919-734-8400



6/2/2025

Letting Date: August 12, 2025 Letting Time: 2:00 pm **Call No.:** 010 Page: 1

Description: WIDENING - US 701 (HORRY CO)

Funding: OTHR

SC File NO(S).: 2614790 **PCN**: P031789 Project No.: P031789

DBE Goal Percent: 0.00%

Approx. Length (miles):4.5000

Completion Date: 9/30/2028 Days

CO(S).: Horry

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE 001	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO 01	1.000	EA
LARGE PUBLIC WATER RELOCATION NO 02	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO 01	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO 02	1.000	EA
LAW ENFORCEMENT OFFICER (DPS)	500.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF CONTAMINATED SOIL	730.000	TON
REMOVAL & DISPOSAL OF CONTAMINATED LIQUIDS	3,000.000	GAL
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 012	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 013	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 014	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 015	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 016	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 017	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 018	1.000	LS





Description	Quant	ity	Units
REMOVAL & DISPOSAL ITEM NO. 019	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 020	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 021	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 022	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 023	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 024	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 025	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 026	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 027	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 028	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 029	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 030	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 031	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 032	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 033	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 034	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 035	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 036	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 037	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 038	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 039	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 040	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 041	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 042	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 043	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 044	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 045	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 046	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 047	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 048	1.	000	LS
REMOVAL & DISPOSAL ITEM NO. 049	1.	000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	590.	000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	22,430.	000	SY
REMOVAL OF EXIST. GUARDRAIL	2,800.	000	LF
REMOVAL & DISPOSAL OF EXISTING DOUBLE CULVERT()'X(() 002 1.	000	EA
REMOVAL & DISPOSAL OF EXISTING DOUBLE CULVERT()'X(() 003 1.	000	EA
UNCLASSIFIED EXCAVATION	43,400.	000	CY
BORROW EXCAVATION	122,700.	000	CY
CONTROLLED FILL - BORROW MATERIAL	38,550.	000	CY
BORROW PIT SET-UP	1.	000	LS
MUCK EXCAVATION	20,000.	000	CY





			·	
Description			Quantity	Units
15" DIAMETER PIPE ADDITIONAL FO	DUNDATION WORK		120.000	LF
18" DIAMETER PIPE ADDITIONAL FO	DUNDATION WORK		10,564.000	LF
24" DIAMETER PIPE ADDITIONAL FO	DUNDATION WORK		3,898.000	LF
30" DIAMETER PIPE ADDITIONAL FO	DUNDATION WORK		5,527.000	LF
36" DIAMETER PIPE ADDITIONAL FO	DUNDATION WORK		3,241.000	LF
42" DIAMETER PIPE ADDITIONAL FO	DUNDATION WORK		320.000	LF
48" DIAMETER PIPE ADDITIONAL FO	DUNDATION WORK		25.000	LF
54" DIAMETER PIPE ADDITIONAL FO	DUNDATION WORK		148.000	LF
GEOTEXTILE, SEPARATION			15,950.000	SY
GEOGRID STABILIZATION			5,000.000	SY
STRUCTURE EXCAVATION FOR CU	LVERTS		1,970.000	CY
TEMPORARY SHORING SYSTEM			280.000	LF
NO. 57 STONE FOR BACKFILL			1,420.000	TON
GRANULAR BRIDGE LIFT MATERIAL	_		100.000	CY
OVERHAUL			4,593.000	CYHM
FLOWABLE FILL			2,150.000	CY
GRADED AGGREGATE BASE COUR	SE (6" UNIFORM)		8,110.000	SY
GRADED AGGREGATE BASE COUR	SE (8" UNIFORM)		290.000	SY
GRADED AGGREGATE BASE COUR	SE (10" UNIFORM)		114,310.000	SY
MAINTENANCE STONE			2,480.000	TON
PRIME COAT			33,140.000	GAL
LIQUID ASPHALT BINDER PG64-22			4,092.000	TON
MILLING EXISTING ASPHALT PAVE	MENT 2.0"		65,900.000	SY
MILLING EXISTING ASPHALT PAVE	MENT (VARIABLE)		4,860.000	SY
ASPHALT BASE COURSE - TYPE A			4,380.000	TON
ASPHALT INTERMEDIATE COURSE	TYPE B		35,820.000	TON
ASPHALT INTERMEDIATE COURSE	TYPE C		1,240.000	TON
ASPHALT SURFACE COURSE TYPE	В		19,050.000	TON
ASPHALT SURFACE COURSE TYPE	C		13,400.000	TON
TRAFFIC CONTROL			1.000	LS
BARRICADE - TYPE III			528.000	LF
PERMANENT CONSTRUCTION SIGN	NS (GROUND MOUN	TED)	1,016.000	SF
PERMANENT CONSTRUCTION SIGN	,	·	695.000	SF
PORTABLE TERMINAL IMPACT ATT	ENUATOR-TEST LE	VEL 3-60 MPH	15.000	EA
ANCHOR KIT - PORT. ATTENUATOR	R(TEST LEVEL 3) 60N	ИРН	8.000	EA
TEMPORARY CONCRETE BARRIER			4,300.000	LF
CONSTRUCTION ZONE ELECTRIC (CHANGEABLE MESS	SAGE SIGN (TRAILER	4.000	EA
TYPE B - FLASHING LIGHT			8.000	EA
PAVEMENT MARKINGS(TEMP-PAIN	T) 4" WHITE BROKE	N LINES	17,802.000	LF
PAVEMENT MARKINGS(TEMP-PAIN	,		14,310.000	LF
PAVEMENT MARKINGS(TEMPORAR	Y-PAINT)-4" WHITE	SOLID LINES	184,442.000	LF





December 1	0 414	
Description	Quantity	Units
PAVEMENT MARKINGS (TEMPORARY-PAINT)-4" YELLOW SOLID LINES	225,778.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	3,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	1,460.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	3,009.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"YELLOW SOLID LINES	50.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	52.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	86.000	EA
PAVEMENT MARKINGS(TEMPPAINT)-WHITE COMBINATION ARROWS	6.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	64.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR 4"X4"	1,821.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR 4"X4"	2,172.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR 4"X4"	4,128.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	14,057.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	29,871.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	200.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	2,100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,670.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	70.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	59.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	2.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	7,225.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	61,659.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	3,200.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	50.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	31.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR 4"X4"	607.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR 4"X 4" PERM. YEL.	724.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR 4"X4"	1,376.000	EA
MILLED-IN RUMBLE STRIP	4.000	MI
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,021.470	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	297.500	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	75.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	10.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	2,333.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	480.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,780.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	140.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,130.000	LF
	=,	



	2.00 pm	9
Description	Quantity	Units
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,035.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,750.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	670.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	27.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
FURNISH AND INSTALL 13" X 30' STEEL STRAIN POLE AND FOUNDATION	5.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	12.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	1,750.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	7.000	EA
FURNISH & INSTALL ALUMINUM PEDESTAL POLE CONCRETE FOUNDATION	6.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 004	4.000	EA
FURNISH & INSTALL SOLAR POWERED FLASHER ASSEM - DUAL BEACON	2.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	4.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 005	24.000	EA
F&I - 1-WAY-1SECT.HAND/MAN COUNTDOWN PEDESTRIAN SIGNAL HEAD	14.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X12")AND SIGN(R-10-3E or R10-4)	14.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	31.000	EA
F&I-PEDESTRIAN TRAF. SIGNAL HEAD MOUNTING ASSEM FOR POST TOP	3.000	EA
F&I - PED TRAF. SIGNAL HEAD MOUNTING ASSEMBLY FOR SIDE POLE	11.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	10.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	8.000	EA
CONC. FOR STRUCTURES - CLASS 4000(RETAINING WALL)	12.500	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	77.800	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	13,393.000	LB
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CULCLASS HE-III	272.000	LF
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CULCLASS HE-III	140.000	LF
24"X 38" HORIZONTAL ELLIPTICAL(HE) RC PIPE CULCLASS HE-III	420.000	LF
29"X 45" HORIZONTAL ELLIPTICAL(HE) RC PIPE CULCLASS HE-III	884.000	LF
34"X 53" HORIZONTAL ELLIPTICAL(HE) RC PIPE CULCLASS HE-III	188.000	LF
38"X 60" HORIZONTAL ELLIPTICAL(HE) RC PIPE CULCLASS HE-III	28.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CULCLASS HE-IV	172.000	LF
24"X 38" HORIZONTAL ELLIPTICAL(HE) RC PIPE CULCLASS HE-IV	712.000	LF
15" SMOOTH WALL PIPE	120.000	LF
18" SMOOTH WALL PIPE	11,732.000	LF
24" SMOOTH WALL PIPE	4,204.000	LF
30" SMOOTH WALL PIPE	5,776.000	LF
36" SMOOTH WALL PIPE	2,736.000	LF
42" SMOOTH WALL PIPE	312.000	LF





	'	
Description	Quantity	Units
48" SMOOTH WALL PIPE	52.000	LF
54" SMOOTH WALL PIPE	748.000	LF
60" SMOOTH WALL PIPE	708.000	LF
CLEANING EXISTING PIPE	360.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	4.000	EA
CATCH BASIN -TYPE 16	86.000	EA
CATCH BASIN -TYPE 16B (6X6 BOX)	3.000	EA
CATCH BASIN -TYPE 17	67.000	EA
CATCH BASIN -TYPE 18	14.000	EA
DROP INLET (24" X 36")	60.000	EA
DROP INLET (24" X 36") WITH STANDARD 4' X 4' BOX	7.000	EA
DROP INLET (24" X 36") WITH STANDARD 6' X 6' BOX	9.000	EA
36" X 36" JUNCTION BOX	1.000	EA
48" X 48" JUNCTION BOX	13.000	EA
60" X 60" JUNCTION BOX	1.000	EA
72" X 72" JUNCTION BOX	11.000	EA
EXTRA DEPTH OF BOX	134.000	LF
BEVELING OF PIPE END	232.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	185.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	70.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	24,560.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	4,340.000	SY
DETECTABLE WARNING MATERIAL	250.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	860.000	SY
CONCRETE MEDIAN	1,100.000	SY
CONCRETE DITCH PAVING	320.000	SY
PEDESTRIAN RAMP CONSTRUCTION	550.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
9'X 7' P.C. BOX CULVERT {AASHTO M-259} FH = 4	228.000	LF
10'X 10' P.C. BOX CULVERT {AASHTO M-259} FH = 6'	372.000	LF
RIP-RAP (CLASS B)	4,360.000	TON
RIP-RAP (CLASS C)	3,160.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	976.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	2,150.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	4,779.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	100.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	5,112.500	LF
MT3 LEADING END TREATMENT TL3	6.000	EA
MB TRAILING END TREATMENT	6.000	EA
MGS3 GR STANDARD SHOULDER	102.500	LF
MGS2C GR BEHIND CURB	562.500	LF





Description	Quantity	Units
PREMASH TRAILING W-BEAM TYPE B 12.5'	5.000	EA
PREMASH W-BEAM W BASE PL 6.25 SPA	50.000	LF
PREMASH W-BEAM TIGHT CURVED SYSTEM	53.000	LF
PREMASH W-BEAM MEDIUM SHOP BENT SYSTEM	240.000	LF
PREMASH MOMENT SLAB FOR GUARDRAIL	50.000	LF
PREMASH TYPE T TL2 LEADING 25FT	5.000	EA
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE	360.000	LF
12' WIDE - CHAIN LINK FENCE GATE (72"HT)	1.000	EA
TEMPORARY BARRIER FENCE (ORANGE)	10,203.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	308.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	37.300	ACRE
TEMPORARY COVER	18.650	ACRE
COMPOST	1,200.000	CY
FERTILIZER (NITROGEN)	3,730.000	LB
FERTILIZER (PHOSPHORIC ACID)	3,730.000	LB
FERTILIZER (POTASH)	3,730.000	LB
AGRICULTURAL GRANULAR LIME	74,600.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	111.900	ACRE
SODDING FAULUS DE CATACICES DITOU OUEOGO	5.000	MSY
ENHANCED STACKED DITCH CHECKS	2,948.000	LF
TURF REINFORCEMENT MATTING (TRM) TYPE 1	7.943	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.763	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	32.118	MSY





			p	
Descriptio	n		Quantity	Units
HYDRAULIC EROSION CO	NTROL PRODUCT (HECP) - TYPE 1		89.100	ACRE
HYDRAULIC EROSION CO	ONTROL PRODUCT (HECP) - TYPE 3		22.800	ACRE
HYDRAULIC EROSION CO	ONTROL PRODUCT (HECP) - TYPE 4		1.800	ACRE
INLET STRUCTURE FILTE	R - TYPE F (WEIGHTED)		1,470.000	LF
INLET STRUCTURE FILTE	R- TYPE F (NON-WEIGHTED)		2,395.000	LF
SEDIMENT TUBES FOR D	ITCH CHECKS		3,734.000	LF
SILT FENCE			40,860.000	LF
REPLACE/REPAIR SILT FE	ENCE		7,000.000	LF
FLOATING TURBIDITY BA	RRIER-LIGHT DUTY		250.000	SF
FLOATING TURBIDITY BA	RRIER-HEAVY DUTY		230.000	SF
CLEANING SILT BASINS			150.000	CY
REMOVAL OF SILT RETAI	NED BY SILT FENCE		10,215.000	LF
INLET FILTER CLEANING			254.000	EA
INLET STRUCTURE FILTE	R - TYPE B		66.000	EA
INLET STRUCTURE FILTE	R - TYPE D2		9.000	EA
FILTER MATERIAL FOR IN	ILET STRUCTURE FILTER - TYPE D2		9.000	EA
STABILIZED CONSTRUCT	TON ENTRANCE		2,750.000	SY
19"x30" HORIZONTAL ELL	IPTICAL (HE) RC PIPE CUL-CLASS HE	E-IV	140.000	LF
29"x45" HORIZONTAL ELL	IPTICAL (HE) RC PIPE CUL-CLASS HE	E-IV	380.000	LF
43"X68" HORIZONTAL ELL	IPITICAL (HE) RC PIPE CUL -CL HE-I\	′	296.000	LF

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS. Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE. Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No._____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED. Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No._____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

- 1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
- 2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
- 3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
- 4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
- A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued	by:
--------	-----

Travis Driggers Contract Administrator