

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For **September 10, 2020**

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on August 11, 2020 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0856830 PCN: P029503 Project No.: P029503

DBE Goal Percent: 10.50%

Approx. Length (miles): 4.9690

Description: WIDENING - I-526 CLEMENTS FERRY

CO(S): Berkeley

Completion Date: 11/30/2024

Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 73.1 (Period ending on June 30, 2020)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
LEVEL 3 - EARTH-BORNE VIBRATION MONITORING	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	18.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	5.000	EA
REMOVAL & DISPOSAL OF EXISTING MANHOLE	3.000	EA
REMOVAL & DISPOSAL OF EXISTING JUNCTION BOX	2.000	EA
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 012	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 013	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 014	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 015	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 016	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 017	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 018	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 019	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 020	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 021	1.000	LS



Call No.: 010

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
REMOVAL & DISPOSAL ITEM NO. 022	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	5,070.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	10,930.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	58.000	CY
REMOVAL OF EXIST. GUARDRAIL	1,330.000	LF
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	50,445.000	CY
BORROW EXCAVATION	213,794.000	CY
MUCK EXCAVATION	10,237.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	3,655.052	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	446.390	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	204.007	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	150.091	LF
60" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	69.426	LF
GEOGRID REINFORCEMENT (BIAXIAL)	500.000	SY
GEOTEXTILE SOIL REINFORCEMENT	1,102.000	SY
COFFERDAM	3.000	EA
TEMPORARY SHORING WALL	65.000	LF
STONE BRIDGE LIFT MATERIAL	323.580	TON
GRANULAR BRIDGE LIFT MATERIAL	110,737.000	CY
EARTHQUAKE DRAINS	4,390.000	LF
FINE GRADING	88,156.000	SY
FLOWABLE FILL	315.000	CY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	30,632.000	SY
MAINTENANCE STONE	1,340.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	39,339.300	TON
PRIME COAT	9,190.000	GAL
LIQUID ASPHALT BINDER PG64-22	5,521.850	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	11,315.820	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	11,682.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	51,505.722	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	18,643.560	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,169.540	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	700.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	4.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	4.000	EA
TEMPORARY CONCRETE BARRIER	1,200.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	200.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	1.000	EA
PERMANENT TERMINAL IMPACT ATTENUATOR	2.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	7,349.000	LF



Call No.: 010

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	3,772.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	104,469.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	121,579.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	10,565.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	902.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	70.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	86.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	1.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE LANE DROP ARROWS	6.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	3.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	2,555.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	1,431.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	4,568.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	13,913.873	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	3,950.210	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	10,565.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	885.384	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	66.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	64.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,440.703	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	28,981.810	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	37.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	639.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	358.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,142.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	266.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	6.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	1,110.000	LF
2.0" SCHEDULE 40 PVC CONDUIT	51,450.000	LF
2.0" SCHEDULE 40 PVC CONDUIT - 90 DEGREE BEND	944.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	299.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,624.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	90.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	839.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	3,104.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	3,822.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,476.000	LF
SAWCUT FOR LOOP DETECTOR	2,548.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
MOD. EXIST ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	27.000	EA



Call No.: 010

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	10.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	1,108.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	4.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 002	2.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 003	20.000	EA
F&I - 1-WAY-1SECT.HAND/MAN COUNTDOWN PEDESTRIAN SIGNAL HEAD	24.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	24.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	21.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
TEMPORARY TIMING ADJUSTMENTS PER SITE VISIT	4.000	EA
CONC. FOR STRUCTURES - CLASS 4000	1,063.900	CY
CONC. FOR STRUCTURES - CLASS 4000DS FOR DRILL SHAFTS	5.000	CY
GROOVED SURFACE FINISH	866.900	SY
GRINDING AND TEXTURING CONCRETE BRIDGE DECK	92.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	235,172.000	LB
PRESTRESSED CONC. BEAM (TYPE II)	970.000	LF
CONCRETE BRIDGE BARRIER PARAPET	195.700	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	3.000	EA
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	457.600	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	16.000	EA
PILE DRIVING SET-UP	64.000	EA
PREST. CONC. PILING (18"SQ.)	1,020.000	LF
PILE BUILD-UP PREPARATION (18"SQ)	4.000	EA
PRESTRESSED INDEX PILING (18" SQUARE)	135.000	LF
PREST. CONC. PILING (20"SQ.)	264.000	LF
PILE BUILD-UP PREPARATION (20"SQ)	2.000	EA
PRESTRESSED INDEX PILING (20" SQUARE)	44.000	LF
PRESTRESSED PILE POINT (W8X58)	459.000	LF
PRESTRESSED PILE POINT (HP10X57)	574.000	LF
STEEL PIPE PILING (20" DIAMETER)	336.000	LF
STEEL PIPE INDEX PILING (20" DIAMETER)	62.000	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL(GRANULAR)	833.000	CY
MECH.STABILIZED EARTH RETAINING WALL(BLOCK FACING) ROADWAY	2,319.500	SF
COPING FOR MSE RETAINING WALL(ROADWAY)	590.300	LF
15" SMOOTH WALL PIPE	174.000	LF
18" SMOOTH WALL PIPE	25,544.000	LF
24" SMOOTH WALL PIPE	4,132.000	LF
30" SMOOTH WALL PIPE	3,248.000	LF
36" SMOOTH WALL PIPE	2,996.000	LF



Call No.: 010

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
42" SMOOTH WALL PIPE	134.600	LF
48" SMOOTH WALL PIPE	144.400	LF
60" SMOOTH WALL PIPE	85.200	LF
CLEANING EXISTING PIPE	982.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	4.000	EA
CATCH BASIN - TYPE 1 SPECIAL	34.000	EA
CATCH BASIN -TYPE 9	13.000	EA
DROP INLET TYPE 125 SINGLE 4'X2' BOX	1.000	EA
CATCH BASIN -TYPE 16	235.000	EA
CATCH BASIN -TYPE 18	35.000	EA
DROP INLET (24" X 36")	5.000	EA
MANHOLE	43.000	EA
48" X 48" JUNCTION BOX	4.000	EA
PRECAST CONCRETE RISER - 48" DIAMETER	7.000	LF
PRECAST CONCRETE DRAINAGE BASE - 48"	2.000	EA
EXTRA DEPTH OF BOX	98.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	2.000	EA
CONCRETE COLLAR FOR UP TO 36" PIPE	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	49,506.302	LF
CONCRETE CURB AND GUTTER(2'-0") SLOPING FACE	14,839.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	6,604.500	SY
DETECTABLE WARNING MATERIAL	2,049.405	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,486.140	SY
CONCRETE MEDIAN	5,105.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,648.446	SY
ELASTOMERIC BEARING	42.000	EA
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	4.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	126.000	TON
PLANTED MEDIAN SUBSURFACE DRAINAGE	12,827.161	SY
4" PERFORATED PIPE UNDERDRAIN	552.000	LF
RIP-RAP (CLASS A)	37.000	TON
RIP-RAP (CLASS B)	230.000	TON
RIP-RAP (CLASS C)	601.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	927.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	250.000	LF
MT3 LEADING END TREATMENT TL3	5.000	EA
MB TRAILING END TREATMENT	5.000	EA
MGS3 GR STANDARD SHOULDER	700.000	LF
MGS2C GR BEHIND CURB	412.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	6.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	8.000	EA



Call No.: 010

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 6

Description	Quantity	Units
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
ORNAMENTAL STEEL PICKET FENCE - 42"	590.150	LF
ORNAMENTAL STEEL PICKET FENCE - 54"	2,186.595	LF
TEMPORARY BARRIER FENCE	1,800.000	LF
MOVING ITEM NO. 023	1.000	LS
MOVING ITEM NO. 024	1.000	LS
MOVING ITEM NO. 025	1.000	LS
MOVING ITEM NO. 026	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	289.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	26.158	ACRE
TEMPORARY COVER	52.316	ACRE
FERTILIZER (NITROGEN)	1,998.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,998.000	LB
FERTILIZER (POTASH)	1,998.000	LB
AGRICULTURAL GRANULAR LIME	39,960.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	156.949	ACRE
LANDSCAPING 001	1.000	LS
LANDSCAPING 002	1.000	LS
LANDSCAPING 003	1.000	LS
LANDSCAPING 004	1.000	LS
LANDSCAPING 005	1.000	LS
LANDSCAPING 006	1.000	LS
LANDSCAPING 007	1.000	LS
LANDSCAPING 008	1.000	LS
LANDSCAPING 009	1.000	LS
LANDSCAPING 010	1.000	LS
LANDSCAPING 011	1.000	LS
LANDSCAPING 012	1.000	LS
LANDSCAPING 013	1.000	LS
LANDSCAPING 014	1.000	LS
LANDSCAPING 015	1.000	LS
LANDSCAPING 016	1.000	LS
LANDSCAPING 017	1.000	LS
LANDSCAPING 018	1.000	LS
LANDSCAPING 019	1.000	LS
IRRIGATION SYSTEM COMPLETE	1.000	LS
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	30.600	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.440	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	13.800	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	20.777	ACRE



Call No.: 010

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 7

Description	Quantity	Units
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	5.381	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	3,500.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	3,500.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	3,378.000	LF
SILT FENCE	48,046.000	LF
REPLACE/REPAIR SILT FENCE	4,804.600	LF
FLOATING TURBIDITY BARRIER-LIGHT DUTY(10'DEPTH)	150.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	12,011.500	LF
CLEANING INLET STRUCTURE FILTERS	1,000.000	EA
INLET STRUCTURE FILTER - TYPE B	14.000	EA
INLET STRUCTURE FILTER - TYPE A	6,100.000	LF
STABILIZED CONSTRUCTION ENTRANCE	7,467.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	7,280.000	HR



Call No.: 020 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8805392	PCN: P029541	Project No.: P029541
DBE Goal Percent: 13.50%	PCN: P029938	Project No.: P029938
Approx. Length (miles): 54.9760	Description: ROAD/BRIDGE REHAB - ORANGEBURG & DORCHESTER CO	
CO(S): Dorchester Orangeburg		
Completion Date: 6/30/2023	Funding: FED	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	13,435.000	LF
UNCLASSIFIED EXCAVATION	7,868.000	CY
BORROW EXCAVATION	202,800.000	CY
EXCAVATION FOR SHOULDER PAVING	1,208.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,208.000	STA
HMA SHOULDER WIDENING COURSE	15,684.000	TON
LIQUID ASPHALT BINDER PG64-22	7,447.000	TON
LIQUID ASPHALT BINDER PG76-22	6,113.000	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	4,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	171,039.000	SY
FULL DEPTH ASPH. PAV. PATCHING 14" UNIF	2,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 15" UNIF	20,534.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	868,193.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,979.000	SY
MILLED-IN RUMBLE STRIP	88.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	76,669.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	101,869.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	41,443.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	8,333.000	TON
DIAMOND GRINDING OF CONCRETE PAVEMENT	19,186.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,164.000	SF
DETOUR SIGNS	3,560.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	4.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	222,400.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 6"WH.BROKEN	660.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	48,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	959,150.000	LF



Call No.: 020

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	939,750.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 6"WH.SOLID PREF.	36,630.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 6"YEL.SOLID PREF.	40,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	52,420.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	12.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	4,600.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	67,400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	21,000.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	292,050.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	16,095.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	550.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	11.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	285,700.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	3,740.000	EA
REMOVAL OF PAVEMENT MARKINGS	23,100.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	11,100.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	12,200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"BLUE.SOLID	1,350.000	LF
POLYMER MODIFIED ASPHALT EXPANSION JOINT	294.000	LF
MT3 LEADING END TREATMENT TL3	116.000	EA
MEDIAN CABLE BARRIER	4,770.000	LF
RESET MEDIAN CABLE BARRIER	10,535.000	LF
MB TRAILING END TREATMENT	32.000	EA
MGS3 GR STANDARD SHOULDER	34,525.000	LF
CABLE BARRIER END ANCHOR	5.000	EA
RESET CABLE BARRIER END ANCHOR	11.000	EA
NON-MOW STRIP UNDER GUARDRAIL	24,897.000	SY
2' CRASH CUSHION 3A	2.000	EA
TEMPORARY BARRIER FENCE	39,746.000	LF
PERMANENT COVER	194.532	ACRE
TEMPORARY COVER	97.267	ACRE
COMPOST	78,461.000	CY
FERTILIZER (NITROGEN)	19,453.200	LB
FERTILIZER (PHOSPHORIC ACID)	19,453.200	LB
FERTILIZER (POTASH)	19,453.200	LB
AGRICULTURAL GRANULAR LIME	389,064.000	LB
SELECTIVE WATERING	814,500.000	GAL
MOWING	583.596	ACRE



Call No.: 020

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
TEMPORARY EROSION CONTROL BLANKET (ECB)	55.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	194.532	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	97.266	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	39,390.000	LF
SILT FENCE	551,868.000	LF
REPLACE/REPAIR SILT FENCE	55,187.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	137,900.000	LF
INLET STRUCTURE FILTER - TYPE D1	70.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	70.000	EA
INLET STRUCTURE FILTER - TYPE D2	35.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	35.000	EA
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	13,520.000	HR



Call No.: 030 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0256510 PCN: P039563 Project No.: P039563

DBE Goal Percent: 0.00%

Approx. Length (miles):9.8800

Description: REHABILITATION - S-5 AIKEN CO.

CO(S): Aiken

Completion Date: 8/31/2021

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,976.000	CY
EXCAVATION FOR SHOULDER PAVING	854.304	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	854.304	STA
MAINTENANCE STONE	14.250	TON
HMA SHOULDER WIDENING COURSE	3,796.906	TON
LIQUID ASPHALT BINDER PG64-22	1,144.931	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,425.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,950.000	SY
MILLED-IN RUMBLE STRIP	16.180	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	16,938.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	115.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	795.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,768.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	1,180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	105,100.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	75.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	702.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	8.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	7.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	13,510.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	83,700.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	105,100.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	75.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	702.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	7.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	26,320.000	LF



Call No.: 030

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	159,900.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	120.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	8.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	695.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,776.000	LF
SAWCUT FOR LOOP DETECTOR	504.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	850.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	500.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.583	ACRE



Call No.: 040 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0850880 PCN: P032086 Project No.: P032086

DBE Goal Percent: 11.00%

Approx. Length (miles): 1.3560

Description: SAFETY IMPROVEMENTS - US 176

CO(S): Berkeley

Completion Date: 7/31/2021

Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 68.0 (Period ending on June 30, 2020)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 00	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	4,200.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	55.000	CY
UNCLASSIFIED EXCAVATION	4,260.000	CY
BORROW EXCAVATION	1,230.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	168.000	TON
LIQUID ASPHALT BINDER PG64-22	316.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	61,699.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	63.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,744.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	656.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	12,510.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	576.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	2,027.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	7,460.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	6,682.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	4,200.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 12"X18" WHITE TRIANGLE YIELD BAR	26.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	96.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	4.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	64.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	300.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	288.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,843.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,255.000	LF



Call No.: 040

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,013.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,341.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	13.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,100.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	48.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	32.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,730.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	320.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	77.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	23.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	3.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	187.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,610.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	2,725.000	LF
4" SCHEDULE 40 HDPE CONDUIT (TRENCHLESS)	480.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	1,700.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	3,890.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	19,170.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	50.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	10,424.000	LF
SAWCUT FOR LOOP DETECTOR	4,405.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	52.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	10.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	2.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	25.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	25.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	2.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	5.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
15" SMOOTH WALL PIPE	187.000	LF
18" SMOOTH WALL PIPE	134.000	LF
24" SMOOTH WALL PIPE	276.000	LF
CATCH BASIN -TYPE 17	5.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	7.000	EA
BEVELING OF PIPE END	1.000	EA
CONCRETE CURB (9" X 15")	39.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	30.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	6,309.000	LF



Call No.: 040

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
CONCRETE SIDEWALK(4" UNIFORM)	240.000	SY
DETECTABLE WARNING MATERIAL	150.000	SF
CONCRETE MEDIAN	1,270.000	SY
PEDESTRIAN RAMP CONSTRUCTION	300.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
6" PIPE UNDERDRAIN	5,251.000	LF
RIP-RAP (CLASS B)	10.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	12.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	6.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.805	ACRE
TEMPORARY COVER	1.610	ACRE
SELECT MATERIAL	488.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	2.415	ACRE
FERTILIZER (NITROGEN)	81.000	LB
FERTILIZER (PHOSPHORIC ACID)	81.000	LB
FERTILIZER (POTASH)	81.000	LB
AGRICULTURAL GRANULAR LIME	1,610.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	4.830	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.755	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.300	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	830.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	50.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	60.000	LF
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
CLEANING INLET STRUCTURE FILTERS	62.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 050 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1356290 PCN: P039438 Project No.: P039438

DBE Goal Percent: 0.00%

Approx. Length (miles):2.3000

Description: RECONSTRUCTION - CHESTERFIELD COUNTY

CO(S): Chesterfield

Completion Date: 7/31/2021

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	450.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	150.000	LF
UNCLASSIFIED EXCAVATION	2,336.000	CY
BORROW EXCAVATION	407.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	19,544.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	587.000	TON
MAINTENANCE STONE	67.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	4,840.560	TON
LIQUID ASPHALT BINDER PG64-22	493.984	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	450.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	7,134.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	15,638.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,750.000	SY
MILLED-IN RUMBLE STRIP	2.520	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,489.069	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	754.219	TON
DRIVEWAY PAVING-SURFACE TYPE C	296.500	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	19,544.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	796.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	440.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	46,510.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	612.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	327.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	1.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	300.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	45,452.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	300.000	LF



Call No.: 050

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	16,440.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	306.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	192.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	300.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	16,300.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	4.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	122.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,270.000	LF
SAWCUT FOR LOOP DETECTOR	485.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
CATCH BASIN - TYPE 9(TOP ONLY)	2.000	EA
ADJUST CATCH BASIN	2.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	150.000	LF
DETECTABLE WARNING MATERIAL	225.000	SF
PEDESTRIAN RAMP CONSTRUCTION	450.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.150	ACRE



Call No.: 060 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1456530 PCN: P039710 Project No.: P039710
 DBE Goal Percent: 0.00%
 Approx. Length (miles):5.3200 Description: RECONSTRUCTION - CLARENDON COUNTY
 CO(S): Clarendon
 Completion Date: 8/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,064.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	74,200.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,855.000	TON
MAINTENANCE STONE	3.600	TON
LIQUID ASPHALT BINDER PG64-22	430.224	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	360.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,700.000	SY
MILLED-IN RUMBLE STRIP	9.430	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,291.960	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	3,113.740	TON
DRIVEWAY PAVING-SURFACE TYPE D	580.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	580.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	214.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	56,300.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	30.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	245.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	4,170.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	31,250.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	428.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	168,900.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	60.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	490.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	12,510.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	93,750.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	360.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.158	ACRE



Call No.: 070 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1756430	PCN: P038863	Project No.: P038863
DBE Goal Percent: 0.00%	PCN: P039284	Project No.: P039284
	PCN: P039925	Project No.: P039925

Approx. Length (miles): Description: REHABILITATION - DILLON COUNTY

CO(S): Dillon

Completion Date: 7/31/2021

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	894.000	CY
EXCAVATION FOR SHOULDER PAVING	166.848	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	166.848	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	35,485.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,081.000	TON
MAINTENANCE STONE	12.100	TON
HMA SHOULDER WIDENING COURSE	834.240	TON
LIQUID ASPHALT BINDER PG64-22	409.895	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	710.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	870.000	SY
MILLED-IN RUMBLE STRIP	8.200	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,849.370	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	941.333	TON
DRIVEWAY PAVING-SURFACE TYPE D	284.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,030.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	113,320.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	50.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,680.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	51,910.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	350.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	43,340.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	50.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,080.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	20,570.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	318.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.818	ACRE



Call No.: 080 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2355660 PCN: P039371 Project No.: P039371
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 7.0000 Description: RECONSTRUCTION/REHABILITATION - GREENVILLE CO.
 CO(S): Greenville
 Completion Date: 11/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	451.000	SY
UNCLASSIFIED EXCAVATION	1,320.000	CY
BORROW EXCAVATION	1,400.000	CY
EXCAVATION FOR SHOULDER PAVING	61.248	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	61.248	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	78,310.000	SY
CEMENT MODIFIED RECYCLED BASE (14" UNIFORM)	15,840.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,807.000	TON
MAINTENANCE STONE	252.720	TON
HMA SHOULDER WIDENING COURSE	408.320	TON
LIQUID ASPHALT BINDER PG64-22	1,076.149	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,272.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	19,384.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	18,795.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	15,840.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	962.000	SY
MILLED-IN RUMBLE STRIP	3.880	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	17,555.676	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	610.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,478.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,668.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	15,100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	184,243.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,910.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,165.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	48.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	720.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	425,576.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	580.000	LF



Call No.: 080

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	580.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,930.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	71,952.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,140.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,005.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	23.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	180.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	84,680.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	146.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	901.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	840.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	15,080.000	LF
SAWCUT FOR LOOP DETECTOR	5,480.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	12.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	10.000	EA
DETECTABLE WARNING MATERIAL	237.500	SF
PEDESTRIAN RAMP CONSTRUCTION	475.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	300.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	2,110.000	LF
PREMASH TYPE T TL3 LEADING 50'	12.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.788	ACRE



Call No.: 090 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2653150 PCN: P030239 Project No.: P030239
DBE Goal Percent: 17.50%
Approx. Length (miles):0.6920 Description: SC 9/SC 410 INTERSECTION IMPROVEMENT
CO(S): Horry
Completion Date: 7/31/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	4,313.000	SY
UNCLASSIFIED EXCAVATION	1,985.000	CY
BORROW EXCAVATION	12,700.000	CY
MUCK EXCAVATION	5,820.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	616.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	488.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	104.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	200.000	LF
42" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	192.000	LF
FINE GRADING	7,008.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	3,208.000	TON
LIQUID ASPHALT BINDER PG64-22	438.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,940.000	SY
MILLED-IN RUMBLE STRIP	0.610	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	809.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,673.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,854.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	276.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	6,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	16,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	31,200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	20,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	2,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	1,900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"YELLOW SOLID LINES	600.000	LF



Call No.: 090

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	200.000	LF
REMOVABLE PAINT WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT)	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	16.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,000.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,600.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	7,800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	650.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	475.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	50.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
WHITE U-TURN ARROW THERMO-125MIL	4.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,100.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	5,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	150.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	70.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	240.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	392.030	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	114.500	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	752.000	LF
GUARDRAIL DELINEATOR - WHITE	85.000	EA
18" SMOOTH WALL PIPE	616.000	LF
24" SMOOTH WALL PIPE	488.000	LF
30" SMOOTH WALL PIPE	104.000	LF
36" SMOOTH WALL PIPE	200.000	LF
42" SMOOTH WALL PIPE	192.000	LF
CATCH BASIN -TYPE 16	17.000	EA
DROP INLET (24" X 36")	1.000	EA
MANHOLE WITH STANDARD 5' X 5' BOX	2.000	EA
BEVELING OF PIPE END	5.000	EA
CONCRETE MEDIAN	3,932.000	SY
RIP-RAP (CLASS B)	163.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	210.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	625.000	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	1,200.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH W-BEAM MEDIUM CURVED SYSTEM	137.500	LF
PREMASH TYPE T TL3 LEADING 50'	1.000	EA



Call No.: 090

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
TEMPORARY BARRIER FENCE	2,260.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	18.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.356	ACRE
TEMPORARY COVER	1.356	ACRE
FERTILIZER (NITROGEN)	136.000	LB
FERTILIZER (PHOSPHORIC ACID)	136.000	LB
FERTILIZER (POTASH)	136.000	LB
AGRICULTURAL GRANULAR LIME	2,713.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	4.069	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.594	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.391	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	286.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	286.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	620.000	LF
SILT FENCE	6,250.000	LF
REPLACE/REPAIR SILT FENCE	3,125.000	LF
CLEANING SILT BASINS	193.300	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	3,125.000	LF
CLEANING INLET STRUCTURE FILTERS	42.000	EA
INLET STRUCTURE FILTER - TYPE B	21.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	20.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 100 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3489940 PCN: P028427 Project No.: P028427
 DBE Goal Percent: 7.00%
 Approx. Length (miles): 1.3380 Description: INTERSECTION IMPROVEMENT - US 378 & SC
 CO(S): Marion 41
 Completion Date: 5/31/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 00	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 01	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 02	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	11,034.000	SY
UNCLASSIFIED EXCAVATION	17,537.000	CY
MUCK EXCAVATION	1,600.000	CY
FINE GRADING	15,806.000	SY
MAINTENANCE STONE	593.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	4,383.000	TON
LIQUID ASPHALT BINDER PG64-22	547.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,416.000	SY
MILLED-IN RUMBLE STRIP	1.844	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,856.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,845.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	276.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	1,000.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	1,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	23,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	29,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	400.000	LF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	20.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	100.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	320.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	11,900.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	200.000	LF



Call No.: 100

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	500.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	14,800.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	50.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	160.000	EA
24" RC PIPE CUL.-CLASS III	228.000	LF
36" RC PIPE CUL.-CLASS III	104.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	140.000	LF
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	84.000	LF
18" SMOOTH WALL PIPE	640.000	LF
24" SMOOTH WALL PIPE	324.000	LF
30" SMOOTH WALL PIPE	400.000	LF
36" SMOOTH WALL PIPE	28.000	LF
DROP INLET (24" X 36")	6.000	EA
24" X 36" JUNCTION BOX	2.000	EA
BEVELING OF PIPE END	28.000	EA
CONCRETE CURB (9" X 15")	62.000	LF
RIP-RAP (CLASS B)	795.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	913.000	SY
48"-CHAIN LINK FENCE	5.000	LF
RESET FENCE	101.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	95.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	16.878	ACRE
TEMPORARY COVER	8.439	ACRE
COMPOST	454.000	CY
FERTILIZER (NITROGEN)	1,688.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,688.000	LB
FERTILIZER (POTASH)	1,688.000	LB
AGRICULTURAL GRANULAR LIME	33,756.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	50.634	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.514	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	5.056	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	27.512	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	6.244	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	640.000	LF



Call No.: 100

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
SILT FENCE	2,952.000	LF
REPLACE/REPAIR SILT FENCE	738.000	LF
CLEANING SILT BASINS	298.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	295.000	LF
INLET FILTER CLEANING	6.000	EA
INLET STRUCTURE FILTER - TYPE A	90.000	LF
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	81.000	SY
STABILIZED CONSTRUCTION ENTRANCE	825.000	SY



Call No.: 110 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3556400	PCN: P039485	Project No.: P039485
DBE Goal Percent: 0.00%	PCN: P039486	Project No.: P039486
Approx. Length (miles):2.2700	Description: RESURFACING - MARLBORO COUNTY	
CO(S): Marlboro		
Completion Date: 6/30/2021	Funding: CTC	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,110.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	350.000	LF
BORROW EXCAVATION	372.000	CY
EXCAVATION FOR SHOULDER PAVING	120.384	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	120.384	STA
MAINTENANCE STONE	16.600	TON
HMA SHOULDER WIDENING COURSE	601.920	TON
LIQUID ASPHALT BINDER PG64-22	237.582	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	745.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	740.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	175.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	10,720.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,600.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,004.027	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,248.840	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	935.633	TON
DRIVEWAY PAVING-SURFACE TYPE D	323.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,572.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	9,090.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	24,080.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,340.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	960.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	48.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	42.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,600.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	35,650.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,080.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	12,040.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	840.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	360.000	LF



Call No.: 110

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	18.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,300.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	13,050.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	60.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	167.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	600.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,000.000	LF
SAWCUT FOR LOOP DETECTOR	6,400.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	350.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	110.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	100.000	SY
DETECTABLE WARNING MATERIAL	325.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	250.000	SY
PEDESTRIAN RAMP CONSTRUCTION	650.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.204	ACRE



Call No.: 120 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3755650 PCN: P039364 Project No.: P039364
 DBE Goal Percent: 0.00%
 Approx. Length (miles):2.8100 Description: RECONSTRUCTION/REHABILITATION -
 CO(S): Oconee OCONEE CO.
 Completion Date: 7/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	562.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	39,508.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,580.000	TON
MAINTENANCE STONE	100.500	TON
LIQUID ASPHALT BINDER PG64-22	311.965	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	50.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	2,464.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,150.000	SY
MILLED-IN RUMBLE STRIP	2.500	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,309.840	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,869.060	TON
DRIVEWAY PAVING-SURFACE TYPE C	437.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,292.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	620.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	66,198.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	705.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	139,152.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	210.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	29,773.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	200.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	300.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
WHITE WORD MESSAGE "SCHOOL" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	31,251.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	4.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	212.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	630.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	11,310.000	LF



Call No.: 120

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
SAWCUT FOR LOOP DETECTOR	4,110.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	4.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	150.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	900.000	LF
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.725	ACRE



Call No.: 130 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3756310 PCN: P039760 Project No.: P039760

DBE Goal Percent: 0.00%

Approx. Length (miles): 4.7300

Description: REHABILITATION - OCONEE COUNTY

CO(S): Oconee

Completion Date: 8/31/2021

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	946.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	73,017.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,921.000	TON
MAINTENANCE STONE	150.000	TON
LIQUID ASPHALT BINDER PG64-22	481.449	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	60.000	SY
MILLED-IN RUMBLE STRIP	7.900	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,627.160	TON
DRIVEWAY PAVING-SURFACE TYPE C	397.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,508.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	480.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	99,900.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	408.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,760.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	166,060.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	240.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	49,950.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	204.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,440.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	41,515.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	261.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	450.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	4,300.000	LF
PREMASH TYPE T TL3 LEADING 50'	18.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.587	ACRE



Call No.: 140 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3955670 PCN: P039258 Project No.: P039258
 DBE Goal Percent: 0.00%
 Approx. Length (miles):3.2000 Description: RECONSTRUCTION - PICKENS COUNTY
 CO(S): Pickens
 Completion Date: 7/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
UNCLASSIFIED EXCAVATION	65.000	CY
BORROW EXCAVATION	498.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	94.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	36,836.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,473.000	TON
MAINTENANCE STONE	9.800	TON
LIQUID ASPHALT BINDER PG64-22	546.813	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	980.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	18,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,232.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,333.333	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	260.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	609.100	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	760.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,120.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	94,075.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,500.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	730.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	208,374.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,060.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	33,943.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	750.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	12.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	310.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	9.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	2.000	EA



Call No.: 140

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	38,999.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	3.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	4.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	164.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	210.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,770.000	LF
SAWCUT FOR LOOP DETECTOR	1,370.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	2.000	EA
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	150.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	475.000	LF
PREMASH TYPE T TL3 LEADING 50'	10.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.405	ACRE



Call No.: 150 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4048120 PCN: P030244 Project No.: P030244
 DBE Goal Percent: 4.50%
 Approx. Length (miles):0.3670 Description: INTERSECTION IMPROVEMENTS - SC 555/S-
 CO(S): Richland 1274
 Completion Date: 11/30/2021 Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 68.0 (Period ending on June 30, 2020)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
LARGE PUBLIC WATER RELOCATION NO. ____ 00	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 01	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 02	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 03	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	525.000	SY
UNCLASSIFIED EXCAVATION	1,850.000	CY
FINE GRADING	4,200.000	SY
FLOWABLE FILL	20.000	CY
MAINTENANCE STONE	170.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,425.000	TON
LIQUID ASPHALT BINDER PG64-22	180.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	270.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	250.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,074.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	950.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	170.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	350.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	125.000	SF
DETOUR SIGNS	250.000	SF
BARRICADE - TYPE 3	72.000	LF
TYPE B - FLASHING LIGHT	8.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	1,230.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	330.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	12,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	15,900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	525.000	LF



Call No.: 150

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	12.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	6.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	18.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WH.RAILROAD XING SYMBOLS	2.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	410.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,000.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	175.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	5,300.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	47.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FIXED SIZE & MSG.	20.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	3.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	90.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	850.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTALL 4.0" SCHD 80 PVC CONDUIT(DIRECTION BORED)	130.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	300.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,300.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,100.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	700.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,230.000	LF
SAWCUT FOR LOOP DETECTOR	900.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	8.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	1.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	6.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	390.000	LF
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH AND INSTALL BATTERY BACK-UP INCLUDING FOUNDATION	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	9.000	EA
F&I NO RT/LT TURN SYMB LED BLANKOUT W/ SPANWIRE MNT	1.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	12.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
18" SMOOTH WALL PIPE	1,056.000	LF



Call No.: 150

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
24" SMOOTH WALL PIPE	90.000	LF
DROP INLET (24" X 24")	6.000	EA
DROP INLET (24" X 36")	4.000	EA
MANHOLE	1.000	EA
BEVELING OF PIPE END	20.000	EA
CONCRETE CURB AND GUTTER(1'-6") OGEE	125.000	LF
CONCRETE DRIVEWAY(6" UNIFORM)	99.000	SY
RIP-RAP (CLASS B)	210.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	280.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	200.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
MOVING ITEM NO. 01	1.000	LS
MOVING ITEM NO. 02	1.000	LS
MOVING ITEM NO. 03	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	25.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.000	ACRE
TEMPORARY COVER	1.000	ACRE
FERTILIZER (NITROGEN)	200.000	LB
FERTILIZER (PHOSPHORIC ACID)	200.000	LB
FERTILIZER (POTASH)	200.000	LB
AGRICULTURAL GRANULAR LIME	400.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.000	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.500	SY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	2.250	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.750	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	200.000	LF
SILT FENCE	1,233.000	LF
INLET FILTER CLEANING	20.000	EA
DITCH CHECK	25.000	TON
INLET STRUCTURE FILTER - TYPE B	10.000	EA
SEDIMENT DAM RIPRAP	150.000	TON
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	20.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 160 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4255680	PCN: P039348	Project No.: P039348
DBE Goal Percent: 0.00%	PCN: P039419	Project No.: P039419
Approx. Length (miles):6.7300	Description: RECONSTRUCTION - SPARTANBURG COUNTY	
CO(S): Spartanburg		
Completion Date: 8/31/2021	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	125.000	SY
UNCLASSIFIED EXCAVATION	501.000	CY
BORROW EXCAVATION	1,216.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	44.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	86,081.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,443.000	TON
MAINTENANCE STONE	131.000	TON
LIQUID ASPHALT BINDER PG64-22	1,243.094	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	21,255.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,329.000	SY
MILLED-IN RUMBLE STRIP	2.680	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	20,144.334	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,017.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,910.100	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,664.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,760.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	197,789.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,648.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,561.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	30.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,780.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	403,406.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	940.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	970.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	67,954.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,236.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	962.000	LF



Call No.: 160

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	15.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	630.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	71,685.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	51.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	621.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	830.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	15,080.000	LF
SAWCUT FOR LOOP DETECTOR	5,480.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	11.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	14.000	EA
DETECTABLE WARNING MATERIAL	62.500	SF
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	225.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	1,960.000	LF
PREMASH TYPE T TL3 LEADING 50'	9.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.884	ACRE



SC File NO(S): 4606002 PCN: P029556 Project No.:P029556
 DBE Goal Percent:3.50% PCN: P037446 Project No.:P037446
 Approx. Length (miles): Description: BRIDGE - DECK REPLACEMENT/PATCHING -
 CO(S): York
 Completion Date: 7/30/2021 YORK CO. Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 69.0 (Period ending on June 30, 2020) Mandatory Pre-Bid Conference to be held Monday, August 17, 2020 at 10:00 AM - District 4 Conference Room - 1232 JA Cochran Bypass, Chester, South Carolina 29706

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	1,200.000	HR
WRECKER SERVICE	25.000	DAY
REMOVAL & DISPOSAL OF CONCRETE MEDIAN BARRIER	2,400.000	LF
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
LIQUID ASPHALT BINDER PG64-22	4.500	TON
LIQUID ASPHALT BINDER PG76-22	163.000	TON
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	667.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	45,925.000	SY
MILLED-IN RUMBLE STRIP	0.480	MI
HOT MIX ASPHALT SURFACE COURSE TYPE E	75.000	TON
OPEN-GRADED FRICTION COURSE-12.5 MM	2,710.000	TON
DIAMOND GRINDING OF CONCRETE PAVEMENT	5,200.000	SY
PREF.FLEX.RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID	5,425.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID	4,300.000	LF
TEMPORARY CONCRETE BARRIER	5,650.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	1.000	EA
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	18,475.000	LF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	450.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	450.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	9,350.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	17,050.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	20,450.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,800.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	6,800.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	6,800.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	400.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	1,880.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	2,150.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	2,150.000	LF



Call No.: 170

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
RADAR SPEED SIGNS DRIVER FEEDBACK SIGNS	2.000	EA
2.0" SCHEDULE 40 PVC CONDUIT	1,400.000	LF
CONC. FOR STRUCTURES - CLASS 4000	1,226.000	CY
PARTIAL DEPTH PATCHING OF EXISTING DECK	125.000	SY
GROOVED SURFACE FINISH	5,200.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	406,600.000	LB
CONCRETE BRIDGE BARRIER PARAPET	1,040.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	2.000	EA
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	180.000	CY
CONCRETE MEDIAN BARRIER (TYPE-2)	2,400.000	LF
RESERVE CONCRETE GLARE SHIELD ADDITION	2,400.000	LF
MAINT REPAIR OF JERSEY TY 2 W GLARE	110.000	LF
TEMPORARY BARRIER FENCE	600.000	LF
CATCH BASIN 15 AND PLUG WITH TEMPORARY TRAFFIC	15.000	EACH



Call No.: 180 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5156670	PCN: P039763	Project No.: P039763
DBE Goal Percent: 0.00%	PCN: P039764	Project No.: P039764
Approx. Length (miles): 18.4100	Description: RECONSTRUCTION/REHABILITATION - DISTRICT 1	
CO(S): Lexington Richland		
Completion Date: 6/30/2022	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,065.000	SY
UNCLASSIFIED EXCAVATION	142.000	CY
BORROW EXCAVATION	3,394.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	121,975.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	68,320.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	58,300.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	7,984.000	TON
MAINTENANCE STONE	14.950	TON
LIQUID ASPHALT BINDER PG64-22	1,620.786	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,495.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	29,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,175.000	SY
MILLED-IN RUMBLE STRIP	24.920	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,709.867	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	18,559.303	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,643.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,841.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	10,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	761,790.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,240.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	7,575.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	26,800.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	592,370.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	700.000	LF



Call No.: 180

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	44,795.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	500.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	40.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	975.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,820.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	35,020.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	15.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,400.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	2,000.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	149,670.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	60.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	980.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	4,880.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	117,090.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	320.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,000.000	LF
SAWCUT FOR LOOP DETECTOR	1,400.000	LF
DETECTABLE WARNING MATERIAL	337.500	SF
PEDESTRIAN RAMP CONSTRUCTION	675.000	SY
SURFACE APPLIED DETECTABLE WARNING	25.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	350.000	LF
PREMASH TYPE T TL3 LEADING 50'	7.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.378	ACRE
MOWING	8.194	ACRE



Call No.: 190 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5156730	PCN: P039761	Project No.: P039761
DBE Goal Percent: 0.00%	PCN: P039762	Project No.: P039762
	PCN: P039765	Project No.: P039765

Approx. Length (miles): 15.9800 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Kershaw Lee Sumter DISTRICT 1

Completion Date: 6/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	35.000	SY
BORROW EXCAVATION	3,240.000	CY
EXCAVATION FOR SHOULDER PAVING	1,232.830	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,232.830	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	51,888.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	9,700.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,048.000	TON
MAINTENANCE STONE	18.000	TON
HMA SHOULDER WIDENING COURSE	5,863.733	TON
LIQUID ASPHALT BINDER PG64-22	1,824.535	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	300.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	11,170.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,388.000	SY
MILLED-IN RUMBLE STRIP	29.240	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	24,355.598	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,166.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,650.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,590.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	549,640.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,468.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	24.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	35,630.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	378,100.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,740.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	75.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,113.000	EA



Call No.: 190

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	2,360.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	171,240.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,318.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	11.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	12.000	EA
WHITE COMBINATION ARROW (STRAIGHT&RIGHT OR STRAIGHT&LEFT) - SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	5.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	11,220.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	117,440.000	LF
24" YELLOW DIAGONAL LINE - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS 002	870.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	15.719	ACRE



Call No.: 200 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5255840 PCN: P038625 Project No.: P038625
 DBE Goal Percent: 0.00% PCN: P038634 Project No.: P038634
 PCN: P039146 Project No.: P039146

Approx. Length (miles): 14.4200 Description: RECONSTRUCTION/PRESERVATION -
 CO(S): Abbeville Anderson DISTRICT 2
 Laurens

Completion Date: 8/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	325.000	SY
BORROW EXCAVATION	4,652.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	128,413.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	12,730.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,313.000	TON
MAINTENANCE STONE	74.900	TON
LIQUID ASPHALT BINDER PG64-22	1,545.528	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	100.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,260.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	130.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	12,381.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	13,085.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	116,850.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,805.000	SY
MILLED-IN RUMBLE STRIP	11.120	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	10,692.774	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	15,522.809	TON
DRIVEWAY PAVING-SURFACE TYPE B	43.750	TON
DRIVEWAY PAVING-SURFACE TYPE C	752.063	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,936.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	14,470.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	490,230.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	612.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	8,664.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	14,422.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	113.000	EA



Call No.: 200

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	31.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	32.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	15.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	18,100.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	566,177.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,705.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,645.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	128,040.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	204.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,888.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,139.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	37.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,750.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	156,742.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	120.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	231.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	244.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,248.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	755.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	18,786.000	LF
SAWCUT FOR LOOP DETECTOR	2,356.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	19.000	EA
CATCH BASIN -TYPE 9	1.000	EA
ADJUST MANHOLE	6.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	80.000	LF
DETECTABLE WARNING MATERIAL	162.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	45.000	SY
PEDESTRIAN RAMP CONSTRUCTION	325.000	SY
SURFACE APPLIED DETECTABLE WARNING	390.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	250.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	390.000	LF
MT3 LEADING END TREATMENT TL3	36.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	37.500	LF
MGS3 GR STANDARD SHOULDER	137.500	LF
MGS3CS GR COMPRESSED SHOULDER	2,275.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	550.000	LF
PREMASH TYPE T TL3 LEADING 50'	9.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.795	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	70.000	LF



Call No.: 200

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
SILT FENCE	1,650.000	LF
REPLACE/REPAIR SILT FENCE	170.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	415.000	LF



Call No.: 210 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5255850	PCN: P038643	Project No.: P038643
DBE Goal Percent: 0.00%	PCN: P038789	Project No.: P038789
	PCN: P039333	Project No.: P039333
	PCN: P039336	Project No.: P039336
	PCN: P039588	Project No.: P039588

Approx. Length (miles): 16.0600 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Edgefield Greenwood DISTRICT 2
McCormick Newberry
Saluda

Completion Date: 6/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	235.000	SY
BORROW EXCAVATION	5,946.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	74,760.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	56,881.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	36,175.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,143.000	TON
MAINTENANCE STONE	71.400	TON
LIQUID ASPHALT BINDER PG64-22	1,328.550	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	595.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,625.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	40.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	80.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	12,250.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	64,395.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,605.000	SY
MILLED-IN RUMBLE STRIP	9.080	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,647.294	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	17,331.636	TON
DRIVEWAY PAVING-SURFACE TYPE B	70.875	TON
DRIVEWAY PAVING-SURFACE TYPE C	759.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,638.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,175.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	616,615.000	LF



Call No.: 210

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	960.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,717.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	22.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	16.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	18,040.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	676,519.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	160.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,293.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	156,680.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	480.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	32.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,370.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	5.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,330.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	168,717.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	72.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	58.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,132.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	777.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	8,340.000	LF
SAWCUT FOR LOOP DETECTOR	2,454.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	11.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
SURFACE APPLIED DETECTABLE WARNING	180.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	200.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	362.500	LF
MT3 LEADING END TREATMENT TL3	32.000	EA
MGS3CS GR COMPRESSED SHOULDER	875.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.267	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	360.000	LF
SILT FENCE	2,460.000	LF
REPLACE/REPAIR SILT FENCE	246.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	620.000	LF



Call No.: 220 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5456010 PCN: P039701 Project No.: P039701

DBE Goal Percent: 0.00%

Approx. Length (miles): 178.7200

Description: PAVEMENT MARKINGS - DISTRICT 4

CO(S): Cherokee Chester
Chesterfield Fairfield
Lancaster Union York

Completion Date: 4/30/2021

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	294.910	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	10,921.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,849,538.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	108,725.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,400,993.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	10,921.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,540,109.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	108,725.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,400,747.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	99.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	108.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	11,795.000	EA
REMOVAL OF PAVEMENT MARKINGS	3,369,830.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO. PROFILE	309,429.000	LF



Call No.: 230 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5456100	PCN: P039432	Project No.: P039432
DBE Goal Percent: 0.00%	PCN: P039447	Project No.: P039447
Approx. Length (miles):4.5400	Description: RECONSTRUCTION - DISTRICT 4	
CO(S): Cherokee Union		
Completion Date: 7/31/2021	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	3.000	CY
UNCLASSIFIED EXCAVATION	390.000	CY
BORROW EXCAVATION	541.000	CY
STATION GRADING	57.550	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	52,742.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,257.000	TON
MAINTENANCE STONE	150.000	TON
LIQUID ASPHALT BINDER PG64-22	496.632	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,030.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,260.000	SY
MILLED-IN RUMBLE STRIP	4.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	863.573	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	863.573	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,623.417	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,408.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	674.750	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	52,742.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	546.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	413.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	156,327.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	220.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	470.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	158,189.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	328.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	47,944.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	160.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	462.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	46,098.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	311.000	EA
15" SMOOTH WALL PIPE	150.000	LF



Call No.: 230

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
CLEANING EXISTING PIPE	50.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	150.000	LF
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.300	ACRE



Call No.: 240 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5456110	PCN: P039435	Project No.: P039435
DBE Goal Percent: 0.00%	PCN: P039441	Project No.: P039441
Approx. Length (miles):3.9900	Description: RECONSTRUCTION/REHABILITATION - DISTRICT 4	
CO(S): Chester Fairfield		
Completion Date: 7/31/0212	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	730.000	CY
BORROW EXCAVATION	373.000	CY
STATION GRADING	11.090	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	48,547.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	9,974.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,006.000	TON
MAINTENANCE STONE	55.000	TON
LIQUID ASPHALT BINDER PG64-22	374.878	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	30.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	30.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	9,575.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,200.000	SY
MILLED-IN RUMBLE STRIP	7.980	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	957.440	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	957.440	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,270.420	TON
DRIVEWAY PAVING-SURFACE TYPE C	427.375	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	58,521.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	516.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	425.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	140,765.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	496.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	450.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,500.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	134,386.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	42,135.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	248.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	195.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,500.000	LF



Call No.: 240

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	35,756.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	269.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	30.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	780.000	LF
SAWCUT FOR LOOP DETECTOR	245.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.910	ACRE



Call No.: 250

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	79.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	151,801.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	2,280.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,898.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	35,312.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,798.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,672.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	40.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	36.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	37,502.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	1,140.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	202.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	210.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	350.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,040.000	LF
SAWCUT FOR LOOP DETECTOR	1,100.000	LF
18" SMOOTH WALL PIPE	16.000	LF
ADJUST CATCH BASIN	10.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	400.000	LF
DETECTABLE WARNING MATERIAL	487.500	SF
CONCRETE FLUME	20.000	LF
PEDESTRIAN RAMP CONSTRUCTION	975.000	SY
RIP-RAP (CLASS A)	60.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	135.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	200.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.280	ACRE
SILT FENCE	1,500.000	LF
REPLACE/REPAIR SILT FENCE	400.000	LF
CLEANING SILT BASINS	20.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	200.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	20.000	TON



Call No.: 260 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5555780	PCN: P039536	Project No.: P039536
DBE Goal Percent: 0.00%	PCN: P039539	Project No.: P039539
	PCN: P039543	Project No.: P039543
	PCN: P039557	Project No.: P039557

Approx. Length (miles): 18.8100 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Darlington Dillon Florence DISTRICT 5
Marlboro

Completion Date: 5/15/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	60.000	LF
BORROW EXCAVATION	3,766.000	CY
EXCAVATION FOR SHOULDER PAVING	272.448	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	272.448	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	229,337.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	8,132.000	TON
MAINTENANCE STONE	23.500	TON
HMA SHOULDER WIDENING COURSE	1,362.240	TON
LIQUID ASPHALT BINDER PG64-22	1,584.042	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,350.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	58,680.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,870.000	SY
MILLED-IN RUMBLE STRIP	36.990	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	6,894.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	17,855.273	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	152.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,105.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,944.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	592,854.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,020.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	57,600.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	229,530.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	600.000	LF



Call No.: 260

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	197,618.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	340.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	19,200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	76,510.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,075.000	EA
REMOVAL OF PAVEMENT MARKINGS	6,890.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	700.000	LF
SAWCUT FOR LOOP DETECTOR	550.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	60.000	LF
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.810	ACRE



Call No.: 270 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5555790	PCN: P039547	Project No.: P039547
DBE Goal Percent: 0.00%	PCN: P039550	Project No.: P039550
	PCN: P039553	Project No.: P039553
	PCN: P039561	Project No.: P039561

Approx. Length (miles): 10.5800 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Georgetown Horry Marion DISTRICT 5
Williamsburg

Completion Date: 11/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	7,545.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	2,085.000	LF
BORROW EXCAVATION	2,078.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	84,199.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,009.000	TON
MAINTENANCE STONE	49.500	TON
LIQUID ASPHALT BINDER PG64-22	1,842.196	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	3,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	49,822.000	SY
MILLING EXISTING ASPHALT PAVEMENT 5.0"	63,680.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,900.000	SY
MILLED-IN RUMBLE STRIP	15.200	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,634.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,542.360	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	63.000	TON
DIAMOND GRINDING OF ASPHALT PAVEMENT	63,680.000	SY
DRIVEWAY PAVING-SURFACE TYPE D	881.250	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	19,103.039	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,668.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	18,570.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	267,570.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	480.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,920.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	57.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	30.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.) FAST DRY PAINT	9.000	EA



Call No.: 270

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	24,795.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	250,500.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	135.000	LF
6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT	310.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	2,210.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	2,210.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,190.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	89,190.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	160.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	640.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	19.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,265.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	83,500.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	247.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	210.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	848.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,734.000	LF
SAWCUT FOR LOOP DETECTOR	612.000	LF
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	2.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	600.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	1,165.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	320.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	2,885.000	SY
DETECTABLE WARNING MATERIAL	862.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	2,935.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,725.000	SY
PREMASH TYPE T TL3 LEADING 50'	28.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.081	ACRE



Call No.: 280 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5556020 PCN: P039702 Project No.: P039702

DBE Goal Percent: 0.00%

Approx. Length (miles):58.6600

Description: PAVEMENT MARKINGS - DISTRICT 5

CO(S): Darlington Dillon Florence
Georgetown Horry

Completion Date: 4/30/2021

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	117.500	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,737.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	607,061.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	43,922.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	355,642.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,737.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	607,061.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	43,922.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	355,642.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	187.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	85.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	3,872.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,010,363.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 290 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5656260	PCN: P039574	Project No.: P039574
DBE Goal Percent: 0.00%	PCN: P039596	Project No.: P039596
Approx. Length (miles):3.2800	Description: REHABILITATION - DISTRICT 6	
CO(S): Beaufort Jasper		
Completion Date: 7/31/2021	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	105.560	SY
UNCLASSIFIED EXCAVATION	50.000	CY
BORROW EXCAVATION	656.000	CY
EXCAVATION FOR SHOULDER PAVING	339.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	339.000	STA
MAINTENANCE STONE	50.790	TON
HMA SHOULDER WIDENING COURSE	1,812.800	TON
LIQUID ASPHALT BINDER PG64-22	414.681	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,079.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	15,769.600	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	32,662.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
MILLED-IN RUMBLE STRIP	4.020	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,445.470	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	300.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	265.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	554.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	170.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	34,639.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	56.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	4.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	2,880.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	16,453.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	478.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	90,512.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	112.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA



Call No.: 290

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	7,220.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	45,728.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	8.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	270.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	105.560	SY
DETECTABLE WARNING MATERIAL	30.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.181	ACRE
SILT FENCE	5,000.000	LF



Call No.: 300 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5656590 PCN: P039680 Project No.: P039680
 DBE Goal Percent: 0.00% PCN: P039686 Project No.: P039686
 Approx. Length (miles): 7.9400 Description: RECONSTRUCTION/REHABILITATION -
 CO(S): Berkeley Charleston DISTRICT 6
 Completion Date: 9/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	353.551	SY
UNCLASSIFIED EXCAVATION	100.000	CY
BORROW EXCAVATION	2,875.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	559.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	36,564.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	27,600.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,233.000	TON
MAINTENANCE STONE	58.880	TON
LIQUID ASPHALT BINDER PG64-22	971.985	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,888.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	62,751.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	8,760.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,120.000	SY
MILLED-IN RUMBLE STRIP	5.000	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	16,780.634	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,376.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,824.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	3,702.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	68,878.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	950.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	627.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	16.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	12.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	2.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	4,220.000	LF



Call No.: 300

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	58,883.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,430.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	165,209.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,900.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,284.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	32.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	24.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	11,420.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	127,814.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	890.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT	100.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	226.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	825.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	350.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,250.000	LF
SAWCUT FOR LOOP DETECTOR	2,472.000	LF
ADJUST DROP INLET ADJUST D. I.	4.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	256.440	SY
CONCRETE SIDEWALK(6" UNIFORM)	26.667	SY
DETECTABLE WARNING MATERIAL	135.000	SF
CONCRETE MEDIAN	6.700	SY
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
RIP-RAP (CLASS B)	2.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	20.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.419	ACRE
SILT FENCE	700.000	LF



Call No.: 310 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5656770	PCN: P039667	Project No.: P039667
DBE Goal Percent: 0.00%	PCN: P039670	Project No.: P039670
Approx. Length (miles):5.4100	Description: RECONSTRUCTION/REHABILITATION - DISTRICT 6	
CO(S): Colleton Dorchester		
Completion Date: 8/31/2021	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	534.000	CY
BORROW EXCAVATION	2,700.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	1,051.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	81,853.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,825.000	TON
LIQUID ASPHALT BINDER PG64-22	624.940	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	800.000	SY
MILLED-IN RUMBLE STRIP	10.820	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	4,015.253	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,329.880	TON
DRIVEWAY PAVING-SURFACE TYPE C	539.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	476.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	57,055.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	80.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	4,740.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	37,935.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	145,610.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	180.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	12,650.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	89,915.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	360.000	EA
RIP-RAP (CLASS B)	0.420	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	10.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.246	ACRE
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	0.030	MSY
SILT FENCE	200.000	LF



Call No.: 320 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5756040 PCN: P039704 Project No.: P039704

DBE Goal Percent: 0.00%

Approx. Length (miles):67.5300

Description: PAVEMENT MARKINGS - DISTRICT 7

CO(S): Barnwell Clarendon
Orangeburg

Completion Date: 4/30/2021

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	132.460	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,164.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	698,854.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	55,627.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	411,432.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,164.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	698,854.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	55,627.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	411,949.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	3.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	4,457.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,170,597.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 330 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5756490	PCN: P039097	Project No.: P039097
DBE Goal Percent: 0.00%	PCN: P039105	Project No.: P039105
	PCN: P039697	Project No.: P039697
	PCN: P039748	Project No.: P039748
	PCN: P039749	Project No.: P039749

Approx. Length (miles): 11.5100 Description: RECONSTRUCTION/REHABILITATION - DISTRICT 7
CO(S): Allendale Bamberg
 Barnwell Hampton

Completion Date: 11/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	2,302.000	CY
EXCAVATION FOR SHOULDER PAVING	718.080	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	718.080	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	12,200.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	37,500.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,605.000	TON
MAINTENANCE STONE	46.800	TON
HMA SHOULDER WIDENING COURSE	5,808.587	TON
LIQUID ASPHALT BINDER PG64-22	1,219.956	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,680.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	3,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,200.000	SY
MILLED-IN RUMBLE STRIP	14.530	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,529.087	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	4,139.167	TON
DRIVEWAY PAVING-SURFACE TYPE D	587.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,960.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	332.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	113,380.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	240.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	560.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	8,440.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	71,740.000	LF



Call No.: 330

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	614.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	189,610.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	480.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,170.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	18,630.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	148,160.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	779.000	EA
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	650.000	LF
SAWCUT FOR LOOP DETECTOR	140.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	110.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	300.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	100.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.160	ACRE



Call No.: 340 Letting Date: September 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5756500	PCN: P039182	Project No.: P039182
DBE Goal Percent: 0.00%	PCN: P039510	Project No.: P039510
Approx. Length (miles):6.4600	Description: RECONSTRUCTION/REHABILITATION - DISTRICT 7	
CO(S): Calhoun Orangeburg		
Completion Date: 7/31/2021	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	760.000	SY
BORROW EXCAVATION	882.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	24,930.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	880.000	TON
MAINTENANCE STONE	10.090	TON
LIQUID ASPHALT BINDER PG64-22	668.276	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	857.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	152.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	19,470.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	28,690.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,400.000	SY
MILLED-IN RUMBLE STRIP	1.500	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,798.156	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	2,511.340	TON
DRIVEWAY PAVING-SURFACE TYPE D	669.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,212.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	482.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	37,910.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	2,319.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,345.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	6.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	6.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	1,935.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	46,157.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,164.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	89,660.000	LF



Call No.: 340

Letting Date: September 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,638.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,711.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,630.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	103,794.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	37.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	537.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	340.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,300.000	LF
SAWCUT FOR LOOP DETECTOR	2,120.000	LF
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	10.000	SY
DETECTABLE WARNING MATERIAL	385.000	SF
PEDESTRIAN RAMP CONSTRUCTION	750.000	SY
SURFACE APPLIED DETECTABLE WARNING	140.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	200.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	200.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.276	ACRE

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Cory Pope at (803)737-4459 or Popeck@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Interim Contract Administrator