

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For September 10, 2024

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on August 10, 2024 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.



Call No.: 010 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0168561 PCN: P043123 Project No.: P043123

DBE Goal Percent: 0.00%

Approx. Length (miles):0.7400

Description: 2023-24 ABBEVILLE CTC

CO(S): Abbeville

Completion Date: 8/31/2025 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	148.000	CY
MAINTENANCE STONE	14.300	TON
LIQUID ASPHALT BINDER PG64-22	85.007	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	555.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	375.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	5,770.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,810.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,217.307	TON
DRIVEWAY PAVING-SURFACE TYPE C	132.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	912.000	SF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	264.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	10,560.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	124.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,330.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	51.000	EA
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.495	ACRE



Call No.: 020 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0270130 PCN: P042983 Project No.: P042983
DBE Goal Percent: 0.00% PCN: P042984 Project No.: P042984
PCN: P042986 Project No.: P042986

Approx. Length (miles): 17.2000 Description: 2025 AIKEN REHAB- RECONSTRUCTION
CO(S): Aiken

Completion Date: 5/31/2026 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, EXCAVATION, PAVING, and MARKING with their respective quantities and units.



Call No.: 020

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	7.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	1.000	EA
HANDICAP SYMBOL - PERM.PVMT MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	13,220.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	105,540.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	60.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,820.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	384,350.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	650.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	160.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,290.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	11.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	28,490.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	223,630.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	660.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	60.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	250.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	250.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	65.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,264.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	18.000	SF
SQUARE TUBING POST 12 GAUGE - 2" X 2" X 8	48.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,200.000	LF
SAWCUT FOR LOOP DETECTOR	400.000	LF
DETECTABLE WARNING MATERIAL	75.000	SF
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	200.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	860.000	LF
MT3 LEADING END TREATMENT TL3	12.000	EA
MGS3CS GR COMPRESSED SHOULDER	900.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	1,000.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	100.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.970	ACRE



Call No.: 030 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1168710	PCN: P043082	Project No.: P043082
DBE Goal Percent: 0.00%	PCN: P043083	Project No.: P043083
	PCN: P043084	Project No.: P043084

Approx. Length (miles): 10.0600 **Description:** 2025 CHEROKEE COUNTY RECONSTRUCTION
CO(S): Cherokee
Completion Date: 5/31/2026 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	200.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	28.500	CY
UNCLASSIFIED EXCAVATION	1,200.000	CY
BORROW EXCAVATION	1,975.000	CY
STATION GRADING	129.890	STA
EXCAVATION FOR SHOULDER PAVING	347.420	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	347.420	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	66,119.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	23,173.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,630.000	TON
MAINTENANCE STONE	241.500	TON
HMA SHOULDER WIDENING COURSE	2,509.173	TON
LIQUID ASPHALT BINDER PG64-22	1,717.941	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	50.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	180.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	4,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,200.000	SY
MILLED-IN RUMBLE STRIP	14.040	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10,037.373	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	310.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,404.373	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	8,347.067	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,175.680	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,144.875	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	89,292.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,049.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	900.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	327,471.000	LF



Call No.: 030

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,339.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,815.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	312,697.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	842.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	101,975.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	573.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,815.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	90,193.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	615.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	820.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	80.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	510.000	LF
PARTIAL DEPTH PATCHING OF EXISTING DECK	50.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	1,500.000	LB
18" SMOOTH WALL PIPE	240.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,680.000	LF
MT3 LEADING END TREATMENT TL3	32.000	EA
MGS3 GR STANDARD SHOULDER	4,225.000	LF
MGS3LS22 GUARDRAIL LONG SPAN 22FT CLEAR	125.000	LF
MGS3CS GR COMPRESSED SHOULDER	1,262.500	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	500.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	12.000	EA
PREMASH TYPE T TL3 LEADING 50'	12.000	EA
RESET CHAIN-LINK FENCE	130.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.580	ACRE



Call No.: 040 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1469820	PCN: P043007	Project No.: P043007
DBE Goal Percent: 0.00%	PCN: P043008	Project No.: P043008
	PCN: P043009	Project No.: P043009
	PCN: P043029	Project No.: P043029

Approx. Length (miles): 14.2200
CO(S): Clarendon
Description: 2025 CLARENDON RECLAMATION-RESURFACING

Completion Date: 6/30/2026 Days
Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	130.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	75.000	LF
UNCLASSIFIED EXCAVATION	560.000	CY
BORROW EXCAVATION	2,524.000	CY
EXCAVATION FOR SHOULDER PAVING	703.296	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	703.296	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	29,940.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	57,990.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,085.000	TON
MAINTENANCE STONE	113.650	TON
HMA SHOULDER WIDENING COURSE	4,795.413	TON
LIQUID ASPHALT BINDER PG64-22	1,696.693	TON
ARAMID FIBER	3,800.000	LB
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	3,315.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	650.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,800.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	2,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	1,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	6,715.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	35,300.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,500.000	SY
MILLED-IN RUMBLE STRIP	25.710	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,531.893	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,980.674	TON



Call No.: 040

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,522.320	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,091.250	TON
CLEAN & SEAL TRANS. JOINTS AT BRIDGE	110.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,176.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	4,694.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	133,140.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,300.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	45.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,865.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	18.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	5.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
HANDICAP SYMBOL - PERM.PVMT MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	11,860.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	87,720.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	330.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,222.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	318,360.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,390.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	29.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	9.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	25,490.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	194,570.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	610.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	930.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT	60.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	500.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	500.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	210.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	142.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,270.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,000.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	36.000	SF
SQUARE TUBING POST 12 GAUGE - 2" X 2" X 8	64.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	75.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	55.000	SY
DETECTABLE WARNING MATERIAL	37.500	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
SURFACE APPLIED DETECTABLE WARNING	50.000	SF



Call No.: 040

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,000.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	50.000	LF
MT3 LEADING END TREATMENT TL3	20.000	EA
MT2 LEADING END TREATMENT TL2	4.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	500.000	LF
MGS3 GR STANDARD SHOULDER	712.500	LF
MGS3LS16 GUARDRAIL LONG SPAN 16FT CLEAR	400.000	LF
MGS3CS GR COMPRESSED SHOULDER	2,000.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	2.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.620	ACRE



Call No.: 050 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1569780	PCN: P042956	Project No.: P042956
DBE Goal Percent: 0.00%	PCN: P042957	Project No.: P042957
	PCN: P042958	Project No.: P042958
	PCN: P042959	Project No.: P042959

Approx. Length (miles): 15.7400 **Description:** MILL, INTM B SPEC, SURF B, FDP, CMRB
CO(S): Colleton 6/4/2024 8:51:19 AM

Completion Date: 6/30/2026 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	6.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	217.330	SY
REMOVAL & DISPOSAL OF EXISTING CURB	60.000	LF
UNCLASSIFIED EXCAVATION	955.000	CY
BORROW EXCAVATION	5,104.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	2,258.750	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	87,489.602	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	61,682.129	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,380.250	TON
MAINTENANCE STONE	236.170	TON
LIQUID ASPHALT BINDER PG64-22	2,260.394	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	23,617.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	3,399.820	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	122,456.840	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	21,272.000	SY
MILLED-IN RUMBLE STRIP	30.460	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	21,482.838	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,714.940	TON
DRIVEWAY PAVING-SURFACE TYPE C	863.500	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	149,171.731	SY
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	13,470.248	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,036.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	4,720.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	142,983.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	17,931.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	80.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	239.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	2.000	EA



Call No.: 050

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	7,620.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	89,854.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	18,858.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	569,609.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	71,724.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	320.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	956.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	52.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	52.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	30,480.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	357,093.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	800.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	13.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	13.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	228.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,179.000	EA
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	60.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	15.986	ACRE
SILT FENCE	21,530.000	LF



Call No.: 060 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2069600 PCN: P043092 Project No.: P043092
 DBE Goal Percent: 0.00% PCN: P043093 Project No.: P043093
 PCN: P043094 Project No.: P043094

Approx. Length (miles): 9.3000 Description: 2025 PAVEMENT IMPROVEMENT PROGRAM
 CO(S): Fairfield

Completion Date: 11/30/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	1.000	CY
UNCLASSIFIED EXCAVATION	2,158.000	CY
BORROW EXCAVATION	2,675.000	CY
STATION GRADING	99.262	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	108,684.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,372.000	TON
MAINTENANCE STONE	137.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	2,599.000	TON
LIQUID ASPHALT BINDER PG64-22	1,305.276	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	60.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	6,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	22,845.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,900.000	SY
MILLED-IN RUMBLE STRIP	15.890	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	2,285.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	16,033.490	TON
DRIVEWAY PAVING-SURFACE TYPE C	979.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	108,684.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,460.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	160.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	572.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	340,784.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	886.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,015.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	318,504.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	437.000	LF



Call No.: 060

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	135.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	76,041.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	19,692.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	40.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	386.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,695.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,345.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	63,461.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	12,475.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	660.000	EA
15" SMOOTH WALL PIPE	40.000	LF
18" SMOOTH WALL PIPE	152.000	LF
24" SMOOTH WALL PIPE	56.000	LF
CLEANING EXISTING PIPE	400.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	10.030	EA
MT3 LEADING END TREATMENT TL3	36.000	EA
MGS3CS GR COMPRESSED SHOULDER	5,000.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.250	ACRE



Call No.: 070 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2169300 PCN: P043050 Project No.: P043050
DBE Goal Percent: 0.00% PCN: P043142 Project No.: P043142
Approx. Length (miles): 19.5500 Description: 2025 PIPP RESURFACING 5/14/2024 2:34:00 PM
CO(S): Florence
Completion Date: 5/31/2026 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, PAVING, and PAINTING with their respective quantities and units.



Call No.: 070

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,480.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	196,987.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	215.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	110.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	975.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	21,425.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	91,385.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,376.000	EA
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	500.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	50.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	850.000	SY
DETECTABLE WARNING MATERIAL	75.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	125.000	SY
PEDESTRIAN RAMP CONSTRUCTION	150.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.120	ACRE



Call No.: 080 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2269280 PCN: P039044 Project No.: P039044
DBE Goal Percent: 0.00% PCN: P042044 Project No.: P042044
PCN: P043169 Project No.: P043169
PCN: P043230 Project No.: P043230

Approx. Length (miles): 13.9300 Description: 2025 PIPP RESURFACING 5/14/2024 1:09:01 PM
CO(S): Georgetown

Completion Date: 6/30/2026 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, EXCAVATION, PAVING, and PAINTING with their respective quantities and units.



Call No.: 080

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	34,410.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	246,180.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,770.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	11,355.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	126,988.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	21,120.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	150.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	44.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,215.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	13.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	6.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	11,470.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	82,060.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	590.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	654.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	706.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	130.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	480.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	480.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	10.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	414.000	LF
SAWCUT FOR LOOP DETECTOR	177.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JHD	1.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	800.000	SY
DETECTABLE WARNING MATERIAL	25.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	30.000	SY
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
SURFACE APPLIED DETECTABLE WARNING	162.500	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.783	ACRE



Call No.: 090 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2269530 PCN: P042954 Project No.: P042954

DBE Goal Percent: 0.00% PCN: P043295 Project No.: P043295

Approx. Length (miles): Description: 2024 CTC RESURFACING

CO(S): Georgetown

Completion Date: 7/31/2025 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	506.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	34,027.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,055.760	TON
MAINTENANCE STONE	2.500	TON
LIQUID ASPHALT BINDER PG64-22	220.253	TON
ARAMID FIBER	52.450	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	250.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	150.000	SY
MILLED-IN RUMBLE STRIP	4.640	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,840.400	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,655.960	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	15.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	211.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	471.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	375.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	73,509.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	225.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	7,530.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	23,118.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	125.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	24,503.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	75.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,510.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	7,706.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	176.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.651	ACRE

(1) SECTION 102: MANDATORY PRE-BID CONFERENCE:

The Contractor is advised that all Bidders are required to attend a Pre-Bid Conference to be held at August 28, 2024 1:30 PM. The Pre Bid Conference will be held in the 252 S. PLEASANTBURG DR., GREENVILLE, SC 29607 - 4TH FLOOR CONFERENCE ROOM. Contractors who do not attend this Pre Bid Conference will not be allowed to submit a Bid Proposal for this project.



South Carolina Department of Transportation

8/13/2024

Call No.: 100 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2304752 PCN: P028821 Project No.: P028821
DBE Goal Percent: 8.50%
Approx. Length (miles): 0.5200 Description: US 29 OVER S-75 BRIDGE REHABILITATION
CO(S): Greenville
Completion Date: 7/31/2026 Days Funding: FED

WITHDRAWN

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	6.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CURB	1,118.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	117.000	CY
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	500.000	CY
BORROW EXCAVATION	500.000	CY
MUCK EXCAVATION	220.000	CY
FINE GRADING	7,806.000	SY
FLOWABLE FILL	8.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	242.000	TON
LIQUID ASPHALT BINDER PG64-22	57.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	317.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	6,410.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	127.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	653.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	28.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	544.000	SF
TEMPORARY SURFACE MOUNTED FLEXIBLE DELINEATOR POST (WITH YELLOW OR WHITE RETROREFLECTIVE SHEETING)	40.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	1.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	1.000	EA
TEMPORARY CONCRETE BARRIER	1,720.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.BROKEN PREF.	160.000	LF



Call No.: 110 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2361470 PCN: P041100 Project No.: P041100
DBE Goal Percent: 0.00%
Approx. Length (miles):0.0000 Description: SIGNAL UPGRADES - CITY OF GREENVILLE
CO(S): Greenville
Completion Date: 6/30/2026 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, CONDUIT, and SIGNAL HEADS with their respective quantities and units.



Call No.: 110

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	4.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	6.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	3.000	EA
FURNISH & INSTALL SINGLE LUMINAIRE INCLDNG ARMS AND HARDWARE	7.000	EA
POWDERCOATING PER MAST ARM OVER BASE	15.000	EA
DECORATIVE OPTION PER MAST ARM	15.000	EA
LUMINAIRE OPTION FOR MAST ARM - TO ACCOUNT FOR TALLER POLE	7.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 003	4.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	7.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	11.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	32.000	SY
DETECTABLE WARNING MATERIAL	30.000	SF
PEDESTRIAN RAMP CONSTRUCTION	30.000	SY



Call No.: 120 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2368800 PCN: P043188 Project No.: P043188
DBE Goal Percent: 0.00% PCN: P043193 Project No.: P043193
PCN: P043398 Project No.: P043398

Approx. Length (miles): 14.5500 Description: 2025 GREENVILLE REHABILITATION AND CRACK SEAL
CO(S): Greenville

Completion Date: 9/30/2026 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 4 columns: Description, Quantity, Units, and an unlabeled column. Rows include items like MOBILIZATION, BONDING AND INSURANCE, TRAFFIC CONTROL, REMOVAL & DISPOSAL OF EXISTING PAVEMENT, BORROW EXCAVATION, EXCAVATION FOR SHOULDER PAVING, HAULING OF EXCAVATED SHOULDER MATERIAL, MAINTENANCE STONE, HMA SHOULDER WIDENING COURSE, LIQUID ASPHALT BINDER PG64-22, FULL DEPTH ASPH. PAV. PATCHING 8" UNIF, MILLING EXISTING ASPHALT PAVEMENT 2.0", MILLING EXISTING ASPHALT PAVEMENT (VARIABLE), CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT, MILLED-IN RUMBLE STRIP, HOT MIX ASPHALT SURFACE COURSE TYPE B, HOT MIX ASPHALT SURFACE COURSE TYPE C, DRIVEWAY PAVING-SURFACE TYPE C, PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED), 4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT, 4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT, 8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT, 24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT, WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT, WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT, WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT, WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT, 4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT, 4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT, 6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT, 6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT, 6"YEL SOLID LINES ON 6"CONC.CURB(TOP&SIDE)-FAST DRY PNT



Call No.: 120

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	1,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,284.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	3,644.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	30,960.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	36,934.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	22,204.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	80.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	10,550.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	71.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	47.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	21.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,340.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	100,586.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	2,050.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	284.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,609.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	4,410.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	79,170.000	LF
SAWCUT FOR LOOP DETECTOR	28,770.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JHD	63.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	21.000	EA
DETECTABLE WARNING MATERIAL	125.000	SF
PEDESTRIAN RAMP CONSTRUCTION	250.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	500.000	LF
RESETM MT3 LEADING END TREATMENT TL3	1.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	1,950.000	LF
PREMASH RESET TRAIL W-BEAM TYPE B 12.5'	2.000	EA
PREMASH RESET TYPE T TL3 LEADING 50'	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	10.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.191	ACRE



Call No.: 130 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2969800 PCN: P043350 Project No.: P043350

DBE Goal Percent: 5.00%

Approx. Length (miles):4.6900

Description: CMRB,STA,HMA 5/29/2024 9:32:04 AM

CO(S): Lancaster

Completion Date: 9/30/2025 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	5.000	CY
UNCLASSIFIED EXCAVATION	492.000	CY
BORROW EXCAVATION	818.000	CY
STATION GRADING	20.060	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	68,786.631	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,994.817	TON
LIQUID ASPHALT BINDER PG64-22	776.162	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	130.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,600.000	SY
MILLED-IN RUMBLE STRIP	9.380	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	6,603.520	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,003.080	TON
DRIVEWAY PAVING-SURFACE TYPE C	971.250	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	68,786.631	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	652.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	198,104.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	345.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,440.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	185,201.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	160.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	49,526.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	225.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,440.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	36,623.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	320.000	EA
15" SMOOTH WALL PIPE	48.000	LF
18" SMOOTH WALL PIPE	16.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.270	ACRE



Call No.: 140 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3170040	PCN: P043233	Project No.: P043233
DBE Goal Percent: 0.00%	PCN: P043303	Project No.: P043303
	PCN: P043304	Project No.: P043304
	PCN: P043305	Project No.: P043305

Approx. Length (miles): 13.1000 **Description:** 2025 LEE COUNTY PAVEMENT PROGRAM
CO(S): Lee W/CTC

Completion Date: 11/30/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,525.000	SY
BORROW EXCAVATION	2,442.000	CY
EXCAVATION FOR SHOULDER PAVING	1,004.200	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,004.200	STA
MAINTENANCE STONE	76.750	TON
HMA SHOULDER WIDENING COURSE	4,527.600	TON
LIQUID ASPHALT BINDER PG64-22	1,852.353	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,100.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	75.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	67,630.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	11,750.000	SY
MILLED-IN RUMBLE STRIP	8.900	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	5,344.534	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,251.714	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,838.453	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,058.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,432.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,230.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	337,820.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	640.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,580.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	17,880.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	255,820.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	920.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	133,510.000	LF



Call No.: 140

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,120.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,125.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,440.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	92,510.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	910.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	30.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,075.000	LF
SAWCUT FOR LOOP DETECTOR	340.000	LF
CATCH BASIN TYPE 1 (TOP ONLY)	6.000	EA
ADJUST DROP INLET ADJUST D. I.	7.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	1,250.000	SY
DETECTABLE WARNING MATERIAL	337.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	600.000	SY
PEDESTRIAN RAMP CONSTRUCTION	675.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	2,200.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,750.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	100.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	50.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.850	ACRE



Call No.: 150 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3269950 **PCN:** P043240 **Project No.:** P043240
DBE Goal Percent: 0.00% **PCN:** P043241 **Project No.:** P043241
Approx. Length (miles): 16.8700 **Description:** 2025 LEXINGTON REHAB-RECONSTRUCTION
CO(S): Lexington
Completion Date: 6/30/2026 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,255.000	SY
UNCLASSIFIED EXCAVATION	902.000	CY
BORROW EXCAVATION	3,374.000	CY
EXCAVATION FOR SHOULDER PAVING	599.100	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	599.100	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	78,915.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	71,390.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,650.000	TON
MAINTENANCE STONE	166.000	TON
HMA SHOULDER WIDENING COURSE	3,336.960	TON
LIQUID ASPHALT BINDER PG64-22	1,743.912	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,400.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	2,917.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,075.000	SY
MILLED-IN RUMBLE STRIP	22.300	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	166.700	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,351.533	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	21,417.333	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,292.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,665.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	593,030.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,490.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	30,780.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	490,960.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	605.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,530.000	LF



Call No.: 150

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	178,200.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	200.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,030.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	7.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,760.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	146,405.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,170.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	45.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,200.000	LF
SAWCUT FOR LOOP DETECTOR	680.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	175.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	175.000	LF
MT3 LEADING END TREATMENT TL3	6.000	EA
MGS3CS GR COMPRESSED SHOULDER	550.000	LF
PREMASH TYPE T TL3 LEADING 50'	7.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.380	ACRE



Call No.: 160 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3469270	PCN: P043292	Project No.: P043292
DBE Goal Percent: 0.00%	PCN: P043293	Project No.: P043293
	PCN: P043294	Project No.: P043294
	PCN: P043332	Project No.: P043332

Approx. Length (miles): 11.1200 **Description:** 2025 MARION COUNTY REHAB-RECONSTRUCTION
CO(S): Marion

Completion Date: 6/30/2026 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	6,085.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,800.000	LF
BORROW EXCAVATION	1,866.800	CY
EXCAVATION FOR SHOULDER PAVING	558.624	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	558.624	STA
CEMENT MODIFIED RECYCLED BASE (14" UNIFORM)	19,572.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	617.000	TON
MAINTENANCE STONE	127.750	TON
HMA SHOULDER WIDENING COURSE	2,793.120	TON
LIQUID ASPHALT BINDER PG64-22	1,529.971	TON
ARAMID FIBER	1,387.200	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	9,175.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	3,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	156,011.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	2,552.800	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	450.000	SY
MILLED-IN RUMBLE STRIP	17.704	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,957.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,630.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,228.600	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	559.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	665.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,571.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	23,100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	204,710.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	10,800.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,978.000	LF



Call No.: 160

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	36.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	33.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	24,705.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	258,867.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	380.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	68,240.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,600.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,326.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	11.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,235.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	86,289.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	421.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	275.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	945.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	240.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	800.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,700.000	LF
SAWCUT FOR LOOP DETECTOR	2,326.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	17.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	4.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,150.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	100.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	550.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,630.000	SY
DETECTABLE WARNING MATERIAL	1,162.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	2,150.000	SY
PEDESTRIAN RAMP CONSTRUCTION	2,325.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.220	ACRE



Call No.: 170 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4048150 PCN: P027709 Project No.: P027709
DBE Goal Percent: 0.00%
Approx. Length (miles):0.6070 Description: ENHANCEMENT - RICHLAND CO (BLUFF RD)
CO(S): Richland
Completion Date: 8/31/2025 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, EXCAVATION, PAVING, etc.



Call No.: 170

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	8.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	3,020.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,350.000	SY
DETECTABLE WARNING MATERIAL	100.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	396.000	SY
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
RIP-RAP (CLASS B)	824.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,032.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	2,000.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	28.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.365	ACRE
TEMPORARY COVER	0.683	ACRE
FERTILIZER (NITROGEN)	136.500	LB
FERTILIZER (PHOSPHORIC ACID)	136.500	LB
FERTILIZER (POTASH)	136.500	LB
AGRICULTURAL GRANULAR LIME	2,730.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	4.096	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.627	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.468	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	112.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	80.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	110.000	LF
SILT FENCE	6,401.000	LF
REPLACE/REPAIR SILT FENCE	641.000	LF
CLEANING SILT BASINS	90.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,601.000	LF
INLET FILTER CLEANING	11.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 180 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4269150 PCN: P043194 Project No.: P043194
DBE Goal Percent: 0.00% PCN: P043195 Project No.: P043195
PCN: P043196 Project No.: P043196

Approx. Length (miles):20.5000 Description: 2025 SPARTANBURG REHABILITATION AND CRACK SEAL
CO(S): Spartanburg

Completion Date: 7/31/2026 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, PAVING, and PAINTING with their respective quantities and units.



Call No.: 180

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	320.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,420.000	LF
WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT) EPOXY PAINT	2.000	EA
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,770.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	22,170.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	122,005.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	17,390.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	111.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	4,557.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	87.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	56.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,930.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	112,114.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	125.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,769.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	154.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,000.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	2,730.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	49,010.000	LF
SAWCUT FOR LOOP DETECTOR	17,810.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	39.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	13.000	EA
DETECTABLE WARNING MATERIAL	87.500	SF
PEDESTRIAN RAMP CONSTRUCTION	175.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	800.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	875.000	LF
PREMASH TYPE T TL3 LEADING 50'	16.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.654	ACRE

SECTION 102: MANDATORY PRE-BID CONFERENCE:

The Contractor is advised that all Bidders on this project are required to attend a Pre-Bid Conference to be held at Tuesday, August 20, 2024 at 10:00 AM. The Pre Bid Conference will be held in the Carolina Crossroads Project Office at 317 ZIMALCREST DR, COLUMBIA, SC 29210. Contractors who do not attend this Pre Bid Conference will not be allowed to submit a Bid Proposal for this project.



South Carolina Department of Transportation

8/13/2024

Call No.: 190 **Letting Date:** September 10, 2024 **Letting Time:** 2:00 PM **Page:** 1

SC File NO(S): 5170050 **PCN:** P043324 **Project No.:** P043324

DBE Goal Percent: 17.50%

Approx. Length (miles): 18.7380

Description: CAROLINA CROSSROADS PHASE 3B - CLEARING AND GRUBBING PROJECT

CO(S): Lexington Richland

Completion Date: 3/31/2026 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	172.000	ACRE
SELECTED CLEARING	5.000	ACRE
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 012	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 013	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 014	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 015	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 016	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 017	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 018	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 019	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 020	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 021	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 022	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 023	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 024	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 025	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 026	1.000	LS



Call No.: 190

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
REMOVAL & DISPOSAL ITEM NO. 028	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 029	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 030	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 031	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 032	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 033	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 034	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 035	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 036	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 038	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 039	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 040	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 041	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 042	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 043	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 044	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 045	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 046	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 047	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 048	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 049	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 050	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 051	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 052	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 053	1.000	LS
UNCLASSIFIED EXCAVATION	783.000	CY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,296.000	SF
RIP-RAP (CLASS A)	125.000	TON
RIP-RAP (CLASS B)	613.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	950.000	SY
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE	34,136.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	500.000	LF
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. Moving Item No. 1	1.000	LS
PERMANENT COVER	197.000	ACRE
TEMPORARY COVER	98.500	ACRE
FERTILIZER (NITROGEN)	19,700.000	LB



Call No.: 190

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
FERTILIZER (PHOSPHORIC ACID)	19,700.000	LB
FERTILIZER (POTASH)	19,700.000	LB
AGRICULTURAL GRANULAR LIME	394,000.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	591.000	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	177.300	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	118.200	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	6,482.000	LF
SILT FENCE	52,945.000	LF
REPLACE/REPAIR SILT FENCE	5,296.000	LF
CLEANING SILT BASINS	1,836.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	13,237.000	LF
INLET FILTER CLEANING	115.000	EA
INLET STRUCTURE FILTER - TYPE D1	35.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	35.000	EA
INLET STRUCTURE FILTER - TYPE B	41.000	EA
INLET STRUCTURE FILTER - TYPE D2	14.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	14.000	EA
INLET STRUCTURE FILTER - TYPE A	520.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	55.000	TON
STABILIZED CONSTRUCTION ENTRANCE	10,450.000	SY



Call No.: 200 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5269760 PCN: P042924 Project No.: P042924

DBE Goal Percent: 0.00% PCN: P042929 Project No.: P042929

Approx. Length (miles): 18.1400

Description: 2025 ABBEVILLE-ANDERSON COUNT REHABILITATION

CO(S): Abbeville Anderson

Completion Date: 9/30/2026 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
BORROW EXCAVATION	10,504.000	CY
EXCAVATION FOR SHOULDER PAVING	1,781.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,781.000	STA
MAINTENANCE STONE	403.000	TON
HMA SHOULDER WIDENING COURSE	11,943.066	TON
LIQUID ASPHALT BINDER PG64-22	2,258.513	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	29,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	3,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	61,735.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	168,877.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	13,555.000	SY
MILLED-IN RUMBLE STRIP	32.220	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	25,385.630	TON
DRIVEWAY PAVING-SURFACE TYPE C	985.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,878.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,172.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	577,765.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	498.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,450.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.) FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	17,898.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	580,281.000	LF
4" WHITE BROKEN LINES (GAPS EXCL.) THERMOPLASTIC- 90 MIL.	1,052.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	187,845.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	166.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,086.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA



Call No.: 200

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,966.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	188,682.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	9.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,238.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,460.000	LF
SAWCUT FOR LOOP DETECTOR	460.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
18" SMOOTH WALL PIPE	8.000	LF
CATCH BASIN -TYPE 16	1.000	EA
ADJUST MANHOLE	3.000	EA
DETECTABLE WARNING MATERIAL	62.500	SF
PEDESTRIAN RAMP CONSTRUCTION	87.500	SY
SURFACE APPLIED DETECTABLE WARNING	90.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	600.000	LF
MT3 LEADING END TREATMENT TL3	78.000	EA
MGS3 GR STANDARD SHOULDER	712.500	LF
MGS3CS GR COMPRESSED SHOULDER	7,175.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	2,062.500	LF
PREMASH THRIE STRONG POST GUARDRAIL	200.000	LF
PREMASH TYPE T TL3 LEADING 50'	19.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	17.745	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	500.000	LF
SILT FENCE	6,750.000	LF
REPLACE/REPAIR SILT FENCE	710.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,040.000	LF



Call No.: 210 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5269770	PCN: P042925	Project No.: P042925
DBE Goal Percent: 0.00%	PCN: P042927	Project No.: P042927
	PCN: P042930	Project No.: P042930
	PCN: P042937	Project No.: P042937
	PCN: P042938	Project No.: P042938
	PCN: P043402	Project No.: P043402

Approx. Length (miles): 15.9600 **Description:** 2025 ABBEVILLE, ANDERSON, GREENWOOD REHABILITATION
CO(S): Abbeville Anderson
Greenwood

Completion Date: 8/31/2026 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	203.000	SY
UNCLASSIFIED EXCAVATION	25.000	CY
BORROW EXCAVATION	6,530.400	CY
EXCAVATION FOR SHOULDER PAVING	1,164.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,164.000	STA
MAINTENANCE STONE	535.100	TON
HMA SHOULDER WIDENING COURSE	3,250.675	TON
LIQUID ASPHALT BINDER PG64-22	1,874.950	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	850.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	15,290.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	22,695.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	6,325.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	75,070.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	40,287.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	105,780.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	26,255.000	SY
MILLED-IN RUMBLE STRIP	15.080	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	11,504.413	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	15,969.930	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	182.000	TON
DRIVEWAY PAVING-SURFACE TYPE B	242.375	TON
DRIVEWAY PAVING-SURFACE TYPE C	768.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,653.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	14,054.000	LF



Call No.: 210

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	445,265.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	10,485.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,754.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	42.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	21.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,790.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	456,425.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	7,538.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,562.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	152,860.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,585.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,552.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	13.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,930.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	156,630.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	251.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,482.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	120.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	280.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,290.000	LF
SAWCUT FOR LOOP DETECTOR	2,182.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	10.000	EA
ADJUST MANHOLE	8.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	23.000	SY
DETECTABLE WARNING MATERIAL	87.500	SF
PEDESTRIAN RAMP CONSTRUCTION	175.000	SY
SURFACE APPLIED DETECTABLE WARNING	100.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	500.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	500.000	LF
MT3 LEADING END TREATMENT TL3	44.000	EA
MGS3 GR STANDARD SHOULDER	2,650.000	LF
MGS3CS GR COMPRESSED SHOULDER	2,850.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	2,362.500	LF
PREMASH TYPE T TL3 LEADING 50'	14.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.450	ACRE
SILT FENCE	500.000	LF
REPLACE/REPAIR SILT FENCE	50.000	LF



Call No.: 210

Letting Date: September 10, 2024

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
REMOVAL OF SILT RETAINED BY SILT FENCE	125.000	LF



Call No.: 220 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5457171 PCN: P039980 Project No.: P039980
DBE Goal Percent: 0.00% PCN: P041129 Project No.: P041129
Approx. Length (miles): Description: SIGNAL REBUILDS - DISTRICT 4
CO(S): Chesterfield Fairfield Lancaster Union
Completion Date: 6/30/2026 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDS AND INSURANCE, TRAFFIC CONTROL, and various materials like CONDUIT, WIRE, and CABLE with their respective quantities and units.



Call No.: 220

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	44.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	44.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	52.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	6.000	EA
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	3.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	6.000	EA
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	9.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	6.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	6.000	EA
DETECTABLE WARNING MATERIAL	120.000	SF
PEDESTRIAN RAMP CONSTRUCTION	15.000	SY



Call No.: 230 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5662380 PCN: P037889 Project No.: P037889

DBE Goal Percent: 17.50% PCN: P039378 Project No.: P039378

Approx. Length (miles):4.3450 Description: S-75/S-62 ASHLEY PHOSPHATE RSA

CO(S): Charleston Dorchester

Completion Date: 5/31/2026 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 01	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,772.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	5,495.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	161.333	CY
REMOVAL & DISPOSAL OF CONCRETE MEDIAN BARRIER	44.444	LF
UNCLASSIFIED EXCAVATION	17.250	CY
BORROW EXCAVATION	32.500	CY
FLOWABLE FILL	35.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE A	25.000	TON
LIQUID ASPHALT BINDER PG64-22	1,444.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	237,728.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	15.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,166.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,264.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	55,990.750	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	268.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	4,490.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	7,028.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	30,124.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-8"WHITE SOLID LINE	534.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	18,510.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)24"WHITE SOLID LINE	93.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	447.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	26.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	293.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	2,504.000	EA



Call No.: 230

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	250.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	26,808.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	27,980.250	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,156.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	15,240.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	9,286.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	195.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	146.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	13.000	EA
WHITE U-TURN ARROW THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	6.000	EA
6'X15' INTERSTATE ID SHIELD - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	134.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,139.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,258.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	32.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	580.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	256.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)8"WH.SOLID	270.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)24"WH.SOL	490.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)WH.SING.ARROW	14.000	EA
PREF.FLEX.RETRO.PVMT.(T-1)PERM(60MIL)WH.WORD MESS."ONLY"	2.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	474.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	144.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	10.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	10.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	690.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 001	1.000	LS
SGL.LT.STD.30'HT.AL.POLE 15'TRUSS AL.BRACK.ARM-GR.W/FOUND.	2.000	EA
DBL.LT.STD.30'HT.AL.POLE 8'SGL.ARM.GROUND MNT.W/FOUND.	1.000	EA
FURNISH & INSTALL 1.0" GALVANIZED RIGID CONDUIT	80.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	579.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,155.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	130.000	LF
1" SCHEDULE 80 HDPE CONDUIT	497.000	LF
FURNISH & INSTALL 1" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	650.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	575.000	LF
NO. 8 COPPER WIRE, 1 CONDUCTOR, 600V,TYPE RHH,RHW,USE	2,400.000	LF
NO. 12 COPPER WIRE, 1 CONDUCTOR, 600V,TYPE RHH,RHW,USE	780.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	4,850.000	LF



Call No.: 230

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	12,180.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	5,260.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	15,350.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,790.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	38,492.000	LF
INSTALL WIRELESS NETWORK COMMUNICATIONS LINK BETWEEN TWO SIGNALS (2 RADIOS)	5.000	EA
SAWCUT FOR LOOP DETECTOR	15,551.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	3.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	36.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
17"X30"X28"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	5.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	475.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	27.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 002	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	10.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 003	32.000	EA
F&I - 1-WAY-1SECT.HAND/MAN COUNTDOWN PEDESTRIAN SIGNAL HEAD	62.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	64.000	EA
VEHICLE TRAFFIC SIGNAL HEAD MOUNTING ASSEMBLY FOR SPAN WIRE	12.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	18.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	84.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	15.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	3.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	8.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR STOP BAR DETECTION	2.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	4.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SETBACK DETECTION	2.000	EA
INSTALL STREET LIGHT LUMINAIRE	7.000	EA
POWDERCOATING PER MAST ARM OVER BASE	6.000	EA
DECORATIVE OPTION PER MAST ARM	6.000	EA
LUMINAIRE OPTION FOR MAST ARM - TO ACCOUNT FOR TALLER POLE	2.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 004	1.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	4.000	EA
CONC. FOR STRUCTURES - CLASS 3000(ROADWAY)	6.000	CY



Call No.: 230

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
CONC. FOR STRUCTURES - CLASS 4000	21.000	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	1,847.000	LB
15" SMOOTH WALL PIPE	364.000	LF
18" SMOOTH WALL PIPE	226.000	LF
CATCH BASIN -TYPE 16	8.000	EA
CATCH BASIN -TYPE 17	1.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	7,030.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	186.000	SY
CONCRETE MEDIAN	2,521.000	SY
PEDESTRIAN RAMP CONSTRUCTION	475.000	SY
SURFACE APPLIED DETECTABLE WARNING	370.000	SF
ORNAMENTAL STEEL PICKET FENCE - 48"	675.000	LF
PERMANENT COVER	0.925	ACRE
PERMANENT GRASSING FOR SMALL PROJECTS	0.025	ACRE
TEMPORARY COVER	1.850	ACRE
SELECT MATERIAL	2,009.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	5.550	ACRE
FERTILIZER (NITROGEN)	92.500	LB
FERTILIZER (PHOSPHORIC ACID)	92.500	LB
FERTILIZER (POTASH)	92.500	LB
AGRICULTURAL GRANULAR LIME	1,850.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	5.550	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	5,440.000	LF
SILT FENCE	1,225.000	LF
CLEANING INLET STRUCTURE FILTERS	340.000	EA
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY



Call No.: 240 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5669620	PCN: P042947	Project No.: P042947
DBE Goal Percent: 0.00%	PCN: P042948	Project No.: P042948
	PCN: P042949	Project No.: P042949
	PCN: P043108	Project No.: P043108
	PCN: P043109	Project No.: P043109
	PCN: P043110	Project No.: P043110

Approx. Length (miles): 16.5000 **Description:** 2025 BEAUFORT-JASPER REHAB-RECONSTRUCTION
CO(S): Beaufort Jasper
Completion Date: 11/30/2026 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	8.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	30.000	SY
UNCLASSIFIED EXCAVATION	978.000	CY
BORROW EXCAVATION	5,652.000	CY
EXCAVATION FOR SHOULDER PAVING	147.800	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	147.800	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	2,245.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	53,407.843	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	103,323.730	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	6,157.217	TON
MAINTENANCE STONE	522.923	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	985.600	TON
LIQUID ASPHALT BINDER PG64-22	2,606.990	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,020.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	37,272.330	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	1,994.670	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	24,127.870	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	221,622.570	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	11,100.000	SY
MILLED-IN RUMBLE STRIP	22.440	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	2,206.578	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	38,525.410	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,006.530	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,250.625	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	156,731.573	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 8"	1,180.000	SY



Call No.: 240

Letting Date: September 10, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,784.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	25,521.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	162,277.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	4,577.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	6,945.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	156.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	145.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	10,610.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	111,586.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	719.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	101,945.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	634,324.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	17,898.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	27,344.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	617.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	580.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	11.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	40.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	40,970.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	427,022.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,365.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	2,876.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,459.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,086.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	900.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	14,500.000	LF
SAWCUT FOR LOOP DETECTOR	7,250.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
CONCRETE SIDEWALK(4" UNIFORM)	30.000	SY
DETECTABLE WARNING MATERIAL	60.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.706	ACRE
SILT FENCE	2,000.000	LF



Call No.: 250 Letting Date: September 10, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 8870240 PCN: P043505 Project No.: P043505
DBE Goal Percent: 0.00%
Approx. Length (miles):31.0000 Description: I-95 RESIGNING - FLORENCE AND SUMTER COUNTIES
CO(S): Florence Sumter
Completion Date: 11/30/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	4,057.900	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	1,089.500	SF
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	6,815.550	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	2,725.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	2,008.970	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	6,510.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	773.340	LF
BREAK-AWAY SIGN SUPPORTS	3,214.760	LB
REFURBISH BREAK-AWAY SIGN SUPPORTS	157.000	EA
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	686.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.() 1	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.() 10	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.() 11	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.() 2	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.() 3	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.() 4	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.() 5	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.() 6	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.() 7	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.() 8	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.() 9	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.() OHSW No. 1	1.000	EA
REFURBISH OVERHEAD SIGN STRUCTURE NO.() OHSW No. 2	1.000	EA

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers
Contract Administrator