

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For October 08, 2024

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on September 8, 2024 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.



Call No.: 010 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1670200 PCN: P043546 Project No.: P043546
DBE Goal Percent: 0.00%
Approx. Length (miles):4.2700 Description: 2024 CTC RESURFACING 6/26/2024 2:40:59 PM
CO(S): Darlington
Completion Date: 9/30/2025 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	755.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	155.000	LF
BORROW EXCAVATION	817.000	CY
MAINTENANCE STONE	66.500	TON
LIQUID ASPHALT BINDER PG64-22	349.067	TON
ARAMID FIBER	385.520	LB
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,650.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	4,742.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,130.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,337.420	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	375.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	791.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,156.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	315.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	13,620.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	750.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,380.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	990.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	17,550.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	110.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	105.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,540.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	250.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	460.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	330.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	5,850.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	225.000	EA



Call No.: 010

Letting Date: October 08, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	30.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	125.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	285.000	SY
DETECTABLE WARNING MATERIAL	125.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	220.000	SY
PEDESTRIAN RAMP CONSTRUCTION	250.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.819	ACRE



Call No.: 020 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2657950 PCN: P039246 Project No.: P039246
DBE Goal Percent: 0.00%
Approx. Length (miles): 0.2120 Description: INTERCHANGE IMPROVEMENTS - HORRY CO
CO(S): Horry (HWY 90/S-1033)
Completion Date: 6/30/2025 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
UNCLASSIFIED EXCAVATION	548.000	CY
FINE GRADING	811.000	SY
HOT MIX ASPHALT BASE COURSE - TYPE A	213.000	TON
LIQUID ASPHALT BINDER PG64-22	17.220	TON
MILLED-IN RUMBLE STRIP	0.110	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	69.100	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	71.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	276.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	898.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	2,226.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	2,756.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	53.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-WHITE SINGLE ARROW	1.000	EA
PAVEMENT MARKINGS(TEMPORARY-THERMOPLASTIC)-WHITE WORD 'ONLY	1.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	5.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	6.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	449.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	1,113.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	1,378.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	53.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	6.000	EA
18" SMOOTH WALL PIPE	416.000	LF
CATCH BASIN -TYPE 9	2.000	EA
DROP INLET (24" X 36")	1.000	EA



Call No.: 020

Letting Date: October 08, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
MANHOLE	1.000	EA
ADJUST MANHOLE	2.000	EA
BEVELING OF PIPE END	1.000	EA
RIP-RAP (CLASS B)	15.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	22.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	12.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.587	ACRE
TEMPORARY COVER	0.294	ACRE
COMPOST	16.000	CY
FERTILIZER (NITROGEN)	59.000	LB
FERTILIZER (PHOSPHORIC ACID)	59.000	LB
FERTILIZER (POTASH)	59.000	LB
AGRICULTURAL GRANULAR LIME	1,174.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	1.760	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.587	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	0.294	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	90.000	LF
SILT FENCE	881.000	LF
CLEANING SILT BASINS	14.000	CY
INLET STRUCTURE FILTER - TYPE D1	1.000	EA
INLET STRUCTURE FILTER - TYPE D2	2.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 030 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2670140	PCN: P042890	Project No.: P042890
DBE Goal Percent: 0.00%	PCN: P043388	Project No.: P043388
	PCN: P043426	Project No.: P043426

Approx. Length (miles): 6.2900 **Description:** 2024 HORRY CTC RESURFACING
CO(S): Horry
Completion Date: 10/31/2025 Days **Funding:** CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	1,258.000	CY
EXCAVATION FOR SHOULDER PAVING	85.536	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	85.536	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	74,401.398	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,344.190	TON
MAINTENANCE STONE	18.250	TON
HMA SHOULDER WIDENING COURSE	427.680	TON
LIQUID ASPHALT BINDER PG64-22	553.272	TON
ARAMID FIBER	494.610	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,825.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	865.000	SY
MILLED-IN RUMBLE STRIP	11.180	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,412.760	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,788.663	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	112.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	418.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	954.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	780.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	177,165.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	450.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	600.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	17,475.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	63,975.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	59,055.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	150.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	200.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA



Call No.: 030

Letting Date: October 08, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,825.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	21,325.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	3.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	375.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	928.000	LF
SAWCUT FOR LOOP DETECTOR	404.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.990	ACRE



Call No.: 040 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2868770 PCN: P042434 Project No.: P042434
DBE Goal Percent: 0.00%
Approx. Length (miles):9.6700 Description: I-20 MM 96-105 INTERSTATE PRESERVATION
CO(S): Kershaw
Completion Date: 11/30/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	450.000	HR
LIQUID ASPHALT BINDER PG64-22	403.000	TON
LIQUID ASPHALT BINDER PG76-22	2,884.187	TON
SURFACE PLANE ASPHALT PAVEMENT 1.5"	385,768.500	SY
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	58,020.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	465,226.688	SY
MILLED-IN RUMBLE STRIP	38.680	MI
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	46,519.148	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	5,318.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	580.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	40,693.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	191,506.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	11,100.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	450.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	191,506.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	13,564.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	63,835.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	3,700.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	90.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	150.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	63,835.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	640.000	EA



Call No.: 050 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3268780 PCN: P041968 Project No.: P041968
DBE Goal Percent: 0.00%
Approx. Length (miles):5.1300 Description: INTERSTATE PRESERVATION I-26 MM 109.72-114.66
CO(S): Lexington
Completion Date: 7/31/2026 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	1,000.000	HR
LIQUID ASPHALT BINDER PG64-22	357.500	TON
LIQUID ASPHALT BINDER PG76-22	2,229.813	TON
SURFACE PLANE ASPHALT PAVEMENT 1.5"	264,844.813	SY
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	60,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	359,549.906	SY
MILLED-IN RUMBLE STRIP	20.520	MI
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	35,964.719	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	5,500.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	530.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	85,459.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	214,885.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	15,060.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	51.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	15.000	EA
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	214,885.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	28,486.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	71,628.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	5,020.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	17.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	5.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	71,628.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	1,634.000	EA



Call No.: 060 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3870320 PCN: P042127 Project No.: P042127
 DBE Goal Percent: 0.00% PCN: P042130 Project No.: P042130
 PCN: P043621 Project No.: P043621

Approx. Length (miles): 8.3500 Description: 2023 PAVEMENT IMPROVEMENT PROGRAM
 CO(S): Orangeburg (V4)

Completion Date: 9/30/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
UNCLASSIFIED EXCAVATION	745.000	CY
BORROW EXCAVATION	1,670.000	CY
EXCAVATION FOR SHOULDER PAVING	105.600	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	105.600	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	112,120.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,650.000	TON
MAINTENANCE STONE	0.300	TON
HMA SHOULDER WIDENING COURSE	528.000	TON
LIQUID ASPHALT BINDER PG64-22	766.493	TON
ARAMID FIBER	320.000	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	30.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,400.000	SY
MILLED-IN RUMBLE STRIP	25.050	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	11,058.800	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	220.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	447.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	956.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	390.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	88,190.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	365.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	9,830.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	75,940.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	960.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	254,010.000	LF



Call No.: 060

Letting Date: October 08, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	925.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	28,670.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	221,850.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	570.000	EA
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	350.000	LF
PREMASH THRIE WITH BASE PL 6.25 SPACE	46.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.350	ACRE



Call No.: 070 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4070460 PCN: P043509 Project No.: P043509

DBE Goal Percent: 0.00%

Approx. Length (miles):4.4600 Description: RICHLAND COUNTY CTC REHAB.

CO(S): Richland

Completion Date: 10/31/2025 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.030	SY
BORROW EXCAVATION	94.000	CY
MAINTENANCE STONE	90.700	TON
LIQUID ASPHALT BINDER PG64-22	362.503	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,400.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,670.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	68,072.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	600.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,284.510	TON
DRIVEWAY PAVING-SURFACE TYPE C	469.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	624.000	SF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	232.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,560.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	38,864.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	116.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	780.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	19,432.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	304.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	10.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	350.000	LF
SAWCUT FOR LOOP DETECTOR	115.000	LF
CATCH BASIN - TYPE 17 (TOP ONLY)	1.000	EA
ADJUST CATCH BASIN	6.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") OGEE	300.000	LF
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.450	ACRE

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



Call No.: 080 **Letting Date:** October 08, 2024 **Letting Time:** 2:00 PM **Page:** 1
SC File NO(S): 4247020 **PCN:** P030823 **Project No.:** P030823
DBE Goal Percent: 17.50%
Approx. Length (miles):0.6800 **Description:** SC 9 (BOILING SPRINGS ROAD) AND 4TH ST./SHOALLY CREEK RD.
CO(S): Spartanburg
Completion Date: 10/31/2025 Days **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
SELECTED REMOVAL OF MARKED TREES	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	8.000	EA
REMOVAL & DISPOSAL OF EXISTING MANHOLE	2.000	EA
REMOVAL & DISPOSAL OF EXISTING CURB	53.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	120.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	210.000	CY
RELOCATE MAILBOX	15.000	EA
UNCLASSIFIED EXCAVATION	3,099.000	CY
FINE GRADING	4,520.000	SY
FLOWABLE FILL	20.000	CY
MAINTENANCE STONE	485.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,985.000	TON
LIQUID ASPHALT BINDER PG64-22	356.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	13,300.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	310.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	514.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	655.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,789.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	120.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	536.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	16.000	SF
BARRICADE - TYPE 3	18.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	4,660.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	120.000	LF



Call No.: 080

Letting Date: October 08, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	16,110.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	26,100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	516.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,222.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	15.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	15.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	43.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	115.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	1,680.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	1,740.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	516.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	376.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	15.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	15.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	40.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	6,640.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,240.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	42.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	115.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	228.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	38.750	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FIXED SIZE & MSG.	44.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	5.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	482.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	26.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	125.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	555.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	225.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	955.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,930.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,485.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	195.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	235.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,325.000	LF
FURNISH & INSTALL WIRELESS NETWORK COMMUNICATIONS LINK BETWEEN TWO SIGNALS (2 RADIOS)	1.000	EA
SAWCUT FOR LOOP DETECTOR	1,390.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	13.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA



Call No.: 080

Letting Date: October 08, 2024

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	475.000	LF
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	475.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 002	1.000	EA
FURNISH AND INSTALL BATTERY BACK-UP INCLUDING FOUNDATION	1.000	EA
F&I LOOP DETECTOR AMPLIFIER W/HARNES 2-CHANNEL W/DEL/EXT TIMING	8.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 003	9.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	8.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	8.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	13.000	EA
REMOVE FOUNDATION OF STEEL STRAIN POLE - 18" BELOW GRADE	1.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
TEMPORARY TIMING ADJUSTMENTS PER SITE VISIT	1.000	EA
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	2.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	4.000	EA
FURNISH & INSTALL VIDEO DETECTION CABLE TO CROSS ROADWAY	500.000	LF
FURNISH & INSTALL VIDEO DETECTION SYSTEM SINGLE CHANNEL PROCESSOR HARDWARE – NO CAMERA	6.000	EA
CONC. FOR STRUCTURES - CLASS 3000(ROADWAY)	0.747	CY
IRON PIPE HANDRAILING	12.900	LF
18" SMOOTH WALL PIPE	1,740.000	LF
24" SMOOTH WALL PIPE	800.000	LF
CATCH BASIN -TYPE 16	26.000	EA
CATCH BASIN -TYPE 18	3.000	EA
DROP INLET (24" X 24")	2.000	EA
CONCRETE GUTTER-TYPE 1	20.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	103.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	3,625.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	491.000	SY
DETECTABLE WARNING MATERIAL	100.000	SF
CONCRETE(HIGH EARLY STRENGTH) DRIVEWAY(6" UNIFORM)	85.000	SY
CONCRETE MEDIAN	238.000	SY
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
RIP-RAP (CLASS B)	50.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	75.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	60.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.600	ACRE
TEMPORARY COVER	1.300	ACRE



Call No.: 080

Letting Date: October 08, 2024

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
FERTILIZER (NITROGEN)	260.000	LB
FERTILIZER (PHOSPHORIC ACID)	260.000	LB
FERTILIZER (POTASH)	260.000	LB
AGRICULTURAL GRANULAR LIME	5,200.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	7.800	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.212	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.792	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	7.800	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	384.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	384.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	32.000	LF
SILT FENCE	4,508.000	LF
REPLACE/REPAIR SILT FENCE	404.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,010.000	LF
INLET STRUCTURE FILTER - TYPE D2	29.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	139.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 090 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5269060	PCN: P041719	Project No.: P041719
DBE Goal Percent: 0.00%	PCN: P041737	Project No.: P041737
	PCN: P043377	Project No.: P043377

Approx. Length (miles):0.1140 **Description:** DISTRICT 2, PACKAGE 1
CO(S): Anderson Laurens
 McCormick

Completion Date: 4/30/2026 Days **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
EMBANKMENT REPAIR	120.000	CY
LIQUID ASPHALT BINDER PG64-22	5.000	TON
MILLING EXISTING ASPHALT PAVEMENT 1.0"	1,372.300	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	76.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	96.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	231.000	SF
DETOUR SIGNS	222.000	SF
BARRICADE - TYPE 3	96.000	LF
CONSTR ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRUCK MO	2.000	EA
EXTENDED ROAD CLOSURE FOR BRIDGE CONSTRUCTION	1.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	950.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	120.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	475.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 5"X2"	7.000	EA
CONC. FOR STRUCTURES - CLASS 4000	9.800	CY
PRECAST CONCRETE PANEL	825.000	SF
TREATED TIMBER SWAY BRACES	482.000	LF
TREATED TIMBER PILING	96.000	LF
JACKING BRIDGE	1.000	LS
RIP-RAP (CLASS B)	113.600	CY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	126.200	SY
BRIDGE PILE WRAP	499.000	LF
BR004 - REINFORCED CONCRETE REPAIR TYPE 1	3.500	CF
BR005 - REINFORCED CONCRETE REPAIR TYPE 2	7.000	CF
BR040 – CORROSION INHIBITING BONDING AGENT	866.000	SF



Call No.: 090

Letting Date: October 08, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
CARBON FIBER REINFORCED POLYMER (CFRP) REPAIR	4,098.000	LF
CLIP ANGLE REPLACEMENT	20.000	EA
CLIP ANGLE HARDWARE REPLACEMENT	20.000	EA



Call No.: 100 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5369000 PCN: P041671 Project No.: P041671

DBE Goal Percent: 1.00% PCN: P041672 Project No.: P041672

Approx. Length (miles):0.1220 Description: DISTRICT 3, PACKAGE 6

CO(S): Greenville Pickens

Completion Date: 5/31/2026 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
UNCLASSIFIED EXCAVATION	1.000	CY
EMBANKMENT REPAIR	311.300	CY
FLOWABLE FILL	0.800	CY
LIQUID ASPHALT BINDER PG64-22	35.700	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,896.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	593.000	TON
TEMPORARY CONSTRUCTION SIGNS	646.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,286.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	141.000	SF
BARRICADE - TYPE 2	84.000	LF
BARRICADE - TYPE 3	90.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	10.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	300.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	1,490.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,300.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,300.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	34.000	EA
CONC. FOR STRUCTURES - CLASS 4000	51.000	CY
EPOXY CRACK INJECTION	414.000	LF
REINF. STEEL FOR STRUCTURES (BRIDGE)	11,323.000	LB
STRUCTURAL STEEL	21,302.000	LB
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
CLEANING & PAINTING EXISTING STEEL PILING	35.000	EA
PILE DRIVING SET-UP	16.000	EA
REINF. PILE TIPS (HP12 X 63)	16.000	EA
STEEL H BEARING PILING (HP12 X 53)	960.000	LF



Call No.: 100

Letting Date: October 08, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
ELASTOMERIC BEARING	20.000	EA
JACKING BRIDGE	1.000	LS
COMPOSITE FIBER WRAP	6,350.000	SF
RIP-RAP (CLASS B)	354.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	443.300	SY
BRIDGE PILE WRAP	392.000	LF
BR005 - REINFORCED CONCRETE REPAIR TYPE 2	29.600	CF
BR006 - REINFORCED CONCRETE TEE-BEAM REPAIR TYPE A	57.400	CF
BR010 – DECK JOINT REPAIR TYPE 1	562.000	LF
BR016 - TEE BEAM SADDLE TYPE A	8.000	EA
BR040 – CORROSION INHIBITING BONDING AGENT	461.000	SF
DEMO EXISTING PILE ENCASEMENT	29.000	EA



Call No.: 110 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5369080 PCN: P041729 Project No.: P041729

DBE Goal Percent: 0.00% PCN: P041736 Project No.: P041736

Approx. Length (miles):0.1050 Description: DISTRICT 3, PACKAGE 3

CO(S): Pickens Spartanburg

Completion Date: 10/31/2025 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
FLOWABLE FILL	14.000	CY
LIQUID ASPHALT BINDER PG64-22	11.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,329.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	165.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	96.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	194.000	SF
DETOUR SIGNS	593.000	SF
BARRICADE - TYPE 3	84.000	LF
EXTENDED ROAD CLOSURE FOR BRIDGE CONSTRUCTION	1.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	920.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	920.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 5"X2"	7.000	EA
CONC. FOR STRUCTURES - CLASS 4000	13.000	CY
PRECAST CONCRETE PANEL	825.000	SF
TREATED TIMBER SWAY BRACES	428.000	LF
TREATED TIMBER PILING	6.000	LF
JACKING BRIDGE	1.000	LS
RIP-RAP (CLASS B)	621.200	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	689.500	SY
BRIDGE PILE WRAP	339.000	LF
BR004 - REINFORCED CONCRETE REPAIR TYPE 1	2.250	CF
BR005 - REINFORCED CONCRETE REPAIR TYPE 2	4.000	CF
BR040 – CORROSION INHIBITING BONDING AGENT	881.500	SF
CARBON FIBER REINFORCED POLYMER (CFRP) REPAIR	2,742.000	LF
CLIP ANGLE REPLACEMENT	1.000	EA
CLIP ANGLE HARDWARE REPLACEMENT	1.000	EA



Call No.: 120 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5465780 PCN: P041871 Project No.: P041871
DBE Goal Percent: 0.00%
Approx. Length (miles): 11.1300 Description: I-77 MM 64-76 INTERSTATE PRESERVATION
CO(S): Chester York
Completion Date: 10/31/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	700.000	HR
LIQUID ASPHALT BINDER PG64-22	356.070	TON
LIQUID ASPHALT BINDER PG76-22	3,436.293	TON
SURFACE PLANE ASPHALT PAVEMENT 1.5"	444,012.797	SY
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	66,780.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	554,245.094	SY
MILLED-IN RUMBLE STRIP	44.520	MI
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	55,424.070	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	6,121.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	338.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	48,270.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	241,600.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	24,300.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	150.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	15.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	15.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	241,600.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	16,100.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	80,510.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	8,100.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	50.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	5.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	5.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	80,510.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	750.000	EA



Call No.: 130 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5561083 PCN: P041011 Project No.: P041011

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.4000

Description: TYPE II TRAFFIC SIGNAL UPGRADES
DISTRICT 5 FY23

CO(S): Florence Horry Marlboro

Completion Date: 6/30/2026 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	110.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	15.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	866.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,829.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	250.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	552.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	80.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	7,020.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	5,170.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	2,890.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	1,700.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	16,160.000	LF
SAWCUT FOR LOOP DETECTOR	7,084.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	6.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	36.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
FURNISH & INSTALL 3/8" BACK GUY FOR WOOD POLE	4.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	19.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	1,015.000	LF
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	2,126.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	8.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	3.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	6.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	12.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	46.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	32.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	34.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	59.000	EA



Call No.: 130

Letting Date: October 08, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	6.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	6.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	2.000	EA



Call No.: 140 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5569110	PCN: P042034	Project No.: P042034
DBE Goal Percent: 0.00%	PCN: P042048	Project No.: P042048
	PCN: P042049	Project No.: P042049
	PCN: P042050	Project No.: P042050
	PCN: P042052	Project No.: P042052
	PCN: P042054	Project No.: P042054
	PCN: P042055	Project No.: P042055
	PCN: P042056	Project No.: P042056
	PCN: P042057	Project No.: P042057
	PCN: P042058	Project No.: P042058
	PCN: P043041	Project No.: P043041
	PCN: P043042	Project No.: P043042
	PCN: P043048	Project No.: P043048
	PCN: P043049	Project No.: P043049

Approx. Length (miles): 115.1000
CO(S): Darlington Dillon Florence
 Marion Marlboro

Description: 2025 DARL, DILLON, FLOR, MARION,
 MARLBORO PRESERVATION

Completion Date: 6/30/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	14.750	TON
LIQUID ASPHALT BINDER PG64-22	6.500	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,475.000	SY
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	236.320	LaMi
HOT MIX ASPHALT SURFACE COURSE TYPE D	100.000	TON
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	75.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	11,740.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,201,935.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	90.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	93.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,583.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	113,025.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	628,562.000	LF



Call No.: 140

Letting Date: October 08, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	331.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	387.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	8,251.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	4,110.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	690.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	2,920.000	LF



Call No.: 150 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5569230	PCN: P042059	Project No.: P042059
DBE Goal Percent: 0.00%	PCN: P042060	Project No.: P042060
	PCN: P043031	Project No.: P043031
	PCN: P043051	Project No.: P043051
	PCN: P043052	Project No.: P043052
	PCN: P043068	Project No.: P043068
	PCN: P043069	Project No.: P043069
	PCN: P043070	Project No.: P043070

Approx. Length (miles): 94.5800 **Description:** 2025 GEORGETOWN, HORRY, WILLIAMSBURG PRESERVATION
CO(S): Georgetown Horry
 Williamsburg

Completion Date: 7/31/2025 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	47.500	TON
LIQUID ASPHALT BINDER PG64-22	19.240	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,750.000	SY
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	190.180	LaMi
HOT MIX ASPHALT SURFACE COURSE TYPE D	296.000	TON
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	295.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,770.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	999,203.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	165.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,441.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	24.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	126,109.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	420,220.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	95.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	6,315.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	300.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	300.000	LF



Call No.: 160 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5764723 **PCN:** P038949 **Project No.:** P038949
DBE Goal Percent: 0.00% **PCN:** P042126 **Project No.:** P042126
Approx. Length (miles): 23.8700 **Description:** 2023 PAVEMENT IMPROVEMENT PROGRAM
CO(S): Bamberg Orangeburg
Completion Date: 8/31/2026 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	85.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	120.000	LF
UNCLASSIFIED EXCAVATION	2,355.000	CY
BORROW EXCAVATION	4,894.000	CY
EXCAVATION FOR SHOULDER PAVING	4.200	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	4.200	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	4,270.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	129,950.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	259,600.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	13,660.000	TON
MAINTENANCE STONE	9.600	TON
HMA SHOULDER WIDENING COURSE	20.000	TON
LIQUID ASPHALT BINDER PG64-22	2,382.517	TON
ARAMID FIBER	245.000	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	960.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	9,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,800.000	SY
MILLED-IN RUMBLE STRIP	64.600	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	10,427.413	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	26,930.377	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	310.000	TON



Call No.: 160

Letting Date: October 08, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
DRIVEWAY PAVING-SURFACE TYPE D	1,403.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,068.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	65,138.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	187,490.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,013.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	22,440.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	106,085.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	195,414.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	560,570.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,001.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	66,810.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	316,835.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	380.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,645.000	EA
CONCRETE CURB (TRANSITION)	132.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	10.000	SY
DETECTABLE WARNING MATERIAL	47.500	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
SURFACE APPLIED DETECTABLE WARNING	120.000	SF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,375.000	LF
PREMASH THRIE WITH BASE PL 6.25 SPACE	271.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	3,025.000	LF
PREMASH W-TO-THRIE BRIDGE CONN WTBBC	24.000	EA
PREMASH TYPE T TL3 LEADING 50'	44.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	23.440	ACRE



Call No.: 170 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5770230	PCN: P043508	Project No.: P043508
DBE Goal Percent: 0.00%	PCN: P043511	Project No.: P043511
	PCN: P043513	Project No.: P043513
	PCN: P043514	Project No.: P043514
	PCN: P043517	Project No.: P043517
	PCN: P043544	Project No.: P043544
	PCN: P043545	Project No.: P043545
	PCN: P043547	Project No.: P043547
	PCN: P043550	Project No.: P043550
	PCN: P043555	Project No.: P043555
	PCN: P043556	Project No.: P043556
	PCN: P043557	Project No.: P043557
	PCN: P043587	Project No.: P043587
	PCN: P043588	Project No.: P043588
	PCN: P043589	Project No.: P043589

Approx. Length (miles): 117.4300
CO(S): Allendale Bamberg
 Calhoun Clarendon
 Hampton

Description: 2025 DISTRICT 7 PAVEMENT PRESERVATION-
 CRACK SEAL

Completion Date: 7/31/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	276.470	LaMi



Call No.: 180 Letting Date: October 08, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 8868790 PCN: P041860 Project No.: P041860

DBE Goal Percent: 0.00%

Approx. Length (miles): 16.4700

Description: I-26 MM 43.74-60.21 INTERSTATE PRESERVATION

CO(S): Laurens Spartanburg

Completion Date: 8/30/2026 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	900.000	HR
LIQUID ASPHALT BINDER PG64-22	1,159.600	TON
LIQUID ASPHALT BINDER PG76-22	5,020.232	TON
SURFACE PLANE ASPHALT PAVEMENT 1.5"	695,692.813	SY
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	198,240.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	809,714.829	SY
MILLED-IN RUMBLE STRIP	65.880	MI
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	80,971.480	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	17,840.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	820.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	3.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	135,848.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	606,529.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	13,125.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	390.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	9.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	9.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	9.000	EA
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	606,529.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	21,090.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	45,283.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	202,176.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	4,375.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	130.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	202,176.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	730.000	LF



Call No.: 180

Letting Date: October 08, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	2,537.000	EA

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers
Contract Administrator