

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For October 13, 2020

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on September 15, 2020 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0587580 PCN: P028050 Project No.: P028050
DBE Goal Percent: 10.00%
Approx. Length (miles):4.1000 Description: CORRIDOR IMPROVEMENT - US 78 (BAMBERG CO)
CO(S): Bamberg
Completion Date: 9/30/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,310.000	SY
REMOVAL OF EXIST. GUARDRAIL	254.000	LF
UNCLASSIFIED EXCAVATION	12,200.000	CY
BORROW EXCAVATION	4,700.000	CY
FINE GRADING	32,835.000	SY
MAINTENANCE STONE	350.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	15,010.000	TON
HMA SHOULDER WIDENING COURSE	80.000	TON
LIQUID ASPHALT BINDER PG64-22	1,405.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,200.000	SY
MILLED-IN RUMBLE STRIP	8.200	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,465.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	10,395.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	300.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	540.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	3,880.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	43,410.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	18,780.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	44.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	43,410.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	44.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,880.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	18,780.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	272.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	149.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	308.000	LF



Call No.: 010

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
15" RC PIPE CUL.-CLASS III	136.000	LF
18" RC PIPE CUL.-CLASS III	658.000	LF
24" RC PIPE CUL.-CLASS III	34.000	LF
30" RC PIPE CUL.-CLASS III	12.000	LF
36" RC PIPE CUL.-CLASS III	48.000	LF
RIP-RAP (CLASS B)	20.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	30.000	SY
MT3 LEADING END TREATMENT TL3	18.000	EA
MGS3 GR STANDARD SHOULDER	2,375.000	LF
MGS3CS GR COMPRESSED SHOULDER	500.000	LF
TEMPORARY BARRIER FENCE	5,500.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	6.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	18.364	ACRE
TEMPORARY COVER	9.170	ACRE
FERTILIZER (NITROGEN)	1,836.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,836.000	LB
FERTILIZER (POTASH)	1,836.000	LB
AGRICULTURAL GRANULAR LIME	36,720.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	55.000	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	6.605	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	3.517	MSY
SEDIMENT TUBES FOR DITCH CHECKS	1,525.000	LF
SILT FENCE	20,370.000	LF
REPLACE/REPAIR SILT FENCE	2,037.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	5,095.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 020 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2150850 PCN: P030235 Project No.: P030235

DBE Goal Percent: 10.00%

Approx. Length (miles):0.4270 Description: INTERSECTION IMPROVEMENT - US 301 @ SC
CO(S): Florence 403

Completion Date: 9/30/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,915.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	7.000	CY
UNCLASSIFIED EXCAVATION	3,310.000	CY
BORROW EXCAVATION	5,875.000	CY
MUCK EXCAVATION	4,700.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	36.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	32.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	88.000	LF
GEOGRID STABILIZATION	1,000.000	SY
STONE BRIDGE LIFT MATERIAL	1,000.000	TON
FLOWABLE FILL	100.000	CY
MAINTENANCE STONE	500.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,010.000	TON
LIQUID ASPHALT BINDER PG64-22	190.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,080.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	615.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	620.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	569.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	575.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	368.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	330.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	8,730.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	14,560.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	945.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	513.000	LF



Call No.: 020

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	192.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 12"X18" WHITE TRIANGLE YIELD BAR	195.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	860.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	110.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,910.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	171.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	65.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	64.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,853.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	315.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	466.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	87.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	104.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	340.000	LF
REFLECTIVE SIGN POST PANELS	120.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 001	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	10.000	EA
STRAIGHT HEADWALL FOR 30" CIRCULAR PIPE-1 LINE	3.000	EA
18" SMOOTH WALL PIPE	108.000	LF
24" SMOOTH WALL PIPE	94.000	LF
30" SMOOTH WALL PIPE	263.000	LF
CATCH BASIN -TYPE 16	5.000	EA
48" X 48" JUNCTION BOX	2.000	EA
BEVELING OF PIPE END	1.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	70.000	LF
CONCRETE CURB (9" X 15")	172.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,270.000	LF
CONCRETE MEDIAN	478.000	SY
RIP-RAP (CLASS B)	195.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	144.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	31.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.806	ACRE
TEMPORARY COVER	1.806	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	1.480	ACRE
SEEDING - ERAGROSTIS CURVULA - WEEPING LOVEGRASS	0.191	MSY
FERTILIZER (NITROGEN)	181.000	LB
FERTILIZER (PHOSPHORIC ACID)	181.000	LB
FERTILIZER (POTASH)	181.000	LB



Call No.: 020

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
AGRICULTURAL GRANULAR LIME	3,612.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	7.223	ACRE
DOUBLE-SHREDDED HARDWOOD MULCH	531.000	SF
MUHLENBERGIA CAPILLARIS (PINK MUHLY GRASS) #1 CONT.	61.000	EA
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	1.590	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	80.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	40.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	280.000	LF
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
CLEANING INLET STRUCTURE FILTERS	11.000	EA
INLET STRUCTURE FILTER - TYPE A	2.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 030 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2156450 PCN: P039414 Project No.: P039414
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 2.5200 Description: REHABILITATION - FLORENCE COUNTY
 CO(S): Florence
 Completion Date: 6/30/2021 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	504.000	CY
EXCAVATION FOR SHOULDER PAVING	199.584	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	199.584	STA
MAINTENANCE STONE	25.300	TON
HMA SHOULDER WIDENING COURSE	997.920	TON
LIQUID ASPHALT BINDER PG64-22	242.443	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,030.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	450.000	SY
MILLED-IN RUMBLE STRIP	3.780	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,040.840	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	797.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	315.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	432.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	40,000.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	30.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	29,600.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	50.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	20,000.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	30.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,700.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	14,800.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	176.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.581	ACRE



Call No.: 040 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2355570 PCN: P039474 Project No.: P039474
DBE Goal Percent: 0.00% PCN: P039487 Project No.: P039487
 PCN: P039489 Project No.: P039489

Approx. Length (miles):26.6200 Description: PRESERVATION - GREENVILLE COUNTY
CO(S): Greenville
Completion Date: 09/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	279.550	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	27,955.000	SY
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	29.760	LaMi
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,650.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	279,946.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	920.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	298,327.000	LF



Call No.: 050 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2603441 PCN: P029061 Project No.: P029061

DBE Goal Percent: 0.00%

Approx. Length (miles): 2.7640 Description: WIDENING - US 501 SB

CO(S): Horry

Completion Date: 6/30/2023 Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 69.0 (Period ending on June 30, 2020)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	919.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,989.000	SY
REMOVAL OF EXIST. GUARDRAIL	1,464.000	LF
UNCLASSIFIED EXCAVATION	16,664.000	CY
BORROW EXCAVATION	53,510.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	3,850.000	CY
15" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	15.000	LF
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,000.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	570.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	320.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	350.000	LF
42" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	300.000	LF
48" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	465.000	LF
54" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	890.000	LF
60" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	580.000	LF
GEOTEXTILE, SEPARATION	4,450.000	SY
GEOGRID STABILIZATION	6,400.000	SY
STONE BRIDGE LIFT MATERIAL	7,300.000	TON
GRANULAR BRIDGE LIFT MATERIAL	5,100.000	CY
FINE GRADING	33,537.000	SY
FLOWABLE FILL	631.000	CY
MAINTENANCE STONE	1,648.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	17,561.000	TON
LIQUID ASPHALT BINDER PG64-22	2,416.000	TON



Call No.: 050

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
MILLING EXISTING ASPHALT PAVEMENT 2.0"	61,515.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,100.000	SY
MILLED-IN RUMBLE STRIP	5.434	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	20,348.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	10,957.000	TON
TEMPORARY CONSTRUCTION SIGNS (BARRICADE MOUNTED)	32.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	770.000	SF
DETOUR SIGNS	20.000	SF
BARRICADE - TYPE 3	30.000	LF
TEMPORARY CONCRETE BARRIER	200.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	1.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	3.000	EA
TYPE B - FLASHING LIGHT	8.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	24,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	76,710.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	66,120.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	291.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	24.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	66.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	550.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	27,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,600.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	16,075.000	LF
WHITE SINGLE FISH HOOK ARROW THERMO.-125 MIL.	58.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	59.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	28,400.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	480.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	30.000	EA
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	369.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	64.000	EA
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	31.500	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	1,276.750	SF
BREAK-AWAY SIGN SUPPORTS	247.000	LB
REMOVAL OF I-BEAM SUPPORTS	8.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 002	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 003	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 004	1.000	EA



Call No.: 050

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
OVERHEAD SIGN STRUCTURE NO.(____) 005	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 006	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 007	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 008	1.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,002.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,045.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	184.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	1,511.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	4,214.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	5,643.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	5,448.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	6,008.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	16,417.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	4.000	EA
SAWCUT FOR LOOP DETECTOR	5,759.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	51.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	15.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	3,074.000	LF
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 005	4.000	EA
F&I LOOP DETECTOR AMPLIFIER W/HARNESS 2-CHANNEL W/DEL/EXT TIMING	3.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	6.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	10.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 006	58.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	74.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	15.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	4.000	EA
15" SMOOTH WALL PIPE	60.000	LF
18" SMOOTH WALL PIPE	3,480.000	LF
24" SMOOTH WALL PIPE	1,888.000	LF
30" SMOOTH WALL PIPE	1,048.000	LF
36" SMOOTH WALL PIPE	1,144.000	LF
42" SMOOTH WALL PIPE	988.000	LF
48" SMOOTH WALL PIPE	1,544.000	LF
54" SMOOTH WALL PIPE	2,956.000	LF
60" SMOOTH WALL PIPE	1,932.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	4.000	EA
DROP INLET TYPE 112	67.000	EA
TRENCH DRAIN-12" MEDIAN APPLICATION	197.000	LF



Call No.: 050

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
JUNCTION BOX (SPECIAL) 001	1.000	EA
EXTRA DEPTH OF BOX	13.630	LF
BEVELING OF PIPE END	24.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	316.000	LF
CONCRETE MEDIAN	645.000	SY
RIP-RAP (CLASS B)	586.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	766.000	SY
MT3 LEADING END TREATMENT TL3	7.000	EA
MB TRAILING END TREATMENT	4.000	EA
RESETM MB TRAILING END	5.000	EA
MGS3 GR STANDARD SHOULDER	1,862.500	LF
46SS REINFORCED BARRIER WALL	10.000	LF
56SS REINFORCED BARRIER WALL	40.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	57.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	19.817	ACRE
TEMPORARY COVER	9.909	ACRE
COMPOST	533.000	CY
FERTILIZER (NITROGEN)	1,982.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,982.000	LB
FERTILIZER (POTASH)	1,982.000	LB
AGRICULTURAL GRANULAR LIME	39,634.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	59.451	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	13.359	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	16.167	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.651	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	430.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	30.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	7,165.000	LF
SILT FENCE	11,600.000	LF
REPLACE/REPAIR SILT FENCE	2,900.000	LF
CLEANING SILT BASINS	1,072.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,160.000	LF
INLET FILTER CLEANING	74.000	EA
INLET STRUCTURE FILTER - TYPE D1	70.000	EA
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	37.000	SY
STABILIZED CONSTRUCTION ENTRANCE	1,650.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	2,600.000	HR



Call No.: 060 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2656690	PCN: P039106	Project No.: P039106
DBE Goal Percent: 0.00%	PCN: P039220	Project No.: P039220
	PCN: P039221	Project No.: P039221
	PCN: P039222	Project No.: P039222
	PCN: P039265	Project No.: P039265
	PCN: P039315	Project No.: P039315
	PCN: P039316	Project No.: P039316
	PCN: P039524	Project No.: P039524
	PCN: P039587	Project No.: P039587

Approx. Length (miles): 18.8000 Description: REHABILITATION - HORRY COUNTY
CO(S): Horry
Completion Date: 11/30/2021 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	3,760.000	CY
EXCAVATION FOR SHOULDER PAVING	531.696	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	531.696	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	143,194.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,229.000	TON
MAINTENANCE STONE	89.500	TON
HMA SHOULDER WIDENING COURSE	3,416.160	TON
LIQUID ASPHALT BINDER PG64-22	1,642.593	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	240.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	8,710.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	790.000	SY
MILLED-IN RUMBLE STRIP	33.080	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	21,431.590	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,477.500	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,473.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,440.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,850.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	498,350.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,530.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	30,805.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	346,550.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	188,950.000	LF



Call No.: 060

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	570.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	13,935.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	131,910.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,352.000	EA
REMOVAL OF PAVEMENT MARKINGS	14,220.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
PREMASH NESTED W-BEAM STRONG POST SYSTEM	120.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.004	ACRE



Call No.: 070 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2656940 PCN: P039453 Project No.: P039453
DBE Goal Percent: 0.00%
Approx. Length (miles): NA Description: BRIDGE REPAIR - US 17 (LITTLE RIVER)
CO(S): Horry
Completion Date: 3/15/2021 Funding: ST

MANDATORY PRE-BID CONFERENCE:

The Contractor is advised that all Bidders on this project are required to attend a Pre-Bid Conference to be held at 10:00 am September 24, 2020. The Pre-Bid Conference will be held at the Johnny Causey Boat Landing under the US-17 Bridge on site, Little River Neck RD, Little River, SC 29582. Contractors who do not attend this Pre- Bid Conference will not be allowed to submit a Bid Proposal for this project.

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
22 GAUGE ALUMINUM BENT SHEET	3,455.103	SY



Call No.: 080 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2813440 PCN: P030167 Project No.: P030167
DBE Goal Percent: 6.50%
Approx. Length (miles): 0.3220 Description: BRIDGE REPLACEMENT - US 521 (BIG PINE TREE CREEK)
CO(S): Kershaw
Completion Date: 10/31/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
SMALL PUBLIC SEWER RELOCATION NO. ____ 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	5,048.000	SY
REMOVAL OF EXIST. GUARDRAIL	270.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	5,948.000	CY
BORROW EXCAVATION	20,673.000	CY
MUCK EXCAVATION	150.000	CY
GEOTEXTILE FOR SEPARATION OF SUBGRADE&SUBBASE/BASE CR	1,550.000	SY
GEOGRID REINFORCEMENT (BIAXIAL)	1,550.000	SY
TEMPORARY SHORING WALL	560.000	LF
NO. 57 STONE FOR BACKFILL	100.000	TON
FINE GRADING	12,821.000	SY
HOT MIX ASPHALT BASE COURSE - TYPE A	5,564.000	TON
LIQUID ASPHALT BINDER PG64-22	704.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,660.000	SY
MILLED-IN RUMBLE STRIP	1.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,837.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,380.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	504.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	4.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	4.000	EA
TEMPORARY CONCRETE BARRIER	2,723.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	147.000	LF



Call No.: 080

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	1.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	560.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	1,120.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	22,845.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING SYMBOLS) (TRAFFIC CONTROL)	100.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	120.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,812.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	14,836.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,100.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	21,295.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	855.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,400.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	860.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,400.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	85.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	84.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	84.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	38.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	50.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,124.000	LF
CONC. FOR STRUCTURES - CLASS 4000	1,157.600	CY
GROOVED SURFACE FINISH	2,157.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	360,936.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	19,401.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	2,605.800	LF
CONCRETE BRIDGE BARRIER PARAPET	496.000	LF
CONCRETE BRIDGE BARRIER PARAPET EXTENSION	544.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	6.000	EA
PILE DRIVING SET-UP	24.000	EA
REINF. PILE TIPS (HP14 X 73)	24.000	EA
STEEL H BEARING PILING (HP14 X 73)	1,144.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	108.000	LF
DRILLED SHAFT SET-UP	10.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 48" DIAMETER	305.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	380.000	LF
CONSTRUCTION CASING - 54" DIAMETER	380.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	114.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	150.000	LF



Call No.: 080

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
ELASTOMERIC BEARING	66.000	EA
CROSSHOLE SONIC LOGGING SETUP	10.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	320.000	TON
RIP-RAP (CLASS B)	40.000	TON
RIP-RAP (CLASS C)	3,730.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	2,540.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	100.000	SY
MT3 LEADING END TREATMENT TL3	3.000	EA
MB TRAILING END TREATMENT	1.000	EA
MGS3 GR STANDARD SHOULDER	1,763.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	1,157.000	SY
TEMPORARY BARRIER FENCE	3,625.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	12.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.400	ACRE
TEMPORARY COVER	1.570	ACRE
COMPOST	84.000	CY
FERTILIZER (NITROGEN)	314.000	LB
FERTILIZER (PHOSPHORIC ACID)	314.000	LB
FERTILIZER (POTASH)	314.000	LB
AGRICULTURAL GRANULAR LIME	6,280.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	9.420	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	51.400	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	1.926	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.300	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.610	MSY
SEDIMENT TUBES FOR DITCH CHECKS	84.000	LF
SILT FENCE	10,085.000	LF
REPLACE/REPAIR SILT FENCE	1,009.000	LF
FLOATING TURBIDITY BARRIER-MEDIUM DUTY(23'DEPH)	551.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	2,521.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 090 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3755690 PCN: P037857 Project No.: P037857
DBE Goal Percent: 0.00% PCN: P039520 Project No.: P039520
 PCN: P039521 Project No.: P039521

Approx. Length (miles): 11.4500 Description: PRESERVATION - OCONEE COUNTY
CO(S): Oconee
Completion Date: 7/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	132.500	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	13,250.000	SY
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	270.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	120,913.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,360.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	117,123.000	LF



Call No.: 100 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3955590 PCN: P039522 Project No.: P039522
DBE Goal Percent: 0.00% PCN: P039523 Project No.: P039523
 PCN: P039542 Project No.: P039542

Approx. Length (miles):9.5800 Description: PRESERVATION - PICKENS COUNTY
CO(S): Pickens
Completion Date: 7/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	136.850	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	13,685.000	SY
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	101,165.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	680.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	97,765.000	LF

VOLUNTARY VIRTUAL PRE-BID CONFERENCE: The Contractor is advised that a voluntary virtual Pre-Bid Conference will be held on Tuesday, September 22, 2020 at 10:00 AM. Conference attendance is not mandatory. See meeting information below:



South Carolina Department of Transportation

9/8/2020

Call No.: 110 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4056980 PCN: P029873 Project No.: P029873
 DBE Goal Percent: 9.00%
 Approx. Length (miles): 0.7580 Description: ENHANCEMENT - S-3054 RICHLAND CO.
 CO(S): Richland
 Completion Date: 9/30/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	5,000.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,500.000	SY
SITE EXCAVATION	1.000	LS
PERMANENT SHORING WALL	660.000	LF
FINE GRADING	19,700.000	SY
MAINTENANCE STONE	170.000	TON
LIQUID ASPHALT BINDER PG64-22	98.050	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	15,300.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,850.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	1,700.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	760.000	SF
BARRICADE - TYPE 3	348.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	300.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	660.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	5,600.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	5,840.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,140.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	120.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,220.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	52.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	10.000	EA



Call No.: 110

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
HANDICAP SYMBOL - FAST DRY PAINT	18.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	74.000	EA
PAINT - SHARROW SYMBOL - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	120.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	12,400.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	330.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	8,300.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,920.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	5,870.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,310.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
DROP INLET-SPECIAL	30.000	EA
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,660.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	15,100.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	37.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	26.000	EA
SHARROW W/ARROW - PREFORMED THERMO - 60MIL	1.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	170.000	EA
REMOVAL OF PAVEMENT MARKINGS	12,000.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	300.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	117.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	21.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	6.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	563.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE CONNECTIONS 001	1.000	LS
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	975.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,240.000	LF
FURNISH & INSTALL 3" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	2,290.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,910.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	2,145.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,700.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	3,600.000	LF
FURNISH & INSTALL FIBER OPTIC MODEM	4.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
30"X48"X30"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	25.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	19.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 002	4.000	EA
FURNISH & INSTALL SOLAR POWERED FLASHER ASSEM - DUAL BEACON	4.000	EA



Call No.: 110

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 003	34.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	30.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	30.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	30.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
INTEGRATION	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	15.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	4.000	EA
POWDERCOATING PER MAST ARM OVER BASE	15.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 001	1.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	13.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	19.000	EA
CONC. FOR STRUCTURES - CLASS 4000(ROADWAY)	2.000	CY
PERMANENT CONCRETE BOLLARD	4.000	EA
REINF. STEEL FOR STRUCTURES (ROADWAY)	850.000	LB
18" SMOOTH WALL PIPE	2,432.000	LF
CLEANING EXISTING PIPE	1,300.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 16	21.000	EA
CATCH BASIN - TYPE 16 - SPECIAL	1.000	EA
CATCH BASIN -TYPE 17	1.000	EA
DROP INLET (24" X 36")	4.000	EA
60" X 60" JUNCTION BOX	15.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	14.000	EA
ACCESSIBLE DRAINAGE GRATE FOR ADA	2.000	EA
CONCRETE CURB (TRANSITION)	96.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	5,300.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	7,800.000	SY
DETECTABLE WARNING MATERIAL	1,120.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,130.000	SY
PEDESTRIAN RAMP CONSTRUCTION	635.000	SY
46SS REINFORCED BARRIER WALL	340.000	LF
SELECT MATERIAL	250.000	CY
LANDSCAPING	1.000	LS
DOUBLE-SHREDDED HARDWOOD MULCH	100.000	SF
ROOT BARRIER	354.000	LF
IRRIGATION SYSTEM COMPLETE	1.000	LS
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	200.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	200.000	LF
SILT FENCE	300.000	LF



Call No.: 110

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
CLEANING INLET STRUCTURE FILTERS	150.000	EA
INLET STRUCTURE FILTER - TYPE B	30.000	EA
STABILIZED CONSTRUCTION ENTRANCE	110.000	SY
BRICK PAVERS (INCLUDE THE BASE AND SAND)	5,800.000	LF
PRECAST SEATWALL	545.000	LF
PRECAST CONCRETE BENCH (TYPE 1)	9.000	EA
PRECAST CONCRETE BENCH (TYPE 2)	9.000	EA
PRECAST CONCRETE BENCH (TYPE 3)	16.000	EA
PRECAST CONCRETE STAIR	82.000	EA
COMMUNICATION DUCT BANK	1.000	LF
DOMINION DUCT BANK	1.000	LS
GREEN FAST DRY PAINT-BIKE LANES	650.000	SF
SITE ELECTRICAL AND LIGHTING - COMPLETE	1.000	LS
TEMPORARY BOLLARD	2.000	EA
BICYCLE PARKING RACK	12.000	EA

VOLUNTARY VIRTUAL PRE-BID CONFERENCE:

The Contractor is advised that a voluntary virtual Pre-Bid Conference will be held on **Tuesday, September 22, 2020** at 10:00 AM. Conference attendance is not mandatory.

- Contractors can join the Pre-Bid Conference at the following link:

<https://scdot.webex.com/webappng/sites/scdot/meeting/download/749bd357886f434dbf83b16d2e9a1840?siteurl=scdot&MTID=mc87f77ae5ba9717761c9a9c82cae3169>

Meeting number (access code): 160 359 7469 Meeting password: dot!prebid

- Contractors may also join the meeting via phone at the following number: 1-415-655-0001, Access Code 160 359 7469

Contractors who do not attend this Pre-Bid Conference will still be allowed to submit a Bid Proposal for this project.

For any questions or concerns regarding the Pre-Bid Conference, please contact SCDOT Project Manager Berry Mattox at 1-803-737-2776 or mattoxtb@scdot.org.



Call No.: 120 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4255560 PCN: P039490 Project No.: P039490
DBE Goal Percent: 0.00% PCN: P039508 Project No.: P039508
 PCN: P039533 Project No.: P039533

Approx. Length (miles):22.8700 Description: PRESERVATION - SPARTANBURG COUNTY
CO(S): Spartanburg
Completion Date: 9/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MAINTENANCE STONE	258.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	25,800.000	SY
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	74.340	LaMi
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	31,532.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	194,877.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	23,020.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	256,462.000	LF



Call No.: 140 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5157000 PCN: P039957 Project No.: P039957

DBE Goal Percent: 0.00%

Approx. Length (miles):34.0000 Description: PAVEMENT MARKINGS - DISTRICT 1

CO(S): DISTRICT 1

Completion Date: 7/15/2021

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	32,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	300,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	8,550.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	100.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	90.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	6,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	80.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	30.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	28,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	250,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	125.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,600.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	950.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,900.000	EA
REMOVAL OF PAVEMENT MARKINGS	550.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	100.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	100.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	350.000	LF



Call No.: 150 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5257010 PCN: P039958 Project No.: P039958

DBE Goal Percent: 0.00%

Approx. Length (miles):42.0000 Description: PAVEMENT MARKINGS - DISTRICT 2

CO(S): DISTRICT2

Completion Date: 7/15/2021

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	30,450.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	310,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,500.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	125.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	75.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	4,800.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	50.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	5.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	30,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	400,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	500.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	740.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	800.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,200.000	EA
REMOVAL OF PAVEMENT MARKINGS	7,600.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	3,700.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	3,700.000	LF



Call No.: 160 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5357020 PCN: P039959 Project No.: P039959

DBE Goal Percent: 0.00%

Approx. Length (miles):22.0000

Description: PAVEMENT MARKINGS - DISTRICT 3

CO(S): DISTRICT3

Completion Date: 7/15/2021

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	27,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	160,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	13,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	600.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	150.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	7,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	80.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	40.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	15.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	5.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	12,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	220,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	100.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,400.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	650.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,000.000	EA
REMOVAL OF PAVEMENT MARKINGS	9,800.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	300.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	900.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	30.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	750.000	LF



Call No.: 170 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5457030 PCN: P039960 Project No.: P039960

DBE Goal Percent: 0.00%

Approx. Length (miles):22.0000

Description: PAVEMENT MARKINGS - DISTRICT 4

CO(S): DISTRICT4

Completion Date: 7/15/2021

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	40,500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	270,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	11,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	0.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	300.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	8,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	100.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	50.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	5.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	25,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	280,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	125.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	600.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,700.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,100.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	100.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	1,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	300.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	700.000	LF



Call No.: 180 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5556170	PCN: P039727	Project No.: P039727
DBE Goal Percent: 0.00%	PCN: P039728	Project No.: P039728
	PCN: P039729	Project No.: P039729
	PCN: P039730	Project No.: P039730
	PCN: P039731	Project No.: P039731
	PCN: P039732	Project No.: P039732

Approx. Length (miles):25.8900 Description: PRESERVATION - DARLINGTON & MARLBORO CO.
CO(S): Darlington Marlboro
Completion Date: 7/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	766.000	CY
MAINTENANCE STONE	58.700	TON
LIQUID ASPHALT BINDER PG64-22	284.274	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,920.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,750.000	SY
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	33.120	LaMi
MILLED-IN RUMBLE STRIP	5.620	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	4,204.133	TON
DRIVEWAY PAVING-SURFACE TYPE D	308.125	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	42,841.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,976.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,560.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	102,330.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	530.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	490.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,910.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	69,440.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	160.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	780.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	33,795.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	265.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	195.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	9.000	EA



Call No.: 180

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,590.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	26,675.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	22.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	587.000	EA
REMOVAL OF PAVEMENT MARKINGS	55,485.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.450	ACRE



Call No.: 190 Letting Date: October 13, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5556300	PCN: P039750	Project No.: P039750
DBE Goal Percent: 0.00%	PCN: P039751	Project No.: P039751
	PCN: P039752	Project No.: P039752
	PCN: P039753	Project No.: P039753
	PCN: P039754	Project No.: P039754
	PCN: P039755	Project No.: P039755

Approx. Length (miles):21.8900 Description: PRESERVATION - GEORGETOWN & HORRY CO.
 CO(S): Georgetown Horry
 Completion Date: 7/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	1,034.000	CY
MAINTENANCE STONE	22.400	TON
LIQUID ASPHALT BINDER PG64-22	807.400	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,240.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	19,436.000	SY
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	28.160	LaMi
MILLED-IN RUMBLE STRIP	10.340	MI
HOT MIX ASPHALT SURFACE COURSE TYPE D	12,197.133	TON
DRIVEWAY PAVING-SURFACE TYPE D	618.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,488.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	16,380.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	86,500.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,350.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,370.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	70.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	60.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	12,820.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	123,740.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,200.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	1,120.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	60.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	120.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,750.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	54,050.000	LF



Call No.: 190

Letting Date: October 13, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,660.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,435.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	35.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	30.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,560.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	68,400.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	560.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	795.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	345.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,064.000	EA
REMOVAL OF PAVEMENT MARKINGS	135,902.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	250.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	916.000	LF
SAWCUT FOR LOOP DETECTOR	284.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.267	ACRE

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria DeVito at (803)737-2043 or DevitoMA@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Interim Contract Administrator