

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For October 13, 2026

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet immediately after bids are opened.

The following items will be made available on September 13, 2026 unless otherwise noted:

- Proposal bid forms on the Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>) for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Contractors do not have to buy plans to be able to bid
- o The Voluntary Plan Holders List is available on BIDX.

Please contact the Contract Administration Office at (803)737-7469 with all Letting related questions.



Call No.: 010 Letting Date: October 13, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 0276070

PCN: P045642

Project No.: P045642

DBE Goal Percent: 0.00%

Approx. Length (miles): 18.2000

Description: I-20 5-23 MM INTERSTATE PRESERVATION

CO(S): Aiken

Completion Date: 9/30/2026 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	1,500.000	HR
LIQUID ASPHALT BINDER PG64-22	1,301.300	TON
LIQUID ASPHALT BINDER PG76-22	5,730.210	TON
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	218,400.000	SY
SURFACE PLANE ASPHALT PAVEMENT 1.5"	683,349.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	938,567.000	SY
ASPHALT SURFACE COURSE TYPE A	12,710.000	TON
ASPHALT SURFACE COURSE TYPE E	20,020.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	81,147.727	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	820.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	3.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	149,544.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	517,049.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	27,600.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	517,049.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	48,948.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	172,350.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	9,200.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	172,350.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	2,402.000	EA
MILLED-IN RUMBLE STRIP	72.800	MI
CONCRETE CLASS 4000 FOR PARTIAL DEPTH DECK PATCHING	375.000	SY



Call No.: 020 Letting Date: October 13, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1075380

PCN: P044592

Project No.: P044592

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.1890

Description: US 17 AT BUCK HALL LANDING ROAD (RIGHT TURN LANE)

CO(S): Charleston

Completion Date: 8/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
UNCLASSIFIED EXCAVATION	769.000	CY
BORROW EXCAVATION	216.000	CY
FINE GRADING	1,753.000	SY
MAINTENANCE STONE	25.000	TON
LIQUID ASPHALT BINDER PG64-22	37.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	100.000	SY
ASPHALT BASE COURSE - TYPE A	283.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	154.000	TON
ASPHALT SURFACE COURSE TYPE B	294.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	328.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	450.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	514.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	52.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	917.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	450.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	514.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	52.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	917.000	LF
18" RC PIPE CUL.-CLASS III	92.000	LF
18" R. C. PIPE CUL. BEVELED END SECTN-CL 3	2.000	EA
RIP-RAP (CLASS A)	5.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	9.000	SY
PERMANENT GRASSING FOR SMALL PROJECTS	0.700	ACRE
TEMPORARY COVER	0.350	ACRE



Call No.: 020

Letting Date: October 13, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
SEDIMENT TUBES FOR DITCH CHECKS	36.000	LF
SILT FENCE	200.000	LF
STABILIZED CONSTRUCTION ENTRANCE	25.000	SY



Call No.: 030 Letting Date: October 13, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2378290

PCN: P043981

Project No.: P043981

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.1000

Description: S-978 TUGALOO ROAD BRIDGE
REPLACEMENT IN GREENVILLE

CO(S): Greenville

Completion Date: 7/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. Remove and dispose of 298 LF of fence within R/W	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,343.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	102.000	CY
BORROW EXCAVATION	1,743.000	CY
FINE GRADING	980.000	SY
MAINTENANCE STONE	100.000	TON
LIQUID ASPHALT BINDER PG64-22	35.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	150.000	SY
ASPHALT BASE COURSE - TYPE B	337.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	148.000	TON
ASPHALT SURFACE COURSE TYPE B	220.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	168.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	256.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	164.000	SF
TYPE B - FLASHING LIGHT	32.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	375.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	4,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	3,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,200.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	200.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	12.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	10.500	SF



Call No.: 030

Letting Date: October 13, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
U-SECTION POST FOR SIGN SUPPORTS - 2P	40.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	40.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	404.000	LF
CONC. FOR STRUCTURES - CLASS 4000	81.000	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	27,330.000	LB
3'-0" x 2'-0" CORED SLABS	598.800	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	200.000	LF
PILE DRIVING SET-UP	10.000	EA
REINF. PILE TIPS (HP14 X 73)	10.000	EA
STEEL H BEARING PILING (HP14 X 73)	226.000	LF
18" SMOOTH WALL PIPE	48.000	LF
BEVELING OF PIPE END	4.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	14.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	77.000	LF
ELASTOMERIC BEARING	20.000	EA
LIQUID MEMBRANE WATERPROOFING (BRIDGE DECK)	185.600	SY
12" TEMPORARY PIPE SLOPE DRAIN	120.000	LF
RIP-RAP (CLASS A)	7.000	TON
RIP-RAP (CLASS B)	382.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	500.000	SY
MT2 LEADING END TREATMENT TL2	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	1.000	EA
NON-MOW STRIP UNDER GUARDRAIL	80.000	SY
BARBED WIRE FENCE - 3 STRANDS	355.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	676.000	LF
MOVING ITEM NO. Reset steel gate 1 ft off R/W	1.000	LS
MOVING ITEM NO. Reset steel gate and wood posts 1 ft off R/W	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	12.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.507	ACRE
TEMPORARY COVER	0.254	ACRE
FERTILIZER (NITROGEN)	51.000	LB
FERTILIZER (PHOSPHORIC ACID)	51.000	LB
FERTILIZER (POTASH)	51.000	LB
AGRICULTURAL GRANULAR LIME	2,025.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	1.522	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.346	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.159	MSY



Call No.: 030

Letting Date: October 13, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.507	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	300.000	LF
SILT FENCE	1,582.000	LF
CLEANING SILT BASINS	14.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	60.000	LF
CLEANING INLET STRUCTURE FILTERS	15.000	EA
INLET STRUCTURE FILTER - TYPE B	7.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	1.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 040 Letting Date: October 13, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2973031

PCN: P042284

Project No.: P042284

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.6000

Description: INTERSECTION IMPROVEMENT - SC 5 AT S-358 (STEEL HILL ROAD)

CO(S): Lancaster

Completion Date: 5/31/2028 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	245.000	SY
REMOVAL OF EXIST. GUARDRAIL	275.000	LF
UNCLASSIFIED EXCAVATION	13,384.000	CY
BORROW EXCAVATION	100.000	CY
FINE GRADING	2,973.000	SY
MAINTENANCE STONE	20.000	TON
LIQUID ASPHALT BINDER PG64-22	243.000	TON
FULL DEPTH ASPH. PAV. PATCHING 15"UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	14,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,373.000	SY
ASPHALT BASE COURSE - TYPE A	1,874.000	TON
ASPHALT BASE COURSE - TYPE B	62.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	627.000	TON
ASPHALT SURFACE COURSE TYPE B	1,908.000	TON
ASPHALT SURFACE COURSE TYPE C	20.000	TON
ASPHALT SURFACE COURSE TYPE E	194.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	104.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	276.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	310.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	51,780.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	51,780.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	200.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	300.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	540.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	9,900.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	86.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA



Call No.: 040

Letting Date: October 13, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	14,600.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
MILLED-IN RUMBLE STRIP	2.000	MI
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	110.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	55.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	359.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	28.000	LF
18" SMOOTH WALL PIPE	224.000	LF
DROP INLET TYPE 112	1.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
BEVELING OF PIPE END	4.000	EA
CONCRETE FLUME	35.000	LF
BITUMINOUS CURB	275.000	LF
RIP-RAP (CLASS A)	51.000	TON
RIP-RAP (CLASS B)	52.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	201.000	SY
PREMASH RESET W-BEAM STRONG POST SYSTEM	12.500	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	225.000	LF
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	5.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.900	ACRE
TEMPORARY COVER	1.450	ACRE
COMPOST	780.000	CY
FERTILIZER (NITROGEN)	290.000	LB
FERTILIZER (PHOSPHORIC ACID)	290.000	LB
FERTILIZER (POTASH)	290.000	LB
AGRICULTURAL GRANULAR LIME	5,800.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	8.700	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	4.575	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	8.700	ACRE
SILT FENCE	500.000	LF
CLEANING SILT BASINS	150.000	CY
CLEANING INLET STRUCTURE FILTERS	2.000	EA
INLET STRUCTURE FILTER - TYPE D2	1.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	1.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	13.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 050

Letting Date: October 13, 2026

Letting Time: 2:00 pm

Page: 1

SC File NO(S): 4175571

PCN: P044886

Project No.: P044886

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.7000

Description: 2026 SALUDA CTC RESURFACING

CO(S): Saluda

Completion Date: 7/31/2027 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
BORROW EXCAVATION	438.000	CY
EXCAVATION FOR SHOULDER PAVING	83.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	83.000	STA
MAINTENANCE STONE	33.500	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	6,777.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	233.000	TON
HMA SHOULDER WIDENING COURSE	388.960	TON
LIQUID ASPHALT BINDER PG64-22	191.764	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	890.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,075.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,960.000	SY
ASPHALT SURFACE COURSE TYPE C	2,494.388	TON
DRIVEWAY PAVING-SURFACE TYPE C	240.750	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,020.000	SF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,043.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	19,060.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	331.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	6,560.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	114.000	EA
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.648	ACRE



Call No.: 060

Letting Date: October 13, 2026

Letting Time: 2:00 pm

Page: 1

SC File NO(S): 4276560

PCN: P045386

Project No.: P045386

DBE Goal Percent: 0.00%

Approx. Length (miles): 3.6950

Description: I-585 0-2 MM INTERSTATE PRESERVATION

CO(S): Spartanburg

Completion Date: 10/31/2027 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	330.000	HR
LIQUID ASPHALT BINDER PG64-22	160.875	TON
LIQUID ASPHALT BINDER PG76-22	1,140.182	TON
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	27,000.000	SY
SURFACE PLANE ASPHALT PAVEMENT 1.5"	95,040.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	193,190.461	SY
ASPHALT SURFACE COURSE TYPE A	8,231.387	TON
ASPHALT SURFACE COURSE TYPE E	2,475.000	TON
HIGH FRICTION SURFACE TREATMENT	600.000	SY
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	11,088.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	940.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	23,576.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	119,095.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	10,500.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	540.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	43.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	34.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	118,513.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	240.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,696.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	45,238.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	3,900.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	180.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	13.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	44,656.000	LF



Call No.: 060

Letting Date: October 13, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	80.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	413.000	EA
MILLED-IN RUMBLE STRIP	10.460	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	108.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,452.000	LF
SAWCUT FOR LOOP DETECTOR	454.000	LF



Call No.: 070

Letting Date: October 13, 2026

Letting Time: 2:00 pm

Page: 1

SC File NO(S): 4673600

PCN: P044262

Project No.: P044262

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.1670

Description: BR REPLACEMENT S-46-832 OVER BRANCH
OF CATAWBA RIVER

CO(S): York

Completion Date: 7/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
SELECTED CLEARING	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	432.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	798.000	CY
BORROW EXCAVATION	1,319.000	CY
GEOTEXTILE, SEPARATION	137.000	SY
GEOGRID STABILIZATION	291.000	SY
GRANULAR BRIDGE LIFT MATERIAL	100.000	CY
FINE GRADING	1,272.000	SY
MAINTENANCE STONE	20.000	TON
LIQUID ASPHALT BINDER PG64-22	45.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	354.000	SY
ASPHALT BASE COURSE - TYPE B	316.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	239.000	TON
ASPHALT SURFACE COURSE TYPE C	263.000	TON
ASPHALT SURFACE COURSE TYPE E	26.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	7.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	84.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
TYPE A - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	3,800.000	LF



Call No.: 070

Letting Date: October 13, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	3,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	30.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,600.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	50.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,800.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	29.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	9.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	40.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	34.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	564.000	LF
CONC. FOR STRUCTURES - CLASS 4000	95.000	CY
CONC. FOR STRUCTURES - CLASS 4000DS	6.000	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	35,096.000	LB
3'-0" X 3'-3" BOX BEAM	1,087.700	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	280.000	LF
PILE DRIVING SET-UP	6.000	EA
REINF. PILE TIPS (HP14 X 73)	6.000	EA
STEEL H BEARING INDEX PILING (HP 14 X 73)	546.000	LF
15" SMOOTH WALL PIPE	20.000	LF
18" SMOOTH WALL PIPE	28.000	LF
DRILLED PILE SET-UP	6.000	EA
SOIL EXCAVATION FOR DRILLED PILE FOUNDATIONS - 30" DIAMETER	234.000	LF
ROCK EXCAVATION FOR DRILLED PILE FOUNDATIONS - 30" DIAMETER	30.000	LF
CONSTRUCTION CASING - 30" DIAMETER	234.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	54.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	99.000	LF
ELASTOMERIC BEARING	22.000	EA
WATERPROOFING	363.200	SY
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	86.000	TON
RIP-RAP (CLASS B)	1,279.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	2,083.000	SY
MT3 LEADING END TREATMENT TL3	3.000	EA
MGS3 GR STANDARD SHOULDER	100.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	3.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	3.000	EA
NON-MOW STRIP UNDER GUARDRAIL	111.000	SY
2' CRASH CUSHION 3A	1.000	EA
TEMPORARY BARRIER FENCE (ORANGE)	406.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	11.000	EA



Call No.: 070

Letting Date: October 13, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.662	ACRE
TEMPORARY COVER	0.331	ACRE
FERTILIZER (NITROGEN)	66.200	LB
FERTILIZER (PHOSPHORIC ACID)	66.200	LB
FERTILIZER (POTASH)	66.200	LB
AGRICULTURAL GRANULAR LIME	1,324.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	1.986	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.824	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.364	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.864	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	200.000	LF
SILT FENCE	1,816.000	LF
REPLACE/REPAIR SILT FENCE	182.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY(5'DEPTH)	400.000	LF
CLEANING SILT BASINS	89.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	454.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	28.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 080 Letting Date: October 13, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4676540

PCN: P045385

Project No.: P045385

DBE Goal Percent: 0.00%

Approx. Length (miles): 6.3500

Description: I-77 MM 75.86 - 82.5 MM INTERSTATE
PRESERVATION

CO(S): York

Completion Date: 8/31/2028 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	1,200.000	HR
LIQUID ASPHALT BINDER PG64-22	1,238.250	TON
LIQUID ASPHALT BINDER PG76-22	3,933.207	TON
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	228,600.000	SY
SURFACE PLANE ASPHALT PAVEMENT 1.5"	454,490.688	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	651,575.375	SY
ASPHALT SURFACE COURSE TYPE A	15,240.000	TON
ASPHALT SURFACE COURSE TYPE E	19,050.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	49,919.465	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	940.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	157,776.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	329,155.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	37,650.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,040.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	48.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	48.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	30.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	24.000	EA
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	329,155.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	4,380.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	52,592.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	109,718.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	12,550.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	30.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	680.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	16.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA



Call No.: 080

Letting Date: October 13, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	8.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	109,718.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	1,460.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	2,515.000	EA
MILLED-IN RUMBLE STRIP	25.400	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	102.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	9,852.000	LF
SAWCUT FOR LOOP DETECTOR	3,454.000	LF



Call No.: 090 Letting Date: October 13, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 5376970

PCN: P045375

Project No.: P045375

DBE Goal Percent: 0.00%

PCN: P045376

Project No.: P045376

PCN: P045418

Project No.: P045418

PCN: P045419

Project No.: P045419

Approx. Length (miles): 82.4300

CO(S): Greenville Spartanburg

Description: 2027 GREENVILLE/SPARTANBURG CRACK SEAL

Completion Date: 4/30/2027 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	246.590	LaMi
TRAFFIC CONTROL	1.000	LS



Call No.: 100 Letting Date: October 13, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 5377380 PCN: P045381 Project No.: P045381

DBE Goal Percent: 0.00% PCN: P045382 Project No.: P045382

PCN: P045431 Project No.: P045431

PCN: P045432 Project No.: P045432

Approx. Length (miles): 31.5000

Description: 2027 PICKENS/OCONEE CRACK SEAL

CO(S): Oconee Pickens

Completion Date: 4/30/2027 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	99.830	LaMi
TRAFFIC CONTROL	1.000	LS



Call No.: 110

Letting Date: October 13, 2026

Letting Time: 2:00 pm

Page: 1

SC File NO(S): 5578320

PCN: P045641

Project No.: P045641

DBE Goal Percent: 0.00%

Approx. Length (miles): 6.0500

Description: I-20 136-141 INTERSTATE PRESERVATION

CO(S): Darlington Florence

Completion Date: 7/31/2028 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	550.000	HR
LIQUID ASPHALT BINDER PG64-22	432.575	TON
LIQUID ASPHALT BINDER PG76-22	2,073.957	TON
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	72,600.000	SY
SURFACE PLANE ASPHALT PAVEMENT 1.5"	234,256.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	367,815.406	SY
ASPHALT SURFACE COURSE TYPE A	6,500.000	TON
ASPHALT SURFACE COURSE TYPE E	6,655.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	27,684.799	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	556.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	50,016.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	234,939.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	27,300.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,350.000	LF
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	9.000	EA
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	234,939.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	16,672.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	78,313.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	9,100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	450.000	LF
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	78,313.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	798.000	EA
MILLED-IN RUMBLE STRIP	15.160	MI



Call No.: 120

Letting Date: October 13, 2026

Letting Time: 2:00 pm

Page: 1

SC File NO(S): 5676830

PCN: P045092

Project No.: P045092

DBE Goal Percent: 0.00%

PCN: P045325

Project No.: P045325

PCN: P045331

Project No.: P045331

PCN: P045350

Project No.: P045350

PCN: P045351

Project No.: P045351

PCN: P045411

Project No.: P045411

PCN: P045413

Project No.: P045413

PCN: P045416

Project No.: P045416

PCN: P045468

Project No.: P045468

PCN: P045471

Project No.: P045471

PCN: P045473

Project No.: P045473

PCN: P045517

Project No.: P045517

PCN: P045518

Project No.: P045518

PCN: P045521

Project No.: P045521

PCN: P045523

Project No.: P045523

PCN: P045538

Project No.: P045538

PCN: P045541

Project No.: P045541

Approx. Length (miles): 170.3500

Description: 2027 DISTRICT 6 CRACK SEAL

CO(S): Beaufort Berkeley
Charleston Colleton
Dorchester Jasper

Completion Date: 4/30/2027 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	439.765	LaMi
TRAFFIC CONTROL	1.000	LS



Call No.: 130 Letting Date: October 13, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 8876550

PCN: P045240

Project No.: P045240

DBE Goal Percent: 0.00%

Approx. Length (miles): 8.1000

Description: I-385 14-23 MM INTERSTATE PRESERVATION

CO(S): Greenville Laurens

Completion Date: 11/30/2027 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	650.000	HR
LIQUID ASPHALT BINDER PG64-22	579.150	TON
LIQUID ASPHALT BINDER PG76-22	2,439.342	TON
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	97,200.000	SY
SURFACE PLANE ASPHALT PAVEMENT 1.5"	304,128.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	397,478.000	SY
ASPHALT SURFACE COURSE TYPE A	3,640.000	TON
ASPHALT SURFACE COURSE TYPE E	8,910.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	36,115.203	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	628.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	67,156.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	193,000.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	10,350.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	193,000.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	22,384.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	64,565.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	3,450.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	64,565.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	1,070.000	EA
MILLED-IN RUMBLE STRIP	32.400	MI



Call No.: 140 Letting Date: October 13, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 8876840

PCN: P045241

Project No.: P045241

DBE Goal Percent: 0.00%

Approx. Length (miles): 26.7700

Description: I-20 23-37 WB AND 37-49 EB INTERSTATE
PRESERVATION

CO(S): Aiken Lexington

Completion Date: 10/31/2028 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CROSS SLOPE VERIFICATION	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	800.000	HR
LIQUID ASPHALT BINDER PG64-22	881.596	TON
LIQUID ASPHALT BINDER PG76-22	4,286.963	TON
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	147,960.000	SY
SURFACE PLANE ASPHALT PAVEMENT 1.5"	462,950.406	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	657,008.000	SY
ASPHALT SURFACE COURSE TYPE A	10,670.000	TON
ASPHALT SURFACE COURSE TYPE E	13,563.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	59,679.250	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	772.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	214,419.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	520,059.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	13,800.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	300.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	520,059.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	71,473.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	173,353.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	4,600.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	100.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	113,353.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	1,767.000	EA
MILLED-IN RUMBLE STRIP	53.540	MI
CONCRETE CLASS 4000 FOR PARTIAL DEPTH DECK PATCHING	250.000	SY

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2025, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal).

SUBMISSION OF BID BONDS. Bid Bonds must be submitted electronically, utilizing the Bid Bonds feature within the BidX Bid Form. The Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers
Contract Administrator