

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For November 08, 2022

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on October 11, 2022 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0263880	PCN: P041438	Project No.: P041438
DBE Goal Percent: 0.00%	PCN: P041511	Project No.: P041511
Approx. Length (miles): 30.7400	Description: RECONSTRUCTION/REHABILITATION - AIKEN COUNTY	
CO(S): Aiken		
Completion Date: 6/30/2024	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	800.000	SY
UNCLASSIFIED EXCAVATION	600.000	CY
BORROW EXCAVATION	4,734.000	CY
EXCAVATION FOR SHOULDER PAVING	515.328	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	515.328	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	15,500.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	67,180.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,830.000	TON
MAINTENANCE STONE	45.400	TON
HMA SHOULDER WIDENING COURSE	2,433.493	TON
LIQUID ASPHALT BINDER PG64-22	2,967.354	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,790.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	56,060.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	87,580.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	35,070.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	25,750.000	SY
MILLED-IN RUMBLE STRIP	17.880	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,738.800	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	25,271.176	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	12,324.800	TON
DRIVEWAY PAVING-SURFACE TYPE D	3,797.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	8,492.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	3,550.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	197,770.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	2,110.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	190.000	LF



Call No.: 010

Letting Date: November 08, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	201.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	3,595.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	17.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	10.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -PERM.PVMT.MARKING	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	5,510.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	189,050.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	458,280.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,220.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	380.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	7,405.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	30.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	18.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,290.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	435,340.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	120.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT	280.000	LF
WHITE WORD MESSAGE "STOP AHEAD"-FAST DRY PAINT	2.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	240.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	240.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	92.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,364.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	300.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	6,800.000	LF
SAWCUT FOR LOOP DETECTOR	2,250.000	LF
DETECTABLE WARNING MATERIAL	400.000	SF
PEDESTRIAN RAMP CONSTRUCTION	800.000	SY
SURFACE APPLIED DETECTABLE WARNING	360.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,550.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	575.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	350.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	100.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	27.267	ACRE



Call No.: 020 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0363550 PCN: P040355 Project No.: P040355
DBE Goal Percent: 0.00%
Approx. Length (miles):0.0340 Description: BRIDGE MAINTENANCE - ALLENDALE CO
CO(S): Allendale
Completion Date: 2/12/2024 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Rows include MOBILIZATION, BONDS AND INSURANCE, TRAFFIC CONTROL, PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED), PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED), BARRICADE - TYPE 3, CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER TYPE B - FLASHING LIGHT), CONC. FOR STRUCTURES - CLASS 4000, REINF. STEEL FOR STRUCTURES (BRIDGE), STRUCTURAL STEEL, DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP, PILE DRIVING SET-UP, STEEL H BEARING PILING (HP14 X 73), STEEL H BEARING INDEX PILING (HP 14 X 73), ELASTOMERIC BEARING, ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB), SILT FENCE.



Call No.: 030 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0463220 PCN: P040857 Project No.: P040857
DBE Goal Percent: 0.00%
Approx. Length (miles): 16.5700 Description: RECONSTRUCTION/REHABILITATION - ANDERSON CO
CO(S): Anderson
Completion Date: 11/15/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, EXCAVATION, PAVING, and PAINTING with their respective quantities and units.



Call No.: 030 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	718,940.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	755.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,997.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	174,355.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,000.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	18.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,579.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	19.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,240.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	182,075.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	83.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	144.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,436.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	68.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,460.000	LF
SAWCUT FOR LOOP DETECTOR	460.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	1.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	200.000	LF
MT3 LEADING END TREATMENT TL3	16.000	EA
MGS3 GR STANDARD SHOULDER	725.000	LF
MGS3CS GR COMPRESSED SHOULDER	425.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	15.398	ACRE



Call No.: 040 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0486510 PCN: P027622 Project No.: P027622
 DBE Goal Percent: 11.00%
 Approx. Length (miles): 0.5690 Description: INTERSECTION IMPROVEMENT - S-34
 CO(S): Anderson (ANDERSON CO)
 Completion Date: 7/31/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
CLEARING & GRUBBING DITCHES	0.400	ACRE
REMOVAL & DISPOSAL OF EXISTING DROP INLET	3.000	EA
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,000.000	SY
UNCLASSIFIED EXCAVATION	1,300.000	CY
BORROW EXCAVATION	2,100.000	CY
MAINTENANCE STONE	200.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,200.000	TON
LIQUID ASPHALT BINDER PG64-22	211.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,880.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	350.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,738.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	600.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	368.000	SF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	140.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	750.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	420.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	700.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	220.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	130.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,600.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	15.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	70.000	EA
REMOVAL OF PAVEMENT MARKINGS	5,170.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	133.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	15.000	SF



Call No.: 040

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	2.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	30.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	240.000	LF
REFLECTIVE SIGN POST PANELS	77.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	27.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	485.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	618.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
18" SMOOTH WALL PIPE	786.000	LF
24" SMOOTH WALL PIPE	131.000	LF
CATCH BASIN -TYPE 9	1.000	EA
DROP INLET (24" X 36")	6.000	EA
CONCRETE MEDIAN	165.000	SY
RIP-RAP (CLASS B)	41.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	40.000	SY
WOVEN WIRE FENCE - TYPE 1 WITHOUT BARBED WIRE	750.000	LF
MOVING ITEM NO. 01	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	50.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.400	ACRE
TEMPORARY COVER	2.400	ACRE
FERTILIZER (NITROGEN)	240.000	LB
FERTILIZER (PHOSPHORIC ACID)	240.000	LB
FERTILIZER (POTASH)	240.000	LB
AGRICULTURAL GRANULAR LIME	4,800.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	9.600	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	7.200	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	4.800	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	16.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	335.000	LF
SILT FENCE	950.000	LF
CLEANING INLET STRUCTURE FILTERS	110.000	EA
INLET STRUCTURE FILTER - TYPE B	6.000	EA
SEDIMENT DAM RIPRAP	50.000	TON
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	15.000	SY
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 050 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0563800 PCN: P041425 Project No.: P041425

DBE Goal Percent: 0.00%

Approx. Length (miles):0.2000

Description: BRIDGE MAINTENANCE - DISTRICT 7

CO(S): Bamberg

Completion Date: 365 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
FLOWABLE FILL	1.500	CY
ROUT, CLEAN, AND SEAL CRACKS	15.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	256.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	140.000	SF
BARRICADE - TYPE 3	168.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	4.000	EA
TYPE B - FLASHING LIGHT	32.000	EA
STRUCTURAL STEEL	6,255.000	LB
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1,262.000	SF
RIP-RAP (CLASS B)	8.000	CY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE A	16.000	SY
BRIDGE PILE WRAP	307.000	LF
BR004 - REINFORCED CONCRETE REPAIR TYPE 1	0.700	CF
BR005 - REINFORCED CONCRETE REPAIR TYPE 2	5.000	CF
BR006 - REINFORCED CONCRETE TEE-BEAM REPAIR TYPE A	0.400	CF
BR010 – DECK JOINT REPAIR TYPE 1	1,183.000	LF
BR017 - CROSS BENT FOR STEEL BRIDGE WITH WIDENING TYPE A	5.000	EA
BR018 - BEAM END WEB AND FLANGE REPAIR	492.000	LF
BR040 – CORROSION INHIBITING BONDING AGENT	13.000	SF



Call No.: 060 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1161510	PCN: P040475	Project No.: P040475
DBE Goal Percent: 5.50%	PCN: P040813	Project No.: P040813
	PCN: P040814	Project No.: P040814
	PCN: P040815	Project No.: P040815

Approx. Length (miles): 15.4200 Description: RECONSTRUCTION/REHABILITATION - CHEROKEE COUNTY
CO(S): Cherokee
Completion Date: 6/30/2024 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
SELECTED CLEARING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,406.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	125.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	250.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	25.160	CY
UNCLASSIFIED EXCAVATION	4,006.000	CY
BORROW EXCAVATION	1,899.000	CY
STATION GRADING	80.730	STA
EXCAVATION FOR SHOULDER PAVING	619.900	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	619.900	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	97,660.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,763.000	TON
MAINTENANCE STONE	321.500	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	8,993.600	TON
HMA SHOULDER WIDENING COURSE	4,476.854	TON
LIQUID ASPHALT BINDER PG64-22	3,236.496	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	475.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	180.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	170.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	6,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	82,208.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	10,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	34,780.000	SY
MILLED-IN RUMBLE STRIP	17.420	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	17,110.746	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	994.987	TON



Call No.: 060

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,559.359	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	8,712.450	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	3,301.760	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,876.750	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	97,060.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,228.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	18.000	LF
WHITE WORD MESSAGE "STOP AHEAD" -PERM.PVMT.MARKING	2.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,595.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	510,190.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	426.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,200.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,609.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	511,459.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	800.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,595.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	138,714.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	246.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	18.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,482.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,609.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	125,066.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	3.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	998.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	1,220.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	153.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	610.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	64.500	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	224.000	LF
REFLECTIVE SIGN POST PANELS	60.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,700.000	LF
SAWCUT FOR LOOP DETECTOR	1,070.000	LF



Call No.: 060

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	4.000	EA
PARTIAL DEPTH PATCHING OF EXISTING DECK	200.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	3,000.000	LB
15" SMOOTH WALL PIPE	288.000	LF
ADJUST CATCH BASIN	2.000	EA
ADJUST DROP INLET ADJUST D. I.	7.000	EA
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	50.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	75.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	51.000	SY
DETECTABLE WARNING MATERIAL	675.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	50.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,350.000	SY
RIP-RAP (CLASS B)	40.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	75.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	2,260.000	LF
MT3 LEADING END TREATMENT TL3	22.000	EA
MGS3 GR STANDARD SHOULDER	5,112.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	2,425.000	LF
PREMASH TYPE T TL2 LEADING 25FT	1.000	EA
PREMASH TYPE T TL3 LEADING 50'	15.000	EA
RESET FENCE	150.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.630	ACRE
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	600.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	600.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	20.000	TON



Call No.: 070 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1563270	PCN: P041488	Project No.: P041488
DBE Goal Percent: 0.00%	PCN: P041585	Project No.: P041585
	PCN: P041586	Project No.: P041586

Approx. Length (miles): 24.4500 Description: RECONSTRUCTION/REHABILITATION - COLLETON CO

Completion Date: 11/15/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	8.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	626.330	SY
REMOVAL & DISPOSAL OF EXISTING CURB	135.000	LF
UNCLASSIFIED EXCAVATION	346.000	CY
BORROW EXCAVATION	6,485.500	CY
EXCAVATION FOR SHOULDER PAVING	1,642.020	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,642.020	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	1,727.500	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	97,292.796	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,307.960	TON
MAINTENANCE STONE	138.980	TON
LIQUID ASPHALT BINDER PG64-22	4,044.009	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	10,975.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,923.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	7,388.450	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	23,654.800	SY
MILLING EXISTING ASPHALT PAVEMENT 3.5"	215,925.094	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,940.000	SY
MILLED-IN RUMBLE STRIP	44.100	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	25,126.591	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	37,691.351	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,823.428	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,608.375	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	7,369.320	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,855.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	832.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	243,604.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	718.000	LF



Call No.: 070

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	652.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	12.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	12.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	16,180.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	88,357.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,970.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	889,846.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,154.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,056.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	40.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	40.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	63,780.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	330,560.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	50.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	27.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,312.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	300.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,700.000	LF
SAWCUT FOR LOOP DETECTOR	1,850.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	2.000	EA
CONCRETE CURB (TRANSITION)	10.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	125.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	402.780	SY
CONCRETE SIDEWALK(6" UNIFORM)	105.330	SY
CONCRETE DRIVEWAY(6" UNIFORM)	76.220	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	23.070	ACRE
SILT FENCE	23,900.000	LF



Call No.: 080 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1663450 PCN: P041800 Project No.: P041800
DBE Goal Percent: 1.50%
Approx. Length (miles):5.4800 Description: SAFETY IMPROVEMENT - S-20 (DARLINGTON CO(S): Darlington
Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, EXCAVATION, PAVING, and PAINTING with their respective quantities and units.



Call No.: 080

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	40,314.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	400.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
REFLECTIVE SIGN POST PANELS	100.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.280	ACRE



Call No.: 090 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1762950	PCN: P041283	Project No.: P041283
DBE Goal Percent: 0.00%	PCN: P041284	Project No.: P041284
	PCN: P041285	Project No.: P041285

Approx. Length (miles): 17.3100 Description: RECONSTRUCTION - DILLON COUNTY
 CO(S): Dillon
 Completion Date: 11/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,690.000	SY
BORROW EXCAVATION	3,112.000	CY
EXCAVATION FOR SHOULDER PAVING	1,181.664	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,181.664	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	40,187.670	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,065.827	TON
MAINTENANCE STONE	239.050	TON
HMA SHOULDER WIDENING COURSE	5,908.320	TON
LIQUID ASPHALT BINDER PG64-22	2,056.399	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	16,455.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	7,450.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	86,319.029	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,260.000	SY
MILLED-IN RUMBLE STRIP	27.860	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,009.465	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,093.900	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,105.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,441.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,704.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	19,143.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	521,091.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	14,679.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	7,056.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	45.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	9.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	33.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	21.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	42,996.000	LF



Call No.: 090 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	307,806.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,075.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,381.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	173,697.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	4,893.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,352.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	15.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	11.000	EA
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	13.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	14,332.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	102,602.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	291.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	128.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,373.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM(60MIL)HANDICAP SYMBOL	7.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"BLUE.SOLID	980.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	210.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	30.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	1,420.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,450.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,806.000	LF
SAWCUT FOR LOOP DETECTOR	2,864.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	13.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	12.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	150.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	650.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	50.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,135.000	SY
DETECTABLE WARNING MATERIAL	612.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	450.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,225.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.023	ACRE



Call No.: 100 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2062570	PCN: P040822	Project No.: P040822
DBE Goal Percent: 0.00%	PCN: P040823	Project No.: P040823
	PCN: P040824	Project No.: P040824
	PCN: P041477	Project No.: P041477

Approx. Length (miles): 15.4300 Description: RECONSTRUCTION/REHABILITATION - FAIRFIELD CO.
CO(S): Fairfield

Completion Date: 11/15/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	1.000	CY
UNCLASSIFIED EXCAVATION	4,509.000	CY
BORROW EXCAVATION	9,302.000	CY
STATION GRADING	186.910	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	2,735.000	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	48,295.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	97,742.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	72,647.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	7,923.000	TON
MAINTENANCE STONE	171.500	TON
LIQUID ASPHALT BINDER PG64-22	1,796.307	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	90.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	230.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	1,345.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,600.000	SY
MILLED-IN RUMBLE STRIP	21.720	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	7,014.186	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	19,137.660	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	2,797.894	TON
DRIVEWAY PAVING-SURFACE TYPE C	810.250	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	218,684.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,550.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	540.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	642,281.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	972.000	LF



Call No.: 100 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,728.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	626,533.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	280.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	112,359.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	75,630.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	403.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	828.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,248.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	109,048.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	63,194.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,195.000	EA
REMOVAL OF ALL PAVEMENT MARKINGS	1.540	LM
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	540.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	37.500	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	240.000	LF
15" SMOOTH WALL PIPE	56.000	LF
18" SMOOTH WALL PIPE	216.000	LF
24" SMOOTH WALL PIPE	112.000	LF
42" SMOOTH WALL PIPE	32.000	LF
CLEANING EXISTING PIPE	500.000	LF
48" X 48" JUNCTION BOX	4.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	20.000	EA
RIP-RAP (CLASS B)	375.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	450.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	3,234.000	LF
MT3 LEADING END TREATMENT TL3	68.000	EA
MGS3CS GR COMPRESSED SHOULDER	7,775.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	1,225.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	15.000	EA
RESET FENCE	520.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	13.230	ACRE
SILT FENCE	13,700.000	LF
REPLACE/REPAIR SILT FENCE	5,000.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	5,000.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	130.000	TON



Call No.: 110 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2162990 PCN: P041288 Project No.: P041288
 DBE Goal Percent: 0.00% PCN: P041289 Project No.: P041289
 Approx. Length (miles): 34.0000 Description: RECONSTRUCTION - FLORENCE COUNTY
 CO(S): Florence
 Completion Date: 8/31/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	550.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	50.000	LF
REMOVAL & DISPOSAL OF EXISTING BITUMINOUS CURB&SHOULDER ROLL	75.000	LF
BORROW EXCAVATION	6,890.000	CY
EXCAVATION FOR SHOULDER PAVING	288.288	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	288.288	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	344,728.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	10,171.000	TON
MAINTENANCE STONE	156.000	TON
HMA SHOULDER WIDENING COURSE	1,668.480	TON
LIQUID ASPHALT BINDER PG64-22	2,944.720	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	14,100.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	2,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	14,388.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,250.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,470.000	SY
MILLED-IN RUMBLE STRIP	52.400	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,083.013	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	32,918.039	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,735.933	TON
DRIVEWAY PAVING-SURFACE TYPE D	2,693.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,365.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	904,569.000	LF
8" WHITE SOLID LINES (CROSSWALK&CHANNELIZATION) FAST DRY PAINT	600.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,160.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	3.000	EA
WHITE COMBINATION ARROW (STR.& RT. OR STR.& LT.) FAST DRY PAINT	3.000	EA



Call No.: 110

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	85,500.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	329,775.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	525.000	LF
WHITE WORD MESSAGE "STOP AHEAD"-FAST DRY PAINT	1.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,040.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	70.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	770.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,600.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	292,443.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	9,080.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	200.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	35.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,770.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	28,500.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	109,925.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	12.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,320.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	800.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	450.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,054.000	LF
SAWCUT FOR LOOP DETECTOR	781.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	125.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	100.000	SY
DETECTABLE WARNING MATERIAL	200.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	50.000	SY
PEDESTRIAN RAMP CONSTRUCTION	400.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	21.751	ACRE



Call No.: 120 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2163460 PCN: P041803 Project No.: P041803
 DBE Goal Percent: 1.50%
 Approx. Length (miles): 3.5300 Description: SAFETY IMPROVEMENT - S-36 (FLORENCE CO(S): Florence)
 Completion Date: 7/31/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,625.000	SY
UNCLASSIFIED EXCAVATION	375.000	CY
BORROW EXCAVATION	1,412.000	CY
EXCAVATION FOR SHOULDER PAVING	373.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	373.000	STA
MAINTENANCE STONE	42.000	TON
HMA SHOULDER WIDENING COURSE	4,038.000	TON
LIQUID ASPHALT BINDER PG64-22	430.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	10,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	533.000	SY
MILLED-IN RUMBLE STRIP	8.460	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,730.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	468.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	464.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	107,394.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,250.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,383.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	34,020.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,500.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	35,798.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	750.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,461.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	11,340.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
REFLECTIVE SIGN POST PANELS	100.000	LF
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.420	ACRE



Call No.: 130 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2163470	PCN: P041801	Project No.: P041801
DBE Goal Percent: 5.50%	PCN: P041802	Project No.: P041802
Approx. Length (miles):5.5410	Description: SAFETY IMPROVEMENT - FLORENCE COUNTY	
CO(S): Florence		
Completion Date: 8/31/2023	Funding: FED	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIMB TRIMMING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,495.000	SY
UNCLASSIFIED EXCAVATION	345.000	CY
BORROW EXCAVATION	1,541.000	CY
EXCAVATION FOR SHOULDER PAVING	408.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	408.000	STA
MAINTENANCE STONE	45.150	TON
HMA SHOULDER WIDENING COURSE	4,477.000	TON
LIQUID ASPHALT BINDER PG64-22	466.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	15,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	17,613.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,599.000	SY
MILLED-IN RUMBLE STRIP	10.220	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,746.416	TON
DRIVEWAY PAVING-SURFACE TYPE D	430.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	888.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	98,817.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	960.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	3.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	7,612.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	84,694.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,400.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	51,259.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	345.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,828.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	43,576.000	LF



Call No.: 130

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	335.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
REFLECTIVE SIGN POST PANELS	150.000	LF
GUARDRAIL DELINEATOR - WHITE	90.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,800.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	100.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.730	ACRE
SILT FENCE	2,250.000	LF
REPLACE/REPAIR SILT FENCE	225.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	562.500	LF



Call No.: 140 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2263080	PCN: P041290	Project No.: P041290
DBE Goal Percent: 0.00%	PCN: P041292	Project No.: P041292
	PCN: P041293	Project No.: P041293
	PCN: P041294	Project No.: P041294

Approx. Length (miles): 22.6300 Description: RECONSTRUCTION/REHABILITATION - GEORGETOWN CO

Completion Date: 11/15/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,915.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	400.000	LF
BORROW EXCAVATION	4,280.000	CY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	225,705.400	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	69,854.398	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	9,162.390	TON
MAINTENANCE STONE	116.000	TON
LIQUID ASPHALT BINDER PG64-22	2,089.282	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,100.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	4,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	4,347.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	39,567.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,925.000	SY
MILLED-IN RUMBLE STRIP	35.940	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	30,639.892	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,996.137	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	178.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,196.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,993.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	16,935.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	634,401.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	2,640.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,970.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	84.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	36.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.) FAST DRY PAINT	12.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA



Call No.: 140

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	61,080.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	290,985.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,565.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	870.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,640.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	206,607.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,860.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	880.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	35.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,990.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	28.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	12.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	19,710.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	650.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	95,205.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,790.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	290.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	226.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,760.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	1,740.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	40.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	1,590.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	110.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	110.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,288.000	LF
SAWCUT FOR LOOP DETECTOR	1,897.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	6.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	4.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	3.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	200.000	LF
CONCRETE CURB AND GUTTER(1'-6") - SLOPING FACE	200.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	300.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	2,150.000	SY
DETECTABLE WARNING MATERIAL	537.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	690.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,075.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	13.491	ACRE



Call No.: 150 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2362270	PCN: P041003	Project No.: P041003
DBE Goal Percent: 0.00%	PCN: P041065	Project No.: P041065
	PCN: P041291	Project No.: P041291

Approx. Length (miles): 23.0600 Description: RECONSTRUCTION/REHABILITATION - GREENVILLE CO

Completion Date: 9/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	364.000	SY
UNCLASSIFIED EXCAVATION	2,037.000	CY
BORROW EXCAVATION	4,392.000	CY
EXCAVATION FOR SHOULDER PAVING	441.936	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	441.936	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	220,907.000	SY
CEMENT MODIFIED RECYCLED BASE (14" UNIFORM)	14,888.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	9,552.000	TON
MAINTENANCE STONE	908.920	TON
HMA SHOULDER WIDENING COURSE	2,805.440	TON
LIQUID ASPHALT BINDER PG64-22	2,952.931	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	24,292.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	59,077.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	115,771.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	13,246.000	SY
MILLED-IN RUMBLE STRIP	5.200	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,528.253	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	17,340.439	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	25,835.698	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,970.175	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	9,124.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	13,120.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	476,507.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	16,280.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,556.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	102.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	18.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA



Call No.: 150

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	18.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,080.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,062,716.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	1,110.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	140.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,110.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,570.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	235,877.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	8,140.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,278.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	51.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,630.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	263,302.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	229.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	112.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,277.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	2,310.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	41,470.000	LF
FURNISH & INSTALL FLUSH MOUNTED WIRELESS SENSOR	4.000	EA
SAWCUT FOR LOOP DETECTOR	15,070.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	33.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	15.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
SURFACE APPLIED DETECTABLE WARNING	300.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,400.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	3,240.000	LF
PREMASH RESET TYPE T TL3 LEADING 50'	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	28.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	20.198	ACRE



Call No.: 160 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2363530 PCN: P040252 Project No.: P040252
 DBE Goal Percent: 2.00%
 Approx. Length (miles): NA Description: BRIDGE REHABILITATION - S-941/I-385
 CO(S): Greenville (GREENVILLE CO)
 Completion Date: 7/31/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
LIQUID ASPHALT BINDER PG64-22	6.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,044.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	105.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	94.000	SF
BARRICADE - TYPE 3	144.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	60.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	4.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	4.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	900.000	LF
24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT	60.000	LF
WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT) EPOXY PAINT	4.000	EA
WHITE WORD MESSAGE "ONLY" - EPOXY PAINT	4.000	EA
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	900.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	15.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	25.000	EA
PARTIAL DEPTH PATCHING OF EXISTING DECK	250.000	SY
GROOVED SURFACE FINISH	2,037.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	2,500.000	LB
MACHINE PREPARATION OF EXISTING SURFACE	2,037.000	SY
HYDRO-DEMOLITION OF EXISTING SURFACE	2,037.000	SY
CONCRETE OVERLAY (LATEX)	185.000	CY
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	56.000	CY



Call No.: 170 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2463180	PCN: P040863	Project No.: P040863
DBE Goal Percent: 0.00%	PCN: P040864	Project No.: P040864
	PCN: P040865	Project No.: P040865

Approx. Length (miles): 22.8100 Description: RECONSTRUCTION/REHABILITATION - GREENWOOD CO

Completion Date: 9/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	278.500	SY
BORROW EXCAVATION	7,066.000	CY
EXCAVATION FOR SHOULDER PAVING	475.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	475.000	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	185,720.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	53,080.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	8,391.000	TON
MAINTENANCE STONE	432.850	TON
HMA SHOULDER WIDENING COURSE	2,102.614	TON
LIQUID ASPHALT BINDER PG64-22	2,755.670	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	830.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,845.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	6,850.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	20.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	3,380.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	69,660.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	20,095.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,330.000	SY
MILLING - VARIABLE - 2' WIDTH	150.000	SY
MILLED-IN RUMBLE STRIP	38.620	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	11,808.426	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,069.426	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	19,904.593	TON
DRIVEWAY PAVING-SURFACE TYPE B	454.125	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,112.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,758.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,664.000	LF



Call No.: 170

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	899,810.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,640.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,000.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	50,080.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	897,340.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,000.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,070.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,665.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	226,415.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	600.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	25,136.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	12,620.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	228,945.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	250.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	12.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,551.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	1,600.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	1,600.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	730.000	LF
SAWCUT FOR LOOP DETECTOR	230.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
CONC. FOR STRUCTURES - CLASS 4000	10.000	CY
PARTIAL DEPTH PATCHING OF EXISTING DECK	35.000	SY
15" SMOOTH WALL PIPE	12.000	LF
18" SMOOTH WALL PIPE	12.000	LF
CATCH BASIN -TYPE 9	2.000	EA
DROP INLET (24" X 24") WITH STANDARD 4' X 4' BOX	1.000	EA
24" X 30" JUNCTION BOX	1.000	EA
ADJUST MANHOLE	2.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	30.000	LF
DETECTABLE WARNING MATERIAL	137.500	SF
PEDESTRIAN RAMP CONSTRUCTION	275.000	SY
SURFACE APPLIED DETECTABLE WARNING	90.000	SF
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	12.000	CY
POLYMER MODIFIED ASPHALT EXPANSION JOINT	225.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,992.500	LF
MT3 LEADING END TREATMENT TL3	34.000	EA
MGS3CS GR COMPRESSED SHOULDER	3,762.500	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	1,075.000	LF



Call No.: 170

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	21.389	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	250.000	LF
SILT FENCE	3,100.000	LF
REPLACE/REPAIR SILT FENCE	310.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	775.000	LF



Call No.: 180 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2610700 PCN: P030562 Project No.: P030562
 DBE Goal Percent: 6.00%
 Approx. Length (miles): 1.4010 Description: WIDENING- US 17 BYPASS (HORRY CO)
 CO(S): Horry
 Completion Date: 6/30/2024 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	465.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	739.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,730.000	SY
REMOVAL OF EXIST. GUARDRAIL	3,042.000	LF
UNCLASSIFIED EXCAVATION	8,425.000	CY
BORROW EXCAVATION	17,979.000	CY
MUCK EXCAVATION	10,000.000	CY
FINE GRADING	33,657.000	SY
FLOWABLE FILL	20.000	CY
MAINTENANCE STONE	500.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	14,327.000	TON
LIQUID ASPHALT BINDER PG64-22	2,415.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	3,540.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	57,929.000	SY
MILLED-IN RUMBLE STRIP	5.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	23,557.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,999.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	672.000	SF
TEMPORARY SURFACE MOUNTED FLEXIBLE DELINEATOR POST (WITH YELLOW OR WHITE RETROREFLECTIVE SHEETING)	200.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	5.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	4.000	EA
TEMPORARY CONCRETE BARRIER	16,150.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	1.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	32,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	96,200.000	LF



Call No.: 180

Letting Date: November 08, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	103,900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	550.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-12" WHITE SOLID LINES	2,880.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	60.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"YELLOW SOLID LINES	175.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	36.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	57,400.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING SYMBOLS) (TRAFFIC CONTROL)	1,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	47.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	20.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	1,910.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	45.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	15,200.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	550.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	25.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	7.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	6.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	15,700.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	75.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	410.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	24.000	SF
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	150.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	56.000	LF
BREAK-AWAY SIGN SUPPORTS	1,114.890	LB
REMOVAL OF I-BEAM SUPPORTS	4.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	29,347.000	LF
CONC. FOR STRUCTURES - CLASS 4000(ROADWAY)	45.500	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	6,896.000	LB
24" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	88.000	LF
72" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	472.000	LF
18" SMOOTH WALL PIPE	3,544.000	LF
24" SMOOTH WALL PIPE	8.000	LF
30" SMOOTH WALL PIPE	1,060.000	LF
18" SMOOTH WALL PIPE 45 DEG BEND	1.000	EA
CATCH BASIN T-25 RETROFIT BASE FROM DI112 or CB9	28.000	EA
CATCH BASIN TYPE 25 - SINGLE 4' X 6' BOX	12.000	EA
CATCH BASIN TYPE 25 - SINGLE RETROFIT	2.000	EA



Call No.: 180 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 3

Description	Quantity	Units
CATCH BASIN TYPE 25 - DOUBLE 4' X 8' BOX	35.000	EA
CATCH BASIN TYPE 25 - DOUBLE RETROFIT	26.000	EA
DROP INLET (24" X 36")	8.000	EA
DROP INLET TYPE 112	1.000	EA
EXTRA DEPTH OF BOX	14.400	LF
ADJUST MANHOLE	1.000	EA
ADJUST DROP INLET ADJUST D. I.	8.000	EA
RIP-RAP (CLASS A)	43.400	TON
RIP-RAP (CLASS B)	315.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	1,189.200	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	75.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MB TRAILING END TREATMENT	4.000	EA
MGS3 GR STANDARD SHOULDER	4,187.500	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	1.000	EA
SACRIFICIAL FLEXIBLE WARNING MARKER POST (FWMP) 48Y/Y	20.000	EA
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
2' CRASH CUSHION 3A	3.000	EA
36SS REINFORCED BARRIER WALL	250.000	LF
46SS REINFORCED BARRIER WALL	7,962.800	LF
56SS REINFORCED BARRIER WALL	120.000	LF
CONC BARR TRANSITION BETWEEN TWO SHAPES	5.170	LF
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	51.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	12.306	ACRE
TEMPORARY COVER	18.459	ACRE
COMPOST	331.000	CY
FERTILIZER (NITROGEN)	1,231.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,231.000	LB
FERTILIZER (POTASH)	1,231.000	LB
AGRICULTURAL GRANULAR LIME	24,612.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	61.530	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	18.349	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	70.764	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.072	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,408.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,200.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	1,270.000	LF
SILT FENCE	9,270.000	LF
REPLACE/REPAIR SILT FENCE	927.000	LF
CLEANING SILT BASINS	25.000	CY



Call No.: 180

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
REMOVAL OF SILT RETAINED BY SILT FENCE	2,318.000	LF
INLET FILTER CLEANING	404.000	EA
INLET STRUCTURE FILTER - TYPE B	5.000	EA
INLET STRUCTURE FILTER - TYPE D2	33.000	EA
INLET STRUCTURE FILTER - TYPE A	16.000	LF
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	54.900	SY
STABILIZED CONSTRUCTION ENTRANCE	825.000	SY

This Project has a list of qualified contractors for the In Contract Utility - Section 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

10/3/2022

Call No.: 190 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2653340 PCN: P038513 Project No.: P038513
 DBE Goal Percent: 12.00%
 Approx. Length (miles): 0.9680 Description: INTERSECTION IMPROVEMENT - S-801/S-477
 CO(S): Horry
 Completion Date: 8/31/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 01	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 01	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	220.000	SY
UNCLASSIFIED EXCAVATION	6,885.000	CY
BORROW EXCAVATION	5,042.000	CY
MUCK EXCAVATION	2,215.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	821.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	224.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,052.000	LF
GEOTEXTILE, SEPARATION	280.000	SY
GEOGRID STABILIZATION	495.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	278.000	CY
TEMPORARY SHORING WALL	30.000	LF
STONE BRIDGE LIFT MATERIAL	1,017.000	TON
GRANULAR BRIDGE LIFT MATERIAL	437.000	CY
FINE GRADING	17,337.000	SY
FLOWABLE FILL	40.000	CY
MAINTENANCE STONE	800.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	4,549.000	TON
LIQUID ASPHALT BINDER PG64-22	741.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	7,029.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	8,746.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,884.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,054.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	4,199.000	TON



Call No.: 190 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 2

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	948.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
DETOUR SIGNS	254.000	SF
BARRICADE - TYPE 3	84.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	2,640.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	240.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	37,350.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	51,700.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	430.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	40.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	28.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	104.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	400.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	10,200.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	250.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	22.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	22.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	19,300.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	80.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	130.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	48.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	106.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	15.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	112.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	94.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	145.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL 4.0" SCHEDULE 80 PVC CONDUIT	4.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,267.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	920.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	979.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	4.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	591.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA



Call No.: 190

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	5.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	6.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	14.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	8.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR STOP BAR DETECTION	2.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	4.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SETBACK DETECTION	2.000	EA
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	27.200	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	3,008.000	LB
18" SMOOTH WALL PIPE	1,824.000	LF
24" SMOOTH WALL PIPE	212.000	LF
36" SMOOTH WALL PIPE	1,072.000	LF
CATCH BASIN -TYPE 9	3.000	EA
CATCH BASIN -TYPE 16	23.000	EA
CATCH BASIN -TYPE 18	5.000	EA
DROP INLET (24" X 36")	12.000	EA
MANHOLE	2.000	EA
24" X 36" JUNCTION BOX	2.000	EA
JUNCTION BOX - CONVERT CB T-16	1.000	EA
JUNCTION BOX - CONVERT CB T-18	1.000	EA
BEVELING OF PIPE END	39.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,333.000	LF
CONCRETE DRIVEWAY(6" UNIFORM)	27.000	SY
9'X 6' P.C. BOX CULVERT {AASHTO M-273} FH < 2	98.000	LF
RIP-RAP (CLASS B)	905.000	TON
RIP-RAP (CLASS C)	146.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,028.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	88.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	6.620	ACRE
TEMPORARY COVER	13.240	ACRE
COMPOST	178.000	CY
FERTILIZER (NITROGEN)	662.000	LB



Call No.: 190

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
FERTILIZER (PHOSPHORIC ACID)	662.000	LB
FERTILIZER (POTASH)	662.000	LB
AGRICULTURAL GRANULAR LIME	13,240.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	19.860	ACRE
SODDING - CENTIPEDE GRASS	0.500	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.120	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	13.240	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	13.240	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	336.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	366.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	935.000	LF
SILT FENCE	2,832.000	LF
REPLACE/REPAIR SILT FENCE	566.000	LF
CLEANING SILT BASINS	163.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	708.000	LF
INLET FILTER CLEANING	62.000	EA
INLET STRUCTURE FILTER - TYPE D1	6.000	EA
INLET STRUCTURE FILTER - TYPE A	14.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	18.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

Tournament Blvd/McDowell Shortcut Intersection Improvement – P038513
GSWSA Approved Contractors List

R.H. Moore Company, Inc. P.O. Box 830 Murrells Inlet, SC 29576	Richardson & Richardson, Inc. P.O. Box 259 Conway, SC 29528	Lawrimore Construction, Inc. 6240 Cypress Swamp Rd Conway, SC 29527
	RWF Construction, LLC P.O. Box 69 Effingham, SC 29541	



Call No.: 200 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2762391 PCN: P037371 Project No.: P037371
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 0.2790 Description: INTERCHANGE IMPROVEMENTS - I-95 (EXIT 21)
 CO(S): Jasper
 Completion Date: 6/30/2024 Funding: OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEMS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	487.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	227.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	43.000	CY
REMOVAL OF EXIST. GUARDRAIL	466.000	LF
UNCLASSIFIED EXCAVATION	760.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE A	52.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	24.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	24.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	24.000	SF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	153.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	227.000	LF
18" SMOOTH WALL PIPE	952.000	LF
24" SMOOTH WALL PIPE	352.000	LF
30" SMOOTH WALL PIPE	152.000	LF
DROP INLET TYPE 112	7.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	474.000	LF
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
RIP-RAP (CLASS B)	57.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	1,677.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	76.000	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS2C GR BEHIND CURB	350.000	LF
ADJUST WATER SERVICE LINE	1.000	EA
PERMANENT COVER	1.780	ACRE
TEMPORARY COVER	0.890	ACRE



Call No.: 200

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
STRAW OR HAY MULCH WITH TACKIFIER	5.340	ACRE
FERTILIZER (NITROGEN)	178.000	LB
FERTILIZER (PHOSPHORIC ACID)	178.000	LB
FERTILIZER (POTASH)	178.000	LB
AGRICULTURAL GRANULAR LIME	3,560.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	5.340	ACRE
LANDSCAPING	1.000	LS
IRRIGATION SYSTEM COMPLETE	1.000	LS
TEMPORARY EROSION CONTROL BLANKET (ECB)	4.271	MSY
SILT FENCE	4,566.000	LF
REPLACE/REPAIR SILT FENCE	457.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,142.000	LF
INLET FILTER CLEANING	10.000	EA
INLET STRUCTURE FILTER - TYPE B	10.000	EA
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY
WAYFINDING SIGNS	1.000	LS
SITE ELECTRICAL AND LIGHTING - COMPLETE	1.000	LS



Call No.: 210 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2962650	PCN: P040825	Project No.: P040825
DBE Goal Percent: 0.00%	PCN: P040826	Project No.: P040826
Approx. Length (miles): 7.6400	Description: RECONSTRUCTION/REHABILITATION - LANCASTER CO	
CO(S): Lancaster		
Completion Date: 5/30/2024	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	660.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	2.000	CY
UNCLASSIFIED EXCAVATION	798.000	CY
BORROW EXCAVATION	2,635.000	CY
STATION GRADING	87.010	STA
EXCAVATION FOR SHOULDER PAVING	365.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	365.000	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	385.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	85,622.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,100.000	TON
MAINTENANCE STONE	138.500	TON
HMA SHOULDER WIDENING COURSE	2,637.000	TON
LIQUID ASPHALT BINDER PG64-22	1,910.027	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	120.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	1,580.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	67,745.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,600.000	SY
MILLED-IN RUMBLE STRIP	18.840	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	14,287.547	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	15,730.881	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	921.250	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,324.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	85,622.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 8"	50.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,204.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	40.000	LF
WHITE WORD MESSAGE "STOP AHEAD" -PERM.PVMT.MARKING	1.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	26,972.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	343,089.000	LF



Call No.: 210

Letting Date: November 08, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	540.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,936.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	41.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	28.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,322.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	273,585.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,641.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	78,676.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	270.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	40.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	656.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	29.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	19.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,322.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	62,947.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	322.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	458.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,550.000	LF
SAWCUT FOR LOOP DETECTOR	2,190.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
18" SMOOTH WALL PIPE	16.000	LF
24" SMOOTH WALL PIPE	24.000	LF
CLEANING EXISTING PIPE	500.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	5.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	660.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	8,627.000	LF
MT3 LEADING END TREATMENT TL3	27.000	EA
MB TRAILING END TREATMENT	27.000	EA
MGS3 GR STANDARD SHOULDER	5,675.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.910	ACRE
TRANSVERSE RUMBLE STRIPES	264.000	LF



Call No.: 220 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3157970 PCN: P039860 Project No.: P039860
DBE Goal Percent: 17.50%
Approx. Length (miles): 0.6880 Description: ENHANCEMENT - US 15 (LEE CO)
CO(S): Lee
Completion Date: 6/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	350.000	SY
UNCLASSIFIED EXCAVATION	411.000	CY
BORROW EXCAVATION	983.000	CY
MAINTENANCE STONE	150.000	TON
LIQUID ASPHALT BINDER PG64-22	7.800	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	120.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	276.000	SF
CLEANING EXISTING PIPE	80.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	2,900.000	SY
DETECTABLE WARNING MATERIAL	100.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	448.000	SY
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
RIP-RAP (CLASS B)	50.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	100.000	SY
PERMANENT COVER	2.279	ACRE
TEMPORARY COVER	1.140	ACRE
COMPOST	61.000	CY
FERTILIZER (NITROGEN)	228.000	LB
FERTILIZER (PHOSPHORIC ACID)	228.000	LB
FERTILIZER (POTASH)	228.000	LB
AGRICULTURAL GRANULAR LIME	4,558.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.837	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	5.128	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.709	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	1,325.000	LF
SILT FENCE	6,097.000	LF
REPLACE/REPAIR SILT FENCE	609.700	LF



Call No.: 220

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
CLEANING SILT BASINS	120.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,524.250	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 230 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3363630 PCN: P041821 Project No.: P041821

DBE Goal Percent: 0.00%

Approx. Length (miles): 10.0400

Description: REHABILITATION - MCCORMICK CO

CO(S): McCormick

Completion Date: 6/30/2023

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	148.000	CY
MAINTENANCE STONE	42.000	TON
LIQUID ASPHALT BINDER PG64-22	53.145	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	150.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	770.053	TON
DRIVEWAY PAVING-SURFACE TYPE C	73.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	472.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,132.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	111.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	275.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	12,497.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	48.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	5,130.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	0.660	ACRE

This Project has a list of qualified contractors for the In Contract Utility - Section 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

10/3/2022

Call No.: 240 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 3891621 PCN: 0036985RD01 Project No.: LSCG005

DBE Goal Percent: 9.00%

Approx. Length (miles): 0.9360

Description: BRIDGE REPLACEMENT - US 301 (NORTH EDISTO RIVER)

CO(S): Orangeburg

Completion Date: 11/30/2025

Funding: FED

Minimum Required Quarterly CPS: 68.4 (Period Ending June 30, 2022)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	800.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	663.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	3,034.000	CY
BORROW EXCAVATION	90,009.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	2,500.000	CY
GEOTEXTILE, SEPARATION	2,000.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	5,100.000	SY
GEOGRID STABILIZATION	4,000.000	SY
TEMPORARY SHEET PILING	55.000	LF
TEMPORARY SHEET PILING	100.000	LF
TEMPORARY SHEET PILING	600.000	LF
STONE BRIDGE LIFT MATERIAL	2,200.000	TON
GRANULAR BRIDGE LIFT MATERIAL	2,500.000	CY
FINE GRADING	27,449.000	SY
MAINTENANCE STONE	300.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	9,897.000	TON
LIQUID ASPHALT BINDER PG64-22	774.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	250.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,121.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,342.000	TON



Call No.: 240

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE B	3,495.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	55.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	344.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	35.000	SF
TEMPORARY SURFACE MOUNTED FLEXIBLE DELINEATOR POST (WITH YELLOW OR WHITE RETROREFLECTIVE SHEETING)	20.000	EA
BARRICADE - TYPE 3	42.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	4.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	3.000	EA
TEMPORARY CONCRETE BARRIER	4,090.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	940.000	LF
TYPE B - FLASHING LIGHT	8.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	6,000.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	2,800.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.BROKEN PREF.	2,040.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	5,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	20,000.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	2,520.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	2,680.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	1,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	150.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	12.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	23,000.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING SYMBOLS) (TRAFFIC CONTROL)	50.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	12.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY'	12.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	300.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	120.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	350.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,476.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,929.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,115.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	561.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	105.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	15.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,405.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	8,699.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	106.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	85.000	EA



Call No.: 240

Letting Date: November 08, 2022 Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	160.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	153.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	50.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	6.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	20.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	308.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	128.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,212.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	46.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	207.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,006.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,793.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	5.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	547.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	4.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	6.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	8.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	8.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	7.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	4.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	4.000	EA
CONC. FOR STRUCTURES - CLASS 4000	2,898.900	CY
ARCHITECTURAL GRAPHICS 1SIDE UNPAINTED	1,113.000	SF
COMPRESSION SEAL JOINT	184.800	LF
GROOVED SURFACE FINISH	3,828.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	823,420.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	53,087.000	LB
P.S.CONC.BULB TEE BEAM(63")MODIFIED	3,853.600	LF
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	319.700	LF
CONCRETE BRIDGE RAILING WALL WITH FORMLINER FINISH	748.000	LF
STRUCTURE DRAINAGE SYSTEM	1.000	LS
PILE DRIVING SET-UP	76.000	EA



Call No.: 240

Letting Date: November 08, 2022 Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
STEEL H BEARING PILING (HP14 X 89)	4,136.000	LF
DRILLED SHAFT SET-UP	22.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 42" DIAMETER	250.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	649.000	LF
CONSTRUCTION CASING - 48" DIAMETER	325.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	648.000	LF
CONSTRUCTION CASING - 54" DIAMETER	648.000	LF
18" R. C. PIPE CUL. BEVELED END SECTN-CL 3	3.000	EA
60" R. C. PIPE CUL. FLARED END SECTN -CL 3	1.000	EA
18" SMOOTH WALL PIPE	3,484.000	LF
24" SMOOTH WALL PIPE	320.000	LF
60" SMOOTH WALL PIPE	40.000	LF
CLEANING EXISTING PIPE	500.000	LF
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN -TYPE 16	48.000	EA
CATCH BASIN -TYPE 17	9.000	EA
CATCH BASIN -TYPE 18	3.000	EA
DROP INLET (24" X 36")	1.000	EA
60" X 60" JUNCTION BOX	1.000	EA
BEVELING OF PIPE END	4.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	7,815.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	4,273.000	SY
DETECTABLE WARNING MATERIAL	250.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	435.000	SY
CONCRETE MEDIAN	583.000	SY
PEDESTRIAN RAMP CONSTRUCTION	500.000	SY
SURFACE APPLIED DETECTABLE WARNING	70.000	SF
ELASTOMERIC BEARING	66.000	EA
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	12.000	EA
CROSSHOLE SONIC LOGGING SETUP	22.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	543.000	TON
RIP-RAP (CLASS B)	210.000	TON
RIP-RAP (CLASS C)	2,266.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	1,552.000	SY
MT3 LEADING END TREATMENT TL3	6.000	EA
MGS3 GR STANDARD SHOULDER	1,125.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	8.000	EA
96" SECURITY CHAIN LINK FENCE	931.000	LF
TEMPORARY BARRIER FENCE	6,000.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	58.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.443	ACRE



Call No.: 240

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 5

Description	Quantity	Units
TEMPORARY COVER	2.222	ACRE
COMPOST	3,584.000	CY
FERTILIZER (NITROGEN)	445.000	LB
FERTILIZER (PHOSPHORIC ACID)	445.000	LB
FERTILIZER (POTASH)	8,886.000	LB
AGRICULTURAL GRANULAR LIME	54,300.000	LB
SELECTIVE WATERING	13.330	GAL
MOWING	0.761	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	55.600	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.761	MSY
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	25.777	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	1.500	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	2.500	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	400.000	LF
SILT FENCE	7,421.000	LF
REPLACE/REPAIR SILT FENCE	742.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,856.000	LF
CLEANING INLET STRUCTURE FILTERS	83.000	EA
INLET STRUCTURE FILTER - TYPE D2	8.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
ON-THE-JOB TRAINEE (BRIDGE)	1,040.000	HR

Approved Subcontractors

- R.H. Moore – Murrels Inlet, SC
- McClam and Associates – Little Mountain, SC
- BRW – Savannah, GA



Call No.: 250 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 4063620	PCN: P041453	Project No.: P041453
DBE Goal Percent: 0.00%	PCN: P041454	Project No.: P041454
Approx. Length (miles): 16.3500	Description: RECONSTRUCTION/REHABILITATION - RICHLAND CO	
CO(S): Richland		
Completion Date: 6/30/2024	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,100.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	160.000	LF
BORROW EXCAVATION	1,162.000	CY
EXCAVATION FOR SHOULDER PAVING	484.440	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	484.440	STA
MAINTENANCE STONE	103.100	TON
HMA SHOULDER WIDENING COURSE	3,080.906	TON
LIQUID ASPHALT BINDER PG64-22	3,716.414	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	750.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	9,560.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	523,350.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,900.000	SY
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	2.010	LaMi
MILLED-IN RUMBLE STRIP	4.160	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,656.746	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	60,047.295	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	50.000	TON
DRIVEWAY PAVING-SURFACE TYPE B	105.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	847.250	TON
FULL DEPTH CONCRETE PAVEMENT PATCH - 10"	500.000	SY
GROOVING OF CONCRETE PAVEMENT	16,000.000	SY
CLEAN & SEAL LONGITUDINAL JOINTS	4,800.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,404.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	128,720.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	900.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	298,990.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	6,150.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	69,165.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	39,313.000	LF



Call No.: 250

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	679.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	30.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	462.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	129.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	12.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	22.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	15.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	35,115.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	550,025.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,250.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	19,515.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	960.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	1,800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	10,460.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	2,250.000	LF
24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT	90.000	LF
WHITE SINGLE ARROWS (LEFT, STRAIGHT, RIGHT) EPOXY PAINT	20.000	EA
WHITE WORD MESSAGE "ONLY" - EPOXY PAINT	16.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	1,100.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	13,320.000	LF
EPOXY PAINT 4" BLACK BROKEN LINES -(GAPS EXCLUDED)	320.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	43,220.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	92,130.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,050.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	23,585.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	143.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	9,184.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	211.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	141.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	43.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	11,585.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	175,725.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	550.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	320.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	5.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	10.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	2,600.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,140.000	EA



Call No.: 250 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 3

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	3,630.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	2,246.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	15,375.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	625.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	16,000.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	625.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	54,252.000	LF
SAWCUT FOR LOOP DETECTOR	17,537.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	125.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	26.000	EA
ADJUST CATCH BASIN	3.000	EA
ADJUST DROP INLET ADJUST D. I.	5.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	160.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	250.000	SY
DETECTABLE WARNING MATERIAL	1,412.500	SF
PEDESTRIAN RAMP CONSTRUCTION	2,825.000	SY
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.513	ACRE



Call No.: 260 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5163320	PCN: P041240	Project No.: P041240
DBE Goal Percent: 0.00%	PCN: P041445	Project No.: P041445
	PCN: P041448	Project No.: P041448
	PCN: P041473	Project No.: P041473

Approx. Length (miles): 27.1800 Description: RECONSTRUCTION/REHABILITATION -
CO(S): Kershaw Richland DISTRICT 1

Completion Date: 6/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,300.000	SY
UNCLASSIFIED EXCAVATION	166.000	CY
BORROW EXCAVATION	5,804.000	CY
EXCAVATION FOR SHOULDER PAVING	861.710	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	861.710	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	78,300.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	61,000.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,978.000	TON
MAINTENANCE STONE	117.500	TON
HMA SHOULDER WIDENING COURSE	4,308.480	TON
LIQUID ASPHALT BINDER PG64-22	3,823.412	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,550.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	9,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	97,830.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	169,610.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,150.000	SY
MILLED-IN RUMBLE STRIP	36.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	16,081.066	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	23,515.746	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	20,422.911	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	100.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,430.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,745.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	40,050.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,016,470.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	7,200.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	12,510.000	LF



Call No.: 260

Letting Date: November 08, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	113.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	60.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	9.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	8.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	46,820.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	805,820.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	660.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,300.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	188,705.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	99,300.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,400.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	25.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,610.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	34.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	18.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,860.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	165,670.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	67,100.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	388.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	455.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,720.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	55.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,108.000	LF
SAWCUT FOR LOOP DETECTOR	1,015.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	640.000	SY
DETECTABLE WARNING MATERIAL	125.000	SF
PEDESTRIAN RAMP CONSTRUCTION	250.000	SY
SURFACE APPLIED DETECTABLE WARNING	60.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	300.000	LF
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	28.127	ACRE



Call No.: 270 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5463540 PCN: P041504 Project No.: P041504
DBE Goal Percent: 0.00%
Approx. Length (miles):0.1370 Description: BRIDGE REHABILITATION - DISTRICT 4
CO(S): Chester Fairfield
Completion Date: 6/12/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIQUID ASPHALT BINDER PG64-22	33.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	5,120.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	575.000	TON
CLEAN & SEAL TRANS. JOINTS AT BRIDGE	358.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	312.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,440.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	310.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	120.000	LF
STRUCTURAL STEEL	1.000	LS
CLEANING & PAINTING EXISTING STEEL PILING	112.000	EA
RIP-RAP (CLASS B)	79.000	CY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE A	79.000	SY
BRIDGE PILE WRAP	202.000	LF
BR005 - REINFORCED CONCRETE REPAIR TYPE 2	138.000	CF
BR006 - REINFORCED CONCRETE TEE-BEAM REPAIR TYPE A	12.500	CF
BR016 - TEE BEAM SADDLE TYPE A	1.000	EA
BR040 – CORROSION INHIBITING BONDING AGENT	425.000	SF
H-PILE CHANNEL REPAIR TYPE 1-TOP	50.000	EA



Call No.: 280 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5563730 PCN: P041841 Project No.: P041841

DBE Goal Percent: 0.00%

Approx. Length (miles): 46.0000

Description: PAVEMENT MARKINGS - DISTRICT 5

CO(S): DISTRICT5

Completion Date: 7/31/2023

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	64,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	312,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	10,400.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	140.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	120.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	7,600.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	80.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	40.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	20.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	24,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	304,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	960.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	3,440.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	800.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	3,400.000	EA
REMOVAL OF PAVEMENT MARKINGS	9,400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	600.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	4,400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	4,400.000	LF



Call No.: 290 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5663110	PCN: P041492	Project No.: P041492
DBE Goal Percent: 0.00%	PCN: P041499	Project No.: P041499
	PCN: P041569	Project No.: P041569
	PCN: P041572	Project No.: P041572
	PCN: P041573	Project No.: P041573
	PCN: P041574	Project No.: P041574
	PCN: P041575	Project No.: P041575

Approx. Length (miles): 17.1600 Description: RECONSTRUCTION/REHABILITATION - DISTRICT 6
CO(S): Beaufort Jasper
Completion Date: 6/30/2024 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	10.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	175.000	SY
UNCLASSIFIED EXCAVATION	632.000	CY
BORROW EXCAVATION	6,782.000	CY
EXCAVATION FOR SHOULDER PAVING	39.100	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	39.100	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	3,155.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	93,382.381	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	97,579.821	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	7,317.950	TON
MAINTENANCE STONE	57.770	TON
LIQUID ASPHALT BINDER PG64-22	2,532.396	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,785.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,992.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	36,647.040	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	16,065.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.5"	29,706.711	SY
MILLING EXISTING ASPHALT PAVEMENT 5.0"	11,775.640	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,150.000	SY
MILLED-IN RUMBLE STRIP	32.540	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	6,833.493	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	27,636.338	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	686.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	844.500	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	10,129.014	TON



Call No.: 290

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,197.750	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	8,040.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	140.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	151,018.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	8,035.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,907.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	522.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	19.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	19.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	13,682.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	99,574.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	830.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	28,788.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	420.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	509,644.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	26,440.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	7,134.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,886.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	57.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	57.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	8.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	45,316.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	332,962.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	3,320.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,393.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	4.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	4.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	436.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	405.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	867.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	300.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,406.000	LF
SAWCUT FOR LOOP DETECTOR	3,000.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
DETECTABLE WARNING MATERIAL	20.000	SF
CONCRETE MEDIAN	150.000	SY
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY



Call No.: 290

Letting Date: November 08, 2022

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
SURFACE APPLIED DETECTABLE WARNING	50.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	75.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	37.500	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	264.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH RESET TYPE T TL3 LEADING 50'	2.000	EA
PREMASH RESET THRIEBEAM BRDG CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.612	ACRE
SILT FENCE	5,624.000	LF



Call No.: 300 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5663740 PCN: P041842 Project No.: P041842

DBE Goal Percent: 0.00%

Approx. Length (miles):46.0000

Description: PAVEMENT MARKINGS - DISTRICT 6

CO(S): DISTRICT6

Completion Date: 7/31/2023

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	35,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	300,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	5,600.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	70.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	80.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	5,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	72.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	20.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	8.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	25,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	260,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	50.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,800.000	EA
REMOVAL OF PAVEMENT MARKINGS	5,600.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	350.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	3,700.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	350.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	2,500.000	LF



Call No.: 310 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5763600	PCN: P039172	Project No.: P039172
DBE Goal Percent: 0.00%	PCN: P040737	Project No.: P040737
	PCN: P041277	Project No.: P041277
	PCN: P041336	Project No.: P041336
	PCN: P041344	Project No.: P041344

Approx. Length (miles): 21.0700 Description: RECONSTRUCTION/REHABILITATION - DISTRICT 7
CO(S): Allendale Bamberg
Completion Date: 11/15/2024 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	650.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	240.000	SY
BORROW EXCAVATION	3,326.000	CY
EXCAVATION FOR SHOULDER PAVING	1,592.448	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,592.448	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	27,160.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	950.000	TON
MAINTENANCE STONE	46.050	TON
HMA SHOULDER WIDENING COURSE	7,331.572	TON
LIQUID ASPHALT BINDER PG64-22	3,549.413	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	645.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,960.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	10,390.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	36,850.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	194,710.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	51,850.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.5"	18,650.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	35,370.000	SY
MILLED-IN RUMBLE STRIP	29.570	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	9,039.774	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	29,359.332	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,190.277	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	9,260.817	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,353.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,544.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	22,444.000	LF



Call No.: 310

Letting Date: November 08, 2022 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	158,460.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	800.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	270.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	35.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,933.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	8.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	4.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	8,372.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	179,270.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	50,168.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	335,410.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,040.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	540.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,761.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	16.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	8.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	18,344.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	404,620.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,540.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	50.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	240.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	240.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,139.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	132.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,763.000	EA
ADJUST DROP INLET ADJUST D. I.	3.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	50.000	SY
DETECTABLE WARNING MATERIAL	380.000	SF
PEDESTRIAN RAMP CONSTRUCTION	600.000	SY
SURFACE APPLIED DETECTABLE WARNING	300.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	890.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	250.000	LF
MT3 LEADING END TREATMENT TL3	14.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	725.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	100.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	16.000	EA
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	22.791	ACRE



Call No.: 320 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5763750 PCN: P041843 Project No.: P041843

DBE Goal Percent: 0.00%

Approx. Length (miles): 46.0000

Description: PAVEMENT MARKINGS - DISTRICT 7

CO(S): DISTRICT7

Completion Date: 7/31/2023

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	21,250.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	374,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,550.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	51.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,400.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	21.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	30,175.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	255,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	179.000	LF



Call No.: 330 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5763850 PCN: P041783 Project No.: P041783

DBE Goal Percent: 0.00%

Approx. Length (miles): 48.0600

Description: PAVEMENT MARKINGS - DISTRICT 7

CO(S): DISTRICT7

Completion Date: 6/30/2023

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,840.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,415,840.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	237,510.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	2,715,720.000	LF



Call No.: 340 Letting Date: November 08, 2022 Letting Time: 2:00 PM Page: 1

SC File NO(S): 8864000 PCN: P041825 Project No.: P041825
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 12.3050 Description: PRESERVATION - I-26 (MM 125/MM 136)
 CO(S): STATEWIDE
 Completion Date: 9/30/2023 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
LIQUID ASPHALT BINDER PG64-22	102.000	TON
LIQUID ASPHALT BINDER PG76-22	3,000.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,000.000	SY
SURFACE PLANE ASPHALT PAVEMENT 1.75"	461,745.783	SY
SURFACE PLANE ASPHALT PAVEMENT - VARIABLE	107,386.229	SY
MILLED-IN RUMBLE STRIP	49.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,943.261	TON
HOT MIX ASPHALT SURFACE COURSE TYPE A	59,758.905	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	23.751	TON
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	81,780.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	262,791.400	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	260,094.100	LF
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE LANE DROP ARROWS	2.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	3,910.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	130,047.050	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	40,890.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	130,047.050	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	1,377.000	LF
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	1.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,955.000	EA

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Contract Administrator