

*** * * R E V I S E D * * ***

**SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For November 10, 2020**

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on October 13, 2020 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0289900 PCN: 0041446RD01 Project No.: SU02008

DBE Goal Percent: 15.00%

Approx. Length (miles):2.6570

Description: WIDENING - SC 126 - AIKEN COUNTY

CO(S): Aiken

Completion Date: 7/31/2023

Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 69.0 (Period ending on June 30, 2020)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,058.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,443.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,480.000	SY
REMOVAL OF EXIST. GUARDRAIL	571.000	LF
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 001	1.000	EA
UNCLASSIFIED EXCAVATION	37,817.000	CY
BORROW EXCAVATION	68,807.000	CY
BORROW EXCAVATION - (AASHTO TYPE A-1 SAND)	220.000	TON
BORROW PIT SET-UP	1.000	LS
GEOTEXTILE FOR SEPARATION OF SUBGRADE&SUBBASE/BASE CR	6,905.000	SY
GEOTEXTILE, SEPARATION	963.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	7,185.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	317.000	CY
DEWATERING SYSTEM NO. 002	1.000	LS
TEMPORARY SHORING WALL	2,485.000	LF
NO. 57 STONE FOR BACKFILL	303.000	TON
STONE BRIDGE LIFT MATERIAL	5,513.000	TON



Call No.: 010

Letting Date: November 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
GRANULAR BRIDGE LIFT MATERIAL	4,794.000	CY
FINE GRADING	51,166.000	SY
FLOWABLE FILL	676.000	CY
MAINTENANCE STONE	745.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	17,059.000	TON
LIQUID ASPHALT BINDER PG64-22	2,144.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	11,319.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,326.000	SY
MILLED-IN RUMBLE STRIP	2.660	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	15,063.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	11,429.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	612.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	35.000	SF
DETOUR SIGNS	200.000	SF
BARRICADE - TYPE 3	228.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	6.000	EA
TEMPORARY CONCRETE BARRIER	2,200.000	LF
TYPE B - FLASHING LIGHT	8.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	10,560.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	114,360.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	114,360.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,700.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	17,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	100.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	12.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	78.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	528.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	100.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,000.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	300.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	7,200.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	18,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,800.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	175.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	575.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	13.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	13.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,800.000	LF



Call No.: 010

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	44,200.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	12.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	22.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	370.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	180.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	630.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	12.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	37.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	5.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	30.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	40.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	319.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	412.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	72.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	602.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,248.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,818.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,665.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,814.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,306.000	LF
SAWCUT FOR LOOP DETECTOR	1,551.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	13.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	711.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	6.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 003	1.000	EA
F&I LOOP DETECTOR AMPLIFIER W/HARNESS 2-CHANNEL W/DEL/EXT TIMING	2.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	3.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 004	8.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	8.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	8.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	12.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	4.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
CONC. FOR STRUCTURES - CLASS 4000(RETAINING WALL)	98.000	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	130.000	CY



Call No.: 010

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
ARCHITECTURAL FINISH 1SIDE MONO PAINT	1,081.000	SF
REINF. STEEL FOR STRUCTURES (ROADWAY)	18,492.000	LB
REINF. STEEL FOR STRUCTURES (RETAINING WALL)	12,000.000	LB
15" SMOOTH WALL PIPE	52.000	LF
18" SMOOTH WALL PIPE	11,764.000	LF
24" SMOOTH WALL PIPE	2,532.000	LF
30" SMOOTH WALL PIPE	1,956.000	LF
36" SMOOTH WALL PIPE	1,396.000	LF
42" SMOOTH WALL PIPE	140.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 9	15.000	EA
CATCH BASIN -TYPE 16	98.000	EA
CATCH BASIN -TYPE 17	17.000	EA
CATCH BASIN -TYPE 18	7.000	EA
DROP INLET (24" X 24")	2.000	EA
DROP INLET (24" X 36")	1.000	EA
MANHOLE	12.000	EA
48" X 48" JUNCTION BOX	5.000	EA
ADJUST CATCH BASIN	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	20,900.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	9,610.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	1,555.000	SY
DETECTABLE WARNING MATERIAL	588.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	2,064.000	SY
CONCRETE MEDIAN	210.000	SY
CONCRETE DITCH PAVING	200.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,175.000	SY
BITUMINOUS CURB	200.000	LF
12'X 10' P.C. BOX CULVERT {AASHTO M-259} FH = 14	528.000	LF
RIP-RAP (CLASS A)	71.000	TON
RIP-RAP (CLASS B)	689.000	TON
RIP-RAP (CLASS C)	1,242.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	969.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	1,424.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	3,162.500	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	1,250.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	3.000	EA
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
ORNAMENTAL STEEL PICKET FENCE - 42"	250.000	LF
TEMPORARY BARRIER FENCE	5,500.000	LF
RESET FENCE	900.000	LF



Call No.: 010

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
RESET CHAIN-LINK FENCE	600.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS
MOVING ITEM NO. 017	1.000	LS
MOVING ITEM NO. 018	1.000	LS
MOVING ITEM NO. 019	1.000	LS
MOVING ITEM NO. 020	1.000	LS
MOVING ITEM NO. 021	1.000	LS
MOVING ITEM NO. 022	1.000	LS
MOVING ITEM NO. 023	1.000	LS
MOVING ITEM NO. 024	1.000	LS
MOVING ITEM NO. 025	1.000	LS
MOVING ITEM NO. 026	1.000	LS
MOVING ITEM NO. 027	1.000	LS
MOVING ITEM NO. 028	1.000	LS
MOVING ITEM NO. 029	1.000	LS
MOVING ITEM NO. 030	1.000	LS
MOVING ITEM NO. 031	1.000	LS
MOVING ITEM NO. 032	1.000	LS
MOVING ITEM NO. 033	1.000	LS
MOVING ITEM NO. 034	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	185.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	13.449	ACRE
TEMPORARY COVER	6.725	ACRE
FERTILIZER (NITROGEN)	2,018.000	LB
FERTILIZER (PHOSPHORIC ACID)	2,018.000	LB
FERTILIZER (POTASH)	2,018.000	LB



Call No.: 010

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 6

Description	Quantity	Units
AGRICULTURAL GRANULAR LIME	40,348.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	40.244	ACRE
SODDING	0.104	MSY
WATERPROOFING (SECOND METHOD)	47.000	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	27.690	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	11.216	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,764.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,764.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	235.000	LF
SILT FENCE	14,848.000	LF
REPLACE/REPAIR SILT FENCE	1,485.000	LF
DEWATERING BAGS	1.000	EA
CLEANING SILT BASINS	776.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	3,712.000	LF
INLET STRUCTURE FILTER - TYPE A	1,764.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	30.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	2,600.000	HR



Call No.: 020 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0857350	PCN: P039679	Project No.: P039679
DBE Goal Percent: 0.00%	PCN: P039681	Project No.: P039681
	PCN: P039971	Project No.: P039971

Approx. Length (miles):9.6200 Description: REHABILITATION/RECONSTRUCTION - BERKELEY COUNTY
CO(S): Berkeley

Completion Date: 11/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	6.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	206.200	SY
REMOVAL & DISPOSAL OF EXISTING CURB	270.000	LF
UNCLASSIFIED EXCAVATION	50.000	CY
BORROW EXCAVATION	3,150.000	CY
SELECT MATERIAL FOR LANDSCAPING	31.704	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	999.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	65,403.598	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,289.120	TON
MAINTENANCE STONE	160.340	TON
LIQUID ASPHALT BINDER PG64-22	1,751.560	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,675.000	SY
FULL DEPTH ASPH. PAV. PATCHING 9"UNIF	13,359.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	6,833.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	82,274.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,751.590	SY
MILLED-IN RUMBLE STRIP	16.940	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	16,454.460	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	15,600.881	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	967.610	TON
DRIVEWAY PAVING-SURFACE TYPE C	458.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,544.000	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	48.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	6,344.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	71,770.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,718.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	12.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,734.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	39.000	EA



Call No.: 020

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	35.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	4,768.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	44,694.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	160.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	40.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	25,116.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	230,225.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	6,592.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,436.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	144.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	134.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,332.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	149,533.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	640.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	420.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	160.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	522.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	458.000	EA
DELINEATORS, DOUBLE, MONO., INCL. SUPPORTS	16.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,000.000	LF
SAWCUT FOR LOOP DETECTOR	1,412.000	LF
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CONCRETE CURB (TRANSITION)	10.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	240.000	LF
CONCRETE CURB AND GUTTER(1'-6") OGEE	30.000	LF
CONCRETE MEDIAN	206.200	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.573	ACRE
SODDING	0.060	MSY



Call No.: 030 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0957550	PCN: P039191	Project No.: P039191
DBE Goal Percent: 0.00%	PCN: P039302	Project No.: P039302
Approx. Length (miles): 8.1400	Description: REHABILITATION/RECONSTRUCTION - CALHOUN COUNTY	
CO(S): Calhoun		
Completion Date: 8/31/2021	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	175.000	SY
UNCLASSIFIED EXCAVATION	635.000	CY
BORROW EXCAVATION	1,516.000	CY
EXCAVATION FOR SHOULDER PAVING	325.248	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	325.248	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	80,725.333	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,840.000	TON
MAINTENANCE STONE	3.050	TON
HMA SHOULDER WIDENING COURSE	1,626.240	TON
LIQUID ASPHALT BINDER PG64-22	898.702	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	305.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	14,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,700.000	SY
MILLED-IN RUMBLE STRIP	17.160	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	8,352.533	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	4,482.104	TON
DRIVEWAY PAVING-SURFACE TYPE D	537.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	928.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	16,260.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	150.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	205.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	2,904.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	16,150.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	570.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	166,470.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	300.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	730.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	5.000	EA



Call No.: 030

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	19,700.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	79,130.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	110.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	80.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,200.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	43,850.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	160.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,630.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	840.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	15,050.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	603.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
ADJUST DROP INLET ADJUST D. I.	1.000	EA
DETECTABLE WARNING MATERIAL	87.500	SF
PEDESTRIAN RAMP CONSTRUCTION	175.000	SY
SURFACE APPLIED DETECTABLE WARNING	70.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,050.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	275.000	LF
MGS3CS GR COMPRESSED SHOULDER	525.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.351	ACRE



Call No.: 040 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1356280	PCN: P039437	Project No.: P039437
DBE Goal Percent: 0.00%	PCN: P039439	Project No.: P039439
Approx. Length (miles): 10.8900	Description: RECONSTRUCTION - CHESTERFIELD COUNTY	
CO(S): Chesterfield		
Completion Date: 9/30/2021	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	400.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	98.700	CY
UNCLASSIFIED EXCAVATION	324.000	CY
BORROW EXCAVATION	1,458.000	CY
EXCAVATION FOR SHOULDER PAVING	213.340	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	213.340	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	30,523.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	989.000	TON
MAINTENANCE STONE	231.000	TON
HMA SHOULDER WIDENING COURSE	1,422.080	TON
LIQUID ASPHALT BINDER PG64-22	1,802.752	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	695.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,540.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	6,571.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	87,634.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	11,310.000	SY
MILLED-IN RUMBLE STRIP	13.320	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	8,710.827	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,665.935	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,606.256	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	2,115.519	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,536.775	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	30,523.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 9"	695.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,966.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	12.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,450.000	LF



Call No.: 040

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	262,570.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	560.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,763.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	10.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	102,961.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	129,217.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,685.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	114,517.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	320.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	12.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,341.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,907.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	101,377.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	45.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	82.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	753.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	600.000	LF
SAWCUT FOR LOOP DETECTOR	245.000	LF
DETECTABLE WARNING MATERIAL	200.000	SF
PEDESTRIAN RAMP CONSTRUCTION	400.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	2,735.000	LF
PREMASH THRIE WITH BASE PL 3.125 SPACING	400.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	2,125.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	25.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.282	ACRE



Call No.: 050 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1456880	PCN: P039706	Project No.: P039706
DBE Goal Percent: 0.00%	PCN: P039707	Project No.: P039707
	PCN: P039711	Project No.: P039711

Approx. Length (miles): 10.2100 Description: REHABILITATION\RECONSTRUCTION - CLARENDON COUNTY
CO(S): Clarendon

Completion Date: 11/30/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	525.000	SY
UNCLASSIFIED EXCAVATION	200.000	CY
BORROW EXCAVATION	1,530.000	CY
EXCAVATION FOR SHOULDER PAVING	341.088	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	341.088	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	35,325.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,240.000	TON
MAINTENANCE STONE	85.600	TON
HMA SHOULDER WIDENING COURSE	1,705.440	TON
LIQUID ASPHALT BINDER PG64-22	1,055.033	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,400.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	6,160.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	3,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	54,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,470.000	SY
MILLED-IN RUMBLE STRIP	10.200	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,483.307	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,640.886	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	6,548.140	TON
DRIVEWAY PAVING-SURFACE TYPE D	764.375	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,920.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	2,081.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	50,000.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,080.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	956.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	16.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	7.000	EA



Call No.: 050

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
HANDICAP SYMBOL - PERM.PVMT MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	10,025.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	43,530.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	110.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,382.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	120,100.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,160.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,912.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	7.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	22,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	94,030.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	150.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	220.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	130.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	34.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	974.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	370.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	8,800.000	LF
SAWCUT FOR LOOP DETECTOR	2,700.000	LF
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") - SLOPING FACE	450.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	60.000	SY
DETECTABLE WARNING MATERIAL	262.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	510.000	SY
PEDESTRIAN RAMP CONSTRUCTION	525.000	SY
SURFACE APPLIED DETECTABLE WARNING	645.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.418	ACRE



Call No.: 060 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1689860 PCN: P028336 Project No.: P028336
DBE Goal Percent: 11.00%
Approx. Length (miles): 0.3080 Description: BRIDGE REPLACEMENT - US 52 BUS (SWIFT CREEK)
CO(S): Darlington
Completion Date: 4/30/2023 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
SMALL PUBLIC SEWER RELOCATION NO. ____ 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	8.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	2.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,045.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	4,970.000	CY
BORROW EXCAVATION	3,453.000	CY
MUCK EXCAVATION	150.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	840.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	500.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	160.000	LF
42" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	175.000	LF
48" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	165.000	LF
GEOTEXTILE, SEPARATION	150.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	6,720.000	SY
GEOGRID REINFORCEMENT (BIAXIAL)	150.000	SY
TEMPORARY SHORING WALL	332.000	LF
STONE BRIDGE LIFT MATERIAL	285.000	TON
GRANULAR BRIDGE LIFT MATERIAL	100.000	CY
FINE GRADING	6,314.000	SY
FLOWABLE FILL	80.000	CY
MAINTENANCE STONE	300.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,315.000	TON



Call No.: 060

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
LIQUID ASPHALT BINDER PG64-22	188.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	445.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	700.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	894.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	891.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	121.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	272.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	1.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 2)	1.000	EA
TEMPORARY CONCRETE BARRIER	548.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	200.000	LF
2.0" SCHEDULE 80 PVC CONDUIT	804.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	5,305.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	6,550.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	320.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	320.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	161.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	106.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	3,500.000	LF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	20.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	245.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	782.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	267.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	118.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,126.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	87.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	40.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	320.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	36.500	SF
CONC. FOR STRUCTURES - CLASS 4000	1,046.000	CY
STRAIGHT HEADWALL FOR 48" CIRCULAR PIPE-1 LINE	1.000	EA
GROOVED SURFACE FINISH	940.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	204,856.000	LB
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	399.600	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	13.000	EA
PILE DRIVING SET-UP	54.000	EA
PREST. CONC. PILING (24"SQ.)	1,568.000	LF
PILE BUILD-UP PREPARATION (24"SQ)	4.000	EA
PREDRILLING FOR PREST. CONC. PILING (24"SQ.)	204.000	LF
PRESTRESSED INDEX PILING (24" SQUARE)	142.000	LF



Call No.: 060

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
PRESTRESSED PILE POINT (HP12X53)	306.000	LF
STEEL H BEARING PILING (HP14 X 73)	784.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	102.000	LF
18" SMOOTH WALL PIPE	1,132.000	LF
24" SMOOTH WALL PIPE	668.000	LF
30" SMOOTH WALL PIPE	216.000	LF
42" SMOOTH WALL PIPE	228.000	LF
48" SMOOTH WALL PIPE	216.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	3.000	EA
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN -TYPE 16	15.000	EA
CATCH BASIN -TYPE 18	2.000	EA
DROP INLET (24" X 24")	1.000	EA
MANHOLE	2.000	EA
30" X 30" JUNCTION BOX	3.000	EA
EXTRA DEPTH OF BOX	19.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	2,624.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,155.000	SY
DETECTABLE WARNING MATERIAL	125.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	725.000	SY
PEDESTRIAN RAMP CONSTRUCTION	250.000	SY
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	12.000	EA
6" PIPE UNDERDRAIN	500.000	LF
RIP-RAP (CLASS B)	61.000	TON
RIP-RAP (CLASS C)	1,015.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	773.000	SY
MT3 LEADING END TREATMENT TL3	1.000	EA
MB TRAILING END TREATMENT	3.000	EA
MGS2C GR BEHIND CURB	175.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PREMASH W-BEAM TIGHT CURVED SYSTEM	75.000	LF
TEMPORARY BARRIER FENCE	1,800.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	31.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.956	ACRE
TEMPORARY COVER	2.869	ACRE
FERTILIZER (NITROGEN)	96.000	LB
FERTILIZER (PHOSPHORIC ACID)	96.000	LB
FERTILIZER (POTASH)	96.000	LB
AGRICULTURAL GRANULAR LIME	1,913.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	7.650	ACRE



Call No.: 060

Letting Date: November 10, 2020

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
TREE PROTECTION	1.000	LS
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.600	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.379	MSY
SEDIMENT TUBES FOR DITCH CHECKS	100.000	LF
SILT FENCE	3,600.000	LF
REPLACE/REPAIR SILT FENCE	360.000	LF
FLOATING TURBIDITY BARRIER-MEDIUM DUTY(5'DEPTH)	550.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	900.000	LF
CLEANING INLET STRUCTURE FILTERS	26.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	19.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 18)	2.000	EA
INLET STRUCTURE FILTER - TYPE D2	5.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	5.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	100.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 070 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2655030 PCN: P038760 Project No.: P038760
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 0.1460 Description: INTERSECTION IMPROVEMENTS - US HWY 501
 CO(S): Horry
 Completion Date: 6/30/2021 Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	474.000	SY
UNCLASSIFIED EXCAVATION	275.000	CY
BORROW EXCAVATION	1,400.000	CY
MUCK EXCAVATION	1,000.000	CY
FINE GRADING	1,169.000	SY
HOT MIX ASPHALT BASE COURSE - TYPE A	517.000	TON
LIQUID ASPHALT BINDER PG64-22	41.000	TON
MILLED-IN RUMBLE STRIP	0.146	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	220.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	107.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	570.000	SF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	725.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	282.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	1,450.000	LF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	20.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	141.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10.000	EA
18" SMOOTH WALL PIPE	76.000	LF
36" SMOOTH WALL PIPE	8.000	LF
DROP INLET (24" X 36")	2.000	EA
PERMANENT COVER	0.230	ACRE
TEMPORARY COVER	0.115	ACRE
COMPOST	7.000	CY
FERTILIZER (NITROGEN)	23.000	LB
FERTILIZER (PHOSPHORIC ACID)	23.000	LB
FERTILIZER (POTASH)	23.000	LB



Call No.: 070

Letting Date: November 10, 2020

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
AGRICULTURAL GRANULAR LIME	460.000	LB
MOWING	1.124	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	84.000	LF
SILT FENCE	510.000	LF
CLEANING INLET STRUCTURE FILTERS	2.000	EA
INLET STRUCTURE FILTER - TYPE D1	1.000	EA
INLET STRUCTURE FILTER - TYPE B	1.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 080 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2950840 PCN: P030240 Project No.: P030240
 DBE Goal Percent: 17.50%
 Approx. Length (miles): 0.4310 Description: INTERSECTION IMPROVEMENT - SC 522 & S-123
 CO(S): Lancaster
 Completion Date: 11/30/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
UNCLASSIFIED EXCAVATION	2,781.000	CY
BORROW EXCAVATION	3,393.000	CY
FINE GRADING	2,608.600	SY
FLOWABLE FILL	99.700	CY
MAINTENANCE STONE	550.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,255.000	TON
LIQUID ASPHALT BINDER PG64-22	220.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	2,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,619.150	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	840.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	830.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	10.000	TON
DRIVEWAY PAVING-SURFACE TYPE C NON-RESURFACING PROJECT	490.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	117.000	SY
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN FOR MAINT	4.000	EA
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	336.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	96.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	164.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	6,900.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	10,000.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,007.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	45.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	64.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,200.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	78.000	LF



Call No.: 080

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	5,002.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	200.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	150.000	EA
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	18.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	279.760	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	678.000	LF
REFLECTIVE SIGN POST PANELS	82.000	LF
48" R. C. PIPE CUL. BEVELED END SECTN-CL 3	1.000	EA
18" SMOOTH WALL PIPE	1,412.000	LF
24" SMOOTH WALL PIPE	699.000	LF
36" SMOOTH WALL PIPE	128.000	LF
42" SMOOTH WALL PIPE	176.000	LF
48" SMOOTH WALL PIPE	72.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	4.000	EA
CATCH BASIN -TYPE 16	14.000	EA
CATCH BASIN -TYPE 17	3.000	EA
CATCH BASIN -TYPE 18	2.000	EA
DROP INLET (24" X 36")	10.000	EA
MANHOLE	4.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	1.000	EA
BEVELING OF PIPE END	17.000	EA
CONCRETE CURB (9" X 15")	336.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,405.000	LF
CONCRETE MEDIAN	3,345.000	SY
RIP-RAP (CLASS A)	73.000	TON
RIP-RAP (CLASS B)	462.900	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	106.900	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	509.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	35.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.290	ACRE
TEMPORARY COVER	0.645	ACRE
SEEDING - ERAGROSTIS CURVULA - WEEPING LOVEGRASS	0.063	MSY
FERTILIZER (NITROGEN)	145.000	LB
FERTILIZER (PHOSPHORIC ACID)	145.000	LB
FERTILIZER (POTASH)	145.000	LB
AGRICULTURAL GRANULAR LIME	2,570.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.870	ACRE
DOUBLE-SHREDDED HARDWOOD MULCH	452.390	SF
MUHLENBERGIA CAPILLARIS (PINK MUHLY GRASS) #1 CONT.	50.000	EA
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.230	MSY



Call No.: 080

Letting Date: November 10, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	5.158	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	0.212	ACRE
SILT FENCE	962.000	LF
CLEANING SILT BASINS	283.000	CY
CLEANING INLET STRUCTURE FILTERS	60.000	EA
INLET STRUCTURE FILTER - TYPE A	874.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	23.600	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 090 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2989660 PCN: P028383 Project No.: P028383
DBE Goal Percent: 7.00%
Approx. Length (miles): 0.0320 Description: BRIDGE REPLACEMENT - S-51 (GILLS CREEK)
CO(S): Lancaster
Completion Date: 6/30/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	160.000	SY
REMOVAL OF EXIST. GUARDRAIL	418.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	3,083.000	CY
BORROW EXCAVATION	1,906.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	520.000	SY
COFFERDAM - TYPE 1 (0 - 10,000 C.F.)	3.000	EA
FINE GRADING	840.000	SY
FLOWABLE FILL	75.000	CY
SOIL-AGGREGATE SUBBASE CR.- AGGR. NO. CR-14	95.000	TON
MAINTENANCE STONE	115.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	917.000	TON
LIQUID ASPHALT BINDER PG64-22	75.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	230.000	SY
MILLED-IN RUMBLE STRIP	0.210	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	333.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	318.000	TON
DRIVEWAY PAVING-SURFACE TYPE C NON-RESURFACING PROJECT	12.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,860.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,860.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	24.000	EA



Call No.: 090

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	42.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	99.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	844.600	LF
CONC. FOR STRUCTURES - CLASS 4000	151.800	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	46,945.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	3,978.000	LB
3'-0" x 1'-9" CORED SLABS	1,396.600	LF
3'-0" x 2'-0" CORED SLABS	978.300	LF
CONCRETE BRIDGE BARRIER PARAPET	356.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
PILE DRIVING SET-UP	10.000	EA
REINF. PILE TIPS (HP14 X 102)	10.000	EA
STEEL H BEARING PILING (HP14 X 102)	141.000	LF
DRILLED SHAFT SET-UP	6.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 42" DIAMETER	54.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	64.500	LF
CONSTRUCTION CASING - 48" DIAMETER	64.500	LF
18" SMOOTH WALL PIPE	208.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	55.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	99.000	LF
ELASTOMERIC BEARING	84.000	EA
CROSSHOLE SONIC LOGGING SETUP	6.000	EA
RIP-RAP (CLASS A)	25.000	TON
RIP-RAP (CLASS B)	787.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	278.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	934.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	75.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	12.500	LF
MT2 LEADING END TREATMENT TL2	3.000	EA
MGS3 GR STANDARD SHOULDER	137.500	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	1.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	3.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	3.000	EA
NON-MOW STRIP UNDER GUARDRAIL	80.000	SY
PREMASH W-BEAM TIGHT CURVED SYSTEM	25.000	LF
PREMASH W-BEAM CURVED SPECIAL ANCHOR	1.000	EA
2' CRASH CUSHION 2C RETROFIT SITE	1.000	EA
TEMPORARY BARRIER FENCE	1,000.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	19.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.296	ACRE
TEMPORARY COVER	0.648	ACRE



Call No.: 090

Letting Date: November 10, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FERTILIZER (NITROGEN)	130.000	LB
FERTILIZER (PHOSPHORIC ACID)	130.000	LB
FERTILIZER (POTASH)	130.000	LB
AGRICULTURAL GRANULAR LIME	2,538.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.888	ACRE
WATERPROOFING (BRIDGE DECK)	731.900	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.474	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.263	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	0.516	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	0.078	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	462.000	LF
SILT FENCE	3,160.000	LF
REPLACE/REPAIR SILT FENCE	316.000	LF
FLOATING TURBIDITY BARRIER-MEDIUM DUTY(5'DEPTH)	400.000	LF
CLEANING SILT BASINS	90.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	790.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	65.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
SILT FENCE (WIRE REINFORCED WITH STEEL POST)	1,000.000	LF
FILTER FENCE (1/4" WIRE MESH W STEEL POSTS)	500.000	LF



Call No.: 100 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4054180 PCN: P030245 Project No.: P030245

DBE Goal Percent: 9.00%

Approx. Length (miles):0.2410

Description: SAFETY IMPROVEMENT US 76/SC 263

CO(S): Richland

Completion Date: 9/30/2021

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	240.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	436.000	SY
UNCLASSIFIED EXCAVATION	135.000	CY
BORROW EXCAVATION	575.000	CY
FINE GRADING	1,800.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	508.000	TON
LIQUID ASPHALT BINDER PG64-22	77.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,576.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	129.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	697.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	155.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	276.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	6,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	6,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	8,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	405.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	200.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,800.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	102.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	50.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
18" SMOOTH WALL PIPE	680.000	LF
DROP INLET TYPE 112	7.000	EA
MANHOLE	1.000	EA



Call No.: 100

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
BEVELING OF PIPE END	5.000	EA
CONCRETE MEDIAN	41.000	SY
RIP-RAP (CLASS B)	36.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	66.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	12.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.540	ACRE
TEMPORARY COVER	0.540	ACRE
FERTILIZER (NITROGEN)	54.000	LB
FERTILIZER (PHOSPHORIC ACID)	54.000	LB
FERTILIZER (POTASH)	54.000	LB
AGRICULTURAL GRANULAR LIME	1,080.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	0.938	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	1.079	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	480.000	LF
SILT FENCE	580.000	LF
INLET STRUCTURE FILTER - TYPE D1	7.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 110 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4248340 PCN: P030392 Project No.: P030392
 DBE Goal Percent: 9.00%
 Approx. Length (miles): 0.2700 Description: BRIDGE REPLACEMENT - US 29 (NORTH TYGER RIVER)
 CO(S): Spartanburg
 Completion Date: 270 Days Funding: FED

MINIMUM REQUIRED QUARTERLY CPS: 69.0 (Period ending on June 30, 2020)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	9,130.000	SY
REMOVAL OF EXIST. GUARDRAIL	1,268.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	1,035.000	CY
BORROW EXCAVATION	3,737.000	CY
FINE GRADING	2,910.000	SY
MAINTENANCE STONE	200.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,281.000	TON
LIQUID ASPHALT BINDER PG64-22	152.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,882.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,161.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	614.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	35.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	440.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	4.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	1.000	EA
TEMPORARY CONCRETE BARRIER	3,020.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	3.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	2,750.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.BROKEN PREF.	150.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	12,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	12,000.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	600.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,050.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	3,100.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING SYMBOLS) (TRAFFIC CONTROL)	205.000	LF



Call No.: 110

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	54.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	7.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	10.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,900.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	550.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,100.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	150.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	80.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	944.000	LF
CONC. FOR STRUCTURES - CLASS 4000	526.700	CY
GROOVED SURFACE FINISH	935.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	141,295.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	8,675.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	1,155.000	LF
CONCRETE BRIDGE BARRIER PARAPET	406.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
PILE DRIVING SET-UP	12.000	EA
REINF. PILE TIPS (HP14 X 73)	12.000	EA
STEEL H BEARING PILING (HP14 X 73)	381.000	LF
DRILLED SHAFT SET-UP	6.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 42" DIAMETER	54.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	174.000	LF
CONSTRUCTION CASING - 48" DIAMETER	174.000	LF
18" SMOOTH WALL PIPE	724.000	LF
18" CORR.HDPE PIPE TYPE (C OR S) TEMP.	160.000	LF
CATCH BASIN TYPE 25 SINGLE 4'X5' W IA SLAB	1.000	EA
DROP INLET TYPE 112	6.000	EA
MANHOLE	1.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	9.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	102.000	LF
ELASTOMERIC BEARING	36.000	EA
CROSSHOLE SONIC LOGGING SETUP	6.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	123.000	TON
RIP-RAP (CLASS A)	15.000	TON
RIP-RAP (CLASS B)	555.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	910.500	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	112.500	LF
MT3 LEADING END TREATMENT TL3	1.000	EA
MB TRAILING END TREATMENT	2.000	EA



Call No.: 110

Letting Date: November 10, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
PREMASH RESET W-BEAM STRONG POST SYSTEM	25.000	LF
MGS3 GR STANDARD SHOULDER	337.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH RESET TYPE T TL3 LEADING 50'	1.000	EA
PREMASH RESET THRIEBEAM BRDG CONN TBBC3	1.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	2.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	3.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	1.000	EA
NON-MOW STRIP UNDER GUARDRAIL	159.000	SY
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
2' CRASH CUSHION 3A	1.000	EA
36SS REINFORCED BARRIER WALL	150.000	LF
CONC BARR TRANSITION BETWEEN TWO SHAPES	8.000	LF
TEMPORARY BARRIER FENCE	1,060.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	13.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.429	ACRE
TEMPORARY COVER	1.715	ACRE
FERTILIZER (NITROGEN)	343.000	LB
FERTILIZER (PHOSPHORIC ACID)	343.000	LB
FERTILIZER (POTASH)	343.000	LB
AGRICULTURAL GRANULAR LIME	6,858.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	10.287	MSY
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	29.700	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.123	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	3.471	MSY
SEDIMENT TUBES FOR DITCH CHECKS	150.000	LF
SILT FENCE	1,060.000	LF
CLEANING SILT BASINS	250.000	CY
INLET STRUCTURE FILTER - TYPE D1	9.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	9.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY



Call No.: 120 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4255230	PCN: P039399	Project No.: P039399
DBE Goal Percent: 0.00%	PCN: P039400	Project No.: P039400
	PCN: P039455	Project No.: P039455

Approx. Length (miles): 15.6200 Description: REHABILITATION/RECONSTRUCTION - SPARTANBURG COUNTY
CO(S): Spartanburg

Completion Date: 7/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	200.000	SY
UNCLASSIFIED EXCAVATION	732.000	CY
BORROW EXCAVATION	2,158.000	CY
EXCAVATION FOR SHOULDER PAVING	441.808	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	441.808	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	91,632.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,665.000	TON
MAINTENANCE STONE	519.500	TON
HMA SHOULDER WIDENING COURSE	2,942.720	TON
LIQUID ASPHALT BINDER PG64-22	2,486.186	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	39,450.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	230,631.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	15,365.000	SY
MILLED-IN RUMBLE STRIP	28.760	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	34,910.406	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,248.440	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,939.200	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,268.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	45,360.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	352,495.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	6,610.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,882.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	40.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,080.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	599,272.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	165.000	LF



Call No.: 120

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	620.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	20.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	380.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	11,470.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	159,615.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,305.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,371.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	20.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	154,570.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	773.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	14.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	906.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,050.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	18,850.000	LF
SAWCUT FOR LOOP DETECTOR	6,850.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	15.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	18.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	750.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	3,750.000	LF
PREMASH TYPE T TL3 LEADING 50'	30.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.466	ACRE



Call No.: 130 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4357570 PCN: P039923 Project No.: P039923

DBE Goal Percent: 0.00%

Approx. Length (miles):2.0400

Description: REHABILITATION - S-401 SUMTER CO.

CO(S): Sumter

Completion Date: 6/30/2021

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	408.000	CY
EXCAVATION FOR SHOULDER PAVING	202.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	202.000	STA
MAINTENANCE STONE	10.750	TON
HMA SHOULDER WIDENING COURSE	718.080	TON
LIQUID ASPHALT BINDER PG64-22	254.548	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,075.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	750.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,982.320	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	135.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	520.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	120.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	64,800.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	560.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,730.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	51,090.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	21,600.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	280.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	910.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	17,030.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	145.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.978	ACRE



Call No.: 140 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4656200	PCN: P039449	Project No.: P039449
DBE Goal Percent: 0.00%	PCN: P039451	Project No.: P039451
	PCN: P039464	Project No.: P039464
	PCN: P039790	Project No.: P039790

Approx. Length (miles): 9.6200 Description: REHABILITATION/RECONSTRUCTION - YORK COUNTY
CO(S): York

Completion Date: 10/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	5.000	EA
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	800.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	2,330.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	9.000	CY
UNCLASSIFIED EXCAVATION	2,094.000	CY
BORROW EXCAVATION	1,168.000	CY
STATION GRADING	77.640	STA
EXCAVATION FOR SHOULDER PAVING	156.040	STA
GEOGRID REINFORCEMENT (UNIAXIAL)	1,627.000	SY
HAULING OF EXCAVATED SHOULDER MATERIAL	156.040	STA
FLOWABLE FILL	1,101.000	CY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	32,209.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	35,505.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,068.000	TON
MAINTENANCE STONE	678.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,548.800	TON
HMA SHOULDER WIDENING COURSE	1,166.880	TON
LIQUID ASPHALT BINDER PG64-22	1,728.735	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,882.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	2,280.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12" UNIF	1,830.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	5,952.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	29,105.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	54,203.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	19,885.000	SY
MILLED-IN RUMBLE STRIP	8.200	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	7,036.245	TON



Call No.: 140

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,878.964	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,921.184	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,574.440	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,819.875	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	67,714.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,116.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	15,335.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	191,564.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,186.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,590.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	126.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	86.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,986.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	249,196.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	115.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	310.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,131.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	60,262.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,845.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,500.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	58.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	44.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,151.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	89,915.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	155.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	245.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	124.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,028.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	130.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,900.000	LF
SAWCUT FOR LOOP DETECTOR	1,365.000	LF
DROP INLET (24" X 24")	1.000	EA
ADJUST CATCH BASIN	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	15.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	2,330.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	10.000	SY
DETECTABLE WARNING MATERIAL	400.000	SF
CONCRETE MEDIAN	23.000	SY
PEDESTRIAN RAMP CONSTRUCTION	800.000	SY
BITUMINOUS CURB	1,200.000	LF



Call No.: 140

Letting Date: November 10, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	250.000	LF
PREMASH TYPE T TL3 LEADING 50'	5.000	EA
RESET FENCE	550.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.550	ACRE



Call No.: 150 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4684780 PCN: 0039108RD01 Project No.: BR46022

DBE Goal Percent: 5.00%

Approx. Length (miles):0.4910 Description: BRIDGE REPLACEMENT - S-50/MANCHESTER CREEK

CO(S): York

Completion Date: 6/30/2022 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC SEWER RELOCATION NO. ____ 00	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,380.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	3,870.000	CY
BORROW EXCAVATION	11,600.000	CY
FINE GRADING	7,470.000	SY
MAINTENANCE STONE	500.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	3,910.000	TON
LIQUID ASPHALT BINDER PG64-22	270.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,980.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	750.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	870.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	150.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	200.000	SF
BARRICADE - TYPE 3	60.000	LF
2.0" SCHEDULE 80 PVC CONDUIT	517.700	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	10,474.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	9,578.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	60.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	5,060.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	60.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,620.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
REMOVAL OF PAVEMENT MARKINGS	500.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	91.500	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	44.000	LF



Call No.: 150

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
U-SECTION POST FOR SIGN SUPPORTS - 3P	109.000	LF
REMOVAL OF U-SECTION POST	12.000	EA
CONC. FOR STRUCTURES - CLASS 4000	318.300	CY
GROOVED SURFACE FINISH	347.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	76,046.000	LB
PRESTRESSED CONC. BEAM (TYPE III)	524.300	LF
CONCRETE BRIDGE BARRIER PARAPET	96.400	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	2.000	EA
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	128.400	LF
PILE DRIVING SET-UP	16.000	EA
REINF. PILE TIPS (HP14 X 73)	16.000	EA
STEEL H BEARING PILING (HP14 X 73)	463.400	LF
18" SMOOTH WALL PIPE	148.000	LF
24" SMOOTH WALL PIPE	156.000	LF
BRIDGE APPROACH CONCRETE CURB AND GUTTER(1'-10")	60.000	LF
ELASTOMERIC BEARING	12.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	231.000	TON
RIP-RAP (CLASS B)	309.000	TON
RIP-RAP (CLASS C)	1,970.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	1,220.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	161.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	712.500	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
NON-MOW STRIP UNDER GUARDRAIL	110.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	18.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.152	ACRE
TEMPORARY COVER	4.000	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	6.258	ACRE
STABILIZED MULCH MATRIX (SMM)	0.895	ACRE
FERTILIZER (NITROGEN)	320.000	LB
FERTILIZER (PHOSPHORIC ACID)	320.000	LB
FERTILIZER (POTASH)	320.000	LB
AGRICULTURAL GRANULAR LIME	6,310.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	14.400	ACRE
WATERPROOFING (SECOND METHOD)	36.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	1.390	MSY
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	2.099	MSY
TEMPORARY EROSION CONTROL BLANKET (CLASS B)	3.619	MSY



Call No.: 150

Letting Date: November 10, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
SEDIMENT TUBES FOR DITCH CHECKS	490.000	LF
SILT FENCE	2,700.000	LF
REPLACE/REPAIR SILT FENCE	270.000	LF
SILT BASINS	500.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	675.000	LF
SEDIMENT DAM RIPRAP	50.000	TON
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	60.000	SY
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY
POLYUREA 4" WHITE SOLID LINES (PVT. EDGE LINES)	180.000	LF
POLYUREA 4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE	180.000	LF



Call No.: 160 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5156660 PCN: P038034 Project No.: P038034
 DBE Goal Percent: 9.00%
 Approx. Length (miles):24.0000 Description: SAFETY IMPROVEMENTS I-20 DISTRICT1
 CO(S): Kershaw Richland
 Completion Date: 9/30/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	100.000	HR
SELECTED CLEARING	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	600.000	LF
GROOVING OF CONCRETE PAVEMENT	15,488.000	SY
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	1,660.000	LF
6" BLACK BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	830.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	6,500.000	LF
12" WHITE SOLID LINES (GORE MARKINGS) EPOXY PAINT	400.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	6,500.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	100.000	EA
PREMASH W-BEAM STRONG POST SYSTEM WSP3	2,975.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MB TRAILING END TREATMENT	4.000	EA
MGS3 GR STANDARD SHOULDER	3,437.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	5.000	EA
PREMASH TYPE T TL3 LEADING 50'	7.000	EA
PERMANENT COVER	3.000	ACRE
FERTILIZER (NITROGEN)	300.000	LB
FERTILIZER (PHOSPHORIC ACID)	300.000	LB
FERTILIZER (POTASH)	300.000	LB
AGRICULTURAL GRANULAR LIME	6,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.000	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	6.000	ACRE



Call No.: 170 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5255920	PCN: P038627	Project No.: P038627
DBE Goal Percent: 0.00%	PCN: P038630	Project No.: P038630
	PCN: P038637	Project No.: P038637
	PCN: P039461	Project No.: P039461
	PCN: P039872	Project No.: P039872
	PCN: P039875	Project No.: P039875

Approx. Length (miles):25.4900 Description: RECONSTRUCTION/REHABILITATION - DISTRICT 2
CO(S): Abbeville Anderson
Completion Date: 10/31/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	7.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	375.000	SY
BORROW EXCAVATION	9,648.800	CY
EXCAVATION FOR SHOULDER PAVING	178.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	178.000	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	52,610.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	90,102.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	124,862.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD C	40,635.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	12,299.000	TON
MAINTENANCE STONE	102.350	TON
HMA SHOULDER WIDENING COURSE	588.192	TON
LIQUID ASPHALT BINDER PG64-22	3,328.572	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,300.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,705.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	30.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	3,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	16,290.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	37,115.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	17,540.000	SY
MILLED-IN RUMBLE STRIP	36.348	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	4,383.104	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	14,453.296	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,310.176	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	26,511.296	TON



Call No.: 170

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE D	150.000	TON
DRIVEWAY PAVING-SURFACE TYPE B	492.191	TON
DRIVEWAY PAVING-SURFACE TYPE C	836.814	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,972.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	4,468.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	841,590.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,490.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,999.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	34.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	45,150.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	891,600.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,330.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	263,962.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	480.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,756.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	9.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	14,610.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	288,139.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	21.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,764.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	600.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	136.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,920.000	LF
SAWCUT FOR LOOP DETECTOR	920.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	4.000	EA
CATCH BASIN - TYPE 9(TOP ONLY)	2.000	EA
DETECTABLE WARNING MATERIAL	187.500	SF
PEDESTRIAN RAMP CONSTRUCTION	375.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	4,725.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	825.000	LF
MT3 LEADING END TREATMENT TL3	20.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	3,412.500	LF
MGS3 GR STANDARD SHOULDER	200.000	LF
MGS3CS GR COMPRESSED SHOULDER	2,612.500	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	950.000	LF
PREMASH TYPE T TL3 LEADING 50'	58.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	22.873	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	310.000	LF
SILT FENCE	10,485.000	LF
REPLACE/REPAIR SILT FENCE	1,050.000	LF



Call No.: 170

Letting Date: November 10, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
REMOVAL OF SILT RETAINED BY SILT FENCE	2,625.000	LF



Call No.: 180 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5255960	PCN: P039334	Project No.: P039334
DBE Goal Percent: 0.00%	PCN: P039337	Project No.: P039337
	PCN: P039585	Project No.: P039585
	PCN: P039889	Project No.: P039889

Approx. Length (miles): 8.4600 Description: REHABILITATION/RECONSTRUCTION - DISTRICT 2
CO(S): Edgefield McCormick
Newberry Saluda

Completion Date: 8/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	5.000	EA
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	2,562.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	104,541.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,478.000	TON
MAINTENANCE STONE	0.900	TON
LIQUID ASPHALT BINDER PG64-22	29.870	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	90.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,600.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	60.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	171.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	254.100	TON
ASPHALT SURFACE TREATMENT (TRIPLE TREATMENT) TYPE 2	100,860.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,410.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	468.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	153,680.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	580.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	217,160.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	184.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	65,485.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	204.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	89,395.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	561.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.231	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	120.000	LF
SILT FENCE	1,200.000	LF
REPLACE/REPAIR SILT FENCE	120.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	300.000	LF



Call No.: 190 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5556630	PCN: P039541	Project No.: P039541
DBE Goal Percent: 0.00%	PCN: P039544	Project No.: P039544
	PCN: P039545	Project No.: P039545
	PCN: P039546	Project No.: P039546
	PCN: P039548	Project No.: P039548
	PCN: P039997	Project No.: P039997
	PCN: P040000	Project No.: P040000

Approx. Length (miles): 19.0300 Description: REHABILITATION/RECONSTRUCTION -
CO(S): Dillon Marion DISTRICT 5

Completion Date: 6/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,410.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	750.000	LF
BORROW EXCAVATION	3,806.000	CY
EXCAVATION FOR SHOULDER PAVING	535.392	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	535.392	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	140,522.600	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,400.300	TON
MAINTENANCE STONE	152.000	TON
HMA SHOULDER WIDENING COURSE	2,676.960	TON
LIQUID ASPHALT BINDER PG64-22	1,925.606	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,650.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	7,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	98,024.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,280.000	SY
MILLED-IN RUMBLE STRIP	30.396	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	641.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	20,005.866	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	9,213.073	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,217.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,100.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,812.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	23,655.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	428,925.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	4,170.000	LF



Call No.: 190

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,340.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	45.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	21.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	29,728.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	283,225.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	575.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	80.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	240.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	240.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,885.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	142,975.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,390.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,405.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	15.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	9,911.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	94,075.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	75.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	407.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,090.000	EA
REMOVAL OF PAVEMENT MARKINGS	6,795.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	630.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,520.000	LF
SAWCUT FOR LOOP DETECTOR	845.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	200.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	350.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	200.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	760.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	500.000	SY
DETECTABLE WARNING MATERIAL	512.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	125.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,025.000	SY
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.212	ACRE



Call No.: 200 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5557040 PCN: P039961 Project No.: P039961
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 46.0000 Description: 2020 PAVEMENT MARKINGS - DISTRICT 5
 CO(S): DISTRICT5
 Completion Date: 7/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	80,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	390,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	13,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	175.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	150.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	9,500.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	100.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	50.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	25.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	5.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	30,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	380,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	1,200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	4,300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	4,250.000	EA
REMOVAL OF PAVEMENT MARKINGS	11,750.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	750.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	5,500.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	5,500.000	LF



Call No.: 210 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5656070 PCN: P038028 Project No.: P038028
DBE Goal Percent: 17.50%
Approx. Length (miles):22.0000 Description: SAFETY IMPROVEMENTS I-20 - DISTRICT 6
CO(S): Berkeley Charleston
Completion Date: 4/30/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	100.000	HR
SELECTED CLEARING	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	600.000	LF
HIGH FRICTION SURFACE TREATMENT	1,450.000	SY
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,600.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	9,450.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,503.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,800.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	2,222.000	EA
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	96.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	208.000	LF
REFLECTIVE SIGN POST PANELS	80.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	5,500.000	LF
MT3 LEADING END TREATMENT TL3	14.000	EA
MB TRAILING END TREATMENT	14.000	EA
MGS3 GR STANDARD SHOULDER	4,612.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	6.000	EA
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
TEMPORARY BARRIER FENCE	300.000	LF
PERMANENT COVER	3.000	ACRE
FERTILIZER (NITROGEN)	300.000	LB
FERTILIZER (PHOSPHORIC ACID)	300.000	LB
FERTILIZER (POTASH)	400.000	LB
AGRICULTURAL GRANULAR LIME	6,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.000	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	6.000	ACRE
SILT FENCE	500.000	LF



Call No.: 220 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5656990	PCN: P039577	Project No.: P039577
DBE Goal Percent: 0.00%	PCN: P039645	Project No.: P039645
	PCN: P039647	Project No.: P039647
	PCN: P039648	Project No.: P039648
	PCN: P039649	Project No.: P039649

Approx. Length (miles): 15.8500 Description: REHABILITATION/RECONSTRUCTION -
CO(S): Beaufort Jasper DISTRICT 6
Completion Date: 6/30/2022 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	16.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	924.660	SY
REMOVAL & DISPOSAL OF EXISTING CURB	181.000	LF
UNCLASSIFIED EXCAVATION	175.000	CY
BORROW EXCAVATION	3,780.000	CY
EXCAVATION FOR SHOULDER PAVING	379.110	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	379.110	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	955.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	8,037.330	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	96,365.190	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,963.280	TON
MAINTENANCE STONE	141.180	TON
HMA SHOULDER WIDENING COURSE	750.933	TON
LIQUID ASPHALT BINDER PG64-22	2,222.730	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,385.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	11,733.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	39,538.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	22,314.410	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	67,225.599	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	119,218.711	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,015.000	SY
MILLED-IN RUMBLE STRIP	16.320	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	7,541.830	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,983.687	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	23,550.726	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,140.813	TON



Call No.: 220

Letting Date: November 10, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE D	3,776.100	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	170.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	736.625	TON
DRIVEWAY PAVING-SURFACE TYPE D	134.375	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	1,626.240	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,352.000	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	305.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	4,228.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	134,373.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	3,439.000	LF
12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	732.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	115.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,167.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	22.000	EA
WHITE WORD MESSAGE "YIELD"-PERM.PVMT.MARKING	4.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	17.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	7,776.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	112,535.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	11,394.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	385,382.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	10,207.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	2,196.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,224.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	64.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	49.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	21,808.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	308,650.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	286.000	LF
WHITE WORD MESSAGE"YIELD"-FAST DRY PAINT	12.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	386.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	110.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,264.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	550.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,450.000	LF
SAWCUT FOR LOOP DETECTOR	3,518.000	LF
ADJUST DROP INLET ADJUST D. I.	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	75.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	90.000	LF



Call No.: 220

Letting Date: November 10, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
CONCRETE SIDEWALK(4" UNIFORM)	648.750	SY
CONCRETE SIDEWALK(6" UNIFORM)	107.860	SY
DETECTABLE WARNING MATERIAL	30.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	96.050	SY
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	13.944	ACRE
SILT FENCE	120.000	LF



Call No.: 230 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5657050 PCN: P039962 Project No.: P039962
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 39.0000 Description: 2020 PAVEMENT MARKINGS - DISTRICT 6
 CO(S): DISTRICT6
 Completion Date: 7/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	43,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	350,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	7,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	80.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	6,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	90.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	25.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	31,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	315,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	50.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,800.000	EA
REMOVAL OF PAVEMENT MARKINGS	6,900.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	350.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	3,700.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	350.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	2,500.000	LF



Call No.: 240 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5757060 PCN: P039963 Project No.: P039963
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 46.0000 Description: 2020 PAVEMENT MARKINGS - DISTRICT 7
 CO(S): DISTRICT7
 Completion Date: 7/31/2021 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	25,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	440,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,000.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	4,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	25.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	35,500.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	300,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	210.000	LF



Call No.: 250 Letting Date: November 10, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8855860	PCN: P039656	Project No.: P039656
DBE Goal Percent: 0.00%	PCN: P039657	Project No.: P039657
	PCN: P039658	Project No.: P039658
	PCN: P039659	Project No.: P039659

Approx. Length (miles):N/A
 CO(S): DISTRICT4 DISTRICT5
 DISTRICT6 DISTRICT7

Description: SAFETY IMPROVEMENTS - GUARDRAILS
 DISTRICTS 4, 5, 6 & 7

Completion Date: 11/30/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PREMASH W-BEAM STRONG POST SYSTEM WSP3	36,359.000	LF
MT3 LEADING END TREATMENT TL3	195.000	EA
MB TRAILING END TREATMENT	195.000	EA
MGS3 GR STANDARD SHOULDER	53,444.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	15.000	EA
PREMASH TYPE T TL3 LEADING 50'	154.000	EA

60 Day Ad in the December 8, 2020 Highway Letting



South Carolina Department of Transportation

10/5/2020

Call No.: 010 Letting Date: December 08, 2020 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2186060 PCN: 0042321RD01 Project No.: 0042321
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 8.7860 Description: WIDENING - S-107 ALLIGATOR ROADPHASE II - ALLIGATOR ROAD WIDENING PROJECT
 CO(S): Florence
 Completion Date: 8/31/2024 Funding: OTHR

MINIMUM REQUIRED QUARTERLY CPS: 69.0 (Period ending on June 30, 2020)

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	39.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	42.000	EA
REMOVAL & DISPOSAL OF EXISTING MANHOLE	10.000	EA
REMOVAL & DISPOSAL OF EXISTING JUNCTION BOX	6.000	EA
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 012	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 013	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 014	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 015	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 016	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 017	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 018	1.000	LS



Call No.: 010

Letting Date: December 08, 2020 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
REMOVAL & DISPOSAL ITEM NO. 019	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 020	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 021	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 022	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 023	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 024	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 025	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 026	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 027	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 028	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 029	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 030	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 031	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 032	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 033	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 034	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 035	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 036	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 037	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 038	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 039	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 040	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 041	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 042	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 043	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 044	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 045	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 046	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 047	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 048	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 049	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 050	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 051	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 052	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 053	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 054	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 055	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 056	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 057	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 058	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 059	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 060	1.000	LS



Call No.: 010

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
REMOVAL & DISPOSAL ITEM NO. 061	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 062	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	30.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	6,250.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	19,315.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
CULVERT EXTENSION PREPARATION	2.000	EA
UNCLASSIFIED EXCAVATION	148,601.000	CY
BORROW EXCAVATION	343,486.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	100,000.000	CY
15" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	16.000	LF
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	4,190.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	4,580.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	2,000.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	730.000	LF
42" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,150.000	LF
48" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	930.000	LF
GEOTEXTILE, SEPARATION	9,400.000	SY
GEOGRID STABILIZATION	31,000.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	760.000	CY
TEMPORARY SHORING WALL	2,885.000	LF
STONE BRIDGE LIFT MATERIAL	10,650.000	TON
GRANULAR BRIDGE LIFT MATERIAL	12,960.000	CY
FINE GRADING	206,513.000	SY
FLOWABLE FILL	4,675.000	CY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	5,999.000	SY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	14,014.000	SY
GRADED AGGREGATE BASE COURSE (10" UNIFORM)	138,479.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIFORM)	131,971.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,496.000	TON
MAINTENANCE STONE	8,500.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	20,373.000	TON
PRIME COAT	42,682.000	GAL
LIQUID ASPHALT BINDER PG64-22	4,573.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	37,220.000	SY
MILLED-IN RUMBLE STRIP	6.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	34,922.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	34,474.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	741.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	904.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	420.000	SF



Call No.: 010

Letting Date: December 08, 2020 Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
DETOUR SIGNS	79.000	SF
BARRICADE - TYPE 3	306.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	2.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	10.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH)	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	12.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 70MPH	2.000	EA
TEMPORARY CONCRETE BARRIER	6,930.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	460.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	3.000	EA
2.0" SCHEDULE 80 PVC CONDUIT	1,300.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	6.000	EA
TYPE B - FLASHING LIGHT	20.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	125,000.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	53,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	905,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	953,500.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	1,580.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	790.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	11,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	8,700.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 12"X18" WHITE TRIANGLE YIELD BAR	3.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	135.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE LANE DROP ARROWS	6.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	48.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	1,518.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	5,700.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	5,781.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,500.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	10,125.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	88,700.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,834.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	24.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,220.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	31.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	23.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	18,488.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	89,602.000	LF



Call No.: 010

Letting Date: December 08, 2020 Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
6"YELLOW SOLID LINES ON CURB/MED.-HIGH BUILD PAINT-25 MIL.	2,500.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	506.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,900.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,950.000	EA
REMOVAL OF PAVEMENT MARKINGS	12,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	840.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	840.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	839.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	54.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	22.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	7.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	1,286.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	305.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	2,309.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	85.000	LF
FURNISH & INSTALL 6.0" SCHEDULE 80 PVC CONDUIT	94.000	LF
6.0" SCHEDULE 80 PVC CONDUIT - 90 DEGREE BEND	7.000	EA
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	350.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	2,600.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	5,850.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	3,115.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,510.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,930.000	LF
SAWCUT FOR LOOP DETECTOR	1,740.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	18.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	8.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	980.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	8.000	EA
FURNISH & INSTALL ALUMINUM PEDESTAL POLE CONCRETE FOUNDATION	8.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	2.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	3.000	EA
F&I - 12" 1-WAY-4 SECTION(RA.YA.YAF.GA)VEH TRAFFIC SIGNAL	5.000	EA
F&I - 12" 1-WAY-3 SECTION(R.Y.G.)VEHICLE TRAFFIC SIGNAL	21.000	EA
F&I - 1-WAY-1SECT.HAND/MAN COUNTDOWN PEDESTRIAN SIGNAL HEAD	14.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X12")AND SIGN(R-10-3E or R10-4)	14.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	29.000	EA
F&I-PEDESTRIAN TRAF. SIGNAL HEAD MOUNTING ASSEM FOR POST TOP	4.000	EA
F&I - PED TRAF. SIGNAL HEAD MOUNTING ASSEMBLY FOR SIDE POLE	10.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS



Call No.: 010

Letting Date: December 08, 2020 Letting Time: 2:00 P.M.

Page: 6

Description	Quantity	Units
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	6.000	EA
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	4.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	10.000	EA
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	4.000	EA
CONC. FOR STRUCTURES - CLASS 4000	2,035.600	CY
STRAIGHT HEADWALL FOR 24" CIRCULAR PIPE-1 LINE	3.000	EA
STRAIGHT HEADWALL FOR 24" CIRCULAR PIPE-2 LINES	7.000	EA
STRAIGHT HEADWALL FOR 24" CIRCULAR PIPE-3 LINES	1.000	EA
STRAIGHT HEADWALL FOR 30" CIRCULAR PIPE-1 LINE	2.000	EA
STRAIGHT HEADWALL FOR 30" CIRCULAR PIPE-2 LINES	3.000	EA
STRAIGHT HEADWALL FOR 42" CIRCULAR PIPE-3 LINES	1.000	EA
STRAIGHT HEADWALL FOR 48" CIRCULAR PIPE-2 LINES	2.000	EA
GROOVED SURFACE FINISH	2,531.000	SY
GRINDING AND TEXTURING CONCRETE BRIDGE DECK	66.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	2,143.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	1,973,727.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	41,494.000	LB
PRESTRESSED CONCRETE BULB TEE BEAM(54")	1,958.300	LF
CONCRETE BRIDGE BARRIER PARAPET	584.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
CONCRETE BRIDGE RAILING WALL WITH PICTURE FRAME INDENTATIONS	280.000	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	12.000	EA
PILE DRIVING SET-UP	66.000	EA
PREST. CONC. PILING (20"SQ.)	957.000	LF
PILE BUILD-UP PREPARATION (20"SQ)	4.000	EA
PREDRILLING FOR PREST. CONC. PILING (20"SQ.)	252.000	LF
PRESTRESSED INDEX PILING (20" SQUARE)	87.000	LF
PRESTRESSED PILE POINT (HP10X57)	384.000	LF
STEEL H BEARING PILING (HP14 X 73)	2,358.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	277.000	LF
DRILLED SHAFT SET-UP	9.000	EA
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	678.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	468.000	LF
CONSTRUCTION CASING - 54" DIAMETER	468.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	84.000	LF
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	452.000	LF
30" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	344.000	LF
15" SMOOTH WALL PIPE	300.000	LF
18" SMOOTH WALL PIPE	30,884.000	LF
24" SMOOTH WALL PIPE	10,504.000	LF
30" SMOOTH WALL PIPE	5,112.000	LF
36" SMOOTH WALL PIPE	5,672.000	LF



Call No.: 010

Letting Date: December 08, 2020 Letting Time: 2:00 P.M.

Page: 7

Description	Quantity	Units
42" SMOOTH WALL PIPE	3,052.000	LF
48" SMOOTH WALL PIPE	2,480.000	LF
18"X15" SMOOTH WALL PIPE CUL.TEE	2.000	EA
18"X18" SMOOTH WALL PIPE CUL.TEE	5.000	EA
24"X18" SMOOTH WALL PIPE CUL.TEE	4.000	EA
30"X18" SMOOTH WALL PIPE CUL.TEE	3.000	EA
48"X18" SMOOTH WALL PIPE CUL.TEE	4.000	EA
CATCH BASIN -TYPE 1 CB - TYPE 1	42.000	EA
CATCH BASIN -TYPE 1 WITH STANDARD 5' X 5' BOX	2.000	EA
CATCH BASIN -TYPE 9	5.000	EA
CATCH BASIN -TYPE 16	242.000	EA
CATCH BASIN -TYPE 16B (6X6 BOX)	34.000	EA
CATCH BASIN -TYPE 17	2.000	EA
CATCH BASIN -TYPE 18	23.000	EA
DROP INLET (24" X 24")	57.000	EA
DROP INLET (24" X 36")	159.000	EA
DROP INLET (24" X 36") WITH STANDARD 5' X 5' BOX	1.000	EA
DROP INLET TYPE 112 WITH 4X4 BOX	0.000	EA
TRENCH DRAIN-4" INTERIOR DIMENSION	32.000	LF
MANHOLE	53.000	EA
MANHOLE WITH STANDARD 5' X 5' BOX	20.000	EA
MANHOLE WITH MODIFIED BOX NO.(____) 002	1.000	EA
PRECAST CONCRETE RISER - 48" DIAMETER	48.000	LF
PRECAST CONCRETE DRAINAGE BASE - 60" DIAMETER	9.000	EA
PRECAST CONCRETE DRAINAGE BASE - 72" DIAMETER	10.000	EA
PRECAST CONCRETE TRANSITION SECTION - FLAT SLAB (60" TO 48")	9.000	EA
PRECAST CONCRETE TRANSITION SECTION - FLAT SLAB (72" TO 48")	10.000	EA
EXTRA DEPTH OF BOX	360.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	2.000	EA
ADJUST CATCH BASIN	1.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
BEVELING OF PIPE END	119.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	38,998.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	16,500.000	SY
DETECTABLE WARNING MATERIAL	810.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	2,900.000	SY
CONCRETE MEDIAN	1,040.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,500.000	SY
SURFACE APPLIED DETECTABLE WARNING	232.000	SF
6'X 3' P.C. BOX CULVERT {AASHTO M-273} FH < 2 6' X 3'	172.000	LF
6'X 4' P.C. BOX CULVERT {AASHTO M-259} FH = 2	58.000	LF
ELASTOMERIC BEARING	56.000	EA



Call No.: 010

Letting Date: December 08, 2020 Letting Time: 2:00 P.M.

Page: 8

Description	Quantity	Units
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	8.000	EA
CROSSHOLE SONIC LOGGING SETUP	9.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	288.000	TON
12" PIPE SLOPE DRAIN	1,500.000	LF
RIP-RAP (CLASS B)	890.000	TON
RIP-RAP (CLASS C)	2,065.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	1,429.000	SY
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	1,550.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	4,723.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	100.000	LF
MT3 LEADING END TREATMENT TL3	14.000	EA
MB TRAILING END TREATMENT	12.000	EA
MGS3 GR STANDARD SHOULDER	3,700.000	LF
MGS2C GR BEHIND CURB	1,100.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	8.000	EA
NON-MOW STRIP UNDER GUARDRAIL	231.000	SY
PREMASH W-BEAM TIGHT CURVED SYSTEM	50.000	LF
WOVEN WIRE FENCE - TYPE 1 WITHOUT BARBED WIRE	600.000	LF
12' WIDE - CHAIN LINK FENCE GATE (48"HT)	1.000	EA
TEMPORARY BARRIER FENCE	2,500.000	LF
RESET FENCE	100.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS
MOVING ITEM NO. 017	1.000	LS
MOVING ITEM NO. 018	1.000	LS
MOVING ITEM NO. 019	1.000	LS
MOVING ITEM NO. 020	1.000	LS
MOVING ITEM NO. 021	1.000	LS



Call No.: 010

Letting Date: December 08, 2020 Letting Time: 2:00 P.M.

Page: 9

Description	Quantity	Units
MOVING ITEM NO. 022	1.000	LS
MOVING ITEM NO. 023	1.000	LS
MOVING ITEM NO. 024	1.000	LS
MOVING ITEM NO. 025	1.000	LS
MOVING ITEM NO. 026	1.000	LS
MOVING ITEM NO. 027	1.000	LS
MOVING ITEM NO. 028	1.000	LS
MOVING ITEM NO. 029	1.000	LS
MOVING ITEM NO. 030	1.000	LS
MOVING ITEM NO. 031	1.000	LS
MOVING ITEM NO. 032	1.000	LS
MOVING ITEM NO. 033	1.000	LS
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	4.000	EA
PROPERTY RIGHT OF WAY MARKER (REBAR & CAP)	231.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	64.000	ACRE
TEMPORARY COVER	128.000	ACRE
COMPOST	21,370.000	CY
FERTILIZER (NITROGEN)	6,400.000	LB
FERTILIZER (PHOSPHORIC ACID)	6,400.000	LB
FERTILIZER (POTASH)	6,400.000	LB
AGRICULTURAL GRANULAR LIME	128,000.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	384.000	ACRE
SODDING	10.000	MSY
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	38.500	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	1.913	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	228.784	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	180.980	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	128.000	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	4,408.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	2,551.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	3,422.000	LF
SILT FENCE	46,121.000	LF
REPLACE/REPAIR SILT FENCE	4,612.000	LF
FLOATING TURBIDITY BARRIER-LIGHT DUTY(8'DEPH)	300.000	LF
CLEANING SILT BASINS	4,232.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	11,530.000	LF
INLET FILTER CLEANING	525.000	EA
INLET STRUCTURE FILTER - TYPE D2	225.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	155.000	EA
SEDIMENT DAM RIPRAP	1,618.000	TON



Call No.: 010

Letting Date: December 08, 2020

Letting Time: 2:00 P.M.

Page: 10

Description	Quantity	Units
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	146.000	SY
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	155.000	TON
STABILIZED CONSTRUCTION ENTRANCE	6,600.000	SY

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

Jennifer Taylor
Interim Contract Administrator