

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For November 10, 2026

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet immediately after bids are opened.

The following items will be made available on October 10, 2026 unless otherwise noted:

- Proposal bid forms on the Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>) for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Contractors do not have to buy plans to be able to bid
- o The Voluntary Plan Holders List is available on BIDX.

Please contact the Contract Administration Office at (803)737-7469 with all Letting related questions.

Notice

Call Number: 010

SC File Number: 0452120

This proposal includes utility work under Section 105: Public Utility Relocation and requires the use of a contractor from the SCDOT prequalified utility contractor list (see the next page). This is a material requirement of the solicitation. Any bid that does not utilize a contractor included on this list at the time of bid submission will be considered nonresponsive and will not be considered for award.

Contractors seeking to be added to the prequalified utility contractor list for this proposal must submit a completed Utility Subcontractor Approval Form, signed by the utility owner, to SCDOT no later than seven (7) days prior to the letting. The Utility Subcontractor Approval Form is available on the SCDOT Construction Extranet and included within the proposal documents. Upon approval, the prequalified contractor list will be updated and issued by amendment to the proposal.

Requests received after this deadline will not be considered for that letting.

Utility worksheets are included within the proposal documents. For the apparent low bidder, utility worksheets and prequalified utility subcontractor names must be submitted to Contract Administration via email at ContractAdmin@scdot.gov within three (3) business days following the letting.



4315 Hwy 29 N
Belton, SC 29627
Phone: 847-4957 Fax: 847-4463

SCDOT PROJECT #P038292

PREFERRED CONTRACTORS LIST

1. J & M CONSTRUCTION, INC.
6930 Hwy. 76
PENDLETON, S.C.
864-646-9912
2. MOORHEAD CONSTRUCTION, INC.

BELTON, S.C.
864-338-0888
3. YOUNG PLUMBING COMPANY, INC.
126 Cox Lane
STARR, S.C. 29684
864-352-6741



Call No.: 010

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 1

SC File NO(S): 0452120

PCN: P038292

Project No.: P038292

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.0040

Description: MIDWAY RD (S-76)/HARRIETT CR/CRESTVIEW
RD INTERSECTION IMPR

CO(S): Anderson

Completion Date: 9/30/2028 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION 1031000	1.000	LS
BONDS AND INSURANCE 1032010	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES 1050800	1.000	EA
UTILITY STAKING 1052001	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ HAMMOND WATER	1.000	EA
CPM PROGRESS SCHEDULE 1080300	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY 2011000	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS 2021000	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT 2025000	3,043.000	SY
UNCLASSIFIED EXCAVATION 2031000	5,611.000	CY
BORROW EXCAVATION 2033000	31,669.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION 2034000	590.000	CY
GEOTEXTILE, SEPARATION 2036020	1,580.000	SY
STRUCTURE EXCAVATION FOR CULVERTS 2041000	2,900.000	CY
NO. 57 STONE FOR BACKFILL 2052000	750.000	TON
FINE GRADING 2081001	12,595.000	SY
FLOWABLE FILL 2103000	100.000	CY
MAINTENANCE STONE 3059900	300.000	TON
LIQUID ASPHALT BINDER PG64-22 4011004	314.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF 4012100	150.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE) 4013990	966.000	SY
ASPHALT BASE COURSE - TYPE A 4020310	3,971.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B 4030320	1,087.000	TON
ASPHALT SURFACE COURSE TYPE B 4040320	1,387.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM) 5019010	1,158.000	SY
TRAFFIC CONTROL 6011000	1.000	LS
BARRICADE - TYPE III 6041200	204.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED) 6051120	716.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED) 6051125	200.000	SF
TEMPORARY POLYETHYLENE WATER-FILLED BARRIER	60.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER 6062000	5.000	EA
TYPE B - FLASHING LIGHT	32.000	EA



Call No.: 010

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4" 6092100	20.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4" 6092150	220.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT 6240005	420.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT 6240010	26,270.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT 6240015	120.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT 6240025	180.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT 6240030	15.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT 6240110	33,900.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT 6240112	969.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL. 6271005	400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL. 6271010	4,600.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL. 6271015	450.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL 6271024	125.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL. 6271030	5.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL. 6271035	5.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL. 6271074	10,600.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4" 6300005	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL. 6301005	220.000	EA
REMOVAL OF PAVEMENT MARKINGS 6319505	1,160.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN 6510105	111.000	SF
FLAT SHEET,TYPE-XI, FLUORESCENT, FIXED SIZE & MSG SIGN 6510109	250.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P 6531210	645.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 6581000	1.000	EACH
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT. 6581145	18.000	EA
CONC. FOR STRUCTURES - CLASS 4000(CULVERT) 7011402	546.100	CY
REINF. STEEL FOR STRUCTURES (ROADWAY) 7031100	105,644.000	LB
12" SMOOTH WALL PIPE 7143612	84.000	LF
18" SMOOTH WALL PIPE 7143618	1,524.000	LF
24" SMOOTH WALL PIPE 7143624	212.000	LF
30" SMOOTH WALL PIPE 7143630	312.000	LF
36" SMOOTH WALL PIPE 7143636	52.000	LF
CATCH BASIN -TYPE 1 WITH STANDARD 6' X 6' BOX 7191008	1.000	EA
CATCH BASIN -TYPE 9 7191205	2.000	EA
CATCH BASIN -TYPE 16 7191605	19.000	EA
CATCH BASIN -TYPE 17 7191625	3.000	EA
CATCH BASIN -TYPE 18 7191650	2.000	EA
DROP INLET (24" X 36") 7192020	2.000	EA
MANHOLE 7192105	7.000	EA
60" X 72" JUNCTION BOX 7192280	1.000	EA
EXTRA DEPTH OF BOX 7196000	25.000	LF
BEVELING OF PIPE END 7199100	11.000	EA



Call No.: 010

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE 7203210	4,116.000	LF
CONCRETE SIDEWALK(4" UNIFORM) 7204100	2,311.000	SY
DETECTABLE WARNING MATERIAL 7204900	168.000	SF
CONCRETE DRIVEWAY(6" UNIFORM) 7205000	178.000	SY
CONCRETE MEDIAN 7206000	236.000	SY
PEDESTRIAN RAMP CONSTRUCTION 7209000	255.000	SY
6" PERFORATED PIPE UNDERDRAIN W/ GEOTEXTILE 8021206	330.000	LF
12" TEMPORARY PIPE SLOPE DRAIN 8034120	160.000	LF
RIP-RAP (CLASS A) 8041010	274.000	TON
RIP-RAP (CLASS B) 8041020	188.000	TON
RIP-RAP (CLASS C) 8041030	1,320.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C 8048210	1,344.000	SY
MT3 LEADING END TREATMENT TL3 8051151	1.000	EA
MB TRAILING END TREATMENT 8051710	1.000	EA
MGS3CS GR COMPRESSED SHOULDER 8052150	175.000	LF
TEMPORARY BARRIER FENCE (ORANGE) 8068301	1,672.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP) 8091010	166.000	EA
RIGHT OF WAY PLAT 8091050	1.000	LS
PERMANENT COVER 8100100	4.733	ACRE
TEMPORARY COVER 8100200	2.367	ACRE
FERTILIZER (NITROGEN) 8104005	473.000	LB
FERTILIZER (PHOSPHORIC ACID) 8104010	473.000	LB
FERTILIZER (POTASH) 8104015	473.000	LB
AGRICULTURAL GRANULAR LIME 8105005	9,465.000	LB
SELECTIVE WATERING 8109050	135,750.000	GAL
MOWING 8109901	14.200	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB) 8151150	6,131.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1 8151151	814.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 2 8151152	266.000	SY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3 8151203	14.198	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED) 8152004	730.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED) 8152006	775.000	LF
SILT FENCE 8153000	5,268.000	LF
REPLACE/REPAIR SILT FENCE 8153090	527.000	LF
SILT BASINS 8154000	157.000	CY
CLEANING SILT BASINS 8154010	202.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE 8154050	1,422.000	LF
CLEANING INLET STRUCTURE FILTERS 8156200	395.000	EA
INLET STRUCTURE FILTER - TYPE D1 8156205	2.000	EA
INLET STRUCTURE FILTER - TYPE B 8156210	14.000	EA
INLET STRUCTURE FILTER - TYPE A 8156219	642.000	LF



Call No.: 010

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 4

Description	Quantity	Units
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL 8156410	94.000	TON
STABILIZED CONSTRUCTION ENTRANCE 8156490	1,100.000	SY



Call No.: 020

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 1

SC File NO(S): 0776090

PCN: P045209

Project No.: P045209

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.4330

Description: LADYS ISLAND BRIDGE FENDER SYSTEM
REPLACEMENT

CO(S): Beaufort

Completion Date: 12/31/2027 Days

Funding: OTHR

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
TRAFFIC CONTROL	1.000	LS
CONC. FOR STRUCTURES - CLASS 4000	50.400	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	6,944.000	LB
STRUCTURAL STEEL	1,722.000	LB
STEEL H-BEARING PILING (HP18 X 135)	13,730.000	LF
TREATED TIMBER FOR FENDER SYSTEM	103.200	MFBM
BRIDGE NAVIGATION LIGHTING AND SIGNING	1.000	LS



Call No.: 030

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 1

SC File NO(S): 1375400

PCN: P043706

Project No.: P043706

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.0750

Description: BRIDGE REPAIR US 1 OVER SCL RR IN
CHESTERFIELD COUNTY

CO(S): Chesterfield

Completion Date: 7/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE 01	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
LIQUID ASPHALT BINDER PG64-22	4.800	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	712.000	SY
ASPHALT SURFACE COURSE TYPE B	78.400	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	84.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	861.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	94.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	3.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT FAST CURE	394.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT FAST CURE	394.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	400.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	400.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	11.000	EA
MILLED-IN RUMBLE STRIP	0.120	MI
SPALL REPAIR	26.400	SF
EPOXY CRACK INJECTION	61.000	LF
STRUCTURAL STEEL	17,177.000	LB
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
MACHINE PREPARATION OF EXISTING SURFACE	657.000	SY
BLAST CLEANING	657.000	SY
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	1.500	CY
CONCRETE CLASS 4000 FOR PARTIAL DEPTH DECK PATCHING	44.000	SY
RESEAL DECK EXPANSION JOINT	140.000	LF
JACKING BRIDGE	1.000	LS



Call No.: 030

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
BR040 – CORROSION INHIBITING BONDING AGENT	10.000	SF
POLYESTER POLYMER CONCRETE (PCC) OVERLAY	27.400	CY
PLACE & FINISH POLYESTER POLYMER CONCRETE (PCC) MATERIAL	657.000	SY
ANCHOR BOLT REPLACEMENT (ADHESIVE BONDED ANCHOR)	120.000	EA
PREP FOR PARTIAL DEPTH DECK PATCHING	44.000	SY
PREP FOR FULL DEPTH DECK PATCHING	2.700	SY
STEEL BEAM END CUT AND SPLICE	231.000	LF



Call No.: 040 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1478230	PCN: P045465	Project No.: P045465
DBE Goal Percent: 0.00%	PCN: P045466	Project No.: P045466
	PCN: P045467	Project No.: P045467
	PCN: P045759	Project No.: P045759
	PCN: P045761	Project No.: P045761

Approx. Length (miles): 13.2100

Description: 2027 CLARENDON PAVEMENT IMPROVEMENT

CO(S): Clarendon

Completion Date: 10/31/2027 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	235.000	SY
REMOVAL OF EXIST. GUARDRAIL	840.000	LF
UNCLASSIFIED EXCAVATION	720.000	CY
BORROW EXCAVATION	2,018.000	CY
EXCAVATION FOR SHOULDER PAVING	287.232	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	287.232	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	5,005.000	TON
MAINTENANCE STONE	32.100	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	117,550.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	4,115.000	TON
HMA SHOULDER WIDENING COURSE	1,436.160	TON
LIQUID ASPHALT BINDER PG64-22	1,342.020	TON
ARAMID FIBER	1,550.000	LB
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,810.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	1,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	2,170.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	7,450.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	48,660.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,800.000	SY
ASPHALT SURFACE COURSE TYPE B	4,905.247	TON
ASPHALT SURFACE COURSE TYPE C	14,134.870	TON
ASPHALT SURFACE COURSE TYPE D	726.160	TON
DRIVEWAY PAVING-SURFACE TYPE D	965.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,300.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,610.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	341,480.000	LF



Call No.: 040

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,440.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,620.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	24,240.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	212,410.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	135.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	480.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	460.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	111,860.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	21,020.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	1,220.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	810.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	3.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	9,120.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	86,030.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	11.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	17.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	13.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	930.000	EA
MILLED-IN RUMBLE STRIP	33.220	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,200.000	LF
SAWCUT FOR LOOP DETECTOR	400.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	60.000	SY
DETECTABLE WARNING MATERIAL	120.000	SF
CONCRETE MEDIAN	75.000	SY
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
SURFACE APPLIED DETECTABLE WARNING	30.000	SF
RESEAL DECK EXPANSION JOINT	420.000	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
MGS3 GR STANDARD SHOULDER	400.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	240.000	LF
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.600	ACRE
SILT FENCE	4,100.000	LF



Call No.: 050 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1578380	PCN: P045469	Project No.: P045469
DBE Goal Percent: 0.00%	PCN: P045470	Project No.: P045470
	PCN: P045472	Project No.: P045472
	PCN: P045474	Project No.: P045474
	PCN: P045508	Project No.: P045508

Approx. Length (miles): 16.6500

Description: 2027 COLLETON PAVEMENT IMPROVEMENT

CO(S): Colleton

Completion Date: 11/30/2028 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	10.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	453.334	SY
REMOVAL & DISPOSAL OF EXISTING CURB	550.000	LF
UNCLASSIFIED EXCAVATION	930.000	CY
BORROW EXCAVATION	6,143.600	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	2,325.000	TON
MAINTENANCE STONE	87.164	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	59,558.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	80,983.460	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,183.330	TON
LIQUID ASPHALT BINDER PG64-22	2,229.050	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	235.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	8,481.400	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	4,461.980	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	238,216.137	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,075.000	SY
ASPHALT SURFACE COURSE TYPE B	37,813.805	TON
ASPHALT SURFACE COURSE TYPE C	1,042.668	TON
ASPHALT SURFACE COURSE TYPE E	8.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,333.750	TON
ASPHALT SURFACE TREAT (SINGLE TREATMENT)	132,914.800	SY
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,099.437	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	41,124.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	393,288.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	67,482.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,185.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,038.000	LF



Call No.: 050

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	24.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	9,852.000	LF
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,970.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	348,048.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	31,683.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	128.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	13,958.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	131,948.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	22,494.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	395.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	375.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	8.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	8.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,296.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	1,990.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	117,118.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	10,561.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	129.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,409.000	EA
MILLED-IN RUMBLE STRIP	36.420	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,000.000	LF
SAWCUT FOR LOOP DETECTOR	1,500.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	550.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	294.444	SY
CONCRETE SIDEWALK(4" UNIFORM) WITH INTEGRAL CURB	25.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	10.000	SY
DETECTABLE WARNING MATERIAL	50.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	63.890	SY
PEDESTRIAN RAMP CONSTRUCTION	60.000	SY
SURFACE APPLIED DETECTABLE WARNING	80.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	18.514	ACRE
SILT FENCE	4,752.000	LF



Call No.: 060 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 1677700	PCN: P045599	Project No.: P045599
DBE Goal Percent: 0.00%	PCN: P045600	Project No.: P045600
	PCN: P045601	Project No.: P045601
	PCN: P045640	Project No.: P045640

Approx. Length (miles): 23.7200 **Description:** 2027 DARLINGTON PAVEMENT IMPROVEMENT
CO(S): Darlington
Completion Date: 5/31/2028 Days **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
BORROW EXCAVATION	4,744.600	CY
EXCAVATION FOR SHOULDER PAVING	2,139.351	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	2,139.351	STA
MAINTENANCE STONE	111.500	TON
HMA SHOULDER WIDENING COURSE	10,326.976	TON
LIQUID ASPHALT BINDER PG64-22	2,796.518	TON
ARAMID FIBER	4,602.821	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	6,650.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	4,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	186,049.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	375.000	SY
ASPHALT SURFACE COURSE TYPE B	18,604.817	TON
ASPHALT SURFACE COURSE TYPE C	17,793.584	TON
ASPHALT SURFACE COURSE TYPE D	704.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,386.875	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,312.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	19,215.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	715,236.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION)-FAST DRY PAINT	495.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,551.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.)-FAST DRY PAINT	6.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	55,980.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	336,906.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	635.000	LF
4" WHITE BROKEN LINES (GAPS EXCL.) THERMOPLASTIC- 90 MIL.	6,405.000	LF



Call No.: 060

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	248,412.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	165.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	517.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	18,660.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	112,302.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	256.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	38.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,653.000	EA
MILLED-IN RUMBLE STRIP	47.238	MI
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.390	ACRE



Call No.: 070

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 1

SC File NO(S): 2175250

PCN: P041417

Project No.: P041417

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.3690

Description: S-29 @ S-167 INT. IMPROVEMENT

CO(S): Florence

Completion Date: 10/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	245.000	SY
LIQUID ASPHALT BINDER PG64-22	128.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	12,100.000	SY
ASPHALT SURFACE COURSE TYPE B	1,210.000	TON
HIGH FRICTION SURFACE TREATMENT	11,668.000	SY
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	532.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	1,620.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	3,471.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	3,060.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	2,040.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,376.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	24.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	8.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	22.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,605.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	810.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,157.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	680.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	35.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	688.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	11.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,020.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	90.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	64.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	28.750	SF



Call No.: 070

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	4.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	1.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	15.000	LF
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	7.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	235.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	60.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	60.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,855.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,825.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	625.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
FURNISH & INSTALL 13" X 28" STEEL STRAIN POLE AND FOUNDATION	2.000	EA
1/2" GALVANIZED STEEL CABLE	80.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	5.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 01	2.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	6.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	6.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	3.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	4.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR RADAR DETECTION	1.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	2.000	EA
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	515.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	269.000	LF
DETECTABLE WARNING MATERIAL	60.000	SF
CONCRETE MEDIAN	425.000	SY
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	72.000	LF
SILT FENCE	250.000	LF
INLET FILTER CLEANING	3.000	EA
INLET STRUCTURE FILTER - TYPE A	12.000	LF



Call No.: 080 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2177730

PCN: P045479

Project No.: P045479

DBE Goal Percent: 0.00%

PCN: P045481

Project No.: P045481

Approx. Length (miles): 11.8900

Description: 2027 FLORENCE PAVEMENT IMPROVEMENT

CO(S): Florence

Completion Date: 9/30/2027 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	5,370.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	2,400.000	LF
BORROW EXCAVATION	2,258.800	CY
EXCAVATION FOR SHOULDER PAVING	392.830	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	392.830	STA
MAINTENANCE STONE	64.000	TON
CEMENT MODIFIED RECYCLED BASE (14" UNIF)-CURING METHOD B	20,298.670	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	698.610	TON
HMA SHOULDER WIDENING COURSE	2,386.540	TON
LIQUID ASPHALT BINDER PG64-22	1,968.896	TON
ARAMID FIBER	838.273	LB
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	9,396.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	256,532.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	780.000	SY
ASPHALT SURFACE COURSE TYPE B	27,917.446	TON
ASPHALT SURFACE COURSE TYPE C	3,955.980	TON
ASPHALT SURFACE COURSE TYPE D	190.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	808.125	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,939.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	73,320.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	207,876.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	6,150.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,465.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	141.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	72.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	26,880.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	254,550.000	LF



Call No.: 080

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,345.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT SLOW CURE	2,620.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT SLOW CURE	10,470.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT SLOW CURE	10,470.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	24,440.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	69,292.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,050.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	36.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,155.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	47.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	24.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	8,960.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	84,850.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	2,476.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	350.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,901.000	EA
MILLED-IN RUMBLE STRIP	17.928	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	500.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	800.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	2,200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	19,360.000	LF
SAWCUT FOR LOOP DETECTOR	7,046.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	44.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	9.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	5.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR RADAR DETECTION	1.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	2.000	EA
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	1,500.000	LF
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	13.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,050.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	1,350.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,425.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	1,520.000	SY
DETECTABLE WARNING MATERIAL	587.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,250.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,175.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.520	ACRE



Call No.: 090 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2375450

PCN: P041909

Project No.: P041909

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.8910

Description: US 29 MP 11.3 - 12.1 RSA

CO(S): Greenville

Completion Date: 7/31/2028 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	300.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	355.000	SY
SITE EXCAVATION	1.000	LS
MAINTENANCE STONE	100.000	TON
LIQUID ASPHALT BINDER PG64-22	53.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	7,850.000	SY
ASPHALT BASE COURSE - TYPE B	50.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	25.000	TON
ASPHALT SURFACE COURSE TYPE B	900.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	380.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,300.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	7,400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,800.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	2.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	38.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	40.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,320.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	38,500.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	300.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	650.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,700.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,400.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	19.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	20.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,360.000	LF

Call No.: 090

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	480.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	55.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	280.000	EA
REMOVAL OF PAVEMENT MARKINGS	2,800.000	LF
REMOVAL OF EXISTING ARROW, WORD MESSAGE & SYMBOL MARKINGS	8.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	36.500	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	165.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	22.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	94.000	LF
FURNISH & INSTALL 3.0" GALVANIZED RIGID CONDUIT	160.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	375.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	440.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	70.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,710.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,710.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	5,880.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	2,410.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	3.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	8.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	1,845.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	13.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 01	3.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 01	37.000	EA
F&I - 1-WAY-1SECT.HAND/MAN COUNTDOWN PEDESTRIAN SIGNAL HEAD	24.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	24.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	38.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	3.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	6.000	EA
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	8.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	3.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	3.000	EA
12" SMOOTH WALL PIPE	16.000	LF
15" SMOOTH WALL PIPE	272.000	LF
18" SMOOTH WALL PIPE	32.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 9 MH	2.000	EA
CATCH BASIN -TYPE 16	1.000	EA



Call No.: 090

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
24" X 24" JUNCTION BOX	1.000	EA
CATCH BASIN - TYPE 17 (TOP ONLY)	5.000	EA
JUNCTION BOX - CONVERT CB T-16	2.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	10.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,100.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	3,220.000	SY
CONCRETE SIDEWALK(6" UNIFORM)	325.000	SY
DETECTABLE WARNING MATERIAL	480.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	180.000	SY
CONCRETE MEDIAN	3,000.000	SY
PEDESTRIAN RAMP CONSTRUCTION	700.000	SY
RIP-RAP (CLASS B)	10.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	12.000	SY
PERMANENT GRASSING FOR SMALL PROJECTS	1.700	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 2	1.030	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	9.810	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	32.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	33.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	20.000	LF
SILT FENCE	2,850.000	LF
REPLACE/REPAIR SILT FENCE	285.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	712.500	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 100 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2376940 PCN: P045412 Project No.: P045412

DBE Goal Percent: 0.00% PCN: P045414 Project No.: P045414

PCN: P045562 Project No.: P045562

Approx. Length (miles): 10.2600

Description: 2027 GREENVILLE PAVEMENT IMPROVEMENT

CO(S): Greenville

Completion Date: 11/30/2027 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	6.000	EA
RAILROAD INSURANCE AND FLAGGING Carolina Piedmont	1.000	LS
RAILROAD INSURANCE AND FLAGGING NS & CSX	1.000	LS
LAW ENFORCEMENT OFFICER (NON-DPS)	2,400.000	HR
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	433.000	SY
REMOVAL OF EXIST. GUARDRAIL	300.000	LF
BORROW EXCAVATION	1,004.000	CY
EXCAVATION FOR SHOULDER PAVING	83.424	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	83.424	STA
MAINTENANCE STONE	375.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	26,855.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,047.000	TON
HMA SHOULDER WIDENING COURSE	556.160	TON
LIQUID ASPHALT BINDER PG64-22	2,182.514	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	17,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	4,623.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	287,516.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	19,965.000	SY
ASPHALT SURFACE COURSE TYPE B	29,527.042	TON
ASPHALT SURFACE COURSE TYPE C	7,773.318	TON
DRIVEWAY PAVING-SURFACE TYPE C	650.800	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,000.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	112,180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	106,134.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	24,800.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	7,590.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	204.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	92.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	28.000	EA



Call No.: 100

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	14.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	20,080.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	482,588.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	11,120.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT SLOW CURE	240.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT SLOW CURE	1,020.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	28,100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	53,067.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	12,400.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,795.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	102.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	46.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	14.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,020.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	120,647.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,543.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	502.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,936.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	4,200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	75,400.000	LF
SAWCUT FOR LOOP DETECTOR	27,400.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	60.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	20.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	300.000	SY
DETECTABLE WARNING MATERIAL	62.500	SF
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	200.000	SF
PREMASH RESET W-BEAM STRONG POST SYSTEM	500.000	LF
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.548	ACRE



Call No.: 110 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2455360

PCN: P038596

Project No.: P038596

DBE Goal Percent: 0.00%

PCN: P039200

Project No.: P039200

Approx. Length (miles): 1.1950

Description: JOHNSTON RD CAMBRIDGE ST SIDEWALKS -
GREENWOOD CO

CO(S): Greenwood

Completion Date: 7/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	450.000	SY
UNCLASSIFIED EXCAVATION	461.000	CY
STATION GRADING	63.100	STA
MAINTENANCE STONE	95.000	TON
LIQUID ASPHALT BINDER PG64-22	3.000	TON
ASPHALT SURFACE COURSE TYPE D	44.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	524.000	SF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	712.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	680.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	12.000	EA
REMOVAL OF PAVEMENT MARKINGS	170.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	185.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	176.000	LF
FLEXIBLE DELINEATOR POST, 4"X12", TYPE 4 SHEETING REFLECTOR	2.000	EA
FURNISH & INSTALL SOLAR POWERED FLASHER ASSEM - DUAL BEACON	2.000	EA
15" SMOOTH WALL PIPE	104.000	LF
18" SMOOTH WALL PIPE	100.000	LF
CLEANING EXISTING PIPE	24.000	LF
CATCH BASIN -TYPE 16	1.000	EA
CATCH BASIN - TYPE 9(TOP ONLY)	1.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	2.000	LF
CONCRETE CURB (TRANSITION)	40.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	894.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	3,200.000	SY
DETECTABLE WARNING MATERIAL	214.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	160.000	SY
CONCRETE MEDIAN	46.000	SY
PEDESTRIAN RAMP CONSTRUCTION	350.000	SY



Call No.: 110

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
RIP-RAP (CLASS A)	80.000	TON
RIP-RAP (CLASS B)	122.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	168.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	11.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.830	ACRE
TEMPORARY COVER	0.415	ACRE
FERTILIZER (NITROGEN)	830.000	LB
FERTILIZER (PHOSPHORIC ACID)	830.000	LB
FERTILIZER (POTASH)	830.000	LB
AGRICULTURAL GRANULAR LIME	1,660.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.000	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	3.100	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	2.500	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	24.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	510.000	LF
SILT FENCE	3,940.000	LF
REPLACE/REPAIR SILT FENCE	394.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	985.000	LF
CLEANING INLET STRUCTURE FILTERS	2.400	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	20.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY



Call No.: 120 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2677640

PCN: P045488

Project No.: P045488

DBE Goal Percent: 0.00%

Approx. Length (miles): 20.6100

Description: 2027 HORRY PAVEMENT IMPROVEMENT

CO(S): Horry

Completion Date: 5/31/2028 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	100.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	50.000	LF
BORROW EXCAVATION	4,122.200	CY
EXCAVATION FOR SHOULDER PAVING	1,483.786	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,483.786	STA
MAINTENANCE STONE	101.000	TON
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	48,693.328	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,533.840	TON
HMA SHOULDER WIDENING COURSE	7,418.928	TON
LIQUID ASPHALT BINDER PG64-22	2,218.894	TON
ARAMID FIBER	6,710.074	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	10,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	197,870.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	590.000	SY
ASPHALT SURFACE COURSE TYPE B	24,511.530	TON
ASPHALT SURFACE COURSE TYPE C	5,775.233	TON
ASPHALT SURFACE COURSE TYPE D	615.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,476.875	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,799.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,164.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	674,547.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION)-FAST DRY PAINT	3,030.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,965.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	51.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	45.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.)-FAST DRY PAINT	21.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	36,195.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	428,295.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	940.000	LF



Call No.: 120

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,388.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	224,850.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	900.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	93.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	655.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	17.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	15.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	7.000	EA
WHITE COMBINATION FISH HOOK ARROW THERMO-125MIL	6.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	12,065.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	142,765.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	88.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,753.000	EA
MILLED-IN RUMBLE STRIP	36.542	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	180.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	430.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	450.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	960.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,480.000	LF
SAWCUT FOR LOOP DETECTOR	2,224.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	12.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	50.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	50.000	SY
CONCRETE DRIVEWAY(6" UNIFORM)	50.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	13.410	ACRE

Notice

Call Number: 130

SC File Number: 2974700

This proposal includes utility work under Section 105: Public Utility Relocation and requires the use of a contractor from the SCDOT prequalified utility contractor list (see the next page). This is a material requirement of the solicitation. Any bid that does not utilize a contractor included on this list at the time of bid submission will be considered nonresponsive and will not be considered for award.

Contractors seeking to be added to the prequalified utility contractor list for this proposal must submit a completed Utility Subcontractor Approval Form, signed by the utility owner, to SCDOT no later than seven (7) days prior to the letting. The Utility Subcontractor Approval Form is available on the SCDOT Construction Extranet and included within the proposal documents. Upon approval, the prequalified contractor list will be updated and issued by amendment to the proposal.

Requests received after this deadline will not be considered for that letting.

Utility worksheets are included within the proposal documents. For the apparent low bidder, utility worksheets and prequalified utility subcontractor names must be submitted to Contract Administration via email at ContractAdmin@scdot.gov within three (3) business days following the letting.

CITY OF LANCASTER PUBLIC WORKS
LIST OF PREFERRED CONTRACTORS
S-57 OVER BEAR CREEK BRIDGE REPLACEMENT

<u>COMPANY</u>	<u>ADDRESS</u>	<u>TELEPHONE</u>	<u>CONTACT PERSON</u>
North American Pipeline Management	1612 Marion Street, Suite 218D Columbia, SC 29201	(864) 641-0567 ext. 140	Joe Barbour
Neal's Grading and Land Clearing	1555 Milling Road Rock Hill, SC 29730	(803) 517-1294	Walter Neal
Basinger Contracting Company	4808 Waxhaw Farm Road, Waxhaw, NC 28173	(704) 737-2072	Jake Basinger



Call No.: 130

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 1

SC File NO(S): 2974700

PCN: P041176

Project No.: P041176

DBE Goal Percent: 0.00%

PCN: P041177

Project No.: P041177

Approx. Length (miles): 0.5800

Description: S-12 (SPRINGDALE RD) BRIDGE
REPLACEMENT OVER L AND C RR

CO(S): Lancaster

Completion Date: 11/30/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE 01	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
UTILITY RELOCATION NO. ____ 01	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 01	1.000	EA
SMALL PUBLIC SEWER RELOCATION NO. ____ 01	1.000	EA
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,777.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	155.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	3,104.000	CY
BORROW EXCAVATION	22,193.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	1,995.000	SY
WET & DRY EXCAVATION FOR BRIDGES	485.000	CY
TEMPORARY SHORING SYSTEM	290.000	LF
FINE GRADING	3,962.000	SY
FLOWABLE FILL	1.600	CY
MAINTENANCE STONE	462.000	TON
LIQUID ASPHALT BINDER PG64-22	305.832	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	369.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	543.000	SY
ASPHALT BASE COURSE - TYPE A	1,605.000	TON
ASPHALT BASE COURSE - TYPE B	540.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	2,148.184	TON
ASPHALT INTERMEDIATE COURSE TYPE C	317.730	TON
ASPHALT SURFACE COURSE TYPE B	926.000	TON
ASPHALT SURFACE COURSE TYPE C	302.685	TON
ASPHALT SURFACE COURSE TYPE E	60.900	TON



Call No.: 130

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
DRIVEWAY PAVING-SURFACE TYPE C	292.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	168.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	256.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	140.000	SF
TYPE B - FLASHING LIGHT	32.000	EA
PAVEMENT MARKING(TEMPORARY-EPOXY)-4"WHITE SOLID LINE	380.000	LF
PAVEMENT MARKING(TEMP.-EPOXY)4" YELLOW SOLID LINES	380.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT SLOW CURE	776.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT SLOW CURE	776.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	130.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,140.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	108.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	129.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	156.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	108.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,634.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	32.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	158.410	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	114.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	195.000	LF
REMOVAL OF WOOD POST	1.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,560.000	LF
INSTALL FLAT SHEET SIZE DETERMINED BY MESSAGE-GROUND MOUNT	9.000	SF
CONC. FOR STRUCTURES - CLASS 4000	1,030.100	CY
CONC. FOR STRUCTURES - CLASS 4000DS	3.000	CY
GROOVED SURFACE FINISH	1,368.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	253,502.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	6,006.000	LB
PRESTRESSED CONCRETE FLORIDA I-BEAM(36")	774.000	LF
PRESTRESSED CONCRETE FLORIDA I-BEAM(45")	739.200	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL HAND FORMED 01	396.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	380.000	LF
PILE DRIVING SET-UP	15.000	EA
REINF. PILE TIPS (HP14 X 73)	10.000	EA
REINF. PILE TIPS (HP14 X 89)	5.000	EA
STEEL H BEARING PILING (HP14 X 73)	545.000	LF
STEEL H BEARING PILING (HP14 X 89)	215.000	LF
MICROPILE SET-UP	58.000	EA
MICROPILES INSTALLED IN SOIL	1,909.000	LF
MICROPILES INSTALLED IN ROCK	1,508.000	LF

Call No.: 130

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
VERIFICATION LOAD TEST	4.000	EA
PROOF LOAD TEST	6.000	EA
DRILLED SHAFT SET-UP	3.000	EA
CROSSHOLE SONIC LOGGING SETUP	3.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 42" DIAMETER	30.500	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	42.400	LF
CONSTRUCTION CASING - 48" DIAMETER	48.400	LF
18" RC PIPE CUL.-CLASS III	176.000	LF
18" RC PIPE CUL.-CLASS V	350.000	LF
18" SMOOTH WALL PIPE	449.000	LF
CLEANING EXISTING PIPE	128.000	LF
DRILLED PILE SET-UP	5.000	EA
SOIL EXCAVATION FOR DRILLED PILE FOUNDATIONS - 30" DIAMETER	85.000	LF
ROCK EXCAVATION FOR DRILLED PILE FOUNDATIONS - 30" DIAMETER	15.000	LF
CATCH BASIN -TYPE 16	4.000	EA
DROP INLET (24" X 36")	3.000	EA
DROP INLET (24" X 36") WITH STANDARD 4' X 4' BOX	1.000	EA
MANHOLE	1.000	EA
PRECAST CONCRETE RISER - 48" DIAMETER	5.000	LF
PRECAST CONCRETE DRAINAGE BASE - 48"	1.000	EA
EXTRA DEPTH OF BOX	4.500	LF
MANHOLE-CONVERT D.I. 24"X 36"	1.000	EA
ACCESSIBLE DRAINAGE GRATE FOR ADA	1.000	EA
BEVELING OF PIPE END	3.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	34.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	201.340	LF
CONCRETE SIDEWALK(4" UNIFORM)	38.000	SY
ELASTOMERIC BEARING	50.000	EA
WATERPROOFING	60.800	SY
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	330.000	TON
RIP-RAP (CLASS A)	176.000	TON
RIP-RAP (CLASS B)	808.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	940.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,422.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MT2 LEADING END TREATMENT TL2	4.000	EA
MGS3 GR STANDARD SHOULDER	250.000	LF
MGS3CS GR COMPRESSED SHOULDER	325.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA



Call No.: 130

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 4

Description	Quantity	Units
NON-MOW STRIP UNDER GUARDRAIL	370.000	SY
BRIDGE FENCE	1.000	LS
TEMPORARY BARRIER FENCE (ORANGE)	650.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	38.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.548	ACRE
TEMPORARY COVER	1.687	ACRE
COMPOST	221.833	CY
STRAW OR HAY MULCH WITH TACKIFIER	4.282	ACRE
FERTILIZER (NITROGEN)	254.800	LB
FERTILIZER (PHOSPHORIC ACID)	254.800	LB
FERTILIZER (POTASH)	254.800	LB
AGRICULTURAL GRANULAR LIME	5,096.000	LB
SELECTIVE WATERING	108,600.000	GAL
MOWING	8.469	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.050	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.495	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.857	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	4.257	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	85.000	LF
SILT FENCE	5,600.000	LF
REPLACE/REPAIR SILT FENCE	560.000	LF
FLOATING TURBIDITY BARRIER-MEDIUM DUTY(5'DEPTH)	55.000	LF
CLEANING SILT BASINS	42.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,400.000	LF
INLET FILTER CLEANING	3.000	EA
CLEANING INLET STRUCTURE FILTERS	7.000	EA
INLET STRUCTURE FILTER - TYPE B	7.000	EA
INLET STRUCTURE FILTER - TYPE A	48.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	17.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY



Call No.: 140 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 2975330

PCN: P044177

Project No.: P044177

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.0480

Description: BRIDGE REPAIR SC 200 OVER CAMP CREEK
IN LANCASTER COUNTY

CO(S): Lancaster

Completion Date: 9/30/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	150.000	CY
FLOWABLE FILL	20.000	CY
LIQUID ASPHALT BINDER PG64-22	4.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	312.000	SY
ASPHALT SURFACE COURSE TYPE B	40.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	132.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,267.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	144.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	32.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT SLOW CURE	220.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT SLOW CURE	220.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	280.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	280.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	4.000	EA
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	12.000	SF
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	4.000	EA
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	563.000	LF
CONC. FOR STRUCTURES - CLASS 4000	241.000	CY
SPALL REPAIR	60.000	SF
EPOXY CRACK INJECTION	110.000	LF
GROOVED SURFACE FINISH	342.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	68,650.000	LB
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	280.000	LF
CONCRETE DRIVEWAY(6" UNIFORM)	35.000	SY



Call No.: 140

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	6.000	EA
6" PIPE UNDERDRAIN	30.000	LF
6" PERFORATED PIPE UNDERDRAIN W/ GEOTEXTILE	70.000	LF
RIP-RAP (CLASS B)	36.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE A	40.000	SY
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
BRIDGE PILE WRAP	20.000	LF



Call No.: 150 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 3063370

PCN: P037386

Project No.: P037386

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.4070

Description: SC 56 OVER DUNCAN CREEK BRIDGE
REPLACEMENT - LAURENS

CO(S): Laurens

Completion Date: 4/30/2028 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	132.000	SY
REMOVAL OF EXIST. GUARDRAIL	2,632.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
BORROW EXCAVATION	729.000	CY
MUCK EXCAVATION	26,021.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	1,400.000	SY
FINE GRADING	2,522.000	SY
LIQUID ASPHALT BINDER PG64-22	257.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	336.000	SY
ASPHALT BASE COURSE - TYPE B	647.000	TON
ASPHALT INTERMEDIATE COURSE TYPE C	3,745.000	TON
ASPHALT SURFACE COURSE TYPE C	626.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	108.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	94.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	1,100.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	8,750.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	100.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	700.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	6,200.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	750.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA



Call No.: 150

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	11,000.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	170.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	600.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	100.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,084.000	LF
CONC. FOR STRUCTURES - CLASS 4000	558.200	CY
GROOVED SURFACE FINISH	1,023.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	175,441.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	12,387.000	LB
PRESTRESSED CONCRETE FLORIDA I-BEAM(45")	1,135.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	540.000	LF
PILE DRIVING SET-UP	14.000	EA
REINF. PILE TIPS (HP14 X 73)	14.000	EA
STEEL H BEARING PILING (HP14 X 73)	509.000	LF
DRILLED SHAFT SET-UP	6.000	EA
CROSSHOLE SONIC LOGGING SETUP	6.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 48" DIAMETER	141.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	183.000	LF
CONSTRUCTION CASING - 54" DIAMETER	183.000	LF
18" SMOOTH WALL PIPE	96.000	LF
BEVELING OF PIPE END	8.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	127.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	107.000	LF
ELASTOMERIC BEARING	30.000	EA
WATERPROOFING	28.300	SY
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	121.000	TON
12" TEMPORARY PIPE SLOPE DRAIN	570.000	LF
RIP-RAP (CLASS A)	91.000	TON
RIP-RAP (CLASS B)	1,671.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	68.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	2,020.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	1,575.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
NON-MOW STRIP UNDER GUARDRAIL	158.000	SY
WOVEN WIRE FENCE - TYPE 1 WITH 1 STRAND BARBED	4,453.000	LF
2" GALVANIZED STEEL TUBE GATE WITH 6 BARS -16"WIDE	4.000	EA
TEMPORARY BARRIER FENCE (ORANGE)	679.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	11.000	EA



Call No.: 150

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.241	ACRE
TEMPORARY COVER	2.120	ACRE
FERTILIZER (NITROGEN)	424.000	LB
FERTILIZER (PHOSPHORIC ACID)	424.000	LB
FERTILIZER (POTASH)	424.000	LB
AGRICULTURAL GRANULAR LIME	8,481.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	12.724	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.398	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	1.172	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	9.839	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	4.241	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	250.000	LF
SILT FENCE	3,331.000	LF
REPLACE/REPAIR SILT FENCE	333.000	LF
CLEANING SILT BASINS	94.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	1,163.000	LF
INLET FILTER CLEANING	50.000	EA
INLET STRUCTURE FILTER - TYPE B	38.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	94.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 160 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 3276620

PCN: P045405

Project No.: P045405

DBE Goal Percent: 0.00%

Approx. Length (miles): 2.9700

Description: S-278 (CALKS FERRY ROAD) ROAD
DEPARTURE MITIGATION

CO(S): Lexington

Completion Date: 5/31/2028 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,119.000	SY
REMOVAL OF EXIST. GUARDRAIL	170.000	LF
UNCLASSIFIED EXCAVATION	324.000	CY
BORROW EXCAVATION	1,188.000	CY
MAINTENANCE STONE	57.270	TON
LIQUID ASPHALT BINDER PG64-22	246.840	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,749.910	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	40,248.600	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	488.890	SY
ASPHALT SURFACE COURSE TYPE B	4,024.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	405.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	304.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	325.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	96,000.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	650.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,200.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	72,800.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,500.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	150.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	31,800.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	250.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,400.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	24,250.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	300.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA



Call No.: 160

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	215.000	EA
REFLECTIVE SIGN POST PANELS	160.000	LF
GUARDRAIL DELINEATOR - WHITE	8.000	EA
CONCRETE CURB (TRANSITION)	26.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	100.000	LF
PREMASH W-BEAM BRIDGE CONN TL2 WBBC2	4.000	EACH
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	2.880	ACRE



Call No.: 170 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4078430

PCN: P045627

Project No.: P045627

DBE Goal Percent: 0.00%

PCN: P045628

Project No.: P045628

Approx. Length (miles): 10.1900

Description: 2027 RICHLAND PAVEMENT IMPROVEMENT

CO(S): Richland

Completion Date: 9/30/2028 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE AND FLAGGING NS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,066.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	500.000	LF
UNCLASSIFIED EXCAVATION	21.000	CY
BORROW EXCAVATION	814.000	CY
EXCAVATION FOR SHOULDER PAVING	188.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	188.000	STA
MAINTENANCE STONE	119.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	34,930.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,065.000	TON
HMA SHOULDER WIDENING COURSE	1,174.800	TON
LIQUID ASPHALT BINDER PG64-22	2,041.306	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	11,900.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	312,105.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
ASPHALT SURFACE COURSE TYPE B	31,471.706	TON
ASPHALT SURFACE COURSE TYPE C	3,523.014	TON
DRIVEWAY PAVING-SURFACE TYPE C	471.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,768.000	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	350.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	84,340.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	171,410.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	45,815.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	18,510.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	445.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	12.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	303.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	114.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	24.000	EA



Call No.: 170

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
BIKE LANE SYMBOL - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	81,800.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	260,620.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	44,345.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	390.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	25,440.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	49,070.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	15,365.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	105.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	6,145.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	149.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	101.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	38.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	24,050.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	83,090.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	130.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	4.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	4.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,375.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,315.000	EA
MILLED-IN RUMBLE STRIP	6.870	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	3,060.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	22,140.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	900.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	23,040.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	900.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	70,480.000	LF
SAWCUT FOR LOOP DETECTOR	22,860.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	180.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	36.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	500.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	450.000	SY
DETECTABLE WARNING MATERIAL	1,275.000	SF
CONCRETE MEDIAN	6.000	SY
PEDESTRIAN RAMP CONSTRUCTION	2,550.000	SY
SURFACE APPLIED DETECTABLE WARNING	180.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.920	ACRE



Call No.: 180 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4276630

PCN: P045055

Project No.: P045055

DBE Goal Percent: 0.00%

PCN: P045056

Project No.: P045056

Approx. Length (miles): 0.4530

Description: I-26 EB OVER BOWEN LAKE (S. PAC RIVER)
BRIDGE REPAIR

CO(S): Spartanburg

Completion Date: 7/31/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
LAW ENFORCEMENT OFFICER (NON-DPS)	2,000.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
EXCAVATION FOR SHOULDER PAVING	76.000	STA
LIQUID ASPHALT BINDER PG64-22	60.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	58,900.000	SY
ASPHALT BASE COURSE - TYPE B	1,450.000	TON
ASPHALT INTERMEDIATE COURSE TYPE B	1,100.000	TON
ASPHALT SURFACE COURSE TYPE B	1,100.000	TON
TRAFFIC CONTROL	1.000	LS
BARRICADE - TYPE III	192.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	696.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	288.000	SF
TRUCK MOUNTED ATTENUATOR	4.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3	2.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3)	2.000	EA
TEMP CONC. BARR W/ ANCHOR FOR ROADWAY SURFACES	730.000	LF
TEMP CONC BARRIER WITH ANCHORAGE FOR BRIDGE DECKS	980.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	6.000	EA
TYPE B - FLASHING LIGHT	70.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	11,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	11,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT SLOW CURE	490.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT SLOW CURE	490.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT FAST CURE	490.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT FAST CURE	490.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	400.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	400.000	LF



Call No.: 180

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
REMOVAL OF PAVEMENT MARKINGS	27,000.000	LF
MILLED-IN RUMBLE STRIP	2.000	MI
CONC. FOR STRUCTURES - CLASS 4000	946.000	CY
GROOVED SURFACE FINISH	4,302.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	374,886.000	LB
CONCRETE BRIDGE BARRIER PARAPET	980.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	980.000	LF
COMPRESSION SEAL JOINT	502.000	LF
RESETM MT3 LEADING END TREATMENT TL3	4.000	EA
RESETM MB TRAILING END	4.000	EA



Call No.: 190 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4378280	PCN: P045569	Project No.: P045569
DBE Goal Percent: 0.00%	PCN: P045570	Project No.: P045570
	PCN: P045571	Project No.: P045571
	PCN: P045576	Project No.: P045576

Approx. Length (miles): 16.8000

Description: 2027 SUMTER PAVEMENT IMPROVEMENT

CO(S): Sumter

Completion Date: 8/31/2028 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	685.000	SY
REMOVAL OF EXIST. GUARDRAIL	950.000	LF
UNCLASSIFIED EXCAVATION	84.000	CY
BORROW EXCAVATION	3,638.000	CY
EXCAVATION FOR SHOULDER PAVING	1,784.750	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,784.750	STA
MAINTENANCE STONE	43.000	TON
HMA SHOULDER WIDENING COURSE	11,252.853	TON
LIQUID ASPHALT BINDER PG64-22	3,987.003	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	221,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,525.000	SY
ASPHALT INTERMEDIATE COURSE TYPE B	21,560.853	TON
ASPHALT SURFACE COURSE TYPE B	21,810.853	TON
ASPHALT SURFACE COURSE TYPE C	14,058.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,775.000	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,632.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	46,420.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	601,685.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,960.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,800.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	140.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	60.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	52,380.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	326,590.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,345.000	LF



Call No.: 190

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,280.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	113,370.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	61,660.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	590.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,850.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	35.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	21.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	15,100.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	95,105.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	12.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	24.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	420.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,263.000	EA
MILLED-IN RUMBLE STRIP	19.610	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	185.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,230.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	50.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,280.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	50.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,645.000	LF
SAWCUT FOR LOOP DETECTOR	1,495.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	10.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
DETECTABLE WARNING MATERIAL	75.000	SF
CONCRETE MEDIAN	220.000	SY
PEDESTRIAN RAMP CONSTRUCTION	150.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	120.000	LF
PREMASH W-BEAM BRIDGE CONN TL2 WBBC2	8.000	EACH
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	600.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	17.520	ACRE



Call No.: 200 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 4477570	PCN: P045299	Project No.: P045299
DBE Goal Percent: 0.00%	PCN: P045300	Project No.: P045300
	PCN: P045301	Project No.: P045301
	PCN: P045302	Project No.: P045302

Approx. Length (miles): 8.0800

Description: 2027 UNION PAVEMENT IMPROVEMENT

CO(S): Union

Completion Date: 6/30/2028 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE AND FLAGGING NS	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	601.500	SY
REMOVAL OF EXIST. GUARDRAIL	1,450.000	LF
UNCLASSIFIED EXCAVATION	2,341.750	CY
BORROW EXCAVATION	1,412.000	CY
STATION GRADING	36.690	STA
EXCAVATION FOR SHOULDER PAVING	158.400	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	158.400	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	2,271.000	TON
MAINTENANCE STONE	178.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	55,271.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	9,061.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,161.000	TON
HMA SHOULDER WIDENING COURSE	1,056.000	TON
LIQUID ASPHALT BINDER PG64-22	1,490.622	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,813.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	25.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,900.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	940.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	3,291.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	41,091.000	SY
ASPHALT INTERMEDIATE COURSE TYPE B	5,608.416	TON
ASPHALT INTERMEDIATE COURSE TYPE C	4,058.560	TON
ASPHALT SURFACE COURSE TYPE B	5,306.576	TON
ASPHALT SURFACE COURSE TYPE C	8,962.360	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,134.750	TON
ASPHALT SURFACE TREAT (SINGLE TREATMENT)	64,332.000	SY
TRAFFIC CONTROL	1.000	LS



Call No.: 200

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,364.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	70.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	8,326.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	243,137.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,778.000	LF
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	17.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,266.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	235,163.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	3,030.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	86,249.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	26.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	762.000	LF
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	1.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,006.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	71,134.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	113.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	100.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	738.000	EA
REMOVAL OF PAVEMENT MARKINGS	96.000	LF
MILLED-IN RUMBLE STRIP	17.700	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	10.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	320.000	LF
SAWCUT FOR LOOP DETECTOR	120.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
15" SMOOTH WALL PIPE	112.000	LF
18" SMOOTH WALL PIPE	64.000	LF
24" SMOOTH WALL PIPE	24.000	LF
CLEANING EXISTING PIPE	364.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	5.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	10.000	EA
ADJUST CATCH BASIN	2.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	136.000	SY
DETECTABLE WARNING MATERIAL	162.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	106.000	SY
PEDESTRIAN RAMP CONSTRUCTION	325.000	SY
RIP-RAP (CLASS B)	25.800	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	30.000	SY



Call No.: 200

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
MT3 LEADING END TREATMENT TL3	8.000	EA
MGS3CS GR COMPRESSED SHOULDER	1,162.500	LF
RESET FENCE	755.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.820	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	40.000	LF
SILT FENCE	400.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	400.000	LF



Call No.: 210 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 5277400	PCN: P045151	Project No.: P045151
DBE Goal Percent: 0.00%	PCN: P045152	Project No.: P045152
	PCN: P045156	Project No.: P045156
	PCN: P045157	Project No.: P045157

Approx. Length (miles): 14.1900

CO(S): Newberry Saluda

Description: 2027 NEWBERRY/SALUDA PAVEMENT IMPROVEMENT

Completion Date: 5/31/2028 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	225.000	SY
REMOVAL OF EXIST. GUARDRAIL	200.000	LF
BORROW EXCAVATION	7,624.000	CY
MAINTENANCE STONE	359.300	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	43,467.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	25,180.000	SY
CEMENT MODIFIED RECYCLED BASE (14" UNIF)-CURING METHOD B	25,814.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,845.000	TON
LIQUID ASPHALT BINDER PG64-22	1,613.142	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	11,130.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	11,500.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	10,005.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12" UNIF	40.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	123,640.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,550.000	SY
ASPHALT SURFACE COURSE TYPE B	12,733.306	TON
ASPHALT SURFACE COURSE TYPE C	13,854.498	TON
DRIVEWAY PAVING-SURFACE TYPE B	47.250	TON
DRIVEWAY PAVING-SURFACE TYPE C	593.250	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,310.000	SF
PAVE. MARK.(TEMP-PAINT)12INX18IN WHITE TRIANGLE YIELD BAR	160.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	34,120.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	372,468.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	7,720.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,884.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	32.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	20.000	EA



Call No.: 210

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	40.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	24,960.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	556,088.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	890.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,640.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	116,594.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,930.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	40.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,544.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,240.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	162,499.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	562.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	472.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,593.000	EA
MILLED-IN RUMBLE STRIP	20.944	MI
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	880.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	15,300.000	LF
SAWCUT FOR LOOP DETECTOR	4,930.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	17.000	EA
DETECTABLE WARNING MATERIAL	112.500	SF
PEDESTRIAN RAMP CONSTRUCTION	225.000	SY
SURFACE APPLIED DETECTABLE WARNING	320.000	SF
MT3 LEADING END TREATMENT TL3	48.000	EA
MGS3 GR STANDARD SHOULDER	350.000	LF
MGS3CS GR COMPRESSED SHOULDER	5,625.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	450.000	LF
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.585	ACRE
SILT FENCE	600.000	LF
REPLACE/REPAIR SILT FENCE	60.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	150.000	LF



Call No.: 220 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 5277430	PCN: P045135	Project No.: P045135
DBE Goal Percent: 0.00%	PCN: P045137	Project No.: P045137
	PCN: P045138	Project No.: P045138
	PCN: P045155	Project No.: P045155

Approx. Length (miles): 18.8900

CO(S): Edgefield Saluda

Description: 2027 EDGEFIELD/SALUDA PAVEMENT IMPROVEMENT

Completion Date: 7/31/2028 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE AND FLAGGING NS	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	150.000	LF
BORROW EXCAVATION	6,580.000	CY
EXCAVATION FOR SHOULDER PAVING	1,815.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,815.000	STA
MAINTENANCE STONE	1,056.300	TON
HMA SHOULDER WIDENING COURSE	6,762.008	TON
LIQUID ASPHALT BINDER PG64-22	2,178.629	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	19,890.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	12,890.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	3,140.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	54,810.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	133,197.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	47,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,775.000	SY
ASPHALT SURFACE COURSE TYPE B	5,453.174	TON
ASPHALT SURFACE COURSE TYPE C	21,137.423	TON
ASPHALT SURFACE COURSE TYPE E	1,947.440	TON
DRIVEWAY PAVING-SURFACE TYPE B	475.125	TON
DRIVEWAY PAVING-SURFACE TYPE C	892.500	TON
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,902.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	2,426.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	573,460.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,342.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	41,210.000	LF



Call No.: 220

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	586,898.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	295.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	760.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	184,495.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,046.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	13,530.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	186,652.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,213.000	EA
MILLED-IN RUMBLE STRIP	375.401	MI
SURFACE APPLIED DETECTABLE WARNING	110.000	SF
MT3 LEADING END TREATMENT TL3	40.000	EA
MGS3 GR STANDARD SHOULDER	812.500	LF
MGS3CS GR COMPRESSED SHOULDER	4,012.500	LF
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	17.012	ACRE



Call No.: 230

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 1

SC File NO(S): 5476670

PCN: P045337

Project No.: P045337

DBE Goal Percent: 0.00%

Approx. Length (miles): 0.3780

Description: DISTRICT 4 INTERSTATE BRIDGE
PRESERVATION

CO(S): District 4

Completion Date: 6/30/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SPALL REPAIR	300.000	SF
EPOXY CRACK INJECTION	300.000	LF
REINF. STEEL FOR STRUCTURES (BRIDGE)	1,000.000	LB
CLEANING AND PAINTING EXISTING STEEL BEARINGS	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL - BRIDGE #1	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL - BRIDGE #2	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL - BRIDGE #3	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL - BRIDGE #4	1.000	LS
COMPRESSION SEAL JOINT	882.000	LF
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	5.000	CY
CONCRETE CLASS 4000 FOR PARTIAL DEPTH DECK PATCHING	10.000	SY
RESEAL DECK EXPANSION JOINT	624.000	LF
PAINT CONCRETE MEDIAN BARRIER	825.000	SY
BR018 - BEAM END WEB AND FLANGE REPAIR	93.000	LF
BR040 - CORROSION INHIBITING BONDING AGENT	100.000	SF
STEEL GIRDER WELD REPAIR	10.000	EACH



Call No.: 240 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 5477560	PCN: P045280	Project No.: P045280
DBE Goal Percent: 0.00%	PCN: P045281	Project No.: P045281
	PCN: P045282	Project No.: P045282
	PCN: P045283	Project No.: P045283
	PCN: P045685	Project No.: P045685
	PCN: P045702	Project No.: P045702

Approx. Length (miles): 8.5800

CO(S): Cherokee York

Description: 2027 CHEROKEE/YORK COUNTY PAVEMENT IMPROVEMENT

Completion Date: 5/31/2028 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE AND FLAGGING NS	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	197.500	SY
REMOVAL & DISPOSAL OF EXISTING CURB	276.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	14.000	SY
REMOVAL OF EXIST. GUARDRAIL	4,195.500	LF
UNCLASSIFIED EXCAVATION	3,006.000	CY
BORROW EXCAVATION	1,919.800	CY
STATION GRADING	107.870	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	2,796.000	TON
MAINTENANCE STONE	255.000	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	20,148.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	36,081.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	46,787.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,599.500	TON
LIQUID ASPHALT BINDER PG64-22	1,514.841	TON
ARAMID FIBER	232.962	LB
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	20.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	40.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	10.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	2,735.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	13,494.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,619.000	SY
ASPHALT BASE COURSE - TYPE B	1,620.432	TON
ASPHALT INTERMEDIATE COURSE TYPE C	8,351.213	TON
ASPHALT SURFACE COURSE TYPE B	4,941.004	TON
ASPHALT SURFACE COURSE TYPE C	9,869.977	TON



Call No.: 240

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
ASPHALT SURFACE COURSE TYPE E	443.520	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,486.000	TON
ASPHALT SURFACE TREAT (SINGLE TREATMENT)	103,016.000	SY
MILLING EXISTING CONCRETE PAV.(VARIABLE)	90.000	SY
FULL DEPTH CONCRETE PAVEMENT PATCH - 8"	250.000	SY
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,239.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	20.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,510.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	294,676.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,399.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,110.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	285,847.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	92.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT SLOW CURE	244.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT SLOW CURE	244.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	4,660.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	86,371.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	10.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	853.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,710.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	78,342.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	210.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	852.000	EA
MILLED-IN RUMBLE STRIP	15.038	MI
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	1.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR RADAR DETECTION	1.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	2.000	EA
15" SMOOTH WALL PIPE	568.000	LF
18" SMOOTH WALL PIPE	16.000	LF
CLEANING EXISTING PIPE	378.000	LF



Call No.: 240

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
CONCRETE COLLAR FOR UP TO 24" PIPE	2.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	2.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	145.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	184.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	36.000	SY
DETECTABLE WARNING MATERIAL	12.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	61.000	SY
CONCRETE MEDIAN	48.000	SY
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
RESEAL DECK EXPANSION JOINT	900.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	812.500	LF
MT3 LEADING END TREATMENT TL3	18.000	EA
MT2 LEADING END TREATMENT TL2	4.000	EA
MGS3 GR STANDARD SHOULDER	1,275.000	LF
MGS3CS GR COMPRESSED SHOULDER	525.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
PREMASH W-BEAM MEDIUM SHOP BENT SYSTEM	75.000	LF
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
RESET FENCE	217.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.940	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.300	MSY
SEDIMENT TUBES FOR DITCH CHECKS	120.000	LF
SILT FENCE	150.000	LF
REPLACE/REPAIR SILT FENCE	50.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	50.000	LF

Notice

Call Number: 250

SC File Number: 5777251

This proposal includes utility work under Section 105: Public Utility Relocation and requires the use of a contractor from the SCDOT prequalified utility contractor list (see the next page). This is a material requirement of the solicitation. Any bid that does not utilize a contractor included on this list at the time of bid submission will be considered nonresponsive and will not be considered for award.

Contractors seeking to be added to the prequalified utility contractor list for this proposal must submit a completed Utility Subcontractor Approval Form, signed by the utility owner, to SCDOT no later than seven (7) days prior to the letting. The Utility Subcontractor Approval Form is available on the SCDOT Construction Extranet and included within the proposal documents. Upon approval, the prequalified contractor list will be updated and issued by amendment to the proposal.

Requests received after this deadline will not be considered for that letting.

Utility worksheets are included within the proposal documents. For the apparent low bidder, utility worksheets and prequalified utility subcontractor names must be submitted to Contract Administration via email at ContractAdmin@scdot.gov within three (3) business days following the letting.

CALHOUN COUNTY
WATER SYSTEM RELOCATIONS
INTERSTATE 26 - MM 137-146

Prequalified Contractors:

1. *G.H. Smith Construction, Inc.*
430 Shuler Court
Columbia, SC 29212
803-622-5139
Contact: Jeny Smith

2. *CBG Inc.*
500 State Road 424
Gaston, South Carolina 29053
(803) 791-8457
Contact: Kyle Godley

3. *Barwick Plumbing Co., LLC*
15 E Clark Street
Pinewood, South Carolina 29125
(803) 452-5755
Contact: Adam Barwick

4. *Tom Brigman Contractors, Inc.*
1509 Sunset Ave
PO Box 336
Newberry, SC 29108
(803)276-4083
Contact: Blake Brigman

WHERE EASY LIVING MEETS OPPORTUNITY

102 Courthouse Drive | St. Matthews, SC 29135 | (803) 874-2435 | calhouncounty.sc.gov



Call No.: 250

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 1

SC File NO(S): 5777251

PCN: P041362

Project No.: P041362

DBE Goal Percent: 0.00%

Approx. Length (miles): 18.0000

Description: I-26 CORRIDOR IMPROVEMENT FROM NEAR
EXIT 136 TO EXIT 145

CO(S): Calhoun Orangeburg

Completion Date: 8/31/2030 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
RAILROAD INSURANCE NS	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ CALHOUN COUNTY WATER SYSTEM	1.000	EA
CROSS SLOPE VERIFICATION	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	10,000.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF CONTAMINATED SOIL	100.000	TON
REMOVAL & DISPOSAL OF CONTAMINATED LIQUIDS	400.000	GAL
REMOVAL & DISPOSAL ITEM NO. 01	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 02	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 03	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 04	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 05	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,613.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	109,518.000	SY
REMOVAL OF EXIST. GUARDRAIL	13,602.000	LF
REMOVAL & DISPOSAL OF CABLE BARRIER	41,847.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE 1	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE 2	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 4'X6'	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 6'X4'	1.000	EA



Call No.: 250

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 2

Description	Quantity	Units
REMOVAL & DISPOSAL OF EXISTING CULVERT()'X() 6'X6'	1.000	EA
REMOVAL & DISPOSAL OF EXISTING TRIPLE CULVERT()'X() 10'X8'	2.000	EA
REMOVAL & DISPOSAL OF EXISTING TRIPLE CULVERT()'X() 8'X6'	1.000	EA
UNCLASSIFIED EXCAVATION	804,272.617	CY
BORROW EXCAVATION	842,453.568	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	65,294.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	8,512.150	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	2,314.350	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,195.700	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	155.000	LF
42" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	37.950	LF
48" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	4.000	LF
54" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	7.200	LF
GEOTEXTILE, SEPARATION	13,000.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	1,660.000	SY
GEOGRID STABILIZATION	13,000.000	SY
GEOTEXTILE SOIL REINFORCEMENT	1,175.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	15,325.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	19,715.000	CY
WET & DRY EXCAVATION FOR BRIDGES	3,479.000	CY
TEMPORARY SHORING SYSTEM 09	71.000	LF
TEMPORARY SHORING SYSTEM 10	70.000	LF
TEMPORARY SHORING SYSTEM 11	54.000	LF
TEMPORARY SHORING SYSTEM 12	71.000	LF
TEMPORARY SHORING SYSTEM 13	68.000	LF
TEMPORARY SHORING SYSTEM 14	160.000	LF
TEMPORARY SHORING SYSTEM 15	160.000	LF
TEMPORARY SHORING SYSTEM 16	40.000	LF
TEMPORARY SHORING SYSTEM 17	40.000	LF
TEMPORARY SHORING SYSTEM 18	40.000	LF
TEMPORARY SHORING SYSTEM 19	40.000	LF
TEMPORARY SHORING SYSTEM 20	405.000	LF
TEMPORARY SHORING SYSTEM 21	180.000	LF
TEMPORARY SHORING SYSTEM 22	180.000	LF
TEMPORARY SHORING SYSTEM 23	102.000	LF
TEMPORARY SHORING SYSTEM 24	102.000	LF
TEMPORARY SHORING SYSTEM 25	83.000	LF
TEMPORARY SHORING SYSTEM 26	83.000	LF
TEMPORARY SHORING SYSTEM 27	120.000	LF
TEMPORARY SHORING SYSTEM 28	120.000	LF



Call No.: 250

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 3

Description	Quantity	Units
TEMPORARY SHORING SYSTEM 29	142.000	LF
TEMPORARY SHORING SYSTEM 30	141.000	LF
TEMPORARY SHORING SYSTEM 31	141.000	LF
TEMPORARY SHORING SYSTEM 32	100.000	LF
TEMPORARY SHORING SYSTEM 33	30.000	LF
TEMPORARY SHORING SYSTEM 34	203.000	LF
TEMPORARY SHORING SYSTEM 35	17.000	LF
TEMPORARY SHORING SYSTEM 36	19.000	LF
TEMPORARY SHORING SYSTEM 37	170.000	LF
TEMPORARY SHORING SYSTEM 38	400.000	LF
TEMPORARY SHORING SYSTEM 39	470.000	LF
TEMPORARY SHORING SYSTEM 40	34.000	LF
TEMPORARY SHORING SYSTEM 41	58.000	LF
TEMPORARY SHORING SYSTEM 42	358.000	LF
TEMPORARY SHORING SYSTEM 43	260.000	LF
TEMPORARY SHORING SYSTEM 44	170.000	LF
TEMPORARY SHORING SYSTEM 45	396.000	LF
TEMPORARY SHORING SYSTEM 46	157.000	LF
TEMPORARY SHORING SYSTEM 47	154.000	LF
TEMPORARY SHORING SYSTEM 48	265.000	LF
TEMPORARY SHORING SYSTEM 49	88.000	LF
TEMPORARY SHORING SYSTEM 50	82.000	LF
TEMPORARY SHORING SYSTEM 51	148.000	LF
TEMPORARY SHORING SYSTEM NO. 1 01	99.000	LF
TEMPORARY SHORING SYSTEM NO. 2 02	53.000	LF
TEMPORARY SHORING SYSTEM NO. 3 03	74.000	LF
TEMPORARY SHORING SYSTEM NO. 4 04	47.000	LF
TEMPORARY SHORING SYSTEM NO. 5 05	95.000	LF
TEMPORARY SHORING SYSTEM NO. 6 06	36.000	LF
TEMPORARY SHORING SYSTEM NO. 7 07	81.000	LF
TEMPORARY SHORING SYSTEM NO. 8 08	37.000	LF
STONE BRIDGE LIFT MATERIAL	7,000.000	TON
GRANULAR BRIDGE LIFT MATERIAL	1,381.000	CY
OVERHAUL	235,190.000	CYHM
FINE GRADING	506,032.000	SY
FLOWABLE FILL	618.000	CY
DEWATERING SYSTEM NO. 1	1.000	LS
DEWATERING SYSTEM NO. 2	1.000	LS
DEWATERING SYSTEM NO. 3	1.000	LS
DEWATERING SYSTEM NO. 4	1.000	LS
DEWATERING SYSTEM NO. 5	1.000	LS

Call No.: 250

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 4

Description	Quantity	Units
DEWATERING SYSTEM NO. 6	1.000	LS
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	457,263.000	SY
GRADED AGGREGATE BASE COURSE (8" UNIFORM)	46,354.000	SY
MAINTENANCE STONE	140.000	TON
HMA SHOULDER WIDENING COURSE	400.000	TON
PRIME COAT	128,362.590	GAL
LIQUID ASPHALT BINDER PG64-22	20,027.000	TON
LIQUID ASPHALT BINDER PG76-22	7,800.000	TON
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	2,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	520,267.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	12,139.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,340.000	SY
ASPHALT BASE COURSE - TYPE A	219,049.000	TON
ASPHALT BASE COURSE - TYPE B	38,732.500	TON
ASPHALT INTERMEDIATE COURSE TYPE B	152,359.350	TON
ASPHALT INTERMEDIATE COURSE TYPE B-SPECIAL	13,215.000	TON
ASPHALT SURFACE COURSE TYPE A	42,714.000	TON
ASPHALT SURFACE COURSE TYPE B	21,450.100	TON
ASPHALT SURFACE COURSE TYPE E	9,777.000	TON
DRIVEWAY PAVING-SURFACE TYPE B	400.000	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	85,519.000	TON
TRAFFIC CONTROL	1.000	LS
MAINTENANCE OF TRAFFIC	1.000	LS
BARRICADE - TYPE III	2,096.000	LF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	10,055.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3-70 MPH	46.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 70MPH	327.000	EA
TEMPORARY CONCRETE BARRIER - UNANCHORED	111,150.000	LF
TEMP CONC. BARR W/ ANCHOR FOR ROADWAY SURFACES	3,730.000	LF
TEMP CONC BARRIER WITH ANCHORAGE FOR BRIDGE DECKS	1,200.000	LF
TEMPORARY POLYETHYLENE WATER-FILLED BARRIER	650.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	67.000	EA
TEMPORARY GLARE SCREENS FOR TRAFFIC CONTROL	28,000.000	LF
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC) 4" WHITE BROKEN LINES	19,230.000	LF
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC) 4" YELLOW BROKEN LINES	1,145.000	LF
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC) 6" WHITE BROKEN LINES	329,480.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-4"WHITE SOLID LINE	403,065.000	LF
PAVEMENT MARKING(TEMP.-THERMOPLASTIC)4" YELLOW SOLID LINES	433,550.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-6"WHITE SOLID LINE	1,908,685.000	LF
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC)-6" YELLOW SOLID LINES	1,709,145.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-8"WHITE SOLID LINE	50,000.000	LF

Call No.: 250

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 5

Description	Quantity	Units
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)12"WHITE SOLID LINE	62,785.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)24"WHITE SOLID LINE	4,565.000	LF
PAVEMENT MARKINGS (TEMP-THERMOPLASTIC) 24" X 36" WHITE TRIANGLE YIELD BAR	5,000.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-WHITE SINGLE ARROW	23.000	EA
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC)WHITE COMBINATION ARRWS	6.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE LANE DROP ARROWS	3.000	EA
PAVEMENT MARKINGS(TEMPORARY-THERMOPLASTIC)-WHITE WORD 'ONLY	21.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	16,500.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,080.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	19,230.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	329,480.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	403,065.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,908,685.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	62,785.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,565.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,145.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	433,550.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,709,145.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,732.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	63,248.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	58,377.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	133,054.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	755.350	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	23.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	21.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	6.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	30,629.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	130,985.000	LF
6"YELLOW SOLID LINES ON CURB/MED.-HIGH BUILD PAINT-25 MIL.	1,248.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	850.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,050.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	9,630.000	EA
MILLED-IN RUMBLE STRIP	36.676	MI
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	3,130.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	1,820.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	1,745.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	1,854.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,253,250.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	496.750	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	363.500	SF



Call No.: 250

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 6

Description	Quantity	Units
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	12.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	12.000	EA
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	1,009.250	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	2,313.750	SF
REMOVAL OF OVERHEAD SIGN NO.() ON STRUC.NO.() OH-01 ON ROH-01	1.000	EA
REMOVAL OF OVERHEAD SIGN NO.() ON STRUC.NO.() OH-15A ON ROH-15	1.000	EA
REMOVAL OF OVERHEAD SIGN NO.() ON STRUC.NO.() OH-15B ON ROH-15	1.000	EA
REMOVAL OF OVERHEAD SIGN NO.() ON STRUC.NO.() OH-16A ON ROH-16	1.000	EA
REMOVAL OF OVERHEAD SIGN NO.() ON STRUC.NO.() OH-16B ON ROH-16	1.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	512.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	2,056.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	270.670	LF
BREAK-AWAY SIGN SUPPORTS	25,077.000	LB
REMOVAL OF I-BEAM SUPPORTS	74.000	EA
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	120.000	EA
DELINEATORS, DOUBLE, MONO., INCL. SUPPORTS	59.000	EA
OVERHEAD SIGN STRUCTURE NO.() OH-02	1.000	EA
OVERHEAD SIGN STRUCTURE NO.() OH-03	1.000	EA
OVERHEAD SIGN STRUCTURE NO.() OH-04	1.000	EA
OVERHEAD SIGN STRUCTURE NO.() OH-05	1.000	EA
OVERHEAD SIGN STRUCTURE NO.() OH-06	1.000	EA
OVERHEAD SIGN STRUCTURE NO.() OH-07	1.000	EA
OVERHEAD SIGN STRUCTURE NO.() OH-08	1.000	EA
OVERHEAD SIGN STRUCTURE NO.() OH-09	1.000	EA
OVERHEAD SIGN STRUCTURE NO.() OH-10	1.000	EA
OVERHEAD SIGN STRUCTURE NO.() OH-11	1.000	EA
OVERHEAD SIGN STRUCTURE NO.() OH-12	1.000	EA
OVERHEAD SIGN STRUCTURE NO.() OH-13	1.000	EA
OVERHEAD SIGN STRUCTURE NO.() SW-01	1.000	EA
OVERHEAD SIGN STRUCTURE NO.() SW-02	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.() ROH-01	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.() ROH-15	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.() ROH-16	1.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	9,106.600	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	80.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	913.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	494.000	LF



Call No.: 250

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 7

Description	Quantity	Units
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,560.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,520.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	5,600.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	5.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	12.000	EA
FURNISH & INSTALL 40' WOOD POLE - CLASS II-CCA TREATED(0.60)	13.000	EA
FURNISH & INSTALL 3/8" BACK GUY FOR WOOD POLE	25.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	1,580.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	8.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 01	4.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 01	35.000	EA
F&I - COUNTDOWN PEDESTRIAN SIGNAL HEAD	8.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	8.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	8.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	14.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	37.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	8.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	4.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	8.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR RADAR DETECTION	2.000	EA
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	3,580.000	LF
POWDERCOATING PER MAST ARM OVER GALVANIZED	4.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 01	2.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	2.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	8.000	EA
WORK ZONE ITS	1.000	LS
CONC. FOR STRUCTURES - CLASS 4000	10,692.400	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	89.200	CY
ANTI GRAFFITI COATING	22,225.000	SF
GROOVED SURFACE FINISH	14,648.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	10,922.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	2,512,874.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	11,030.000	LB
PRESTRESSED CONC. BEAM (TYPE II)	5,052.500	LF
PRESTRESSED CONC. BEAM (TYPE III)	2,785.100	LF

Call No.: 250

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 8

Description	Quantity	Units
PRESTRESSED CONCRETE BULB TEE BEAM(63"MOD.)	2,552.900	LF
PRESTRESSED CONCRETE BULB TEE BEAM(65"MOD.)	4,206.300	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	4,953.300	LF
56" CONCRETE MEDIAN BARRIER (TL-5)-BRIDGE 1	350.000	LF
STRUCTURAL STEEL (WEATHERING TYPE)	1.000	LS
STRUCTURE DRAINAGE SYSTEM	1.000	LS
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	67.000	EA
PILE DRIVING SET-UP	526.000	EA
PREST. CONC. PILING (24"SQ.)	2,104.000	LF
PILE BUILD-UP PREPARATION (24"SQ)	6.000	EA
PREDRILLING FOR PREST. CONC. PILING (24"SQ.)	1,258.000	LF
PRESTRESSED INDEX PILING (24" SQUARE)	140.000	LF
PRESTRESSED PILE POINT (HP12X53)	306.000	LF
REINF. PILE TIPS (HP12 X 53)	34.000	EA
PREDRILLING FOR STEEL PILE (HP14 X 89)	960.000	LF
STEEL H BEARING PILING (HP14 X 89)	46,959.000	LF
STEEL H BEARING INDEX PILING (HP14 X 89)	3,470.000	LF
STEEL H BEARING PILING (HP14 X 117)	3,064.000	LF
STEEL H BEARING INDEX PILING (HP14X 117)	200.000	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL(GRANULAR)	17,545.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) BRIDGE	22,225.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	1,603.000	LF
18" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	2,203.000	LF
24" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,649.000	LF
30" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	930.000	LF
36" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,037.000	LF
42" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	483.000	LF
48" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	166.000	LF
54" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	197.000	LF
18" SMOOTH WALL PIPE	20,395.000	LF
24" SMOOTH WALL PIPE	6,187.000	LF
30" SMOOTH WALL PIPE	3,870.000	LF
36" SMOOTH WALL PIPE	353.000	LF
42" SMOOTH WALL PIPE	253.000	LF
48" SMOOTH WALL PIPE	4.000	LF
54" SMOOTH WALL PIPE	49.000	LF
LINE EXISTING 18" PIPE	428.000	LF
LINE EXISTING 24" PIPE	2,073.000	LF
LINE EXISTING 30" PIPE	422.000	LF
LINE EXISTING 36" PIPE	234.000	LF
LINE EXISTING 48" PIPE	106.000	LF



Call No.: 250

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 9

Description	Quantity	Units
CLEANING EXISTING PIPE	2,842.000	LF
CATCH BASIN - TYPE 1 SPECIAL	7.000	EA
CATCH BASIN -TYPE 9	5.000	EA
CATCH BASIN TYPE 25 - SINGLE 4' X 6' BOX	17.000	EA
CATCH BASIN T-25 - SINGLE 4' X 6' BOX W/MOD. BOX NO.() 01	12.000	EA
CATCH BASIN TYPE 25 - DOUBLE 4' X 8' BOX	63.000	EA
CATCH BASIN T-25 - DOUBLE 4' X 8' BOX W/MOD. BOX NO.() 01	40.000	EA
CATCH BASIN -TYPE 16	3.000	EA
CATCH BASIN -TYPE 17	3.000	EA
DROP INLET (24" X 36")	8.000	EA
DROP INLET TYPE 112	65.000	EA
DROP INLET TYPE 112 WITH 4X4 BOX	5.000	EA
DROP INLET TYPE 112 WITH 5X5 BOX	6.000	EA
DROP INLET TYPE 112 WITH 6X6 BOX	2.000	EA
MANHOLE	12.000	EA
48" X 48" JUNCTION BOX	10.000	EA
60" X 60" JUNCTION BOX	1.000	EA
EXTRA DEPTH OF BOX	60.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	27.000	EA
CONCRETE COLLAR FOR UP TO 36" PIPE	3.000	EA
CONCRETE COLLAR FOR UP TO 48" PIPE	1.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	1.000	EA
JUNCTION BOX - CONVERT CB T-12	4.000	EA
BEVELING OF PIPE END	56.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	355.000	LF
CONCRETE GUTTER-TYPE 6	5,000.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,988.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	2,952.000	SY
CONCRETE MEDIAN	265.000	SY
7'X 7' P.C. BOX CULVERT {AASHTO M-259} FH = 7	294.000	LF
7'X 7' P.C. BOX CULVERT {AASHTO M-259} FH = 8	246.000	LF
7'X 7' P.C. BOX CULVERT {AASHTO M-259} FH = 9	301.000	LF
ELASTOMERIC BEARING	406.000	EA
WATERPROOFING	549.300	SY
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	3,728.000	TON
RIP-RAP (CLASS A)	1,283.000	TON
RIP-RAP (CLASS B)	2,908.000	TON
RIP-RAP (CLASS C)	3,042.000	TON
RIP-RAP (CLASS D)	118.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	7,215.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	2,516.000	SY



Call No.: 250

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 10

Description	Quantity	Units
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	125.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	6,632.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	7,450.000	LF
MT3 LEADING END TREATMENT TL3	32.000	EA
MT2 LEADING END TREATMENT TL2	17.000	EA
PREMASH W-BEAM BRIDGE CONN TL2 WBBC2	14.000	EACH
MEDIAN CABLE BARRIER	7,791.000	LF
MB TRAILING END TREATMENT	26.000	EA
MGS3 GR STANDARD SHOULDER	19,187.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	9.000	EA
CABLE BARRIER END ANCHOR	10.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	1.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	21.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	10.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	32.000	EA
NON-MOW STRIP UNDER GUARDRAIL	354.120	SY
PREMASH W-BEAM TIGHT CURVED SYSTEM	207.670	LF
PREMASH W-BEAM MEDIUM SHOP BENT SYSTEM	755.750	LF
PREMASH SHORT TRIEBEAM BRIDGE CON TBBC2	2.000	EA
PREMASH TYPE T TL2 LEADING 25FT	9.000	EA
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
2' CRASH CUSHION 3A	3.000	EA
36SS REINFORCED BARRIER WALL	11,996.000	LF
46SS REINFORCED BARRIER WALL	10,613.000	LF
56SS REINFORCED BARRIER WALL	25,569.000	LF
56ZOI VF BARRIER MEDIAN SYSTEM	730.000	LF
FRENCH DRAIN AND WEEP SYSTEM	1,874.000	LF
CONC BARR TRANSITION BETWEEN TWO SHAPES	40.000	LF
WOVEN WIRE FENCE - TYPE 6 WITH 2 STRANDS BARBED	34,600.000	LF
BRIDGE FENCE	1.000	LS
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE	108,562.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	9,040.000	LF
MOVING ITEM NO. 01	1.000	LS
MOVING ITEM NO. 02	1.000	LS
MOVING ITEM NO. 03	1.000	LS
MOVING ITEM NO. 04	1.000	LS
MOVING ITEM NO. 05	1.000	LS
MOVING ITEM NO. 06	1.000	LS
MOVING ITEM NO. 07	1.000	LS
MOVING ITEM NO. 08	1.000	LS
MOVING ITEM NO. 09	1.000	LS



Call No.: 250

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 11

Description	Quantity	Units
MOVING ITEM NO. 10	1.000	LS
MOVING ITEM NO. 11	1.000	LS
MOVING ITEM NO. 12	1.000	LS
MOVING ITEM NO. 13	1.000	LS
MOVING ITEM NO. 14	1.000	LS
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	321.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	321.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	309.044	ACRE
TEMPORARY COVER	309.044	ACRE
FERTILIZER (NITROGEN)	32,445.280	LB
FERTILIZER (PHOSPHORIC ACID)	32,445.280	LB
FERTILIZER (POTASH)	32,445.280	LB
AGRICULTURAL GRANULAR LIME	772,176.000	LB
SELECTIVE WATERING	334,261.583	GAL
MOWING	1,236.176	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	14.150	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	263.223	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	481.920	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	160.640	ACRE
HYDR.EROS.CONTRL.PROD.(HECP) - TYPE 1 AS TRACER UNDER TRM	53.430	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	672.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	672.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	19,437.000	LF
SILT FENCE	56,100.000	LF
REPLACE/REPAIR SILT FENCE	5,610.000	LF
FLOATING TURBIDITY BARRIER-MEDIUM DUTY	500.000	SF
CLEANING SILT BASINS	10,599.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	14,025.500	LF
INLET FILTER CLEANING	132.000	EA
INLET STRUCTURE FILTER - TYPE D1	27.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	54.000	EA
INLET STRUCTURE FILTER - TYPE B	45.000	EA
INLET STRUCTURE FILTER - TYPE D2	45.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	47.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	463.000	TON
STABILIZED CONSTRUCTION ENTRANCE	8,633.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 8"	4,460.000	LF
82SS REINFORCED BARRIER WALL	9,857.000	LF
97SS REINFORCED BARRIER WALL	4,188.000	LF
BAT EXCLUSION DEVICE	12.000	EA



Call No.: 250

Letting Date: November 10, 2026

Letting Time: 2:00 pm

Page: 12

Description	Quantity	Units
BAT EXCLUSION DEVICE MAINTENANCE	12.000	EA
ON-THE-JOB TRAINEE (ROADWAY)	76,440.000	HR
ON-THE-JOB TRAINEE (BRIDGE)	11,440.000	HR



Call No.: 260 Letting Date: November 10, 2026 Letting Time: 2:00 pm Page: 1

SC File NO(S): 5777490

PCN: P041847

Project No.: P041847

DBE Goal Percent: 0.00%

Approx. Length (miles): 30.0000

Description: I-95 SAFETY IMPROVEMENTS MM 90 - MM 120

CO(S): Clarendon Orangeburg

Completion Date: 11/30/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	100.000	HR
SELECTED CLEARING	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	452.000	SF
MEDIAN CABLE BARRIER	21,806.000	LF
CABLE BARRIER END ANCHOR	20.000	EA
WOVEN WIRE FENCE - TYPE 1 WITH 2 STRANDS BARBED	237,600.000	LF
PERMANENT GRASSING FOR SMALL PROJECTS	5.000	ACRE
STABILIZED CONSTRUCTION ENTRANCE	8,250.000	SY

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2025, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal).

SUBMISSION OF BID BONDS. Bid Bonds must be submitted electronically, utilizing the Bid Bonds feature within the BidX Bid Form. The Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers
Contract Administrator