

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For November 12, 2019

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on October 12, 2019 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-1656.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1249 with all Letting related questions.



Call No.: 010 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0254110 PCN: P039162 Project No.: P039162

DBE Goal Percent: 1.50%

Approx. Length (miles):6.5000

Description: PRESERVATION - I-26 AIKEN COUNTY

CO(S): Aiken

Completion Date: 9/30/2020

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	300.000	HR
LIQUID ASPHALT BINDER PG76-22	528.233	TON
SURFACE PLANE ASPHALT PAVEMENT 1.0"	145,280.000	SY
MILLED-IN RUMBLE STRIP	13.000	MI
OPEN-GRADED FRICTION COURSE-12.5 MM	8,126.667	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	436.000	SF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	18,000.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	68,640.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	4,000.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	68,640.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,000.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	34,320.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	2,000.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	34,320.000	LF
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	440.000	EA



Call No.: 020 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0287620 PCN: P028058 Project No.: P028058
DBE Goal Percent: 12.00%
Approx. Length (miles):0.4210 Description: SC 125/S-62 INTERSECTION IMPROVEMENT
CO(S): Aiken
Completion Date: 4/15/2021 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING DROP INLET	1.000	EA
REMOVAL & DISPOSAL ITEMS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	319.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	120.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,292.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	1.000	CY
UNCLASSIFIED EXCAVATION	1,869.000	CY
BORROW EXCAVATION	441.000	CY
MUCK EXCAVATION	100.000	CY
FINE GRADING	3,047.000	SY
FLOWABLE FILL	9.000	CY
MAINTENANCE STONE	250.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	709.000	TON
LIQUID ASPHALT BINDER PG64-22	176.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	10,813.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,802.000	SY
MILLED-IN RUMBLE STRIP	0.669	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,198.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,567.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	624.000	SF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	843.000	LF
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	6.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	6.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,174.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	15,093.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,209.000	LF



Call No.: 020

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	201.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	12,021.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	825.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,058.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	5,031.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	281.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	403.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	67.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,007.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	70.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	226.500	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	35.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	564.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	9.330	LF
REMOVAL OF U-SECTION POST	27.000	EA
REFLECTIVE SIGN POST PANELS	70.000	LF
DELINEATORS, SINGLE, BI., INCL. SUPPORTS	73.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	275.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	950.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	450.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,400.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	3,300.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,300.000	LF
SAWCUT FOR LOOP DETECTOR	450.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
F&I 13"X32' STEEL STRAIN POLE-POWDER COATED OVER GALVANIZED	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	650.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	14.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	2.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	2.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	14.000	EA
CONC. FOR STRUCTURES - CLASS 2500	4.000	CY
18" SMOOTH WALL PIPE	192.000	LF
24" SMOOTH WALL PIPE	96.000	LF
30" SMOOTH WALL PIPE	520.000	LF



Call No.: 020

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
36" SMOOTH WALL PIPE	24.000	LF
42" SMOOTH WALL PIPE	136.000	LF
CLEANING EXISTING PIPE	1,135.000	LF
DROP INLET TYPE 112	2.000	EA
MANHOLE WITH STANDARD 5' X 5' BOX	1.000	EA
CONCRETE COLLAR FOR UP TO 36" PIPE	2.000	EA
JUNCTION BOX - CONVERT CB T-12	1.000	EA
MANHOLE-CONVERT CB T-12	1.000	EA
DROP INLET (24" X 36")- CONVERT CB T-12	1.000	EA
BEVELING OF PIPE END	16.000	EA
CONCRETE GUTTER-TYPE 1	195.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	365.000	SY
DETECTABLE WARNING MATERIAL	25.000	SF
CONCRETE MEDIAN	181.000	SY
RIP-RAP (CLASS B)	650.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	760.000	SY
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	4.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.300	ACRE
TEMPORARY COVER	1.150	ACRE
FERTILIZER (NITROGEN)	230.000	LB
FERTILIZER (PHOSPHORIC ACID)	230.000	LB
FERTILIZER (POTASH)	230.000	LB
AGRICULTURAL GRANULAR LIME	4,600.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	7.000	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.259	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	7.391	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	5.180	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.730	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	86.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	1,040.000	LF
SILT FENCE	1,250.000	LF
CLEANING INLET STRUCTURE FILTERS	13.000	EA
INLET STRUCTURE FILTER - TYPE D1	2.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	2.000	EA
INLET STRUCTURE FILTER - TYPE B	6.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 030 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0387640 **PCN:** P028061 **Project No.:** P028061
DBE Goal Percent: 8.00%
Approx. Length (miles):0.2120 **Description:** INTERSECTION IMPROVEMENTS - SC 125 AT SC 3
CO(S): Allendale
Completion Date: 12/31/2020 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING JUNCTION BOX	1.000	EA
UNCLASSIFIED EXCAVATION	3,311.000	CY
BORROW EXCAVATION	503.000	CY
FINE GRADING	1,208.000	SY
FLOWABLE FILL	11.000	CY
MAINTENANCE STONE	20.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	216.000	TON
LIQUID ASPHALT BINDER PG64-22	51.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,646.000	SY
MILLED-IN RUMBLE STRIP	0.400	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	418.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	332.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	304.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	4,120.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	415.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	3,986.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,060.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	415.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,993.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	303.440	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	80.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	4.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	539.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	25.700	LF
FURNISH & INSTALL - 35' WOOD POLE-CLASS II-CCA TR(0.60)	4.000	EA



Call No.: 030

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
FURNISH & INSTALL 3/8" BACK GUY FOR WOOD POLE	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	150.000	LF
18" SMOOTH WALL PIPE	116.000	LF
30" SMOOTH WALL PIPE	120.000	LF
DROP INLET (24" X 36")	1.000	EA
BEVELING OF PIPE END	3.000	EA
RIP-RAP (CLASS B)	152.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	161.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	14.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.200	ACRE
TEMPORARY COVER	1.500	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	5.400	ACRE
FERTILIZER (NITROGEN)	120.000	LB
FERTILIZER (PHOSPHORIC ACID)	120.000	LB
FERTILIZER (POTASH)	120.000	LB
AGRICULTURAL GRANULAR LIME	2,400.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.000	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	1.010	MSY
TEMPORARY EROSION CONTROL BLANKET (CLASS B)	0.718	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.340	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	601.000	LF
CLEANING INLET STRUCTURE FILTERS	2.000	EA
INLET STRUCTURE FILTER - TYPE B	2.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 040 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 0449210 **PCN:** P030230 **Project No.:** P030230
DBE Goal Percent: 5.50%
Approx. Length (miles):0.2330 **Description:** INTERSECTION IMPROVEMENTS - US 29
CO(S): Anderson
Completion Date: 11/30/2020 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,700.000	SY
UNCLASSIFIED EXCAVATION	1,490.000	CY
BORROW EXCAVATION	100.000	CY
FINE GRADING	3,940.000	SY
FLOWABLE FILL	100.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,648.000	TON
LIQUID ASPHALT BINDER PG64-22	194.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,850.000	SY
MILLED-IN RUMBLE STRIP	0.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	870.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	815.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	348.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	175.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	5,040.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	6,840.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	70.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	6.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	3.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	18.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	210.000	EA



Call No.: 040

Letting Date: November 12, 2019 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	230.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	525.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,900.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	40.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	575.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,030.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	70.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	20.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	8.000	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FIXED SIZE & MSG.	14.920	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	98.000	LF
REFLECTIVE SIGN POST PANELS	20.000	LF
STRAIGHT HEADWALL FOR 18" CIRCULAR PIPE-1 LINE	1.000	EA
18" SMOOTH WALL PIPE	584.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	4.000	EA
24" X 24" JUNCTION BOX	1.000	EA
EXTRA DEPTH OF BOX	10.000	LF
BEVELING OF PIPE END	5.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	86.000	LF
CONCRETE MEDIAN	50.000	SY
RIP-RAP (CLASS A)	100.000	TON
RIP-RAP (CLASS B)	90.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	140.000	SY
MOVING ITEM NO. 001	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	33.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.500	ACRE
TEMPORARY COVER	0.750	ACRE
FERTILIZER (NITROGEN)	150.000	LB
FERTILIZER (PHOSPHORIC ACID)	150.000	LB
FERTILIZER (POTASH)	150.000	LB
AGRICULTURAL GRANULAR LIME	3,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	4.500	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.400	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.928	ACRE



Call No.: 040

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.111	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	200.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	40.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	520.000	LF
SILT FENCE	2,012.000	LF
REPLACE/REPAIR SILT FENCE	202.000	LF
CLEANING SILT BASINS	100.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	503.000	LF
INLET FILTER CLEANING	15.000	EA
INLET STRUCTURE FILTER - TYPE B	8.000	EA
INLET STRUCTURE FILTER - TYPE A	200.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	20.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 12"	100.000	LF



Call No.: 050 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 1052780	PCN: P038526	Project No.: P038526
DBE Goal Percent: 0.00%	PCN: P038527	Project No.: P038527
	PCN: P038528	Project No.: P038528

Approx. Length (miles): 11.9700 **Description:** REHABILITATION - CHARLESTON COUNTY
CO(S): Charleston
Completion Date: 10/31/2020 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	8.000	EA
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	250.000	SY
UNCLASSIFIED EXCAVATION	50.000	CY
BORROW EXCAVATION	2,733.000	CY
EXCAVATION FOR SHOULDER PAVING	416.100	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	416.100	STA
MAINTENANCE STONE	83.380	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,080.320	TON
LIQUID ASPHALT BINDER PG64-22	1,943.589	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	3,675.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,663.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	114,784.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,655.000	SY
MILLED-IN RUMBLE STRIP	15.460	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	13,708.773	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,435.307	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,118.790	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,193.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,796.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	278.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	86,825.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	68.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	450.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	2.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	8,310.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	33,600.000	LF



Call No.: 050

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,310.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	400.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	390,225.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	4,900.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,684.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	84.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,335.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
WHITE SINGLE BIKE LANE ARROW (LT, STRAIGHT, RT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	22.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
BIKE LANE SYMBOL - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	35,260.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	168,500.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	182.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	4.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	4.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	11.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	811.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	160.000	LF
6" WHITE BROKEN LINES-(GAPS EXCLD)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	200.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	35,900.000	LF
6" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 002	2,450.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,740.000	LF
12" WHITE SOLID LINES-(DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 003	42.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	385.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	6.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	3.000	EA
WHITE COMBINATION ARROW (STRAIGHT&RIGHT OR STRAIGHT&LEFT) - SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 004	8.000	EA
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	2,630.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	20,610.000	LF



Call No.: 050

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	150.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,200.000	LF
SAWCUT FOR LOOP DETECTOR	1,006.000	LF
ADJUST DROP INLET ADJUST D. I.	8.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	150.000	SY
DETECTABLE WARNING MATERIAL	70.000	SF
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
SURFACE APPLIED DETECTABLE WARNING	124.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.202	ACRE
ROOT BARRIER	200.000	LF



Call No.: 060 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2349610 **PCN:** P032272 **Project No.:** P032272
DBE Goal Percent: 12.00%
Approx. Length (miles):0.5230 **Description:** STONE ACADEMY SAFE RTS TO SCHOOL
CO(S): Greenville
Completion Date: 8/31/2020 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
SELECTED REMOVAL OF MARKED TREES	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	75.000	SY
SITE EXCAVATION	1.000	LS
MAINTENANCE STONE	40.000	TON
LIQUID ASPHALT BINDER PG64-22	16.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	968.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	269.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	120.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	290.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	550.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	68.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	410.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	290.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	550.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	70.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	500.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	83.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	160.000	LF
18" SMOOTH WALL PIPE	40.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CATCH BASIN -TYPE 16	3.000	EA
48" X 48" JUNCTION BOX	1.000	EA
MANHOLE (TOP ONLY)	3.000	EA
48" X 48" JUNCTION BOX (TOP ONLY)	1.000	EA
ADJUST MANHOLE	3.000	EA
JUNCTION BOX - CONVERT CB T-16	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	645.000	LF



Call No.: 060

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
CONCRETE SIDEWALK(4" UNIFORM)	50.000	SY
DETECTABLE WARNING MATERIAL	201.000	SF
CONCRETE MEDIAN	150.000	SY
PEDESTRIAN RAMP CONSTRUCTION	175.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	24.000	EA
RIGHT OF WAY PLAT	1.000	LS
SELECT MATERIAL	16.000	CY
SODDING	0.275	MSY
SILT FENCE	250.000	LF
STABILIZED CONSTRUCTION ENTRANCE	275.000	SY
BICYCLE PARKING RACK	2.000	EA



Call No.: 070 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2353400 PCN: P038927 Project No.: P038927

DBE Goal Percent: 0.00%

Approx. Length (miles): 14.4000

Description: I-185 PAVEMENT MARKINGS

CO(S): Greenville

Completion Date: 7/31/2020

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	48,900.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	213,500.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,150.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	42,200.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	10,900.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	206,200.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	100.000	LF
REMOVAL OF PAVEMENT MARKINGS	570,000.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	2,900.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	12,700.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)8"WH.SOLID	2,850.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)12"WH.SOLID	1,675.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	11,000.000	LF



Call No.: 080 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2451321 **PCN:** P032274 **Project No.:** P032274
DBE Goal Percent: 12.00%
Approx. Length (miles):0.2320 **Description:** LAKEVIEW ELEMENTARY SAFE ROUTES TO SCHOOL
CO(S): Greenwood
Completion Date: 8/10/2020 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	15.000	LF
SITE EXCAVATION	1.000	LS
FLOWABLE FILL	20.000	CY
MAINTENANCE STONE	50.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	200.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	72.000	SF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	350.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	300.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	66.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	64.000	LF
15" SMOOTH WALL PIPE	24.000	LF
18" SMOOTH WALL PIPE	400.000	LF
24" SMOOTH WALL PIPE	16.000	LF
CATCH BASIN -TYPE 16	4.000	EA
24" X 36" JUNCTION BOX	3.000	EA
48" X 48" JUNCTION BOX	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	15.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	645.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	548.000	SY
DETECTABLE WARNING MATERIAL	156.000	SF
PEDESTRIAN RAMP CONSTRUCTION	147.000	SY
RIP-RAP (CLASS B)	33.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	41.000	SY
RESET CHAIN-LINK FENCE	450.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	25.000	EA
RIGHT OF WAY PLAT	1.000	LS
SELECT MATERIAL	63.000	CY



Call No.: 080

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
SODDING	1.125	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	60.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	150.000	LF
SILT FENCE	805.000	LF
CLEANING INLET STRUCTURE FILTERS	4.000	EA
STABILIZED CONSTRUCTION ENTRANCE	275.000	SY



Call No.: 090 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2452550	PCN: P037735	Project No.: P037735
DBE Goal Percent: 0.00%	PCN: P037737	Project No.: P037737
	PCN: P037749	Project No.: P037749
	PCN: P038486	Project No.: P038486

Approx. Length (miles):7.6800 **Description:** RECONSTRUCTION/REHABILITATION - GREENWOOD COUNTY
CO(S): Greenwood

Completion Date: 5/31/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	776.000	SY
BORROW EXCAVATION	1,578.000	CY
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	2,934.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	34,325.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,731.000	TON
MAINTENANCE STONE	179.750	TON
LIQUID ASPHALT BINDER PG64-22	1,371.716	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,475.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,410.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	14,540.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	6,573.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	7,710.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	67,960.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	50,221.000	SY
MILLED-IN RUMBLE STRIP	3.600	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	6,795.947	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,745.227	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	7,092.020	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	640.000	TON
DRIVEWAY PAVING-SURFACE TYPE B	137.375	TON
DRIVEWAY PAVING-SURFACE TYPE C	695.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,256.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	16,016.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	360.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	165,076.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	3,076.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,747.000	LF



Call No.: 090

Letting Date: November 12, 2019 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	9.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	8,260.000	LF
6" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	240.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	248,380.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,320.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,357.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	120.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	56,503.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	814.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	918.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	8.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,720.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	80.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	86,245.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	440.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	315.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	272.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	869.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	257.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	5,955.000	LF
SAWCUT FOR LOOP DETECTOR	1,928.000	LF
13"X24"X12"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	8.000	EA
18" SMOOTH WALL PIPE	32.000	LF
CATCH BASIN -TYPE 9	3.000	EA
CATCH BASIN -TYPE 16	10.000	EA
ADJUST CATCH BASIN	12.000	EA
ADJUST MANHOLE	1.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	61.000	SY
DETECTABLE WARNING MATERIAL	237.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	14.000	SY
PEDESTRIAN RAMP CONSTRUCTION	475.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.983	ACRE
SILT FENCE	500.000	LF
REPLACE/REPAIR SILT FENCE	50.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	125.000	LF



Call No.: 100 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2649590 **PCN:** P030238 **Project No.:** P030238
DBE Goal Percent: 6.00%
Approx. Length (miles):0.3910 **Description:** INTERSECTION IMPROVEMENTS - US 378 @ S-134
CO(S): Horry
Completion Date: 7/31/2020 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,905.000	SY
UNCLASSIFIED EXCAVATION	1,557.000	CY
BORROW EXCAVATION	8,099.000	CY
MUCK EXCAVATION	4,500.000	CY
FINE GRADING	4,100.000	SY
FLOWABLE FILL	100.000	CY
MAINTENANCE STONE	300.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,773.000	TON
LIQUID ASPHALT BINDER PG64-22	193.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,350.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	365.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,710.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	75.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	308.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	275.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	14,700.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	15,350.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	160.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	6.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	3.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	24.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	330.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	275.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,050.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	75.000	LF



Call No.: 100

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	7,100.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	8.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	110.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	56.260	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	116.000	LF
18" SMOOTH WALL PIPE	376.000	LF
24" SMOOTH WALL PIPE	56.000	LF
MANHOLE WITH STANDARD 4' X 4' BOX	2.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	4.000	EA
BEVELING OF PIPE END	30.000	EA
RIP-RAP (CLASS A)	90.000	TON
RIP-RAP (CLASS B)	400.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	700.000	SY
TEMPORARY BARRIER FENCE	370.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	32.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	2.000	ACRE
TEMPORARY COVER	3.000	ACRE
FERTILIZER (NITROGEN)	200.000	LB
FERTILIZER (PHOSPHORIC ACID)	200.000	LB
FERTILIZER (POTASH)	200.000	LB
AGRICULTURAL GRANULAR LIME	4,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	10.000	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.500	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	4.288	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.610	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	1,240.000	LF
SILT FENCE	1,400.000	LF
REPLACE/REPAIR SILT FENCE	140.000	LF
CLEANING SILT BASINS	20.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	350.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	40.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 110 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 2989640 **PCN:** P026827 **Project No.:** P026827
DBE Goal Percent: 8.50%
Approx. Length (miles):0.2949 **Description:** US 521 NB BRIDGE REPLACEMENT (CANE CREEK)
CO(S): Lancaster
Completion Date: 11/30/2021 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	100.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,808.000	SY
REMOVAL OF EXIST. GUARDRAIL	692.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	2,642.000	CY
BORROW EXCAVATION	3,072.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	3,200.000	SY
FINE GRADING	450.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,081.162	TON
LIQUID ASPHALT BINDER PG64-22	230.527	TON
MILLING EXISTING ASPHALT PAVEMENT 4.0"	554.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	30.000	SY
MILLED-IN RUMBLE STRIP	0.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,839.173	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	669.071	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	150.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	368.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	2.000	EA
TEMPORARY CONCRETE BARRIER	1,150.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	2.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 4"WH.SOLID PREF.	350.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE4"YEL.SOLID PREF.	350.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	925.000	LF
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	30.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	30.000	EA



Call No.: 110

Letting Date: November 12, 2019 Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,814.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	180.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,407.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	38.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	3,500.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	18,000.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	18,000.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	924.000	LF
CONC. FOR STRUCTURES - CLASS 4000	480.500	CY
GROOVED SURFACE FINISH	886.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	134,429.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	7,498.000	LB
PRESTRESSED CONC. BEAM (TYPE II)	1,125.000	LF
CONCRETE BRIDGE BARRIER PARAPET	396.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
PILE DRIVING SET-UP	14.000	EA
REINF. PILE TIPS (HP14 X 73)	14.000	EA
STEEL H BEARING PILING (HP14 X 73)	574.000	LF
DRILLED SHAFT SET-UP	6.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 42" DIAMETER	68.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 48" DIAMETER	148.000	LF
CONSTRUCTION CASING - 48" DIAMETER	148.000	LF
18" SMOOTH WALL PIPE	576.000	LF
DROP INLET TYPE 112	3.000	EA
ADJUST DROP INLET ADJUST D. I.	3.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	82.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	198.000	LF
ELASTOMERIC BEARING	36.000	EA
CROSSHOLE SONIC LOGGING SETUP	6.000	EA
AGGREGATE UNDERDRAIN AGGR. UNDERDRAIN	100.000	LF
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	120.000	TON
6" PERFORATED PIPE UNDERDRAIN	100.000	LF
RIP-RAP (CLASS B)	1,239.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,543.000	SY
MO350 W-BEAM STRONG POST SYSTEM	212.500	LF
MT3 LEADING END TREATMENT TL3	3.000	EA
MB TRAILING END TREATMENT	1.000	EA
MGS3 GR STANDARD SHOULDER	1,012.500	LF
MO350 TRAILING W-BEAM TYPE B (12.5')	1.000	EA
MO350 TBBC THRIE BRIDGE CONNECTOR TL3	2.000	EA



Call No.: 110

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	6.000	EA
NON-MOW STRIP UNDER GUARDRAIL	150.000	SY
MO350 LEADING TYPE T TL3 (50')	1.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	8.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.269	ACRE
TEMPORARY COVER	0.634	ACRE
COMPOST	341.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	0.739	ACRE
FERTILIZER (NITROGEN)	126.900	LB
FERTILIZER (PHOSPHORIC ACID)	126.900	LB
FERTILIZER (POTASH)	126.900	LB
AGRICULTURAL GRANULAR LIME	2,538.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.807	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	28.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.488	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.430	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 4	0.100	ACRE
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	96.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	276.000	LF
SILT FENCE	2,239.420	LF
REPLACE/REPAIR SILT FENCE	223.942	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	559.855	LF
INLET FILTER CLEANING	6.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 120 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3225460 **PCN:** 0042502RD01 **Project No.:** SU32020
DBE Goal Percent: 11.00%
Approx. Length (miles): 3.7590 **Description:** US 1 WIDENING PROJECT FROM S-31 TO SC
CO(S): Lexington 23
Completion Date: 10/31/2021 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	2,000.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
CLEARING & GRUBBING DITCHES	1.141	ACRE
REMOVAL & DISPOSAL OF TANK CONTENTS	24,000.000	GAL
REMOVAL & DISPOSAL OF LOW LEVEL CONTAMINATED SOIL	600.000	TON
REMOVAL & DISPOSAL OF HIGH LEVEL CONTAMINATED SOIL	600.000	TON
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 007	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 008	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 009	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 010	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 011	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 012	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 013	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 014	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 015	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 016	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 017	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 018	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 019	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 020	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 021	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 022	1.000	LS



Call No.: 120

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
REMOVAL & DISPOSAL ITEM NO. 023	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 024	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 025	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 026	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 027	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 028	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	300.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	300.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,216.000	SY
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)X(____) 002	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)X(____) 003	1.000	EA
UNCLASSIFIED EXCAVATION	76,932.000	CY
BORROW EXCAVATION	16,416.000	CY
MUCK EXCAVATION	2,000.000	CY
GEOGRID REINFORCEMENT (BIAXIAL)	3,000.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	2,875.000	CY
TEMPORARY SHORING WALL	645.000	LF
NO. 57 STONE FOR BACKFILL	75.000	TON
OVERHAUL	13,482.000	CYHM
FINE GRADING	83,922.000	SY
FLOWABLE FILL	231.000	CY
GRADED AGGREGATE BASE COURSE (10" UNIFORM)	81,041.000	SY
MAINTENANCE STONE	5,000.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	927.000	TON
PRIME COAT	21,882.000	GAL
LIQUID ASPHALT BINDER PG64-22	2,283.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	4,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	59,476.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	500.000	SY
MILLED-IN RUMBLE STRIP	3.400	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	23,701.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	21,326.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	500.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	95.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,084.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	94.000	SF
DETOUR SIGNS	660.000	SF
BARRICADE - TYPE 3	84.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	6.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	11.000	EA
TEMPORARY CONCRETE BARRIER	1,660.000	LF



Call No.: 120 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 3

Description	Quantity	Units
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	44,224.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	5,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	180,111.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	201,417.820	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	875.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,960.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	72,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	24.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	12.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	60.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	770.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	8,600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	37,800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	875.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,450.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,800.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	48,200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	420.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	580.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	860.000	EA
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	46.000	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	5,542.000	LB
15" SMOOTH WALL PIPE	212.000	LF
18" SMOOTH WALL PIPE	8,172.000	LF
24" SMOOTH WALL PIPE	2,572.000	LF
30" SMOOTH WALL PIPE	1,488.000	LF
36" SMOOTH WALL PIPE	56.000	LF
42" SMOOTH WALL PIPE	736.000	LF
48" SMOOTH WALL PIPE	292.000	LF
54" SMOOTH WALL PIPE	112.000	LF
CATCH BASIN -TYPE 9 MH	3.000	EA
CATCH BASIN -TYPE 16	37.000	EA
CATCH BASIN -TYPE 17	1.000	EA
CATCH BASIN -TYPE 18	6.000	EA
DROP INLET (24" X 24")	4.000	EA
DROP INLET (24" X 36")	12.000	EA
DROP INLET (24" X 36") WITH STANDARD 4' X 4' BOX	2.000	EA
DROP INLET (24" X 36") WITH STANDARD 6' X 6' BOX	1.000	EA
MANHOLE	15.000	EA



Call No.: 120

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
MANHOLE WITH MODIFIED BOX NO.(____) 001	1.000	EA
MANHOLE WITH MODIFIED BOX NO.(____) 002	1.000	EA
MANHOLE WITH MODIFIED BOX NO.(____) 003	1.000	EA
48" X 48" JUNCTION BOX	2.000	EA
JUNCTION BOX (SPECIAL) 004	1.000	EA
EXTRA DEPTH OF BOX	20.000	LF
BEVELING OF PIPE END	59.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	7,387.000	LF
CONCRETE MEDIAN	26.000	SY
5'X 5' P.C. BOX CULVERT {AASHTO M-259} FH = 15'	160.000	LF
8'X 8' P.C. BOX CULVERT ?AASHTO M-259! FH = 10	136.000	LF
AGGREGATE UNDERDRAIN (AGGR.NO. 57)	130.000	CY
6" PERFORATED PIPE UNDERDRAIN	1,000.000	LF
RIP-RAP (CLASS A)	72.000	TON
RIP-RAP (CLASS B)	3,048.000	TON
RIP-RAP (CLASS C)	751.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	4,778.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	250.000	SY
MO350 W-BEAM STRONG POST SYSTEM	1,662.500	LF
MT3 LEADING END TREATMENT TL3	8.000	EA
MGS3 GR STANDARD SHOULDER	1,325.000	LF
MGS3CS GR COMPRESSED SHOULDER	337.500	LF
MO350 TRAILING W-BEAM TYPE B (12.5')	4.000	EA
MO350 LEADING TYPE T TL3 (50')	1.000	EA
ADDITIONAL LENGTH OF POST	134.000	LF
TEMPORARY BARRIER FENCE	5,080.000	LF
RESET FENCE	3,212.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS



Call No.: 120

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
MOVING ITEM NO. 016	1.000	LS
MOVING ITEM NO. 017	1.000	LS
MOVING ITEM NO. 018	1.000	LS
MOVING ITEM NO. 019	1.000	LS
MOVING ITEM NO. 020	1.000	LS
MOVING ITEM NO. 021	1.000	LS
MOVING ITEM NO. 022	1.000	LS
MOVING ITEM NO. 023	1.000	LS
MOVING ITEM NO. 024	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	146.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	23.692	ACRE
TEMPORARY COVER	11.847	ACRE
COMPOST	6,371.000	CY
FERTILIZER (NITROGEN)	2,369.200	LB
FERTILIZER (PHOSPHORIC ACID)	2,369.200	LB
FERTILIZER (POTASH)	2,369.200	LB
AGRICULTURAL GRANULAR LIME	47,384.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	71.076	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	23.266	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.922	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 3	0.156	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	17.154	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	9.455	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	14.237	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	830.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,040.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	9,317.000	LF
SILT FENCE	18,899.000	LF
REPLACE/REPAIR SILT FENCE	1,890.000	LF
FLOATING TURBIDITY BARRIER-LIGHT DUTY	1,500.000	SF
SILT BASINS	11,480.000	CY
CLEANING SILT BASINS	4,305.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	4,725.000	LF
DITCH CHECK	100.000	TON
CLEANING INLET STRUCTURE FILTERS	77.000	EA
INLET STRUCTURE FILTER - TYPE D1	7.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	7.000	EA
INLET STRUCTURE FILTER - TYPE B	77.000	EA
INLET STRUCTURE FILTER - TYPE A	228.000	LF
SEDIMENT DAM RIPRAP	992.000	TON



Call No.: 120

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 6

Description	Quantity	Units
AGGREGATE NO.5 FOR EROSION CONTROL (6" UNIFORM)	270.000	SY
STABILIZED CONSTRUCTION ENTRANCE	1,925.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	3,640.000	HR



Call No.: 130 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3847970 **PCN:** P029530 **Project No.:** P029530
DBE Goal Percent: 11.50%
Approx. Length (miles):0.4470 **Description:** INTERSECTION IMPROVEMENT - US 301/SC
CO(S): Orangeburg 267
Completion Date: 8/31/2021 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	600.000	SY
UNCLASSIFIED EXCAVATION	2,098.000	CY
BORROW EXCAVATION	1,852.000	CY
MUCK EXCAVATION	200.000	CY
FINE GRADING	7,883.000	SY
FLOWABLE FILL	100.000	CY
MAINTENANCE STONE	200.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,967.000	TON
LIQUID ASPHALT BINDER PG64-22	349.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,260.000	SY
MILLED-IN RUMBLE STRIP	0.710	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,047.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,047.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	77.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	692.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	6,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	17,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	14,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	200.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	200.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,510.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,500.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,400.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	525.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	750.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	50.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	825.000	LF



Call No.: 130

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	16.000	EA
WHITE U-TURN ARROW THERMO-125MIL	4.000	EA
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,700.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	300.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	90.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	288.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	361.530	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	96.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	774.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	22.670	LF
18" SMOOTH WALL PIPE	1,753.000	LF
24" SMOOTH WALL PIPE	14.000	LF
30" SMOOTH WALL PIPE	28.000	LF
CLEANING EXISTING PIPE	405.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	21.000	EA
DROP INLET TYPE 112	3.000	EA
MANHOLE	1.000	EA
DROP INLET (24" X 36") - CONVERT JUNCTION BOX	1.000	EA
BEVELING OF PIPE END	14.000	EA
CONCRETE MEDIAN	2,425.000	SY
RIP-RAP (CLASS B)	241.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	292.000	SY
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	8.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.452	ACRE
TEMPORARY COVER	0.762	ACRE
STRAW OR HAY MULCH WITH TACKIFIER	4.356	ACRE
FERTILIZER (NITROGEN)	145.000	LB
FERTILIZER (PHOSPHORIC ACID)	145.000	LB
FERTILIZER (POTASH)	145.000	LB
AGRICULTURAL GRANULAR LIME	2,904.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.904	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	3.164	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	280.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	280.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	456.000	LF
SILT FENCE	980.000	LF
CLEANING SILT BASINS	8.000	CY



Call No.: 130

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
INLET FILTER CLEANING	22.000	EA
INLET STRUCTURE FILTER - TYPE B	2.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 140 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3852710	PCN: P038180	Project No.: P038180
DBE Goal Percent: 0.00%	PCN: P038200	Project No.: P038200
	PCN: P038497	Project No.: P038497
	PCN: P038514	Project No.: P038514

Approx. Length (miles):27.7200 **Description:** REHABILITATION - ORANGEBURG COUNTY
CO(S): Orangeburg
Completion Date: 10/31/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	250.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	85.000	LF
BORROW EXCAVATION	5,116.000	CY
EXCAVATION FOR SHOULDER PAVING	1,816.292	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,816.292	STA
MAINTENANCE STONE	209.950	TON
HMA SHOULDER WIDENING COURSE	8,311.013	TON
LIQUID ASPHALT BINDER PG64-22	3,236.699	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	17,925.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,070.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.25"	14,050.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	14,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	19,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	43,915.000	SY
MILLED-IN RUMBLE STRIP	32.910	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	29,504.106	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,109.040	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	11,491.941	TON
DRIVEWAY PAVING-SURFACE TYPE D	3,612.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	7,548.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	6,545.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	175,850.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	250.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,015.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	14.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -PERM.PVMT.MARKING	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	1.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	2.000	EA



Call No.: 140

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	4.000	EA
HANDICAP SYMBOL - PERM.PVMT MARKING	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	21,086.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	83,760.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	15,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	397,470.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	2,880.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,132.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	15.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	43,272.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	236,330.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	64.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	260.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	287.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,551.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	1,305.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	33,685.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,190.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,551.000	LF
WHITE SINGLE ARROWS (LEFT, STRIAGHT, RIGHT) SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	6.000	EA
WHITE WORD MESSAGE "ONLY" - SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	2.000	EA
WHITE COMBINATION ARROW (STRAIGHT&RIGHT OR STRAIGHT&LEFT) - SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS 001	1.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	550.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	39,900.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	105.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,400.000	LF
SAWCUT FOR LOOP DETECTOR	425.000	LF
CATCH BASIN - TYPE 7(TOP ONLY)	1.000	EA
CATCH BASIN - TYPE 9(TOP ONLY)	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	20.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	30.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	35.000	LF



Call No.: 140

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
DETECTABLE WARNING MATERIAL	125.000	SF
PEDESTRIAN RAMP CONSTRUCTION	250.000	SY
SURFACE APPLIED DETECTABLE WARNING	300.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	980.000	LF
MT3 LEADING END TREATMENT TL3	1.000	EA
MB TRAILING END TREATMENT	1.000	EA
MGS3 GR STANDARD SHOULDER	920.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	24.806	ACRE



Call No.: 150 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3891270 PCN: P028533 Project No.: P028533
DBE Goal Percent: 17.50% PCN: P028535 Project No.: P028535
Approx. Length (miles):0.5170 Description: TOWN OF BOWMAN SIDEWALK PROJECT
CO(S): Orangeburg
Completion Date: 10/31/2020 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	145.000	SY
SITE EXCAVATION	1.000	LS
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	222.000	LF
MAINTENANCE STONE	71.472	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	29.300	TON
LIQUID ASPHALT BINDER PG64-22	2.946	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	15.500	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	54.311	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	640.000	SF
2.0" SCHEDULE 80 PVC CONDUIT	774.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	636.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	195.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	75.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	629.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	195.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	135.000	LF
REMOVAL OF PAVEMENT MARKINGS	678.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	98.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	140.000	LF
FURNISH & INSTALL SOLAR POWERED FLASHER ASSEM-SINGLE BEACON	2.000	EA
18" RC PIPE CUL.-CLASS III	16.000	LF
18" SMOOTH WALL PIPE	927.000	LF
CATCH BASIN -TYPE 16	7.000	EA
CATCH BASIN -TYPE 17	1.000	EA
CATCH BASIN -TYPE 18	1.000	EA
DROP INLET (24" X 36")	4.000	EA



Call No.: 150

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
MANHOLE	1.000	EA
CATCH BASIN - TYPE 9(TOP ONLY)	2.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	418.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	791.000	SY
DETECTABLE WARNING MATERIAL	175.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	363.110	SY
PEDESTRIAN RAMP CONSTRUCTION	300.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	3.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT GRASSING FOR SMALL PROJECTS	0.265	ACRE
SODDING	1.200	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	52.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	147.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	34.000	LF
SILT FENCE	3,666.500	LF
REPLACE/REPAIR SILT FENCE	296.450	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	741.125	LF
CLEANING INLET STRUCTURE FILTERS	19.000	EA
INLET STRUCTURE FILTER - TYPE B	4.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	6.000	EA
INLET STRUCTURE FILTER - TYPE A	56.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	15.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY



Call No.: 160 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 3952220	PCN: P038254	Project No.: P038254
DBE Goal Percent: 0.00%	PCN: P038255	Project No.: P038255
	PCN: P038256	Project No.: P038256

Approx. Length (miles):6.8800 **Description:** RESURFACING - PICKENS COUNTY
CO(S): Pickens
Completion Date: 5/31/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	175.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	7,919.800	SY
BORROW EXCAVATION	1,272.000	CY
EXCAVATION FOR SHOULDER PAVING	311.520	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	311.520	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	45,751.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,196.000	TON
MAINTENANCE STONE	188.880	TON
HMA SHOULDER WIDENING COURSE	373.120	TON
LIQUID ASPHALT BINDER PG64-22	1,406.119	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	8,888.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	71,348.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,031.000	SY
MILLED-IN RUMBLE STRIP	6.160	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	2,209.120	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,670.304	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,028.440	TON
DRIVEWAY PAVING-SURFACE TYPE C	982.600	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	4,752.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,712.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	198,800.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	4,065.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,166.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	46.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	15.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	7,380.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	386,298.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	780.000	LF



Call No.: 160

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	780.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,270.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	64,604.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,635.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	872.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	19.000	EA
WHITE WORD MESSAGE "SCHOOL" -THERMOPLASTIC - 125 MIL.	1.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	980.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	75,371.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	133.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	6.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	681.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	630.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	11,310.000	LF
SAWCUT FOR LOOP DETECTOR	4,110.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	3.000	EA
DETECTABLE WARNING MATERIAL	175.000	SF
PEDESTRIAN RAMP CONSTRUCTION	350.000	SY
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	100.000	LF
MO350 LEADING TYPE T TL3 (50')	4.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.003	ACRE



Call No.: 170 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4248330 **PCN:** P028811 **Project No.:** P028811
DBE Goal Percent: 0.00%
Approx. Length (miles):0.3860 **Description:** INTERSECTION IMPROVEMENTS - S-1035 & S-41
CO(S): Spartanburg
Completion Date: 9/30/2020 **Funding:** CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	252.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,298.000	SY
REMOVAL OF EXIST. GUARDRAIL	575.000	LF
UNCLASSIFIED EXCAVATION	1,242.000	CY
BORROW EXCAVATION	2,100.000	CY
NO. 57 STONE FOR BACKFILL	20.000	TON
FINE GRADING	2,468.000	SY
FLOWABLE FILL	10.000	CY
MAINTENANCE STONE	250.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	850.000	TON
LIQUID ASPHALT BINDER PG64-22	103.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	925.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	750.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	451.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	780.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	436.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	55.000	SF
BARRICADE - TYPE 3	54.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	2.000	EA
TYPE B - FLASHING LIGHT	8.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	550.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	12,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	12,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	100.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	230.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	6.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	4.000	EA



Call No.: 170

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	40.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,200.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	500.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	425.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	300.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	3.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	3.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,700.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	500.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	80.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	33.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	15.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	30.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	253.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	579.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	215.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,816.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,244.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,856.000	LF
SAWCUT FOR LOOP DETECTOR	600.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	7.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	475.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	7.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	9.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
18" SMOOTH WALL PIPE	584.000	LF
24" SMOOTH WALL PIPE	104.000	LF
DROP INLET (24" X 24")	3.000	EA
MANHOLE	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	198.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	221.000	SY



Call No.: 170

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
DETECTABLE WARNING MATERIAL	25.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	617.000	SY
CONCRETE DRIVEWAY(8" UNIFORM)	75.000	SY
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
10" PIPE SLOPE DRAIN	200.000	LF
RIP-RAP (CLASS B)	109.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	139.000	SY
MO350 W-BEAM STRONG POST SYSTEM	462.500	LF
MO350 TRAILING W-BEAM TYPE B (12.5')	1.000	EA
MO350 TBBC THRIE BRIDGE CONNECTOR TL3	2.000	EA
MOP350 W-BEAM CURVED SYSTEM	87.500	LF
MO350 LEADING TYPE T TL3 (50')	1.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	18.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.243	ACRE
TEMPORARY COVER	0.621	ACRE
FERTILIZER (NITROGEN)	124.300	LB
FERTILIZER (PHOSPHORIC ACID)	124.300	LB
FERTILIZER (POTASH)	124.300	LB
AGRICULTURAL GRANULAR LIME	2,485.200	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	3.728	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	6.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.864	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	400.000	LF
SILT FENCE	2,500.000	LF
SILT BASINS	194.000	CY
CLEANING INLET STRUCTURE FILTERS	20.000	EA
INLET STRUCTURE FILTER - TYPE B	1.000	EA
INLET STRUCTURE FILTER - TYPE A	75.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 180 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4651331 PCN: P032277 Project No.: P032277
DBE Goal Percent: 17.50%
Approx. Length (miles):0.1870 Description: ROSEWOOD ELEMENTARY SAFE ROUTES TO SCHOOL
CO(S): York
Completion Date: 8/31/2020 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	30.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	120.000	SY
SITE EXCAVATION	1.000	LS
MAINTENANCE STONE	50.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	120.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	144.000	SF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	440.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	400.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	50.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	80.000	LF
10" SMOOTH WALL PIPE	8.000	LF
18" SMOOTH WALL PIPE	605.000	LF
CATCH BASIN -TYPE 16	4.000	EA
CATCH BASIN -TYPE 16 WITH MODIFIED BOX NO.(____) 001	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	920.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	520.000	SY
DETECTABLE WARNING MATERIAL	109.000	SF
CONCRETE FLUME	3.000	EA
PEDESTRIAN RAMP CONSTRUCTION	159.000	SY
RIP-RAP (CLASS A)	4.000	TON
GROUTED RIPRAP	4.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	7.000	SY
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE	80.000	LF
RESET CHAIN-LINK FENCE	80.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	15.000	EA
RIGHT OF WAY PLAT	1.000	LS
SELECT MATERIAL	52.000	CY
SODDING	0.925	MSY



Call No.: 180

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	50.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	50.000	LF
SILT FENCE	1,210.000	LF
CLEANING INLET STRUCTURE FILTERS	12.000	EA
INLET STRUCTURE FILTER - TYPE A	30.000	LF
STABILIZED CONSTRUCTION ENTRANCE	275.000	SY



Call No.: 190 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 4690010 **PCN:** P027986 **Project No.:** P027986
DBE Goal Percent: 10.00%
Approx. Length (miles):0.2790 **Description:** INTERSECTION IMPROVEMENTS - S-96 AT US
CO(S): York 21
Completion Date: 8/31/2020 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CURB	1,156.000	LF
REMOVAL & DISPOSAL OF EXISTING CONC. PAVEMENT(REHAB)RAMP	2.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	50.000	CY
UNCLASSIFIED EXCAVATION	512.000	CY
FINE GRADING	865.000	SY
FLOWABLE FILL	10.000	CY
MAINTENANCE STONE	25.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	330.000	TON
LIQUID ASPHALT BINDER PG64-22	65.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,252.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	692.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	75.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	867.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	152.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,519.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	795.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	130.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,072.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	40.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	17.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	30.000	SF
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	4.000	EA



Call No.: 190

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
U-SECTION POST FOR SIGN SUPPORTS - 2P	20.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	88.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	217.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	46.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	547.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	274.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,208.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,109.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,584.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	1.000	EA
SAWCUT FOR LOOP DETECTOR	1,028.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	2.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	5.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 1	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD 1	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD 1	1.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 1	8.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	8.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	8.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	10.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
POWDERCOATING PER MAST ARM OVER GALVANIZED	2.000	EA
LUMINAIRE OPTION FOR MAST ARM - TO ACCOUNT FOR TALLER POLE	2.000	EA
INSTALL FOUNDATION FOR MAST ARM INCLUDING CONCRETE AND REBAR	12.000	CY
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS WITHOUT FOUNDATION 2	2.000	EA
18" SMOOTH WALL PIPE	584.000	LF
CATCH BASIN -TYPE 16	4.000	EA
CATCH BASIN -TYPE 18	1.000	EA
MANHOLE	3.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	500.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	940.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	682.000	SY
DETECTABLE WARNING MATERIAL	162.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	157.000	SY
CONCRETE MEDIAN	50.000	SY
PEDESTRIAN RAMP CONSTRUCTION	325.000	SY
RIP-RAP (CLASS A)	50.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	25.000	SY



Call No.: 190

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
RIGHT OF WAY MARKER(REBAR AND CAP)	24.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT GRASSING FOR SMALL PROJECTS	0.100	ACRE
TEMPORARY COVER	0.050	ACRE
SELECTIVE WATERING	54,300.000	GAL
MOWING	0.300	ACRE
SODDING	1.000	MSY
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	60.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	100.000	LF
SILT FENCE	700.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	50.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
PARKING BLOCK	7.000	EACH



Call No.: 200 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5153220 **PCN:** P038031 **Project No.:** P038031
DBE Goal Percent: 12.00%
Approx. Length (miles): 11.0000 **Description:** I-26 SAFETY IMPROVEMENTS MP 90 TO 120
CO(S): Lexington
Completion Date: 6/30/2020 **Funding:** FED

CONTRACTORS ARE ADVISED THAT THERE WILL BE A MANDATORY PRE-BID CONFERENCE FOR THIS PROJECT TO BE HELD FROM 10:00-12:00 ON MONDAY OCTOBER 28, 2019. LOCATION FOR THIS THIS PRE-BID CONFERENCE WILL BE THE DISTRICT 1 OFFICE, 1400 SHOP ROAD, COLUMBIA, SOUTH CAROLINA. CONTRACTS WHO DO NOT ATTEND THIS PRE-BID CONFERENCE WILL NOT BE ALLOWED TO SUBMIT A PROPOSAL FOR THIS PROJECT.

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	50.000	HR
SELECTED CLEARING	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	300.000	LF
MO350 W-BEAM STRONG POST SYSTEM	743.000	LF
MT3 LEADING END TREATMENT TL3	5.000	EA
MB TRAILING END TREATMENT	5.000	EA
MGS3 GR STANDARD SHOULDER	1,337.000	LF
MO350 TRAILING W-BEAM TYPE B (12.5')	2.000	EA
MO350 W-BEAM 9'P COMPRESSED SHOULDER SYSTEM	300.000	LF
MO350 LEADING TYPE T TL3 (50')	1.000	EA
WOVEN WIRE FENCE - TYPE 3 WITH 2 STRANDS BARBED	1,000.000	LF
FERTILIZER (NITROGEN)	100.000	LB
FERTILIZER (PHOSPHORIC ACID)	100.000	LB
FERTILIZER (POTASH)	100.000	LB
AGRICULTURAL GRANULAR LIME	2,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.000	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	2.000	ACRE



Call No.: 210 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5153740	PCN: P038420	Project No.: P038420
DBE Goal Percent: 0.00%	PCN: P038946	Project No.: P038946
	PCN: P038953	Project No.: P038953
	PCN: P038954	Project No.: P038954
	PCN: P038955	Project No.: P038955
	PCN: P038956	Project No.: P038956
	PCN: P038957	Project No.: P038957

Approx. Length (miles):25.4800 **Description:** REHABILITATION - KERSHAW & LEE COUNTIES
CO(S): Kershaw Lee

Completion Date: 6/30/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	19.000	SY
BORROW EXCAVATION	5,096.000	CY
EXCAVATION FOR SHOULDER PAVING	2,001.600	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	2,001.600	STA
MAINTENANCE STONE	139.250	TON
HMA SHOULDER WIDENING COURSE	11,001.760	TON
LIQUID ASPHALT BINDER PG64-22	3,709.682	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	8,150.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	5,775.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	23,300.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	111,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,850.000	SY
MILLED-IN RUMBLE STRIP	39.860	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	11,760.801	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	2,728.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,393.334	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	29,319.927	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,150.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,539.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,336.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	8,260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	852,020.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	5,945.000	LF



Call No.: 210

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	3.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	51,560.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	570,600.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,050.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	74,500.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	675.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,150.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	39,700.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,765.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	2,355.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	194,930.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,275.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	4.000	EA
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	10,280.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	144,230.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	30.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,130.000	LF
SAWCUT FOR LOOP DETECTOR	360.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	250.000	LF
MO350 LEADING TYPE T TL3 (50')	5.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	24.707	ACRE



Call No.: 220 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5154020 **PCN:** P038046 **Project No.:** P038046
DBE Goal Percent: 0.00%
Approx. Length (miles): 128.3000 **Description:** DISTRICT 1 RUMBLE STRIPE PROJECT
CO(S): Kershaw Lee Lexington
 Richland Sumter
Completion Date: 9/30/2020 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	251.450	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	10,097.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,327,700.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	64,715.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	920,609.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	10,097.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,327,700.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	64,715.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,026,567.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	120.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	8,468.000	EA
REMOVAL OF PAVEMENT MARKINGS	2,429,080.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 230 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5254010 PCN: P038047 Project No.: P038047

DBE Goal Percent: 0.00%

Approx. Length (miles): 116.4800

Description: DISTRICT 2 RUMBLE STRIPE PROJECT

CO(S): Abbeville Anderson
Greenwood Laurens
McCormick Newberry
Saluda

Completion Date: 9/30/2020

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	189.860	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,411.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,205,429.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	62,680.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	906,826.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,411.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,002,489.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	62,680.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	906,826.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	20.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	7,688.000	EA
REMOVAL OF PAVEMENT MARKINGS	2,182,347.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO. PROFILE	202,940.000	LF



Call No.: 240 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5354030 **PCN:** P038048 **Project No.:** P038048
DBE Goal Percent: 0.00%
Approx. Length (miles):94.7100 **Description:** DISTRICT 3 RUMBLE STRIPE PROJECT
CO(S): Greenville Oconee Pickens
 Spartanburg
Completion Date: 9/30/2020 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	40.170	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	10,238.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	980,115.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	45,761.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	756,975.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	10,238.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	164,991.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	45,761.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	708,090.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	227.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	303.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	6,251.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,744,204.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO. PROFILE	815,124.000	LF



Call No.: 250 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5453210 PCN: P038030 Project No.: P038030

DBE Goal Percent: 7.00%

Approx. Length (miles):31.0000

Description: I-77 SAFETY IMPROVEMENTS MP 60 TO 91

CO(S): Chester York

Completion Date: 10/31/2020

Funding: FED

CONTRACTORS ARE ADVISED THAT THERE WILL BE A MANDATORY PRE-BID CONFERENCE FOR THIS PROJECT TO BE HELD FROM 10:30-12:30 ON TUESDAY, THURSDAY, OCTOBER 25, 2019. LOCATION FOR THIS PRE-BID CONFERENCE WILL BE THE DISTRICT 4 OFFICE, 1232 JA COCHRAN BY-PASS, CHESTER, SOUTH CAROLINA. CONTRACTORS WHO DO NOT ATTEND THIS PRE-BID CONFERENCE WILL NOT BE ALLOWED TO SUBMIT A BID PROPOSAL FOR THIS PROJECT.

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	400.000	HR
SELECTED CLEARING	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL OF EXIST. GUARDRAIL	600.000	LF
MO350 W-BEAM STRONG POST SYSTEM	8,045.000	LF
MT3 LEADING END TREATMENT TL3	23.000	EA
MEDIAN CABLE BARRIER	78,000.000	LF
MB TRAILING END TREATMENT	23.000	EA
MGS3 GR STANDARD SHOULDER	6,188.000	LF
MO350 TRAILING W-BEAM TYPE B (12.5')	12.000	EA
CABLE BARRIER END ANCHOR	78.000	EA
MO350 W-BEAM 9'P COMPRESSED SHOULDER SYSTEM	600.000	LF
MO350 LEADING TYPE T TL3 (50')	10.000	EA
WOVEN WIRE FENCE - TYPE 3 WITH 2 STRANDS BARBED	2,525.000	LF
FERTILIZER (NITROGEN)	2,000.000	LB
FERTILIZER (PHOSPHORIC ACID)	2,000.000	LB
FERTILIZER (POTASH)	2,000.000	LB
AGRICULTURAL GRANULAR LIME	40,000.000	LB
SELECTIVE WATERING	135,749.000	GAL
MOWING	355.000	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	40.000	ACRE



Call No.: 260 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5454040 **PCN:** P038049 **Project No.:** P038049
DBE Goal Percent: 0.00%
Approx. Length (miles): 133.6300 **Description:** DISTRICT 4 RUMBLE STRIPE PROJECT
CO(S): Cherokee Chester
 Chesterfield Fairfield
 Lancaster Union York
Completion Date: 9/30/2020 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	218.040	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	14,732.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,382,909.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	126,448.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	689,236.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	14,732.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,112,185.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	126,448.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	728,251.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	334.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	249.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	8,819.000	EA
REMOVAL OF PAVEMENT MARKINGS	2,252,340.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO. PROFILE	270,725.000	LF



Call No.: 270 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5551810 PCN: P037970 Project No.: P037970

DBE Goal Percent: 0.00%

Approx. Length (miles):0.2010

Description: DISTRICT 5 BRIDGE DECK REPAIRS

CO(S): Georgetown Horry

Completion Date: 5/31/2020

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
CONC. FOR STRUCTURES - CLASS 4000	41.741	CY
SPALL REPAIR	200.000	SF
EPOXY CRACK INJECTION	150.000	LF
GROOVED SURFACE FINISH	69.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	3,211.563	LB
GALVANIZED REINF. STEEL FOR STRUCTURES (BRIDGE)	10,633.277	LB
CONCRETE BRIDGE BARRIER PARAPET	72.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	4.000	EA
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	4.000	EA



Call No.: 280 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5552660	PCN: P038539	Project No.: P038539
DBE Goal Percent: 0.00%	PCN: P038540	Project No.: P038540
	PCN: P038541	Project No.: P038541
	PCN: P038552	Project No.: P038552
	PCN: P038553	Project No.: P038553
	PCN: P038554	Project No.: P038554

Approx. Length (miles): 13.4600

CO(S): Dillon Marion

Description: REHABILITATION/RECONSTRUCTION - DILLON & MARION CO.

Completion Date: 11/30/2020

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	470.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	300.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	17.780	CY
BORROW EXCAVATION	2,968.000	CY
EXCAVATION FOR SHOULDER PAVING	86.064	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	86.064	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	169,986.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	5,498.000	TON
MAINTENANCE STONE	62.000	TON
HMA SHOULDER WIDENING COURSE	430.320	TON
LIQUID ASPHALT BINDER PG64-22	1,921.477	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	800.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	5,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	53,830.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	8,202.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,000.000	SY
MILLED-IN RUMBLE STRIP	28.220	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10,325.067	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	11,161.607	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	11,893.570	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	410.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	672.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,392.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	28,320.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,540.000	LF



Call No.: 280

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	385,955.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	510.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,350.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	34,635.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	207,410.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,440.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,850.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	128,655.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	170.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	450.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	11,545.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	69,140.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	473.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	145.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,059.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,410.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	300.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	40.000	SY
DETECTABLE WARNING MATERIAL	175.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	80.000	SY
PEDESTRIAN RAMP CONSTRUCTION	350.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.010	ACRE



Call No.: 290 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5553710 PCN: P038939 Project No.: P038939

DBE Goal Percent: 0.00%

Approx. Length (miles):46.0000

Description: DISTRICT 5 PAVEMENT MARKINGS

CO(S): DISTRICT5

Completion Date: 7/31/2020

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	80,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	390,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	13,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	175.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	150.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	9,500.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	100.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	50.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	25.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	5.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	30,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	380,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	1,200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	4,300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	4,250.000	EA
REMOVAL OF PAVEMENT MARKINGS	11,750.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	750.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	5,500.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	5,500.000	LF



Call No.: 300 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5554050 **PCN:** P038050 **Project No.:** P038050
DBE Goal Percent: 0.00%
Approx. Length (miles):80.8200 **Description:** DISTRICT 5 RUMBLE STRIPE PROJECT
CO(S): Darlington Dillon Florence
 Georgetown Horry
 Marlboro Williamsburg
Completion Date: 9/30/2020 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	158.410	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	11,454.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	836,389.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	67,097.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	463,551.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	11,454.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	836,389.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	67,097.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	461,938.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	330.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	5,334.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,376,879.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 310 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5554080 PCN: P038910 Project No.: P038910

DBE Goal Percent: 0.00%

Approx. Length (miles): 133.2200

Description: DISTRICT 5 PAVEMENT MARKINGS

CO(S): Darlington Dillon Florence
Georgetown Horry Marion
Marlboro Williamsburg

Completion Date: 8/31/2020

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,850.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	312,010.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	415.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	30,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	172,090.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	5,760.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	95,260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	975,450.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	13,650.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	14,170.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	182.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	135.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	26.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	111.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	113,520.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	815,490.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	850.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	4,730.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	3,534.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	11,711.000	EA



Call No.: 320 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5554120 PCN: P039163 Project No.: P039163
DBE Goal Percent: 0.00%
Approx. Length (miles): 2,650.
CO(S): DISTRICT5 0000 Description: DISTRICT 5 SECONDARY ROUTE RAISED PAVEMENT MARKERS
Completion Date: 8/31/2020 Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	192,400.000	EA



Call No.: 330 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5652320 PCN: P029757 Project No.: P029757

DBE Goal Percent: 10.00%

Approx. Length (miles): 14.8800

Description: I-26 PHASE II CLEAR ZONE IMPROVEMENTS

CO(S): Berkeley Dorchester

Completion Date: 3/31/2021

Funding: FED

CONTRACTORS ARE ADVISED THAT THERE WILL BE A MANDATORY PRE-BID CONFERENCE FOR THIS PROJECT TO BE HELD FROM 10:00-12:00 ON TUESDAY, OCTOBER 29, 2019. LOCATION FOR THIS PRE-BID CONFERENCE WILL BE THE DISTRICT 6 OFFICE, 6355 FAIN BOULEVARD, NORTH CHARLESTON, SOUTH CAROLINA. CONTRACTORS WHO DO NOT ATTEND THIS PRE-BID CONFERENCE WILL NOT BE ALLOWED TO SUBMIT A BID PROPOSAL FOR THIS PROJECT.

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER	1,000.000	HR
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
UNCLASSIFIED EXCAVATION	1,000.000	CY
BORROW EXCAVATION	149,200.000	CY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	896.000	SF
CLEANING EXISTING PIPE	500.000	LF
ADJUST CATCH BASIN	5.000	EA
ADJUST DROP INLET ADJUST D. I.	5.000	EA
RIP-RAP (CLASS A)	1,900.000	TON
RIP-RAP (CLASS B)	200.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	14,700.000	SY
MT3 LEADING END TREATMENT TL3	35.000	EA
MEDIAN CABLE BARRIER	71,000.000	LF
MB TRAILING END TREATMENT	16.000	EA
MGS3 GR STANDARD SHOULDER	16,160.000	LF
CABLE BARRIER END ANCHOR	100.000	EA
TEMPORARY BARRIER FENCE	1,500.000	LF
PERMANENT COVER	70.000	ACRE
TEMPORARY COVER	35.000	ACRE
FERTILIZER (NITROGEN)	7,000.000	LB
FERTILIZER (PHOSPHORIC ACID)	7,000.000	LB
FERTILIZER (POTASH)	7,000.000	LB
AGRICULTURAL GRANULAR LIME	140,000.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	140.000	ACRE
ENHANCED STACKED DITCH CHECKS	87,500.000	LF
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	70.000	ACRE
SILT FENCE	204,000.000	LF
REPLACE/REPAIR SILT FENCE	3,000.000	LF



Call No.: 330

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
CLEANING SILT BASINS	72,100.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	7,500.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	150.000	TON
STABILIZED CONSTRUCTION ENTRANCE	10,175.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	1,040.000	HR



Call No.: 340 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5653300 PCN: P038502 Project No.: P038502

DBE Goal Percent: 0.00%

Approx. Length (miles):

Description: SITE SPECIFIC DECK REPAIRS - DISTRICT 6

CO(S): Berkeley Charleston
Colleton Dorchester Jasper

Completion Date: 1/31/2021

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
LAW ENFORCEMENT OFFICER	450.000	HR
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL8"WH.CONTRAST BROKEN	3,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	3,000.000	LF
PARTIAL DEPTH PATCHING OF EXISTING DECK	1,122.000	SY
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	3.000	CY



Call No.: 350 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5653720 PCN: P038940 Project No.: P038940

DBE Goal Percent: 0.00%

Approx. Length (miles):39.0000

Description: DISTRICT 6 PAVEMENT MARKINGS

CO(S): DISTRICT6

Completion Date: 7/31/2020

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	43,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	350,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	7,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	80.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	100.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	6,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	90.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	25.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	31,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	315,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	50.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	300.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,800.000	EA
REMOVAL OF PAVEMENT MARKINGS	6,900.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	350.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	3,700.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	350.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	2,500.000	LF



Call No.: 360 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5654070 PCN: P038051 Project No.: P038051

DBE Goal Percent: 0.00%

Approx. Length (miles):54.4500

Description: DISTRICT 6 RUMBLE STRIPE PROJECT

CO(S): Beaufort Berkeley
Dorchester Jasper

Completion Date: 9/30/2020

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	106.720	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,353.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	563,513.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	42,454.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	332,924.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,353.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	563,513.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	42,454.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	332,924.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	103.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	3,595.000	EA
REMOVAL OF PAVEMENT MARKINGS	944,244.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 370 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5753140 **PCN:** P038311 **Project No.:** P038311
DBE Goal Percent: 0.00%
Approx. Length (miles): **Description:** DISTRICT 7 BRIDGE DECK PATCHING & JOINT REPAIRS
CO(S): Aiken Hampton
Completion Date: 1/31/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
LAW ENFORCEMENT OFFICER	500.000	HR
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	700.000	LF
PARTIAL DEPTH PATCHING OF EXISTING DECK	800.000	SY
COMPRESSION SEAL JOINT	2,350.000	LF
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	41.000	CY



Call No.: 380 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5753330	PCN: P038336	Project No.: P038336
DBE Goal Percent: 0.00%	PCN: P038347	Project No.: P038347
	PCN: P038419	Project No.: P038419
	PCN: P038424	Project No.: P038424
	PCN: P038445	Project No.: P038445
	PCN: P038446	Project No.: P038446
	PCN: P038451	Project No.: P038451

Approx. Length (miles): 17.9400 **Description:** REHABILITATION - ALLENDALE & HAMPTON
CO(S): Allendale Hampton CO

Completion Date: 11/30/2021 **Funding:** ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
CSX RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	700.000	SY
BORROW EXCAVATION	3,515.000	CY
EXCAVATION FOR SHOULDER PAVING	1,010.064	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,010.064	STA
MAINTENANCE STONE	168.000	TON
HMA SHOULDER WIDENING COURSE	5,932.960	TON
LIQUID ASPHALT BINDER PG64-22	2,127.631	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,070.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	10,730.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	8,800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	42,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	27,765.000	SY
MILLED-IN RUMBLE STRIP	13.590	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	11,814.934	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,448.126	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	13,654.659	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,232.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,221.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	3,970.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	109,870.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	30.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	675.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	18.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA



Call No.: 380 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	8,150.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	69,020.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,770.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	181,910.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	350.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,688.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	5.000	EA
HANDICAP SYMBOL - FAST DRY PAINT	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	16,300.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	144,360.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	600.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	80.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	70.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,463.000	EA
4" WHITE BROKEN LINES- (GAPS EXCLD) - SINGLE COMPONENT HYBRIDIZED POLYMER- 20 MILS	25.000	LF
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	165.000	LF
8" WHITE SOLID LINES-(CROSS WALK & CHANNELIZATION)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	175.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)SC HYBRIDIZED POLYMER - 20MIL	50.000	LF
24" WHITE SOLID LINES-(STOP/DIAGONAL LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	1,704.000	LF
RAILROAD CROSSING SYMBOLS - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	4.000	EA
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	3,610.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	570.000	LF
SAWCUT FOR LOOP DETECTOR	190.000	LF
ADJUST DROP INLET ADJUST D. I.	10.000	EA
DETECTABLE WARNING MATERIAL	350.000	SF
PEDESTRIAN RAMP CONSTRUCTION	700.000	SY
SURFACE APPLIED DETECTABLE WARNING	400.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,100.000	LF
MT3 LEADING END TREATMENT TL3	12.000	EA
MGS3 GR STANDARD SHOULDER	650.000	LF
MGS3CS GR COMPRESSED SHOULDER	575.000	LF
MO350 W-BEAM 9'P COMPRESSED SHOULDER SYSTEM	1,150.000	LF
MO350 THRIE-BEAM STRONG POST SYSTEM	490.000	LF
MO350 TBBC THRIE BRIDGE CONNECTOR TL3	8.000	EA



Call No.: 380

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
MO350 LEADING TYPE T TL3 (50')	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	17.288	ACRE



Call No.: 390 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5753730 PCN: P038941 Project No.: P038941

DBE Goal Percent: 0.00%

Approx. Length (miles):46.0000

Description: DISTRICT 7 PAVEMENT MARKINGS

CO(S): DISTRICT7

Completion Date: 7/31/2020

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	25,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	440,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,000.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	4,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	25.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	10.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	35,500.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	300,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	210.000	LF



Call No.: 400 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 5754060 **PCN:** P038052 **Project No.:** P038052
DBE Goal Percent: 0.00%
Approx. Length (miles): 122.1600 **Description:** DISTRICT 7 RUMBLE STRIPE PROJECT
CO(S): Aiken Barnwell Calhoun
 Clarendon Hampton
 Orangeburg
Completion Date: 9/30/2020 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	239.430	MI
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,527.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,264,158.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	104,778.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	712,388.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	7,527.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,264,158.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	104,778.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	712,388.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	9.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	8,062.000	EA
REMOVAL OF PAVEMENT MARKINGS	2,088,849.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 410 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8853750 PCN: P039084 Project No.: P039084

DBE Goal Percent: 0.00%

Approx. Length (miles):

CO(S): DISTRICT 1 DISTRICT2
DISTRICT3

Description: INSTALLATION OF INTERSTATE GUARDRAIL -
DISTRICTS 1, 2, & 3

Completion Date: 11/30/2020

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MO350 W-BEAM STRONG POST SYSTEM	7,235.000	LF
MT3 LEADING END TREATMENT TL3	182.000	EA
MB TRAILING END TREATMENT	182.000	EA
MGS3 GR STANDARD SHOULDER	56,818.000	LF
MO350 LEADING TYPE T TL3 (50')	23.000	EA



Call No.: 420 Letting Date: November 12, 2019 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8884990 **PCN:** P027127 **Project No.:** P027127
DBE Goal Percent: 5.00%
Approx. Length (miles):0.6170 **Description:** DEAN SWAMP BRIDGES - REPLACE TWO BRIDGES ON US 176
CO(S): Berkeley Orangeburg
Completion Date: 11/30/2021 **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	6,119.000	SY
REMOVAL OF EXIST. GUARDRAIL	2,872.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	8,681.000	CY
BORROW EXCAVATION	50,051.000	CY
MUCK EXCAVATION	27,022.000	CY
GEOTEXTILE FOR SEPARATION OF SUBGRADE&SUBBASE/BASE CR	13,123.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	10,414.000	SY
GEOGRID REINFORCEMENT (BIAXIAL)	21,428.000	SY
TEMPORARY SHORING WALL	425.000	LF
STONE BRIDGE LIFT MATERIAL	15,887.000	TON
GRANULAR BRIDGE LIFT MATERIAL	100.000	CY
FINE GRADING	5,512.000	SY
FLOWABLE FILL	400.000	CY
MAINTENANCE STONE	50.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,497.000	TON
LIQUID ASPHALT BINDER PG64-22	252.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	547.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	2,044.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,403.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	184.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	10.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	4.000	EA
TEMPORARY CONCRETE BARRIER	5,400.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	490.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	9.000	EA



Call No.: 420

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOV.4"YEL.BROKEN PREF.	200.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE 4"WH.SOLID PREF.	4,000.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-4)TEMP.REMOVABLE4"YEL.SOLID PREF.	4,000.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	18,500.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	200.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	6,600.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	700.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,200.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
4" WHITE SOLID LINES-(PAVEMENT EDGE LINES)-SINGLE COMPONENT HYBRIDIZED POLYMER-20 MILS	40,000.000	LF
4" YELLOW BROKEN LINES (GAPS EXCLUDED) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	500.000	LF
4" YELLOW SOLID LINES (PAVEMENT EDGE & NO PASSING ZONE) - SINGLE COMPONENT HYBRIDIZED POLYMER - 20 MILS	40,000.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,928.000	LF
CONC. FOR STRUCTURES - CLASS 4000	1,796.200	CY
COMPRESSION SEAL JOINT	52.100	LF
GROOVED SURFACE FINISH	1,800.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	330,306.000	LB
CONCRETE BRIDGE BARRIER PARAPET	832.000	LF
CONCRETE BRIDGE BARRIER PARAPET TRANSITION	8.000	EA
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	26.000	EA
PILE DRIVING SET-UP	117.000	EA
PREST. CONC. PILING (20"SQ.)	3,000.000	LF
PILE BUILD-UP PREPARATION (20"SQ)	9.000	EA
PREDRILLING FOR PREST. CONC. PILING (20"SQ.)	2,943.000	LF
PRESTRESSED INDEX PILING (20" SQUARE)	420.000	LF
PRESTRESSED PILE POINT (HP10X57)	1,782.000	LF
REINF. PILE TIPS (HP10 X 57)	81.000	EA
REINF. PILE TIPS (HP14 X 73)	36.000	EA
STEEL H BEARING PILING (HP14 X 73)	1,528.000	LF
STEEL H BEARING INDEX PILING (HP 14 X 73)	211.000	LF
18" SMOOTH WALL PIPE	28.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	250.000	LF
BRIDGE APPROACH CONCRETE CURB AND GUTTER(1'-10")	2,229.000	LF
DECK JOINT STRIP SEAL	185.100	LF
ELASTOMERIC BEARING ASSEMBLY (FLAT SLAB)	34.000	EA
RIP-RAP (CLASS B)	140.000	TON
RIP-RAP (CLASS C)	2,275.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE D	4,830.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	1,697.000	LF



Call No.: 420

Letting Date: November 12, 2019

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	8.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	10.000	EA
NON-MOW STRIP UNDER GUARDRAIL	1,232.000	SY
TEMPORARY BARRIER FENCE	5,551.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	32.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	4.244	ACRE
TEMPORARY COVER	2.123	ACRE
FERTILIZER (NITROGEN)	426.000	LB
FERTILIZER (PHOSPHORIC ACID)	426.000	LB
FERTILIZER (POTASH)	426.000	LB
AGRICULTURAL GRANULAR LIME	8,488.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	12.733	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.335	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	36.197	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	12.733	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	1,760.000	LF
SILT FENCE	5,505.000	LF
REPLACE/REPAIR SILT FENCE	1,653.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY(5'DEPH)	400.000	LF
STABILIZED CONSTRUCTION ENTRANCE	1,650.000	SY

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Cory Pope at (803)737-4459 or Popeck@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or SurePath Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Prepared by L. Arnold

Issued by:

J.Brian Parnell
Contract Administrator